



GEMTEC
www.gemtec.ca

**Limited Phase Two
Environmental Site Assessment
Proposed Commercial Building
1243 Teron Road
Kanata, Ontario**



GEMTEC
www.gemtec.ca

Submitted to:

Megha Holdings Inc.
1558 Blohm Drive
Ottawa, Ontario
K1G 4R7

**Limited Phase Two
Environmental Site Assessment
Proposed Commercial Building
1243 Teron Road
Kanata, Ontario**

January 7, 2020
Project: 64742.02

GEMTEC Consulting Engineers and Scientists Limited
32 Steacie Drive
Ottawa, ON, Canada
K2K 2A9

January 7, 2020

File: 64742.02

Megha Holdings Inc.
1558 Blohm Drive
Ottawa, Ontario
K1G 4R7

Attention: Ramesh Sarna, Director

**Re: Limited Phase Two Environmental Site Assessment
Proposed Commercial Building
1243 Teron Road
Ottawa, (Kanata), Ontario**

Enclosed is our Limited Phase Two ESA report for the e-mail proposal dated December 6, 2019. The Limited Phase Two ESA was completed in general accordance with Ontario Regulation 153/04 and describes the interpreted environmental conditions at the property.

We trust this information is sufficient for your current needs. If you have any questions or require further information, please contact the undersigned.



Nicole Soucy, M.A.Sc., P.Eng
Environmental Engineer



Drew Paulusse, B.Sc.
Senior Environmental Scientist

NS/DP

Enclosures
\\192.168.0.4\\Projects\\0. Files\\64700\\64742.02\\Environmental\\Phase Two ESA\\64742.02_LimPhaseTwoESA_RPT01_V01_2020-01-07.docx

EXECUTIVE SUMMARY

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Megha Holdings Inc., to complete a Limited Phase Two Environmental Site Assessment (ESA) for the property located at 1243 Teron Road in Kanata, Ontario.

The Limited Phase Two ESA was completed following completion of a Phase One ESA completed and submitted to Megha Holdings Inc., under separate cover. This Limited Phase Two ESA has been completed in general accordance with the requirements for Phase Two ESAs as defined in Part VII and Schedule E of Ontario Regulation 153/04, as amended. The purpose of this Limited Phase Two ESA is to support a site plan application for development of the subject site.

The site is municipally addressed as 1243 Teron Road located in Kanata, Ontario. Proposed site development includes construction of a commercial building in the northern section of the property parcel. The proposed building is to be approximately 213 metres by 46 metres and consist of slab on grade construction, three loading bays are to be constructed within the building.

Through completion of a Phase One ESA, fill material was identified as an Area of Potential Environmental Concern (APEC) on the subject site. The objective of this Limited Phase Two ESA was to determine the quality of the fill material of unknown origins with respect to Ministry of Environment, Conservation and Parks, generic site condition standards.

The surficial geology of the subject site can be generally described as fill material consisting brown silty sand, trace to some clay and gravel. Debris material including cinder blocks, red brick, and wood was identified at three test pit locations.

A total of 13 soil samples, including one duplicate were selected for analytical analysis based visual, olfactory and tactile evidence of impacts and submitted to ALS Laboratory Group for analysis of metals, and PAHs. Analytical results indicated that all soil samples met the MECP Table 2 SCS for all parameters analyzed.

Based on observations of deleterious material identified within the fill at TP19-3, TP19-4, and TP19-5, If deleterious material is identified during construction, it should not be re-used on the property, and should be disposed of at a MECP approved landfill.

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Site Description.....	1
1.2	Property Ownership	1
1.3	Current and Proposed Future Uses.....	1
1.4	Applicable Site Condition Standards	1
2.0	BACKGROUND.....	3
2.1	Physical Setting	3
2.2	Past Investigations.....	3
2.2.1	Geotechnical Investigation, GEMTEC 2019	3
2.2.2	Phase One Environmental Site Assessment, GEMTEC 2019	3
3.0	METHODOLOGY	5
3.1	Test Pits.....	5
3.2	Soil Sampling.....	5
4.0	RESULTS.....	7
4.1	General.....	7
4.1.1	Site Geology	7
4.2	Soil Sample Results.....	7
4.3	Quality Assurance and Quality Control Results.....	8
5.0	CONCLUSIONS AND RECOMMENDATIONS	9
6.0	REFERENCES.....	10
7.0	LIMITATION OF LIABILITY	11

LIST OF TABLES

Table 3.1: Summary of Soil Analyses.....	6
Table 4.1: Summary of Soil Sample Results	7

LIST OF APPENDICES

APPENDIX A	Figures
APPENDIX B	Summary of Soil Samples
APPENDIX C	Laboratory Analytical Reports

1.0 INTRODUCTION

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Megha Holdings Inc., to complete a Limited Phase Two Environmental Site Assessment (ESA) for the property located at 1243 Teron Road (the ‘subject property’). The site location is provided on the Key Plan, Figure A.1, Appendix A.

The Limited Phase Two ESA was completed following a Phase One ESA (GEMTEC, 2019) completed and submitted to Megha Holdings Inc., under separate cover. One Area of Potential Environmental Concern (APEC) was identified in the Phase One ESA.

This Limited Phase Two ESA has been completed in general accordance with the requirements for Phase Two ESAs as defined in Part VII and Schedule E of Ontario Regulation 153/04, as amended by O. Reg. 511/09 in support of Site Plan Approval.

1.1 Site Description

The subject property is currently comprised of vegetated vacant land and is owned by Astenjohnson Inc. The subject property boundary is shown on Figure A.1, Appendix A. According to a review of historical aerial photographs, the subject property has never been developed and was used for agricultural purposes from prior to 1934 to sometime between 1946 and 1985.

1.2 Property Ownership

The site is currently owned by Astenjohnson Inc. The site representative is Mr. Ramesh L. Sarna of Megha Holdings Inc., 613-299-9366.

1.3 Current and Proposed Future Uses

Based on a preliminary drawing prepared by KWC Architects and provided to GEMTEC, it is understood that a commercial structure is to be constructed on the subject property at 1243 Teron Road. The subject site is currently undeveloped and vegetated with small to large trees. In addition, there is an existing stormwater management ditch located on the subject property.

The proposed building is to be approximately 213 metres by 46 metres and consist of slab on grade construction. Three loading bays are to be constructed within the building. It is understood that the current proposed finished floor elevation is 85.7 metres, geodetic datum.

1.4 Applicable Site Condition Standards

The Ministry of Environment, Conservation and Parks (MECP) Site Condition Standards (SCS) were selected based on site conditions and were selected for the site in accordance with the requirements of Ontario Regulation 153/04, Record of Site Condition – Part XV.1 of the Environmental Protection Act (O. Reg. 153/04, Ministry of the Environment, Conservation and Parks, October 31, 2011).

The following information was considered in selecting the site condition standards:

- The most sensitive use of the property will be commercial;
- The site is not located within 30 m of a water body;
- Four domestic water wells were identified within 250 metres of the subject site; and,
- Subsurface investigation completed on the subject site identified bedrock at depths greater than 2.0 m below ground surface.

Based on the above information the MECP Table 2 Full Depth Generic Site Condition Standards in a Potable Groundwater Condition, Commercial Property Use, Coarse Soils (MOE, April 15, 2011) was selected for the subject property.

2.0 BACKGROUND

2.1 Physical Setting

Topographic mapping available through the Ontario Basic Mapping (OBM, 2012) and the Ministry of Natural Resources and Forestry (MNR, 2014), were reviewed to determine topographic features in the vicinity of the subject property and study area. The elevation of the subject property is approximately 86 metres above sea level and topography at the subject site and surrounding area is generally flat sloping downward slightly to the northeast.

Surficial and bedrock geology maps of the Ottawa area were reviewed. Based on the review, overburden in the vicinity of the subject property generally consists of clay and silt with a thickness of between 10 and 16 metres (ESRI, 2016). Bedrock is mapped as undifferentiated metamorphic and igneous rocks of the Precambrian Formation (ESRI, 2016).

The Ottawa River is situated approximately 3.4 kilometers north of the subject property. No water features, wetlands, or areas of natural significance were identified on the subject property, or within the study area (MNR, 2014). Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. Based on the topography and hydrogeological features, it is anticipated that local shallow groundwater would flow towards the north.

2.2 Past Investigations

Two historical assessment reports were available for review as part of this Limited Phase Two ESA.

2.2.1 Geotechnical Investigation, GEMTEC 2019

A Geotechnical Investigation was completed for the subject property in 2019 by GEMTEC. The report was entitled “Geotechnical Investigation, Proposed Commercial Building, 1243 Teron Road, Ottawa, Ontario”.

The geotechnical investigation involved the advancement of twelve boreholes across the subject property. Two of the boreholes were advanced as monitoring wells. Based on the geotechnical investigation borehole logs, fill material was identified at all borehole locations. The purpose of this Limited Phase Two ESA was to investigate the quality of fill material observed at the subject property.

2.2.2 Phase One Environmental Site Assessment, GEMTEC 2019

An ESA was completed for the subject property in 2019 by GEMTEC. The report was entitled “Phase One Environmental Site Assessment, Proposed Commercial Building, 1243 Teron Road, Kanata, Ontario”.

A review of historical information pertaining to the subject site and adjacent properties identified, numerous potentially contaminating activities (PCAs) including but not limited to fill material of unknown quality, spills, waste disposal, and manufacturing.

Fill material of unknown quality located on the subject property has been identified as a PCA, resulting in the identification of an APEC on the subject property, the APEC identified at the subject property is summarized below:

APEC 1: Importation of Fill Material of Unknown Quality on the subject property

Through a review of aerial photographs, site interview and the geotechnical report (GEMTEC, 2019b), fill material of unknown origin appears to be present on the subject property. The associated potential contaminants of concern are metals and polycyclic aromatic hydrocarbons (PAHs). This APEC is present across the entire subject site.

Based on the APEC identified on the site, a Limited Phase Two Environmental Site Assessment was recommended to investigate potential soil impacts on the subject property.

3.0 METHODOLOGY

3.1 Test Pits

Test pits were advanced in the fill material on the subject property on December 20, 2019, to assess if the quality of fill material at selected test locations satisfy the applicable MECP SCS for the site. The test pits were advanced across the subject property, locations of test pits can be found on the Test Pit Location Plan, Figure A.1, Appendix A. Potential contaminants of concern (COCs) identified in the Phase One ESA (GEMTEC, 2019) for soil at the site include metals, and PAHs.

Test pits were advanced to between 0.40 and 2.35 metres below ground surface using a JD85 excavator provided and operated by Thunderbolt Contracting Ltd. The approximate locations of the test pits are shown on the Test Pit Location Plan, Figure A.1, Appendix A. The test pit locations were selected by GEMTEC personnel and positioned at the site to investigate quality of fill material identified in the geotechnical report. The locations of the test pits were determined using a Trimble R10 GPS survey instrument. The coordinates of the test pits are referenced to NAD83 (CSRS) Epoch 2010, vertical network CGVD28 and are considered to be accurate within the tolerance of the instrument.

3.2 Soil Sampling

Soil samples were recovered from 12 test pits on the subject property following the Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario (MOE, 1996). Clean gloves were worn and changed between each sample to prevent cross contamination. Soil samples were collected directly into laboratory-supplied sampling containers. All samples were stored and shipped in laboratory supplied coolers. Samples were submitted to ALS Laboratory Group, of Nepean, Ontario, a CALA-certified analytical laboratory, under standard chain-of-custody procedures and in accordance with GEMTEC QA/QC procedures.

A total of 12 samples were inspected in the field for visual, tactile and olfactory evidence of impact. The soil sampling program included the submission of soil samples for laboratory analysis of metals, and PAHs. Soil samples were selected based visual, olfactory and tactile evidence of impact. A total of 13 soil samples, including one duplicate sample, were submitted to ALS Laboratory Group, a CALA certified laboratory, for analysis of selected parameters. A summary of the soil samples screened and submitted for analyses of selected parameters are summarized in Table 3.1.

Table 3.1: Summary of Soil Analyses

Test Pit	Sample Depth (mbgs)	Sample Description	Analytical Analyses
TP19-1	1.90	Fill material – no debris	Metals, PAHs
TP19-2	1.55	Fill material – no debris	Metals, PAHs
TP19-3	2.35	Fill material – cinder block debris	Metals, PAHs
TP19-4	2.20	Fill material – red brick and wood debris	Metals, PAHs
TP19-5	1.90	Fill material – red brick debris	Metals, PAHs
TP19-13	1.90	Fill material – red brick debris	Metals, PAHs
TP19-6	1.20	Fill material – no debris	Metals, PAHs
TP19-7	1.70	Fill material – no debris	Metals, PAHs
TP19-8	0.70	Fill material – no debris	Metals, PAHs
TP19-9	1.05	Fill material – no debris	Metals, PAHs
TP19-10	0.40	Fill material – no debris	Metals, PAHs
TP19-11	0.65	Fill material – no debris	Metals, PAHs
TP19-12	0.90	Fill material – no debris	Metals, PAHs

1. bgs – Below ground surface.
2. TP – Test pit
3. PAHs – Polycyclic Aromatic Hydrocarbons
4. TP19-13 is a duplicate of TP19-5

4.0 RESULTS

4.1 General

Soil conditions identified in the test pits advanced as part of this investigation were generally identified as fill material. Subsurface conditions at locations other than the test locations may vary from the conditions encountered in the testpits. The following presents an overview of the subsurface conditions encountered in the testpits advanced as part of this investigation.

4.1.1 Site Geology

The surficial geology of the subject site can be described as fill material consisting brown silty sand, trace to some clay and gravel. Some of the sample locations also identified debris material including cinder blocks, red brick, and wood. A summary of the soil description from each sample collected can be found in Table 3.1 above.

4.2 Soil Sample Results

Laboratory analytical results for the soil samples submitted for analyses, including the selected MECP SCS, are presented in Table B1, Appendix B. Laboratory certificates of analysis for soil samples are provided in Appendix C. A summary of the soil samples submitted and exceedances compared to the applicable MECP SCS is provided in Table 4.1.

Table 4.1: Summary of Soil Sample Results

Test Pit/ Sample ID	Depth Interval (m bgs)	Exceedances of MECP T2 SCS ¹
TP19-1	1.90	None
TP19-2	1.55	None
TP19-3	2.35	None
TP19-4	2.20	None
TP19-5	1.90	None
TP19-13	1.90	None
TP19-6	1.20	None
TP19-7	1.70	None
TP19-8	0.70	None
TP19-9	1.05	None
TP19-10	0.40	None
TP19-11	0.65	None
TP19-12	0.90	None

1. MECP Table 2 SCS: Full Depth Generic Site Condition Standards in a Potable Groundwater Condition, Commercial Property Use, Coarse Soils (MOE, April 15, 2011)

4.3 Quality Assurance and Quality Control Results

A quality assurance/quality control (QA/QC) program was implemented during the environmental sampling. The QA/QC program consisted of the use of standard field protocols. The QA/QC program also included internal laboratory QC performed by ALS Laboratory Group of Nepean, Ontario.

One duplicate soil sample was submitted to ALS Laboratory Group for analysis of selected parameters. The soil sample TP19-13 is a duplicate of sample TP19-5. Relative Standards Deviations (RPDs) were calculated for all parameters where the original and duplicate sample concentrations exceeded five times the reportable detection limits (RDL). The average RPD values for duplicate set was 16.9 %. All of the QA/QC RPDs (with sample values greater than 5 times the RDL) for the duplicate samples were within the acceptable limit for soils (MOE, 2011), with the exception of lead.

Additionally, GEMTECs review of ALSs QA/QC indicates that analytical results fell within acceptable QA/QC limits for constituent recovery as defined by the protocols for the analytical methods for all parameters analyzed.

Based on the measures discussed above, sample collection and handling protocols are considered acceptable and associated analytical results reproducible. The quality of the data from the investigation was sufficient in that decision making was not affected, and the overall objectives of the investigation and assessment were met.

5.0 CONCLUSIONS AND RECOMMENDATIONS

Based on a review of historical information and completion of the Limited Phase Two ESA to investigate the single APEC (fill of unknown quality) identified in the Phase One ESA, GEMTEC offers the following conclusions.

- Surficial geology of the subject site generally consists of fill material consisting brown silty sand, trace to some clay and gravel. Debris material including cinder blocks, red brick, and wood was occasionally encountered within the fill.
- A total of 13 soil samples, including one duplicate sample, were selected for analytical analysis based visual, olfactory and tactile evidence of impacts and submitted for analysis of metals, and PAHs.
- Analytical results indicated that soil samples met the MECP Table 2 SCS for all parameters analyzed.

Based on observations of deleterious material identified within the fill at TP19-3, TP19-4, and TP19-5, If deleterious material is identified during construction, it should not be re-used on the property, and should be disposed of at a MECP approved landfill.

We trust this report provides sufficient information for your present purposes. If you have any questions concerning this report, please do not hesitate to contact our office.



Nicole Soucy, M.A.Sc., P.Eng
Environmental Engineer



Drew Paulusse, B.Sc.
Senior Environmental Scientist



6.0 REFERENCES

City of Ottawa (Ottawa). 2019. GeoOttawa Maps Accessed: January 2020. Available: <http://maps.ottawa.ca/geoottawa/>.

Environmental Systems Research Institute (ESRI). 2011. ArcGIS Desktop: Release 10. Redlands, CA: Environmental Systems Research Institute.

GEMTEC. 2019a Phase One Environmental Site Assessment, Proposed Commercial Building, 1243 Teron Road, Kanata, Ontario. December 4..

GEMTEC. 2019b Geotechnical Investigation, Proposed Commercial Building, 1243 Teron Road, Ottawa, Ontario. November 12.

Geography Network Canada (GNC). October 2004. Ontario Basic Mapping Accessed: January 2020. Available: <http://www.geographynetwork.ca/website/obm/viewer.htm>.

Google Earth™ Satellite Imagery, 2019

Ontario Ministry of Natural Resources and Forestry (MNR). 2014. Make A Map: Natural Heritage Areas.

Ontario Ministry of the Environment and Climate Change. Environment and Energy. Map Well Records. Accessed: January 2020. Available: <https://www.ontario.ca/environment-and-energy/map-well-records>

Ontario Ministry of the Environment and Climate Change. 1996. Guidance on sampling and analytical methods for use at contaminated sites in Ontario. Revised December.

Ontario Ministry of the Environment (MOE). 2011. Soil, Groundwater and Sediment Standards for use under part XV.1 of the Environmental Protection Act. April 15.

Ontario Ministry of the Environment. 2014. Ontario Regulation 153/04, Made under the Environmental Protection Act, Part XV.1 – Records of Site Condition. January 1.

7.0 LIMITATION OF LIABILITY



This report was prepared for and the work referred to within it has been undertaken by GEMTEC Consulting Engineers and Scientists Ltd for Megha Holdings Inc. It is intended for the exclusive use of Megha Holdings Inc. This report may not be relied upon by any other person or entity without the express written consent of GEMTEC, and Megha Holdings Inc. Nothing in this report is intended to provide a legal opinion.

The investigation undertaken by GEMTEC with respect to this report and any conclusions or recommendations made in this report reflect the best judgements of GEMTEC based on the site conditions observed during the investigations undertaken at the date(s) identified in the report and on the information available at the time the report was prepared. This report has been prepared for the application noted and it is based, in part, on visual observations made at the site, subsurface investigations at discrete locations and depths and laboratory analyses of specific chemical parameters and material during a specific time interval, all as described in the report. Unless otherwise stated, the findings contained in this report cannot be extrapolated or extended to previous or future site conditions, portions of the site that were unavailable for direct investigation, subsurface locations on the site that were not investigated directly, or chemical parameters, materials or analysis which were not addressed. Chemical parameters other than those addressed by the investigation described in this report may exist in soil and groundwater elsewhere on the site, the chemical parameters addressed in the report may exist in soil and groundwater at other locations at the site that were not investigated and concentrations of the chemical parameters addressed which are different than those reported may exist at other locations on the site than those from where the samples were taken.

Should new information become available during future work, including excavations, borings or other studies, GEMTEC should be requested to review the information and, if necessary, reassess the conclusions presented herein.

APPENDIX A

Figures



LEGEND

- ■ — SUBJECT PROPERTY
- TEST PIT LOCATION IN PLAN
(current investigation by GEMTEC)
- TP # — TEST PIT ID
- XX.XX — GROUND SURFACE ELEVATION, IN METRES
GEODETIC DATUM

Scale 1:2000

0 40 80 120m



GEMTEC
CONSULTING ENGINEERS
AND SCIENTISTS

32 Steacie Drive
Ottawa, ON K2K 2A9
Tel: (613) 836-1422
www.gemtec.ca
ottawa@gemtec.ca

Drawing

TEST PIT LOCATION PLAN

Client

MEGA HOLDINGS INC.

Project
64742.02

LIMITED PHASE TWO ESA
1243 TERON RD.
OTTAWA, ONTARIO

Drwn by
P.C.

Chkd by
N.S.

Date
JANUARY 2020

Rev.
0

FIGURE A.1

APPENDIX B

Summary of Soil Results

APPENDIX C

Laboratory Analytical Reports



GEMTEC Consulting Engineers & Scientists
Limited
ATTN: Nicole Soucy
32 Steacie Drive
Ottawa ON K2K 2A9

Date Received: 20-DEC-19
Report Date: 03-JAN-20 12:52 (MT)
Version: FINAL REV. 2

Client Phone: 613-836-1422

Certificate of Analysis

Lab Work Order #: L2399551

Project P.O. #: 64742.02

Job Reference: 64742.02

C of C Numbers:

Legal Site Desc:

Comments: ADDITIONAL 02-JAN-20 06:35 - PAH analysis added



Emily Smith
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 190 Colonnade Road, Unit 7, Ottawa, ON K2E 7J5 Canada | Phone: +1 613 225 8279 | Fax: +1 613 225 2801
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-1	TP19-1							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Polycyclic Aromatic Hydrocarbons								
Surrogate: p-Terphenyl d14		84.1		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-2	TP19-2							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Physical Tests								
% Moisture		18.5		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals								
Antimony (Sb)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)		2.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)		201		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)		0.60		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)		6.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)		50.7		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cobalt (Co)		12.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)		24.1		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)		9.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Nickel (Ni)		26.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)		<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Uranium (U)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)		64.1		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)		73.1		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons								
Acenaphthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenzo(ah)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Indeno(1,2,3-cd)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes		<0.042		0.042	ug/g		27-DEC-19	
1-Methylnaphthalene		<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene		<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-2	TP19-2							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Polycyclic Aromatic Hydrocarbons								
Naphthalene		<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene		<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl		89.7		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14		83.0		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-3	TP19-3							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Physical Tests								
% Moisture		16.7		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals								
Antimony (Sb)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)		2.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)		307		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)		0.70		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)		6.6		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)		59.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cobalt (Co)		16.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)		29.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)		9.2		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Nickel (Ni)		32.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)		<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Uranium (U)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)		77.2		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)		81.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons								
Acenaphthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenzo(ah)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-3	TP19-3							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Polycyclic Aromatic Hydrocarbons								
Indeno(1,2,3-cd)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes		<0.042		0.042	ug/g		27-DEC-19	
1-Methylnaphthalene		<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene		<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
Naphthalene		<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene		<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl		88.5		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14		80.6		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-4	TP19-4							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Physical Tests								
% Moisture		16.9		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals								
Antimony (Sb)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)		2.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)		219		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)		0.57		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)		6.5		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)		46.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cobalt (Co)		13.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)		23.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)		12.3		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Nickel (Ni)		24.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)		<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Uranium (U)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)		64.2		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)		77.4		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons								
Acenaphthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-4	TP19-4							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Polycyclic Aromatic Hydrocarbons								
Chrysene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Dibenzo(ah)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Fluorene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Indeno(1,2,3-cd)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
1+2-Methylnaphthalenes	<0.042		0.042	ug/g		27-DEC-19		
1-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138	
2-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138	
Naphthalene	<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138	
Phenanthrene	<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138	
Pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Surrogate: 2-Fluorobiphenyl	90.7	50-140	%	23-DEC-19	27-DEC-19	R4955138		
Surrogate: p-Terphenyl d14	84.0	50-140	%	23-DEC-19	27-DEC-19	R4955138		
L2399551-5	TP19-5							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Physical Tests								
% Moisture	13.4		0.25	%	23-DEC-19	23-DEC-19	R4952039	
Metals								
Antimony (Sb)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Arsenic (As)	2.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Barium (Ba)	122		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Beryllium (Be)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646	
Boron (B)	<5.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Cadmium (Cd)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646	
Chromium (Cr)	28.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Cobalt (Co)	8.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Copper (Cu)	17.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Lead (Pb)	19.6		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Molybdenum (Mo)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Nickel (Ni)	15.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Selenium (Se)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Silver (Ag)	<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646	
Thallium (Tl)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646	
Uranium (U)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Vanadium (V)	41.1		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Zinc (Zn)	44.9		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646	
Polycyclic Aromatic Hydrocarbons								
Acenaphthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Acenaphthylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	
Benzo(a)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138	

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-5 TP19-5 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Polycyclic Aromatic Hydrocarbons							
Benzo(a)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenzo(ah)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Indeno(1,2,3-cd)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes	<0.042		0.042	ug/g		27-DEC-19	
1-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
Naphthalene	<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene	<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl	88.8		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14	82.5		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-6 TP19-13 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Physical Tests							
% Moisture	12.6		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals							
Antimony (Sb)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)	2.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)	151		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)	<5.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)	32.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cobalt (Co)	9.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)	20.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)	12.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Nickel (Ni)	17.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)	<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Uranium (U)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)	48.2		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)	49.6		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons							

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-6 TP19-13 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenzo(ah)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Indeno(1,2,3-cd)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes	<0.042		0.042	ug/g		27-DEC-19	
1-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
Naphthalene	<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene	<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl	87.5		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14	78.5		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-7 TP19-6 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Physical Tests							
% Moisture	15.1		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals							
Antimony (Sb)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)	2.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)	101		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)	<5.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)	31.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cobalt (Co)	8.1		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)	8.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)	5.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Nickel (Ni)	16.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)	<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-7	TP19-6							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Metals								
Uranium (U)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)		56.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)		38.2		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons								
Acenaphthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenzo(ah)anthracene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Indeno(1,2,3-cd)pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes		<0.042		0.042	ug/g		27-DEC-19	
1-Methylnaphthalene		<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene		<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
Naphthalene		<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene		<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene		<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl		87.8		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14		79.2		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-8	TP19-7							
Sampled By:	CLIENT on 20-DEC-19							
Matrix:	SOIL							
Physical Tests								
% Moisture		11.8		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals								
Antimony (Sb)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)		45.3		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)		<5.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)		<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)		14.1		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cobalt (Co)		4.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)		9.3		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)		3.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)		<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-8 TP19-7 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Metals							
Nickel (Ni)	8.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)	<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Uranium (U)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)	25.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)	23.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenzo(ah)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Indeno(1,2,3-cd)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes	<0.042		0.042	ug/g			
1-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
Naphthalene	<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene	<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl	91.2		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14	82.1		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-9 TP19-8 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Physical Tests							
% Moisture	17.6		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals							
Antimony (Sb)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)	2.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)	212		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Beryllium (Be)	0.57		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Boron (B)	<5.0		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Cadmium (Cd)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Chromium (Cr)	42.5		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2399551-9 TP19-8 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Metals							
Cobalt (Co)	10.7		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Copper (Cu)	16.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Lead (Pb)	5.2		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Molybdenum (Mo)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Nickel (Ni)	23.4		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Selenium (Se)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Silver (Ag)	<0.20		0.20	ug/g	24-DEC-19	24-DEC-19	R4954646
Thallium (Tl)	<0.50		0.50	ug/g	24-DEC-19	24-DEC-19	R4954646
Uranium (U)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Vanadium (V)	60.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Zinc (Zn)	57.4		5.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Polycyclic Aromatic Hydrocarbons							
Acenaphthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Acenaphthylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(a)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(b)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(g,h,i)perylene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Benzo(k)fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Chrysene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Dibenz(a,h)anthracene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluoranthene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Fluorene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Indeno(1,2,3-cd)pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
1+2-Methylnaphthalenes	<0.042		0.042	ug/g		27-DEC-19	
1-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
2-Methylnaphthalene	<0.030		0.030	ug/g	23-DEC-19	27-DEC-19	R4955138
Naphthalene	<0.013		0.013	ug/g	23-DEC-19	27-DEC-19	R4955138
Phenanthrene	<0.046		0.046	ug/g	23-DEC-19	27-DEC-19	R4955138
Pyrene	<0.050		0.050	ug/g	23-DEC-19	27-DEC-19	R4955138
Surrogate: 2-Fluorobiphenyl	88.3		50-140	%	23-DEC-19	27-DEC-19	R4955138
Surrogate: p-Terphenyl d14	78.0		50-140	%	23-DEC-19	27-DEC-19	R4955138
L2399551-10 TP19-9 Sampled By: CLIENT on 20-DEC-19 Matrix: SOIL							
Physical Tests							
% Moisture	15.2		0.25	%	23-DEC-19	23-DEC-19	R4952039
Metals							
Antimony (Sb)	<1.0		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Arsenic (As)	1.9		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646
Barium (Ba)	66.8		1.0	ug/g	24-DEC-19	24-DEC-19	R4954646

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

Quality Control Report

Workorder: L2399551

Report Date: 03-JAN-20

Page 8 of 11

Client: GEMTEC Consulting Engineers & Scientists Limited
 32 Steacie Drive
 Ottawa ON K2K 2A9

Contact: Nicole Soucy

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-511-WT	Soil							
Batch	R4955138							
WG3248284-4	MS	WG3248284-5						
Benzo(g,h,i)perylene			87.5		%		50-140	27-DEC-19
Benzo(k)fluoranthene			92.1		%		50-140	27-DEC-19
Chrysene			97.3		%		50-140	27-DEC-19
Dibenzo(ah)anthracene			91.1		%		50-140	27-DEC-19
Fluoranthene			85.0		%		50-140	27-DEC-19
Fluorene			85.3		%		50-140	27-DEC-19
Indeno(1,2,3-cd)pyrene			88.3		%		50-140	27-DEC-19
Naphthalene			84.7		%		50-140	27-DEC-19
Phenanthrene			87.1		%		50-140	27-DEC-19
Pyrene			85.6		%		50-140	27-DEC-19
Batch	R4958834							
WG3251665-3	DUP	WG3251665-5						
1-Methylnaphthalene			<0.030	<0.030	RPD-NA	ug/g	N/A	40
2-Methylnaphthalene			<0.030	<0.030	RPD-NA	ug/g	N/A	40
Acenaphthene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Acenaphthylene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Anthracene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Benzo(a)anthracene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Benzo(a)pyrene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Benzo(b)fluoranthene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Benzo(g,h,i)perylene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Benzo(k)fluoranthene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Chrysene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Dibenzo(ah)anthracene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Fluoranthene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Fluorene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Indeno(1,2,3-cd)pyrene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
Naphthalene			<0.013	<0.013	RPD-NA	ug/g	N/A	40
Phenanthrene			<0.046	<0.046	RPD-NA	ug/g	N/A	40
Pyrene			<0.050	<0.050	RPD-NA	ug/g	N/A	40
WG3251665-2	LCS							
1-Methylnaphthalene			88.5		%		50-140	03-JAN-20
2-Methylnaphthalene			86.6		%		50-140	03-JAN-20

Quality Control Report

Workorder: L2399551

Report Date: 03-JAN-20

Page 9 of 11

Client: GEMTEC Consulting Engineers & Scientists Limited
 32 Steacie Drive
 Ottawa ON K2K 2A9

Contact: Nicole Soucy

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-511-WT	Soil							
Batch	R4958834							
WG3251665-2	LCS							
Acenaphthene			92.9		%		50-140	03-JAN-20
Acenaphthylene			95.9		%		50-140	03-JAN-20
Anthracene			91.2		%		50-140	03-JAN-20
Benzo(a)anthracene			96.2		%		50-140	03-JAN-20
Benzo(a)pyrene			94.7		%		50-140	03-JAN-20
Benzo(b)fluoranthene			96.3		%		50-140	03-JAN-20
Benzo(g,h,i)perylene			98.1		%		50-140	03-JAN-20
Benzo(k)fluoranthene			91.9		%		50-140	03-JAN-20
Chrysene			103.5		%		50-140	03-JAN-20
Dibenzo(ah)anthracene			99.7		%		50-140	03-JAN-20
Fluoranthene			93.4		%		50-140	03-JAN-20
Fluorene			91.7		%		50-140	03-JAN-20
Indeno(1,2,3-cd)pyrene			102.4		%		50-140	03-JAN-20
Naphthalene			89.9		%		50-140	03-JAN-20
Phenanthrene			93.4		%		50-140	03-JAN-20
Pyrene			93.4		%		50-140	03-JAN-20
WG3251665-1	MB							
1-Methylnaphthalene			<0.030		ug/g		0.03	03-JAN-20
2-Methylnaphthalene			<0.030		ug/g		0.03	03-JAN-20
Acenaphthene			<0.050		ug/g		0.05	03-JAN-20
Acenaphthylene			<0.050		ug/g		0.05	03-JAN-20
Anthracene			<0.050		ug/g		0.05	03-JAN-20
Benzo(a)anthracene			<0.050		ug/g		0.05	03-JAN-20
Benzo(a)pyrene			<0.050		ug/g		0.05	03-JAN-20
Benzo(b)fluoranthene			<0.050		ug/g		0.05	03-JAN-20
Benzo(g,h,i)perylene			<0.050		ug/g		0.05	03-JAN-20
Benzo(k)fluoranthene			<0.050		ug/g		0.05	03-JAN-20
Chrysene			<0.050		ug/g		0.05	03-JAN-20
Dibenzo(ah)anthracene			<0.050		ug/g		0.05	03-JAN-20
Fluoranthene			<0.050		ug/g		0.05	03-JAN-20
Fluorene			<0.050		ug/g		0.05	03-JAN-20
Indeno(1,2,3-cd)pyrene			<0.050		ug/g		0.05	03-JAN-20
Naphthalene			<0.013		ug/g		0.013	03-JAN-20
Phenanthrene			<0.046		ug/g		0.046	03-JAN-20

Quality Control Report

Workorder: L2399551

Report Date: 03-JAN-20

Page 10 of 11

Client: GEMTEC Consulting Engineers & Scientists Limited
 32 Steacie Drive
 Ottawa ON K2K 2A9

Contact: Nicole Soucy

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAH-511-WT	Soil							
Batch	R4958834							
WG3251665-1	MB							
Pyrene			<0.050		ug/g		0.05	03-JAN-20
Surrogate: 2-Fluorobiphenyl			86.2		%		50-140	03-JAN-20
Surrogate: p-Terphenyl d14			83.7		%		50-140	03-JAN-20
WG3251665-4	MS	WG3251665-5						
1-Methylnaphthalene			90.8		%		50-140	03-JAN-20
2-Methylnaphthalene			87.3		%		50-140	03-JAN-20
Acenaphthene			94.9		%		50-140	03-JAN-20
Acenaphthylene			96.3		%		50-140	03-JAN-20
Anthracene			94.3		%		50-140	03-JAN-20
Benzo(a)anthracene			101.7		%		50-140	03-JAN-20
Benzo(a)pyrene			97.8		%		50-140	03-JAN-20
Benzo(b)fluoranthene			101.4		%		50-140	03-JAN-20
Benzo(g,h,i)perylene			101.1		%		50-140	03-JAN-20
Benzo(k)fluoranthene			93.9		%		50-140	03-JAN-20
Chrysene			108.2		%		50-140	03-JAN-20
Dibenzo(ah)anthracene			103.5		%		50-140	03-JAN-20
Fluoranthene			97.7		%		50-140	03-JAN-20
Fluorene			93.0		%		50-140	03-JAN-20
Indeno(1,2,3-cd)pyrene			108.1		%		50-140	03-JAN-20
Naphthalene			90.0		%		50-140	03-JAN-20
Phenanthrene			95.7		%		50-140	03-JAN-20
Pyrene			96.0		%		50-140	03-JAN-20

Quality Control Report

Workorder: L2399551

Report Date: 03-JAN-20

Client: GEMTEC Consulting Engineers & Scientists Limited
32 Steacie Drive
Ottawa ON K2K 2A9

Page 11 of 11

Contact: Nicole Soucy

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.



Report To		Contact and company name below will appear on the final report		Report Format , <small>PDF, EXCEL, EDD (DIGITAL)</small>		Select Service Level below - Contact your AM to confirm all E&P TATs (surcharges may apply)	
Company:	Gemtec	Contact:	Nicole Soucy	Select Report Format:	<input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)	Quality Control (QC) Report with Report	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
Phone:	613-836-1422 x265	Company address below will appear on the final report		Select Distribution:	<input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX	PRIORITY (Business Days)	Regular [R] <input checked="" type="checkbox"/> Standard TAT if received by 3 pm - business days - no surcharges apply
Street:	32 Steeple Drive			Email 1 or Fax	nicole.soucy@gemtec.ca	4 day [P4-20%]	<input type="checkbox"/> 1 Business day [E - 100%] <input type="checkbox"/>
City/Province:	Kanata, ON			Email 2		3 day [P3-25%]	<input type="checkbox"/> Same Day, Weekend or Statutory holiday [E2 - 200%] <input type="checkbox"/>
Postal Code:	K2K 2A9			Email 3		2 day [P2-50%]	<input type="checkbox"/> [Laboratory opening fees may apply] <input type="checkbox"/>
Invoice To	Same as Report To		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Invoice Distribution		Date and Time Required for all E&P TATs:	<small>dd-mm-yy hh:mm</small>
Copy of invoice with Report			<input type="checkbox"/>	Select Invoice Distribution:	<input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX	For tests that can not be performed according to the service level selected, you will be contacted.	
Company:			<input type="checkbox"/>	Email 1 or Fax	nicole.soucy@gemtec.ca		
Contact:			<input type="checkbox"/>	Email 2			
Project Information							
ALS Account # / Quote #:	27661		Oil and Gas Required Fields (client use)		Analysis Request		
Job #:	64742.02		AFECost Center:	PO#			
PO / AFE:			Major/Minor Code:	Routing Code:			
Requisitioner:			Location:				
LSD:							
ALS Lab Work Order # (lab use only):	LJ 39 9551		ALS Contact:	Emily Smith	Sampler:		
ALS Sample # (lab use only)	Sample Identification and/or Coordinates <small>(This description will appear on the report)</small>		Date (dd-mm-yy)	Time (hh:mm)	Sample Type		
1	TP19-1		20-12-19		ICP METALS		
2	TP19-2				PAH		
3	TP19-3						
4	TP19-4						
5	TP19-5						
6	TP19-6						
7	TP19-7						
8	TP19-8						
9	TP19-9						
10	TP19-10						
11	TP19-11						
Drinking Water (DW) Samples ¹ (client use)		Special Instructions / Specify Criteria to add on report by clicking on the drop-down list below					
Are samples taken from a Regulated DW System?		SAMPLE CONDITION AS RECEIVED (lab use only)					
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		Frozen	<input type="checkbox"/>	SIF Observations	Yes	<input type="checkbox"/>	No
Are samples for human consumption/use?		Ice Packs	<input type="checkbox"/>	Ice Cubes	<input checked="" type="checkbox"/> Custody seal intact	<input type="checkbox"/>	No
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		Cooling Initiated	<input type="checkbox"/>				
SHIPMENT RELEASE (client use)		INITIAL SHIPMENT RECEPTION (lab use only)					
Released by: <u>Nicole Soucy</u> Date: <u>Dec 20/19</u> Time: <u>10:30</u>		Received by: <u>Justas Preasslany</u> Date: <u>12/20/19</u> Time: <u>10:30</u>					
REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION		INITIAL COOLER TEMPERATURES °C FINAL COOLER TEMPERATURES °C					
		44			88		
		FINAL SHIPMENT RECEPTION (lab use only)					
		Received by: <u>Am</u> Date: <u>Dec 21/19</u> Time: <u>10:30</u>					
		SUSPECTED HAZARD (see Special Instructions)					

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.


Chain of Custody (COC) / Analytica
Request Form

L 2399551-COFC

COC Number: 17-

Page 2 of 2

Canada Toll Free: 1 800 668 9878

Report To		Contact and company name below will appear on the final report	
Company:	Gemtec	Select Report Format:	<input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDI (DIGITAL) <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> Compare Results to Criteria on Report - provide details below if box checked
Contact:	Nicole Soucy	Select Distribution:	<input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX
Phone:	613-836-1422 x265		
Company address below will appear on the final report		Email 1 or Fax:	nicole.soucy@gemtec.ca
Street:	32 Steacie Drive	Email 2:	
City/Province:	Kanata, ON	Email 3:	
Postal Code:	K2K 2A9	Invoice Distribution:	<input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX
Invoice To:	Same as Report To	Select Invoice Distribution:	<input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX
Company:		Email 1 or Fax:	nicole.soucy@gemtec.ca
Contact:		Email 2:	
Project Information ALS Account # / Quote #: 27661 Job #: 64742.02 PO / AFE: LSD:			
ALS Lab Work Order # (lab use only): L 2399551			
ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)	Date (dd-mm-yy)	Time (hh:mm)
	TRIA-12	2012-19	
			Sample Type
			ICP METALS
			PAH

For tests that can not be performed according to the service level selected, you will be contacted.

Analysis Request

Select Service Level Below - Contact your AM to confirm all E&P TAT's (surcharges may apply)

Regular [R] Standard TAT if received by 3 pm - business days - no surcharges apply1 Business day [E - 100%] Same Day, Weekend or Statutory Holiday [E2 - 200%] [Laboratory opening fees may apply]

Date and Time Required for all E&P TAT's:

dd-mm-yy hh:mm

NUMBER OF CONTAINERS

SUSPECTED HAZARD (see Special Instructions)

SAMPLE CONDITION AS RECEIVED (lab use only)

Frozen <input type="checkbox"/>	SIF Observations <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Ice Packs <input type="checkbox"/>	Custody seal intact <input checked="" type="checkbox"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Cooling Initiated <input type="checkbox"/>			
INITIAL COOLER TEMPERATURES °C	4.4	8.9	FINAL COOLER TEMPERATURES °C

SAMPLE CONDITION AS RECEIVED (lab use only)

- Are samples taken from a Regulated DW System?
 YES NO
- Are samples for human consumption/use?
 YES NO

(electronic COC only)

SHIPMENT RELEASE (client use)
 REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION
 Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.


1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

Released by: *Nicole Soucy* Date: *Dec 20/19* Time: *10:30*
 Received by: *Russell* Date: *12/20/19* Time: *10:30*
 WHITE - LABORATORY COPY YELLOW - CLIENT COPY

COFC

NOV 2018 FRONT

experience • knowledge • integrity



civil	civil
geotechnical	géotechnique
environmental	environnementale
field services	surveillance de chantier
materials testing	service de laboratoire des matériaux

expérience • connaissance • intégrité

