

Geotechnical Investigation Report

64 Jamie Avenue, Ottawa, Ontario

Prepared For:

Pritec Management
P.O Box 296
Carp, ON K0A 1L0

Date: March 26, 2025
AllRock File: 25014



Geotechnical Investigation Report

Proposed Parking Garage – 64 Jamie Avenue

Project No.: 25014

March 26, 2025

Prepared by:



Jeremy Milsom, B.Sc.
Geoscientist
613.608.4059
Jeremy.milsom@allrockconsulting.com

Reviewed by:



Greg Davidson, P.Eng.
President – Geotechnical Lead
343.542.2433
greg.davidson@allrockconsulting.com

Approved by:



Scott Allen, P.Eng.
President
416.452.8998
scott.allen@allrockconsulting.com

QUALITY CONTROL

Version No.	Date	Comments
1.0	March 21, 2025	Original Version
2.0	March 26, 2025	Final Version

QUALITY MANAGEMENT







Issue/Revision	Version No. 1	Version No. 2
Remarks	Issued for Draft	Issued for Final
Date	March 21, 2025	March 26, 2025
Prepared By:	Jeremy Milsom, G.I.T	Jeremy Milsom, G.I.T
Signature:		
Check By:	Greg Davidson, P.Eng	Greg Davidson, P.Eng
Signature:		
Project No.	25014	25014
Authorized By:	Scott Allen, P.Eng	Scott Allen, P.Eng
Signature:		

TABLE OF CONTENTS

1.	INTRODUCTION.....	1
2.	BACKGROUND.....	1
2.1	Project Description.....	1
2.2	Previous Reports	1
3.	SUBSURFACE INVESTIGATION	1
3.1	Geotechnical Investigation	1
3.2	Methodology	2
4.	SUBSURFACE CONDITIONS.....	2
4.1	General.....	2
4.2	Subsurface Conditions	2
4.2.1	Asphalt Pavement.....	2
4.2.2	Sub-Base Course	2
4.2.3	Silty Sand	3
4.2.4	Gradation Analysis and Moisture Content.....	3
4.2.5	Groundwater Level	3
5.	RECOMMENDATIONS AND GUIDELINES	3
5.1	General.....	3
5.2	Proposed Site Development	4
5.2.1	Excavation	4
5.2.2	Groundwater and Pumping Management.....	4
5.2.3	Subgrade Preparation and Placement of Engineered Fill.....	4
5.2.4	Footing Design.....	5
5.2.5	Frost Protection of Foundations	5
5.2.6	Concrete Slab Support (only required for slab-on-grade)	6
5.3	Site Services (If Required)	6
5.3.1	Excavation	6
5.3.2	Groundwater Pumping	7
5.3.3	Pipe Bedding and Cover	7
6.	ADDITIONAL CONSIDERATIONS	7
6.1	Effects of Construction Induced Vibration	7
6.2	Excess Soil Management Plan.....	8
6.3	Design Review and Construction Observation	8
7.	CLOSURE.....	8

LIST OF TABLES

Table 1.1 Gradation Analysis and Moisture Content.....3

LIST OF FIGURES

Figure 1.1 Test Pit Location Plan 9

LIST OF APPENDICES

Appendix A Record of Borehole Sheets
Appendix B Record of Laboratory Results

1. INTRODUCTION

This report presents the results of a geotechnical investigation carried out for the proposed single storey building at 64 Jamie Avenue in Ottawa, Ontario.

The purpose of the investigation was to identify the general subsurface conditions at the site by means of a limited number of boreholes and, based on the factual information obtained, to provide engineering guidelines on the geotechnical design aspects of the project, including construction considerations that could influence design decisions.

2. BACKGROUND

2.1 Project Description

It is understood that the proposed development includes the following aspects:

- A single storey building consisting of slab on grade construction (i.e basementless)

2.2 Previous Reports

AllRock notes no previous investigations have been provided for review.

3. SUBSURFACE INVESTIGATION

3.1 Geotechnical Investigation

The field work for this investigation was carried out on the 26th of February 2025. At that time, three (3) boreholes, numbered BH1-25 to BH3-25, were advanced to depth of 8 meters below existing grade.

The borehole locations were selected and positioned on-site by AllRock. The field work was observed throughout by a member of our engineering staff who directed the drilling operations and logged the samples.

Following completion of the boreholes, the soil samples were returned to our laboratory for examination by a geotechnical / materials engineer. Selected samples were submitted for moisture content and grain size distribution testing.

The approximate locations of the boreholes are shown on the Borehole Location Plan, Figure 2. The results of the boreholes are provided on the Record of Boreholes Sheets in Appendix A. The results of the laboratory testing results are provided on the Record of Boreholes Sheets in Appendix B.

3.2 Methodology

Materials and soil description have been made with reference to the following documents:

- Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System) – ASTM D2487-06
- Standard Practice for the Description and Identification of Soils (Visual-Manual Procedure) – ASTM D2488-06

4. SUBSURFACE CONDITIONS

4.1 General

As previously indicated, the soil and groundwater conditions identified in the boreholes are given on the Record of Borehole sheets in Appendix A. The logs indicate the subsurface conditions at the specific test locations only. Boundaries between zones on the logs are often not distinct but rather are transitional and have been interpreted. The precision with which subsurface conditions are indicated depends on the method of exploration, the frequency and recovery of samples, the method of sampling, and the uniformity of the subsurface conditions. Subsurface conditions at other than the borehole locations may vary from the conditions encountered in the boreholes.

The soil descriptions in this report are based on commonly accepted methods of classification and identification employed in geotechnical practice. Classification and identification of soil involves judgement and AllRock does not guarantee descriptions as exact but infers accuracy to the extent that is common in current geotechnical practice.

The groundwater conditions described in this report refer only to those observed at the place and time of observation noted in the report. It is noted that groundwater conditions can vary seasonally or as a result of construction activities in the area.

4.2 Subsurface Conditions

The following presents an overview of the subsurface conditions encountered in the borehole investigation

4.2.1 Asphalt Pavement

As all the boreholes were advanced in an existing parking lot, a layer of asphalt was encountered at all locations. The asphalt was found to have a thickness of approximately 150 millimeters.

4.2.2 Sub-Base Course

A sub-base course was encountered at all locations below the asphalt and extended to a depth of approximately 0.6 meters

4.2.3 Silty Sand

A silty sand layer was encountered all locations below the sub-base, and can be described as a brown, medium grained, and medium dense silty sand. The layer extended to the termination depth of the borehole at 8 meters.

Standard penetration tests carried out in the native silty sand gave N values ranging from 0 to 10 blows per 0.3 metres of penetration, which reflects a firm to very stiff relative consistency.

4.2.4 Gradation Analysis and Moisture Content

Table 1.1 Gradation Analysis and Moisture Content

Location	Sample Number	Sample Depth (ft)	Test Type	Gravel (%)	Sand (%)	Silt (%)	Clay (%)	Moisture Content (%)
BH3-25	SS3	7.5 – 9.5	Grain	0.0	71.2	28.8		5.5
BH2-25	SS4	10 - 12	Grain	0.0	64.9	35.1		5.2

4.2.5 Groundwater Level

A return visit to site was conducted on March 20th, 2025, to measure groundwater levels. The measured depth below ground surface was 6.5 meters.

5. RECOMMENDATIONS AND GUIDELINES

5.1 General

The information in the following sections is provided for the guidance of the design engineers and is intended for the design of this project only. Contractors bidding on or undertaking the works should examine the factual results of the investigation, satisfy themselves as to the adequacy of the information for construction, and make their own interpretation of the factual data as it affects their construction techniques, schedule, safety, and equipment capabilities. The professional services retained for this project include only the geotechnical aspects of the subsurface conditions.

The National Building Code of Canada 2020 Guidelines (hereafter NBCC 2020), and the 5th edition of the Canadian Foundation Engineering Manual, 2023 (hereafter CFEM 2023) were considered for these recommendations. Based on the collected information from the test pits excavated as part of this investigation, the geotechnical recommendations are presented in the following sections.

The recommendations and guidelines provided in this report pertain to the proposed site development. It is required to that geotechnical personnel (AllRock) confirm the soil conditions and recommendations at the time of construction.

5.2 Proposed Site Development

5.2.1 Excavation

The excavation for the proposed development will be carried out through existing asphalt, sub-base and silty sand layers. The sides of the excavation should be sloped in accordance with the requirements in Ontario Regulation 213/91 under the Occupational Health and Safety Act. According to the act, soils at this site can be classified as Type 3. That is, open cut excavations within overburden deposits should be carried out with side slopes of 1 horizontal to 1 vertical, or flatter. Where excavation side slopes cannot be accommodated due to space constraints, a shoring system may be required. Additional guidelines for the design and selection of a suitable shoring system could be provided as the design progresses.

In the event that a granular pad is necessary below the foundations, the excavations should be sized to accommodate a pad of imported granular material which extends at least 0.6 metres horizontally beyond the edge of the footings and down and out from this point at 1 horizontal to 1 vertical, or flatter.

Depending on construction methodology, it may be necessary to lower the groundwater level in the native deposits to about 0.3 metres below the base of the excavation. Below the groundwater level, sloughing of the sandy overburden soils into the excavation should be anticipated, along with disturbance to the soils in the bottom of the excavation. Sloughing of the excavation side slopes below the groundwater level could be reduced, where necessary, by a shoring system installed along the sides of the excavation to below the level of the excavation in combination with pumping from within the excavation.

5.2.2 Groundwater and Pumping Management

Groundwater inflow, if any, from the overburden deposits should be controlled by pumping from filtered sumps within the excavation. It is not expected that short term pumping during excavation will have a significant effect on nearby structures and services. It is anticipated that groundwater inflow from the overburden deposits into the excavations could be handled from within the excavations.

It is noted that groundwater levels and surface water flows can increase during wet periods of the year such as the early spring or following periods of precipitation.

The groundwater handling should be carried out in accordance with provincial and local regulations. Suitable detention and filtration will be required before discharging water. The contractor should be required to submit an excavation and groundwater management plan for review.

5.2.3 Subgrade Preparation and Placement of Engineered Fill

Any existing asphalt and sub-base course should be removed from below the proposed structures.

Imported granular material (engineered fill) should be used to raise the grade in areas where the proposed founding level is above the level of the native soil, or where sub-excavation of material is required below proposed founding level. The engineered fill should consist of granular material meeting Ontario Provincial Standard Specifications (OPSS) requirements for Granular B Type II and should be compacted in maximum 200-millimetre-thick lifts to at least 99 percent of the standard Proctor maximum dry density. To allow spread of load beneath the footings, the engineered fill should extend horizontally at least 0.6 metres beyond the footings and then down and out from the edges of the footings at 1 horizontal to 1 vertical, or flatter. The excavations should be sized to accommodate this fill placement.

It is noted that engineered fill in excess of 1 metre thick can be expected to experience post-construction settlement in the order of 0.5 to 1 percent of the height of the soil placed (depending on the composition of the engineered fill). It is anticipated that if engineered soil is sourced from the native onsite soils, it may take 2 to 4 months for the majority of post-construction settlement to occur; however, if imported granular fill as such as that meeting the (OPSS) requirements for Granular B Type II, settlement will likely occur within 1 to 2 weeks of placement.

5.2.4 Footing Design

In general, the native silty sand is considered suitable to support the proposed structures founded on spread footings. The existing asphalt and sub-base course are not considered suitable for the support of the proposed development and should be removed from the proposed development areas.

For preliminary design purposes, footings founded on the native sand and gravel or on a pad of compacted engineered fill above native sand and gravel should be sized using a geotechnical reaction at Serviceability Limit State (SLS) of 90 kilopascals and a factored geotechnical resistance at Ultimate Limit State (ULS) of 135 kilopascals.

The post construction total and differential settlement of footings should be less than 25 and 15 millimetres respectively, provided that all loose or disturbed soil is removed from the bearing surface and provided that any engineered fill material is compacted to the required density.

From a geotechnical perspective the proposed footings for the addition should be founded at the same elevation as the existing footings.

5.2.5 Frost Protection of Foundations

All exterior footings for heated buildings that consist of slab on grade construction or included basement should be provided with at least 1.5 metres of earth cover for frost protection purposes. Isolated, unheated and/or exterior pier footings adjacent to surfaces which are cleaned of snow cover during the winter months should be provided with a minimum of 1.8 metres of earth cover. Alternatively, the required frost protection could be provided by means of a combination of earth cover and extruded polystyrene insulation. Further details regarding the insulation of foundations could be provided at the detailed design stage, if necessary.

5.2.6 Concrete Slab Support (only required for slab-on-grade)

Based on the results of the investigation, the area in the vicinity of the proposed structure is generally underlain by asphalt, sub-base and native overburden deposits. The asphalt and sub-base should be removed from the slab on grade areas. The grade below the concrete slabs on grade could be raised, where necessary, with granular material meeting OPSS Specification book requirements for Granular B. The use of Granular B material is preferred under wet conditions. The granular base for the proposed slab on grade should consist of at least 150 millimeters of Granular A.

All imported granular materials placed below the proposed floor slab should be compacted in maximum 200-millimetre thick lifts to at least 99 percent of the standard Proctor maximum dry density value.

Proper moisture protection with a vapour retarder should be used for any slab on grade where the floor will be covered by moisture sensitive flooring material or where moisture sensitive equipment, products or environments will exist. The “Guide for Concrete Floor and Slab Construction”, ACI 302.1R-04 should be considered for the design and construction of vapour retarders below the floor slab.

Underfloor drainage is not considered necessary provided that the floor slab level is above the finished exterior ground surface level.

Thermal protection of the concrete slab on grade is required in areas that will remain unheated during the winter period. The type of insulation used below the slabs will depend on the stresses imposed on the insulation. The stress on the insulation should not exceed about 35 percent of the insulation’s quoted compressive strength due to the time dependent creep characteristics of this material. Further comments could be provided as the design progresses.

5.3 Site Services (If Required)

5.3.1 Excavation

Based on the investigation, the excavations for the services within the site will be carried out through asphalt, sub-base course and silty sand.

The sides of the excavations within overburden soils should be sloped in accordance with the requirements in Ontario Regulation 213/91 under the Occupational Health and Safety Act. According to the Act, the soils at this site can be classified as Type 3 soils. Therefore, for design purposes, allowance should be made for 1 horizontal to 1 vertical, or flatter, excavation slopes within the native soils at this site. As an alternative to sloping the excavations, all services installations could be carried out within a tightly fitting, braced steel trench box, which is specifically designed for this purpose.

The groundwater inflow should be controlled throughout the excavation and pipe laying operations by pumping from sumps within the excavation.

5.3.2 Groundwater Pumping

Possible groundwater inflow from the overburden deposits into the excavations could be controlled by pumping from filtered sumps within the excavations. It is not expected that short term pumping during excavation will have any significant affect on nearby structures and services. The groundwater handling should be carried out in accordance with provincial and local regulations. To reduce the groundwater pumping requirements, we suggest that the excavation be planned for the dry period of the year (i.e., June to September).

Suitable detention and filtration will be required before discharging water. The contractor should be required to submit an excavation and groundwater management plan for review.

5.3.3 Pipe Bedding and Cover

The bedding for the sanitary sewers, storm sewers and watermain should be in accordance with OPSD 802.010 and 802.031 for flexible and rigid pipes, respectively. The pipe bedding should consist of at least 150 millimetres of well graded crushed stone meeting OPSS requirements for Granular A. OPSS documents allow recycled asphaltic concrete and concrete to be used in Granular A and Granular B Type II material.

Since the source of recycled material cannot be determined, it is suggested that any granular materials used in the service trenches be composed of virgin (i.e., not recycled) material only. Allowance should be made for subexcavation of any existing fill, organic deposits, or disturbed material encountered at subgrade level.

Allowance should be made to place a subbedding layer composed of 150 to 300 millimetres of OPSS Granular B Type II in areas where wet silty sand is encountered at the pipe subgrade level to reduce the potential for disturbance.

Cover material, from pipe spring line to at least 300 millimetres above the top of the pipe, should consist of granular material, such as OPSS Granular A.

The use of clear crushed stone should not be permitted for the installation of site services, since it could exacerbate groundwater lowering of the overburden materials due to “French Drain” effects.

The subbedding, bedding and cover materials should be compacted in maximum 200-millimetre-thick lifts to at least 98 percent of the standard Proctor maximum dry density using suitable vibratory compaction equipment.

6. ADDITIONAL CONSIDERATIONS

6.1 Effects of Construction Induced Vibration

Some of the construction operations (such as excavation, granular material compaction, etc.) will cause ground vibration on and off on the site. The vibrations will attenuate with distance from the source but may be felt at nearby structures. Assuming that any excavating is carried out in accordance with the guidelines in this report, the magnitude of the vibrations will be much less

than that required to cause damage to the nearby structures or services in good condition but may be felt at the nearby structures.

6.2 Excess Soil Management Plan

This report does not constitute an excess soil management plan. The disposal requirements for excess soil from the site have not been assessed.

6.3 Design Review and Construction Observation

It is recommended that the final design drawings be reviewed by the geotechnical engineer to ensure that the guidelines provided in this report have been interpreted as intended.

The engagement of the services of the geotechnical consultant during construction is recommended to confirm that the subsurface conditions throughout the proposed excavations do not materially differ from those given in the report and that the construction activities do not adversely affect the intent of the design.

The subgrade surfaces for the proposed structures should be inspected by experienced geotechnical personnel to ensure that suitable materials have been reached and properly prepared. The placing and compaction of earth fill and imported granular materials should be inspected to ensure that the materials used conform to the grading and compaction specifications.

7. CLOSURE

We trust this report provides sufficient information for your present purposes. If you have any questions concerning this report, please do not hesitate to contact our office.



Jeremy Milsom, G.I.T

Geoscientist

jeremy.milsom@allrockconsulting.com




Greg Davidson, P.Eng.

President

greg.davidson@allrockconsulting.co





174 Colonnade Road #35
Ottawa, Ontario K2E 7J5

Borehole Plan

Client No:

Job No: 25014

Client: Pritec

Project: 64 Jamie Ave

Address: 64 Jamie Avenue, Ottawa, ON, Canada

Legend:



Borehole Locations



Groundwater Monitoring Well Locations

Image Source: Google Maps

Viewed: 2025-03-13

Drawn by:
JM

Checked By:
Greg
Davidson

Date:
2025-03-13

Figure:
1

Appendix A

Record of Borehole Sheets



AllRock Consulting

Geotechnical Log - Borehole

BH1-25

UTM	: 18T	Drill Rig	: Truckmount Drill Rig	Job Number	: 25014
Latitude	: 45.33526	Driller Supplier	: Downing Drilling	Client	: Pritec
Longitude	: -75.71768	Logged By	: Jeremy Milsom	Project	: 64 Jamie Ave
Ground Elevation	: 88.3 (m)	Reviewed By	: Greg Davidson	Location	: 64 Jamie Avenue, Ottawa, ON, Canada
Total Depth	: 8 m BGL	Date	: 26/02/2025	Loc Comment	:

Samples		Blow Counts	Graphic Log	Elevation		Material Description
SPT Sample	Grab Sample			Depth (m)		
				88.15	Pavement ASPHALT	
				0.15		
	GS1			86.3	Unnatural Fill Sub Base Course	
				0.61	Brown, medium grained, slightly moist, silty sand	
SS1		9,11,9,7 (N=20) R = 60				
SS2		5,5,4,10 (N=9) R = 70				
SS3		5,9,9,13 (N=18) R = 60				
SS4		9,9,5,6 (N=14) R = 24				
SS5		3,5,5,4 (N=10) R = 60				
SS6		6,8,5,6 (N=13) R = 60				
SS7		2,7,7,11 (N=14) R = 24				
SS8		5,11,12,10 (N=23) R = 24				
SS9		5,10,13,12 (N=23) R = 60				
					BH1-25 Terminated at 8m	



AllRock Consulting

Geotechnical Log - Borehole





BH2-25

UTM	: 18T	Drill Rig	: Truckmount Drill Rig	Job Number	: 25014
Latitude	: 45.33537	Driller Supplier	: Downing Drilling	Client	: Pritec
Longitude	: -75.71776	Logged By	: Jeremy Milsom	Project	: 64 Jamie Ave
Ground Elevation	: 87.88 (m)	Reviewed By	: Greg Davidon	Location	: 64 Jamie Avenue, Ottawa, ON, Canada
Total Depth	: 8 m BGL	Date	: 26/02/2025	Loc Comment	

Samples		Blow Counts	Graphic Log	Elevation		Material Description
SPT Sample	Grab Sample			Depth (m)		
				87.73	Pavement ASPHALT	
				0.15		
	GS1			85.9	Unnatural Fill Sub Base Course	
				0.61	Brown, medium grained, slightly moist, silty sand	
		22,16,7,9 (N=23) R = 70				
		6,7,10,10 (N=17) R = 60				
		5,7,9,9 (N=16) R = 70				
		5,5,11,10 (N=16) R = 60				
		3,6,12,8 (N=18) R = 70				
		5,8,14,13 (N=22) R = 40				
		9,9,15,16 (N=24) R = 70				
		12,13,14,16 (N=27) R = 60				
		7,13,17,16 (N=30) R = 24				
BH2-25 Terminated at 8 m						

UTM : 18T	Drill Rig : Truckmount Drill Rig	Job Number : 25014
Latitude : 45.33550	Driller Supplier : Downing Drilling	Client : Pritec
Longitude : -75.71785	Logged By : Jeremy Milsom	Project : 64 Jamie Ave
Ground Elevation : 87.77 (m)	Reviewed By : Greg Davidson	Location : 64 Jamie Avenue, Ottawa, ON, Canada
Total Depth : 8 ft BGL	Date : 26/02/2025	Loc Comment :

Samples		Blow Counts	Graphic Log	Elevation	Material Description	Well Diagram	Water
SPT Sample	Grab Sample			Depth (m)			
				87.62			
				0.15	Asphalt		
				87.01	Unnatural Fill Sub Base Course		
	GS1			0.61	Brown, medium grained, slightly moist, silty sand		
SS1		15,9,7,11 (N=16) R = 60					
SS2		8,12,12,16 (N=24) R = 60					
SS3		7,9,11,13 (N=20) R = 70					
SS4		7,13,13,13 (N=26) R = 60					
SS5		5,8,5,5 (N=13) R = 60					
SS6		5,9,16,16 (N=25) R = 60					
SS7		9,12,12,14 (N=24) R = 60					
SS8		11,16,16,16 (N=32) R = 60					
SS9		9,10,13,12 (N=23) R = 60					
BH3-25 Terminated at 25ft							

Method	Water		Consistency	Moisture	In Situ Testing	Laboratory Results
EX excavator	 complete water less  Water inflow  water level	 Level during drilling P partial water loss N none encountered	VS Very soft S Soft F Firm St Stiff VSst Very stiff H Hard	D Dry M Moist W Wet PL plastic limit LL liquid limit	PP pen penetrometer VS vane shear DCP dynamic cone penetrometer	UC undrained unconsol cohesion UF undrained unconsol friction angle MC moisture content DD dry density LL liquid limit PL plastic limit LS linear shrinkage CC undrained console cohesion CF undrained console friction angle FH falling head permeability CH constan head permeability CBR californian bearing ratio
BH backhoe bucket						
NE natural exposure						
EE existing xcavation						
RP ripper						
	USC Classification GW well graded gravels GP poorly graded gravels GM silty gravel GC clayey gravel ML inorg silts low plastic MH inorg clay high plastic OL org silts low plastic OH org silts high plastic		SW well graded sands SP poorly graded sands SM silty sands SC clayey sands CL inorg clay low plastic CI inorg clay med plastic CH inorg clay high plastic Pt peat of high org soils	Density VL Very loose L Loose MD Medium dense D Dense VD Very dense	Soil Samples B bulk D disturbed U(63) U(63) push tube U(50) U(50) push tube WS water	

Appendix B

Laboratory Testing Results



SIEVE ANALYSIS OF AGGREGATES LS-602

AllRock Consulting Ltd

35-174 Colonnade Rd. South


Ottawa, On, K2E7J5



Project: 25014
Client: Pritec Management
Sample No. BH3 - SS3
Date Sampled February 26, 2025
Material Spec:

Project Number 25014
Sample Classification: Silty Sand
Sample Depth 7.5' - 9.5'
Date Tested: March 26, 2025

Sieve Sizes					Remarks
#	mm	Lower Limit	Upper Limit	Tested Sample	
1"	25			100.0%	More Information Available Upon Request.
3/4"	19			100.0%	
5/8"	16.00			100.0%	
1/2"	12.50			100.0%	Sampled By:
3/8"	9.50			100.0%	J.Milsom
#4	4.75			100.0%	Tested By:
#8	2.36			100.0%	J.Milsom
#16	1.18			100.0%	Approved By
#50	0.3			100.0%	G. Davidson
#100	0.15			62.6%	Moisture Content
#200	0.075			28.8%	5.5





AllRock Consulting Ltd
35-174 Colonnade Rd. South
Ottawa, On, K2E7J5

SOIL MOISTURE CONTENT REPORT



Project Information	
Project Name:	64 Jamie Avenue
Project No.:	25014
Client:	Pritec Management
Sampled By:	J.Milsom
Date Sampled:	February 26, 2025
Sample Description:	Soil Samples
Tested By:	J.Milsom
Date Tested:	March 26, 2025
Reviewed By:	G. Davidson
Date Reviewed:	March 26, 2025

Soil Moisture Content		
Sample	Sample Depth	Moisture Content (%)
BH3 - SS3	7.5 - 9.5'	5.50



SIEVE ANALYSIS OF AGGREGATES LS-602

AllRock Consulting Ltd

35-174 Colonnade Rd. South


Ottawa, On, K2E7J5



Project: 25014
Client: Pritec Management
Sample No. BH2 - SS4
Date Sampled February 26, 2025
Material Spec:

Project Number 25014
Sample Classification: Silty Sand
Sample Depth 10'-12'
Date Tested: March 26, 2025

Sieve Sizes					Remarks
#	mm	Lower Limit	Upper Limit	Tested Sample	
1"	25			100.0%	More Information Available Upon Request.
3/4"	19			100.0%	
5/8"	16.00			100.0%	
1/2"	12.50			100.0%	Sampled By:
3/8"	9.50			100.0%	J.Milsom
#4	4.75			100.0%	Tested By:
#8	2.36			100.0%	J.Milsom
#16	1.18			100.0%	Approved By
#50	0.3			100.0%	G. Davidson
#100	0.15			64.9%	Moisture Content
#200	0.075			33.1%	5.2





AllRock Consulting Ltd
35-174 Colonnade Rd. South
Ottawa, On, K2E7J5

SOIL MOISTURE CONTENT REPORT



Project Information	
Project Name:	64 Jamie Avenue
Project No.:	25014
Client:	Pritec Management
Sampled By:	J.Milsom
Date Sampled:	February 26, 2025
Sample Description:	Soil Samples
Tested By:	J.Milsom
Date Tested:	March 26, 2025
Reviewed By:	G. Davidson
Date Reviewed:	March 26, 2025

Soil Moisture Content		
Sample	Sample Depth	Moisture Content (%)
BH2 - SS4	10'-12'	5.2