







Hierarchy Development and Design Inc. 1836 Maple Grove Road Ottawa, Ontario K2S 0M7

Hydrogeological Investigation & Terrain Analysis
Proposed Residential Severance
930 Smith Road
Ottawa, Ontario

May 15, 2024 – Rev 1

Project: 100812.001

TABLE OF C	ONTENTSTABLE OF CONTENTS	2
LIST OF APF	PENDICES	3
1.0 INTROI	DUCTION	4
2.0 TERRA	IN ANALYSIS	4
	Geology	
	surface Conditions	
2.2.1	Topsoil	
2.2.2	Silty Sand	
2.2.3	Silty Clay	
2.2.4 2.2.5	Glacial Till	
2.2.5	Auger Refusal	
2.2.7	Hydraulic Test Results	
2.3 ME	CP Water Well Records	8
	ography and Drainage	
	NDWATER QUALITY AND QUANTITY	
	neowner Well Water Quality Sampling	
	t Well Construction	
	undwater Quantity	
3.3.1 3.3.2	Pumping Test Details	
	undwater Quality	
3.4.1 3.4.2 Aquifer	Summary of Water Quality Exceedances for Deep Bedrock Aquifer	17
3.4.3	Bacteriological Results	17
3.4.4	Chemical Results	18
4.0 SEPTIC	CIMPACT ASSESSMENT	19
4.1 Sew	age Disposal Systems	20
4.1.1	Class IV Septic Sewage Disposal Systems	20
4.2 Thre	ee-Step Assessment: Step 1 - Lot Size Considerations	21
	ee-Step Assessment: Step 2 – System Isolation Considerations	
4.4 Thre	ee-Step Assessment: Step 3 - Nitrate Dilution Calculations	21
4.5 Bac	kground Nitrate Concentrations	23
4.6 Surf	ace Water Impacts	23
5.0 CONCL	USIONS	24



5.1 Hydro	geological Conceptual Model	24
5.2 Water	Quality	26
6.0 RECOMM	IENDATIONS	27
6.1 Water	Supply Recommendation	27
Septic Syster	n Recommendations	29
7.0 CLOSURI	Ε	29
8.0 REFEREN	NCES	30
LIST OF TABL	ES	
Table 1 – Sumr	nary of Grain Size Distribution Test (Weathered Crust)	6
Table 2 – Sumr	nary of Grain Size Distribution Test (Glacial Till)	7
Table 3 – Grou	ndwater Depth and Elevation	7
Table 4 – Sumr	nary of Falling Head and Rising Head Test Results	8
Table 5 – Well	Construction Details – Sampled Private Wells	9
Table 6 – Home	eowner Interviews	10
Table 7 – Well	Construction Details – Test Wells	11
Table 8 – Pump	oing Test Details	13
Table 9 – Wate	r Quality Sampling Summary	15
LIST OF APPE	NDICES	
APPENDIX A	Concept Plan	
APPENDIX B	Borehole Logs	
APPENDIX C	Grain Size Curves	
APPENDIX D	Hydraulic Conductivity Testing	
APPENDIX E	MECP Water Well Records	
APPENDIX F	Water Quality Results and Laboratory Certificate Forms	
APPENDIX G	Pumping Tests Analysis	
APPENDIX H	Nitrate Dilution Calculations	



#### 1.0 INTRODUCTION

GEMTEC Consulting Engineers and Scientists (GEMTEC) Limited was retained by Hierarchy Development and Design Inc. (HDD) to complete a hydrogeological investigation and terrain analysis in support of a residential development located at 930 Smith Road, Ottawa, Ontario. The Site Plan, Figure 1 is provided following the text of this report.

It is understood that the existing site located at 930 Smith Road, herein referred to as the 'Site', has a total area of approximately 5.46 hectares. Based on the Concept Plan provided (Appendix A), a total of seven residential lots are proposed.

The Site consists of agricultural lands and sparse tree and bush cover. The Site is bounded to the east and south by Smith Road, and residential dwelling to the north and west.

The objective of the investigation presented herein is:

- To demonstrate that the construction of any new well on the severed parcels is in accordance with the MECP:
- To demonstrate that the quality of the well water meets the Ontario Drinking Water Standards and maximum treatable limits prescribed in Ontario Ministry of Environment, Conservation and Parks (MECP) Procedure D-5-5;
- To demonstrate that the quantity of water meets the MECP requirements; and,
- To demonstrate the septic impact assessment meets the MECP requirements.

The hydrogeological investigation and terrain analysis was completed in general accordance with the City of Ottawa Hydrogeological and Terrain Analysis Guidelines (City of Ottawa, 2021), technical consultation with City of Ottawa hydrogeologist Michel Kearney on June 21, 2022 and City of Ottawa review comments titled "Phase 3 Pre-Consultation: Review Feedback, Proposed Zoning By-law Amendment and Consent Application – 930 Smith Road" and dated May 10, 2024.

This report is subject to the *Conditions and Limitations of This Report* provided following the text of this report, which are considered an integral part of this report.

#### 2.0 TERRAIN ANALYSIS

## 2.1 Site Geology

Surficial geology maps (Ontario Geologic Survey, 2010) indicate that the site is split diagonally by a fluvial terrace, which is aligned in the northeast-southwest direction. The northeast section of the site is mapped as coarse-textured glaciomarine deposits of sand, gravel and minor silt and clay. The southwest section of the site is mapped as fine-textured glaciomarine deposits of



silt and clay, and minor sand and gravel. Drift thickness mapping indicate the overburden soils range from 10 to 25 meters thick (Gao et al, 2006).

Paleozoic bedrock geology maps (Armstrong and Dodge 2007) indicate the bedrock geology beneath the subject site consists of shale and minor limestone of the Billings Formation from the Upper Ordovician Period. Underlying the Upper Ordovician Period formations are the Simcoe Group of the Middle Ordovician, and the Beekmantown Group of the Lower Ordovician. The Simcoe Formation consists broadly of limestone, dolostone, shale and sandstone units. The Beekmantown Group consists of the Oxford Formation, which is described as a dolostone with shaly and sandy interbeds, which is underlain by the March Formation, an interbedded grey quartz sandstone, dolomitic quartz sandstone, and blue-grey sandy dolostone and dolostone.

Available karst mapping (Brunton and Dodge, 2008), does not indicate any areas of any inferred or potential karstic features.

#### 2.2 Subsurface Conditions

The subsurface conditions at the site were characterized as part of the geotechnical investigation of the site (GEMTEC, 2024). A total of four boreholes (numbered 21-01, 21-02A, 21-02B, and 21-03) were advanced.

The boreholes were advanced to depths ranging from about 6.7 to 8.8 metres below ground surface. Samples of the soils encountered were recovered using a 50-millimetre diameter split barrel sampler. Well screens were sealed in the overburden at all borehole locations (except borehole 20-02B) to measure the groundwater levels and for hydraulic conductivity testing.

Descriptions of the subsurface conditions logged in the boreholes are provided on the Record of Borehole sheets in Appendix B. The approximate locations of the test holes are shown on the Detailed Site Plan, Figure 2.

The groundwater conditions described in this report refer only to those observed at the place and time of observation noted in the report. These conditions may vary seasonally or because of construction activities in the area.

The following presents a summary of the subsurface conditions encountered in the boreholes advanced during the geotechnical investigation (GEMTEC, 2024).

## 2.2.1 Topsoil

A layer of topsoil was encountered at the ground surface at the borehole locations with a thickness ranging from about 130 to 180 millimetres.



## 2.2.2 Silty Sand

A native deposit of silty sand was encountered below the topsoil in borehole 21-02A and 21-02B with a thickness of about 150 millimetres.

## 2.2.3 Silty Clay

Native deposits of silty clay were encountered in all of the boreholes. The silty clay was not fully penetrated in all the boreholes but was proven to depths ranging from about 5.3 to 8.8 metres below ground surface.

The upper part of the silty clay in the boreholes is weathered to a grey-brown crust. The weathered silty clay crust has a thickness ranging from about 2.8 to 5.2 metres and extends to depths ranging from about 3.1 to 5.3 metres below the existing ground surface.

Grain size distribution tests were undertaken on one sample of the weathered silty clay crust from borehole 21-01. The results are provided in Appendix C and are summarized in Table 1.

Table 1 – Summary of Grain Size Distribution Test (Weathered Crust)

Location	Sample Number	Sample Depth (metres)	Gravel (%)	Sand (%)	Silt (%)	Clay (%)
21-01	3	1.5 – 2.1	0	1	21	78

Below the weathered zone, the silty clay is grey in colour. The silty clay was not fully penetrated in all the boreholes but was proven to depths ranging from about 5.3 to 8.8 metres below ground surface.

## 2.2.4 Glacial Till

A deposit of glacial till was encountered below the silty clay in borehole 21-03. The glacial till was not fully penetrated in the borehole but was proven to depth of about 6.1 metres below ground surface.

The glacial till is a heterogeneous mixture of all grain sizes, which at this site, can be described as grey silty sand with some gravel and clay. Although not encountered in the borehole directly, the glacial till deposits in this area are known to contain cobbles and boulders.

One grain size distribution test was undertaken on a sample of the glacial till from borehole 21-03. The results are provided in Appendix C and are summarized in Table 2.



Table 2 – Summary of Grain Size Distribution Test (Glacial Till)

Location	Sample Number	Sample Depth (metres)	Gravel (%)	Sand (%)	Silt (%)	Clay (%)
21-03	8	5.3 – 5.9	16	44	24	16

## 2.2.5 Auger Refusal

Auger refusal was encountered in borehole 21-02A at a depth of about 8.2 metres below ground surface (elevation of about 72.7 metres, geodetic).

#### 2.2.6 Groundwater Levels

Well screens were installed in the overburden at boreholes 21-01, 21-02A, and 21-03. The groundwater levels measured in the wells are summarized in Table 3.

Table 3 – Groundwater Depth and Elevation

Borehole No.	Ground Surface Elevation (metres)	Groundwater Depth (metres)	Groundwater Elevation (metres)	Date of Reading
21-01	78.94	3.7	75.2	September 13, 2021
21-02A	80.95	2.1	78.9	September 13, 2021
21-03	80.08	> 6.1	< 74.0	September 13, 2021

The groundwater levels may be higher during wet periods of the year such as the early spring or following periods of precipitation. Based on the groundwater levels measured on September 13, 2021, the overburden groundwater flow direction is to the south, following topography.

#### 2.2.7 Hydraulic Test Results

The results of the hydraulic testing carried out in select monitoring wells are provided in Appendix D. A summary of the recovery measurements made during the hydraulic testing carried out by introducing/removing a slug into the well screens is provided in Table 4.



Table 4 – Summary of Falling Head and Rising Head Test Results

Borehole	Borehole Depth (metres)	Geological Material Tested	Static Groundwater Depth (metres)	Falling Head Test <sup>1</sup>	Calculated <i>k</i> Falling Head (m/s) <sup>2</sup>
21-01	7.32	Silty clay	3.7	73% in 90 minutes	1 x 10 <sup>-7</sup>
21-02A	8.18	Silty clay	3.0	7% in 60 minutes	3 x 10 <sup>-8</sup>
21-03	6.10	Silty clay	dry	-	-

#### Notes:

The falling head tests (i.e. inserting a slug) recorded a recovery of about 73 percent at 21-01 and about 7 percent at 21-02A. Considering this to be slow to very slow recovery of groundwater levels the rising head tests were not performed at these two test locations. Based on the low permeability silty clay at the screened interval at monitoring wells 21-01 and 21-02A, the minimal recovery is reasonable for the encountered soil type.

In areas within the site where a saturated granular soil layer is encountered, higher hydraulic conductivity values should be expected.

#### 2.3 MECP Water Well Records

A search of the Ministry of Environment, Conservation and Parks (MECP) water well records (<a href="https://www.ontario.ca/environment-and-energy/map-well-records">https://www.ontario.ca/environment-and-energy/map-well-records</a>) returned 55 water well records within 500 metres of the Site, refer to Site Location Plan (Figure 1). A summary of the relevant well construction details from the 55 water well records is provided in Appendix E. The well depths range from 13.7 to 61.1 metres below ground surface, with an average well depth of 23.3 metres. The depth to bedrock ranges from 12.2 to 37.5 meters below ground surface, with an average value of 20.2 metres.

The bedrock lithology is generally classified as shale, slate, and limestone in the MECP well records, with most records indicating shale or slate. It is noted that the MECP well records provide a general description of the bedrock encountered, and given the similarities between some geologic units, e.g. slate and shale, the well records may not be suitable to distinguish between geologic formations of the water supply aquifer.

## 2.4 Topography and Drainage

Topographic mapping data indicates that elevations across the Site range from approximately 71 to 80 metres above sea level. The Site elevation generally increases from the south to north



<sup>1.</sup> Falling head test were completed by inserting a slug with a known displacement (0.60 metre). The water level was monitored manually using a water level meter and electronically using a VanEssen Diver Datalogger, recording at 0.5 minute intervals.

<sup>2.</sup> The hydraulic conductivities were calculated using the Hvorslev solution in an unconfined aguifer.

<sup>3.</sup> The recovery in the monitoring wells was too slow to complete a rising head test.

and has a topographic low point in the southwest corner of the site. The drainage of the subject is expected to follow topography and drain generally to the south.

#### 3.0 GROUNDWATER QUALITY AND QUANTITY

The hydrogeological investigation was carried out in accordance with MECP Procedure D-5-5, Technical Guideline for Private Wells: Water Supply Assessment, to determine the quantity and quality of groundwater available for domestic water supply. The results of the groundwater supply investigation are summarized in the following sections.

## 3.1 Homeowner Well Water Quality Sampling

Between 2022 and 2023, GEMTEC completed homeowner questionnaires and water quality sampling from several residential dwellings located within 100 meters of the Site (Figure 1). The wells identified as PW-903 (well tag # 1515221), PW-939 (well tag # 1511704), PW-1014 (well tag # 1512793), and PW-959 (No well tag #) were sampled as part of this assessment based on homeowner availability, relative proximity, comparable surrounding land-use, and comparable geological setting. It should be noted that none of the private wells had well tags affixed to the steel casings and the well tag numbers were obtained from a search of MECP well records. The available water well records for the private wells sampled are provided in Appendix E and a summary of the well construction details are provided in Table 5.

Table 5 – Well Construction Details – Sampled Private Wells

	PW939	PW903	PW1014
Well Tag Number <sup>1</sup>	1515221	1511704	1512793
Date of Drilling	Oct. 26, 1971	Sept. 24, 1975	April 5, 1965
Depth to Bedrock (m)	18.3	13.7	25.9
Length of Well Casing Below Ground Surface (m)	18.3	13.1	25.9
Static Water Level (m btoc) <sup>2</sup>	8.22	0.30	4.57
Depth Water Found <sup>3</sup> (m)	20.4	15.8	26.5
Total Well Depth (m)	20.4	15.8	26.5

	PW939	PW903	PW1014
Open Interval (m)	2.10	2.70	0.61
Bedrock Aquifer Description <sup>4</sup>	Brown Slate	Grey Slate	Brown Slate

#### Notes:

- 1. No well tag affixed to steel casing, well ID's based on MECP well record database.
- 2. 'mbtoc' Meters below top of casing. Water levels reported on the water well record.
- 3. Water found depth as reported on MECP water well record. Corresponds to the depth below ground surface of the water bearing fractures encountered at the time of drilling.
- 4. The bedrock aquifer is defined as the geologic unit corresponding with the major water bearing zones encountered at time of drilling.

The groundwater samples were collected from the pressure tank bypass after running the cold-water tap for a minimum of 10 minutes. Water quality samples were submitted for laboratory analysis of 'subdivision package' parameters on February 2, 2022 and April 7, 2022. The field and laboratory water quality results are provided in Appendix F.

In addition to the sampled wells, homeowner interviews were also completed at three homeowners on private services within 500m of the site were interviewed; relevant interview notes are provided in Table 6 below.

Table 6 - Homeowner Interviews

Test Well ID	Homeowner Water Quality Rating <sup>1</sup>	Water Quantity Comments	Water Quality / Septic Comments
PW-903	Good	No reported groundwater quantity issues	<ul><li>Sulfur smell</li><li>Water filtration system in place</li></ul>
PW-939	Good	No reported groundwater quantity issues	<ul><li>Sulfur Smell</li><li>Water filtration system in place</li></ul>
PW-1014	Poor	No reported groundwater quantity issues	<ul><li>Water filtration and chlorination system in place.</li><li>Sulfur smell</li></ul>
PW-959	Fair	No reported groundwater quantity issues	<ul><li>Sulfur smell</li><li>No treatment systems</li></ul>



Test Well	Homeowner Water Quality Rating <sup>1</sup>	Water Quantity Comments	Water Quality / Septic Comments
PW-900	Very Good	No reported groundwater quantity issues	<ul><li>High sulfur</li><li>Aerator and filtration system in place</li></ul>
PW-908	Very Good	No reported groundwater quantity issues	No treatment systems in place
PW-917	Poor	No reported groundwater quantity issues	<ul><li>Sulfur and bacteria presence</li><li>Chlorination system in place</li></ul>

Notes: Water quality rating based on a scale of 1 (poor), 2 (fair), 3 (good), 4 (very good), and 5 (excellent).

Two homeowners rated their groundwater quality as 'poor' with one indicate possible bacteria presence, although no justification or additional information was provided. Six of the seven homeowners interviewed reported sulfur smell in their groundwater.

## 3.2 Test Well Construction

A total of six test wells were utilized in the hydrogeological investigation, consisting of five onsite and one off-site test well. The six test wells can be separated into two categories: three deep test wells completed in the bedrock aquifer (PW21-01, TW22-01 and TW22-02) and three test wells completed in the interface aquifer consisting of gravel overburden and/or upper bedrock (TW22-03, TW22-04 and TW24-05). The MECP water well records for the test wells utilized for the hydrogeological investigation are provided in Appendix E, and the construction details are summarized in Table 7. The locations of the water wells are provided on the Detailed Site Plan (Figure 2).

Table 7 - Well Construction Details - Test Wells

	PW21-01 (A313191)	TW22-01 (A342174)	TW22-02 (A342173)	TW22-03 (-) <sup>1</sup>	TW22-04 (A342479)	TW24-05 (A395575)
Date of Drilling	Jan 7, 2021	Jan 13, 2022	Jan 21, 2022	unknown	Aug 17, 2022	December 07, 2024
Depth to Bedrock (m)	17.7	18.3	17.1	-	13.7	18.6



	PW21-01 (A313191)	TW22-01 (A342174)	TW22-02 (A342173)	TW22-03 (-) <sup>1</sup>	TW22-04 (A342479)	TW24-05 (A395575)
Length of Well Casing Above Ground Surface <sup>2</sup> (m)	0.63	0.66	0.66	0.56	0.76	0.61
Length of Well Casing Below Ground Surface (m)	19.5	21.3	20.1	18.2	13.1	18.9
Static Water Level (m btoc) <sup>3</sup>	8.7	9.5	11.1	9.0	3.4	8.8
Depth Water Found <sup>4</sup> (m)	120	89.6	98.8	-	12.8	19.8
Total Well Depth (m)	122	91.4	101	20.0	14.9	24.4
Open Interval (m)	19.5 – 122	21.3 – 91.4	20.1 - 101	18.2 – 20.0 (slotted screen)	13.1 – 14.9	18.9 – 24.4
Bedrock Aquifer Description <sup>5</sup>	Limestone	Limestone	Limestone	Gravel / Bedrock Aquifer <sup>6</sup>	Gravel / Bedrock Aquifer	Gravel / Black Shale Aquifer <sup>7</sup>

#### Notes:

- No Water well record is available for the TW22-3, well construction details based on well camera inspection completed by Air Rock Drilling Ltd.
- 2. As measured by GEMTEC staff during on site investigations if available.
- 3. 'mbtoc' Meters below top of casing.
- 4. Water found depth as reported on MECP water well record. Corresponds to the depth below ground surface of the water bearing fractures encountered at the time of drilling.
- 5. The bedrock aquifer is defined as the geologic unit corresponding with the major water bearing zones encountered at time of drilling.
- 6. TW22-03 assumed to be completed in the gravel/bedrock interface aquifer based on observed slotted screen and geological information from TW22-02 located approximately 50 metres from TW22-03.
- 7. TW24-05 was hydro fracked is assumed to be receiving water from the gravel/bedrock interface aquifer.



## 3.3 Groundwater Quantity

## 3.3.1 Pumping Test Details

Constant rate pumping tests were completed in all six on-site test wells. The three deep test wells (PW21-01, TW22-01, and TW22-02) sustained pumping rates of 44 to 96 litres per minute over a six-hour period with minimal drawdown, i.e., less than 14% of available drawdown. Due to Ontario Drinking Water Quality Standards (ODWQS) maximum acceptable concentration exceedances, discussed in section 3.4 below, the deep-water supply aquifer is not proposed as the preferred water supply aquifer and as such, aquifer properties are not discussed in detail.

Three on-site test wells were completed in the proposed water supply aquifer, TW22-03, TW22-04 and TW22-05, screened across the overburden gravel and / or upper bedrock aquifer.

Constant rate pumping tests were completed in all three test wells. The water from the pumping test was discharged to the ground surface approximately 10 metres away from the test well such that the discharge flow was away from the well head. Water level and flow rate measurements were taken at regular intervals throughout the pumping test. Water levels were also taken during the recovery phase of the pumping test (after the pump was turned off) until the well to reached 95% recovery (compensated for barometric pressure). The pumping test drawdown and recovery graph is provided in Appendix G.

A summary of the pumping test details is provided in Table 8 below.

**Table 8 – Pumping Test Details** 

Parameter	PW21-01 (A313191)	TW22-01 (A342174)	TW22-02 (A342173)	TW22-03 (No Tag #)	TW22-04 (A342479)	TW24-05 (A395575)
Date	Nov 18, 2021	Feb 1, 2021	Feb 2, 2021	April 28, 2022	Sep 1, 2022	Jan 18, 2024
Duration (minutes)	360	360	360	360	450	360
Flow Rate (litres per minute)	45	44	96	23	15	19
Static Water Level (m TOC¹)	9.32	9.45	10.77	8.97	2.76	8.78
Static Water Level (m BGS <sup>2</sup> )	8.69	8.79	10.11	8.40	2.00	8.28

Parameter	PW21-01 (A313191)	TW22-01 (A342174)	TW22-02 (A342173)	TW22-03 (No Tag #)	TW22-04 (A342479)	TW24-05 (A395575)
Available Drawdown <sup>3</sup> (m)	109.6	79.6	87.9	11.6	9.2	15.12
Water Level at End of Pumping (m TOC)	14.11	20.59	8.55	18.94	7.11	11.34
Pumping Duration (hours)	6	6	6	6	7.5	6
Observed Drawdown at End of Pumping (m)	4.79	11.14	2.22	9.97	4.35	3.06
Percent Drawdown Utilized (%)	4	14	3	86	47	20

Notes:

Test wells TW22-03 and TW22-05 were pumped at rates of at least 18.75 litres per minute, which is the minimum pumping rate to meet peak demands for a four-bedroom dwelling (i.e. 3.75 litres x number of bedrooms plus one = 18.75 litres per minute). Test well TW22-04 was pumped at a rate of 15 litres per minute, which meets peak demand requirements for a 3-bedroom dwelling. To account for the lower pumping rate, the pumping test of TW22-04 was extended to 7.5 hours, such that an equivalent groundwater volume could be pumped when compared to a six hour test at a rate of 18.75 litres per minute.

#### 3.3.2 Pumping Test Analysis

The pumping test for wells completed in the proposed water supply aquifer were analyzed and the transmissivity of the water supply aquifer was estimated from the pumping test drawdown data using Aqtesolv (Version 4.5), a commercially available software program from HydroSOLVE Inc. The results of the Aqtesolv analyses are provided in Appendix G.

The Papadopulous-Cooper and Theis Recovery analyses estimate the transmissivity of the water supply aquifer to be 3.8 and 0.8 m<sup>2</sup>/day respectively for TW22-03. The Papadopulous-Cooper methodology accounts for wellbore storage, that was evident at the start of the pumping test. The maximum drawdown of the well was approximately 9.9 meters following 6 hours of



<sup>1.</sup> TOC = top of casing; 2. BGS = below ground surface

<sup>3.</sup> Available drawdown (water column above pump) assumes pump is set 3 metres above bottom of the well for deep test wells PW21-01, TW22-01 and TW22-2 and 1 metre for test wells TW22-03, TW22-04, and TW24-05.

pumping at a flow rate of 27 litres per minute, with 1.0 meters of available drawdown remaining. The well recovered to 95% within 1 hour of pump shut off.

The Theis and Theis Recovery analyses estimate the transmissivity of the water supply aquifer to be 2.8 and 1.9 m²/day respectively for TW22-04. The maximum drawdown of the well was approximately 4.35 meters following 7.5 hours of pumping at a flow rate of 15 litres per minute, with 4.85 meters of available drawdown remaining. The well recovered to 95% within 11 hours of pump shut off.

The Cooper-Jacob and Theis Recovery analyses indicate that the transmissivity of the water supply aquifer is calculated to be 8.2 m²/day and 2.4 m²/day, respectively for TW24-05. The maximum drawdown of the well was approximately 3.06 metres following 6 hours of pumping at a flow rate of 19 litres per minute, with 12 metres of available drawdown remaining. The well recovered to 95% within 30 minutes of pump shut off. Based on these results, the test wells are capable of repeat pumping at pumping rates of at least 15 litres per minute.

It is noted that the pumping test results from both test wells TW22-04 and TW24-05 have decreasing drawdowns towards the end of the pumping tests indicating potential 'recharge' conditions. This is inferred to be groundwater contribution from the overlying gravel layer, of variable thickness, over the upper fractured bedrock. The conceptual model indicates that the upper fractured bedrock is connected to the overburden gravel layer atop the bedrock and given the test wells are completed into the rock, groundwater contribution from the gravel layer is expected and can be observed as 'recharge' during the pumping test.

#### 3.4 Groundwater Quality

In addition to the homeowner water quality sampling discussed in section 3.1, the groundwater quality assessment included sampling from the six test wells: PW21-01, TW22-01, TW22-02, TW22-03, TW22-04 and TW24-05. A summary of the groundwater quality sampling events and parameters analyzed are provided in Table 9 below.

**Table 9 – Water Quality Sampling Summary** 

Test Well ID	Date of Sampling	Exceedances	Aquifer Type
PW21-01	Nov 18, 2021	Hardness, Sulphide	Deep Bedrock
TW22-01	Feb 1, 2021	Hardness, Sulphide, Turbidity, Organic Nitrogen, Color, pH, Fluoride, Aluminum, Iron	Deep Bedrock



Test Well ID	Date of Sampling	Exceedances	Aquifer Type
TW22-02	Feb 2, 2021	Hardness, pH, Sulphide, Fluoride, Aluminum	Deep Bedrock
TW22-03	April 28, 2022	Iron, Sulphide, Hardness, Turbidity, Colour, pH, Aluminum	Gravel
TW22-04	Dec 19, 2023	Hardness, pH, Sulphide	Gravel-Shallow Bedrock Interface
TW24-05	Jan 24, 2024	Hardness, pH, Sulphide	Gravel-Shallow Bedrock Interface

Deep bedrock wells PW21-01, TW22-01 and TW22-02 are not considered representative of the proposed water supply aquifer, which is anticipated to be the shallow bedrock-gravel interface water bearing zone. Furthermore, TW22-03 was not further developed and tested, because the age and construction details of the well is currently unknown and not considered to be representative of future on-site wells. It is noted that excluding exceedances in turbidity and turbidity-related exceedances such as color, aluminum and iron (Table 9), TW22-03 displayed similar water quality when compared to TW22-04 and TW24-05. TW22-03 is not further discussed in the following sections.

The water quality sample for PW21-01, TW22-01, TW22-02 and TW22-04 were collected from the discharge hose at the middle and end of the 6-hour pumping tests and submitted for analysis of subdivision package parameters and unfiltered and filtered trace metals (PW21-01 excepted). TW24-05 was not sampled after 6-hours of pumping due to elevated turbidity levels. TW22-04 was further developed for 1 week and resampled on December 19, 2023, while TW24-05 was further developed for 2 days and resampled on January 24, 2024. For the additional well development, test wells TW22-04 and TW24-05 were pumped at the same rates as during the pumping tests, approx 15 l/min for TW22-04 and 19 l/min for TW24-05.

The Laboratory Certificates of Analysis are provided in Appendix F. Field measurements of temperature, pH, electrical conductivity, total dissolved solids, turbidity, filtered colour, unfiltered colour and total chlorine were measured at the time of sampling. A summary of the measured field parameters is provided in Appendix F.



## 3.4.1 Summary of Water Quality Exceedances for Deep Bedrock Aquifer

Based on the lab results, elevated fluoride concentrations were identified in two of the three deep bedrock test wells, TW22-01 and TW22-02 with concentrations ranging from 2.6 to 3.3 mg/L (Appendix F). The fluoride concentrations exceed the ODWQS maximum acceptable concentration of 1.5 mg/L and as such, the deep bedrock water supply is not suitable for consumption. The deep aquifer also exceeded the operational guideline for hardness, and esthetic objectives of sulphide, colour, and iron.

These exceedances are not further discussed as the deep aquifer is not considered to be representative of the proposed water supply aquifer for the development.

# 3.4.2 Summary of Water Quality Exceedances for Gravel/Shallow Bedrock Interface Aquifer

As previously mentioned, the gravel/shallow bedrock interface water bearing unit is the proposed water supply aquifer. The ODWQS exceedances and notable parameters of this aquifer are discussed in detail below, based on water quality samples collected from on-site test wells TW22-04 and TW24-05 and technically representative homeowner wells PW903, PW939 and PW1014.

## 3.4.3 Bacteriological Results

Total and free chlorine measurements at the time of bacteriological sampling confirmed that total and free chlorine concentrations in the groundwater were non-detectable.

The shallow test wells TW22-04 and TW24-05 had elevated turbidity levels at the time of sampling, which may interfere with bacteriological analyses. Bacteriological testing was not completed on TW22-04 and TW24-05 during the pumping test due to elevated turbidity levels. Following further development and re-sampling, water quality results for TW22-04 reported non-detectable concentrations of E.coli, fecal coliform, and total coliform, while TW24-05 had non-detectable concentrations of E.coli and fecal coliform with total coliform count of 1 CFU/100mL.

Although the total coliform concentrations exceed the ODWWS maximum acceptable concentration of 0 CFU/100mL, the total coliform concentrations detected meet the MECP Procedure D-5-5 limit of less than 6 counts per 100 mL for Total Coliform bacteria, with non-detectable indicator species of e.coli and fecal coliform. Further, testing of neighbouring existing water well users did not identify and bacteriological exceedances through sampling and homeowner interviews.

Based on the bacteriological testing, the water is suitable for consumption.



#### 3.4.4 Chemical Results

The results of the chemical testing on the water samples indicate that hardness is below the operational guideline for hardness and the warning level for persons on sodium restricted diets exceeded the ODWQS but is well within the aesthetic objective.

Aesthetic objective exceedances from private wells and on-site test wells include iron, sulphide, pH, aluminum, turbidity, and colour. The above noted exceedances are discussed in the following sections:

#### **3.4.4.1 Hardness**

Hardness exceedances for TW22-04 and TW24-05 were reported to be 6.7 and 31.7 mg/L as CaCO<sub>3</sub>, respectively, which is below the ODWQS operational guideline of 80 – 100mg/L. Hardness levels between 80 and 100 mg/L as calcium carbonate (CaCO<sub>3</sub>) are considered to provide an acceptable balance between corrosion and incrustation. Water with hardness below 80 mg/L may cause accelerated corrosion of water pipes.

## 3.4.4.2 **Sulphide**

Sulphide concentrations ranged from 0.05 mg/L to 4.61 mg/L in the on-site shallow test wells and private wells sampled. PW-939, PW-1014, TW22-03, TW22-4 and TW24-05 exceed the ODWQS aesthetic guideline of 0.05 mg/L as hydrogen sulphide. Sulphide can be related to an unpleasant odour and taste, and can produce black stains on laundered items, pipes, and fixtures. Although ingestion of large quantities of hydrogen sulphide can produce toxic effects on humans, it is not likely that an individual would ingest a harmful dose in drinking water because of the taste and odour.

Low levels of sulphide can be removed effectively using aeration (oxidation with filtration) or chlorinating the water followed by sand or multimedia filtration. According to the MECP Procedures D-5-5: Private Wells: Water Supply Assessment, there is no maximum treatable limit for sulphide.

## **3.4.4.3 Turbidity**

Turbidity was reported to be 93.9 NTU in TW22-04, after 6 hours of continuous pumping, which exceeds the ODWQS aesthetic guideline of 5 NTU. Field measured turbidity was reported to be 99.6 NTU and 152 NTU in TW22-04 and TW24-05 respectively, after 6 hours of pumping. The elevated turbidity concentrations may be the result of naturally occurring sediments around the interval of the borehole open to the aquifer.

Following further well development, the turbidity concentrations decreased to 0.5 NTU and 1.4 NTU, at TW22-04 and TW24-05 respectively.



#### 3.4.4.4 Colour

Colour was reported to be 11 TCU and 27 TCU in TW22-03 and TW22-04 respectively after 6 hours of pumping, which exceeds the ODWQS aesthetic objective of 5 TCU, and the maximum concentration considered reasonably treatable of 7 TCU. The elevated colour is attributed to the elevated turbidity.

Following further development, color was reported to be 2 TCU at TW22-04 and TW24-05.

#### 3.4.4.5 pH

The pH ranges from 8.4 to 9.4 in the on-site test wells and private wells sampled. TW22-04, T24-05, PW-903 and PW-1014 exceed the ODWQS operational guideline objective of 8.5. The primary objective of controlling pH is to produce water that is not corrosive and does not produce incrustation. At pH levels above 8.5, incrustation and bitter tastes may occur. Additionally, a decrease in efficiency of chlorine disinfection and alum coagulation can occur. Treatment methods for high pH include pH adjustment using sulfuric acid.

Although the MECP Procedure D-5-5 does not have a maximum acceptable concentration or treatability limit for pH, the Guidelines for Canadian Drinking Water Quality indicate an acceptable pH range of 7.0 to 10.5 for drinking water and to control leaching of metals from materials (Health Canada, 2015).

## 3.4.4.6 Aluminum

Aluminum was reported to be 0.762 mg/L at TW22-04 after 6 hours of pumping, which exceeds the ODWQS operational guideline of 0.1 mg/L. The elevated aluminum can be attributed to elevated turbidity at the time of sampling. Aluminum is commonly found in water as fine particles of alumino-silicate clay, which can be removed in coagulation/filtration.

Following further development and sampling, aluminum was reported to be 0.047 mg/L and 0.05 mg/L at TW22-04 and TW24-05, respectively which is below to aesthetic objective of 0.1 mg/L.

#### 3.4.4.7 Sodium

Sodium concentration of 110 mg/L and 85.5 mg/L was identified at TW22-04 and TW24-05. Sodium exceeds warning level for persons on sodium restricted diets of 20 mg/L. Sodium is well within the aesthetic objective of 200 mg/L. The local medical officer of health should be notified.

#### 4.0 SEPTIC IMPACT ASSESSMENT

The potential risk to groundwater resources on and off the subject site was assessed in accordance with MECP Procedure D-5-4: Technical Guideline for Individual Site Sewage



Systems: Water Quality Impact Risk Assessment. To evaluate the groundwater impacts, the Three-Step Assessment Process outlining in MECP D-5-4 was followed.

## 4.1 Sewage Disposal Systems

This section discusses the results of the terrain evaluation as they relate to the feasibility of installing sewage disposal systems on the subject site for onsite wastewater treatment and disposal.

It should be noted that the following information is provided for general guidance purposes only and that all septic systems installed on the subject site should be designed on a lot-by-lot basis using a lot specific investigation involving test holes to determine the actual subsurface conditions at the location of the proposed septic system. In all cases, the septic system design must conform to the Ontario Building Code (OBC) requirements.

## 4.1.1 Class IV Septic Sewage Disposal Systems

This section discusses the results of the terrain evaluation as they relate to the feasibility of installing Class IV septic sewage disposal systems on the subject site.

The septic system envelope area (septic envelope) represents the area on a lot set aside for the construction of the leaching bed and is for the leaching bed only. It does not include that area required for the septic tank or the isolation/separation distances required by the Ontario Building Code (OBC). The size of the septic system envelope is a function of the percolation rate of the native soil in the vicinity of the septic envelope (or the fill used for the construction of a septic bed) and the daily effluent loading to the septic bed.

The maximum expected septic system envelope required to service a single-family dwelling at this site is calculated to be 750 m<sup>2</sup>, assuming a design flow of 3,000 litres/day and a loading rate of 4 L/m<sup>2</sup>/day (fully raised beds over clay soils).

A 750 m² septic envelope corresponds to 16% area cover based on the smallest proposed lot size of 4,613 m² (0.46 hectare). Typical septic envelope dimensions would be 30 metres in length by 25 metres in width. The septic system envelope should be readily accommodated on the lot sizes that are proposed. Prior to establishing the actual septic envelope (leaching bed) location on any particular lot, test holes should be excavated to determine the actual subsurface conditions in the area of the proposed leaching bed.

The septic leaching bed design must ensure that the bottom of the absorption trenches is at least 0.9 metres above low permeability soils (such as silty clay), bedrock, and the seasonally high groundwater table. Based on the low permeability clay soils, it is expected that all of the septic leaching beds at this site will be fully raised.



## 4.2 Three-Step Assessment: Step 1 - Lot Size Considerations

Lot sizes of 1.0 hectares or larger are assumed to be sufficient for attenuative processes to reduce nitrate-nitrogen to acceptable concentrations in groundwater below adjacent properties. The retained land parcel is less than 1.0 hectares in size, and therefore doe does not satisfy the MECP D-5-4 lot size requirements, and as such, GEMTEC has carried on with steps 2 of the MECP process.

## 4.3 Three-Step Assessment: Step 2 – System Isolation Considerations

Where proposed lot sizes are less than 1.0 hectares, the risk of sewage effluent contamination must be assessed. As per Procedure D-5-4, it is required to:

- Evaluate the most probable groundwater receiver for sewage effluent; and,
- Define the most probable lower hydraulic or physical boundary of the groundwater receiving the sewage effluent.

The groundwater supply aquifer is considered to be isolated if separated from surficial sources by a 10 metres thick, low permeability layer with a hydraulic conductivity less than 1 x  $10^{-5}$  m/s that is laterally continuous for 100 metres from the Site.

The boreholes advanced as part of the geotechnical investigation (GEMTEC, 2023) identified low permeability units of silty clay underlying the Site to depths of up to 8.3 metres below ground surface. Hydraulic testing performed in monitoring wells installed in boreholes 21-01 and 21-02 that are screened through the silty clay, estimated the hydraulic conductivity to be  $3x10^{-7}$  m/s and  $3x10^{-8}$  m/s respectively.

Test wells advanced on-site indicate that the overburden thickness ranged from 12.2 meters to 18.3 meters and MECP water well records within 500 metres of the Site indicate overburden thickness ranges from 12.2 to 37.5 metres. Based on TW22-04 located at the southern end of the Site, the thickness of clay decreases to approximately 5.2 metres and is underlain by "sand and boulders" to a depth of 10.3 metres, which is interpreted to be glacial till based on geotechnical boreholes advanced on-site (GEMTEC, 2023).

The proposed water supply aquifer is considered to be at least partially isolated from surficial impacts based on the presence of 5+ metres of low permeability clay. Given the underlying glacial till at the southern portion of the Site has not been assessed, nitrate dilution calculations were carried out to confirm the acceptability of septic impacts for the proposed severed lots.

## 4.4 Three-Step Assessment: Step 3 - Nitrate Dilution Calculations

Where it cannot be demonstrated that the effluent is hydrogeologically isolated from the water supply aquifer, the risk of individual septic systems will be assessed using nitrate-nitrogen contaminant loading for commercial/industrial properties. The maximum allowable concentration



of nitrate in the groundwater at the boundaries of the subject property is 10 milligrams per litre as per the Ministry of the Environment, Conservation and Parks guideline D-5-4, dated August 1996.

The nitrate concentration at the Site boundaries was calculated using the following information:

- Site area of 54,592 m<sup>2</sup>;
- Hard surface area of 5,459 m<sup>2</sup> (estimated to be 10% of total Site area, which accounts for house and driveway footprint)
- Infiltration factors and water holding capacity of soils (WHC) based on information obtained from Table 3.1 of the Ministry of Environment Stormwater Management Planning and Design Manual, dated March 2003;
- Soil Factor of 0.15, which represents combination of clay and some loam;
- Cover Factor of 0.1 which represents cultivated lands;
- Topography Factor of 0.17, representative of rolling land with an average slope of 10 m/km.
- Water holding capacity: 75 mm for urban lawns / shallow rooted crops, clay;
- An annual water surplus of 0.380 metres/year for soils with a water holding capacity of 75 mm; and,
  - Ottawa International Airport Weather Station (1939-2020). Water surplus datasheet provided in Appendix H.
- Negligible background nitrate concentration in the receiving aguifer.

The predictive assessment is conducted using a mass balance calculation to determine the sewage loading for nitrate at the property boundary (see equation below).

$$C_{Nitrate} = \frac{Mass}{Volume} = \frac{Annual\ Nitrate\ Loading(grams/year)}{Annual\ Dilution\ Volume(cubic\ metres/year)} = \frac{grams}{cubic\ metre} = \frac{mg}{L}$$

The nitrate dilution calculations are provided in Appendix H. The calculated nitrate concentration at the Site boundary, assuming seven residential lots was calculated to be 9.83 mg/L. The Site can support up to seven residential lots. The total site area was considered for the proposed residential lots.

The nitrate impact assessment for the Site meets the acceptable nitrate impact requirement of 10 mg/L established by the MECP. The background nitrate concentration is considered to be negligible based on non-detectable (<0.20 mg/L) nitrate concentrations in the receiving aquifer.



## 4.5 Background Nitrate Concentrations

The nitrate concentrations were measured in the low permeability overburden soils (MW21-1 and MW21-2), the receiving gravel / upper bedrock aquifer (PW939, PW903, PW1014, TW22-03 and TW22-04) and deep bedrock aquifer (PW21-01, TW21-01 and TW21-02). The nitrate concentrations in the receiving gravel / upper bedrock aquifer and deep bedrock aquifer ranged from non-detectable (<0.1 mg/l) to 0.2 mg/L. The nitrate concentrations in on-site monitoring wells were 5.8 mg/L and 6.6 mg/L in MW21-1 and 0.3 mg/L in MW21-2. The locations of the private wells, test wells and monitoring wells are displayed on Figure 1 - Site Plan.

The elevated nitrate in MW21-1 is likely associated with the historic use of fertilizers, as the Site is crop covered. This is supported by the low nitrate concentrations (0.3 mg/L) in MW21-2, which is located on the upgradient portion of the Site (refer to Figure 2). Further, MW21-2 is located immediately downgradient of multiple residential properties serviced with on-site septic systems and does not have elevated nitrate concentrations.

The elevated nitrate concentrations in MW21-1 are not considered to be representative of the nitrate concentrations in the receiving aquifer, taken to be the gravel / upper bedrock aquifer, as MW21-1 is completed in low permeability silty clay. Down gradient shallow water supply wells TW22-04 (14.9 metres deep) and PW903 (15.8 metres deep), had low nitrate concentrations measured to be 0.2 mg/L and <0.1 mg/L respectively.

#### 4.6 Surface Water Impacts

The discussion provided herein, in relation to surface water impacts to adjacent surface water features, is concerned primarily with septic effluent discharging from on-site septic systems. Phosphorus is known to be the primary contaminant of concern for aquatic systems impacted by septic effluent. As such, the discussion provided below is focused on the potential for phosphorus to impact adjacent surface water features.

Phosphorus attenuation in septic system leaching fields utilizes a combination of biotic and abiotic process including sorption/precipitation reactions, plant uptake, and mineralization/immobilization by microbes, however the dominant attenuation mechanisms are sorption/precipitation mechanisms (Wilhelm, et al., 1996). A 30-metre setback is considered to be sufficient for phosphorous attenuation.

The closest surface water feature to the site is McKinnons Creek, located east of the Site (Figure 1). McKinnons Creek is greater than 30 metres from the proposed septic systems (refer to Concept Plan in Appendix A) and as such, no impacts to surface water features from the proposed on-site septic systems are anticipated.



#### 5.0 CONCLUSIONS

Based on the results of this investigation, the following conclusions and professional opinions are provided:

## 5.1 Hydrogeological Conceptual Model

- The soils encountered generally consist of a thin layer of topsoil underlain by low permeability silty clay, glacial till and gravel above shale bedrock. The silty clay was not fully penetrated by the geotechnical boreholes on site but was proven to range from 5.3 to 8.3 metres below ground surface in test wells.
- The proposed water supply aquifer is the overburden bedrock interface aquifer, consisting of a gravel layer of variable thickness and extent over upper fractured bedrock.
  - The thickness and extent of the gravel layer is expected to vary across the Site, as not all well records indicate the presence of gravel above the bedrock. A review of available water well records indicate that many neighbouring water wells are completed in interface aquifer (i.e., gravel and / or upper fractured bedrock).
  - The deeper bedrock aquifer is not considered suitable due to ODWQS maximum acceptable concentration exceedances of fluoride.
- The proposed water supply aquifer is not considered to be highly vulnerable to contamination from surficial sources, e.g. septic system effluent, agricultural, or road salt.
  - On-site test wells do not display evidence of impacts from surficial sources i.e. low to non-detectable nitrate concentrations, E.coli, fecal coliform, tannins and lignins or organic nitrogen, and low chloride and sodium concentrations.
  - No notable surface impacts (e.g., septic, road salt or softener salt) observed in the two neighbouring private wells within 100 meters of the Site, which have favourable water quality.
  - The gravel / upper bedrock interface aquifer is expected to be overlain by greater than five meters of low permeability silty clay material, based on the conditions logged during the on-site borehole drilling and water well records of the on-site test wells.
  - Slug testing was performed in monitoring wells installed in boreholes 21-01 and 21-02, which are screened through the silty clay overburden unit reported hydraulic conductivity values of 3x10<sup>-7</sup> m/s and 3x10<sup>-8</sup> m/s.
  - Elevated nitrate concentrations in on-site monitoring well MW21-01 are likely related to on-site agricultural activities rather than septic systems, given the low nitrate concentrations in upgradient MW21-02, located immediately downgradient



of existing residential septic systems. Further, downgradient water supply wells TW22-04, TW24-05 and PW903 had low to non-detectable nitrate concentrations (<0.1 mg/L to 0.2 mg/L).

- Off-site groundwater impacts from the proposed seven residential lots are not anticipated, as the calculated nitrate concentration of 9.83 mg/L is within the maximum allowable nitrate concentration of 10 mg/L at the property boundary, as required by MECP Procedure D-5-4.
  - The Site can support a maximum of seven residential lots based on the nitrate dilution calculations.
  - The Site is considered to be partially isolated from surficial sources given the presence of greater than five metres of low permeability (< 10<sup>-5</sup> m/s) silty clay soils.
  - Proposed septic systems are expected to be fully raised and sized to accommodate sand mantle over clay soils, allowing for treatment of septic effluent.
- Off-site surface water impacts from the proposed on-site septic systems are not anticipated as the closest surface water feature, McKinnons Creek is located greater than 30 metres from the proposed on-site septic systems.
- The quantity of groundwater available from the proposed water supply aquifer (TW22-04 and TW24-05) is sufficient for residential use and will sustain repeated pumping at the test rate and duration at 24-hour intervals over the long term.
  - TW22-05 was initially unable to meet the MECP Procedure D-5-5 minimum required flow rate and was hydrofractured by a licensed well technician. Following hydrofracking, the well yield in TW24-05 was increased to approx. 19 litres per minute. Hydrofracking may be required to enhance the productivity of low-yield wells. Test wells TW22-03 sustained pumping rates of 23 litres per minute and TW22-05 sustained pumping rates of 18.8 litres per minute, both suitable to supply a 4-bedroom dwelling.
  - TW22-04 sustained a constant pumping rate of 15 litres per minute over a 7.5 hour period. The pumping rate of 15 litres per minute is sufficient to meet peak demands for a 3-bedroom dwelling and supplemental storage may be required to meet peak demands in a 4-bedroom home. The pumping test of TW22-04 was extended from 6 to 7.5 hours such that the total water withdrawal was equivalent to a pumping test completed at 18.8 litres per minute, confirming that all on-site wells meet the minimum daily water demand requirements to support a 4-bedroom dwelling.



- TW22-03 was able to sustain pumping rates of 23 litres per minute over a six hour period; however, the well may not be sustainable at the pumping rate over the long term due to the limited available drawdown of approx. one metre at the end of the pumping test. Nonetheless, TW22-03 is not considered to be technically representative of future water supply wells, as the previously constructed well is likely screened solely across the gravel layer.
- Based on homeowner interviews of seven neighbouring properties, no water quantity issues were reported. It should be noted that neighbouring properties are developed at a higher density than the proposed development and as such, unacceptable groundwater interference between on-site or neighbouring well users is not anticipated.
- Where future well yields are only 15 litres per minute, supplemental storage may be required to meet peak demands in houses greater than 3 bedrooms.
- The well yields determined in the course of the investigation are representative of the yields which residents of the development are likely to obtain from their wells in the long term.
- Interference between drinking water wells is expected to be acceptable under typical usage for residential developments.
  - Maximum drawdown of 0.2 metres observed in observations well during pumping (0.2 metre drawdown in TW22-03 and negligible drawdown in TW22-04 during pumping of TW24-05). Negligible interference between on-site and neighbouring test wells is anticipated.
  - Homeowner interviews of neighbouring lot owners, which are developed at a higher density of 0.14 hectares per lot did not report any water quantity issues. In comparison, the smallest proposed lot size is 0.46 hectares.

## 5.2 Water Quality

- The results of the physical, chemical and bacteriological groundwater indicate that the
  water quality in the proposed water supply aquifer (gravel / upper bedrock) meets the
  ODWQS maximum acceptable concentrations and maximum concentrations considered
  to be reasonably treatable.
  - Aesthetic objective and operational guideline exceedances of: pH, hardness, and sulphide. Unpleasant odour and taste, and black stains on laundered items, pipes, and fixtures may be encountered due to the sulphide and pH exceedances.
  - Turbidity, colour and aluminum aesthetic objective and operational guideline exceedances were encountered following well drilling; however, it was



demonstrated that through extended well development, turbidity and associated colour and aluminum could be reduced to within ODWQS aesthetic objective and operational guideline limits.

 Homeowner interviews of 7 neighbouring well owners did not indicate any water quality issues attributed to elevated turbidity suggesting that newly constructed wells, once fully developed, will meet aesthetic objectives for turbidity.

#### 6.0 RECOMMENDATIONS

The following recommendations regarding well construction specifications and water quality treatment are provided below.

## 6.1 Water Supply Recommendation

- Any new water well should be constructed in accordance with local and MECP regulations (O.Reg 903).
- Test wells TW22-04 and TW24-05 are considered technically representative of future water supply wells.
  - Different methodologies were used in the construction of TW22-04 and TW22-05, both of which straddle the bedrock interface. A local well driller should be retained who has experience drilling and grouting wells within the bedrock interface. Future well casings should straddle the bedrock interface, ranging from approximately 0.6 metres above to 0.3 metres below the bedrock surface.
  - Hydrofracking may be required to increase well production.
  - Extended well development will be required to reduce turbidity and associated colour and aluminum to acceptable levels.
  - Future wells should not extend greater than six metres into bedrock, as wells completed at greater depths may encounter fluoride concentrations above the ODWQS maximum acceptable concentrations.
  - Where lower well yields are encountered (i.e., yields of approx 15 litres per minute), supplemental storage may be required for houses that are greater than 3-bedrooms.
- As per the City of Ottawa review comments (May 10, 2024), in order to ensure compliance with the report recommendations, 0.3 m reserves are required in front of each lot. A <u>Well Inspection Report</u> will be required for each lot prepared by a Qualified Professional and should include the following information:



- The well grouting inspection should be conducted under the supervision and sealed by a licensed professional engineer or professional geoscientist, qualified to practice geoscience.
- Confirm that the well construction meets O.Reg 903 requirements and recommendations within this report, specifically that the well casing straddles the bedrock interface, ranging from approximately 0.6 meres above to 0.3 metres below the bedrock interface and that the well is not drilled more than six metres into bedrock.
- Confirm that the well yield is at least 18.75 litres per minute, and if not, demonstrate that adequate supplemental storage can be accommodated based on the size of the proposed dwelling. The determination of well yield should also indicate whether hydrofracking was completed.
- Extended well development should be anticipated to reduce turbidity and associated colour concentrations to acceptable levels. Newly drilled wells should be pumped until a Qualified Professional has confirmed that the field measured turbidity and colour are below their respective ODWQS aesthetic objectives of 5 NTU and 7 TCU respectively. The instruments used shall be described and calibration records provided.
- The separation distance between drinking water wells and on site or neighbouring septic systems should be at least 15 metres and up to 18 metres to account for fully raised septic beds. Future water supply wells should be located upgradient from septic beds.
- Any unused on-site test wells should be abandoned by a licensed well technician in accordance with O.Reg 903. Test wells not used for future residential use should be abandoned, including TW22-01 (tag # A342174), TW22-02 (tag # A342173) and TW22-03 (no tag #). If test wells TW22-04 (tag # A342479) and TW22-05 (tag # A395575) are not utilized by future lot owners, they should be abandoned.
- A water quality treatment specialist should be consulted by future owners for the implementation of any treatment systems. The following treatment systems may be considered for future property owners:
  - Sulphide can be treated at low concentrations via aeration (oxidation with filtration) or chlorination followed by sand or multimedia filtration.
  - pH levels over 8.5 may be treated through pH adjustment using sulfuric acid.
  - No treatment is recommended for hardness as the water is naturally soft. To note, water with hardness below 80 mg/L may cause accelerated corrosion of water pipes.



It is recommended that the property owners construct, maintain and test their drinking water well in accordance with the Ministry of the Environment and Climate Change document "Water Supply Wells - Requirements and Best Management Practices, Revised April 2015".

The following recommendations are provided regarding septic system design:

## **Septic System Recommendations**

- The proposed lots will be serviced by individual Class IV septic sewage disposal systems designed according to the Ontario Building Code. A site-specific visit should be conducted on the lot for septic system design requirements.
- The septic system should be designed and installed by a licensed contractor in accordance with Ontario Building Code (Part 8) specifications. It is recommended that septic systems be located a minimum of 15 metres (or up to 18 metres for fully raised septic beds) from any on-site or neighbouring water supply wells.
- It is recommended that the property owners construct, maintain and check their onsite septic system in accordance with the Ontario Building Code and best management practices (Ministry of Municipal Affairs and Housing, 2021). The homeowner shall consult the following guides available at: https://www.oowa.org/homeowner-resources/.

## 7.0 CLOSURE

We trust this report provides sufficient information for your present purposes. The report is subject to the Conditions and Limitations of This Report, provided following the text of this report. If you have any questions concerning this report, please do not hesitate to contact our office.

Samuel Esenwa, B.Sc., G.I.T. **Environmental Scientist** 

Andrius Paznekas, M.Sc., P.Geo.

Hydrogeologist



#### 8.0 REFERENCES

Armstrong, D.K. and Dodge, J.E.P. 2007. Paleozoic geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release--Data 219

Brunton, F.R. and Dodge, J.E.P. 2008. Karst of southern Ontario and Manitoulin Island; Ontario Geological Survey, Groundwater Resources Study 5.

City of Ottawa, 2021. Hydrogeological and Terrain Analysis Guidelines.

Gao, C., Shirota, J., Kelly, R.I., Brunton, F.R. and van Haaften, S. 2006. Bedrock topography and overburden thickness mapping, southern Ontario; Ontario Geological Survey, Miscellaneous Release—Data 207.

GEMTEC. 2024. Geotechnical Investigation, Residential Development, 930 Smith Road, Ottawa, Ontario. Project reference 100812.001, dated March 14, 2024.

Ontario Geological Survey. 2010. Surficial geology of Southern Ontario. Ontario Geological Survey, Miscellaneous Release-Data 128-Revision 1.

Ontario Geological Survey. 2011. 1:250 000 scale bedrock geology of Ontario. Ontario Geological Survey, Miscellaneous Release-Data 126-Revision 1.

Ontario Ministry of the Environment and Climate Change. 1996. Procedure D-5-5, Technical Guideline for Private Wells: Water Supply Assessment. August 1996.

Ontario Ministry of the Environment and Climate Change. 1996. Procedure D-5-4, Technical Guideline for Individual On-Site Sewage Systems: Water Quality Impact Risk Assessment. August 1996.

Health Canada. 2015. Guideline Technical Document – pH. *Guidelines for Canadian Drinking Water Quality*. Health Canada. Retrieved from <a href="https://www.canada.ca/en/health-canada/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-technical-document-ph.html">https://www.canada.ca/en/health-canada/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-technical-document-ph.html</a>.





## **Conditions and Limitations of This Report**

- 1. **Standard of Care:** GEMTEC has prepared this report in a manner consistent with generally accepted engineering or environmental consulting practice in the jurisdiction in which the services are provided at the time of the report. No other warranty, expressed or implied is made.
- 2. Copyright: The contents of this report are subject to copyright owned by GEMTEC, save to the extent that copyright has been legally assigned by us to another party or is used by GEMTEC under license. To the extent that GEMTEC owns the copyright in this report, it may not be copied without our prior written agreement for any purpose other than the purpose indicated in this report. The methodology (if any) contained in this report is provided to the Client in confidence and must not be disclosed or copied to third parties without the prior written agreement of GEMTEC. Disclosure of that information may constitute an actionable breach of confidence or may otherwise prejudice our commercial interests.
- 3. Complete Report: This report is of a summary nature and is not intended to stand alone without reference to the instructions given to GEMTEC by the Client, communications between GEMTEC and the Client and to any other reports prepared by GEMTEC for the Client relative to the specific site described in the report. In order to properly understand the suggestions, recommendations and opinions expressed in this report, reference must be made to the whole of the report. GEMTEC can not be responsible for use of portions of the report without reference to the entire report.
- 4. Basis of Report: This Report has been prepared for the specific site, development, design objectives and purposes that were described to GEMTEC by the Client. The factual data, interpretations and recommendations pertain to a specific project as described in this report and are not applicable to any other project or site location. The applicability and reliability of any of the findings, recommendations, suggestions, or opinions expressed in the document, subject to the limitations provided herein, are only valid to the extent that this report expressly addresses the proposed development, design objectives and purposes. Any change of site conditions, purpose or development plans may alter the validity of the report and GEMTEC cannot be responsible for use of this report, or portions thereof, unless GEMTEC is requested to review any changes and, if necessary, revise the report.
- 5. **Time Dependence:** If the proposed project is not undertaken by the Client within 18 months following the issuance of this report, or within the timeframe understood by GEMTEC to be contemplated by the Client, the guidance and recommendations within the report should not be considered valid unless reviewed and amended or validated by GEMTEC in writing.
- 6. **Use of This Report:** The information, recommendations and opinions expressed in this report are for the sole benefit of the Client. No other party may use or rely on this report or any portion thereof without GEMTEC's express written consent. If the report was prepared to be included for a specific permit application process, then upon the reasonable request of the client, GEMTEC may authorize in writing the use of this report by the regulatory agency as an Approved User for the specific and identified purpose of the applicable permit review process.
  - Contractors bidding on, or undertaking the work, should rely on their own investigations, as well as their own interpretations of the factual data presented in the report, as to how subsurface conditions may affect their work, including but not limited to proposed construction techniques, schedule, safety and equipment capabilities.
- 7. **No Legal Representations:** GEMTEC makes no representations whatsoever concerning the legal significance of its findings, or as to other legal matters touched on in this report, including but not limited to, ownership of any property, or the application of any law to the facts set forth herein. With respect to regulatory compliance issues, regulatory statutes are subject to interpretation and change. Such interpretations and regulatory changes should be reviewed with legal counsel.

- 8. **Decrease in property value:** GEMTEC shall not be responsible for any decrease, real or perceived, of the property or site's value or failure to complete a transaction, as a consequence of the information contained in this report.
- 9. Reliance on Provided Information: The evaluation and conclusions contained in this report have been prepared on the basis of conditions in evidence at the time of site inspections and on the basis of information provided to us. We have relied in good faith upon representations. information and instructions provided by the Client and others concerning the site. Accordingly, we cannot accept responsibility for any deficiency, misstatement or inaccuracy contained in this report as a result of misstatements, omissions, misrepresentations. or fraudulent acts of the Client or other persons providing information relied on by us. We are entitled to rely on such representations, information and instructions and are not required to carry out investigations to determine the truth or accuracy of such representations, information and instructions.
- 10. Investigation Limitations: Site investigation programs are a professional estimate of the scope of investigation required to provide a general profile of subsurface conditions but even a comprehensive investigation, sampling and testing program may fail to detect all or certain subsurface conditions.

The data derived from the site investigation program and subsequent laboratory testing are interpreted by trained personnel and extrapolated across the site to form an inferred geological representation and an engineering opinion is rendered about overall subsurface conditions and their likely behaviour with regard to the proposed development. Conditions between and beyond the borehole/test hole locations may differ from those encountered at the borehole/test hole locations and the actual conditions at the site might differ from those inferred to exist, since no subsurface exploration program, no matter how comprehensive, can reveal all subsurface details and anomalies. Accordingly, GEMTEC does not warrant or guarantee the exactness of of the subsurface descriptions.

Soil and groundwater conditions shown in the factual data and described in the report are the observed conditions at the time of their determination-or measurement. Unless otherwise noted, those conditions form the basis of the recommendations in the report. Groundwater conditions may vary between and beyond reported locations and can be affected by annual, seasonal and meteorological conditions. The condition of the soil, rock and groundwater may be significantly altered by construction activities (traffic, excavation, groundwater level lowering, pile driving, blasting, etc.) on the site or on adjacent sites. Excavation may expose the soils to changes due to wetting, drying or frost. Unless otherwise indicated the soil must be protected from these changes during construction.


In addition, fill of variable physical and chemical composition can be present over portions of the site or on adjacent properties. The professional services retained for this project include only the geotechnical aspects of the subsurface conditions at the site, unless otherwise specifically stated and identified in the report. The presence or implication(s) of possible surface and/or subsurface contamination resulting from previous activities or uses of the site and/or resulting from the introduction onto the site of materials from off-site sources are outside the terms of reference for this project and have not been investigated or addressed.


- 11. **Sample Disposal:** GEMTEC will dispose of all uncontaminated soil and/or rock samples 60 days following issue of this report or, upon written request of the Client, will store uncontaminated samples and materials at the Client's expense. In the event that actual contaminated soils, fills or groundwater are encountered or are inferred to be present, all contaminated samples shall remain the property and responsibility of the Client for proper disposal.
- 12. Follow-Up and Construction Services: All details of the design were not known at the time of submission of GEMTEC's report. GEMTEC should be retained to review the final design, project plans and documents prior to construction, to confirm that they are consistent with the intent of GEMTEC's report.


During construction, GEMTEC should be retained to perform sufficient and timely observations of encountered conditions to confirm and document that the subsurface conditions do not

materially differ from those interpreted conditions considered in the preparation of GEMTEC's report and to confirm and document that construction activities do not adversely affect the suggestions, recommendations and opinions contained in GEMTEC's report. Adequate field review, observation and testing during construction are necessary for GEMTEC to be able to provide letters of assurance, in accordance with the requirements of many regulatory authorities. In cases where this recommendation is not followed, GEMTEC's responsibility is limited to interpreting accurately the information encountered at the borehole locations, at the time of their initial determination or measurement during the preparation of the Report.


- 13. **Changed Conditions:** Where conditions encountered at the site differ significantly from those anticipated in this report, either due to natural variability of subsurface conditions or construction activities, it is a condition of this report that GEMTEC be notified of any changes and be provided with an opportunity to review or revise the recommendations within this report. Recognition of changed soil and rock conditions requires experience and it is recommended that GEMTEC be employed to visit the site with sufficient frequency to detect if conditions have changed significantly.
- 14. Drainage: Drainage of subsurface water is commonly required either for temporary or permanent installations for the project. Improper design or construction of drainage or dewatering can have serious consequences. GEMTEC takes no responsibility for the effects of drainage unless specifically involved in the detailed design and construction monitoring of the system.

















## **RECORD OF BOREHOLE 21-01**

CLIENT: Hierarchy Development & Design Inc.

PROJECT: Geotechnical Investigation, Proposed Lot Severances, 830 Smith Road, Ottawa, Ontario

JOB#: 100812.001

LOCATION: See Site Plan, Figure 1

CONSULTING ENGINEERS AND SCIENTISTS

SHEET: 1 OF 1 DATUM: CGVD28 BORING DATE: Aug 12 2021

	HO H	SOIL PROFILE				SAM	IPLES		● PEN RES	IETRA ISTA	ATION NCE (N)	, BLOV	VS/0.3r	H2 1+ m	IEAR S NATUR	TRENC	STH (C	u), kPA JLDED	₽ S S	
MEIRES	BORING METHOD	DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	RECOVERY, mm	BLOWS/0.3m			PENET			W <sub>F</sub>	.—	₩ •		$\dashv W_L$	ADDITIONAL LAB. TESTING	PIEZOMETE OR STANDPIPE INSTALLATIO
	ă		ST				<u> </u>	М	10	1 2	20 3	0 4	0 5	i0 ε	60 7	70	80	90		
0	+	Ground Surface TOPSOIL	7,15.7,	78.94																Bentonite
		Very stiff to stiff, grey brown SILTY CLAY (WEATHERED CRUST)		78.76 0.18	1	SS	200	12		<b>D</b> : ::	} 	0		1::1::						
1					2	SS	610	12		D: ::	:::0									
2					3	SS	610	12		<b>D</b>	Ö								МН	
_																				
					4	SS	610	12		<b>D</b> : :: :		I <del></del> 0								
3	n OD)								- : : : : :											
	Power Auger Hollow Stem Auger (210mm OD)				5	SS	610	10	•				O::::							Native backfill Positive day
4	Fower Auge																			∑_ Partonite
	Hollow 8				6	SS	610	7	-		(D)			1:::						Silicia sand
5					7	SS	610	5	•					:0:						
				7 <u>3.61</u> 5.33																1.5m, 50mm diameter
		Stiff, grey SILTY CLAY		3.33	8	SS	610	2	•						: O:					1.5m, 50mm
6									-											
					9	то	580	PH												
7																				Silicia sand
[				71.62 7.32						<del>()</del>				T.	: ::::: : ::::::::::::::::::::::::::::					
		End of borehole		7.32																
8																				
9																				
																				GROUNDWATE OBSERVATION DATE DEPTH
																				DATE   DEPTH (m)   21/09/13   3.7
0																				

## **RECORD OF BOREHOLE 21-02A**

CLIENT: Hierarchy Development & Design Inc.

PROJECT: Geotechnical Investigation, Proposed Lot Severances, 830 Smith Road, Ottawa, Ontario

JOB#: 100812.001

LOCATION: See Site Plan, Figure 1

SHEET: 1 OF 1 DATUM: CGVD28 BORING DATE: Aug 12 2021

ا لِا	НОД	SOIL PROFILE				SAN	IPLES	_	● PE RE	NETR/ SISTA	ATION NCE (N	), BLO	WS/0.3	SH Im +1	HEAR S NATUR	TRENG AL ⊕ F	REMOL	ı), kPA JLDED	4 <sup>9</sup> 5	
METRES	BORING METHOD	DESCRIPTION	STRATA PLOT	ELEV.	NUMBER	TYPE	RECOVERY, mm	BLOWS/0.3m			PENE NCE, B			W	WATE	R CON W			ADDITIONAL LAB. TESTING	PIEZOMETEI OR STANDPIPE INSTALLATIO
ı	BO		STR	(m)	z		R	BLC	1	0 2	20 3	30 ·	40 	50 <del>(</del>	60 7	70 8	30 9	90 		
0		Ground Surface	-74 1× 1/1	80.95						::::			1 1 1 1			:::::		: : : :		
		TOPSOIL  Very loose to loose, brown SILTY SAND	11/7	80.82	1	SS	560	4												Bentonite
		Very stiff to stiff, grey brown SILTY CLAY (WEATHERED CRUST)		0.28	'	33	300							::::						
		(WEATHERED CRUST)												::::						
1					2	SS	610	8		:::::		::::: :::0	1 : : : :	::::: -::t:::	::::	::::		:::::		
					-		010													
					3	SS	610	6	•				:0:							\[ \sqrt{2}
2				1																\ \Z
					4	SS	610	4			::::::::::::::::::::::::::::::::::::::	: : : :	1 : : : :	 						
																				Native backfill
3				7 <u>7.90</u> 3.05																
	(00	Firm grey SILTY CLAY to CLAYEY SILT			5	SS	610	2	•					::::	þ:::					
	mm(																			
,	uger r (210								Φ				1:4:							
4	Power Auger em Auger (21								::: ⊕				:+:							
	Stem								Ε:: Φ :::::				· T							
	Power Auger Hollow Stem Auger (210mm OD)																			
5	I				6	SS	610	WH				: ::I <del>:</del>		1 1 1 1		::0				
									Ф				+:::							
									⊕:				+:::							Bentonite
6									:::::	::::	:::::		::::	::::	::::	::::		:::::		
					7	SS	610	WH											MH	Silicia sand
					•															
														::::						
7									<del>.0</del>				1	::::				::::		
									⊕:				†:::::  ::::::							1.5m, 50mm diameter screen
																				scieen
8					8	SS	560	wн		:::::		: : : :		:::::	Ö: : :	: : : :	: : : :	: : : :		
	+	End of borehole		72.77 8.18																
		Auger refusal																		
9													1::::	: : : :					-	
																				GROUNDWATEI OBSERVATION:
																				DATE DEPTH (m)
																				21/09/13 2.1 💆
10																				
	(	SEMTEC	-	-					•			•		•	•		•		1000	GED: A.N.
		NSULTING ENGINEERS D SCIENTISTS																		CKED: W.A.M.

## **RECORD OF BOREHOLE 21-02B**

CLIENT: Hierarchy Development & Design Inc.

PROJECT: Geotechnical Investigation, Proposed Lot Severances, 830 Smith Road, Ottawa, Ontario

JOB#: 100812.001

LOCATION: See Site Plan, Figure 1

1 OF 1 CGVD28 SHEET: DATUM: CGVD28 BORING DATE: Aug 12 2021

SS	BORING METHOD	SOIL PROFILE	<u> </u>			SAM	IPLES		● PE RE	NETR/ SISTA	ATION NCE (N	), BLO	WS/0.3	HS 1+ m	IEAR S NATUR	TRENG AL ⊕ F	STH (C REMOL	u), kPA JLDED	NAL	PIEZOMETE
METRES	ING ME	DESCRIPTION	STRATA PLOT	ELEV.	NUMBER	TYPE	RECOVERY, mm	BLOWS/0.3m	▲ DY RE	NAMIC SISTA	PENE NCE, B	TRATIC	ON /0.3m	W		R CON W	TENT,	%   W <sub>L</sub>	ADDITIONAL LAB. TESTING	OR STANDPIPE INSTALLATIO
-	BORI		STRA	(m)	N	-	REC	BLOV								70 8	30	90	43	
0		Ground Surface		80.95						::::		::::	::::		: : : :	::::				N J
		TOPSOIL  Very loose to loose, brown SILTY SAND	11/2 1	80.82 89.6 <del>7</del> 0.28									:::::	:::::			::::			
		Very stiff to stiff, grey brown silty clay (WEATHERED CRUST)		0.20																
		(WEATHERED CRUST)																		
1																			1	
2																			-	
	(Q																			
	ger (210mm OD)																			
3		Firm grey SILTY CLAY		7 <u>7.90</u> 3.05																
	Power Auger em Auger (21	· · · · · · · · · · · · · · · · · · ·																		Backfilled with auger cuttings
	Power Au Hollow Stem Auger																			
4	Hollo								::::	::::	::::		::::	::::		::::	::::	::::		
5																				
6																				
					1	то	550	PH												
		End of borehole Note: Soil statigraphy inferred from		74.30 6.65																
7		Borehole 21-02A								::::	::::	::::	1 : : : :	1::::	::::	1 : : : :	::::	1::::		
8																				
9																				
10												: : : :		:::::						
	(	SEMTEC				<u> </u>		I					1	1	1	1	1		I UGG	ED: A.N.
		NSULTING ENGINEERS D SCIENTISTS																		CKED: W.A.M.

## **RECORD OF BOREHOLE 21-03**

CLIENT: Hierarchy Development & Design Inc.


PROJECT: Geotechnical Investigation, Proposed Lot Severances, 830 Smith Road, Ottawa, Ontario

JOB#: 100812.001

LOCATION: See Site Plan, Figure 1

SHEET: 1 OF 1 DATUM: CGVD28 BORING DATE: Aug 12 2021

Į (,	гнор	SOIL PROFILE	l <sub>-</sub>	I		SAM	IPLES		● PE RE	NETR/ SISTA	ATION NCE (N	), BLOV	VS/0.3r	SH n +N	IEAR S NATUR	AL +	REMO	Cu), I ULD	kPA ED	AL NG	DIEZOMET	
METRES	BORING METHOD	DESCRIPTION	STRATA PLOT	ELEV.	NUMBER	TYPE	RECOVERY,	BLOWS/0.3m				TRATIO LOWS/0		W <sub>F</sub>	.—	R CON W		-	W <sub>L</sub>	ADDITIONAL LAB. TESTING	PIEZOMETE OR STANDPIP INSTALLATI	PE
_	H BC		ST	(m)			<u>~</u>	<u> </u>	1111	0 :	20 (	30 4	0 5	60 6	60 7	70 8	30 	90	:::			_
0		Ground Surface TOPSOIL	7112.711	80.08 79.90					::::		::::	: : : :	: : : :	::::	: : : :		:::	: : : :	:::		Bentonite	I
		Very stiff to stiff, grey brown SILTY CLAY (WEATHERED CRUST)		79.90 0.18	1	SS	400	14		•											Bentonite	ZYZZ
1					2	SS	610	16			0											NAMA
					3	SS	610	12														AN AN A
2	(0					00	010	12													Native Backfill	ZZZZZ
	Power Auger Hollow Stem Auger (210mm OD				4	SS	610	9				· •										NAMA NAMA
3	Power Auger em Auger (21				5	SS	610	9														MANA
	Hollow St																				Bentonite	Ž V
4					6	SS	610	5	•					<b>D</b>							Silicia sand	
_				7 <u>5.20</u> 4.88	7	SS	610	2	•		1			1	0							
5		Stiff to firm, grey SILTY CLAY		74.75 5.33																	1.5m, 50mm diameter	
		Compact, grey SILTY SAND, some gravel, some clay, with cobbles and boulders (GLACIAL TILL)			8	SS	225	28			•	)								MH		
6		End of borehole	9 <sup>2</sup> .] <sup>2</sup> .] <sup>2</sup> .)	73.98 6.10																	į E	1
7																			:::			
8																::::						
9																						
																					GROUNDWAT OBSERVATIO  DATE DEPTH (m)  21/09/13 0.0	
10																					21/09/13 0.0 \(\frac{\sqrt{\sq}}}}}}}}} \end{\sqrt{\sq}}}}}}}} \end{\sqrt{\sq}}}}}}}}}} \end{\sqrt{\sqrt{\sq}}}}}}}} \end{\sqrt{\sqrt{\sqrt{\sint\exi\qati}}}}}}}}} \end{\sqrt{\sqrt{\sint{\sint{\sint{\sinitita}}}}}}}}} \sqrt{\sqrt{	+
		SEMTEC  NSULTING ENGINEERS S SCIENTISTS				•	•		•		•			•		•	•			LOGG	SED: A.N.	






Client: Hierarchy Development & Design

Project: Geotechnical, Hydrogeological, and Erosion and Sedime

Project #: 100812001


Soils Grading Chart (T88)



Limits Shown:	None	Grain Size, mm


Line Symbol	Sample	Borehole/ Test Pit	Sample Number	Depth	% Cob.+ Gravel	% Sand	% Silt	% Clay
	SILT CLAY (WEATHERED CRUST)	21-01	SA 3	1.52-2.13	0.0	0.8	21.5	77.7
<del></del>	SILTY CLAY	21-02A	SA 7	6.09-6.71	0.0	0.4	11.4	88.2
<b>•</b>	GLACIAL TILL	21-03	SA 8	5.33-5.94	16.1	44.0	23.6	16.3
								F


Line Symbol	CanFEM Classification	USCS Symbol	D <sub>10</sub>	D <sub>15</sub>	D <sub>30</sub>	D <sub>50</sub>	D <sub>60</sub>	D <sub>85</sub>	% 5-75μm
	Silty clay, trace sand	N/A					0.00	0.01	20.9
	Clay, some silt, trace sand	N/A					0.00	0.00	11.4
<b>—•</b> —	Silty sand , some gravel, some clay	N/A	0.00	0.00	0.04	0.18	0.42	5.51	23.6



## **Slug Test Results**

## FIGURE D1





Well Data:

Displacement observed (slug size): 0.51 metres (0.60 m)

Well Depth: 7.32 metres Screen Length: 3.05 metres

Well Radius: 0.0255 metres

### Aquifer Data

Saturated Thickness: 3.59 metres Anisotropy Ratio (Kz/Kr): 0.1

Aquifer Model: Unconfined, Hvorslev Static Water Level: 3.73 metres bgs





Date: Jan. 31, 2023

Project: 100812.001

## **Slug Test Results**

## FIGURE D2





Well Data:

Normalized Head (m/m)

Time (minutes) Aquifer Data

Displacement observed (slug size): 0.53 metres (0.60 m)

Well Depth: 8.18 metres Screen Length: 1.52 metres

Well Radius: 0.0255 metres

Saturated Thickness: 6.10 metres Anisotropy Ratio (Kz/Kr): 0.1

Aquifer Model: Unconfined, Hvorslev Static Water Level: 2.08 metres bgs



Date: Jan. 31, 2023

Project: 100812.001



# MECP Water Well Record Compilation (930 Smith Road- 500 m search radius)

		(93	o Smith Road- 8	500 m search rad	iius)		
		Depth	Depth to	Static Water	Water Found		
WELL ID	Completed	(m)	Bedrock (m)	Level (m bgs)	(m bgs)	Water Detail	Well Use
1511160	3/4/1971	29	20.1	7.9	29	FR	DO
1511703	12/7/1971	19.8	17.7	8.5	19.8	FR	DO
1511704	10/28/1971	20.4	18.3	8.2	20.4	FR	DO
1511705	10/26/1971	20.4	18.3	8.2	20.4	FR	DO
1511706	10/6/1971	18.6	16.8	8.2	18.6	UK	DO
1512324	5/17/1972	24.4	20.4	6.1	24.4	FR	DO
1512338	5/9/1972	20.4	18.3	6.1	18.3	FR	DO
1512340	5/3/1972	21.3	18.3	6.1	19.8	FR	DO
1512345	10/17/1972	20.1	19.8	6.1	20.1	FR	DO
1512410	11/15/1972	20.7	19.2	6.1	20.7	FR	DO
1512423	2/11/1972	21.3	20.1	7.6	21.3	UK	DO
1512424	12/19/1972	18	16.8	6.1	18	FR	DO
1512425	12/12/1972	19.8	19.2	6.1	19.8	FR	DO
1512426	12/14/1972	20.4	-	6.1	20.4	FR	DO
1512427	11/1/1972	21.3	18	7.6	21.3	FR	DO
1512428	10/26/1972	21.3	18.9	6.1	21.3	FR	DO
1512428	7/19/1972	18.9	18.3	7.6	18.9	FR	DO
1512429	2/10/1972	22.9	20.7	7.6	21.3	UK	DO
1512430	2/10/1972	22.9	20.7	7.6	22.9	FR	DO
1512431		20.7	20.4	6.1	20.7	FR	
	10/20/1972						DO
1512433	7/20/1972	18.6	18.3	7.6	18.3	FR	DO
1512793	4/5/1965	26.5	25.9	4.6	26.5	FR	DO
1512794	9/2/1965	28.3	12.2	0.9	28.3	FR	DO
1512795	8/27/1968	18.3	-	9.4	18.3	FR	DO
1514500	3/29/1974	13.7	12.2	0.9	13.7	FR	DO
1515205	7/17/1975	15.8	14.6	2.4	15.8	FR	DO
1515221	11/24/1975	15.8	13.7	0.3	15.8	FR	DO
1515471	3/18/1976	21.9	17.4	7.3	21.9	FR	DO
1517593	8/18/1981	16.8	-	10.4	16.5	FR	DO
1517830	6/10/1982	26.2	25.6	19.8	25.9	FR .	DO
1517832	6/30/1982	24.1	-	11.9	-	#N/A	DO
1517833	7/2/1982	21.9	-	8.8	21.9	FR	DO
1517916	8/13/1982	25	-	10.7	25	FR	DO
1518048	10/27/1982	22.9	-	7.6	22.9	FR	DO
1518052	10/27/1982	25.9	-	12.2	25.9	FR	DO
1518054	10/21/1982	26.8	-	16.8	26.8	FR	DO
1519284	8/7/1984	19.5	17.4	8.5	19.2	SU	DO
1519631	10/14/1980	22.6	19.8	6.7	21.6	SU	DO
1519988	12/12/1984	24.4	23.8	10.7	23.8	FR	DO
1522522	6/30/1988	22.6	-	9.8	22.6	SU	DO
1522998	10/27/1988	15.2	-	7.6	15.2	FR	DO
1524312	1/23/1990	29.3	19.2	8.5	27.4	FR	DO
1525585	8/1/1991	30.5	22.9	7.6	29.6	FR	DO
1525782	8/19/1991	29.9	19.5	13.7	20.4	FR	DO
1526061	11/28/1991	22.9	22.3	8.5	22.9	SU	DO
1527019	11/20/1992	21.9	21.9	10.7	21.9	SU	DO
1527222	7/8/1993	18.3	18.3	9.1	16.5	UK	DO
1528725	3/17/1995	29.6	29.6	13.7	-	SU	DO
1529701	10/2/1997	32	32	13.7	21.6	SU	DO
1529702	9/25/1997	61.6	61.6	12.2	39.6, 53.3	FR	DO
1534079	8/21/2003	37.5	37.5	12.2	34.4, 35.1	UK	DO
1536075	11/7/2005	22.7	22.7	10.1	18.9	FR	DO
7294262	8/31/2017	-	-	-	-	-	-
7311540	5/17/2018	-	-	-	-	-	-
7363368	7/10/2020	-	-	-	-	-	-
, 505500	,, 10, 2020						

https://www.ontario.ca/page/map-well-records

**LEGEND** 

-' Not Available

"Well Use" DO Domestic ST Livestock Irrigation IR IN Industrial CO Commercial MN PS Municipal Public Cooling and A/C AC NU Not Used OT Other ΤH Test Hole DE Dewatering Monitoring
Monitoring Test MO MT

"Water Detail"

FR SA SU MN UK GS IR



Project: 100227.023 Date: November 2022



Ontar	'IO Ministry o	of the Enviro		We T	ag#:A3131	91 nt Below)				ecord
Measureme	ents recorded in:	N	nperial		A313191		Regulation	903 Ontario Wa Page		ources Act of
Mall Own	ner's Information	T.								
First Name		ast Name/Org	ganization		<del></del>	! E-mail Address		· 1	☐ Well C	onstructed
			n Boisv				10		by We	ll Owner
	iress (Street Number/Nam			Ī	Municipality Stittsville	Province ON	Postal Code K2S (	Telephone	No. (inc. :	area code)
Well Loca	6 Maple Grove R	wau		<del></del>	Officeanie	037	NZO1	71817		23.00
	Well Location (Street Num	ber/Name)			Township		Lot	Concessio	n	
865	Meteor Ave				Cumberland		10	9	Postal	Code
	trict/Municipality			,	City/Town/Village			Province Ontario	FOStal	Code
UTM Coord	awa Carleton finates Zone   Easting	, No	thing		Navan Municipat Plan and Sublo	t Number		Other		
NAD	1 (1) (2) (2)		502943					S/L 21		
	en and Bedrock Materia		ment Sea				! O		Deni	th (m/#)
General Co			-		her Materials	Gen	eral Description		From	To
Brown	4 Blue	Clay			0				0 (	45 4
Blue		Clay			Gravel				45	58
Black		Limest	one						<u>58 (</u>	165 ′
Grey	a Black	Limest	one			1			165	394
Grey	a Black	Limesi	one						394 (	400 '
	ſ									
	* 410	_	JA	So	H Mas	RE X				
		Annular	Space				Results of W	ell Yield Testing		
Depth Se	et at (m/ff)	Type of Seal (Material and			Volume Placed	After test of well yield		Draw Down Time Water Lev		Water Level
84 f	54 ( Neat ca		1 турс)		10.9	Other, specify		(min) (m/ft)	(min)	(m/tt)
54	0 Sentoni	te slurry			25.2	If pumping discentinu		Static 28.8	Co.	65 <sup>′</sup>
	5 Delitori	re anily			23.2			1 36.		55
						Pump intake set at (r	€fD	2 40.:		45.4
						300				
Met	hod of Construction			Well U	se	Pumping rate (Vmin K	SPM)	3 43	3	41.2
Cable To	ol Diamond Conventional) Jetting	Pub		Comme		10 Duration of pumping		4 45.	1 4	37.9
Rotary (F		Live		Test Ho			min	5 46.5	3 5	35.5
D/Boling Airboercu	Digging	Imig		Cooling	& Air Conditioning	Final water level end	of pumping (m/ft)	10 52.4	1 10	28.8
Sther, sp		1 -	er, specify _			85 If flowing give rate (Vr	nin/GPM\	15 <b>55</b> .4	1 15	28.8
	Construction Re	ecord - Casi			Status of Well			20 57.		28.8
Inside Diameter	Open Hole OR Material (Galvanized, Fibreglass,	Wall Thickness	Depth		Water Supply ☐ Replacement Well	Recommended pum	p depth (m)			
(cmin)	Concrete, Plastic, Steel)	(cm/m)	From	To	Test Hole	250 Recommended pum	n mtn	25 59	25	28.8
6/4"	Steel	.188	+2 (	84 ′	Recharge Weil  Dewatering Well	(I/min/SEM)	prate	30 60.	1 30	28.8
611	Open Hole		64 ′	400 ′	Observation and/or	10 Well production (/mir	(CPA)	40 62.	3 40	28.8
					Monitoring Hole  Alteration	10		50 64.	<b>4</b> 50	28.8
					(Construction)  Abandoned.	Disinfected?		60 65	60	28.84
	Construction R	ecord - Scre	en		Insufficient Supply		Map of W	ell Location		
Outside	Material		Depth	(m/ft)	Abandoned, Poor Water Quality	Please provide a m	ap below follow	ng instructions or	the back	40
Diameter (cm/in)	(Plastic, Galvanized, Steel)	Slot No.	From	To	Abandoned, other, specify			ing instructions or	135	100
								Maril		
					Other, specify	1 ( >	() $0.3$	KW /	XX	
	Water Det	ails			Hole Diameter		<	-71	•	
Water foun	nd at Depth   Kind of Water	~	ntestedالر	Dep	oth (mit Diameter	1 201				
	ாறி)GasOther, spe		*	From	To (cm/A)	1		_		
	id at Depth Kind of Water		Untested		0 64 74"	4 <	# X6	5 0	)	
	n/ft) Gas Cther, spe nd at Depth Kind of Water		Untested		64 400 611		، ''سن. دان	TEDA	,	
(n	n/ft) _Gas _Other, spe	cify					INE	TEDR	· 15	
	Well Contracto	or and Well	Techniciar	n Informa	ition	]	#	MEN		-
	Name of Well Contractor			W	/ell Contractor's Licence No	.				
	ock Drilling Co. Ltd. Address (Street Number/Na Franktown Road	ame)		N	7681	Comments:				
					lunicipality Richmond	11	GPM set at	250 Feet		
Province ON	Postal Code KOA 2ZD	Business	E-mail Add		oatico.ca	Twist condition	Dealer 5 5		Inter IT	- On!
	one No. (inc. area code) Na	i i ame of Well T				information	Package Deliver	Audit No.	istry Us	E0 14
613838	B2170	Hanna	. eremv			Date	2021 04 Work Completed	07	-53	J241
Well Technic	ian's Licence No. Signature	of Technicia	n and/or Cor	ntractor D	ate 2020 itted 1 31		2021 01			
		firemanny	//-		TALA NIMINIO O			0 Received		
0506É (2020A	05) © Queen's Printer for Onli	a.10, 2020	,		Winistry's Copy	I				

. . .

WΙ

			The Ontario	Water Res	ourc	es Commi	ssion	Act		316	:6e
·	CARD.	WA				R			D 151	1704°.	•
•		VV		~~		151170		MUNICIP.	3 CON.	9	1 1
V	Nater management in Ontario		ES PROVIDED BOX WHERE APPLICABLE	11		36015	13.	1,501	14 15	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22 23 24 T 25-27
C	OUNTY OR DISTRICT  Carleton		TOWNSHIP, BOROUGH, Cumberl			_ 3	CON.,	BLOCK, TRACT, S	URVEY, ETC.		10 11
1	Calleton		James 1 1	32.7				· · · · · · · · · · · · · · · · · · ·	DATE COMP		53
			Le ar	B, Ont.	R <b>q</b> .	ELEVATION	RC.	BASIN CODE	DAY	3_мо <b>10</b>	<u>IV</u>
	1.2	, <u>-</u>	129	1250	29	2021618	38	25			47
\		LOG	OF OVERBURDE		ROCI	K MATERIAL	-			DEPTH -	FEET
F	GENERAL COLOUR COM	AMON MATERIAL	OTHER M	ATERIALS		1	GENERA	L DESCRIPTION		FROM	TO
-		clay								0 55	<del>55</del> 60
-	grey qu	uick sand									67
+	bbown slate									60	-0/
-											
-									3		
}	Λ.										
,											
Į	$\sim$						1 11	1.1	1 11		
$\bigcup$	31 aasist3as	st   1   1   1   1   1   1   1	207 1 00	6741911	∐ L . 1 L	<u> </u>		<u>, , ,                                </u>	 		
l R	32 10 14 15	THE LETTER	51 CASING &	OPEN HO	L F 1	RECORD	Z SIZE (SLOT	54 5) OF OPENING NO.)	65 31-33 DIAME	TER 34-38 LI	75 80 ENGTH 39-40
	WATER R	OF WATER	INSIDE MATERIAL	WALL THICKNESS	DEP	TH - FEET	<b>H</b>	RIAL AND TYPE		DEPTH TO TOP OF SCREEN	FEET 41-44 80
	10-13 1 RESH 2 SALTY	3 SULPHUR 14	10-11 STEEL	12 250	FROM	13-16	SCI			OF SCREEN	FEET
	15-18 1 FRESH	3 SULPHUR 19	06 2 ☐ GALVANIZE 3 ☐ CONCRETE 4 ☐ OPEN HOL		•	0002			G & SEA		CORD
	2	24	17-18 1 ☐ STEEL 2 ☐ GALVANIZE	19		20-23	FROM	SET AT - FEET	MATERIAL AND		PACKER, ETC.)
	2 - SALTY	29	3 ☐ CONCRETE 4 OPEN HOL	E		0067		9-13 14-17 3-21 22-25			
	2  SALTY	4 MINERAL	24-25 1 STEEL 2 GALVANIZE 3 CONCRETE			1,33		-29 30-33	80		
	2 □ SALTY	4 MINERAL	4 🗌 OPEN HOL	E .			<u> </u>				
1	71 PUMPING TEST METHOD	10 FUMPING RATE	B GPM D2		-18 INS.	IN D			N OF WE		
	STATIC WATER LEVEL PUR	R LEVEL 25 ID OF WATER	LEVELS DURING	PUMPING  RECOVERY		LOT	LINE. INDI	CATE NORTH BY	ARROW.		
	19-21	50 15 MINUTES 26-28	I	32-34 31	5-37					- Mart	$\mathcal{N}$
	OZI FEET DES	38-41 PUMP INTAKE SE	· .	END OF TEST	42 42					્હે	y
	F FLOWING, GIVE RATE  RECOMMENDED PUMP TYPE		43-45 RECOMMEN	DED 46	Y 5-49					- Ma	7)
	□ SHALLOW <b>X</b> E 50-53			0 <b>06</b> •	PM.				C		
	<u> </u>	2.3 GPM./FT. SPECIFIC		Cupp Cupp	51						. ^)
	FINAL	WATER SUPPLY  OBSERVATION WELL  TEST HOLE	5 🗌 ABANDANLD. 6 🗍 ABANDONED. 7 🗍 UNFINISHED	POOR QUALITY	`				5		NAVAI
	OF WELL 4	A DOMESTIC	5 COMMERCIAL	9	-				(	ja ja	1
	WATER	Z STOCK 3 IRRIGATION	6 MUNICIPAL 7 PUBLIC SUPPLY	A Line of the last							et Trabasco
		4   INDUSTRIAL   OTHER	э ⊡ соонис ов <del>ми</del> -	NOT USED		5	•	450,	\ \ \	3	
	METHOD 57	CABLE TOOL	6 ☐ BORII ONAL) 7 ☐ DIAM			7	,	750		LE .	
	OF :	2 ☐ ROTARY (CONVENTION 3 ☐ ROTARY (REVERSE) 4 ☐ ROTARY (AIR)		NG		·				Ce le	
	DRILLING	5 AIR PERCUSSION				DRILLERS REMARI		47/01	SOLES DATE BECTIV	FD :=	63-68 80
•	G. Charbonne		& Cable Drill	ing, 1504		DATA SOURCE /		/504	59-62 DATE RECEIV	7047	2
	ADDRESS R. P. B	ox 194, Orle					CTION	INSPÈ	CTOR		
	NAME OF DRILLER OR			LICENCE NUMBER	$\dashv$	S REMARKS:					12

OWRC COPY

C58.38

Form 7 15M-60-4138

mature of Licensed Drilling or Boring Contractor)

OWRC COPY

MINISTRY OF THE ENVIRONMENT

			The	Ont	ario	o Wa	ter l	₹eso	urces a	Act				
									** ** *******************	the state of the last of the l				
_							_	<b>.</b> .				_		
4	_			-			•	•			•			
, ,				-	~		•	•						
_		_		•	•	_	_	_		_	•		_	

Intario		ATER WEL	L RE	1 1 MUNICIP.	31% e
UNTY OR DISTRICT	1. PRINT ONLY IN S 2. CHECK ⊠ CORR	TOWNSHIP, BOROUGH CITY, TOWN, VILLAGE  Chimberl	3		EY, ETC. LOTT 222 22 22 22 22 22 22 22 22 22 22 22
		van, Ontari 228981	ELEVATION	RC BASIN CODE	DAY 24 MO. 11 YR.
2	LC MOST	OG OF OVERBURDEN AND BEDRO	CK MATERIAL		DEPTH - FEET
ENERAL COLOUR	COMMON MATERIAL	OTHER MATERIALS		GENERAL DESCRIPTION	FROM TO
rown rey rey	gravel slate				40 45 45 52
ATER FOUND AT - FEET 10-13   2 C   0.052   2 C	ER RECORD  KIND OF WATER  FRESH 3   SULPHUR 18 SALTY 4   MINERAL  FRESH 3   SULPHUR 19 SALTY 4   MINERAL  FRESH 3   SULPHUR 24	MATERIAL THICKNESS	23 20-23 27-30	SILOT NO I  SILOT	31-33 DIAMETER 34-38 LENGTH INCHES DEFIN TO TOP OF SCREEN  GENENT GROUL LEAD PACKER, ET.
30-33 1 🗆	FRESH 3 SULPHUR 3 SALTY 4 MINERAL  TOO IV FUNFINO RAT  ATT OO OO OO  WATER LEVEL 25 WATER LEVEL END OF PUMPING  22-24 IS MINUTES  24-030 FEET 012 FE  38-41 PUMP INTAKE	SET AT   WATER AT END OF TEST   1   SEEAR   2   CLOUDY   17-16   18-16   0   17-16   18-16   0   18-16   18-16   0   18-16   18-16   0   18-16   18-	IN DIAL LOT LI	LOCATION  LOCATION  GRAM BELOW SHOW DISTANC  INDICATE NORTH BY A	OF WELL 6528
FINAL STATUS OF WELL	DEEP - SETTING	PORT POWERING AND STATE AN		30 /3	Super K
METHOD L OF DRILLING	57   CABLE TOOL 2 ROTARY (CONVEY 3 ROTARY (REVERS 4 ROTARY (AIR) 5 AIR PERCUSSION		DRILLERS REMARK	S SA CONTRACTOR 59-	SINION NAVALI
NAME OF DRICE	rbonneau † S , Box 194, O Bourkeois	on Drilling Ltd.1504	SOURCE	1504	2.Day   P   CSS.S8   WI
1 21	. Schiler	DAY 24 MO. 11 YR. 7	50		CU 1.09 VVI

# WATER WELL RECORD


Ontario Env	ironment	SPACES PROVIDED 11	1	5180	52	15011	Ĺ	SN	109
COUNTY OR DISTRICT	2. CHECK 🗵 CORF	TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE	:		CON .	BLOCK, TRACT, SURVEY	ETC		01100
		ERLAND					DATE COM		41-53 6-7
		UAX/	RC.	ELEVATION	RC	BASIN CODE	DAY 2	<u>7_ мо_/С</u>	) yr.82
Q.	M 6 12	528,999 10	<b>1</b>	0240	30	36		<u> </u>	
	L	OG OF OVERBURDEN AND BEDF	госк	MATERIAL	S (SEE II	NSTRUCTIONS		T DEST	H - FEET
GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS			GENER	AL DESCRIPTION		FROM	то
YELLOW	SAND							0	14_
BLUE	CLAY							14	59
BLACK	SAND	BOULDERS						59	84
BLACK	GRAVEZ							84	85
								-	
			,		1 1	1 P # 1	1 1		
	#15128 1 1 1003	59305 008482813	ا ا	085811	للا			<u> </u>	
32	14 15		<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SIZE	54 S) OF OPENING	31-33 DIAM	ETER 34-38	75 LENGTH 39-
WATER FOUND	ATER RECORD	CASING & OPEN HOL		TH - FEET		f NO )		INCHES	FEE
AT - FEET	FRESH 3 SULPHUR 14	DIAM MATERIAL THICKNESS INCHES	FROM	10	SC MATE	ERIAL AND TYPE		DEPTH TO TOP	41-44 FEET
	SALTY 4 MINERAL  FRESH 3 SULPHUR 19	Z GALVANIZED 1.00	C	<b>46</b> 82	61	PLUGGIN	G & SEA	LING REC	
2	SALTY 4 MINERAL	06 4 OPEN HOLE		20-23	DEPTH	SET AT - FEET	MATERIAL AN	ID TYPE (CE	MENT GROUT PACKER, ETC.)
	☐ FRESH 3 ☐ SULPHUR 24 ☐ SALTY 4 ☐ MINERAL	P ☐ GALVANIZED  CONCRETE .			FROM	TO 10-13 14-17			
	☐ FRESH 3 ☐ SULPHUR <sup>25</sup> ☐ SALTY 4 ☐ MINERAL	4 OPEN HOLE  24-25 1 STEEL  26		27-30		18-21 22-25			
	FRESH 3 SULPHUR 34	2 GALVANIZED 3 CONCRETE 4 OPEN HOLE			2	6-29 30-33 80			
PUMPING TEST M	<del></del>	TO 00 811-14 DURATION OF PUMPING	٦٢			OCATION	F WE	L L	
PUMP	2 D BAILER	GPM O HOURS 9 MI	7-18 1-45	IN DIA		OW SHOW DISTANCE			AND
STATIC LEVEL	END OF WATER	LEVELS DURING 2 RECOVERY		LOT LI		DICATE NORTH BY AI			
TEST	20	5-28 29-31 32-34 35	5-37	A					
O 40 FE  IF FLOWING. GIVE RATE	ET US () FEET O / / F	. /	42	7		1			
IS I	GPM PUMP TYPE RECOMMEND		DY i-49			NAVAIN			
SHALLO	DW DEEP SETTING	082_FEET PUMPING RATE 0006 G	РМ						
	54 1		=				9		
FINAL STATUS	1 WATER SUPPLY 2 OBSERVATION W 3 TEST HOLE	5 ☐ ABANDONED, INSUFFICIENT SUPPLIELL 6 ☐ ABANDONED POOR QUALITY 7 ☐ UNFINISHED	·	1			$\propto$		
OF WELL	4   RECHARGE WELL	L	_{  }		FOR	ESTLEA	TRIM		
WATER	2 ☐ STOCK	S COMMERCIAL  MUNICIPAL  OUTPUT  OUTPU		14/>	120		Ž		
USE	3   IRRIGATION 4   INDUSTRIAL   OTHER	7 ☐ PUBLIC SUPPLY  ■ ☐ COOLING OR AIR CONDITIONING  9 ☐ NOT USED		<b>3</b>	, , , , , , , , , , , , , , , , , , ,		<u></u>		
	57 -	F ☐ BORING	$-\parallel$	/ACH 7 109	) <b>7</b>				
METHOD OF		ENTIONAL) 7 🔲 DIAMOND		18					
DRILLING	· · · —	9 🗆 DRIVING		DRILLERS REMARK	(S:				
NAME OF WEL	L CONTRACTOR	LICENCE NUMBER		DATA	58	CONTRACTOR 59-62	DATE AREA	VED ~ *	0 %
1 1		ELL DRILLING 2351	_	SOURCE DATE OF INSPE	CTION	2351	1.1	UI	00
ADDRESS A A A	CASSEL MA	AN KOA-IMO		SE				0	Im
NAME OF DRILL STATES	LLER OR BORER	LICENCE NUMBER  2261							•
SIGNATURE O	F CONTRACTOR	SUBMISSION DATE	27	OFFICE					
LI Mrc	on / te	ner DAY 27 MO 10 YRS	<u>2</u>						<u>CS. PS</u> 506-4-77 FORM

MINISTRY OF THE ENVIRONMENT COPY



	ario 🖫	Conse	y of the Envi		We		:A342	173	int Below)	Regulation	эл 903		ater Res	Record sources Ac
			7	4			a Signature		N 10 10 10 10 10 10 10 10 10 10 10 10 10		ter control control	raye	Self-april 5.11 Yes	- 01
First Nam	A State - Alders out a	ormation	Last Name/C	Organizatio		4	9/4 - 6 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	E-	mail Addres	s	9 () And		□ Well (	Constructed
1 1100 11011				hn Boi										ell Owner
		et Number/N				Municipa		Pro	ovince	Postal Cod			No. (inc.	area code)
Well Lo		le Grove	Road			St	ittsville		ON	K29	OM			
		tion (Street N	umber/Name)			Township	)			Lot		Concession	n /	<u> </u>
Sm	nith Roa	d (No ci	/ic)				mberland			9	)		0/1	(
_	istrict/Munic					City/Towr					On:	<sup>nce</sup> tario	Postal	Code
	rdinates Zor		, No	orthing			IVan I Plan and Sub	olot Numbe	r		Other	r		
NAD	8 3	18 465	939	5029	334					100				
				nment S			instructions on	the back of		15 10	1.		Den	th (matt)
General	Colour	Most Con	nmon Material			Other Mater	rials		Ge	neral Descriptio	n		From	10
Yello	DAA.		Sand				-						0	6
Blue		2000	Clay										6	50
		-	Grave	el									50 ′	80
Black	k		Limes	stone							٠.		60 /	220 ′
Grev	& Black		Limes	stone									220	294
	& Black		Limes	stone									294	300
				4.1	1						-			
-		111	On?		-	2	2						-	
		- 70	<u>u</u>		1	-0	500	7		- W 614				
Depth S	Set at (m/ft)		Annular Type of Sea			Volu	ume Placed	After te	st of well vield	Results of W	-	aw Down	T Re	covery
From	To		(Material an				(m²/ft³)	∏ Cie	ear and sand	free	Time	Water Leve	I Time	Water Level
70 '	60 /	Neat	cement				15.6	Oth	ner, specify	Not teste	(min) Static	(m/ft)	(min)	(m/ft)
60 /	0	Bento	nite slurry				21	If pump	ing discontinu	ued, give reason	Level	314	1	118′
					-				N		1	42	1	103
									ntake set at (r	(fit)	2	47.8	2	96.1
								1	<b>280</b> g rate (I/min /	(SM)	3	52.7	3	88.4
	hod of Co		d	li-	Well U		T Material	1	12		4	56.8	4	83.6
☐ Cable To	oor Conventional)	☐ Diamon ☐ Jetting	d Pub		Comm		<ul><li>☐ Not used</li><li>☐ Dewatering</li></ul>	Duration	of pumping			-	-	
☐ Rotary (F	Reverse)	Driving	Live		Test H		☐ Monitoring		hrs+_0		5	60.5	5	77.8
Baring Air pelcu	ussion (	Digging	☐ Imig:		☐ Coolin	g & Air Cond	nuoning		iter level end	of pumping (m/ft	. 10	73.9	10	56.3
Other, sp	pecify OU	Karel	Z □ Othe	er, specify _					give rate (Vr	nin/GPM)	15	83.1	15	42.8
BEET STATE	1		ecord - Casi				us of Well		X		20	90.1	20	38.6
Inside Diameter	(Galvanize	OR Material d, Fibreglass,	Wall Thickness (cm(n)		h (note) To		er Supply acement Well	Recomm	2	depth (m(ft)	25		25	
(cm(ip)	Concrete,	Plastic, Steel)		From	-	Test	Hole	Recomm	pended pump	o rate		96.7		35.9
6/4	Steel		.188	+2′	70 /	☐ Dew	narge Well atering Well	(l/min/g	(M)		30	101	30	33
64	Open	Hole		70 ′	300	Obse	ervation and/or itoring Hole	Well pro	duction (I/mi6	(GPM)	40	108	40	31.4
						☐ Alten	ation	Disinfedia	ad2	a	50	114	50	31.4
						☐ Abar	struction) idoned,	Yes	☐ No		60	118	60	31.4
	Cor	struction R	ecord - Scre	en	<u> </u>		ficient Supply Idoned, Poor		V-4.5	Map of W	ell Loc	ation	TARY N	
Outside Diameter		iterial	Slot No.	Depth	(m/ft)	Wate	er Quality	Please	orovide a ma	p below followi	ng instru	uctions on th	ne back.	1
(cm/in)	(Plastic, Gal	vanized, Steel)	SIOCINO.	From	То	Aban speci	idoned, other,						FI	4)
		/				_		_	1.			G-1	-	
	/	/_				Other	r, specify	TO	121		110	11		
The State of	-	Water Det	aile		1	Hole Diam	eter	1	A		1	-1		
Water found	d at Depth		: Fresh	Intested	Dep	oth (met)	Diameter	1 4	7	(X	12-	71	MIC	1
	-	Other, spe		1	From	То	(cm/fQ)	0	7		7	n/	age	
Water found		Kind of Water Other, spe	_	Untested		0/ 7	0 / /4	11 3	- 11-	007	121	C	ING	
	, 4		Fresh	Untested		70 30	0 6"		30/					
(m)	/ft) Gas	Other, spe	cify						F1.	0		Re	AT	2
			or and Well To	echniciar					=1	DM (	14	kno	NE	
Business Na		Contractor g Co. Ltd.				ell Contracto	r's Licence No.		2					
		et Number/Na 1 Road	me)			unicipality Richmo		Commen	ts:		-		-	
						Richmo	nd	3/	140	INCOM	15	) AC	AG	MA
Province		stal Code KOA 2ZO	Business E			ation on		1	1011-	rupil	10	Jer -		
			me of Well Ted			First Name	2)	Well own		ackage Delivere	1 200	Ministr Audit No. 7	y Use C	Only
613838	2170	11	Hanna.	Jeremy				package delivered	YY	022 MOT		- 4	78	976
Well Jechnicia	n's Licence N	lo. Signature	of Technician	and/or Cor	tractor Da	te Spenitte	od 2, 28	Z Yes	2021	ork Completed	13			
	1		7	_	Y	1	191 101 10 10	No	YY	YYMM	DF	Received		
0506E (2020/06	i) © Queen's	Printer for Onta	rio, 3020			Minis	try's Copy							

weasuren	nonto reco		vation and	mperial		A34:		4 rint Below	Regul	ation 903	Ontario Wa		
MATERIA	nents record		Meruc	Imperial						Visit edition of the State of	Page	195.435	_ of
Well Ow First Name	vner's Info e		Last Name/	Organizati	on		e je fana	E-mail Addr	ess	1.80.000	P 200	□ Well	Constru
			Je	ohn Bo								by W	eli Owr
		t Number/Nan				Municipalit		Province	Postal		Telephone	No. (inc	area ci
183 Well Loc		e Grove	коэд			Stit	tsville	ON	K	2S DIVIZ		11.	
Address of	f Well Location	n (Street Nur		)		Township			Lot		Concessio	n	1
Sm	ith Road	(No civi					berland			9	inne	(O	111
	strict/Municip					City/Town/	-			On	ince tario	Postá	l Code
	dinates Zone		1	Northing			Plan and Sublo	Number		Other	ſ		
	8 3 1				9490			***					
Overburd General C		-	ials/Aband mon Materia			cord (see in Other Materia		back of this form)	General Descri			Der	oth (mat
General C	Joioul	MOST COULL			1	AUTO WIELE				1		From	1
			Clay		4	201	Boulders	9 6	grave	X		0 '	56
Black				estone	C	200	-)					56 '	220
	& Black			estone					-			220	324
Grey	& Black		Lime	estone								324	330
		1	00		0	)							
		N	RVX	d	0/ 0	K							
				r Space	<del></del>					of Well Yie			
From	et at (mat)		Type of Se (Material a		d	Volum (i	ne Plased	After test of well y  Clear and sa			raw Down Water Leve		ecovery Water L
66 (	56 4	Neat ca		/			15.6	Other, speci	Not tes	sted (min)	(m/ft)	(min)	(m/fi
56 /	0 /	Benton	ite slurry				25.2	If pumping discon	tinued, give rea	son: Static Level		1	43.4
								X		1	40.6	1	40
			-					Pump intake set a	at (month)	2	41.7	2	38
								Pumping rate (I/mi	in / GPM)	3	42.2	3	37
Meth Cable Too	nod of Con	Diamond	□ Pu	blic	Well U ☐ Comm		Not used	20 +		4	42.5	4	36
Rotary (C	Conventional)	Jetting		omestic	☐ Munici	_	Dewatering	Duration of pumpi					
Rotary (R											. 128	-	26
	(everse)	☐ Driving ☐ Digging	1	vestock	☐ Test H	ole [	Monitoring	1 hrs +	0 min	5 (m/ft)	42.6	5	
Boring Air percus	ssion	☐ Driving ☐ Digging	Imi	estock igation dustrial	☐ Test Ho		Monitoring		0 min		43	5 10	36
Boring	ssion ecify	☐ Digging	Imi	vestock igation dustrial her, specify	☐ Test Ho	ole [ g & Air Conditi	Monitoring oning	† hrs +	min min of pumping (	((D)	43 43.1		36
Boring Air percus	ssion ecifyCons	Digging	ini	vestock igation dustrial her, specify	☐ Test Ho	ole [g & Air Conditi	Monitoring coning so of Well	final water level e 43.4  If flowing give rate	min	(m/ft) 10 15 20	43	10	36
Air percus Other, spe	ssion ecify	Digging  struction Re  OR Material Fibreglass,	ind	vestock igation dustrial her, specify	☐ Test Ho	Status  Water  Replace	Monitoring onling s of Well Supply cement Well	hrs + Final water level e	min	(m/ft) 10 15 20	43 43.1	10	36 36
Air percus Other, spe	cons  Open Hole (Galvanized	Digging  struction Re  OR Material Fibreglass,	ini	vestock igation dustrial her, specify sing	Test Ho	ole [ ] & Air Conditi	Monitoring onling s of Well Supply cement Well ole	final water level e 43.4  If flowing give rate  Recommended pu	min min min of pumping ( (Vmin/GPM)  ump depth (min)	(m/ft) 10 15 20	43 43.1 43.2	10 15 20	36 36 36
Air percus Other, spe Inside Diameter	Cons Open Hole (Galvanized Concrete, Pl	Digging  Struction Re  OR Material , Fibreglass, lastic, Steel)	Imi	vestock gation dustrial her, specify sing Dep From +2'	Test H. Cooling	Status  Water Replact Recha	Monitoring oning  s of Well Supply cement Well ole rige Well ering Well	Final water level e 43.4  If flowing give rate  Recommended pu  Recommended pu  (I/min/GPM)	min md of pumping ( (Vmin/GPM)  ump depth (rife)	(m/ft) 10 15 20 25 30	43 43.1 43.2 43.2	10 15 20 25 30	36 36 36 36
Air percus Other, spe	Cons Open Hole (Galvanized Concrete, Pl	Digging  Struction Re  OR Material , Fibreglass, lastic, Steel)	Imi	vestock igation dustrial her, specify  Sing  Dep  From	Test Ho	Statu: Water Replace Test H Dewatt Obsen Monito	Monitoring oning  s of Well Supply sement Well ole ge Well ening Well ening Well vation and/or fing Hole	final water level e 43.4  If flowing give rate  Recommended pu	min md of pumping ( (Vmin/GPM)  ump depth (rife)	(m/ft) 10 15 20 25 30 40	43.1 43.2 43.2 43.3 43.3	10 15 20 25 30 40	36 36 36 36
Air percus Other, spe	Cons Open Hole (Galvanized Concrete, Pl	Digging  Struction Re  OR Material , Fibreglass, lastic, Steel)	Imi	vestock gation dustrial her, specify sing Dep From +2'	Test H. Cooling	Status Water Replace Test H Recha Dewate Obsen Monito	Monitoring oning  s of Well Supply seement Well ole gree Well ering Well vation and/or fing Hole on	1 hrs + Final water level e 43.4  If flowing give rate  Recommended pu (l/min/GPM)  Well production (l/r	min md of pumping ( (Vmin/GPM)  ump depth (rife)	(m/ft) 10 15 20 25 30 40 50	43 43.1 43.2 43.2 43.3 43.3	10 15 20 25 30 40	36 36 36 36 36
Air percus Other, spe	Cons Open Hole (Galvanized Concrete, Pl Steel	Digging  struction Re DR Material Fibreglass, astic, Steel)	Imi   Imi   Ind   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 /	Test H. Cooling	Status  Water Replac Recha Dewat Monito Alterat (Const	Monitoring oning  s of Well  Supply sement Well ole ge Well entire well velication and/or fing Hole on reuction) oned,	If flowing give rate Recommended pu	min md of pumping ( (I/min/GPM)  ump depth (rfft)  ump rate	(m/ft) 10 15 20 25 30 40 50 60	43 43.1 43.2 43.2 43.3 43.3 43.3	10 15 20 25 30 40 50	36 36 36 36 36
Poring Air percus Other, spe	Consoler Hole (Galvanized Concrete, Plant of Consoler Hole Concrete, Plant of Consoler Hole Consoler	Digging  struction Re DR Material Fibreglass, astic, Steel)	Imi   Imi   Ind   Ind	vestock gation sustrial her, specify sing Dep From +2 ' 66 '	Test Ho	Statu: Water Replact Rechant Constitution Water Replact Development Obsen Monito Alteration Alteration Aband Insuffic	Monitoring oning  s of Well  Supply zement Well ole gre Well ering Well vation and/or ring Hole on ruction) oned, Poor poned, Poor	## hrs + ##   Final water level e   43.4	min md of pumping ( (l/min/GPM) ump depth (rfm) ump rate	(m/ft) 10 15 20 25 30 40 50 60 F Well Local Free Local F Well Local F	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36
Poring Air percus Other, spe  Inside Diameter (cm/h)  Outside Diameter	Cons Open Hole (Galvanized Concrete, Pl Steel	Digging  Struction Re  DR Material Fibreglass, astic, Steel)  Ole	Imi   Imi   Ind   Ind	vestock gation sustrial her, specify sing Dep From +2 ' 66 '	Test H. Cooling	Status  Water Replace Dewet Dewet Dose Monito Alterati Const Aband Water Aband Water Aband	Monitoring oning  s of Well  Supply sement Well ole rige Well ering Well vation and/or fing Hole on ruction) oned, eient Supply oned, Poor Quality oned, other,	1 hrs + Final water level e 43.4  If flowing give rate  Recommended pu (l/min/GPM)  Well production (l/r	min md of pumping ( (l/min/GPM) ump depth (rfm) ump rate	(m/ft) 10 15 20 25 30 40 50 60 F Well Local Free Local F Well Local F	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Poring Air percus Other, spe Inside Diameter (cm/f)  (1/6)  Outside	Open H  Cons Open H  Concrete, P  Steel Open H	Digging  Struction Re  DR Material Fibreglass, astic, Steel)  Ole	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 /	Test Ho	Statu: Water Replac Recha Dewalt Abandi Rsufficionical Rsufficioni	Monitoring oning  s of Well  Supply sement Well ole rige Well ering Well vation and/or fing Hole on ruction) oned, eient Supply oned, Poor Quality oned, other,	## hrs + ##   Final water level e   43.4	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Poring Air percus Other, spe Inside Diameter (cm/h) Outside Diameter	Open H  Cons Open H  Concrete, P  Steel Open H	Digging  Struction Re  DR Material Fibreglass, astic, Steel)	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 /	Test Ho	Status  Water Replace Dewet Dewet Dose Monito Alterati Const Aband Water Aband Water Aband	Monitoring oning  s of Well Supply bement Well ole ration and/or fing Hole ion ruction) oned, even when the supply oned, Poor Quality oned, other,	## hrs + ##   Final water level e   43.4	min md of pumping ( (l/min/GPM) ump depth (rfm) ump rate	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36
Poring Air percus Other, spe Inside Diameter (cm/h) Outside Diameter	Open H  Cons Open H  Concrete, P  Steel Open H	Digging  struction Re  DR Material Fibreglass, astic, Steel)  ole  struction Recental inized, Steel)	Imi   Ind   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 /	Test Ho	Statu:  Water   Recha   Recha   Aband   Aband   Aband   Specify   Other, s	Monitoring oning  s of Well Supply bement Well ole ring Well ening Well ening Well ening Well ening to on cucution) oned, enioned, Poor Quality oned, other,	## hrs + ##   Final water level e   43.4	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36
Poring Air percus Other, spe Inside Diameter (cm/fi)  Outside Diameter (cm/fi)	Cons Cons Open Hole (Galvanized Concrete, Pl Steel Open H Cons (Plastic, Galva	Digging  Struction Re  DR Material Fibreglass, astic, Steel)  Die  Struction Re  Water Detail	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 ' 66 '	Test Ho	Statu:  Water Replac Recha Recha Dewat Constit Aband Insuffic Aband Specify Const	Monitoring oning  s of Well  Supply rement Well ole grige Well ration and/or fing Hole on cuction) oned, poor Quality oned, other, specify	## hrs + ##   Final water level e   43.4	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36
Poring Air percus Other, spe Inside Diameter (cm/in)  Outside Diameter (cm/in)	Cons Open Hole (Galvanized Concrete, Pl Steel Open H Open H  Cons Mate (Plastic, Galva	Digging  struction Re  DR Material Fibreglass, astic, Steel)  ole  struction Recental inized, Steel)	Imm   Indicate   Imm   Indicate   Imm   Indicate   Imm   Indicate   Imm   Im	vestock gation sustrial her, specify sing Dep From +2 ' 66 '	Test Ho	Statu:  Water   Recha   Recha   Aband   Aband   Aband   Specify   Other, s	Monitoring oning  s of Well Supply bement Well ole ring Well ening Well ening Well ening Well ening to on cucution) oned, enioned, Poor Quality oned, other,	## hrs + ##   Final water level e   43.4	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)	Cons Open Hole (Galvanized Concrete, P) Steel Open H Cons (Plastic, Galva at Depth   Ki	Digging  Struction Re  OR Material Fibreglass, astic, Steel)  Ole  Struction Re  Struction Re  Other, Specind of Water: Other, specind of Water:	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 ' 66 '	Test Ho	Status Water Replace Recha Dewalt Aband Insuffic Aband Specify Other, st	Monitoring oning  s of Well Supply sement Well ole ge Well ening Well vation and/or ring Hole on rection) oned, sient Supply oned, other, specify  ter  Diameter	## hrs + ## Final water level e 43.4 ## If flowing give rate Recommended pure Recommended p	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)	Cons Open Hole (Galvanized Concrete, Pl Steel Open H Cons Steel Open H Cons Mate (Plastic, Galva at Depth   Ki B) Gas   at Depth   Ki Cons Gas Gas Gas Gas Gas Gas Gas Gas Gas Ga	Digging  Struction Re OR Material Fibreglass, astic, Steel)  Ole  Struction Re orial Inized, Steel)  Water Detaind of Water: Other, specind of Water: Other, specind of Water: Other, specind of Water:	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / Pept From Dept Dept Dept Dept Dept Dept Dept Dept	Test Ho	Statu:  Water Replaction Monito Abandi Materati Constitution Materati Constitution Monito Abandi Specify Constitution Materati	Monitoring oning  s of Well Supply sement Well ole ge Well ening Well vation and/or ring Hole on rection) oned, sient Supply oned, other, specify  ter  Diameter	## hrs + ##   Final water level e   43.4	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  Vater found  324 (m/in/ater found/ater foun	Cons  Cons  Cons  Cons  Cons  Cons  Cons  Cons  Cons  Mate  (Plastic, Galve  at Depth   Ki  Cons  at Depth   Ki  Cons  at Depth   Ki  Cons  Cons  Cons  Mate  Cons  Cons  Mate  Cons  Mate  Cons  Mate  Cons  Mate  Cons  Mate  Cons  Mate  Cons  Cons  Mate  Cons  Cons  Mate  Cons  Cons	Digging  Struction Re  OR Material Fibreglass, astic, Steel)  Ole  Struction Re  Struction Re  Other, Specind of Water: Other, specind of Water:	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / Pept From Dept Dept Dept Dept Dept Dept Dept Dept	Test Ho	Statu: Water   Recha	Monitoring oning  s of Well Supply sement Well ole ge Well ening Well vation and/or ring Hole on rection) oned, sient Supply oned, other, specify  ter  Diameter	## hrs + ## Final water level e 43.4 ## If flowing give rate Recommended pure Recommended p	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  /ater found	Cons Open Ho  Cons Steel Open H  Cons  Cons  Steel Open H  Cons  Ante (Plastic, Galva at Depth   Ki	Digging  Struction Report Struction Repo	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / Prom	Test Ho	Status Water Replace Recha Dewset Aband Insuffic Aband Note Aband Other, Other, To O / 66	Monitoring oning  s of Well Supply sement Well ole ge Well ening Well vation and/or ring Hole on rection) oned, sient Supply oned, other, specify  ter  Diameter	## hrs + ## Final water level e 43.4 ## If flowing give rate Recommended pure Recommended p	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  Vater found  324 (m/in)  Vater found (m/f  vater found (m/f  vater found (m/f	Cons Open Hole (Galvanized Concrete, Pl Steel Open H  Cons (Plastic, Galva at Depth Ki Cons And C	Digging  Struction Re  OR Material Fibreglass, astic, Steel)  Ole  Struction Re  Order  Other, Specified of Water: Other, Specified of Other Specified	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / Prom	Test He Cooling	Statu:  Water   Recha   Recha	Monitoring oning  s of Well  Supply bement Well ole ring Well vation and/or fing Hole on ruction) oned, eight of the property oned, other, benefit well on the property oned, other, or consistent Supply oned, other supply	## hrs + ## Final water level e 43.4 ## If flowing give rate Recommended pure Recommended p	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of map below folk	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  /ater found	Cons Open Holder (Galvanized Concrete, Pl Steel Open H  Cons  And Open H  Cons  And Open H  Cons  And Open H  Cons  Mate (Plastic, Galva  at Depth   Ki  Cons  at Depth   Ki  Cons  And Open H  Cons  Well  Well  Well  Well  Ch Drilling	Digging  Struction Re  OR Material Fibreglass, astic, Steel)  Ole  Struction Recental Index of Water: Other, specified of Water: Other, specified of Water: Other, specified of Water: Other, specified of Water: Contractor Contractor Contractor	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / Prom	Test Ho	Status Water Replace Development Alteration Aband Insuffic Aband Specify Other, is Incorporate Incorpo	Monitoring oning  s of Well Supply bement Well ole ring Well ering Well ering Well ering Well ering to on control of the contr	# hrs + Final water level e 43.4 If flowing give rate Recommended pure Recommended pure (I/min/GPM)  Well production (I/min/GPM)  Please provide a	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  /ater found	Cons Open Holder (Galvanized Concrete, Pl Steel Open H  Cons  And Open H  Cons  And Open H  Cons  And Open H  Cons  Mate (Plastic, Galva  at Depth   Ki  Cons  at Depth   Ki  Cons  And Open H  Cons  Well  Well  Well  Well  Ch Drilling	Digging  Struction Re  OR Material Fibreglass, astic, Steel)  Ole  Struction Re  Order  Other, Specified of Water: Other, Specified of Other Specified	Im   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / Prom	Test Ho	Statu:  Water   Recha   Recha	Monitoring oning  s of Well Supply bement Well ole ring Well ering Well ering Well ering Well ering to on control of the contr	## hrs + ## Final water level e 43.4 ## If flowing give rate Recommended pure Recommended p	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)	Cons Open Hole (Galvanized Concrete, Pl Steel Open H Cons (Plastic, Galva at Depth   Ki Cons (Plastic, Galva	water Detaind of Water: Other, specind of Water:	Imm   Indicate   Imm   Indicate   Imm   Indicate   Imm   Indicate   Imm   Im	vestock gation sustrial her, specify sing Dep From +2 / 66 / 66 / Dep From Dept From Dept From Unitested Unitested Technicia	Test Ho	Statu:  Water   Recha   Recha	Monitoring oning  s of Well Supply bement Well ole ring Well ering Well ering Well ering Well ering to on control of the contr	# hrs + Final water level e 43.4 If flowing give rate Recommended pure Recommended pure (I/min/GPM)  Well production (I/min/GPM)  Please provide a	min md of pumping ( (/min/GPM)  ump depth (mm)  ump rate  min (SPM)  Map of	(m/ft) 10 15 20 25 30 40 50 60 60 f Well Local Cowing instru	43 43.1 43.2 43.2 43.3 43.3 43.4 ation	10 15 20 25 30 40 50 60	36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  Vater found (m/f	Cons Open Hole (Galvanized Concrete, Pl Steel (Plastic, Galva at Depth   Ki (Plastic, Galva at D	Water Detaind of Water: Other, specind of Wate	Imm   Ind   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / 66 / Constant of the specify sing Dep From Dept From De	Test Hole Cooling  th (m/ft) To  f66 /  330 /  th (m/ft) To  Dep From  Mu  To  Mu  To  To  To  To  To  To  To  To  To  T	Status Water Replace Development Aband Note: Aband Not	Monitoring oning  s of Well  Supply rement Well ole grige Well ering Well ering Hole on control oned, other, sepecify  ter  Diameter (cm@cr.)  Licence No.	Thrs + Final water level e 43.4  If flowing give rate  Recommended put  Re	min	10	43 43.1 43.2 43.3 43.3 43.3 43.4 ation uctions on the	10 15 20 25 30 40 50 60	36 36 36 36 36 36 36 36
Outside Diameter (cm/in)	Cons Open Hole (Galvanized Concrete, P Steel (Plastic, Galva  Mate (Plastic, Galva  At Depth Ki At Dep	water Detaind of Water: Other, specind of Water:	Imm   Ind   Ind	vestock gation sustrial her, specify sing Dep From +2 / 66 / 66 / Constant of the specify sing Dep From Dept From De	Test Hold Cooling  oth (moft)  To  See /  330 /  an Informat  We C  Mu  Cress  Mu  Last Name,	Status Water Replace Development Aband Note: Aband Not	Monitoring oning  s of Well Supply perment Well ole gree Well erring Well vation and/or ring Hole on rounding homed, Poor Quality oned, other, specify  ter  Diameter (cm/G)  c Licence No.	# hrs + Final water level e 43.4 If flowing give rate Recommended pure Rec	min	10	43 43.1 43.2 43.3 43.3 43.3 43.4 43.4 43.4 43.4	10 15 20 25 30 40 50 60	36 36 36 36 36 36 36
Outside Diameter (cm/in)  Outside Diameter (cm/in)  Outside Diameter (cm/in)  Value found (m/f  Vater	Cons Open Hole (Galvanized Concrete, P Steel Open H  Cons  Mate (Plastic, Galve  at Depth   Ki Cons at Depth   Ki Cons  at Depth   Ki Cons  Well Cons  Well Cons  Well Cons  Well Cons  Well Cons  Well Cons  Cons  Mate (Plastic, Galve  And Depth   Ki Cons  Cons  Mate (Plastic, Galve  And Depth   Ki Cons  Cons  Mate (Plastic, Galve  And Depth   Ki Cons  Cons  Cons  Mate (Plastic, Galve  And Depth   Ki Cons  Cons  Cons  Mate (Plastic, Galve  And Depth   Ki Cons	Water Detaind of Water: Other, specind of Wate	Immorphism   Imm	vestock gation sustrial her, specify sing Dep From +2 / 66 / 66 / Dept From Dept From Untested Untested Untested Untested Cair-roc echnician (it, Jeremy	Test Hole Cooling  oth (moft)  To  S8 /  330 /  th (mvft)  To  Dep From  We C  Mu  Last Name,	Status Water Replace Develope Aband Insuffic Aband Insuffic Aband Specify Other, Is If Contractor's 7881  Is Constructor's 7881	Monitoring oning  s of Well  Supply bement Well ole ring Well vation and/or fing Hole ion ruction) oned, prond, other, between the property oned, other, between the property of	Thrs + Final water level e 43.4 If flowing give rate Recommended pure Reco	min	10	43 43.1 43.2 43.3 43.3 43.3 43.4 ation uctions on the	10 15 20 25 30 40 50 60	36 36 36 36 36 36 36



Onta	erio 🗑	Conser	y of the Env vation and I		N	Гаg#: A3424 //342479	79 Print Below)	Regulation	903 (			Record cources Act
Well Ov	wner's Info	rmation			28 6 9 7 10				24.00	<b>-</b>		-
First Nam	State of the state of the state of	e abe e financian	Last Name/0	Organizatio	n		E-mail Address	100 mg 2 mg	hard with the late of			Constructed
Mailing A	ddress (Stree	t Number/Na	Jc	hn Boi	svert	Municipality	Province	Postal Code		Telephone N		ell Owner
-	36 Mapl					Stittsville	ON	K2S		.		
Well Lo												
	of Well Location					Township		Lot		Concession	1	
County/Di	nith Road	d (No Ci	vic)			Cumberiand City/Town/Village			Provi		Postal	Code
0	ttawa Ca	rieton				Navan Municipal Plan and Sub				ario		
UTM Coo	ordinates Zone	e Easting	1 1	orthing	L_L	Municipal Plan and Sub	lot Number		Other			
	1.		784 rials/Aband	5020 onment S		cord (see instructions on t	the back of this form)			22 (29/13/1		
General (	Colour	Most Corr	mon Materia			Other Materials	Gene	eral Description			Dep From	th (m/t) To
			Clay								0 1	17
			Sand		9	Boulde	rs				17 1	34
									*4 10	ě.		
			Grav	el				y many and a depth	, i., stage	34	6	45
Grev	& Brown		Shak							1000	45 (	49
	2,344,1		27.1211			and the state of					-	
												THE LAND
		中的水质。自由	Annular	Space		<b>建筑在李德山等等数</b> 等		Results of We	ll Yiel	d Testing		
Depth S From	Set at (m/ft)		Type of Sea (Material ar			Volume Placed (m (fi3)	After test of well yield, Clear and sand f		Dr	aw Down Water Level		ecovery Water Level
43 !	33 ′	. Neat o	ement	, , , , ,		10.92	Other, specify	Not teste	(min)	(m/ft)	(min)	(m/ft)
33 ′	0.	Mr.	nite slumy			4.2	If pumping discontinue	d, give reason:	Static Level	11.4"		26.34
30		OEI ILOI	inte starry			4.2	$\mathbb{I}$	45	1.	15.5	. 1	23.8
							Pump intake set at (n	TO THE PARTY OF TH	2	17.1	2	21.9
							35 Pumping rate (I/min &	DM)	3	18.4	3	20.6
Met ☐ Cable To	thod of Con	Diamono	1 Deut	alia .	Comm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		narialitaera wa	4		4	
Rotary (	Conventional)	Jetting	7500	nestic	☐ Munici	pal Dewatering	Duration of pumping			19.4	E	19.5
Rotary (F	Reverse) *	☐ Driving ☐ Digging	Live		☐ Test Ho	ole Monitoring g & Air Conditioning	hrs + n		5	20.2	5	18.6
ar percu	ussion	33-3	☐ Indi	ustrial		, and a constant	26'3"	A Supplement to	_10	22.8	10	16
Other, sp		etruction D	ecord - Cas	er, specify	V. J. J. A. A.	Status of Well	If flowing give rate (I/mi	n/GPM)	15	24.1	15	14.9
Inside		OR Material	Wall		n (ng/fb)	Vater Supply	Recommended pump	depth (ro/ft)	20	25	.20	13.9
Diameter (cm/in)	(Galvanized	I, Fibreglass, Pastic, Steel)	Thickness (cmm)	From	То	Replacement Well	40'		25	25.3	25	12.8
61/4	Steel		.188	+2/	43'	☐ Test Hole ☐ Recharge Well .	Recommended pump	rate	30	25.8	30	11.9
64.			.100	43 '	45	☐ Dewatering Well	5	= ==	40	26.3	40	11.4
-	Орепт	lole		45	40	Monitoring Hole	Well production (I/min/G		-50	26.3	50	- 11.4
_	-					Alteration (Construction)	Distributed?		60	A	60	1.6
(1975) NO. 188		ofmication D	ecord - Scre	Section 1	11 / 752	Abandoned, Insufficient Supply	(XVels   No	Map of We	- 1		en andrenen	11.45
Outside	Mat				1 (m/ft)	Abandoned, Poor Water Quality	Please provide a map				back	
Diameter (cm/in)	(Plastic, Galve		Slot No.	From	То	Abandoned, other, specify					(4	14)
		-	1						17	DOM		
						Other, specify	2		1,			
		Water Det	ails		i, alijal	Hole Diameter	3		DE	-7		
	d at Depth K	ind of Water	Fresh 📮	Untested	Dep From	th (m/D Diameter To (cm/G)	ं व	C #	111	7		
42 (m Water found		Other, spe and of Water:		Untested	FIOR	93/	4	0.68	-	76 /	N	0
		Other, spe		Jonnesied		0 43 64	Les F			/	0 11	IIC.
Water found			Fresh	Untested		43' 49 6"	世二			(	611	, ( - )
(m.		Other, spe	cify	oobeleid.	- Indo		اح"		N	ritk	}	
Business Na	ame of Well C		and well	ecimicial	terit in the contract of	tion ell Contractor's Licence No.		0		0 -6	12	)
	ock Drilling		se	- 2%		7681	1			1	ات، 	_
6659 F	ddress (Street Franktown	Road	me)		ML	nicipality Richmond	Comments:	50	0	10	1-	F
Province		tal Code	Business	E-mail Add			1/0/4/1	16 W	126	\$	10	4. ,
ON		K0A 2Z0	mo of Mari			oatico.ca	Well owner's Date Pa	ckage Delivered	110	Ministry	Use C	Inly
812929	ne No. (inc. an	H I	Hanna	forom			package denvered Y Y20	122 NOVED	18	Audit No. <b>Z</b> (	394	962
Well Technicia	an's Licence No	o. Signature	of Technician	and/or Cor	ntractor Da	te Submitted	2022	ork Completed	<b>17</b>		- 2 - 2	
1900	7	Juny	5/		Y	YYYMMDD	No YYY	YMMD	DE	Received		
0506E (2020/06	5) © Queen's	Printer for Ontar	jø, 2020			Ministry's Copy						

	tario (	Consei	y of the Environment		-	Tag#: A39	A395 5575	575	int Below)	Regulation	on 903 Ontario		Record esources Act
Well (	Owner's In	formation	Last Name/	Organiza	fion		970 <b>8</b> 2	图 200	E-mail Addres				
			J	-	oisvert	184						by	Il Constructed Well Owner
_		et Number/Na ple <b>Grove</b>				Municipality Stit	tsville		Province ON	Postal Cod	e Teleph BOM7	one No. (ir	c. area code)
the same of the same	ocation	tion (Street No	ımber/Name			Township		176		Lot	Conce	ecion	
3	mith Ro	ad (No Cr				Cun	nberland			9		10811	
,	/District/Munic Ottawa C					City/Town/\	-				Ontario	Pos	tal Code
UTM Co	oordinates Zo	ne Easting	5940	lorthing	9489		lan and Sub	olot Num	ber		Other		
		edrock Mate				cord (see ins	tructions on	the back	of this form)	100	TV# 5		
Genera	al Colour	Most Con	nmon Materia		C	other Materia	ls		G	eneral Descriptio	n	From	7 /
			Clay Clay		o <del>l</del>		Grave		+ Br	ulders	_	20	20 '
Bla	ick		Sha				0.0,0		1 50	41443		61	85
Bla	ck		Shai	le								65	80
					, i								
	*	[W#	5-4		ttyDI	Oth	ACT	Ch	PER	}		-	
8	AT	7	10<		SET	7	11:00	DÍ	Pol		7 - C		K
<del></del> 6					0 -	17	MYG	1	1	227	0 1	Y	1
			Annulai	A							ell Yield Testi	to a remark the same of	
From	Set at (m/ft) To	land.	Type of Sei (Material ar cement		d	(n	ne Placed		test of well yie Clear and san	d free	Time Water L	evel Time	
de		Mear	cement				10.92		Other, specify mping disconting	Not teste	Static 28	(min	(m/ft)
%. <u> </u>								$\parallel$	X		1 34	A 1	51
						1		Pum	p intake set at i	m(ft)	2 39.	2	53.
Me	ethod of Co	nstruction			Well U	se		Pum	ping rate (I/min.	(PM)	3 43	3	49.
Cable Rotary	Tool (Conventional)	☐ Diamond	1 7	blic mestic	Comme	_	Not used Dewatering	Dura	tion of pumping	1	4 4600	3 4	45.4
Rotary	(Reverse)	☐ Driving ☐ Digging	Liv		☐ Test Ho		Monitoring	Final		min of pumping (m/ft)	5 61.	5	31.0
Other,	cussion H	DROFF	200		5		3		64		10 64. 15 61	10	34.3
A MARIA		nstruction R	1	ing			of Well	] If flow	ring give rate (I/	min/GPM)	20 1	15	200
Inside Diameter (cm/in)	Open Hole Galvanize Concrete	e OR Material ed, Fibreglass, Plastic, Steel)	Wall Thickness (cm/ir	De From	pth (m/	☐ Replace	ement Well	Reco	mmended pur	p depth (north)	25	25	1004
61/4	" Steel	· idodo, Occor)	.188	+6	2 20	☐ Test Ho			mmended pum /GPM)	p rate	30	30	
6/4	1 27		. i88 "	20	' 6a		ation and/or		5 oroduction (l/mir	(GPMI)	40	40	-
6"	Da	nHolo		62	80	☐ Alteration		Disinfe	6		50	50	
	-1-					Constru		160	es No		60	60	$\checkmark$
Outside	140	nstruction Renterial	ecord - Scre	10. (4. 4) 10. (4.)	oth (m/ft)		ned, Poor	Pleas	e provide a m	Map of We ap below following	Il Location	n the hac	
Diameter (cm/in)		vanized, Steel)	Slot No.	Erom	To	Abando specify		Te	st wec	0#5			TH)
						Other, s	necify.			7	ay .		
						Otlei, s	peciny		1	Med	eor 9	Avei	rue
Water four	nd at Depth	Water Det Kind of Water	the Country of the	nteste		lole Diamet h (mttp	er Diameter	-	2 -	1		1	)
		Other, spec		Unteste	From	To	(cm#P)		8		100W	1/	X
(r	m/ft) [] Gas	Other, spec	cify			0 65	1/4		7	() ()	<b>D</b> -	7/1	650
		Kind of Water: Other, spec		Unteste	6	2'80	611	-	\$ 3	2	1208		o)
Business N	We Name of Well	Il Contracto	r and Well 1	echnicia	The first section of the section of	N. S. W. March Strategies and Strategies and	Section 1	:	\$   Z	WHEL	100.	A	5
	ock Drillin					Contractor's 7681	Licence No.	1	-1	(FAR)			A.
Business A	deress (Street	t Number/Nar	me)		Mui	nicipality Richimon	d	Comm	ents:	000		7 6	3
Province ON	Pos	stal Code KOA, 2ZO	Business I	-mail Ad	dress ck@symp	atico ca		10	44-5	GHM13	ere	10	V .
Bus.Telepho		rea code) Nan		chnician (	Last Name, F			Well ov informa packag	tion	ankage Delivered	Mini Audit No.	stry Use	Only
	82170 jap's Licence N	lo. Signature o	Hanna, of Technician		-			de Well		MASIM MA			J U <u>C</u> U
0506E (2020/0		/	X		8	5004W	0130	No	20	RBIDO	D Received		
2020/L	/ w wheels	Printer for Ontari	U/ EU20			Ministr	's Copy						



#### **Summary of Measured Field Parameters Private Wells**

Well ID	Date of Sampling	Time Since Initiation of Pumping (hours)	Temp (°C)	pH (-)	EC <sup>1</sup> (mS/cm)	Turbidity <sup>2</sup> (NTU)	TDS <sup>3</sup> (ppm)	Chlorine (mg/L)	Colour (ACU⁴)	Colour (TCU⁵)
PW-939	2-Feb-22	0.16	10.2	8.71	373	1.14	242	<0.02	<5	-
PW- 1014	2-Feb-22	0.16	9.34	8.92	609	3.19	390	<0.02	<5	-
PW-903	7-Apr-22	0.25	8.6	9.19	520	0.82	260	<0.02	<5	-
PW-959	13-Oct-23	0.25	12.8	9.27	456	1.39	227	-	<5	-
PW-900	13-Oct-23	0.25	11.8	9.75	463	0.8	231	-	<5	-
PW-969	13-Oct-23	0.25	12.2	7.95	301	0.79	152	-	<5	-
PW-908	13-Oct-23	0.25	11.1	9.45	476	0.82	234	-	<5	-

- 1. EC: Electrical Conductivity
  2. Turbidity is taken to be the average of three consecutive measurements.
  3. TDS: Total Dissolved Solids (Calculated as 0.5 × EC)
  4. ACU: Actual Colour Units (unfiltered)
  5. TCU: True Colour Units (field-filtered using 0.45-micron filter)

- 6. '-': Not Measured
- 7. TW22-04 pumped at a rate of approx 15 litres per minute
- 8. TW24-05 pumped at a rate of approx 19 litres per minute

#### Summary of Measured Field Parameters Test Wells

Well ID	Date of Sampling	Time Since Initiation of Pumping (hours)	Temp (°C)	pH (-)	EC <sup>1</sup> (mS/cm)	Turbidity <sup>2</sup> (NTU)	TDS <sup>3</sup> (ppm)	Chlorine (mg/L)	Colour (ACU⁴)	Colour (TCU⁵)
		1	4.2	8.78	476	9.92	238	-	-	-
		2	9.4	8.69	478	4.62	238	-	-	-
TIMO4 04	40 N 04	3	9.8	8.56	475	4.82	237	<0.02	<5	<5
TW21-01	18-Nov-21	4	9.6	8.52	476	4.63	236	-	-	-
		5	9.5	8.54	476	4.96	237	-	-	-
		6	9.4	8.55	474	3.9	235	< 0.02	<5	<5
		1	12.44	8.81	636	-	406	-	-	-
		2	9.07	9.08	671	-	429	-	-	-
TW22-01	2-Feb-22	3	8.24	9.07	662	-	424	< 0.02	-	-
1 00 22-0 1	2-Feb-22	4	7.92	9.07	763	-	488	-	-	-
		5	8.33	9.12	793	-	508	-	-	-
		6	8.18	9.08	818	-	524	-	-	-
		1	6.38	9.3	766	6.92	491	-	-	-
		2	-	-	-	-	-	-	-	-
TW22-02	1-Feb-22	3	6.83	9.58	781	4.65	502	<0.02	24	<5
11122 02	110022	4	7.8	9.75	818	6.61	524	-	-	-
		5	6.83	9.75	838	3.74	536	-	-	-
		6	6.77	9.68	871	3.71	555	<0.02	51	<5
		1	8.8	9.68	610	39.7	300	-	-	-
		2	10.2	9.57	580	43.6	300	-	-	-
	28-Apr-22	3	10	9.51	580	50.9	290	<0.02	371	<5
TW22-03	20 / tp: 22	4	-	-	-	-	-	-	-	-
		5	9.7	9.6	580	71.5	290	-	-	-
		6	9.7	9.47	570	58.9	280	<0.02	<5	<5
	7-Apr-22	1	9.3	9.76	0.67	15.3	0.4	<0.02	0	<5
		1	11.9	9.71	560	1000	280	-	-	-
		2	13.4	8.44	540	377	270	-	-	-
	28-Apr-22	3	12.3	9.27	540	242	270	<0.02	>500	<5
TW22-04	20 / 10: 22	4	13	9.21	530	157	270	-	-	-
		5	14	9.1	540	134	270	-	-	-
		6	13.5	9.23	540	99.6	270	<0.02	>500	<5
	19-Dec-23	168 <sup>(7)</sup>	10	9.34	482	2.33	241	<0.02	<5	<5
		1	11.9	9.71	560	1000	280	-	-	-
		2	13.4	8.44	540	377	270	-	-	-
	18-Jan-24	3	12.3	9.27	540	242	270	<0.02	>500	<5
TW 24-05	10-0an-24	4	13	9.21	530	157	270	-	-	-
		5	14	9.1	540	134	270	-	-	-
ı [		6	13.5	9.23	540	99.6	270	<0.02	>500	<5
i	24-Jan-24	48 (8)	11.59	8.14	459	0.38	298	<0.02	<5	<5

#### Notes:

- EC: Electrical Conductivity
- 2. Turbidity is taken to be the average of three consecutive measurements.
- 3. TDS: Total Dissolved Solids (Calculated as 0.5 × EC)
- 4. ACU: Actual Colour Units (unfiltered)
- 5. TCU: True Colour Units (field-filtered using 0.45-micron filter)
- 6. '-': Not Measured
- 7. TW22-04 pumped at a rate of approx 15 litres per minute
- 8. TW24-05 pumped at a rate of approx 19 litres per minute



# Water Quality Summary Private Wells

				Private vv	C115			
		PW-939	PW-1014	PW 903	959 Smith Road	900 Smith Road	969 Meteor Ave	908 Smith Ave
Parameters	Units	Lab ID: 2206338-	Lab ID: 2206338-	Lab ID: 2215531-	2341381-01	2341381-02	2341381-03	2341381-04
		01	02	02	10/13/2023 09:30	10/12/2022 10:20	10/12/2022 11:20	10/12/2022 12:20
		PM	PM	PM	10/13/2023 09:30 AM	AM	AM	PM
GEMTEC ASSIGNED	WELL ID	PW-939	PW-1014	PW-903	PW-959	PW-900	PW-969	PW-908
Microbiological Para	meters							
_	FU/100m	ND (1)	ND (1)	ND (1)	-	-	-	-
	FU/100m	ND (1)	ND (1)	ND (1)		-		
	FU/100m	ND (1)	ND (1)	1	_	-	_	_
Heterotrophic Plate C		ND (10)	ND (10)	_	_	-	_	_
General Inorganics	0.0/2	112 (20)	112 (20)					
Alkalinity, total	mg/L	172	241	224	-	-	-	-
Ammonia as N	mg/L	0.53	0.31	0.47	_	_	_	_
Dissolved Organic Car		1.1	ND (0.5)	1.6	_	_	_	_
Colour	TCU	3	5	6	2	ND (2)	3	ND (2)
Colour, apparent	ACU	5	13	9	7	3	18	8
Conductivity	uS/cm	384	572	462	-	-	-	-
Hardness	mg/L	39.2	6.33	27.7	_	_	_	_
pH	pH Units	8.4	9.0	8.6	-	-	-	-
Phenolics	mg/L	ND (0.001)	ND (0.001)	ND (0.001)	-	-	-	-
<b>Total Dissolved Solids</b>	mg/L	208	324	250	-	-	-	-
Sulphide	mg/L	1.12	4.61	0.90	-	-	-	-
Tannin & Lignin	mg/L	ND (0.1)	ND (0.1)	ND (0.1)	-	-	-	-
Total Kjeldahl Nitroge	mg/L	0.6	0.3	0.5	-	-	-	-
Organic Nitrogen	mg/L	0.07	0	0.03	-	-	-	-
Turbidity	NTU	1.2	2.0	0.8	0.8	0.4	0.9	1.0
Anions								
Chloride	mg/L	13	39	18	40	14	11	22
Fluoride	mg/L	0.6	1.1	0.7	0.8	0.5	0.3	0.8
Nitrate as N	mg/L	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Nitrite as N	mg/L	ND (0.05)	ND (0.05)	ND (0.05)	-	-	-	-
Sulphate	mg/L	ND (1)	3	3	-	-	-	-
Metals								
Aluminum	mg/L	-	-	-	-	-	-	-
Antimony	mg/L	-	-	-	-	-	-	-
Arsenic Barium	mg/L	-	-	-	-	-	-	-
Beryllium	mg/L mg/L	-	-	-	-	-	-	-
Boron	mg/L	-		-				-
Cadmium	mg/L	-	_	-		_	_	_
Calcium	mg/L	7.0	1.8	7.5	_	_	_	_
Chromium	mg/L	-	-	-	-	-	-	_
Cobalt	mg/L	-	-	-	-	-	_	-
Copper	mg/L	-	-	-	-	-	-	-
Iron	mg/L	ND (0.1)	0.2	0.2	0.1	ND (0.1)	0.4	ND (0.1)
Lead	mg/L	-	-	-	-	-	-	-
Magnesium	mg/L	5.3	0.4	2.1	_	_	_	_
Manganese	mg/L	ND (0.005)	ND (0.005)	0.017	-	-	-	-
Molybdenum	mg/L	-	-	-	-	-	-	-
Nickel	mg/L	_	_	_	_	-	_	-
Potassium	mg/L	5.2	1.5	3.2	_	_	_	
Selenium	mg/L	-	-	-	-	-	-	-
Silver	mg/L	-	-	-	-	-	-	-
Sodium	mg/L	64.8	124	86.0	-	-	-	-
Strontium	mg/L	-	-	-	-	-	-	-
Thallium	mg/L	-	-	-	-	-	-	-
Tin	mg/L	_	_	_	_	_	_	_
Titanium	mg/L	-	_	-	-	-	_	-
Tungsten	mg/L	-	-	-	-	-	-	-
Uranium	mg/L	-	-	-	-	-	-	-
Zinc	mg/L	-	-	-	-	-	-	-

Project: 100812.001 Date: March 2024

## Water Quality Summary Deep Test Wells

Color	02/01/2022 11:30 AM ND (1) ND (1) ND (1) ND (10) 319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	02/01/2022 02:30 PM TW22-2 ND (1) ND (1) ND (1) ND (10) 348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1	02/01/2022 02:30 PM
Microbiological Parameters	ND (1) ND (1) ND (10)  319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	ND (1) ND (1) ND (1) ND (1) ND (10)  348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 4.2	-
E. Coli   CFU/100mL   ND (1)   - ND (1)   ND (1)   ND (10)   ND (10)     -     Fecal Coliforms   CFU/100mL   ND (1)   - ND (1)   ND (1)   ND (1)   ND (10)   ND (10)   -   -     Total Coliforms   CFU/100mL   ND (1)   - ND (1)   ND (1)   ND (10)   ND (10)   -   -     Heterotrophic Pla   CFU/mL     -   10   ND (10)   -   -     General Inorganics   -   -   10   ND (10)   -   -     Alkalinity, total   mg/L   224   -   223   223   327   353   -     Ammonia as N   mg/L   0.55   -   0.57   0.57   0.37   0.38   -   -     Dissolved Organi   mg/L   1.8   -   1.4   1.4   1.5   1.5   1.5   -     Colour   TCU   5   -   4   4   9   14   -     Colour, apparent   ACU   14   -   11   11   764   1000   -     Conductivity   us/cm   508   -   476   476   706   828   -       Hardness   mg/L   45.7   -   45.6   45.6   10.8   13.6   -       PH   DH Units   8.4   -   8.3   8.3   9.2   9.1   -       Phenolics   mg/L   ND (0.001)   -   ND (0.001)   ND (0.001)   ND (0.001)   -   NI   Total Dissolved S   mg/L   0.29   -   0.31   0.31   1.77   3.75   -       Total Dissolved S   mg/L   0.29   -   0.31   0.31   1.77   3.75   -       Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.5   0.5   0.6   -         Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.5   0.5   0.5         Total Dissolved S   mg/L   0.05   -   0.03   0.03   0.13   0.22   -       Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.5   0.5   0.6   -           Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.6   0.5   0.5   0.6   -           Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.6   0.5   0.5   0.5             Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.6   0.5   0.6   -	ND (1) ND (1) ND (10)  319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	ND (1) ND (1) ND (10)  348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1 4.2	-
E. Coli   CFU/100mL   ND (1)   - ND (1)   ND (1)   ND (10)   ND (10)     -     Fecal Coliforms   CFU/100mL   ND (1)   - ND (1)   ND (1)   ND (1)   ND (10)   ND (10)   -   -     Total Coliforms   CFU/100mL   ND (1)   - ND (1)   ND (1)   ND (10)   ND (10)   -   -     Heterotrophic Pla   CFU/mL     -   10   ND (10)   -   -     General Inorganics   -   -   10   ND (10)   -   -     Alkalinity, total   mg/L   224   -   223   223   327   353   -     Ammonia as N   mg/L   0.55   -   0.57   0.57   0.37   0.38   -   -     Dissolved Organi   mg/L   1.8   -   1.4   1.4   1.5   1.5   1.5   -     Colour   TCU   5   -   4   4   9   14   -     Colour, apparent   ACU   14   -   11   11   764   1000   -     Conductivity   us/cm   508   -   476   476   706   828   -       Hardness   mg/L   45.7   -   45.6   45.6   10.8   13.6   -       PH   DH Units   8.4   -   8.3   8.3   9.2   9.1   -       Phenolics   mg/L   ND (0.001)   -   ND (0.001)   ND (0.001)   ND (0.001)   -   NI   Total Dissolved S   mg/L   0.29   -   0.31   0.31   1.77   3.75   -       Total Dissolved S   mg/L   0.29   -   0.31   0.31   1.77   3.75   -       Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.5   0.5   0.6   -         Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.5   0.5   0.5         Total Dissolved S   mg/L   0.05   -   0.03   0.03   0.13   0.22   -       Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.5   0.5   0.6   -           Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.6   0.5   0.5   0.6   -           Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.6   0.5   0.5   0.5             Total Dissolved S   mg/L   0.6   -   0.6   0.6   0.6   0.5   0.6   -	ND (1) ND (1) ND (10)  319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	ND (1) ND (1) ND (10)  348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1 4.2	-
Total Coliforms   CFU/100mL   ND (1)   ND (1)   ND (1)   ND (10)   ND (10)   -   -	ND (1) ND (10) 319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	ND (1) ND (10)  348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 4.2	
Heterotrophic PI  General Inorganics	ND (10)  319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	ND (10)  348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1 4.2	-
Conductivity   Cond	319 0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	348 0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 4.2	
Alkalinity, total   mg/L   224   -   223   223   327   353   -   -	0.29 1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	0.30 0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1	
Dissolved Organia	1.3 3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	0.7 3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1 4.2	-
Colour         TCU         5         -         4         4         9         14         -         -         Colour, apparent ACU         11         11         11         764         1000         -         -         -         Coductivity         US/cm         508         -         476         476         764         1000         -	3 24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	3 26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1	
Colour, apparent   ACU	24 816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	26 855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 4.2	
Conductivity         uS/cm         508         -         476         476         706         828         -         -           Hardness         mg/L         45.7         -         45.6         45.6         10.8         13.6         -         -           pH         pH Units         8.4         -         8.3         8.3         9.2         9.1         -         -         -           Phenolics         mg/L         ND (0.001)	816 10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	855 12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1	-
Hardness   mg/L   45.7   -   45.6   45.6   10.8   13.6   -   -	10.7 9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	12.1 8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1 4.2	-
pH         pH Units         8.4         -         8.3         8.3         9.2         9.1         -         -         Phenolics           Phenolics         mg/L         ND (0.001)         -         ND (0.001)         ND (0.001)         ND (0.001)         -         NI (0.001)         ND (0.001)         ND (0.001)         -         NI (0.001)         ND (0.001	9.0 ND (0.001) 452 2.78 ND (0.1) 0.4 0.11 4.0	8.9 ND (0.001) 468 3.08 ND (0.1) 0.4 0.1 4.2	- - - - - -
Total Dissolved S mg/L 264 - 250 250 436 472	452 2.78 ND (0.1) 0.4 0.11 4.0	468 3.08 ND (0.1) 0.4 0.1 4.2	
Sulphide         mg/L         0.29         -         0.31         0.31         1.77         3.75         -         -           Tannin & Lignin         mg/L         0.2         -         0.2         0.2         0.3         0.3         -         -         N           Total Kjeldahl Nit         mg/L         0.6         -         0.6         0.5         0.6         -         -         -         N           Organic Nitrogen         mg/L         0.05         -         0.03         0.03         0.13         0.22         -	2.78 ND (0.1) 0.4 0.11 4.0	3.08 ND (0.1) 0.4 0.1 4.2	
Tannin & Lignin mg/L 0.2 - 0.2 0.2 0.3 0.3 Notation mg/L 0.6 - 0.6 0.6 0.5 0.6 Notation mg/L 0.05 - 0.03 0.03 0.13 0.22 Notation mg/L 0.05 - 0.03 0.03 0.13 0.22 Notation mg/L 0.05 - 0.8 0.8 140 190 Notation mg/L 0.05 - 0.8 0.8 140 190 Notation mg/L 0.05 - 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6	ND (0.1) 0.4 0.11 4.0	ND (0.1) 0.4 0.1 4.2	- - -
Total Kjeldahl Nit         mg/L         0.6         -         0.6         0.5         0.6         -         -         -         Organic Nitrogen mg/L         0.005         -         0.03         0.03         0.13         0.22         -<	0.4 0.11 4.0	0.4 0.1 4.2	-
Organic Nitrogen         mg/L         0.05         -         0.03         0.03         0.13         0.22         -         -           Turbidity         NTU         1.5         -         0.8         0.8         140         190         -         -           Anions         -         0.8         0.8         140         190         -         -           Chloride         mg/L         19         -         17         17         28         41         -         -           Fluoride         mg/L         0.6         -         0.6         2.6         3.0         -         3           Nitrate as N         mg/L         ND (0.1)         -         ND (0.1)         ND (0.05)	0.11 4.0	0.1 4.2	-
Turbidity         NTU         1.5         -         0.8         0.8         140         190         -         -           Anions         Chloride         mg/L         19         -         17         17         28         41         -         -           Fluoride         mg/L         0.6         -         0.6         0.6         2.6         3.0         -         3           Nitrate as N         mg/L         ND (0.1)         -         ND (0.1)         ND (0.1)         ND (0.1)         -         N           Sulphate         mg/L         ND (0.05)         -         ND (0.05)	4.0	4.2	-
Anions   Chloride   mg/L   19   -   17   17   28   41   -   -   Fluoride   mg/L   0.6   -   0.6   0.6   2.6   3.0   -   3   Ntirate as N   mg/L   ND (0.1)   -   ND (0.1)   ND	53		
Fluoride         mg/L         0.6         -         0.6         0.6         2.6         3.0         -         3           Nitrate as N         mg/L         ND (0.1)         -         ND (0.1)         ND (0.1)         ND (0.1)         -         N           Nitrite as N         mg/L         ND (0.05)         -         ND (0.05)         ND (0.05)         ND (0.05)         ND (0.05)         -         ND (0.05)           Sulphate         mg/L         5         -         4         4         ND (1)         1         -         -		55	
Nitrate as N         mg/L         ND (0.1)         -         ND (0.1)         ND (0.1)         ND (0.1)         -         -         N           Nitrite as N         mg/L         ND (0.05)         -         ND (0.05)         ND (0.05)         ND (0.05)         ND (0.05)         -         -         N           Sulphate         mg/L         5         -         4         4         ND (1)         1         -         -         -	27		-
Nitrite as N         mg/L         ND (0.05)         -         ND (0.05)         ND (0.05)         ND (0.05)         -         -         ND (0.05)           Sulphate         mg/L         5         -         4         4         ND (1)         1         -         -         -		3.3	-
Sulphate mg/L 5 - 4 4 ND (1) 1	ND (0.1)	ND (0.1)	-
	ND (0.05) 5	ND (0.05) 7	- -
	3	,	-
Mercury mg/L	-	ND (0.0001)	ND (0.0001)
Aluminum mg/L 0.023 - 1.59 0.282 -	-	0.194	0.003
Antimony mg/L ND (0.0005) - ND (0.0005) - 0.0006 -	-	ND (0.0005)	0.0012
Arsenic mg/L ND (0.001) - ND (0.001) ND (0.001) -	-	0.002	0.002
Barium mg/L 0.241 - 0.277 0.142 - 0.271 - 0.0000000000000000000000000000000000	-	0.184	0.169
Beryllium         mg/L         -         -         -         ND (0.0005)         ND (0.0005)         -           Boron         mg/L         -         -         0.31         -         0.45         0.53         -	-	ND (0.0005) 0.44	ND (0.0005) 0.53
Cadmium mg/L ND (0.0001) - ND (0.0001) -	-	ND (0.0001)	ND (0.0001)
Calcium mg/L 2.7 3.3 2.0 -	2.7	3.0	2.9
Chromium mg/L ND (0.001) - ND (0.001) ND (0.001) -	-	ND (0.001)	ND (0.001)
Cobalt mg/L ND (0.0005) ND (0.0005) -	-	ND (0.0005)	ND (0.0005)
Copper mg/L ND (0.0005) - ND (0.0005) - ND (0.0005) -	-	ND (0.0005)	ND (0.0005)
Iron         mg/L         -         ND (0.1)         -         ND (0.1)         1.3         0.9         ND (0.1)         -           Lead         mg/L         -         -         -         ND (0.0001)         -         0.0005         ND (0.0001)         -	0.2	0.2 ND (0.0001)	ND (0.1) ND (0.0001)
Magnesium mg/L - 7.1 - 7.0 1.0 1.3 0.6 -	1.0	1.1	0.9
	ND (0.005)	ND (0.005)	ND (0.005)
Molybdenum mg/L 0.0014 0.0019 -	-	0.0014	0.0018
Nickel mg/L ND (0.001) ND (0.001) -	-	ND (0.001)	ND (0.001)
Potassium mg/L - 7.8 - 7.5 2.8 3.1 1.9 -	2.3	2.6	2.2
Selenium   mg/L   -   -   ND (0.001)   -   ND (0.001)   -     ND (0.001)   -	-	0.001	ND (0.001)
Silver         mg/L         -         80.4         -         79.9         -         ND (0.0001)         0.0003         -           Sodium         mg/L         -         -         -         160         173         146         -	163	ND (0.0001) 184	ND (0.0001) 162
Strontium   mg/L   -   -   -   100   173   146   -     -	102	0.26	0.28
Thallium   mg/L   -   -   ND (0.001)   ND (0.001)   -	-	ND (0.001)	ND (0.001)
Tin mg/L ND(0.01) ND(0.01) -	-	ND (0.01)	ND (0.01)
Titanium mg/L 0.083 ND (0.005) -	-	0.008	ND (0.005)
Tungsten mg/L ND (0.01) ND (0.01) -	-	ND (0.01)	ND (0.01)
Uranium mg/L ND (0.0001) - 0.0003 0.0002 -	-	0.0003	0.0004 ND (0.000E)
Vanadium         mg/L         -         -         -         -         0.0022         0.0005         -           Zinc         mg/L         -         -         ND (0.005)         -         0.006         ND (0.005)         -	-	ND (0.0005) ND (0.005)	ND (0.0005) ND (0.005)

Project: 100812.001 Date: March 2024

## Water Quality Summary Proposed Water Supply Wells

Parameter	Units	TW22-03 Lab ID: 2209298-01	TW22-03 Lab ID: 2215531-01	TW22-03 6hr Lab ID: 2218541-02	TW22-03 6hr (Filtered)	TW22-04 6hr Lab ID: 2236417-02	TW22-04 6hr (Filtered)	TW22-4 Lab ID: 2351202-01	TW24-5 Lab ID: 2404291-01	TW24-5 (Filtered) Lab ID: 2404291-02
Sample Date (m/d/y)				04/28/2022 03:15 PM						
GEMTEC ASSIG	NED WELL		TW	22-3			TW22-4		TW	24-5
Microbiological	Parameters									
	CFU/100mL	-	ND (1)	ND (1)	-	-	-	ND (1)	ND (1)	N/A
Fecal Coliforms	~~~~~~~~~~~	=	ND (1)	ND (1)	=	=	=	ND (1)	1	N/A
Total Coliforms		-	ND (1)	ND (1)	_	-	-	ND (1)	ND (1)	N/A
Heterotrophic P	CFU/mL	-	-	-	-	-	-	10	ND (10)	N/A
General Inorgan									X -7	,
Alkalinity, total	mg/L	-	227	218	-	239	-	252	189	N/A
Ammonia as N	mg/L	-	0.31	0.34	-	0.37	-	0.36	0.45	N/A
Dissolved Organ	mg/L	-	1.3	1.8	-	1.6	-	0.8	1.7	N/A
Colour	TCU	-	7	11	-	29	-	2	2	N/A
Colour, apparer	ACU	-	100	289	-	474	-	5	12	N/A
Conductivity	uS/cm	-	516	544	-	481	-	516	480	N/A
Hardness	mg/L	-	11.4	15.6	-	12.6	-	6.69	31.7	N/A
pH	pH Units	-	9.2	9.2	-	8.9	-	9.4	8.8	N/A
Phenolics	mg/L	-	ND (0.001)	ND (0.001)	-	ND (0.001)	-	ND (0.001)	ND (0.001)	N/A
Total Dissolved	mg/L	-	304	306	-	308	-	268	248	N/A
Sulphide	mg/L	-	1.48	2.31	-	0.05	-	0.23	2.34	N/A
Tannin & Lignin	mg/L	-	ND (0.1)	1.5	-	0.2	-	ND (0.1)	0.4	N/A
Total Kjeldahl N	mg/L	-	0.4	0.4	=	0.4	-	0.3	0.4	N/A
Organic Nitroge	mg/L	-	0.09	0.06	=	0.03	-	0	0	-
Turbidity	NTU	-	18.1	54.6	-	93.9	-	0.5	1.4	N/A
Anions						_				
Chloride	mg/L	22	35	39	-	8	-	15	29	N/A
Fluoride	mg/L	1.3	1.4	1.3	-	1.3	•	1.1	0.8	N/A
Nitrate as N	mg/L	ND (0.1)	ND (0.1) ND (0.05)	ND (0.1) ND (0.05)	-	0.2 ND (0.10)	-	ND (0.1) ND (0.05)	ND (0.1)	N/A
Nitrite as N	mg/L	ND (0.05)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	-	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ND (0.05) 8	N/A
Sulphate Metals	mg/L	-	2	2	-	ND (1)	-	ND (1)	٥	N/A
Mercury	mg/L	-	-	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)
Aluminum	mg/L		-	0.573	0.007	0.762	0.028	0.047	0.050	0.023
Antimony	mg/L			ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)
Arsenic	mg/L	-		ND (0.0003)	ND (0.0003)	ND (0.0003)	ND (0.0003)	ND (0.0003)	ND (0.0003)	ND (0.0003)
Barium	mg/L	_	_	0.044	0.027	0.077	0.053	0.052	0.151	0.137
Beryllium	mg/L	-	-	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)
Boron	mg/L	=	=	0.33	0.33	0.44	0.46	0.36	0.27	0.24
Cadmium	mg/L	-	_	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)
Calcium	mg/L	-	3.3	4.5	1.7	3.2	1.4	1.7	8.2	7.4
Chromium	mg/L	-	-	0.001	ND (0.001)	0.001	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)
Cobalt	mg/L	_	-	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)
Copper	mg/L	-	-	ND (0.0005)	ND (0.0005)	0.0009	0.0013	ND (0.0005)	ND (0.0005)	ND (0.0005)
Iron	mg/L	-	0.3	0.9	ND (0.1)	1.1	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Lead	mg/L	-	-	0.0001	ND (0.0001)	0.0005	ND (0.0001)	0.0002	ND (0.0001)	ND (0.0001)
Magnesium	mg/L	-	0.8	1.1	0.5	1.1	0.5	0.6	2.8	2.7
Manganese	mg/L		0.012	0.027	ND (0.005)	0.026	ND (0.005)	ND (0.005)	ND (0.005)	ND (0.005)
Molybdenum	mg/L	-	-	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)	0.0005	ND (0.0005)
Nickel	mg/L	-	-	ND (0.001)	ND (0.001)	0.001	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)
Potassium	mg/L	-	1.3	1.4	1.2	1.6	1.4	1.6	3.3	3.3
Selenium	mg/L	-	-	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)
Silver	mg/L	-	-	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)
Sodium	mg/L	109	106	98.7	97.0	93.9	95.8	110	85.5	85.4
Strontium	mg/L	-	-	0.12	0.11	0.08	0.07	0.09	0.45	0.41
Thallium	mg/L	-	-	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)
Tin	mg/L	-	-	ND (0.01)	ND (0.01)	-	-	-		
Titanium	mg/L	-	-	0.040	ND (0.005)	-	-	-		
Tungsten	mg/L	-	-	ND (0.01)	ND (0.01)	-	-	-		
Uranium	mg/L	-	-	ND (0.0001)	ND (0.0001)	0.0001	ND (0.0001)	ND (0.0001)	ND (0.0001)	ND (0.0001)
Vanadium	mg/L	-	-	0.0016	ND (0.0005)	0.0019	ND (0.0005)	ND (0.0005)	ND (0.0005)	ND (0.0005)
Zinc	mg/L	-	-	ND (0.005)	ND (0.005)	ND (0.005)	ND (0.005)	ND (0.005)	ND (0.005)	ND (0.005)



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

## Certificate of Analysis

### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001 Custody: 13240 Report Date: 24-Nov-2021 Order Date: 19-Nov-2021

Order #: 2147532

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID Client ID

2147532-01 TW21-01 3hr Comment: TW21-01 in this COC is 2147532-02 TW21-01 6hr identified PW21-01 in the report

Approved By:



Dale Robertson, BSc Laboratory Director Certificate of Analysis

Order #: 2147532


Report Date: 24-Nov-2021 Order Date: 19-Nov-2021 **Project Description: 100812.001** 

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	22-Nov-21	22-Nov-21
Ammonia, as N	EPA 351.2 - Auto Colour	23-Nov-21	23-Nov-21
Anions	EPA 300.1 - IC	19-Nov-21	19-Nov-21
Colour	SM2120 - Spectrophotometric	19-Nov-21	19-Nov-21
Colour, apparent	SM2120 - Spectrophotometric	19-Nov-21	19-Nov-21
Conductivity	EPA 9050A- probe @25 °C	22-Nov-21	22-Nov-21
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	22-Nov-21	22-Nov-21
E. coli	MOE E3407	19-Nov-21	19-Nov-21
Fecal Coliform	SM 9222D	19-Nov-21	19-Nov-21
Metals, ICP-MS	EPA 200.8 - ICP-MS	19-Nov-21	19-Nov-21
pH	EPA 150.1 - pH probe @25 °C	22-Nov-21	22-Nov-21
Phenolics	EPA 420.2 - Auto Colour, 4AAP	22-Nov-21	22-Nov-21
Hardness	Hardness as CaCO3	19-Nov-21	19-Nov-21
Sulphide	SM 4500SE - Colourimetric	22-Nov-21	22-Nov-21
Tannin/Lignin	SM 5550B - Colourimetric	22-Nov-21	22-Nov-21
Total Coliform	MOE E3407	19-Nov-21	19-Nov-21
Total Dissolved Solids	SM 2540C - gravimetric, filtration	22-Nov-21	23-Nov-21
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	22-Nov-21	22-Nov-21
Turbidity	SM 2130B - Turbidity meter	19-Nov-21	19-Nov-21



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 24-Nov-2021 Order Date: 19-Nov-2021 **Project Description: 100812.001** 

	Client ID:	TW21-01 3hr	TW21-01 6hr	-	_
	Sample Date:	18-Nov-21 11:40	18-Nov-21 14:40	-	-
	Sample ID:	2147532-01	2147532-02	-	-
	MDL/Units	Drinking Water	Drinking Water	-	-
Microbiological Parameters	1 05111100 1		1		1
E. coli	1 CFU/100mL	ND [1]	ND [1]	-	-
Fecal Coliforms	1 CFU/100mL	ND	ND	-	-
Total Coliforms	1 CFU/100mL	ND [1]	ND [1]	-	-
General Inorganics	<del>-</del>				-
Alkalinity, total	5 mg/L	224	223	-	-
Ammonia as N	0.01 mg/L	0.55	0.57	-	-
Dissolved Organic Carbon	0.5 mg/L	1.8	1.4	-	-
Colour	2 TCU	5	4	-	-
Colour, apparent	2 ACU	14	11	-	-
Conductivity	5 uS/cm	508	476	-	-
Hardness	mg/L	45.7	45.6	-	-
рН	0.1 pH Units	8.4	8.3	-	-
Phenolics	0.001 mg/L	<0.001	<0.001	-	-
Total Dissolved Solids	10 mg/L	264	250	-	-
Sulphide	0.02 mg/L	0.29	0.31	-	-
Tannin & Lignin	0.1 mg/L	0.2	0.2	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.6	0.6	-	-
Turbidity	0.1 NTU	1.5	0.8	-	-
Anions					
Chloride	1 mg/L	19	17	-	-
Fluoride	0.1 mg/L	0.6	0.6	-	-
Nitrate as N	0.1 mg/L	<0.1	<0.1	-	-
Nitrite as N	0.05 mg/L	<0.05	<0.05	-	-
Sulphate	1 mg/L	5	4	-	-
Metals					
Aluminum	0.001 mg/L	-	0.023	-	-
Antimony	0.0005 mg/L	-	<0.0005	-	-
Arsenic	0.001 mg/L	-	<0.001	-	-
Barium	0.001 mg/L	-	0.241	-	-
Boron	0.01 mg/L	-	0.31	-	-
Cadmium	0.0001 mg/L	-	<0.0001	-	-
Calcium	0.1 mg/L	6.7	6.7	-	-
Chromium	0.001 mg/L	-	<0.001	-	-
Copper	0.0005 mg/L	-	<0.0005	-	-
Iron	0.1 mg/L	<0.1	<0.1	-	-

OTTAWA - MISSISSAUGA - HAMILTON - KINGSTON - LONDON - NIAGARA - WINDSOR - RICHMOND HILL

Certificate of Analysis

Order #: 2147532

Report Date: 24-Nov-2021

Order Date: 19-Nov-2021

Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

- -
-
-
-
-
-
-
-
-
-
=
_ _ _

Report Date: 24-Nov-2021 Order Date: 19-Nov-2021

Project Description: 100812.001

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

# **Method Quality Control: Blank**

Analyte	Daardi	Reporting	11. 9	Source	0/ <b>D</b> = 0	%REC	DES	RPD	Materi
Analyte	Result	Limit	Units	Result	%REC	Limit	RPD	Limit	Notes
Anions									
Chloride	ND	1	mg/L						
Fluoride	ND	0.1	mg/L						
Nitrate as N	ND	0.1	mg/L						
Nitrite as N	ND	0.05	mg/L						
Sulphate	ND	1	mg/L						
General Inorganics									
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TČU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NTU						
Metals									
Aluminum	ND	0.001	mg/L						
Antimony	ND	0.0005	mg/L						
Arsenic	ND	0.001	mg/L						
Barium	ND	0.001	mg/L						
Boron	ND	0.01	mg/L						
Cadmium	ND	0.0001	mg/L						
Calcium	ND	0.1	mg/L						
Chromium	ND	0.001	mg/L						
Copper	ND	0.0005	mg/L						
Iron	ND	0.1	mg/L						
Lead	ND	0.0001	mg/L						
Magnesium	ND	0.2	mg/L						
Manganese	ND	0.005	mg/L						
Potassium	ND	0.1	mg/L						
Selenium	ND	0.001	mg/L						
Sodium	ND	0.2	mg/L						
Uranium	ND	0.0001	mg/L						
Zinc	ND	0.005	mg/L						
Microbiological Parameters									
E. coli	ND	1	CFU/100mL						
Fecal Coliforms	ND	1	CFU/100mL						
Total Coliforms	ND	1	CFU/100mL						



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 24-Nov-2021 Order Date: 19-Nov-2021 **Project Description: 100812.001** 

# **Method Quality Control: Duplicate**

l		Reporting		Source		%REC		RPD		
Analyte	Result	Limit	Units	Result	%REC	Limit	RPD	Limit	Notes	
Anions										
Chloride	618	5	mg/L	614			0.7	10		
Fluoride	0.16	0.1	mg/L	0.17			4.5	10		
Nitrate as N	ND	0.1	mg/L	ND			NC	10		
Nitrite as N	ND	0.05	mg/L	ND			NC	10		
Sulphate	158	1	mg/L	153			3.3	10		
General Inorganics										
Alkalinity, total	290	5	mg/L	293			1.1	14		
Ammonia as N	0.070	0.01	mg/L	0.052			NC	17.7		
Dissolved Organic Carbon	ND	0.5	mg/L	ND			NC	37		
Colour	4	2	TČU	4			0.0	12		
Colour, apparent	14	2	ACU	14			0.0	12		
Conductivity	2680	5	uS/cm	2760			2.8	5		
pH	7.0	0.1	pH Units	7.2			2.3	3.3		
Phenolics	ND	0.001	mg/L	ND			NC	10		
Total Dissolved Solids	74.0	10	mg/L	72.0			2.7	10		
Sulphide	0.29	0.02	mg/L	0.29			2.4	10		
Tannin & Lignin	0.1	0.1	mg/L	0.1			8.6	11		
Total Kjeldahl Nitrogen	0.60	0.1	mg/L	0.63			5.0	16		
Turbidity	1.6	0.1	NTU	1.5			3.9	10		
Metals										
Aluminum	0.044	0.001	mg/L	0.043			1.5	20		
Antimony	0.0008	0.0005	mg/L	ND			NC	20		
Arsenic	ND	0.001	mg/L	ND			NC	20		
Barium	0.008	0.001	mg/L	0.008			2.0	20		
Boron	0.34	0.01	mg/L	0.34			0.3	20		
Cadmium	ND	0.0001	mg/L	ND			NC	20		
Calcium	0.3	0.1	mg/L	0.3			0.0	20		
Chromium	ND	0.001	mg/L	ND			NC	20		
Copper	0.0059	0.0005	mg/L	0.0062			5.6	20		
Iron	ND	0.1	mg/L	ND			NC	20		
Lead	0.0004	0.0001	mg/L	0.0003			10.1	20		
Magnesium	ND	0.2	mg/L	ND			NC	20		
Manganese	ND	0.005	mg/L	ND			NC	20		
Potassium	0.1	0.1	mg/L	ND			NC	20		
Selenium	ND	0.001	mg/L	ND			NC	20		
Sodium	97.8	0.2	mg/L	102			4.4	20		
Uranium	ND	0.0001	mg/L	ND			NC	20		
Zinc	0.009	0.005	mg/L	ND			NC	20		
Microbiological Parameters										
E. coli	ND	1	CFU/100mL	ND			NC	30	BAC14	
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30		
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	BAC14	

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 24-Nov-2021 Order Date: 19-Nov-2021 **Project Description: 100812.001** 

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	9.71	1	mg/L	ND	97.1	85-115			
Fluoride	1.01	0.1	mg/L	0.17	84.6	79-121			
Nitrate as N	1.08	0.1	mg/L	ND	108	79-120			
Nitrite as N	1.02	0.05	mg/L	ND	102	84-117			
Sulphate	161	1	mg/L	153	85.5	74-126			
General Inorganics									
Ammonia as N	0.308	0.01	mg/L	0.052	102	81-124			
Dissolved Organic Carbon	9.5	0.5	mg/L	ND	94.5	60-133			
Phenolics	0.024	0.001	mg/L	ND	94.3	69-132			
Total Dissolved Solids	90.0	10	mg/L	ND	90.0	75-125			
Sulphide	0.77	0.02	mg/L	0.29	95.8	79-115			
Tannin & Lignin	1.0	0.1	mg/L	0.1	85.5	71-113			
Total Kjeldahl Nitrogen	2.78	0.1	mg/L	0.63	107	81-126			
Metals									
Aluminum	85.9	0.001	mg/L	43.2	85.4	80-120			
Antimony	41.4	0.0005	mg/L	0.353	82.1	80-120			
Arsenic	48.5	0.001	mg/L	0.468	96.1	80-120			
Barium	51.0	0.001	mg/L	8.29	85.5	80-120			
Boron	43.1	0.01	mg/L	ND	86.2	80-120			
Cadmium	40.3	0.0001	mg/L	0.0012	80.7	80-120			
Calcium	8370	0.1	mg/L	312	80.5	80-120			
Chromium	43.8	0.001	mg/L	0.186	87.1	80-120			
Copper	47.2	0.0005	mg/L	6.23	82.0	80-120			
Iron	2310	0.1	mg/L	41.4	90.5	80-120			
Lead	41.7	0.0001	mg/L	0.332	82.7	80-120			
Magnesium	8470	0.2	mg/L	37.0	84.3	80-120			
Manganese	43.4	0.005	mg/L	1.09	84.5	80-120			
Potassium	9220	0.1	mg/L	94.7	91.3	80-120			
Selenium	44.1	0.001	mg/L	0.069	88.1	80-120			
Sodium	8670	0.2	mg/L	ND	86.7	80-120			
Uranium	41.6	0.0001	mg/L	0.0207	83.2	80-120			
Zinc	43.8	0.005	mg/L	3.80	80.1	80-120			



Report Date: 24-Nov-2021 Order Date: 19-Nov-2021

Project Description: 100812.001

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

#### **Qualifier Notes:**

Sample Qualifiers :

1: A2C - Background counts greater than 200

QC Qualifiers :

BAC14: A2C - Background counts greater than 200

### **Sample Data Revisions**

None

### **Work Order Revisions / Comments:**

None

#### **Other Report Notes:**

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

## **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001 Custody: 15384 Report Date: 10-Feb-2022 Order Date: 2-Feb-2022

Order #: 2206260

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

 Paracel ID
 Client ID

 2206260-01
 TW22-02 3hr

 2206260-02
 TW22-02 6hr

2206260-03 TW22-02 6 hr (Filtered)

Approved By:

Mark Froto

Mark Foto, M.Sc. Lab Supervisor




Order #: 2206260

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

# **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	3-Feb-22	3-Feb-22
Ammonia, as N	EPA 351.2 - Auto Colour	3-Feb-22	3-Feb-22
Anions	EPA 300.1 - IC	2-Feb-22	2-Feb-22
Colour	SM2120 - Spectrophotometric	2-Feb-22	3-Feb-22
Colour, apparent	SM2120 - Spectrophotometric	2-Feb-22	3-Feb-22
Conductivity	EPA 9050A- probe @25 °C	3-Feb-22	3-Feb-22
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	3-Feb-22	3-Feb-22
E. coli	MOE E3407	2-Feb-22	2-Feb-22
Fecal Coliform	SM 9222D	2-Feb-22	2-Feb-22
Heterotrophic Plate Count	SM 9215C	2-Feb-22	2-Feb-22
Mercury by CVAA	EPA 245.2 - Cold Vapour AA	7 <b>-</b> Feb <b>-</b> 22	7-Feb-22
Metals, ICP-MS	EPA 200.8 - ICP-MS	3-Feb-22	3-Feb-22
pН	EPA 150.1 - pH probe @25 °C	3-Feb-22	3-Feb-22
Phenolics	EPA 420.2 - Auto Colour, 4AAP	3-Feb-22	3-Feb-22
Hardness	Hardness as CaCO3	3-Feb-22	3-Feb-22
Sulphide	SM 4500SE - Colourimetric	3-Feb-22	3-Feb-22
Tannin/Lignin	SM 5550B - Colourimetric	7-Feb-22	7-Feb-22
Total Coliform	MOE E3407	2-Feb-22	2-Feb-22
Total Dissolved Solids	SM 2540C - gravimetric, filtration	4-Feb-22	7-Feb-22
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	3-Feb-22	4-Feb-22
Turbidity	SM 2130B - Turbidity meter	3-Feb-22	3-Feb-22





Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

	Client ID:	TW22-02 3hr	TW22-02 6hr	TW22-02 6 hr (Filtered)	-
	Sample Date: Sample ID:	01-Feb-22 11:30 2206260-01	01-Feb-22 14:30 2206260-02	01-Feb-22 14:30 2206260-03	-
	MDL/Units	Drinking Water	Drinking Water	Drinking Water	-
Microbiological Parameters					
E. coli	1 CFU/100mL	ND	ND	-	-
Fecal Coliforms	1 CFU/100mL	ND	ND	-	-
Total Coliforms	1 CFU/100mL	ND	ND	-	-
Heterotrophic Plate Count	10 CFU/mL	<10	<10	-	-
General Inorganics					·
Alkalinity, total	5 mg/L	319	348	-	-
Ammonia as N	0.01 mg/L	0.29	0.30	-	-
Dissolved Organic Carbon	0.5 mg/L	1.3	0.7	-	-
Colour	2 TCU	3	3	-	-
Colour, apparent	2 ACU	24	26	-	-
Conductivity	5 uS/cm	816	855	-	-
Hardness	mg/L	10.7	12.1	-	-
рН	0.1 pH Units	9.0	8.9	-	-
Phenolics	0.001 mg/L	<0.001	<0.001	-	-
Total Dissolved Solids	10 mg/L	452	468	-	-
Sulphide	0.02 mg/L	2.78	3.08	-	-
Tannin & Lignin	0.1 mg/L	<0.1	<0.1	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.4	0.4	-	-
Turbidity	0.1 NTU	4.0	4.2	-	-
Anions			•	•	•
Chloride	1 mg/L	53	55	-	-
Fluoride	0.1 mg/L	2.7	3.3	-	-
Nitrate as N	0.1 mg/L	<0.1	<0.1	-	-
Nitrite as N	0.05 mg/L	<0.05	<0.05	-	-
Sulphate	1 mg/L	5	7	-	-
Metals			•		
Mercury	0.0001 mg/L	-	<0.0001	<0.0001	-
Aluminum	0.001 mg/L	-	0.194	0.003	-
Antimony	0.0005 mg/L	-	<0.0005	0.0012	-
Arsenic	0.001 mg/L	-	0.002	0.002	-
Barium	0.001 mg/L	-	0.184	0.169	-
Beryllium	0.0005 mg/L	-	<0.0005	<0.0005	-
Boron	0.01 mg/L	-	0.44	0.53	-
Cadmium	0.0001 mg/L	-	<0.0001	<0.0001	-



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

	Client ID:	TW22-02 3hr	TW22-02 6hr	TW22-02 6 hr	-
	Sample Date:	01-Feb-22 11:30	01-Feb-22 14:30	(Filtered) 01-Feb-22 14:30	-
	Sample ID:	2206260-01	2206260-02	2206260-03	-
	MDL/Units	Drinking Water	Drinking Water	Drinking Water	-
Calcium	0.1 mg/L	2.7	3.0	2.9	-
Chromium	0.001 mg/L	-	<0.001	<0.001	-
Cobalt	0.0005 mg/L	-	<0.0005	<0.0005	-
Copper	0.0005 mg/L	-	<0.0005	<0.0005	-
Iron	0.1 mg/L	0.2	0.2	<0.1	-
Lead	0.0001 mg/L	-	<0.0001	<0.0001	-
Magnesium	0.2 mg/L	1.0	1.1	0.9	-
Manganese	0.005 mg/L	<0.005	<0.005	<0.005	-
Molybdenum	0.0005 mg/L	-	0.0014	0.0018	-
Nickel	0.001 mg/L	-	<0.001	<0.001	-
Potassium	0.1 mg/L	2.3	2.6	2.2	-
Selenium	0.001 mg/L	-	0.001	<0.001	i
Silver	0.0001 mg/L	-	<0.0001	<0.0001	-
Sodium	0.2 mg/L	163	184	162	-
Strontium	0.01 mg/L	-	0.26	0.28	<u>-</u>
Thallium	0.001 mg/L	-	<0.001	<0.001	<u>-</u>
Tin	0.01 mg/L	-	<0.01	<0.01	-
Titanium	0.005 mg/L	-	0.008	<0.005	-
Tungsten	0.01 mg/L	-	<0.01	<0.01	-
Uranium	0.0001 mg/L	-	0.0003	0.0004	-
Vanadium	0.0005 mg/L	-	<0.0005	<0.0005	-
Zinc	0.005 mg/L	-	<0.005	<0.005	-



Order #: 2206260

Report Date: 10-Feb-2022


Order Date: 2-Feb-2022
Project Description: 100812.001

Client PO:

## **Method Quality Control: Blank**

Client: GEMTEC Consulting Engineers and Scientists Limited

A 1.	_	Reporting		Source		%REC		RPD	
Analyte	Result	Limit	Units	Result	%REC	Limit	RPD	Limit	Notes
Anions									
Chloride	ND	1	mg/L						
Fluoride	ND	0.1	mg/L						
Nitrate as N	ND	0.1	mg/L						
Nitrite as N	ND	0.05	mg/L						
Sulphate	ND	1	mg/L						
General Inorganics			J						
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TČU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NTU						
Metals	ND	0.1	1110						
Mercury	ND	0.0001	mg/L						
•	ND	0.0001							
Aluminum		0.0001	mg/L						
Antimony	ND		mg/L						
Arsenic	ND	0.001	mg/L						
Barium	ND	0.001	mg/L						
Beryllium	ND	0.0005	mg/L						
Boron	ND	0.01	mg/L						
Cadmium	ND	0.0001	mg/L						
Calcium	ND	0.1	mg/L						
Chromium	ND	0.001	mg/L						
Cobalt	ND	0.0005	mg/L						
Copper	ND	0.0005	mg/L						
Iron	ND	0.1	mg/L						
Lead	ND	0.0001	mg/L						
Magnesium	ND	0.2	mg/L						
Manganese	ND	0.005	mg/L						
Molybdenum	ND	0.0005	mg/L						
Nickel	ND	0.001	mg/L						
Potassium	ND	0.1	mg/L						
Selenium	ND	0.001	mg/L						
Silver	ND	0.0001	mg/L						
Sodium	ND	0.2	mg/L						
Strontium	ND	0.01	mg/L						
Thallium	ND	0.001	mg/L						
Tin	ND	0.01	mg/L						
Titanium	ND	0.005	mg/L						
Tungsten	ND	0.01	mg/L						
Uranium	ND	0.0001	mg/L						
Vanadium	ND	0.0005	mg/L						
Zinc	ND	0.005	mg/L						
Microbiological Parameters			-						
E. coli	ND	1	CFU/100mL						
Fecal Coliforms	ND	1	CFU/100mL						
Total Coliforms	ND	1	CFU/100mL						





Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

# **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	55.3	1	mg/L	55.2			0.2	10	
Fluoride	3.33	0.1	mg/L	3.30			0.9	10	
Nitrate as N	ND	0.1	mg/L	ND			NC	10	
Nitrite as N	ND	0.05	mg/L	ND			NC	10	
Sulphate	7.40	1	mg/L	7.40			0.1	10	
General Inorganics			9						
Alkalinity, total	315	5	mg/L	319			1.2	14	
Ammonia as N	0.301	0.01	mg/L	0.315			4.4	17.7	
Dissolved Organic Carbon	0.9	0.5	mg/L	1.3			36.1	37	
Colour	3	2	TCU	3			0.0	12	
Colour, apparent	27	2	ACU	26			3.8	12	
Conductivity	806	5	uS/cm	816			1.1	5	
pH	9.0	0.1	pH Units	9.0			0.3	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	648	10	mg/L	664			2.4	10	
Sulphide	ND	0.02	mg/L	ND			NC	10	
Tannin & Lignin	ND	0.1	mg/L	ND			NC	11	
Total Kjeldahl Nitrogen	0.34	0.1	mg/L	0.37			8.6	16	
Turbidity	4.0	0.1	NTU	4.0			0.5	10	
Metals									
Mercury	ND	0.0001	mg/L	ND			NC	20	
Aluminum	0.219	0.001	mg/L	0.291			28.5	20	QR-05
Antimony	0.0007	0.0005	mg/L	ND			NC	20	
Arsenic	0.003	0.001	mg/L	0.002			1.9	20	
Barium	0.159	0.001	mg/L	0.160			0.4	20	
Beryllium	ND	0.0005	mg/L	ND			NC	20	
Boron	0.44	0.01	mg/L	0.44			2.1	20	
Cadmium	ND	0.0001	mg/L	ND			NC	20	
Calcium	2.6	0.1	mg/L	2.7			2.9	20	
Chromium	ND	0.001	mg/L	ND			NC	20	
Cobalt	ND	0.0005	mg/L	ND			NC	20	
Copper	ND	0.0005	mg/L	ND			NC	20	
Iron	0.1	0.1	mg/L	0.2			9.0	20	
Lead	ND	0.0001	mg/L	ND			NC	20	
Magnesium	0.9	0.2	mg/L	1.0			5.9	20	
Manganese	ND	0.005	mg/L	ND			NC	20	
Molybdenum	0.0014	0.0005	mg/L	0.0015			7.7	20	
Nickel	ND	0.001	mg/L	ND			NC	20	
Potassium	2.3	0.1	mg/L	2.3			0.3	20	
Selenium	ND	0.001	mg/L	0.002			NC	20	
Silver	ND	0.0001	mg/L	ND			NC	20	
Sodium	168	0.2	mg/L	163			3.0	20	
Thallium	ND	0.001	mg/L	ND			NC	20	
Tin	ND	0.01	mg/L	ND			NC	20	
Titanium	0.008	0.005	mg/L	0.010			18.3	50	
Tungsten	ND	0.01	mg/L	ND			NC	20	
Uranium	0.0004	0.0001	mg/L	0.0005			1.9	20	
Vanadium	0.0005	0.0005	mg/L	0.0006			19.5	20	
Zinc	ND	0.005	mg/L	ND			NC	20	
Microbiological Parameters		500							
E. coli	ND	1	CFU/100mL	ND			NC	30	
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30	
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	
Heterotrophic Plate Count	ND	10	CFU/mL	ND			NC	30	
1		-							

Report Date: 10-Feb-2022

Certificate of Analysis
Client: GEMTEC Consulting Engineers and Scientists Limited

 Client:
 GEMTEC Consulting Engineers and Scientists Limited
 Order Date: 2-Feb-2022

 Client PO:
 Project Description: 100812.001

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit Notes
Anions								
Chloride	63.1	1	mg/L	55.2	79.0	77-123		
Fluoride	4.18	0.1	mg/L	3.30	87.5	79-121		
Nitrate as N	0.97	0.1	mg/L	ND	96.9	79-120		
Nitrite as N	0.835	0.05	mg/L	ND	83.5	84-117		QM-07
Sulphate	17.1	1	mg/L	7.40	97.1	74-126		
General Inorganics								
Ammonia as N	0.570	0.01	mg/L	0.315	102	81-124		
Dissolved Organic Carbon	12.4	0.5	mg/L	1.3	111	60-133		
Phenolics	0.027	0.001	mg/L	ND	110	67-133		
Total Dissolved Solids	104	10	mg/L	ND	104	75-125		
Sulphide	0.50	0.02	mg/L	ND	100	79-115		
Tannin & Lignin	1.0	0.1	mg/L	ND	96.8	71-113		
Total Kjeldahl Nitrogen	2.22	0.1	mg/L	0.37	92.3	81-126		
Metals								
Mercury	0.0033	0.0001	mg/L	ND	109	70-130		
Aluminum	44.6	0.001	mg/L	ND	89.2	80-120		
Antimony	48.8	0.0005	mg/L	0.306	97.0	80-120		
Arsenic	50.0	0.001	mg/L	2.46	95.1	80-120		
Barium	192	0.001	mg/L	160	63.8	80-120		QM-07
Beryllium	39.8	0.0005	mg/L	0.0242	79.6	80-120		QM-07
Boron	41.5	0.01	mg/L	ND	83.1	80-120		
Cadmium	44.7	0.0001	mg/L	0.0026	89.4	80-120		
Calcium	12500	0.1	mg/L	2700	97.7	80-120		
Chromium	46.1	0.001	mg/L	0.439	91.4	80-120		
Cobalt	44.8	0.0005	mg/L	0.0399	89.4	80-120		
Copper	39.6	0.0005	mg/L	0.422	78.4	80-120		QM-07
Iron	2440	0.1	mg/L	152	91.6	80-120		
Lead	39.1	0.0001	mg/L	0.0874	78.0	80-120		QM-07
Magnesium	10700	0.2	mg/L	951	97.6	80-120		
Manganese	47.0	0.005	mg/L	2.30	89.4	80-120		
Molybdenum	42.3	0.0005	mg/L	1.50	81.7	80-120		
Nickel	42.2	0.001	mg/L	0.217	84.0	80-120		
Potassium	12400	0.1	mg/L	2330	100	80-120		
Selenium	37.7	0.001	mg/L	1.94	71.6	80-120		QM-07
Silver	37.0	0.0001	mg/L	0.0945	73.7	80-120		QM-07
Sodium	9320	0.2	mg/L	ND	93.2	80-120		
Thallium	41.3	0.001	mg/L	0.016	82.5	80-120		
Tin	42.2	0.01	mg/L	0.22	84.1	80-120		
Titanium	46.8	0.005	mg/L	ND	93.6	70-130		
Tungsten	42.6	0.01	mg/L	0.55	84.1	80-120		
Uranium	42.4	0.0001	mg/L	0.454	83.9	80-120		
Vanadium	48.2	0.0005	mg/L	0.619	95.2	80-120		
Zinc	41.9	0.005	mg/L	1.96	79.8	80-120		QM-07



Report Date: 10-Feb-2022 Order Date: 2-Feb-2022

Project Description: 100812.001

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

# Qualifier Notes:

Client PO:

### Sample Qualifiers :

### QC Qualifiers :

QM-07: The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on

other acceptable QC.

QR-05: Duplicate RPDs higher than normally accepted. Remaining batch QA\QC was acceptable. May be sample

effect

QS-02: Spike level outside of control limits. Analysis batch accepted based on other QC included in the batch.

#### **Sample Data Revisions**

None

### **Work Order Revisions / Comments:**

None

### Other Report Notes:

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

## **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001 Custody: 15387 Report Date: 8-Feb-2022 Order Date: 2-Feb-2022

Order #: 2206338

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

 Paracel ID
 Client ID

 2206338-01
 PW-939

 2206338-02
 PW-1014

Approved By:

Mark Froto

Mark Foto, M.Sc. Lab Supervisor



Order #: 2206338

Report Date: 08-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

# **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	3-Feb-22	3-Feb-22
Ammonia, as N	EPA 351.2 - Auto Colour	3-Feb-22	3-Feb-22
Anions	EPA 300.1 - IC	3-Feb-22	3-Feb-22
Colour	SM2120 - Spectrophotometric	4-Feb-22	4 <b>-</b> Feb <b>-</b> 22
Colour, apparent	SM2120 - Spectrophotometric	4-Feb-22	4 <b>-</b> Feb <b>-</b> 22
Conductivity	EPA 9050A- probe @25 °C	3-Feb-22	3-Feb-22
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	3-Feb-22	3-Feb-22
E. coli	MOE E3407	3-Feb-22	3-Feb-22
Fecal Coliform	SM 9222D	3-Feb-22	3-Feb-22
Heterotrophic Plate Count	SM 9215C	3-Feb-22	3-Feb-22
Metals, ICP-MS	EPA 200.8 - ICP-MS	3-Feb-22	3-Feb-22
рН	EPA 150.1 - pH probe @25 °C	3-Feb-22	3-Feb-22
Phenolics	EPA 420.2 - Auto Colour, 4AAP	3-Feb-22	3-Feb-22
Hardness	Hardness as CaCO3	3-Feb-22	3-Feb-22
Sulphide	SM 4500SE - Colourimetric	3-Feb-22	3-Feb-22
Tannin/Lignin	SM 5550B - Colourimetric	7-Feb-22	7-Feb-22
Total Coliform	MOE E3407	3-Feb-22	3-Feb-22
Total Dissolved Solids	SM 2540C - gravimetric, filtration	4-Feb-22	7-Feb-22
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	3-Feb-22	4-Feb-22
Turbidity	SM 2130B - Turbidity meter	3-Feb-22	3-Feb-22

Report Date: 08-Feb-2022

Order Date: 2-Feb-2022
Project Description: 100812.001

#### Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited Client PO:

PW-1014 Client ID: PW-939 02-Feb-22 12:00 02-Feb-22 12:00 Sample Date: 2206338-01 2206338-02 Sample ID: **Drinking Water Drinking Water** MDL/Units **Microbiological Parameters** 1 CFU/100mL E. coli ND ND [1] 1 CFU/100mL Fecal Coliforms ND ND 1 CFU/100mL **Total Coliforms** ND ND [1] 10 CFU/mL Heterotrophic Plate Count <10 <10 **General Inorganics** 5 mg/L Alkalinity, total 172 241 0.01 mg/L Ammonia as N 0.53 0.31 Dissolved Organic Carbon 0.5 mg/L 1.1 < 0.5 2 TCU Colour 3 5 2 ACU Colour, apparent 5 13 \_ -5 uS/cm Conductivity 384 572 mg/L Hardness 39.2 6.33 0.1 pH Units рΗ 8.4 9.0 \_ 0.001 mg/L Phenolics <0.001 <0.001 10 mg/L Total Dissolved Solids \_ 208 324 0.02 mg/L Sulphide 4.61 1.12 0.1 mg/L Tannin & Lignin <0.1 < 0.1 0.1 mg/L Total Kjeldahl Nitrogen 0.6 0.3 0.1 NTU Turbidity 1.2 2.0 Anions 1 mg/L Chloride 13 39 0.1 mg/L Fluoride 0.6 1.1 0.1 mg/L Nitrate as N <0.1 <0.1 0.05 mg/L Nitrite as N < 0.05 < 0.05 \_ Sulphate 1 mg/L <1 3 Metals 0.1 mg/L Calcium 7.0 1.8 Iron 0.1 mg/L <0.1 0.2 \_ \_ 0.2 mg/L Magnesium 5.3 0.4 0.005 mg/L Manganese <0.005 < 0.005 0.1 mg/L Potassium 5.2 1.5 0.2 mg/L Sodium 64.8 124



Order #: 2206338

Report Date: 08-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client PO:

**Method Quality Control: Blank** 

Client: GEMTEC Consulting Engineers and Scientists Limited

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
	, toodit	LIIIII	Office	Nesuit	MINEO	LIIIII	NI D	LIIIII	110103
Anions									
Chloride	ND	1	mg/L						
Fluoride	ND	0.1	mg/L						
Nitrate as N	ND	0.1	mg/L						
Nitrite as N	ND	0.05	mg/L						
Sulphate	ND	1	mg/L						
General Inorganics									
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TCU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NTU						
Metals									
Calcium	ND	0.1	mg/L						
Iron	ND	0.1	mg/L						
Magnesium	ND	0.2	mg/L						
Manganese	ND	0.005	mg/L						
Potassium	ND	0.1	mg/L						
Sodium	ND	0.2	mg/L						
Microbiological Parameters			_						
E. coli	ND	1	CFU/100mL						
Fecal Coliforms	ND	1	CFU/100mL						
Total Coliforms	ND	1	CFU/100mL						
Heterotrophic Plate Count	ND	10	CFU/mL						

Report Date: 08-Feb-2022 Order Date: 2-Feb-2022

Project Description: 100812.001

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

# **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Linito	Source	9/ BEC	%REC	RPD	RPD Limit	Notes
,	i veguli	Limit	Units	Result	%REC	Limit	ילרט	Limit	INOIGS
Anions									
Chloride	38.9	1	mg/L	38.7			0.6	10	
Fluoride	1.16	0.1	mg/L	1.08			7.7	10	
Nitrate as N	ND	0.1	mg/L	ND			NC	10	
Nitrite as N	ND	0.05	mg/L	ND			NC	10	
Sulphate	3.33	1	mg/L	3.28			1.6	10	
General Inorganics									
Alkalinity, total	315	5	mg/L	319			1.2	14	
Ammonia as N	0.301	0.01	mg/L	0.315			4.4	17.7	
Dissolved Organic Carbon	0.9	0.5	mg/L	1.3			36.1	37	
Colour	3	2	TČU	3			0.0	12	
Colour, apparent	5	2	ACU	5			0.0	12	
Conductivity	806	5	uS/cm	816			1.1	5	
pH	9.0	0.1	pH Units	9.0			0.3	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	648	10	mg/L	664			2.4	10	
Sulphide	ND	0.02	mg/L	ND			NC	10	
Tannin & Lignin	ND	0.1	mg/L	ND			NC	11	
Total Kjeldahl Nitrogen	0.34	0.1	mg/L	0.37			8.6	16	
Turbidity	4.0	0.1	NTU	4.0			0.5	10	
Metals									
Calcium	2.6	0.1	mg/L	2.7			2.9	20	
Iron	0.1	0.1	mg/L	0.2			9.0	20	
Magnesium	0.9	0.2	mg/L	1.0			5.9	20	
Manganese	ND	0.005	mg/L	ND			NC	20	
Potassium	2.3	0.1	mg/L	2.3			0.3	20	
Sodium	168	0.2	mg/L	163			3.0	20	
Microbiological Parameters			-						
E. coli	ND	1	CFU/100mL	ND			NC	30	
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30	
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	
Heterotrophic Plate Count	ND	10	CFU/mL	ND			NC	30	

Order #: 2206338

Report Date: 08-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	47.9	1	mg/L	38.7	91.8	77-123			
Fluoride	1.93	0.1	mg/L	1.08	84.9	79-121			
Nitrate as N	1.09	0.1	mg/L	ND	109	79-120			
Nitrite as N	0.956	0.05	mg/L	ND	95.6	84-117			
Sulphate	13.2	1	mg/L	3.28	98.7	74-126			
General Inorganics									
Ammonia as N	0.570	0.01	mg/L	0.315	102	81-124			
Dissolved Organic Carbon	12.4	0.5	mg/L	1.3	111	60-133			
Phenolics	0.027	0.001	mg/L	ND	110	67-133			
Total Dissolved Solids	104	10	mg/L	ND	104	75-125			
Sulphide	0.50	0.02	mg/L	ND	100	79-115			
Tannin & Lignin	1.0	0.1	mg/L	ND	96.8	71-113			
Total Kjeldahl Nitrogen	2.22	0.1	mg/L	0.37	92.3	81-126			
Metals									
Calcium	12500	0.1	mg/L	2700	97.7	80-120			
Iron	2440	0.1	mg/L	152	91.6	80-120			
Magnesium	10700	0.2	mg/L	951	97.6	80-120			
Manganese	47.0	0.005	mg/L	2.30	89.4	80-120			
Potassium	12400	0.1	mg/L	2330	100	80-120			
Sodium	9320	0.2	mg/L	ND	93.2	80-120			



Client: GEMTEC Consulting Engineers and Scientists Limited

Order #: 2206338

Report Date: 08-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client PO:

**Qualifier Notes:** 

Login Qualifiers :

Certificate of Analysis

Container(s) - Labeled improperly/insufficient information - No project/sample time on bottles.

Applies to samples: PW-939, PW-1014

Sample Qualifiers :

1: A2C - Background counts greater than 200

QC Qualifiers :

**Sample Data Revisions** 

None

**Work Order Revisions / Comments:** 

None

Other Report Notes:

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

## **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001 Custody: 15383 Report Date: 10-Feb-2022 Order Date: 2-Feb-2022

Order #: 2206352

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

 Paracel ID
 Client ID

 2206352-01
 TW22-01 3hr

 2206352-02
 TW22-01 6hr

2206352-03 TW22-01 6hr (Filtered)

Approved By:

Mark Froto

Mark Foto, M.Sc. Lab Supervisor




Order #: 2206352

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

# **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	3-Feb-22	3-Feb-22
Ammonia, as N	EPA 351.2 - Auto Colour	3-Feb-22	3-Feb-22
Anions	EPA 300.1 - IC	3-Feb-22	4-Feb-22
Colour	SM2120 - Spectrophotometric	4-Feb-22	4-Feb-22
Colour, apparent	SM2120 - Spectrophotometric	4-Feb-22	4-Feb-22
Conductivity	EPA 9050A- probe @25 °C	3-Feb-22	3-Feb-22
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	3-Feb-22	3-Feb-22
E. coli	MOE E3407	3-Feb-22	3-Feb-22
Fecal Coliform	SM 9222D	3-Feb-22	3-Feb-22
Heterotrophic Plate Count	SM 9215C	3-Feb-22	3-Feb-22
Metals, ICP-MS	EPA 200.8 - ICP-MS	3-Feb-22	3-Feb-22
рН	EPA 150.1 - pH probe @25 °C	3-Feb-22	3-Feb-22
Phenolics	EPA 420.2 - Auto Colour, 4AAP	3-Feb-22	3-Feb-22
Hardness	Hardness as CaCO3	3-Feb-22	3-Feb-22
Sulphide	SM 4500SE - Colourimetric	3-Feb-22	3-Feb-22
Tannin/Lignin	SM 5550B - Colourimetric	7 <b>-</b> Feb-22	7-Feb-22
Total Coliform	MOE E3407	3-Feb-22	3-Feb-22
Total Dissolved Solids	SM 2540C - gravimetric, filtration	4-Feb-22	7-Feb-22
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	7 <b>-</b> Feb-22	8-Feb-22
Turbidity	SM 2130B - Turbidity meter	3-Feb-22	3-Feb-22





Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

	Client ID:	TW22-01 3hr	TW22-01 6hr	TW22-01 6hr	-
	Sample Date: Sample ID:	02-Feb-22 11:20 2206352-01	02-Feb-22 14:20 2206352-02	(Filtered) 02-Feb-22 14:20 2206352-03	<u>-</u>
	MDL/Units	Drinking Water	Drinking Water	Drinking Water	-
Microbiological Parameters	<u> </u>				
E. coli	1 CFU/100mL	<10 [1]	<10 [1]	-	-
Fecal Coliforms	1 CFU/100mL	<10 [1]	<10 [1]	-	-
Total Coliforms	1 CFU/100mL	<10 [1]	<10 [1]	-	-
Heterotrophic Plate Count	10 CFU/mL	10	<10	-	-
General Inorganics	•				
Alkalinity, total	5 mg/L	327	353	-	-
Ammonia as N	0.01 mg/L	0.37	0.38	-	-
Dissolved Organic Carbon	0.5 mg/L	1.5	1.5	-	-
Colour	2 TCU	9	14	-	-
Colour, apparent	2 ACU	764	1000	-	-
Conductivity	5 uS/cm	706	828	-	-
Hardness	mg/L	10.8	13.6	-	-
pH	0.1 pH Units	9.2	9.1	-	-
Phenolics	0.001 mg/L	<0.001	<0.001	-	-
Total Dissolved Solids	10 mg/L	436	472	-	-
Sulphide	0.02 mg/L	1.77	3.75	-	-
Tannin & Lignin	0.1 mg/L	0.3	0.3	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.5	0.6	-	-
Turbidity	0.1 NTU	140	190	-	-
Anions	•		-		
Chloride	1 mg/L	28	41	-	-
Fluoride	0.1 mg/L	2.6	3.0	-	-
Nitrate as N	0.1 mg/L	<0.1	<0.1	-	-
Nitrite as N	0.05 mg/L	<0.05	<0.05	-	-
Sulphate	1 mg/L	<1	1	-	-
Metals	•		•	•	
Aluminum	0.001 mg/L	=	1.59	0.282	-
Antimony	0.0005 mg/L	=	<0.0005	0.0006	-
Arsenic	0.001 mg/L	-	<0.001	<0.001	-
Barium	0.001 mg/L	-	0.277	0.142	-
Beryllium	0.0005 mg/L	-	<0.0005	<0.0005	-
Boron	0.01 mg/L	-	0.45	0.53	-
Cadmium	0.0001 mg/L	-	<0.0001	<0.0001	-
Calcium	0.1 mg/L	2.7	3.3	2.0	-



Report Date: 10-Feb-2022

Order Date: 2-Feb-2022
Project Description: 100812.001

Certificate of Analysis
Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

	Client ID:	TW22-01 3hr	TW22-01 6hr	TW22-01 6hr	-
	Sample Date: Sample ID: MDL/Units	02-Feb-22 11:20 2206352-01 Drinking Water	02-Feb-22 14:20 2206352-02 Drinking Water	(Filtered) 02-Feb-22 14:20 2206352-03 Drinking Water	- - -
Chromium	0.001 mg/L	-	<0.001	<0.001	-
Cobalt	0.0005 mg/L	-	<0.0005	<0.0005	-
Copper	0.0005 mg/L	-	<0.0005	0.0005	-
Iron	0.1 mg/L	1.3	0.9	<0.1	-
Lead	0.0001 mg/L	-	0.0005	<0.0001	-
Magnesium	0.2 mg/L	1.0	1.3	0.6	-
Manganese	0.005 mg/L	0.015	0.017	<0.005	-
Molybdenum	0.0005 mg/L	-	0.0014	0.0019	-
Nickel	0.001 mg/L	-	<0.001	<0.001	-
Potassium	0.1 mg/L	2.8	3.1	1.9	-
Selenium	0.001 mg/L	<del>-</del>	<0.001	<0.001	-
Silver	0.0001 mg/L	-	<0.0001	0.0003	-
Sodium	0.2 mg/L	160	173	146	-
Strontium	0.01 mg/L	-	0.21	0.17	-
Thallium	0.001 mg/L	<del>-</del>	<0.001	<0.001	-
Tin	0.01 mg/L	-	<0.01	<0.01	-
Titanium	0.005 mg/L	-	0.083	<0.005	-
Tungsten	0.01 mg/L	<del>-</del>	<0.01	<0.01	-
Uranium	0.0001 mg/L	<del>-</del>	0.0003	0.0002	-
Vanadium	0.0005 mg/L	<del>-</del>	0.0022	0.0005	-
Zinc	0.005 mg/L	-	0.006	<0.005	-




Order #: 2206352

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

**Method Quality Control: Blank** 

Analyte	Doordt	Reporting	119	Source	W B = 0	%REC	DDD	RPD	Not
Analyte	Result	Limit	Units	Result	%REC	Limit	RPD	Limit	Notes
Anions									
Chloride	ND	1	mg/L						
Fluoride	ND	0.1	mg/L						
Nitrate as N	ND	0.1	mg/L						
Nitrite as N	ND	0.05	mg/L						
Sulphate	ND	1	mg/L						
General Inorganics									
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TCU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NTU						
Metals									
Aluminum	ND	0.001	mg/L						
Antimony	ND	0.0005	mg/L						
Arsenic	ND	0.001	mg/L						
Barium	ND	0.001	mg/L						
Beryllium	ND	0.0005	mg/L						
Boron	ND	0.01	mg/L						
Cadmium	ND	0.0001	mg/L						
Calcium	ND	0.1	mg/L						
Chromium	ND	0.001	mg/L						
Cobalt	ND	0.0005	mg/L						
Copper	ND	0.0005	mg/L						
Iron	ND	0.1 0.0001	mg/L						
Lead Magnesium	ND ND	0.0001	mg/L mg/L						
Magnesium Manganese	ND ND	0.2							
Molybdenum	ND ND	0.005	mg/L mg/L						
Nickel	ND	0.0003	mg/L						
Potassium	ND	0.001	mg/L						
Selenium	ND	0.001	mg/L						
Silver	ND	0.0001	mg/L						
Sodium	ND	0.0001	mg/L						
Strontium	ND	0.2	mg/L						
Thallium	ND	0.001	mg/L						
Tin	ND	0.01	mg/L						
Titanium	ND	0.005	mg/L						
Tungsten	ND	0.01	mg/L						
Uranium	ND	0.0001	mg/L						
Vanadium	ND	0.0005	mg/L						
Zinc	ND	0.005	mg/L						
Microbiological Parameters			<b>3</b> · –						
E. coli	ND	1	CFU/100mL						
Fecal Coliforms	ND	1	CFU/100mL						
	140		C. C. IOUIIL						
Total Coliforms	ND	1	CFU/100mL						





Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Proje

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

**Method Quality Control: Duplicate** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	38.9	1	mg/L	38.7			0.6	10	
Fluoride	1.16	0.1	mg/L	1.08			7.7	10	
Nitrate as N	ND	0.1	mg/L	ND			NC	10	
Nitrite as N	ND	0.05	mg/L	ND			NC	10	
Sulphate	3.33	1	mg/L	3.28			1.6	10	
General Inorganics			<del>5</del> -						
Alkalinity, total	315	5	mg/L	319			1.2	14	
Ammonia as N	0.301	0.01	mg/L	0.315			4.4	17.7	
Dissolved Organic Carbon	0.9	0.5	mg/L	1.3			36.1	37	
Colour	3	2	TCU	3			0.0	12	
Colour, apparent	5	2	ACU	5			0.0	12	
Conductivity	806	5	uS/cm	816			1.1	5	
pH	9.0	0.1	pH Units	9.0			0.3	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	648	10	mg/L	664			2.4	10	
Sulphide	ND	0.02	mg/L	ND			NC	10	
Tannin & Lignin	ND	0.1	mg/L	ND			NC	11	
Total Kjeldahl Nitrogen	0.49	0.1	mg/L	0.55			11.4	16	
Turbidity	4.0	0.1	NTU	4.0			0.5	10	
Metals									
Aluminum	0.219	0.001	mg/L	0.291			28.5	20	QR-05
Antimony	0.0007	0.0005	mg/L	ND			NC	20	
Arsenic	0.003	0.001	mg/L	0.002			1.9	20	
Barium	0.159	0.001	mg/L	0.160			0.4	20	
Beryllium	ND	0.0005	mg/L	ND			NC	20	
Boron	0.44	0.01	mg/L	0.44			2.1	20	
Cadmium	ND	0.0001	mg/L	ND			NC	20	
Calcium	2.6	0.1	mg/L	2.7			2.9	20	
Chromium	ND	0.001	mg/L	ND			NC	20	
Cobalt	ND	0.0005	mg/L	ND			NC	20	
Copper	ND	0.0005	mg/L	ND			NC	20	
Iron	0.1	0.1	mg/L	0.2			9.0	20	
Lead	ND	0.0001	mg/L	ND			NC	20	
Magnesium	0.9	0.2	mg/L	1.0			5.9	20	
Manganese	ND	0.005	mg/L	ND			NC	20	
Molybdenum	0.0014	0.0005	mg/L	0.0015			7.7	20	
Nickel	ND	0.001	mg/L	ND			NC	20	
Potassium	2.3	0.1	mg/L	2.3			0.3	20	
Selenium	ND	0.001	mg/L	0.002			NC	20	
Silver	ND	0.0001	mg/L	ND			NC	20	
Sodium	168	0.2	mg/L	163			3.0	20	
Thallium	ND	0.001	mg/L	ND			NC	20	
Tin	ND	0.01	mg/L	ND			NC	20	
Titanium	0.008	0.005	mg/L	0.010			18.3	50	
Tungsten	ND	0.01	mg/L	ND			NC	20	
Uranium	0.0004	0.0001	mg/L	0.0005			1.9	20	
Vanadium	0.0005	0.0005	mg/L	0.0006			19.5	20	
Zinc	ND	0.005	mg/L	ND			NC	20	
Microbiological Parameters									
E. coli	ND	1	CFU/100mL	ND			NC	30	
Fecal Coliforms	ND	10	CFU/100mL	ND			NC	30	BAC09
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	
Heterotrophic Plate Count	ND	10	CFU/mL	10			NC	30	

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit N	lotes
Anions									
Chloride	47.9	1	mg/L	38.7	91.8	77-123			
Fluoride	1.93	0.1	mg/L	1.08	84.9	79-121			
Nitrate as N	1.09	0.1	mg/L	ND	109	79-120			
Nitrite as N	0.956	0.05	mg/L	ND	95.6	84-117			
Sulphate	13.2	1	mg/L	3.28	98.7	74-126			
General Inorganics									
Ammonia as N	0.570	0.01	mg/L	0.315	102	81-124			
Dissolved Organic Carbon	12.4	0.5	mg/L	1.3	111	60-133			
Phenolics	0.027	0.001	mg/L	ND	110	67-133			
Total Dissolved Solids	104	10	mg/L	ND	104	75-125			
Sulphide	0.50	0.02	mg/L	ND	100	79-115			
Tannin & Lignin	1.0	0.1	mg/L	ND	96.8	71-113			
Total Kjeldahl Nitrogen	2.46	0.1	mg/L	0.55	95.7	81-126			
Metals									
Aluminum	44.6	0.001	mg/L	ND	89.2	80-120			
Antimony	48.8	0.0005	mg/L	0.306	97.0	80-120			
Arsenic	50.0	0.001	mg/L	2.46	95.1	80-120			
Barium	192	0.001	mg/L	160	63.8	80-120		QM-07	,
Beryllium	39.8	0.0005	mg/L	0.0242	79.6	80-120		QM-07	,
Boron	41.5	0.01	mg/L	ND	83.1	80-120			
Cadmium	44.7	0.0001	mg/L	0.0026	89.4	80-120			
Calcium	12500	0.1	mg/L	2700	97.7	80-120			
Chromium	46.1	0.001	mg/L	0.439	91.4	80-120			
Cobalt	44.8	0.0005	mg/L	0.0399	89.4	80-120			
Copper	39.6	0.0005	mg/L	0.422	78.4	80-120		QM-07	•
Iron	2440	0.1	mg/L	152	91.6	80-120			
Lead	39.1	0.0001	mg/L	0.0874	78.0	80-120		QM-07	,
Magnesium	10700	0.2	mg/L	951	97.6	80-120			
Manganese	47.0	0.005	mg/L	2.30	89.4	80-120			
Molybdenum	42.3	0.0005	mg/L	1.50	81.7	80-120			
Nickel	42.2	0.001	mg/L	0.217	84.0	80-120			
Potassium	12400	0.1	mg/L	2330	100	80-120			
Selenium	37.7	0.001	mg/L	1.94	71.6	80-120		QM-07	,
Silver	37.0	0.0001	mg/L	0.0945	73.7	80-120		QM-07	,
Sodium	9320	0.2	mg/L	ND	93.2	80-120			
Thallium	41.3	0.001	mg/L	0.016	82.5	80-120			
Tin	42.2	0.01	mg/L	0.22	84.1	80-120			
Titanium	46.8	0.005	mg/L	ND	93.6	70-130			
Tungsten	42.6	0.01	mg/L	0.55	84.1	80-120			
Uranium	42.4	0.0001	mg/L	0.454	83.9	80-120			
Vanadium	48.2	0.0005	mg/L	0.619	95.2	80-120			
Zinc	41.9	0.005	mg/L	1.96	79.8	80-120		QM-07	,



Report Date: 10-Feb-2022 Order Date: 2-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Proj

#### **Qualifier Notes:**

Login Qualifiers :

Certificate of Analysis

Sample - Filtered and preserved by Paracel upon receipt at the laboratory -

Applies to samples: TW22-1 6hr (Filtered)

Sample Qualifiers :

1: Bacteria sample was diluted due to suspended particulate matter.

QC Qualifiers :

BAC09: Bacteria sample was diluted due to suspended particulate matter.

QM-07: The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on

other acceptable QC.

QR-05: Duplicate RPDs higher than normally accepted. Remaining batch QA\QC was acceptable. May be sample

effect.

QS-02: Spike level outside of control limits. Analysis batch accepted based on other QC included in the batch.

#### **Sample Data Revisions**

None

#### **Work Order Revisions / Comments:**

subsampled from the generals bottle

#### **Other Report Notes:**

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery. RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

## **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001 Custody: 15388 Report Date: 8-Feb-2022 Order Date: 3-Feb-2022

Order #: 2206385

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

 Paracel ID
 Client ID

 2206385-01
 MW21-01

 2206385-02
 MW21-02

Approved By:

Mark Froto

Mark Foto, M.Sc. Lab Supervisor



Report Date: 08-Feb-2022

Certificate of Analysis
Client: GEMTEC Consulting Engineers and Scientists Limited

 Client:
 GEMTEC Consulting Engineers and Scientists Limited
 Order Date: 3-Feb-2022

 Client PO:
 Project Description: 100812.001

**Analysis Summary Table** 

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Anions	EPA 300.1 - IC	4-Feb-22	4-Feb-22

OTTAWA - MISSISSAUGA - HAMILTON - KINGSTON - LONDON - NIAGARA - WINDSOR - RICHMOND HILL



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 08-Feb-2022 Order Date: 3-Feb-2022 Project Description: 100812.001

	Client ID: Sample Date:	MW21-01 03-Feb-22 08:59	MW21-02 03-Feb-22 09:40	-	-
	Sample ID:	2206385-01	2206385-02	-	-
	MDL/Units	Drinking Water	Drinking Water	-	-
Anions	•		•		-
Nitrate as N	0.1 mg/L	5.8	0.3	-	-
Nitrite as N	0.05 mg/L	<0.05	<0.05	-	-



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 08-Feb-2022 Order Date: 3-Feb-2022 Project Description: 100812.001

**Method Quality Control: Blank** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Nitrate as N Nitrite as N	ND ND	0.1 0.05	mg/L mg/L						



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 08-Feb-2022 Order Date: 3-Feb-2022 Project Description: 100812.001

# **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Nitrate as N Nitrite as N	0.21 ND	0.1 0.05	mg/L mg/L	0.21 ND			1.4 NC	10 10	



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 08-Feb-2022 Order Date: 3-Feb-2022 Project Description: 100812.001

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Nitrate as N	1.37	0.1	mg/L	0.21	116	79-120			
Nitrite as N	0.876	0.05	mg/L	ND	87.6	84-117			



Report Date: 08-Feb-2022 Order Date: 3-Feb-2022

Project Description: 100812.001

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

#### **Qualifier Notes:**

None

## **Sample Data Revisions**

None

#### **Work Order Revisions / Comments:**

None

## Other Report Notes:

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

## **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001

Custody:

Report Date: 17-Feb-2022 Order Date: 15-Feb-2022 **Order #: 2208183** 

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID Client ID

2208183-01 TW1 Comment: TW1 in this COC is identified as TW22-1 in the report

Approved By:



Mark Foto, M.Sc. Lab Supervisor



Order #: 2208183

Report Date: 17-Feb-2022 Order Date: 15-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Anions	EPA 300.1 - IC	16-Feb-22	17-Feb-22

### **Qualifier Notes:**

None

### **Sample Data Revisions**

None

## **Work Order Revisions/Comments:**

None

#### **Other Report Notes:**

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

Order #: 2208183

Report Date: 17-Feb-2022 Order Date: 15-Feb-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

## Sample Results

Fluoride				Matrix: D	rinking Water
Paracel ID	Client ID	Sample Date	Units	MDL	Result
2208183-01	TW1	14-Feb-22	mg/L	0.1	3.0

# Laboratory Internal QA/QC

		Reporting		Source		%REC		RPD	
Analyte	Result	Limit	Units	Result	%REC	Limit	RPD	Limit	Notes
Matrix Blank									
Fluoride	ND	0.1	mg/L						
Matrix Duplicate									
Fluoride	ND	0.1	mg/L	ND			NC	10	
Matrix Spike									
Fluoride	0.97	0.1	mg/L	ND	97.5	83-117			

OTTAWA - MISSISSAUGA - HAMILTON - KINGSTON - LONDON - NIAGARA - WINDSOR - RICHMOND HILL



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

#### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100817.001 Custody: 15630 Report Date: 13-Apr-2022 Order Date: 7-Apr-2022

Order #: 2215531

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID Client ID

2215531-01 TW21-03 Comment: TW21-03 in this COC is identified as TW22-3 in the report

2215531-02 PW-903

Approved By:



Dale Robertson, BSc Laboratory Director

Order #: 2215531

Report Date: 13-Apr-2022 Order Date: 7-Apr-2022 Project Description: 100817.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	8-Apr-22	8-Apr-22
Ammonia, as N	EPA 351.2 - Auto Colour	13-Apr-22	13-Apr-22
Anions	EPA 300.1 - IC	11-Apr-22	11-Apr-22
Colour	SM2120 - Spectrophotometric	8-Apr-22	8-Apr-22
Colour, apparent	SM2120 - Spectrophotometric	8-Apr-22	8-Apr-22
Conductivity	EPA 9050A- probe @25 °C	8-Apr-22	8-Apr-22
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	8-Apr-22	8-Apr-22
E. coli	MOE E3407	8-Apr-22	8-Apr-22
Fecal Coliform	SM 9222D	8-Apr-22	8-Apr-22
Metals, ICP-MS	EPA 200.8 - ICP-MS	11-Apr-22	11-Apr-22
pH	EPA 150.1 - pH probe @25 °C	8-Apr-22	8-Apr-22
Phenolics	EPA 420.2 - Auto Colour, 4AAP	12-Apr-22	12-Apr-22
Hardness	Hardness as CaCO3	11-Apr-22	11-Apr-22
Sulphide	SM 4500SE - Colourimetric	12-Apr-22	13-Apr-22
Tannin/Lignin	SM 5550B - Colourimetric	12-Apr-22	13-Apr-22
Total Coliform	MOE E3407	8-Apr-22	8-Apr-22
Total Dissolved Solids	SM 2540C - gravimetric, filtration	8-Apr-22	8-Apr-22
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	11-Apr-22	12-Apr-22
Turbidity	SM 2130B - Turbidity meter	8-Apr-22	8-Apr-22

Report Date: 13-Apr-2022



Certificate of Analysis

Iron

Magnesium

Manganese

Potassium

Sodium

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Order Date: 7-Apr-2022 Project Description: 100817.001 PW-903 Client ID: TW21-03 07-Apr-22 13:00 07-Apr-22 12:20 Sample Date: 2215531-01 2215531-02 Sample ID: **Drinking Water Drinking Water** MDL/Units **Microbiological Parameters** 1 CFU/100mL E. coli ND ND 1 CFU/100mL Fecal Coliforms ND ND 1 CFU/100mL 1 **Total Coliforms** ND General Inorganics Alkalinity, total 5 mg/L 227 224 0.01 mg/L Ammonia as N 0.31 0.47 0.5 mg/L Dissolved Organic Carbon 1.3 1.6 2 TCU Colour 7 6 2 ACU Colour, apparent 100 9 5 uS/cm Conductivity 516 462 \_ -Hardness mg/L 11.4 27.7 0.1 pH Units рΗ 9.2 8.6 0.001 mg/L Phenolics < 0.001 < 0.001 \_ Total Dissolved Solids 10 mg/L 304 250 0.02 mg/L Sulphide \_ 1.48 0.90 0.1 mg/L Tannin & Lignin <0.1 < 0.1 0.1 mg/L Total Kjeldahl Nitrogen 0.4 0.5 0.1 NTU Turbidity 18.1 0.8 \_ Anions 1 mg/L Chloride 35 18 0.1 mg/L Fluoride 1.4 0.7 0.1 mg/L Nitrate as N <0.1 <0.1 0.05 mg/L Nitrite as N <0.05 <0.05 1 mg/L Sulphate 2 3 \_ Metals Calcium 0.1 mg/L 3.3 7.5 0.1 mg/L

OTTAWA - MISSISSAUGA - HAMILTON - KINGSTON - LONDON - NIAGARA - WINDSOR - RICHMOND HILL

0.3

8.0

0.012

1.3

106

0.2 mg/L

0.005 mg/L

0.1 mg/L

0.2 mg/L

0.2

2.1

0.017

3.2

86.0

\_

\_



Order #: 2215531

Report Date: 13-Apr-2022 Order Date: 7-Apr-2022 Project Description: 100817.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

**Method Quality Control: Blank** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	ND	1	mg/L						
Fluoride	ND	0.1	mg/L						
Nitrate as N	ND	0.1	mg/L						
Nitrite as N	ND	0.05	mg/L						
Sulphate	ND	1	mg/L						
General Inorganics									
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TČU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NŤU						
Metals									
Calcium	ND	0.1	mg/L						
Iron	ND	0.1	mg/L						
Magnesium	ND	0.2	mg/L						
Manganese	ND	0.005	mg/L						
Potassium	ND	0.1	mg/L						
Sodium	ND	0.2	mg/L						
Microbiological Parameters			-						
E. coli	ND	1	CFU/100mL						
Fecal Coliforms	ND	1	CFU/100mL						
Total Coliforms	ND	1	CFU/100mL						



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Pr

Report Date: 13-Apr-2022 Order Date: 7-Apr-2022 Project Description: 100817.001

## **Method Quality Control: Duplicate**

		Reporting		Source		%REC		RPD	
Analyte	Result	Limit	Units	Result	%REC	Limit	RPD	Limit	Notes
Anions									
Chloride	34.9	1	mg/L	35.1			0.6	10	
Fluoride	1.30	0.1	mg/L	1.37			4.6	10	
Nitrate as N	ND	0.1	mg/L	ND			NC	10	
Nitrite as N	ND	0.05	mg/L	ND			NC	10	
Sulphate	1.68	1	mg/L	1.63			3.3	10	
General Inorganics									
Alkalinity, total	224	5	mg/L	227			1.1	14	
Ammonia as N	0.056	0.01	mg/L	0.053			5.3	17.7	
Dissolved Organic Carbon	0.9	0.5	mg/L	1.3			34.9	37	
Colour	7	2	TCU	7			0.0	12	
Colour, apparent	100	2	ACU	100			0.0	12	
Conductivity	524	5	uS/cm	516			1.5	5	
рН	9.2	0.1	pH Units	9.2			0.1	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	254	10	mg/L	250			1.6	10	
Sulphide	0.04	0.02	mg/L	0.04			5.4	10	
Tannin & Lignin	ND	0.1	mg/L	ND			NC	11	
Total Kjeldahl Nitrogen	0.34	0.1	mg/L	0.36			5.2	16	
Turbidity	0.3	0.1	NTU	0.3			3.3	10	
Metals									
Calcium	10.5	0.1	mg/L	10.5			0.2	20	
Iron	ND	0.1	mg/L	ND			NC	20	
Magnesium	2.6	0.2	mg/L	2.6			1.8	20	
Manganese	ND	0.005	mg/L	ND			NC	20	
Potassium	0.9	0.1	mg/L	0.9			4.1	20	
Sodium	20.7	0.2	mg/L	21.1			2.1	20	
Microbiological Parameters									
E. coli	ND	1	CFU/100mL	ND			NC	30	
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30	
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	

Order #: 2215531

Report Date: 13-Apr-2022 Order Date: 7-Apr-2022 Project Description: 100817.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	45.2	1	mg/L	35.1	101	77-123			
Fluoride	2.29	0.1	mg/L	1.37	92.0	79-121			
Nitrate as N	1.15	0.1	mg/L	ND	115	79-120			
Nitrite as N	1.05	0.05	mg/L	ND	105	84-117			
Sulphate	12.9	1	mg/L	1.63	112	74-126			
General Inorganics									
Ammonia as N	0.305	0.01	mg/L	0.053	101	81-124			
Dissolved Organic Carbon	12.6	0.5	mg/L	1.3	112	60-133			
Phenolics	0.026	0.001	mg/L	ND	103	67-133			
Total Dissolved Solids	92.0	10	mg/L	ND	92.0	75-125			
Sulphide	0.52	0.02	mg/L	0.04	96.6	79-115			
Tannin & Lignin	1.0	0.1	mg/L	ND	96.8	71-113			
Total Kjeldahl Nitrogen	2.12	0.1	mg/L	0.36	88.1	81-126			
Metals									
Calcium	18500	0.1	mg/L	10500	79.9	80-120		Q	M <b>-</b> 07
Iron	2160	0.1	mg/L	8.7	86.0	80-120			
Magnesium	11800	0.2	mg/L	2590	92.0	80-120			
Manganese	48.6	0.005	mg/L	3.94	89.3	80-120			
Potassium	10200	0.1	mg/L	872	93.6	80-120			
Sodium	8700	0.2	mg/L	ND	87.0	80-120			



Report Date: 13-Apr-2022 Order Date: 7-Apr-2022 Project Description: 100817.001

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

**Qualifier Notes:** 

Sample Qualifiers :

Certificate of Analysis

QC Qualifiers :

QM-07: The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on

other acceptable QC.

**Sample Data Revisions** 

None

**Work Order Revisions / Comments:** 

None

Other Report Notes:

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

#### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Andrius Paznekas

Client PO:

Project: 100812.001 Custody: 15431, 16849 Report Date: 5-May-2022 Order Date: 29-Apr-2022

Order #: 2218541

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

 Paracel ID
 Client ID

 2218541-02
 TW22-01 6hr

 2218541-03
 TW22-01 6hr (Filtered)


 2218541-04
 MW21-01

Comment: TW22-01 in this COC is identified as TW22-03 in report

Approved By:

Mark Foto

Mark Foto, M.Sc. Lab Supervisor





Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Proj

Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	3-May-22	3-May-22
Ammonia, as N	EPA 351.2 - Auto Colour	29-Apr-22	29-Apr-22
Anions	EPA 300.1 - IC	29-Apr-22	29-Apr-22
Colour	SM2120 - Spectrophotometric	29-Apr-22	29-Apr-22
Colour, apparent	SM2120 - Spectrophotometric	29-Apr-22	29-Apr-22
Conductivity	EPA 9050A- probe @25 °C	3-May-22	3-May-22
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	29-Apr-22	29-Apr-22
E. coli	MOE E3407	29-Apr-22	29-Apr-22
Fecal Coliform	SM 9222D	29-Apr-22	29-Apr-22
Mercury by CVAA	EPA 245.2 - Cold Vapour AA	29-Apr-22	29-Apr-22
Metals, ICP-MS	EPA 200.8 - ICP-MS	2 <b>-</b> May <b>-</b> 22	2 <b>-</b> May <b>-</b> 22
рН	EPA 150.1 - pH probe @25 °C	3-May-22	3-May-22
Phenolics	EPA 420.2 - Auto Colour, 4AAP	5 <b>-</b> May <b>-</b> 22	5-May-22
Hardness	Hardness as CaCO3	2 <b>-</b> May <b>-</b> 22	2-May-22
Sulphide	SM 4500SE - Colourimetric	29-Apr-22	29-Apr-22
Tannin/Lignin	SM 5550B - Colourimetric	29-Apr-22	29-Apr-22
Total Coliform	MOE E3407	29-Apr-22	29-Apr-22
Total Dissolved Solids	SM 2540C - gravimetric, filtration	29-Apr-22	2-May-22
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	2-May-22	2 <b>-</b> May <b>-</b> 22
Turbidity	SM 2130B - Turbidity meter	29-Apr-22	29-Apr-22



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

	Client ID:	TW22-01 6hr	TW22-01 6hr (Filtered)	MW21-01	-
	Sample Date:	28-Apr-22 15:15	28-Àpr-22 15:15	28-Apr-22 15:58	<del>-</del>
	Sample ID:	2218541-02	2218541-03	2218541-04	-
	MDL/Units	Drinking Water	Drinking Water	Drinking Water	-
Microbiological Parameters  E. coli	1 CFU/100mL	ND 141	T	ī	Г
	1 CFU/100mL	ND [1]	-	-	-
Fecal Coliforms		ND	-	-	-
Total Coliforms	1 CFU/100mL	ND [1]	-	-	-
General Inorganics	5 mg/L		Γ	ī	Г
Alkalinity, total	0.01 mg/L	218	-	-	-
Ammonia as N	<del></del>	0.34	-	-	-
Dissolved Organic Carbon	0.5 mg/L	1.8	-	-	-
Colour	2 TCU	11	-	-	-
Colour, apparent	2 ACU	289	-	-	-
Conductivity	5 uS/cm	544	-	-	-
Hardness	mg/L	15.6	-	-	-
pH	0.1 pH Units	9.2	-	-	-
Phenolics	0.001 mg/L	<0.001	-	-	-
Total Dissolved Solids	10 mg/L	306	-	-	-
Sulphide	0.02 mg/L	2.31	-	-	-
Tannin & Lignin	0.1 mg/L	1.5	-	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.4	-	-	-
Turbidity	0.1 NTU	54.6	-	-	-
Anions	•			•	
Chloride	1 mg/L	39	-	-	-
Fluoride	0.1 mg/L	1.3	-	-	-
Nitrate as N	0.1 mg/L	<0.1	-	6.6	-
Nitrite as N	0.05 mg/L	<0.05	-	<0.05	-
Sulphate	1 mg/L	2	-	-	-
Metals			•		
Mercury	0.0001 mg/L	<0.0001	<0.0001	-	-
Aluminum	0.001 mg/L	0.573	0.007	-	-
Antimony	0.0005 mg/L	<0.0005	<0.0005	-	-
Arsenic	0.001 mg/L	<0.001	<0.001	-	-
Barium	0.001 mg/L	0.044	0.027	-	-
Beryllium	0.0005 mg/L	<0.0005	<0.0005	-	-
Boron	0.01 mg/L	0.33	0.33	-	-
Cadmium	0.0001 mg/L	<0.0001	<0.0001	-	-
Calcium	0.1 mg/L	4.5	1.7	-	-
ļ	<del></del>		+	<del></del>	



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Pro

Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

	Client ID:	TW22-01 6hr	TW22-01 6hr (Filtered)	MW21-01	-
	Sample Date:	28-Apr-22 15:15 2218541-02	28-Apr-22 15:15 2218541-03	28-Apr-22 15:58 2218541-04	-
	Sample ID: MDL/Units	Drinking Water	Drinking Water	Drinking Water	- -
Chromium	0.001 mg/L	0.001	<0.001	-	-
Cobalt	0.0005 mg/L	<0.0005	<0.0005	-	-
Copper	0.0005 mg/L	<0.0005	<0.0005	-	-
Iron	0.1 mg/L	0.9	<0.1	-	-
Lead	0.0001 mg/L	0.0001	<0.0001	1	-
Magnesium	0.2 mg/L	1.1	0.5	1	-
Manganese	0.005 mg/L	0.027	<0.005	-	-
Molybdenum	0.0005 mg/L	<0.0005	<0.0005	-	-
Nickel	0.001 mg/L	<0.001	<0.001	1	-
Potassium	0.1 mg/L	1.4	1.2	-	-
Selenium	0.001 mg/L	<0.001	<0.001	-	-
Silver	0.0001 mg/L	<0.0001	<0.0001	-	-
Sodium	0.2 mg/L	98.7	97.0	1	-
Strontium	0.01 mg/L	0.12	0.11	-	-
Thallium	0.001 mg/L	<0.001	<0.001	-	-
Tin	0.01 mg/L	<0.01	<0.01	-	-
Titanium	0.005 mg/L	0.040	<0.005	-	-
Tungsten	0.01 mg/L	<0.01	<0.01	-	-
Uranium	0.0001 mg/L	<0.0001	<0.0001	-	-
Vanadium	0.0005 mg/L	0.0016	<0.0005	-	-
Zinc	0.005 mg/L	<0.005	<0.005	-	-



Order #: 2218541

Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO:

**Method Quality Control: Blank** 

Anions		Limit	Units	Result	%REC	Limit	RPD	Limit	Notes
Chloride	ND	4	pa a /1						
Fluoride	ND ND	1 0.1	mg/L mg/L						
Nitrate as N	ND ND	0.1	mg/L mg/L						
Nitrite as N	ND ND	0.1	mg/L						
Sulphate	ND ND	1	mg/L						
General Inorganics	140	•	mg/L						
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TCU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NTU						
Metals		•							
Mercury	ND	0.0001	mg/L						
Aluminum	ND	0.001	mg/L						
Antimony	ND	0.0005	mg/L						
Arsenic	ND	0.001	mg/L						
Barium	ND	0.001	mg/L						
Beryllium	ND	0.0005	mg/L						
Boron	ND	0.01	mg/L						
Cadmium	ND	0.0001	mg/L						
Calcium	ND	0.1	mg/L						
Chromium	ND	0.001	mg/L						
Cobalt	ND	0.0005	mg/L						
Copper	ND	0.0005	mg/L						
Iron	ND	0.1	mg/L						
Lead	ND	0.0001	mg/L						
Magnesium	ND	0.2	mg/L						
Manganese	ND	0.005	mg/L						
Molybdenum	ND	0.0005	mg/L						
Nickel	ND	0.001	mg/L						
Potassium	ND	0.1	mg/L						
Selenium	ND	0.001	mg/L						
Silver	ND	0.0001	mg/L						
Sodium	ND	0.2	mg/L						
Strontium	ND	0.01	mg/L						
Thallium	ND	0.001	mg/L						
Tin	ND	0.01	mg/L						
Titanium	ND	0.005	mg/L						
Tungsten	ND	0.01	mg/L						
Uranium	ND	0.0001	mg/L						
Vanadium	ND ND	0.0005	mg/L						
Zinc	ND	0.005	mg/L						
Microbiological Parameters									
E. coli	ND	1	CFU/100mL						
Fecal Coliforms	ND	1	CFU/100mL						
Total Coliforms	ND	1	CFU/100mL						



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

## **Method Quality Control: Duplicate**

Anions			Units	Result	%REC	Limit	RPD	Limit	Notes
Chloride	38.4	1	mg/L	39.0			1.6	10	
Fluoride	1.26	0.1	mg/L	1.28			1.0	10	
Nitrate as N	ND	0.1	mg/L	ND			NC	10	
Nitrite as N	ND	0.05	mg/L	ND			NC	10	
Sulphate	1.55	1	mg/L	1.55			0.2	10	
General Inorganics	1.00	•	9, ⊏					. •	
Alkalinity, total	214	5	mg/L	218			2.1	14	
Ammonia as N	0.330	0.01	mg/L	0.336			1.9	17.7	
Dissolved Organic Carbon	2.1	0.5	mg/L	1.8			11.5	37	
Colour	10	2	TČU	11			9.5	12	
Colour, apparent	288	2	ACU	289			0.3	12	
Conductivity	537	5	uS/cm	544			1.3	5	
pH	9.2	0.1	pH Units	9.2			0.2	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	602	10	mg/L	608			1.0	10	
Sulphide	2.29	0.20	mg/L	2.31			0.9	10	
Tannin & Lignin	0.7	0.1	mg/L	0.7			3.1	11	
Total Kjeldahl Nitrogen	0.32	0.1	mg/L	0.38			NC	16	
Turbidity	54.4	0.1	NTU	54.6			0.4	10	
Metals	J <del>-1.4</del>	0.1	NIO	J-1.U			0.4	10	
	ND	0.0004	mall	MD			NC	20	
Mercury	ND 0.050	0.0001	mg/L	ND 0.050			NC	20	
Antimony	0.050	0.001	mg/L	0.050			1.3	20	
Antimony	0.0008	0.0005	mg/L	0.0009			13.1	20	
Arsenic	ND	0.001	mg/L	ND			NC	20	
Barium	0.110	0.001	mg/L	0.113			2.5	20	
Beryllium	ND	0.0005	mg/L	ND			NC	20	
Boron	0.46	0.01	mg/L	0.47			2.3	20	
Cadmium	ND	0.0001	mg/L	ND			NC	20	
Calcium	9.7	0.1	mg/L	9.8			0.5	20	
Chromium	ND	0.001	mg/L	ND			NC	20	
Cobalt	ND	0.0005	mg/L	ND			NC	20	
Copper	0.0006	0.0005	mg/L	0.0006			1.4	20	
Iron	0.1	0.1	mg/L	0.1			2.9	20	
Lead	ND	0.0001	mg/L	ND			NC	20	
Magnesium	10.0	0.2	mg/L	10.3			2.2	20	
Manganese	0.010	0.005	mg/L	0.009			11.3	20	
Molybdenum	0.0011	0.0005	mg/L	0.0011			0.2	20	
Nickel	ND	0.001	mg/L	ND			NC	20	
Potassium	11.2	0.1	mg/L	11.2			0.0	20	
Selenium	ND	0.001	mg/L	ND			NC	20	
Silver	ND	0.0001	mg/L	ND			NC	20	
Sodium	240	0.2	mg/L	235			2.5	20	
Thallium	ND	0.001	mg/L	ND			NC	20	
Tin	ND	0.01	mg/L	ND			NC	20	
Titanium	ND	0.005	mg/L	ND			NC	50	
Tungsten	ND	0.01	mg/L	ND			NC	20	
Uranium	0.0002	0.0001	mg/L	0.0002			7.7	20	
Vanadium	ND	0.0005	mg/L	ND			NC	20	
Zinc	0.006	0.0005	mg/L	ND			NC	20	
Microbiological Parameters		· • =	J-=	=			-	-	
E. coli	ND	1	CFU/100mL	ND			NC	30	
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30	
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Project

Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

### **Method Quality Control: Spike**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	50.0	1	mg/L	39.0	110	77-123			
Fluoride	2.17	0.1	mg/L	1.28	89.4	79-121			
Nitrate as N	1.07	0.1	mg/L	ND	107	79-120			
Nitrite as N	0.968	0.05	mg/L	ND	96.8	84-117			
Sulphate	12.1	1	mg/L	1.55	105	74-126			
General Inorganics									
Ammonia as N	0.592	0.01	mg/L	0.336	102	81-124			
Dissolved Organic Carbon	11.9	0.5	mg/L	1.8	100	60-133			
Phenolics	0.024	0.001	mg/L	ND	97.7	67-133			
Total Dissolved Solids	106	10	mg/L	ND	106	75-125			
Sulphide	0.51	0.02	mg/L	ND	102	79-115			
Tannin & Lignin	2.6	0.1	mg/L	1.5	110	71-113			
Total Kjeldahl Nitrogen	2.20	0.1	mg/L	0.38	91.0	81-126			
Metals									
Mercury	0.0035	0.0001	mg/L	ND	115	70-130			
Aluminum	91.0	0.001	mg/L	50.3	81.2	80-120			
Antimony	35.4	0.0005	mg/L	0.872	69.1	80-120		C	QM-07
Arsenic	46.7	0.001	mg/L	0.181	93.1	80-120			
Barium	144	0.001	mg/L	113	63.1	80-120		C	QM-07
Beryllium	39.8	0.0005	mg/L	0.0271	79.6	80-120		C	QM-07
Boron	62.2	0.01	mg/L	20.2	84.0	80-120			
Cadmium	37.6	0.0001	mg/L	0.0082	75.2	80-120		C	QM-07
Calcium	17700	0.1	mg/L	9790	79.6	80-120		G	QM-07
Chromium	44.9	0.001	mg/L	0.350	89.1	80-120			
Cobalt	42.7	0.0005	mg/L	0.0941	85.1	80-120			
Copper	41.3	0.0005	mg/L	ND	82.7	80-120			
Iron	2280	0.1	mg/L	134	85.7	80-120			
Magnesium	18600	0.2	mg/L	10300	83.8	80-120			
Manganese	54.0	0.005	mg/L	8.90	90.1	80-120			
Molybdenum	42.4	0.0005	mg/L	1.13	82.5	80-120			
Nickel	40.8	0.001	mg/L	0.293	81.0	80-120			
Potassium	19900	0.1	mg/L	11200	86.5	80-120			
Selenium	45.3	0.001	mg/L	0.160	90.2	80-120			
Silver	41.3	0.0001	mg/L	0.0251	82.6	80-120			
Sodium	8560	0.2	mg/L	ND	85.6	80-120			
Thallium	41.6	0.001	mg/L	0.015	83.2	80-120			
Tin	40.3	0.01	mg/L	0.16	80.3	80-120			
Titanium	45.7	0.005	mg/L	ND	91.4	70-130			
Tungsten	42.6	0.01	mg/L	0.38	84.5	80-120			
Uranium	41.6	0.0001	mg/L	0.177	82.8	80-120			
Vanadium	46.1	0.0005	mg/L	0.233	91.7	80-120			
Zinc	42.0	0.005	mg/L	1.88	80.2	80-120			



Report Date: 05-May-2022 Order Date: 29-Apr-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Project

#### **Qualifier Notes:**

Login Qualifiers :

Certificate of Analysis

Container(s) - Labeled improperly/insufficient information - Collection time missing from chain of custody, time on bottle reads 15:58.

Applies to samples: MW21-01

Container and COC sample IDs don't match - Sample labelled as TW22-01, chain of custody reads TW22-01

6hr

Applies to samples: TW22-01 6hr, TW22-01 6hr (Filtered)

Sample Qualifiers :

1: A2C - Background counts greater than 200

QC Qualifiers:

QM-07: The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on

other acceptable QC.

#### **Sample Data Revisions**

None

#### **Work Order Revisions / Comments:**

None

#### **Other Report Notes:**

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.
RPD: Relative percent difference.

NC: Not Calculated



300 - 2319 St. Laurent Blvd Ottawa, ON, K1G 4J8 1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

#### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9 Attn: Brent Redmond

Client PO: Smith Road Project: 100812.001 Custody: 17037

Report Date: 13-Sep-2022 Order Date: 2-Sep-2022

Order #: 2236417

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID Client ID 2236417-02 TW22-04 6hr

2236417-03 TW22-04 6hr (Filtered)

Approved By:

Mark Froto

Mark Foto, M.Sc. Lab Supervisor



Client PO: Smith Road

Order #: 2236417

Report Date: 13-Sep-2022 Order Date: 2-Sep-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	6-Sep-22	6-Sep-22
Ammonia, as N	EPA 351.2 - Auto Colour	7-Sep-22	7-Sep-22
Anions	EPA 300.1 - IC	12-Sep-22	12-Sep-22
Colour	SM2120 - Spectrophotometric	2-Sep-22	2-Sep-22
Colour, apparent	SM2120 - Spectrophotometric	2-Sep-22	2-Sep-22
Conductivity	EPA 9050A- probe @25 °C	6-Sep-22	6-Sep-22
Dissolved Organic Carbon	MOE E3247B - Combustion IR, filtration	2-Sep-22	2-Sep-22
Mercury by CVAA	EPA 245.2 - Cold Vapour AA	6-Sep-22	6-Sep-22
Metals, ICP-MS	EPA 200.8 - ICP-MS	2-Sep-22	6-Sep-22
pH	EPA 150.1 - pH probe @25 °C	6-Sep-22	6-Sep-22
Phenolics	EPA 420.2 - Auto Colour, 4AAP	6-Sep-22	6-Sep-22
Hardness	Hardness as CaCO3	2-Sep-22	6-Sep-22
Sulphide	SM 4500SE - Colourimetric	2-Sep-22	2-Sep-22
Tannin/Lignin	SM 5550B - Colourimetric	2-Sep-22	6-Sep-22
Total Dissolved Solids	SM 2540C - gravimetric, filtration	2-Sep-22	6-Sep-22
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	2-Sep-22	6-Sep-22
Turbidity	SM 2130B - Turbidity meter	2-Sep-22	2-Sep-22



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 13-Sep-2022 Order Date: 2-Sep-2022 Project Description: 100812.001

	Client ID:	TW22-04 6hr	TW22-04 6hr (Filtered)	-	-
	Sample Date:	01-Sep-22 16:00	01-Sep-22 16:00	-	-
	Sample ID:	2236417-02	2236417-03	-	-
	MDL/Units	Drinking Water	Drinking Water	-	-
General Inorganics					
Alkalinity, total	5 mg/L	239	-	-	-
Ammonia as N	0.01 mg/L	0.37	-	-	-
Dissolved Organic Carbon	0.5 mg/L	1.6	-	-	-
Colour	2 TCU	29	-	-	-
Colour, apparent	2 ACU	474	-	-	-
Conductivity	5 uS/cm	481	-	-	-
Hardness	mg/L	12.6	-	-	-
рН	0.1 pH Units	8.9	-	-	-
Phenolics	0.001 mg/L	<0.001	-	-	-
Total Dissolved Solids	10 mg/L	308	-	-	-
Sulphide	0.02 mg/L	0.05	-	-	-
Tannin & Lignin	0.1 mg/L	0.2	-	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.4	-	-	-
Turbidity	0.1 NTU	93.9	-	-	-
Anions	•		•		
Chloride	1 mg/L	8 [2]	-	-	-
Fluoride	0.1 mg/L	1.3 [2]	-	-	-
Nitrate as N	0.1 mg/L	0.2 [2]	-	-	-
Nitrite as N	0.10 mg/L	<0.10 [2]	-	-	-
Sulphate	1 mg/L	<1 [2]	-	-	-
Metals					
Mercury	0.0001 mg/L	<0.0001	<0.0001	-	-
Aluminum	0.001 mg/L	0.762	0.028	-	-
Antimony	0.0005 mg/L	<0.0005	<0.0005	-	-
Arsenic	0.001 mg/L	<0.001	<0.001	-	-
Barium	0.001 mg/L	0.077	0.053	-	-
Beryllium	0.0005 mg/L	<0.0005	<0.0005	-	-
Boron	0.01 mg/L	0.44	0.46	-	-
Cadmium	0.0001 mg/L	<0.0001	<0.0001	-	-
Calcium	0.1 mg/L	3.2	1.4	-	-
Chromium	0.001 mg/L	0.001	<0.001	-	-
Cobalt	0.0005 mg/L	<0.0005	<0.0005	-	-
Copper	0.0005 mg/L	0.0009	0.0013	-	-
Iron	0.1 mg/L	1.1	<0.1	-	-

Report Date: 13-Sep-2022 Order Date: 2-Sep-2022

Project Description: 100812.001

### Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

	Client ID:	TW22-04 6hr	TW22-04 6hr (Filtered)	-	-
	Sample Date:	01-Sep-22 16:00	01-Sep-22 16:00	-	-
	Sample ID:	2236417-02	2236417-03	-	-
	MDL/Units	Drinking Water	Drinking Water	-	-
Lead	0.0001 mg/L	0.0005	<0.0001	-	-
Magnesium	0.2 mg/L	1.1	0.5	-	-
Manganese	0.005 mg/L	0.026	<0.005	-	-
Molybdenum	0.0005 mg/L	<0.0005	<0.0005	-	-
Nickel	0.001 mg/L	0.001	<0.001	-	-
Potassium	0.1 mg/L	1.6	1.4	-	-
Selenium	0.001 mg/L	<0.001	<0.001	-	-
Silver	0.0001 mg/L	<0.0001	<0.0001	-	-
Sodium	0.2 mg/L	93.9	95.8	-	-
Strontium	0.01 mg/L	0.08	0.07	-	-
Thallium	0.001 mg/L	<0.001	<0.001	-	-
Uranium	0.0001 mg/L	0.0001	<0.0001	-	-
Vanadium	0.0005 mg/L	0.0019	<0.0005	-	-
Zinc	0.005 mg/L	<0.005	<0.005	-	-



Report Date: 13-Sep-2022 Order Date: 2-Sep-2022

Project Description: 100812.001

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

## **Method Quality Control: Blank**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
General Inorganics									
Alkalinity, total	ND	5	mg/L						
Ammonia as N	ND	0.01	mg/L						
Dissolved Organic Carbon	ND	0.5	mg/L						
Colour	ND	2	TČU						
Colour, apparent	ND	2	ACU						
Conductivity	ND	5	uS/cm						
Phenolics	ND	0.001	mg/L						
Total Dissolved Solids	ND	10	mg/L						
Sulphide	ND	0.02	mg/L						
Tannin & Lignin	ND	0.1	mg/L						
Total Kjeldahl Nitrogen	ND	0.1	mg/L						
Turbidity	ND	0.1	NTU						
Metals		•							
Mercury	ND	0.0001	mg/L						
Aluminum	ND	0.001	mg/L						
Antimony	ND	0.0005	mg/L						
Arsenic	ND	0.001	mg/L						
Barium	ND	0.001	mg/L						
Beryllium	ND	0.0005	mg/L						
Boron	ND	0.01	mg/L						
Cadmium	ND	0.0001	mg/L						
Calcium	ND	0.1	mg/L						
Chromium	ND	0.001	mg/L						
Cobalt	ND	0.0005	mg/L						
Copper	ND	0.0005	mg/L						
Iron	ND	0.1	mg/L						
Lead	ND	0.0001	mg/L						
Magnesium	ND	0.2	mg/L						
Manganese	ND	0.005	mg/L						
Molybdenum	ND	0.0005	mg/L						
Nickel	ND	0.001	mg/L						
Potassium	ND	0.1	mg/L						
Selenium	ND	0.001	mg/L						
Silver	ND	0.0001	mg/L						
Sodium	ND	0.2	mg/L						
Strontium	ND	0.01	mg/L						
Thallium	ND	0.001	mg/L						
Uranium	ND	0.0001	mg/L						
Vanadium	ND	0.0005	mg/L						
Zinc	ND	0.005	mg/L						



Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road Project Description: 100812.001

Report Date: 13-Sep-2022 Order Date: 2-Sep-2022

## **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
General Inorganics									
Ammonia as N	0.023	0.01	mg/L	0.011			NC	17.7	
Dissolved Organic Carbon	2.0	0.5	mg/L	1.8			11.1	37	
Colour	29	2	TCU	29			0.0	12	
Colour, apparent	472	2	ACU	474			0.4	12	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	462	10	mg/L	468			1.3	10	
Sulphide	ND	0.02	mg/L	ND			NC	10	
Tannin & Lignin	0.2	0.1	mg/L	0.2			0.0	11	
Total Kjeldahl Nitrogen	ND	0.1	mg/L	ND			NC	16	
Turbidity	ND	0.1	NTU	ND			NC	10	
Metals									
Mercury	ND	0.0001	mg/L	ND			NC	20	
Aluminum	1.48	0.001	mg/L	0.030			192.0	20	
Antimony	0.0005	0.0005	mg/L	0.0018			109.0	20	
Arsenic	ND	0.001	mg/L	ND			NC	20	
Barium	0.062	0.001	mg/L	0.058			7.3	20	
Beryllium	ND	0.0005	mg/L	ND			NC	20	
Boron	0.41	0.01	mg/L	0.31			27.9	20	
Cadmium	ND	0.0001	mg/L	ND			NC	20	
Calcium	94.4	0.1	mg/L	46.4			68.1	20	
Chromium	0.015	0.001	mg/L	ND			NC	20	
Cobalt	0.0013	0.0005	mg/L	ND			NC	20	
Copper	0.0026	0.0005	mg/L	0.0015			52.9	20	
Iron	2.3	0.1	mg/L	ND			NC	20	
Lead	0.0004	0.0001	mg/L	0.0001			NC	20	
Magnesium	13.8	0.2	mg/L	16.3			16.4	20	
Manganese	0.044	0.005	mg/L	0.006			149.0	20	
Molybdenum	ND	0.0005	mg/L	0.0032			NC	20	
Nickel	0.011	0.001	mg/L	ND			NC	20	
Potassium	3.5	0.1	mg/L	7.4			70.0	20	
Selenium	ND	0.001	mg/L	0.001			NC	20	
Silver	ND	0.0001	mg/L	ND			NC	20	
Sodium	233	0.2	mg/L	103			77.4	20	
Thallium	ND	0.001	mg/L	ND			NC	20	
Uranium	0.0001	0.0001	mg/L	0.0009			159.0	20	
Vanadium	0.0045	0.0005	mg/L	0.0008			139.0	20	
Zinc	0.008	0.005	mg/L	ND			NC	20	

Order #: 2236417

Report Date: 13-Sep-2022 Order Date: 2-Sep-2022 Project Description: 100812.001

Client: GEMTEC Consulting Engineers and Scientists Limited
Client PO: Smith Road

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
General Inorganics									
Ammonia as N	0.279	0.01	mg/L	0.011	108	81-124			
Dissolved Organic Carbon	13.3	0.5	mg/L	1.8	115	60-133			
Phenolics	0.026	0.001	mg/L	ND	104	67-133			
Total Dissolved Solids	104	10	mg/L	ND	104	75-125			
Sulphide	0.48	0.02	mg/L	ND	96.8	79-115			
Tannin & Lignin	0.9	0.1	mg/L	ND	89.9	71-113			
Total Kjeldahl Nitrogen	1.87	0.1	mg/L	ND	93.6	81-126			
Metals									
Mercury	0.0027	0.0001	mg/L	ND	90.3	70-130			
Aluminum	51.2	0.001	mg/L	ND	102	80-120			
Arsenic	48.7	0.001	mg/L	ND	97.4	80-120			
Barium	46.8	0.001	mg/L	ND	93.7	80-120			
Beryllium	52.7	0.0005	mg/L	ND	105	80-120			
Boron	48.6	0.01	mg/L	ND	97.2	80-120			
Cadmium	48.1	0.0001	mg/L	ND	96.3	80-120			
Calcium	9360	0.1	mg/L	ND	93.6	80-120			
Chromium	50.2	0.001	mg/L	ND	100	80-120			
Cobalt	51.8	0.0005	mg/L	ND	104	80-120			
Copper	50.4	0.0005	mg/L	ND	101	80-120			
Iron	2390	0.1	mg/L	ND	95.5	80-120			
Lead	45.5	0.0001	mg/L	ND	91.0	80-120			
Magnesium	10100	0.2	mg/L	ND	101	80-120			
Manganese	49.4	0.005	mg/L	ND	98.8	80-120			
Molybdenum	43.6	0.0005	mg/L	ND	87.1	80-120			
Nickel	50.5	0.001	mg/L	ND	101	80-120			
Potassium	10200	0.1	mg/L	ND	102	80-120			
Selenium	47.0	0.001	mg/L	ND	94.1	80-120			
Silver	50.4	0.0001	mg/L	ND	101	80-120			
Sodium	10200	0.2	mg/L	ND	102	80-120			
Thallium	49.8	0.001	mg/L	ND	99.6	80-120			
Uranium	48.4	0.0001	mg/L	ND	96.8	80-120			
Vanadium	50.5	0.0005	mg/L	ND	101	80-120			
Zinc	49.4	0.005	mg/L	ND	98.8	80-120			



Report Date: 13-Sep-2022 Order Date: 2-Sep-2022

 Client:
 GEMTEC Consulting Engineers and Scientists Limited
 Order Date: 2-Sep-2022

 Client PO:
 Smith Road
 Project Description: 100812.001

#### **Qualifier Notes:**

Sample Qualifiers :

Certificate of Analysis

2: Subcontracted analysis - Eurofins Environment Testing

#### **Sample Data Revisions**

None

#### **Work Order Revisions / Comments:**

None

#### Other Report Notes:

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.
RPD: Relative percent difference.

NC: Not Calculated



1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9

Attn: Samuel Esenwa

Client PO:

Project: 100812.001

Custody: 19515

Report Date: 18-Oct-2023

Order Date: 13-Oct-2023

Order #: 2341381

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID	Client ID
2341381-01	959 Smith Road
2341381-02	900 Smith Road
2341381-03	969 Meteor Ave
2341381-04	908 Smith Ave

Approved By:

Dale Robertson, BSc



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 18-Oct-2023 Order Date: 13-Oct-2023

Client PO:

Project Description: 100812.001

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Anions	EPA 300.1 - IC	16-Oct-23	16-Oct-23
Colour	SM2120 - Spectrophotometric	13-Oct-23	14-Oct-23
Colour, apparent	SM2120 - Spectrophotometric	13-Oct-23	13-Oct-23
Metals, ICP-MS	EPA 200.8 - ICP-MS	13-Oct-23	13-Oct-23
Turbidity	SM 2130B - Turbidity meter	14-Oct-23	14-Oct-23

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 18-Oct-2023 Order Date: 13-Oct-2023

Client PO: Project Description: 100812.001

	Client ID:	959 Smith Road	900 Smith Road	969 Meteor Ave	908 Smith Ave		
	Sample Date:	13-Oct-23 09:30	13-Oct-23 10:20	13-Oct-23 11:20	13-Oct-23 12:20	-	-
	Sample ID:	2341381-01	2341381-02	2341381-03	2341381-04		
	Matrix:	Drinking Water	Drinking Water	Drinking Water	Drinking Water		
	MDL/Units						
General Inorganics			-	•	•		_
Colour, apparent	2 ACU	7	3	18	8	-	-
Colour	2 TCU	2	<2	3	<2	-	-
Turbidity	0.1 NTU	0.8	0.4	0.9	1.0	-	-
Anions	•				•	•	•
Chloride	1 mg/L	40	14	11	22	-	-
Fluoride	0.1 mg/L	0.8	0.5	0.3	0.8	-	-
Nitrate as N	0.1 mg/L	<0.1	<0.1	<0.1	<0.1	-	-
Metals						•	
Iron	0.1 mg/L	0.1	<0.1	0.4	<0.1	-	-

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 18-Oct-2023 Order Date: 13-Oct-2023

Client PO:

Project Description: 100812.001

## **Method Quality Control: Blank**

Analyte	Result	Reporting Limit	Units	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions								
Chloride	ND	1	mg/L					
Fluoride	ND	0.1	mg/L					
Nitrate as N	ND	0.1	mg/L					
General Inorganics								
Colour	ND	2	TCU					
Colour, apparent	ND	2	ACU					
Turbidity	ND	0.1	NTU					
Metals								
Iron	ND	0.1	mg/L					



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 18-Oct-2023 Order Date: 13-Oct-2023

Client PO:

Project Description: 100812.001

**Method Quality Control: Duplicate** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	39.5	1	mg/L	39.6			0.3	20	
Fluoride	0.84	0.1	mg/L	0.81			4.5	20	
Nitrate as N	ND	0.1	mg/L	ND			NC	20	
General Inorganics									
Colour	2	2	TCU	2			0.0	12	
Colour, apparent	7	2	ACU	7			0.0	12	
Turbidity	1.0	0.1	NTU	1.0			5.1	10	
Metals									
Iron	ND	0.1	mg/L	ND			NC	20	



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 18-Oct-2023 Order Date: 13-Oct-2023

Client PO:

Project Description: 100812.001

## **Method Quality Control: Spike**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions Chloride	48.1	1	mg/L	39.6	84.7	70-124			
Fluoride	1.51	0.1	mg/L	0.81	70.2	70-130			
Nitrate as N	1.10	0.1	mg/L	ND	110	77-126			
<b>Metals</b> Iron	2470	0.1	mg/L	36.4	97.2	80-120			



Client: GEMTEC Consulting Engineers and Scientists Limited

Order #: 2341381

Report Date: 18-Oct-2023

Order Date: 13-Oct-2023

Project Description: 100812.001

Certificate of Analysis

Client PO:

**Qualifier Notes:** 

#### Sample Data Revisions:

None

#### **Work Order Revisions / Comments:**

None

#### Other Report Notes:

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated

Any use of these results implies your agreement that our total liabilty in connection with this work, however arising, shall be limited to the amount paid by you for this work, and that our employees or agents shall not under any circumstances be liable to you in connection with this work.





Paracel Order Number

Chain Of Custody
Ontario Drinking Water Samples

2341381

Nº 19515

Client Name:	GEMTEC	_	Project Ref: 100812.001			l		Waterworks Name:			Samples Taken By:								
Contact Name:	0 -						Waterworks Number:			Name: SIMON MALLORY									
ddress: PO #:			,				Address:			Signature: MALLONG									
After Hours Contact: E-mail: Samue				1.esenwa@go			@90	inter ca			Page of _/ Turn Around Time Required:  1 day 2 day 3 day 2/4 day								
Telephone: 873 688 7770 Fax:				9					Public Health Unit:										
ON REG 170/03 ON REG 319/08					Source Type: G = Ground Wat				Ground	Treated; D = Distribution; P = Plumbing Water; S = Surface Water reporting as per Regulation - Y = Yes; N = No			Required Analyses						
	een submitted to MOE/MO		□ No Ø N/A							ine				iii Co					
	for human consumption?:				R/T/D/P	6/8	Y/N	N / N					Chilor 8/L	shed:					7
All Informati	on must be completed b	efore sample	s will be pro	cessed.	ype:	Type	able:	Resample				# of Containers	ined	REG :	olifor	€ ;	1 Per	. de	10
LOCA	LOCATION NAME SAMPLE ID			Sample Type: Source Type	Source Type: G / S	Reportable: Y / N	Res		DATE	E TIME		Free/Combined Chlor Residual mg/L	Standing / Flushed S / F (REG 243)	Total Coliform/E.	Fluor:	Utrate	è	torbi	
1 6959 Smith Road					R	G		NO	Oc1	13'23	9:30 AN	12				7		7. 7	1.1
2 6900 Smith Road										10:20 AN				$\neg$	7				
3 6969 Meter Ave 4 908 Smith Ave					T			1			11:20 AM				$\dashv$		. 1		
4	-	908 S	nith A	14	V	V		4		1	12:20 PM		-		$\dashv$		7		77
5		The same of the same			5.00						(2.20 17							М	4
6												$\vdash$			$\dashv$	+	+	$\vdash$	++
7												$\vdash$	-		$\dashv$	+	+	$\vdash$	++
8												$\vdash$			+	+	+	$\vdash$	++
9												$\vdash$			+	+	+	$\vdash$	++
10										- , , , ,		$\vdash$			+	+	-	-	
omments:	lour in Acu	r TCU												Method	d of Oe	DryC	20	V	Da
Relinquished By (Sign): Received By Driver/Depot:					Received at Lab:					ed at 18		1340	Verified By: Hisa I						
Relinquished By (Print): SIMON MALLOM Date/Time:					Date/Time 12/28						Date/Ti	Date/Time: Oct 13,83 ) 14:10							
Date/Time: OCT 13 'L3 (130 Temperature:					°C Temperature: 11.5 °C pH Verified: 12 By: HSAG							1539							



1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9

Attn: Andrius Paznekas

Client PO: Smith Road

Project: 100812.001

Custody: 18241

Approved By:

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Order #: 2351202

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID Client ID TW22-4 2351202-01

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 27-Dec-2023 Order Date: 20-Dec-2023

Project Description: 100812.001

## **Analysis Summary Table**

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	20-Dec-23	20-Dec-23
Ammonia, as N	EPA 351.2 - Auto Colour	21-Dec-23	21-Dec-23
Anions	EPA 300.1 - IC	20-Dec-23	20-Dec-23
Colour	SM2120 - Spectrophotometric	20-Dec-23	20-Dec-23
Colour, apparent	SM2120 - Spectrophotometric	20-Dec-23	20-Dec-23
Conductivity	EPA 9050A- probe @25 °C	20-Dec-23	20-Dec-23
Dissolved Organic Carbon	MOE 3247B - Combustion IR	22-Dec-23	22-Dec-23
E. coli	MOE E3407	20-Dec-23	20-Dec-23
Fecal Coliform	SM 9222D	20-Dec-23	20-Dec-23
Heterotrophic Plate Count	SM 9215C	20-Dec-23	20-Dec-23
Mercury by CVAA	EPA 245.2 - Cold Vapour AA	21-Dec-23	21-Dec-23
Metals, ICP-MS	EPA 200.8 - ICP-MS	21-Dec-23	21-Dec-23
рН	EPA 150.1 - pH probe @25 °C	20-Dec-23	20-Dec-23
Phenolics	EPA 420.2 - Auto Colour, 4AAP	20-Dec-23	20-Dec-23
Hardness	Hardness as CaCO3	21-Dec-23	21-Dec-23
Sulphide	SM 4500SE - Colourimetric	20-Dec-23	20-Dec-23
Tannin/Lignin	SM 5550B - Colourimetric	22-Dec-23	22-Dec-23
Total Coliform	MOE E3407	20-Dec-23	20-Dec-23
Total Dissolved Solids	SM 2540C - gravimetric, filtration	21-Dec-23	22-Dec-23
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	21-Dec-23	21-Dec-23
Turbidity	SM 2130B - Turbidity meter	20-Dec-23	20-Dec-23

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road Project Description: 100812.001

	<del>.</del>						
	Client ID:	TW22-4	-	-	-		
	Sample Date:	19-Dec-23 14:30	-	-	-	-	-
	Sample ID:	2351202-01	-	-	-		
	Matrix:	Drinking Water	-	-	-		
	MDL/Units						
Microbiological Parameters							
E. coli	1 CFU/100mL	ND	-	-	-	-	-
Total Coliforms	1 CFU/100mL	ND	-	-	-	-	-
Fecal Coliforms	1 CFU/100mL	ND	-	-	-	-	-
Heterotrophic Plate Count	10 CFU/mL	10	-	-	-	-	-
General Inorganics							
Alkalinity, total	5 mg/L	252	-	-	-	-	-
Ammonia as N	0.01 mg/L	0.36	-	-	-	-	-
Dissolved Organic Carbon	0.5 mg/L	0.8	-	-	-	-	-
Colour, apparent	2 ACU	5	-	-	-	-	-
Colour	2 TCU	2	-	-	-	-	-
Conductivity	5 uS/cm	516	•	-	-	-	-
Hardness	1 mg/L	7	-	-	-	-	-
pН	0.1 pH Units	9.4	-	-	-	-	-
Phenolics	0.001 mg/L	<0.001	-	-	-	-	-
Total Dissolved Solids	10 mg/L	268	-	-	-	-	-
Sulphide	0.02 mg/L	0.23	-	-	-	-	-
Tannin & Lignin	0.1 mg/L	<0.1	-	-	-	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.3	-	-	-	-	-
Turbidity	0.1 NTU	0.5	-	-	-	-	-
Anions	<del>'</del>	-				!	
Chloride	1 mg/L	15	-	-	-	-	-
Fluoride	0.1 mg/L	1.1	-	-	-	-	-
Nitrate as N	0.1 mg/L	<0.1	-	-	-	-	-
Nitrite as N	0.05 mg/L	<0.05	-	-	-	-	-
Sulphate	1 mg/L	<1	-	-	-	-	-
•	• •					!	<del>_</del>

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road Project Description: 100812.001

Report Date: 27-Dec-2023 Order Date: 20-Dec-2023

	-		r				
	Client ID:	TW22-4	-	-	-		
	Sample Date:	19-Dec-23 14:30	-	-	-	-	-
	Sample ID:	2351202-01	-	-	-		
	Matrix:	Drinking Water	-	-	-		
	MDL/Units						
Metals							
Mercury	0.0001 mg/L	<0.0001	-	-	-	-	-
Aluminum	0.001 mg/L	0.047	-	-	-	-	-
Antimony	0.0005 mg/L	<0.0005	-	-	-	-	-
Arsenic	0.001 mg/L	<0.001	-	-	-	-	-
Barium	0.001 mg/L	0.052	-	-	-	-	-
Beryllium	0.0005 mg/L	<0.0005	-	-	-	-	-
Boron	0.01 mg/L	0.36	-	-	-	-	-
Cadmium	0.0001 mg/L	<0.0001	-	-	-	-	-
Calcium	0.1 mg/L	1.7	-	-	-	-	-
Chromium	0.001 mg/L	<0.001	-	-	-	-	-
Cobalt	0.0005 mg/L	<0.0005	-	-	-	-	-
Copper	0.0005 mg/L	<0.0005	-	-	-	-	-
Iron	0.1 mg/L	<0.1	•	-	-	-	-
Lead	0.0001 mg/L	0.0002	-	-	-	-	-
Magnesium	0.2 mg/L	0.6	•	-	-	-	-
Manganese	0.005 mg/L	<0.005	-	-	-	-	-
Molybdenum	0.0005 mg/L	<0.0005	-	-	-	-	-
Nickel	0.001 mg/L	<0.001	-	-	-	-	-
Potassium	0.1 mg/L	1.6	-	-	-	-	-
Selenium	0.001 mg/L	<0.001	-	-	-	-	-
Silver	0.0001 mg/L	<0.0001	-	-	-	-	-
Sodium	0.2 mg/L	110	-	-	-	-	-
Strontium	0.01 mg/L	0.09	-	-	-	-	-
Thallium	0.001 mg/L	<0.001	-	-	-	-	-
Uranium	0.0001 mg/L	<0.0001	-	-	-	-	-

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 27-Dec-2023 Order Date: 20-Dec-2023

Project Description: 100812.001

Client PO: Smith Road Project

	Client ID:	TW22-4	-	-	-		
	Sample Date:	19-Dec-23 14:30	-	-	-	-	-
	Sample ID:	2351202-01	-	-	-		
	Matrix:	Drinking Water	-	-	-		
	MDL/Units	•					
Metals	-				•		
Vanadium	0.0005 mg/L	<0.0005	-	-	•	-	-
Zinc	0.005 mg/L	<0.005		-	-	-	-

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Project Description: 100812.001

## **Method Quality Control: Blank**

Analyte	Result	Reporting Limit	Units	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions								
Chloride	ND	1	mg/L					
Fluoride	ND	0.1	mg/L					
Nitrate as N	ND	0.1	mg/L					
Nitrite as N	ND	0.05	mg/L					
Sulphate	ND	1	mg/L					
General Inorganics								
Alkalinity, total	ND	5	mg/L					
Ammonia as N	ND	0.01	mg/L					
Dissolved Organic Carbon	ND	0.5	mg/L					
Colour	ND	2	TCU					
Colour, apparent	ND	2	ACU					
Conductivity	ND	5	uS/cm					
Phenolics	ND	0.001	mg/L					
Total Dissolved Solids	ND	10	mg/L					
Sulphide	ND	0.02	mg/L					
Tannin & Lignin	ND	0.1	mg/L					
Total Kjeldahl Nitrogen	ND	0.1	mg/L					
Turbidity	ND	0.1	NTU					
Metals								
Mercury	ND	0.0001	mg/L					
Aluminum	ND	0.001	mg/L					
Arsenic	ND	0.001	mg/L					
Barium	ND	0.001	mg/L					
Beryllium	ND	0.0005	mg/L					
Boron	ND	0.01	mg/L					
Cadmium	ND	0.0001	mg/L					
Calcium	ND	0.1	mg/L					
Chromium	ND	0.001	mg/L					
Cobalt	ND	0.0005	mg/L					
Copper	ND	0.0005	mg/L					
Iron	ND	0.1	mg/L					
Lead	ND	0.0001	mg/L					

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road Project Description: 100812.001

**Method Quality Control: Blank** 

Analyte	Result	Reporting Limit	Units	%REC	%REC Limit	RPD	RPD Limit	Notes
Magnesium	ND	0.2	mg/L					
Manganese	ND	0.005	mg/L					
Molybdenum	ND	0.0005	mg/L					
Nickel	ND	0.001	mg/L					
Potassium	ND	0.1	mg/L					
Selenium	ND	0.001	mg/L					
Silver	ND	0.0001	mg/L					
Sodium	ND	0.2	mg/L					
Strontium	ND	0.01	mg/L					
Thallium	ND	0.001	mg/L					
Uranium	ND	0.0001	mg/L					
Vanadium	ND	0.0005	mg/L					
Zinc	ND	0.005	mg/L					
Microbiological Parameters								
E. coli	ND	1	CFU/100mL					
Total Coliforms	ND	1	CFU/100mL					
Fecal Coliforms	ND	1	CFU/100mL					
Heterotrophic Plate Count	ND	10	CFU/mL					

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Project Description: 100812.001

## **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	6.10	1	mg/L	5.97			2.3	20	
Fluoride	0.59	0.1	mg/L	0.59			0.4	20	
Nitrate as N	0.18	0.1	mg/L	0.19			1.9	20	
Nitrite as N	ND	0.05	mg/L	ND			NC	20	
Sulphate	27.3	1	mg/L	27.0			0.8	20	
General Inorganics									
Alkalinity, total	281	5	mg/L	282			0.4	14	
Ammonia as N	0.354	0.01	mg/L	0.362			2.1	17.7	
Dissolved Organic Carbon	0.9	0.5	mg/L	1.6			51.4	37	QR-07
Colour	2	2	TCU	2			0.0	12	
Colour, apparent	5	2	ACU	5			0.0	12	
Conductivity	657	5	uS/cm	668			1.7	5	
pH	7.8	0.1	pH Units	7.8			0.5	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	52.0	10	mg/L	56.0			7.4	10	
Sulphide	ND	0.02	mg/L	ND			NC	10	
Tannin & Lignin	ND	0.1	mg/L	ND			NC	11	
Total Kjeldahl Nitrogen	0.24	0.1	mg/L	0.27			10.3	16	
Turbidity	0.5	0.1	NTU	0.5			0.0	10	
Metals									
Mercury	ND	0.0001	mg/L	ND			NC	20	
Aluminum	0.146	0.001	mg/L	0.145			0.7	20	
Antimony	ND	0.0005	mg/L	ND			NC	20	
Arsenic	0.009	0.001	mg/L	0.009			8.0	20	
Barium	0.082	0.001	mg/L	0.084			2.7	20	
Beryllium	ND	0.0005	mg/L	ND			NC	20	
Boron	0.02	0.01	mg/L	0.03			1.9	20	
Cadmium	0.0015	0.0001	mg/L	0.0014			2.5	20	
Calcium	194	0.1	mg/L	195			0.2	20	
Chromium	0.004	0.001	mg/L	0.004			1.7	20	



Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Project Description: 100812.001

## **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Cobalt	ND	0.0005	mg/L	ND			NC	20	
Copper	0.0685	0.0005	mg/L	0.0692			1.1	20	
Iron	9.0	0.1	mg/L	9.1			1.6	20	
Lead	0.142	0.0001	mg/L	0.141			0.5	20	
Magnesium	86.0	0.2	mg/L	87.3			1.4	20	
Manganese	0.191	0.005	mg/L	0.194			1.5	20	
Molybdenum	0.0011	0.0005	mg/L	0.0011			0.6	20	
Nickel	0.001	0.001	mg/L	0.001			1.6	20	
Potassium	6.3	0.1	mg/L	6.7			5.8	20	
Selenium	ND	0.001	mg/L	ND			NC	20	
Silver	ND	0.0001	mg/L	ND			NC	20	
Sodium	92.9	0.2	mg/L	94.9			2.1	20	
Thallium	ND	0.001	mg/L	ND			NC	20	
Uranium	0.0015	0.0001	mg/L	0.0015			1.3	20	
Vanadium	ND	0.0005	mg/L	ND			NC	20	
Zinc	0.727	0.005	mg/L	0.746			2.6	20	
Microbiological Parameters									
E. coli	ND	1	CFU/100mL	ND			NC	30	
Total Coliforms	ND	1	CFU/100mL	ND			NC	30	
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30	
Heterotrophic Plate Count	ND	10	CFU/mL	10			NC	30	

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Project Description: 100812.001

#### **Method Quality Control: Spike**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	16.3	1	mg/L	5.97	103	70-124			
Fluoride	1.54	0.1	mg/L	0.59	94.7	70-130			
Nitrate as N	1.28	0.1	mg/L	0.19	109	77-126			
Nitrite as N	0.922	0.05	mg/L	ND	92.2	82-115			
Sulphate	36.9	1	mg/L	27.0	98.3	70-130			
General Inorganics									
Ammonia as N	1.34	0.01	mg/L	0.362	97.5	81-124			
Dissolved Organic Carbon	10.2	0.5	mg/L	0.9	93.3	60-133			
Phenolics	0.026	0.001	mg/L	ND	106	67-133			
Total Dissolved Solids	80.0	10	mg/L	ND	80.0	75-125			
Sulphide	0.45	0.02	mg/L	ND	89.2	79-115			
Гаnnin & Lignin	1.0	0.1	mg/L	ND	101	71-113			
otal Kjeldahl Nitrogen	1.18	0.1	mg/L	0.27	90.9	81-126			
/letals									
Mercury	0.0026	0.0001	mg/L	ND	86.1	70-130			
Aluminum	180	0.001	mg/L	145	71.0	80-120			QM-07
Arsenic	56.2	0.001	mg/L	9.13	94.1	80-120			
Barium	120	0.001	mg/L	84.3	71.8	80-120			QM-07
Beryllium	50.9	0.0005	mg/L	0.0216	102	80-120			
Boron	61.7	0.01	mg/L	25.2	73.0	80-120			QM-07
Cadmium	42.5	0.0001	mg/L	1.43	82.1	80-120			
Calcium	9130	0.1	mg/L	ND	91.3	80-120			
Chromium	54.5	0.001	mg/L	3.56	102	80-120			
Cobalt	50.2	0.0005	mg/L	0.0279	100	80-120			
Copper	111	0.0005	mg/L	69.2	82.6	80-120			
ron	10700	0.1	mg/L	9100	65.5	80-120			QM-07
_ead	38.5	0.0001	mg/L	ND	77.0	80-120			QS-02
Magnesium	8930	0.2	mg/L	ND	89.3	80-120			
Manganese	230	0.005	mg/L	194	72.7	80-120			QM-07
Molybdenum	47.3	0.0005	mg/L	1.07	92.4	80-120			

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Smith Road

Report Date: 27-Dec-2023

Order Date: 20-Dec-2023

Project Description: 100812.001

# **Method Quality Control: Spike**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Nickel	50.8	0.001	mg/L	1.01	99.7	80-120			
Potassium	16400	0.1	mg/L	6710	96.5	80-120			
Selenium	45.7	0.001	mg/L	0.522	90.4	80-120			
Silver	48.9	0.0001	mg/L	0.0128	97.8	80-120			
Sodium	8960	0.2	mg/L	ND	89.6	80-120			
Thallium	47.5	0.001	mg/L	0.018	95.0	80-120			
Uranium	43.4	0.0001	mg/L	1.52	83.8	80-120			
Vanadium	53.4	0.0005	mg/L	0.200	106	80-120			
Zinc	42.7	0.005	mg/L	ND	85.4	80-120			



Certificate of Analysis

Client PO: Smith Road

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 27-Dec-2023 Order Date: 20-Dec-2023

Project Description: 100812.001

**Qualifier Notes:** 

Sample Qualifiers : QC Qualifiers:

QM-07

The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on other acceptable QC.

QR-07 I

Duplicate result exceeds RPD limits due to non-homogeneity between multiple sample vials. Remainder of QA/QC is acceptable.

QS-02

Spike level outside of control limits. Analysis batch accepted based on other QC included in the batch.

**Sample Data Revisions:** 

None

**Work Order Revisions / Comments:** 

Other Report Notes:

n/a: not applicable

ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated

Any use of these results implies your agreement that our total liabilty in connection with this work, however arising, shall be limited to the amount paid by you for this work, and that our employees or agents shall not under any circumstances be liable to you in connection with this work.





nt Blvd. IG 4J8

labs.com

3321305

Paracel Order Number

**Chain Of Custody** Ontario Drinking Water Samples

No 18241

					/***			
Client Name:	Contro	Project Ref:	1008	512:001/ Smith	Waterworks Name:			Samples Taken By:
Contact Name:		Quote #:			Waterworks Number:		Name:	Samuel Ssenus
Address:	7,7,7,0	PO#:			Address:		Signature:	63
After Hours Contact:		E-mail:	Prdi	rius · Pazneka	@genter	· (a		Page of Turn Around Time Required:
Telephone:		Fax:			Public Health Unit:			1 day □ 2 day □ 3 day 🕒 4 day
Samples Submitted	Under: (Indicate ONLY one)			Sample Type: R = Raw ; T =	Treated; D = Distrib	oution; P = Plumbing		Paguired Analyses

Address:					PO #:		Address:								Signatu	Signature:						
After Hou	urs Contact:				E-mail:	MA	Produis Parnelle @ genter la											round		Requ		
Telephon	e:				Fax:		Public Health Unit:									□1day □2day □3day ☑4day						day
			ndicate ONLY on				1				aw;T = Treated; D =		mbing					Requ	ired	Anal	yses	
	REG 170/0 REG 243/0		N REG 319/08 ther	Private W	ell 69/0	3		,			Ground Water; S = Su s AWQI reporting as p		es; N =	No						Bay		T
Have LSN	N forms bee	n submit	ted to MOE/MOH	ILTC?: 🗆 Yes	□ No □-N/A		/b							rine	ë	Coli				2	7	- :<
			consumption?:	CONTRACTOR OF THE PERSON OF TH			R/T/D/P	6/5	N / N		SAMPLE C	COLLECTED	ners	š \$	243)	J/w.		ъ	-	F	7	
All i	nformatio	n must l	e completed b	efore sample	s will be pro	cessed.	seq. (ce Type: R/ ortable: Y					,	ntail	ined all m	/Flt	olifor	HPC	Lead	THM	2	. 7	B
	LOCA'	TION NA	ME		SAMPLE ID		Sample Type:	Source Type: G / S	Reportable: Y /	Resa	DATE	TIME	# of Containers	Free/Combined Chlor Residual mg/L	Standing / Flushed: S / F (REG 243)	Total Coliform/E.				Z Z	iuce	Bac
1				142	2-4		R	4	14	/	19-12-23	14:30	11							X	4	
2													$\sqcup$								_	_
3																					_	
4																					-	$\dashv$
5			-										$\sqcup$								_	
6													$\perp$									
7														~	_						_	_
8																					_	$\dashv$
9																					_	$\dashv$
10									L,								11122		N	Ш		
Comment		Ch-36	in Ha	4 50	v:	Heck	20 K	Ins	195	mith	ed Sample) metals s				Metho	od of D	Peliper	æ	W	1	ue	pB
Relinquish	hed By (Sign)	210	10 11(4	,	Receive Driver/	ed By	8	to	7	5,	8.30 Receive	ed at SO			Verifie		Sc	)				7 -
Relinquish	hed By (Print	111	Senu	9	Date/Ti	ime:	2	@	20	06	B AU Date/TI	ime: Dec201202	3 11	15cm	Date/	De	eci	20,	20	23	11.6	Rocum
Date/Time	e: 19.	- (7.	2023;	19:00	7) Tempe	rature:	10	) °			°C Tempe	rature: 5. §		°c	pH Ve	rified:	Ø	Ву:	50			

Chain of Custody (Drinking Water).xlsx



1-800-749-1947 www.paracellabs.com

# Certificate of Analysis

### **GEMTEC Consulting Engineers and Scientists Limited**

32 Steacie Drive Kanata, ON K2K 2A9

Attn: Andrius Paznekas

Client PO:

Project: 100812.001

Custody: 19566

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Order #: 2404291

This Certificate of Analysis contains analytical data applicable to the following samples as submitted:

Paracel ID Client ID

2404291-01 Tw24-4 Identified as TW24-5 and TW24-5 (Filtered) in the summary table

2404291-02 TW24-4 (Filtered)

Approved By:

Mark Froto

Mark Foto, M.Sc.

Lab Supervisor

Certificate of Analysis

Order #: 2404291

Report Date: 30-Jan-2024

Client: GEMTEC Consulting Engineers and Scientists Limited

Order Date: 24-Jan-2024

Project Description: 100812.001

Client PO:

**Analysis Summary Table** 

Analysis	Method Reference/Description	Extraction Date	Analysis Date
Alkalinity, total to pH 4.5	EPA 310.1 - Titration to pH 4.5	25-Jan-24	25-Jan-24
Ammonia, as N	EPA 351.2 - Auto Colour	29-Jan-24	29-Jan-24
Anions	EPA 300.1 - IC	25-Jan-24	25-Jan-24
Colour	SM2120 - Spectrophotometric	25-Jan-24	25-Jan-24
Colour, apparent	SM2120 - Spectrophotometric	25-Jan-24	25-Jan-24
Conductivity	EPA 9050A- probe @25 °C	25-Jan-24	25-Jan-24
Dissolved Organic Carbon	MOE 3247B - Combustion IR	30-Jan-24	30-Jan-24
E. coli	MOE E3407	25-Jan-24	25-Jan-24
Fecal Coliform	SM 9222D	25-Jan-24	25-Jan-24
Heterotrophic Plate Count	SM 9215C	25-Jan-24	25-Jan-24
Mercury by CVAA	EPA 245.2 - Cold Vapour AA	26-Jan-24	26-Jan-24
Metals, ICP-MS	EPA 200.8 - ICP-MS	26-Jan-24	26-Jan-24
pH	EPA 150.1 - pH probe @25 °C	25-Jan-24	25-Jan-24
Phenolics	EPA 420.2 - Auto Colour, 4AAP	29-Jan-24	29-Jan-24
Hardness	Hardness as CaCO3	26-Jan-24	26-Jan-24
Sulphide	SM 4500SE - Colourimetric	25-Jan-24	25-Jan-24
Tannin/Lignin	SM 5550B - Colourimetric	25-Jan-24	25-Jan-24
Total Coliform	MOE E3407	25-Jan-24	25-Jan-24
Total Dissolved Solids	SM 2540C - gravimetric, filtration	25-Jan-24	26-Jan-24
Total Kjeldahl Nitrogen	EPA 351.2 - Auto Colour, digestion	25-Jan-24	25-Jan-24
Turbidity	SM 2130B - Turbidity meter	25-Jan-24	25-Jan-24

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Project Description: 100812.001

	Client ID:	TW24-4	TW24-4 (Filtered)	-	-		
	Sample Date:	24-Jan-24 14:25	24-Jan-24 14:25	-	-	-	-
	Sample ID:	2404291-01	2404291-02	-	-		
	Matrix:	Drinking Water	Drinking Water	-	-		
	MDL/Units						
Microbiological Parameters					•		•
E. coli	1 CFU/100mL	ND	-	-	-	-	-
Total Coliforms	1 CFU/100mL	1	-	-	-	-	-
Fecal Coliforms	1 CFU/100mL	ND	-	-	-	-	-
Heterotrophic Plate Count	10 CFU/mL	<10	-	-	-	-	-
General Inorganics			•				•
Alkalinity, total	5 mg/L	189	-	-	-	-	-
Ammonia as N	0.01 mg/L	0.45	-	-	-	-	-
Dissolved Organic Carbon	0.5 mg/L	1.7	-	-	-	-	-
Colour, apparent	2 ACU	12	-	-	-	-	-
Colour	2 TCU	2	-	-	-	-	-
Conductivity	5 uS/cm	480	-	-	-	-	-
Hardness	1 mg/L	31.7	-	-	-	-	-
рН	0.1 pH Units	8.8	-	-	-	-	-
Phenolics	0.001 mg/L	<0.001	-	-	-	-	-
Total Dissolved Solids	10 mg/L	248	-	-	-	-	-
Sulphide	0.02 mg/L	2.34	-	-	-	-	-
Tannin & Lignin	0.1 mg/L	0.4	-	-	-	-	-
Total Kjeldahl Nitrogen	0.1 mg/L	0.4	-	-	-	-	-
Turbidity	0.1 NTU	1.4	-	-	-	-	-
Anions	•					•	
Chloride	1 mg/L	29	-	-	-	-	-
Fluoride	0.1 mg/L	0.8	-	-	-	-	-
Nitrate as N	0.1 mg/L	<0.1	-	-	-	-	-
Nitrite as N	0.05 mg/L	<0.05	-	-	-	-	-
Sulphate	1 mg/L	8	-	-	-	-	-

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO: Project Description: 100812.001

	Client ID:	TW24-4	TW24-4 (Filtered)		_		
	Sample Date:	24-Jan-24 14:25	24-Jan-24 14:25	_	_	_	_
	Sample ID:	2404291-01	2404291-02	_	_		
	Matrix:	Drinking Water	Drinking Water	-	-		
	MDL/Units		-				
Metals	-		<u> </u>	!	!		-
Mercury	0.0001 mg/L	<0.0001	<0.0001	-	-	-	-
Aluminum	0.001 mg/L	0.050	0.023	-	-	-	-
Antimony	0.0005 mg/L	<0.0005	<0.0005	-	-	-	-
Arsenic	0.001 mg/L	<0.001	<0.001	-	-	-	-
Barium	0.001 mg/L	0.151	0.137	-	-	-	-
Beryllium	0.0005 mg/L	<0.0005	<0.0005	-	-	-	-
Boron	0.01 mg/L	0.27	0.24	-	-	-	-
Cadmium	0.0001 mg/L	<0.0001	<0.0001	-	-	-	-
Calcium	0.1 mg/L	8.2	7.4	-	-	-	-
Chromium	0.001 mg/L	<0.001	<0.001	-	-	-	-
Cobalt	0.0005 mg/L	<0.0005	<0.0005	-	-	-	-
Copper	0.0005 mg/L	<0.0005	<0.0005	-	-	-	-
Iron	0.1 mg/L	<0.1	<0.1	-	-	-	-
Lead	0.0001 mg/L	<0.0001	<0.0001	-	-	-	-
Magnesium	0.2 mg/L	2.8	2.7	-	-	-	-
Manganese	0.005 mg/L	<0.005	<0.005	-	-	-	-
Molybdenum	0.0005 mg/L	0.0005	<0.0005	-	-	-	-
Nickel	0.001 mg/L	<0.001	<0.001	-	-	-	-
Potassium	0.1 mg/L	3.3	3.3	-	-	-	-
Selenium	0.001 mg/L	<0.001	<0.001	-	-	-	-
Silver	0.0001 mg/L	<0.0001	<0.0001	-	-	-	-
Sodium	0.2 mg/L	85.5	85.4	-	-	-	-
Strontium	0.01 mg/L	0.45	0.41	-	-	-	-
Thallium	0.001 mg/L	<0.001	<0.001	-	-	-	-
Uranium	0.0001 mg/L	<0.0001	<0.0001	-	-	-	-

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 30-Jan-2024 Order Date: 24-Jan-2024

Client PO:

Project Description: 100812.001

	Client ID:	TW24-4	TW24-4 (Filtered)	-	-		
	Sample Date:		24-Jan-24 14:25	-	-	-	-
	Sample ID:	2404291-01	2404291-02	-	-		
	Matrix:	Drinking Water	Drinking Water	-	-		
	MDL/Units	•					
Metals					•		
Vanadium	0.0005 mg/L	<0.0005	<0.0005	-	-	-	-
Zinc	0.005 mg/L	<0.005	<0.005	-	-	-	-

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Order Date: 24-Jan-2024

Project Description: 100812.001

Report Date: 30-Jan-2024

Client PO:

**Method Quality Control: Blank** 

Analyte	Result	Reporting Limit	Units	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions								
Chloride	ND	1	mg/L					
Fluoride	ND	0.1	mg/L					
Nitrate as N	ND	0.1	mg/L					
Nitrite as N	ND	0.05	mg/L					
Sulphate	ND	1	mg/L					
General Inorganics								
Alkalinity, total	ND	5	mg/L					
Ammonia as N	ND	0.01	mg/L					
Dissolved Organic Carbon	ND	0.5	mg/L					
Colour	ND	2	TCU					
Colour, apparent	ND	2	ACU					
Conductivity	ND	5	uS/cm					
Phenolics	ND	0.001	mg/L					
Total Dissolved Solids	ND	10	mg/L					
Sulphide	ND	0.02	mg/L					
Tannin & Lignin	ND	0.1	mg/L					
Total Kjeldahl Nitrogen	ND	0.1	mg/L					
Turbidity	ND	0.1	NTU					
Metals								
Mercury	ND	0.0001	mg/L					
Aluminum	ND	0.001	mg/L					
Antimony	ND	0.0005	mg/L					
Arsenic	ND	0.001	mg/L					
Barium	ND	0.001	mg/L					
Beryllium	ND	0.0005	mg/L					
Boron	ND	0.01	mg/L					
Cadmium	ND	0.0001	mg/L					
Calcium	ND	0.1	mg/L					
Chromium	ND	0.001	mg/L					
Cobalt	ND	0.0005	mg/L					
Copper	ND	0.0005	mg/L					
Iron	ND	0.1	mg/L					

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

J J

Client PO:

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Project Description: 100812.001

# **Method Quality Control: Blank**

Analyte	Result	Reporting Limit	Units	%REC	%REC Limit	RPD	RPD Limit	Notes
Lead	ND	0.0001	mg/L					
Magnesium	ND	0.2	mg/L					
Manganese	ND	0.005	mg/L					
Molybdenum	ND	0.0005	mg/L					
Nickel	ND	0.001	mg/L					
Potassium	ND	0.1	mg/L					
Selenium	ND	0.001	mg/L					
Silver	ND	0.0001	mg/L					
Sodium	ND	0.2	mg/L					
Strontium	ND	0.01	mg/L					
Thallium	ND	0.001	mg/L					
Uranium	ND	0.0001	mg/L					
Vanadium	ND	0.0005	mg/L					
Zinc	ND	0.005	mg/L					
Microbiological Parameters								
E. coli	ND	1	CFU/100mL					
Total Coliforms	ND	1	CFU/100mL					
Fecal Coliforms	ND	1	CFU/100mL					
Heterotrophic Plate Count	ND	10	CFU/mL					

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Project Description: 100812.001

### **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	5.73	1	mg/L	5.81			1.4	20	
Fluoride	0.72	0.1	mg/L	0.73			1.7	20	
Nitrate as N	0.21	0.1	mg/L	0.21			0.2	20	
Nitrite as N	ND	0.05	mg/L	ND			NC	20	
Sulphate	28.9	1	mg/L	28.8			0.4	20	
General Inorganics									
Alkalinity, total	322	5	mg/L	326			1.1	14	
Ammonia as N	0.234	0.01	mg/L	0.232			1.0	17.7	
Dissolved Organic Carbon	1.3	0.5	mg/L	1.3			1.2	37	
Colour	2	2	TCU	2			0.0	12	
Colour, apparent	42	2	ACU	41			2.4	12	
Conductivity	1220	5	uS/cm	1200			2.0	5	
pH	7.7	0.1	pH Units	7.7			0.1	3.3	
Phenolics	ND	0.001	mg/L	ND			NC	10	
Total Dissolved Solids	64.0	10	mg/L	66.0			3.1	10	
Sulphide	0.31	0.02	mg/L	0.32			3.1	10	
Tannin & Lignin	ND	0.1	mg/L	ND			NC	11	
Total Kjeldahl Nitrogen	0.15	0.1	mg/L	0.14			7.6	16	
Turbidity	7.0	0.1	NTU	7.2			1.7	10	
Metals									
Mercury	ND	0.0001	mg/L	ND			NC	20	
Aluminum	0.001	0.001	mg/L	0.001			0.9	20	
Antimony	ND	0.0005	mg/L	ND			NC	20	
Arsenic	ND	0.001	mg/L	ND			NC	20	
Barium	0.124	0.001	mg/L	0.118			5.1	20	
Beryllium	ND	0.0005	mg/L	ND			NC	20	
Boron	0.02	0.01	mg/L	0.02			0.4	20	
Cadmium	ND	0.0001	mg/L	ND			NC	20	
Calcium	106	0.1	mg/L	106			0.1	20	
Chromium	ND	0.001	mg/L	ND			NC	20	

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Client PO:

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Project Description: 100812.001

# **Method Quality Control: Duplicate**

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Cobalt	ND	0.0005	mg/L	ND			NC	20	
Copper	0.0538	0.0005	mg/L	0.0547			1.6	20	
Iron	0.6	0.1	mg/L	0.6			1.2	20	
Lead	0.0003	0.0001	mg/L	0.0003			17.8	20	
Magnesium	25.0	0.2	mg/L	25.9			3.7	20	
Manganese	0.160	0.005	mg/L	0.159			0.0	20	
Molybdenum	0.0008	0.0005	mg/L	0.0008			5.2	20	
Nickel	0.002	0.001	mg/L	0.002			0.6	20	
Potassium	2.6	0.1	mg/L	2.7			1.6	20	
Selenium	ND	0.001	mg/L	ND			NC	20	
Silver	ND	0.0001	mg/L	ND			NC	20	
Sodium	98.7	0.2	mg/L	103			4.4	20	
Thallium	ND	0.001	mg/L	ND			NC	20	
Uranium	0.0002	0.0001	mg/L	0.0002			5.2	20	
Vanadium	ND	0.0005	mg/L	ND			NC	20	
Zinc	0.020	0.005	mg/L	0.020			0.4	20	
Microbiological Parameters									
E. coli	NDOGT	1	CFU/100mL	ND			NC	30	BAC-NDOGTi
Total Coliforms	NDOGT	1	CFU/100mL	ND			NC	30	BAC-NDOGTi
Fecal Coliforms	ND	1	CFU/100mL	ND			NC	30	
Heterotrophic Plate Count	30	10	CFU/mL	70			80.0	30	BAC04

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Project Description: 100812.001

Report Date: 30-Jan-2024

Order Date: 24-Jan-2024

Client PO:

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Anions									
Chloride	16.2	1	mg/L	5.81	104	70-124			
Fluoride	1.74	0.1	mg/L	0.73	101	70-130			
Nitrate as N	1.28	0.1	mg/L	0.21	107	77-126			
Nitrite as N	0.922	0.05	mg/L	ND	92.2	82-115			
Sulphate	37.8	1	mg/L	28.8	90.5	70-130			
General Inorganics									
Ammonia as N	1.26	0.01	mg/L	0.232	103	81-124			
Dissolved Organic Carbon	11.0	0.5	mg/L	1.4	95.9	60-133			
Phenolics	0.026	0.001	mg/L	ND	106	67-133			
Total Dissolved Solids	104	10	mg/L	ND	104	75-125			
Sulphide	0.75	0.02	mg/L	0.32	85.8	79-115			
Tannin & Lignin	1.0	0.1	mg/L	ND	101	71-113			
Total Kjeldahl Nitrogen	1.12	0.1	mg/L	0.14	98.3	81-126			
Metals									
Mercury	0.0028	0.0001	mg/L	ND	92.8	70-130			
Aluminum	46.5	0.001	mg/L	1.09	90.7	80-120			
Arsenic	53.7	0.001	mg/L	0.177	107	80-120			
Barium	174	0.001	mg/L	118	111	80-120			
Beryllium	45.5	0.0005	mg/L	0.0117	90.9	80-120			
Boron	56.5	0.01	mg/L	15.6	81.7	80-120			
Cadmium	48.0	0.0001	mg/L	0.0046	96.0	80-120			
Calcium	9330	0.1	mg/L	ND	93.3	80-120			
Chromium	49.6	0.001	mg/L	0.047	99.2	80-120			
Cobalt	47.1	0.0005	mg/L	0.0720	94.1	80-120			
Copper	94.8	0.0005	mg/L	54.7	80.2	80-120			
Iron	2850	0.1	mg/L	580	90.9	80-120			
Lead	42.9	0.0001	mg/L	0.284	85.3	80-120			
Magnesium	39300	0.2	mg/L	28800	105	80-120			
Manganese	203	0.005	mg/L	159	87.4	80-120			
Molybdenum	43.4	0.0005	mg/L	0.764	85.2	80-120			

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Order Date: 24-Jan-2024

Project Description: 100812.001

Report Date: 30-Jan-2024

Client PO:

**Method Quality Control: Spike** 

Analyte	Result	Reporting Limit	Units	Source Result	%REC	%REC Limit	RPD	RPD Limit	Notes
Nickel	45.9	0.001	mg/L	1.63	88.5	80-120			
Potassium	12000	0.1	mg/L	2680	92.9	80-120			
Selenium	47.2	0.001	mg/L	0.080	94.2	80-120			
Silver	43.9	0.0001	mg/L	0.0191	87.7	80-120			
Sodium	71800	0.2	mg/L	61100	107	80-120			
Thallium	45.3	0.001	mg/L	0.015	90.6	80-120			
Uranium	47.2	0.0001	mg/L	0.150	94.0	80-120			
Vanadium	51.6	0.0005	mg/L	0.0874	103	80-120			
Zinc	44.0	0.005	mg/L	0.899	86.3	80-120			

Certificate of Analysis

Client: GEMTEC Consulting Engineers and Scientists Limited

Report Date: 30-Jan-2024 Order Date: 24-Jan-2024

Project Description: 100812.001

**Qualifier Notes:** 

Client PO:

Login Qualifiers:

Container(s) - Labeled improperly/insufficient information - Collection time on the bottles is PM; chain of custody reads as PM; report collection time

as 14:25 as confirmed by the client.

Applies to Samples: TW24-4, TW24-4 (Filtered)

Sample Qualifiers:

QC Qualifiers:

BAC04 Duplicate QC data falls within method prescribed 95% confidence limits.

BAC-NDOGTi NO DATA: Overgrown with Target.

**Sample Data Revisions:** 

None

#### **Work Order Revisions / Comments:**

Missing times on all of the bottles

#### **Other Report Notes:**

n/a: not applicable ND: Not Detected

MDL: Method Detection Limit

Source Result: Data used as source for matrix and duplicate samples

%REC: Percent recovery.

RPD: Relative percent difference.

NC: Not Calculated

Any use of these results implies your agreement that our total liabilty in connection with this work, however arising, shall be limited to the amount paid by you for this work, and that our employees or agents shall not under any circumstances be liable to you in connection with this work.






rent Blvd. K1G 4J8

Paracel Order Number

**Chain Of Custody** Ontario Drinking Water Samples

Nº 19566

											com		"										
Client	Name:	GENTEC		Project Ref:	100,	100812-001					Vaterworks N	ame:							Sample	es Tak	en By:		
Conta	ict Name:	Andrius Pa	znekos	Quote #:		1			v	Waterworks Number:					Name	ame: Luca Fjorin			ind	0			
Addre	155:			PO #:		,			ddress:					Signat	gnature:								
After i	Hours Contact:			E-mail:	andri	W	·P	azr	naki	as								Pa	ge_	0	f		
Teleph	hone:	613-295-	8425	Fax:	andrius, paznekas					_	ublic Health (	Jnit:									e Requir 3 day		,
0 0	N REG 170/03	Under: (Indicate ONLY on ON REG 319/08 Othero, rep		ell		Sou	rce T	ype:	G =	Ground V	Vater; S = Su	urface W	ution; P = Plur ater ulation - Y = Ye						Requ	uired	Analys	es	_
Are th	nese samples fo	n submitted to MOE/MOI or human consumption?: n must be completed b	☐ Yes ☑ No		cessed.	pe: R/T/D/P	ype: G / S	Reportable: Y / N	Resample	,	SAMPLE (	COLLEC	TED	# of Containers	ned Chlorine al mg/L	Standing / Flushed: S / F (REG 243)	Total Coliform/E. Coli	HPC	Lead	THM	Wager !	Keta >	
	LOCAT	ION NAME		SAMPLE ID		Sample Type:	Source Type:	Reporta	Resa	C	DATE		TIME	# of Co	Free/Combined Chlor Residual mg/L	Standing S / F (R	Total Co				129995	ازمره	
1			TWZ	4-4		R	G	N	/	2024	1-01-2	4	P.M.									X	
2									-													$\perp$	
3																					7	$\perp$	$\perp$
4							-				-										Ц.		$\perp$
5																					$\perp$	$\perp$	$\perp$
6														Ш			Ш				1	$\perp$	
7																					$\perp$	+	$\perp$
8														Ш							$\perp$	+	$\perp$
9												_		Ш							$\vdash$	+	$\perp$
10 ommer	nts: Place	192 include	ecto	iv in	ACI	U	E	70		1						Metho	10	0	1	١,	\		
	shed By (Sign):	A		Received Driver/D							Receive	ed at	100 F	1		Verifie	d By:	So		7,			
	shed By (Print):	Luca Fi	orndi	Date/Tin	ne:						Date/Ti	ime:	24,5	24	350	Date/T	lime:	Sa	24	20	724	4%	2002
te/Tim	ne: 2029	4-01-24:	K%	Tempera	ture:					°C	Temper	rature:	253	100	°C	pH Ver	rified:	N	By:S	50			





Pumping Test Analysis Report


Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ot	
Analysis Performed by: SE	P-Test Date: Apr 28, 2022
Analysis Reviewed by: AP	Analysis Date: Mar 14, 2024
Aquifer Thickness: 2.0 m	Duration: 6 hours

# Pumping Test Data (TW22-03): Drawdown and Recovery



# Water Levels TW22-03

Static: 8.96 m below top of casing (BTOC) TOC = 0.56 m above ground surface End of pump test (6-hours): 18.9 m BTOC; Following recovery (1 hour): 9.10 m BTOC




Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ot						
Analysis Performed by: SE	P-Test Date: Apr 28, 2022					
Analysis Reviewed by: AP	Analysis Reviewed by: AP Method: Manual Measurements					
Aquifer Thickness: 2.0 m	Duration: 6 hours					

# Pumping Test Analysis (TW22-03): Papadopulous-Cooper Analysis (Confined Aquifer)



Estimated Transmissivity:  $3.8 \text{ m}^2/\text{day} / 4.4 \text{ x } 10^{-5} \text{ m}^2/\text{s}$ 



Pumping	Test Analysis	Report
1 411119	1 Obt 1 mail 5 bit	report


Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ottawa, Ontario		
Analysis Performed by: SE Pumping Well: TW22-04		P-Test Date: Apr 28, 2022
Analysis Reviewed by: AP	Method: Manual Measurements	Analysis Date: Mar 14, 2024
Aquifer Thickness: 2.0 m	Discharge: Constant 27 L/min	Duration: 6 hours

# Pumping Test Analysis (TW22-03): Theis-Recovery Analysis (Confined Aquifer)



Estimated Transmissivity:  $0.7 \text{ m}^2/\text{day} / 8.1 \text{ x } 10^{-6} \text{ m}^2/\text{s}$ 




Pumping Test Analysis Report

Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ottawa, Ontario		
Analysis Performed by: SE	Pumping Well: TW22-04	P-Test Date: Sep. 1, 2022
Analysis Reviewed by: AP	Method: Logger Measurements	Analysis Date: Sep. 1, 2022
Aquifer Thickness: 4.5 m	Discharge: Constant 15 L/min	Duration: 7.5 hours



## Water Levels TW22-04

Static: 2.76 m below top of casing (BTOC) TOC = 0.76 m above ground surface End of pump test (6-hours): 7.11 m BTOC; Following recovery (11-hours): 2.78 m BTOC



D .	TD 4	A 1 .	D .
Pumping	Lest	Analysis	Report
1 umpmg	I Cot .	a Milary 515	ιτοροιτ


Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ottawa, Ontario		
Analysis Performed by: SE	Pumping Well: TW22-04	P-Test Date: Sep. 1, 2022
Analysis Reviewed by: AP	Method: Manual / Datalogger	Analysis Date: Feb. 15, 2024
Aquifer Thickness: 4.5 m	Discharge: Constant 15 L/min	Duration: 7.5 hours

# Pumping Test Analysis (TW22-04): Theis Analysis (Confined Aquifer)



Estimated Transmissivity:  $2.8 \ m^2/day / 3.3 \ x \ 10^{-5} \ m^2/s$ 




Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ottawa, Ontario		
Analysis Performed by: SE	Pumping Well: TW22-04	P-Test Date: Sep. 1, 2022
Analysis Reviewed by: AP	Method: Manual / Datalogger	Analysis Date: Feb. 15, 2024
Aquifer Thickness: 4.5 m	Discharge: Constant 15 L/min	Duration: 7.5 hours

# Pumping Test Analysis (TW22-04): Theis-Recovery (Confined Aquifer)



Estimated Transmissivity:  $1.9\ m^2/day / 2.2\ x\ 10^{-5}\ m^2/s$ 





Pumping Test Analysis Report

Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design





End of pump test (6-hours): 11.34 m BTOC; Following recovery (6.5-hours): 8.91 m BTOC



Pumping	Test Analysis	Report
1 411119	TOSE I III CI J SIS	report


Project: Scoped Hydrogeological Investigation

Project Number: 100812.001

Client: Hierarchy Development and Design

Location: 930 Smith Road, Ottawa, Ontario		
Analysis Performed by: SE	Pumping Well: TW24-05	P-Test Date: Jan 18, 2024
Analysis Reviewed by: AP	Method: Manual / Datalogger	Analysis Date: Feb. 15, 2024
Aquifer Thickness: 18 m	Discharge: Constant 19 L/min	Duration: 6 hours

# Pumping Test Analysis (TW24-05): Cooper-Jacob (Confined Aquifer)



Estimated Transmissivity:  $8.2 \ m^2/day / 9.5 \ x \ 10^{-5} \ m^2/s$ 




Pumping	Test Analysis	Report
1 411119	TOSE I III CI J SIS	report


Project: Scoped Hydrogeological Investigation

Project Number: 100812.001


Client: Hierarchy Development and Design

Location: 930 Smith Road, Ottawa, Ontario		
Analysis Performed by: SE   Pumping Well: TW24-05		P-Test Date: Jan 18, 2024
Analysis Reviewed by: AP	Method: Manual / Datalogger	Analysis Date: Feb. 15, 2024
Aquifer Thickness: 18 m	Discharge: Constant 19 L/min	Duration: 6 hours





Estimated Transmissivity:  $2.4\ m^2/day / 2.8\ x\ 10^{-5}\ m^2/s$ 



## **Nitrate Dilution Calculation Worksheet**

Entire Parcel with 7 lots - 13.49 acres

#### **Nitrate Loading**

### Residential Septic Systems (assumes 1,000 L/day/lot)

Number of lots with untreated septic systems = 7 lots

Nitrate loading from untreated septic system = 40 grams/lot/day

Total annual nitrate loading from untreated systems = 102200 grams/year

Total Annual Nitrate Loading from all Systems = 102200 grams/year

#### **Dilution Volumes**

#### Infiltration Factors

Topography factor =	0.17
Soil factor =	0.15
Cover factor =	0.1
Combined infiltration factor =	0.42

#### **Precipitation Infiltration**

Annual water surplus = 0.380 metres/year
Annual infiltration (Water Surplus x Infiltration Factor) = 0.1596 metres/year

#### **Infiltration Area and Infiltration Volumes**

Area available for infiltration (Site Area) = 54591.67 square metres

Area available for infiltration (Site Area - Hard Surface Area) = 49132.5 square metres

assumes 10%

Total Annual Volume of Infiltration (Infiltration x Area) = 7842 cubic metres/year

Annual Flow from Residential Lots (assuming 1000 L/day/lot) =

2555 cubic metres/year

#### Total Annual Volume Available for Dilution =


#### 10397 cubic metres/year

#### **Dilution Calculation**

$$C_{Nitrate} = \frac{Mass}{Volume} = \frac{Annual\ Nitrate\ Loading(grams/year)}{Annual\ Dilution\ Volume(cubic\ metres/year)} = \frac{grams}{cubic\ metre} = \frac{mg}{L}$$



Project: 100812.001 March 2024



civil

geotechnical

environmental

field services

materials testing

civil

géotechnique

environnementale

surveillance de chantier

service de laboratoire des matériaux



