

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

Paterson Group Inc.

Consulting Engineers
154 Colonnade Road South
Ottawa (Nepean), Ontario
Canada K2E 7J5

Tel: (613) 226-7381
Fax: (613) 226-6344
www.patersongroup.ca

patersongroup

Phase I-Environmental Site Assessment

1966 Roger Stevens Drive
Ottawa, Ontario

Prepared For

Broccolini

June 17, 2019

Report: PE4638-1

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ii
1.0 INTRODUCTION	1
2.0 PHASE I PROPERTY INFORMATION.....	2
3.0 SCOPE OF INVESTIGATION	3
4.0 RECORDS REVIEW	4
4.1 General.....	4
4.2 Environmental Source Information	5
4.3 Physical Setting Sources	7
5.0 INTERVIEWS	9
6.0 SITE RECONNAISSANCE.....	10
6.1 General Requirements.....	10
6.2 Specific Observations at the Phase I Property	10
7.0 REVIEW AND EVALUATION OF INFORMATION	12
7.1 Land Use History	12
7.2 Conceptual Site Model.....	12
8.0 CONCLUSIONS	14
9.0 STATEMENT OF LIMITATIONS	15
10.0 REFERENCES	16

List of Figures

Figure 1 - Key Plan
Figure 2 - Topographic Map
Drawing PE4638-1 - Site Plan
Drawing PE4638-2 - Surrounding Land Use Plan

List of Appendices

Appendix 1 Proposed Site Plan
 Aerial Photographs
 Site Photographs

Appendix 2 MECP Freedom of Information
 TSSA Correspondence
 HLUI Response
 Chain of Title
 MECP Well Records

Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

Paterson Group was retained by Broccolini to conduct a Phase I-Environmental Site Assessment (ESA) for the property located at 1966 Roger Stevens Drive, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the subject site and the Phase I Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was initially developed prior to 1961 with a farmstead, which was later abandoned circa 2003. Historical land use of the neighbouring properties was for residential and agricultural purposes. No potentially contaminating activities were identified with the historical use of the subject site or surrounding lands.

Following the historical research, a site visit was conducted. The subject property is currently vacant with abandoned farm structures. An interior assessment was not conducted due to unsafe conditions of the buildings. No potential environmental concerns were noted with the current use of the Phase I Property. Neighbouring properties in the Phase I Study Area consist of vacant lands, residential dwellings and farmsteads and agricultural fields. No potential environmental concerns were noted with the current land use in the Phase I Study Area. Therefore, no areas of potential environmental concern with respect to the Phase I Property were identified.

Based on the results of the assessment, it is **our opinion that a Phase II-Environmental Site Assessment is not required for the subject property.**

Recommendations

It is recommended that building debris on the subject site be properly disposed at a licenced landfill during future site redevelopment.

1.0 INTRODUCTION

At the request of Broccolini, Paterson Group (Paterson) conducted a Phase I-Environmental Site Assessment (Phase I-ESA) for the property located at 1966 Roger Stevens Drive, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject properties.

Paterson was engaged to conduct this Phase I-ESA by Mr. James Beach of Broccolini. The head office is located at 16766 Transcanadienne, Kirkland, Quebec. Mr. Beach can be reached by telephone at (514) 737-0076.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all of our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared in general accordance with the requirements of Ontario Regulation (O.Reg.) 153/04, as amended, under the Environmental Protection Act, and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I-ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Address:	1966 Roger Stevens Drive, Ottawa, Ontario
Legal Description:	Plan 4M1191 Block 13 and 14, in the City of Ottawa
Location:	The site is located on the southwest quadrant of where Roger Stevens Drive transects Highway 416, in the City of Ottawa, Ontario. Refer to Figure 1 - Key Plan in the Figures section following the text.
PIN:	03913-0317, 03913-0318, 03913-0319, 03913-0320, 03913-0321, 03913-0322, 03913-0326, 03913-0327, and 03913-0328
Latitude and Longitude:	45° 8' 27.6" N, 75° 41' 13.24" W
Site Description:	
Configuration:	Irregular
Area:	25 hectares (approximately)
Zoning:	RC – Rural Zone
Current Use:	The subject site is currently an abandoned farmstead and vacant land.
Services:	The subject site is situated in an area where private wells and septic systems are relied upon.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- ☐ Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies;
- ☐ Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
- ☐ Conduct interviews with persons knowledgeable of current and historic operations on the subject properties, and if warranted, neighbouring properties;
- ☐ Present the results of our findings in a comprehensive report in general accordance with the requirements of O.Reg. 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- ☐ Provide a preliminary environmental site evaluation based on our findings;
- ☐ Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I Study Area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

Based on a 1961 domestic well record and an aerial photograph for the subject site, the Phase I Property is considered to have been first developed for residential and agricultural purposes pre-1961.

Fire Insurance Plans

Fire Insurance Plans (FIPs) are not available for the subject area.

City of Ottawa Street Directories

There are no city directories for the subject site and study area.

Chain of Title

Paterson verified the current land title for the subject property with Read Abstracts Limited.

According to the chain of title received on May 29, 2019, the subject property was owned by a series of private individuals from 1855 to 2003, until November 7, 2003, when the deed was transferred to the current owner, MCU Holding Inc. No concerns were identified during a review of the chain of title for the Phase I Property.

Geotechnical Investigation

Paterson conducted a subsurface investigation on June 13, 2019. Based on the findings of the investigation, the subsurface profile generally consists of topsoil overlying glacial till (silty sand with traces of gravel and clay). Practical refuse occurred at approximately 3.8 m to 6.5 m below the existing grade. No concerns were identified during the subsurface investigation.

Proposed Site Plan

A proposed site plan dated June 3, 2019 was provided by Broccolini. The site plan shows the subject site in its current configuration with a proposed light industrial warehouse. A copy of the proposed plan is appended to this report in Appendix 1.

4.2 Environmental Source Information

Environment Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on May 24, 2019. The subject site and adjacent properties were not listed in the NPRI database. No records of pollutant release were listed in the database for properties located within the Phase I Study Area.

PCB Inventory

A search of national PCB waste storage sites was conducted. No PCB waste storage sites are located within the Phase I study area.

Ministry of the Environment, Conservation and Parks (MECP) Submissions

A request was submitted to the MECP FOI office for information with respect to reports related to environmental conditions for the properties. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client if it contains any pertinent information.

MECP Instruments

A request was submitted to the MECP Freedom of Information (FOI) office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the site. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client if it contains any pertinent information.

MECP Incident Reports

A request was submitted to the MECP FOI office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP for the site or adjacent

properties. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client if it contains any pertinent information.

MECP Waste Management Records

A request was submitted to the MECP FOI office for information with respect to waste management records. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client if it contains any pertinent information.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No Municipal Coal Gasification Plant Sites are located within the Phase I Study Area.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry was conducted as part of this assessment for the site, neighbouring properties and the general area of the site. No Records of Site Condition (RSCs) were filed for the subject site or properties within the Phase I Study Area.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. There are no former waste disposal sites located within 1 km of the Phase I Study Area.

Areas of Natural Significance

A search for areas of natural significance and features within the Phase I study area was conducted on the website of the Ontario Ministry of Natural Resources (MNR) on May 24, 2019. The search did not reveal areas of natural significance within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto was contacted electronically on May 24, 2019, to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. No records are listed in the TSSA registry for the subject site or the adjacent properties. A copy of the TSSA correspondence is included in Appendix 2.

City of Ottawa Landfill Document

The document entitled “Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa”, was reviewed. There are no closed landfill sites within the vicinity of the Phase I study area.

City of Ottawa Historical Land Use Inventory (HLUI)

A search of the City of Ottawa’s Historical Land Use Inventory (HLUI) database was conducted as part of this assessment. At the time of issuance of this report, the HLUI search results had not been received. A copy of the HLUI request form is provided in Appendix 2.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. Based on the review, the following

- | | |
|------|--|
| 1976 | The subject site is occupied by a farmstead and agricultural fields. The surrounding lands also appear to be occupied by farmsteads and agricultural land. Roger Stevens Drive and Third Line Road South can be seen in this photograph. |
| 1991 | The subject site and neighbouring lands to the south appear unchanged from the previous photograph. New residential and/or farmsteads occupy the neighbouring lands to the west. A new building/barn can be seen to the north across Roger Stevens Drive. Highway 416 is present at this time. |
| 2002 | No significant changes are apparent on the subject site or neighbouring lands. A new residential development can be seen further west. Highway 416 has been expanded/upgraded at this time to its current configuration. |

- | | |
|------|---|
| 2011 | The subject site and neighbouring lands appear unchanged from the previous photograph. The expansion of the residential development to the west is apparent at this time. |
| 2017 | No significant changes are apparent to the subject site or surrounding lands. |

Laser copies of selected aerial photographs reviewed are included in Appendix 1.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the regional topography in the general area of the site slopes down in a south-easterly direction towards Cranberry Creek and the Rideau River. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Physiographic Maps

The Ontario Geological Survey publication ‘The Physiography of Southern Ontario, Third Edition’ was reviewed as a part of this assessment. According to the publication, the site is situated within the Ottawa Clay Plain physiographic region.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area consists of dolomite, of the Oxford Formation. The surficial geology in the area of the site consists of offshore marine sediments of clay and silt, and till, with a drift thickness ranging from 10 to 15 m.

Water Well Records

A well record search was conducted on May 24, 2019 for all drilled wells within 250 m of the subject site. The search returned thirty-one (31) well records, three (3) of which were identified on the Phase Property; an abandoned well record from 2011, a test well drilled in 1999 and a domestic well drilled in 1961. The test well and potable water well on site were drilled to depths of 24 to 25 m deep, respectively. Based on the drilled depths indicated on these records, it was determined that the test well drilled on site had been decommissioned in 2011. The potable well drilled is expected to still be present on-site.

The remaining twenty-eight (28) well records off-site consisted of one (1) recently abandoned well record and several test wells and potable water wells drilled between 1961 to 2011.

Based on all of the well records, all wells were drilled to clear, odourless fresh water at depths ranging from 22 to 54 m below grade.

Based on the review of these records, the stratigraphy in the area consists of an average overburden layer thickness of 14 m, consisting of till, sandy clay and clay, overlying limestone bedrock. No concerns were identified during the well records review. A copy of the well records has been included in Appendix 2.

Areas of Natural Significance and Water Bodies

No areas of natural significance or bodies of water were identified in the Phase I Study Area.

5.0 INTERVIEWS

Property Owner Representative

Mr. James Beach of Broccolini was contacted via email on May 24, 2019 as part of this assessment. According to Mr. Beach, the subject property was abandoned several years ago. It is estimated that the land transfer in 2003 to the current owner, MCU Holding Inc., is presumably when the farmstead was abandoned. Mr. Beach is unaware of any above ground storage tanks, underground storage tanks or any potential environmental concerns with respect to the subject property.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The site visit was conducted on May 24, 2019. Weather conditions were overcast with a temperature of approximately 16°C. Ms. Mandy Witteman from the Environmental Department of Paterson conducted the site assessment. In addition to the site, the uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit.

6.2 Specific Observations at the Phase I Property

Site Features

The subject property is vacant and covered in grass, tall brush, and mature trees. The site is occupied by five (5) farm structures and an inground pool. The site topography is slightly above the grade of Roger Stevens Drive and is undulating in all directions and flattens out along the agricultural portions of the property. The central portion of the site consisted of asphaltic paved sections where the former residential dwelling was situated as well as laneways to access the barns. Several piles of demolition debris were noted next to the barns, and on the side of the driveway.

Site drainage consists primarily of infiltration. The regional topography slopes down in a south-easterly direction towards the Rideau River.

No underground utilities were noted on-site. Above ground utilities were noted on site; however, it is expected that there is currently no service on the property. No well or private sewage system were observed on the property at the time of the site visit. No evidence of current or former railway or spur lines was observed on the subject property at the time of the site visit. No areas of staining, stressed vegetation or unidentified substances were observed on-site at this time.

Buildings and Structures

There are currently five (5) abandoned and partially deteriorating farm structures (wooden and concrete structures with slab-on-grade foundations) and an inground swimming pool on the Phase I Property. An interior inspection was not conducted due to unsafe conditions of the abandoned buildings.

An asphaltic paved area was noted in the central portion of the property where the former residential dwelling was situated. A residence was formerly present on-site; however, it has been removed. No apparent remnants of the dwelling were observed at the time of the site visit.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection.

Land use adjacent to the subject site is as follows:

- ☐ North - Roger Stevens Drive, followed by agricultural fields;
- ☐ South - Vacant land, followed by a farmstead;
- ☐ East - Highway 416, followed by agricultural fields;
- ☐ West - Residential dwellings, followed by Third Line Road South.

The current use of the immediately adjacent properties is not considered to pose an environmental concern to the Phase I Property. Current land use in the Phase I Study Area is illustrated on Drawing PE4638-2 – Surrounding Land Use Plan in the Figures section of this report.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

Based on the available historical records, the Phase I Property was occupied by a farmstead, which was initially developed pre-1961 and existed until 2003 when the property was abandoned and has since been vacant.

Based on the past and current land use, no potential environmental concerns were noted on the Phase I Property.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

No potentially contaminating activities (PCAs) were identified on the Phase I Property. Therefore, there are no areas of potential environmental concern (APECs) on the Phase I Property.

Contaminants of Potential Concern

No Contaminants of Potential Concern (CPCs) were identified on the subject site.

7.2 Conceptual Site Model

Geological and Hydrogeological Setting

Based on the information from the Geological Survey of Canada, the overburden in the area consists of offshore marine sediments of clay and silt, and till, with a drift thickness ranging from 10 to 15 m. Bedrock in the area consists of dolomite, of the Oxford Formation.

Groundwater flow is interpreted to be in a southeasterly direction towards the Rideau River.

Existing Buildings and Structures

There are six (6) abandoned wood and concrete farm structures and an inground swimming pool on the Phase I Property.

Water Bodies and Areas of Natural Significance

No areas of natural significance or water bodies were identified on the Phase I Property or within the Phase I Study Area.

Drinking Water Wells

There were no wells detected on the subject site at the time of the site visit, however, based on the well records, three (3) well records were available for the site; a potable well, a test well and an abandoned well. Based on the drilled depths indicated on these records, it was determined that the test well drilled in 1999 on site, had been decommissioned in 2011. It is expected that the potable well drilled in 1961 is likely still present on-site.

Neighbouring Land Use

Neighbouring land use in the Phase I Study Area consists of residential dwellings, farmsteads and agricultural land.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, there were no PCAs identified within the Phase I Study Area. Therefore, there are no areas of potential environmental concern (APECs) on the Phase I Property.

Contaminants of Potential Concern

As per Section 7.1 of this report, there are no Contaminants of Potential Concern (CPCs) on the Phase I Property.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I-ESA is considered to be sufficient to conclude that there are no APECs on the Phase I Property. A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSIONS

Assessment

Paterson Group was retained by Broccolini to conduct a Phase I-Environmental Site Assessment (ESA) for the property located at 1966 Roger Stevens Drive, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the subject site and the Phase I Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was initially developed prior to 1961 with a farmstead, which was later abandoned circa 2003. Historical land use of the neighbouring properties was for residential and agricultural purposes. No potentially contaminating activities were identified with the historical use of the subject site or surrounding lands.

Following the historical research, a site visit was conducted. The subject property is currently vacant with abandoned farm structures. An interior assessment was not conducted due to unsafe conditions of the buildings. No potential environmental concerns were noted with the current use of the Phase I Property. Neighbouring properties in the Phase I Study Area consist of vacant lands, residential dwellings and farmsteads and agricultural fields. No potential environmental concerns were noted with the current land use in the Phase I Study Area. Therefore, no areas of potential environmental concern with respect to the Phase I Property were identified.

Based on the results of the assessment, it is **our opinion that a Phase II-Environmental Site Assessment is not required for the subject property.**

Recommendations

It is recommended that building debris on the subject site be properly disposed at a licenced landfill during future site redevelopment.

9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Broccolini. Permission and notification from Broccolini and Paterson will be required to release this report to any other party.

Paterson Group Inc.



Mandy Witteman, M.A.Sc.



Mark S. D'Arcy, P.Eng.



Report Distribution:

- ☐ Broccolini
- ☐ Paterson Group

10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library.
National Archives.
Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).
Natural Resources Canada – The Atlas of Canada.
Environment Canada, National Pollutant Release Inventory.
PCB Waste Storage Site Inventory.

Provincial Records

MECP Freedom of Information and Privacy Office.
MECP Municipal Coal Gasification Plant Site Inventory, 1991.
MECP document titled “Waste Disposal Site Inventory in Ontario”.
MECP Brownfields Environmental Site Registry.
Office of Technical Standards and Safety Authority, Fuels Safety Branch.
MNR Areas of Natural Significance.
MECP Water Well Record Inventory.
Chapman, L.J., and Putnam, D.F., 1984: ‘The Physiography of Southern Ontario, Third Edition’, Ontario Geological Survey Special Volume 2.

Municipal Records

City of Ottawa Document “Old Landfill Management Strategy, Phase I - Identification of Sites.”, prepared by Golder Associates, 2004.
Intera Technologies Limited Report “Mapping and Assessment of Former Industrial Sites, City of Ottawa”, 1988.
geoOttawa: City of Ottawa electronic mapping website.
City of Ottawa Historical Land Use Inventory (HLUI) Database

Local Information Sources

Personal Interviews.

Public Information Sources

Google Earth.
Google Maps/Street View.

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE4638-1 – SITE PLAN

DRAWING PE4638-2 – SURROUNDING LAND USE PLAN




FIGURE 1
KEY PLAN






FIGURE 2
TOPOGRAPHIC MAP



patersongroup consulting engineers 154 Colonnade Road South Ottawa, Ontario K2E 7J5 Tel: (613) 226-7381 Fax: (613) 226-6344					BROCCOLINI		Scale:	1:5000	Date:	05/2019	
					PHASE I - ENVIRONMENTAL SITE ASSESSMENT		Drawn by:	YA	Report No.:	PE4638-1	
					1966 ROGER STEVENS DRIVE		Checked by:	MW	Drawing No.:	PE4638-1	
					OTTAWA, ONTARIO		Approved by:	MSD	Revision No.:		
					Title:		SITE PLAN				
				</							



patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL

BROCCOLINI

PHASE I - ENVIRONMENTAL SITE ASSESSMENT

1966 ROGER STEVENS DRIVE

OTTAWA, ONTARIO

Title:

SURROUNDING LAND USE PLAN

Scale:	1:7500	Date:	05/2019
Drawn by:	YA	Report No.:	PE4638-1
Checked by:	MW	Drawing No.:	PE4638-2
Approved by:	MSD	Revision No.:	


p:\autocad\drawings\environmental\pe4638\pe4638 site plan.dwg

APPENDIX 1

PROPOSED SITE PLAN


AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS



PROJECT SUMMARY:

INDUSTRIAL BUILDING	
LAND AREA	5,320,400± SF
GREEN SPACE AREA	721,900± SF
BUILDING AREAS (GCA)	
BUILDING FOOTPRINT	700,000± SF
COVERAGE	13.1%
PARKING PROVIDED	1,820 STALLS
LOADING DOCKS	63 DOCKS
TRAILER DROPS	240 DROPS



ON-SITE LOCATION


DE19006 - VIPER Industrial Warehouse - Ottawa, ON




AERIAL PHOTOGRAPH
1976



AERIAL PHOTOGRAPH
1991



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2011



AERIAL PHOTOGRAPH
2017

Site Photographs

PE4638

1966 Roger Stevens Drive, Ottawa, ON

May 24, 2019



Photograph 1. View of the property entrance, looking south.



Photograph 2: View of the central east portion of the property.

Site Photographs

PE4638

1966 Roger Stevens Drive, Ottawa, ON

May 24, 2019



Photograph 3: View of south eastern portion of the property.



Photograph 4: View of the southern portion of the property.

Site Photographs

PE4638

1966 Roger Stevens Drive, Ottawa, ON

May 24, 2019



Photograph 5: View of south western portion of the property.



Photograph 6: View of the north western portion of the property.

Site Photographs

PE4638

1966 Roger Stevens Drive, Ottawa, ON

May 24, 2019



Photograph 7: View of northern portion of the property, looking onto Roger Stevens Drive.



Photograph 8: View of the abandoned farm buildings.

APPENDIX 2

MECP FREEDOM OF INFORMATION

TSSA CORRESPONDENCE

HLUI RESPONSE

CHAIN OF TITLE

MECP WELL RECORDS

Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on completion and use of this form. Our fax no. is (416) 314-4285.

Requester Data			For Ministry Use Only	
Name, Company Name, Mailing Address and Email Address of Requester Mandy Witterman Paterson Group Inc. 154 Colonnade Road Ottawa, ON K2E 7J5 Email address: mwitterman@patersongroup.ca			FOI Request No.	Date Request Received
Telephone/Fax Nos. Tel. 613-226-7381 Fax 613-226-6344			Fee Paid ☐ ACCT ☐ CHQ ☐ VISA/MC ☐ CASH	
Your Project/Reference No. PE4638	Signature/Print /Name of Requester Mandy Witterman 		☐ CNR ☐ ER ☐ NOR ☐ SWR ☐ WCR ☐ SAC ☐ IEB ☐ EAA ☐ EMR ☐ SWA	
Request Parameters				
Municipal Address / Lot, Concession, Geographic Township (Municipal address essential for cities, towns or regions) 1966 Roger Stevens Drive, Ottawa ON				
Present Property Owner(s) and Date(s) of Ownership Broccolini				
Previous Property Owner(s) and Date(s) of Ownership				
Present/Previous Tenant(s), (if applicable)				
Search Parameters			Specify Year(s) Requested	
Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.				
Environmental concerns (General correspondence, occurrence reports, abatement)			all	
Orders			all	
Spills			all	
Investigations/prosecutions ► Owner AND tenant information must be provided			all	
Waste Generator number/classes			all	
Certificates of Approval ► Proponent information must be provided				
1985 and prior records are searched manually. Search fees in excess of \$300.00 could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number(s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.				
	SD	Specify Year(s) Requested		
air - emissions		1986-present		
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)		1986-present		
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations		1986-present		
waste water - industrial discharges		1986-present		
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites		1986-present		
waste systems - PCB destruction, mobile waste processing units, haulers: sewage, non-hazardous & hazardous waste		1986-present		
pesticides - licenses		1986-present		

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.

Mandy Witteman

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: May-24-19 2:55 PM
To: Mandy Witteman
Subject: RE: Search Records Request (PE4638)

Hello Mandy,

Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Yalini



Yalini Kanagendran | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3449 | Fax: +1-416-231-6183 | E-Mail: ykanagendran@tssa.org
www.tssa.org



From: Mandy Witteman <MWitteman@Patersongroup.ca>
Sent: May 24, 2019 9:58 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: Search Records Request (PE4638)

Good Morning,

Could you please complete a search of your records for **underground/aboveground storage tanks, historical spills or other incidents/infractions** for the following addresses in Ottawa, ON:

Roger Stevens Drive: 1966, 1969
Third S Line Rd: 6611, 6623, 6629, 6637, 6645, 9953, 6659, 6671,

Thank you

Cheers,

Mandy Witteman

patersongroup
solution oriented engineering
over 60 years servicing our clients

154 Colonnade Road South
Ottawa, Ontario, K2E 7J5
Tel: (613) 226-7381 Ext. 339
Cell: (403) 921-1157

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

May 24, 2019
File: PE4638-HLUI

City of Ottawa
110 Laurier Avenue W
Ottawa, Ontario
K1P 1J1

Subject: **Authorization Letter, HLUI Search
Phase I-Environmental Site Assessment
1966 Roger Stevens Drive
Ottawa, Ontario**

Dear Sir,

Please consider this letter as confirmation that Paterson Group has been retained to conduct a Phase I-Environmental Site Assessment at the aforementioned property.

With this letter, the property owner authorizes the City of Ottawa and other regulatory bodies to release, to Paterson Group, information requested for the purpose of completing an environmental assessment of the property.

Name of Company/Property Owner:

MCU HOLDINGS LTD.

Name of Representative/Owner

DURU RAISINGHANI

Signature of Representative/Owner

D. Raisinghani

Date

24 May 2019



READ Abstracts Limited

331 Cooper Street, Suite 300, Ottawa, Ontario K2P 0A4

Email: search@readsearch.com

Tel.: 613-236-0664

Fax: 613-236-3677

ENVIRONMENTAL SEARCH

Patersongroup
Attn: Mandy Witteman

BRIEF DESCRIPTION OF LAND:

1966 Roger Stevens Dr., Ottawa
Blocks 13 and 14, plan 4M1191

PIN: 03913-0319
03913-0320

LAST REGISTERED OWNER: MCU HOLDINGS INC.

CHAIN OF TITLE:

Part of Lot 21 and Part of the East ½ Lot 22, Concession 2, North Gower

Deed RO24914 registered May 16, 1855
From Jeremiah O'Connor to Daniel O'Connor

Deed NG2065 registered Dec 28, 1865
From Daniel O'Connor to Thomas Beaman

Foreclosure NG2519 registered Jan 12, 1890
To Russell Andrews

Deed NG2825 registered Sep 22, 1900
From Russell Andrews to John Dillon

Will NG4092 registered Jan 7, 1903
From John Dillon to Richard H. Dillon

Deed NG11264 registered Nov 15, 1961
From estate of Richard H Dillon to Richard H. D. Dillon

DeedNS234762 registered Apr 4, 1984
From estate of Richard H. D. Dillon to Barbara H. Dillon

Deed NS242490 registered Jun 4, 1984
From Barbara H. Dillon to Garry H. Jordan and Nicole L. Jordan

Deed OC164045 registered Jan 28, 2002
From Garry H. Jordan and Nicole L. Jordan to Jordel Acres Inc.

Plan 4M1191 registered Jan 28, 2003
By Jordel Acres Inc.

Plan 4M1191

Deed OC268629 registered Nov 7, 2003 (Block 13)
From Jordel Acres Inc. to MCU Holdings Ltd.

Deed OC268630 registered Nov 7, 2003 (Block 14)
From Jordel Acres Inc. to MCU Holdings Ltd.

[Go Back to Map](#)

Well ID

Well ID Number: 7256771
Well Audit Number: Z191391
Well Tag Number:

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	1966 ROGER STEVENS DRIVE
Township	NORTH GOWER TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	KARS
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 446241.00 Northing: 4998849.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
----------------	----------------------	-----------------	---------------------	------------	----------

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
4 ft	0 ft	BACKFILL	
79 ft	4 ft	3/8 HOLEPLUG	
0 ft	79 ft	6' DRILLED WELL ABANDONMENT	

Method of Construction & Well Use

Method of Construction	Well Use
------------------------	----------

Status of Well

Abandoned-Other

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
-----------------	-----------------------	------------	----------

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
------------------	----------	------------	----------

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 1119

Results of Well Yield Testing

After test of well yield, water was
If pumping discontinued, give reason
Pump intake set at
Pumping Rate
Duration of Pumping
Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?Y

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at DepthKind

Hole Diameter

DepthFrom

DepthTo

Diameter

[Go Back to Map](#)

Well ID

Well ID Number: 7292235
Well Audit Number: Z237464
Well Tag Number: A229258

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	6705 THIRD LINE RD S
Township	NORTH GOWER TOWNSHIP
Lot	022
Concession	CON 02
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18
	Easting: 446011.00
	Northing: 4998257.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
GREY	SAND	GRVL	CLAY	0 ft	48 ft
	LMSN			48 ft	123 ft

GREY	LMSN	123 ft	158 ft
GREY	LMSN	158 ft	163 ft
GREY	LMSN	163 ft	170 ft

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	44 ft	BENTONITE SLURRY	
44 ft	54 ft	CEMENT	

Method of Construction & Well Use

Method of Construction	Well Use
Air Percussion	Domestic

Status of Well

Water Supply

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
6.25 inch	STEEL	-2 ft	54 ft
6.125 inch	OPEN HOLE	54 ft	170 ft

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
------------------	----------	------------	----------

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 1119

Results of Well Yield Testing

After test of well yield, water was	OTHER
If pumping discontinued, give reason	
Pump intake set at	150 ft
Pumping Rate	20 GPM

Duration of Pumping	1 h:0 m
Final water level	49.5 ft
If flowing give rate	
Recommended pump depth	100 ft
Recommended pump rate	20 GPM
Well Production	
Disinfected?	Y

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL	33.167 ft		
1	41 ft	1	35.417 ft
2	43.583 ft	2	33.167 ft
3	45.167 ft	3	33.167 ft
4	46 ft	4	33.167 ft
5	46.5 ft	5	33.167 ft
10	47.5 ft	10	33.167 ft
15	47.75 ft	15	33.167 ft
20	48.167 ft	20	33.167 ft
25	48.333 ft	25	33.167 ft
30	48.5 ft	30	33.167 ft
40	49 ft	40	33.167 ft
45		45	
50	49.25 ft	50	33.167 ft
60	49.5 ft	60	33.167 ft

Water Details

Water Found at Depth	Kind
123 ft	Untested
158 ft	Untested
163 ft	Untested

Hole Diameter

Depth From	Depth To	Diameter
0 ft	54 ft	9.75 inch
54 ft	170 ft	6.125 inch

UTM 118 2 4461000 E 3549



GROUND WATER BRANCH

OCT 27 1961 15

No

6817

ONTARIO WATER
RESOURCES COMMISSION

05 R 1491918 9445 N

Elev 41 R 20295

WATER WELL RECORD

Basin 25 | | | | |
County or District Carleton

Township, Village, Town or City North Town

Con. 2 Lot 20

Date completed 3 (day) August 1961 (month) (year)

Address Kars Ont

Casing and Screen Record

Inside diameter of casing 4 in

Total length of casing 50 ft

Type of screen

Length of screen

Depth to top of screen

Diameter of finished hole 4 in

Pumping Test

Static level 18 ft

Test-pumping rate 16 G.P.M.

Pumping level 30

Duration of test pumping 1 hour

Water clear or cloudy at end of test clear

Recommended pumping rate 16 G.P.M.

with pump setting of 40 feet below ground surface

Well Log

Water Record

Overburden and Bedrock Record

	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
Hard Pan	0	30	49	fresh
Sand	30	48		
Lime stone	48	50		

For what purpose(s) is the water to be used?

Is well on upland, in valley, or on hillside?

Drilling or Boring Firm

Address

Licence Number

Name of Driller or Borer

Address

Date


(Signature of Licensed Drilling or Boring Contractor)

Form 7 15M Sets 60-5930

OWRC COPY

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



07/09/12

(Two)

UTM 1182 4461070 E


15R 44998485 N

Elev. 51R 0300

Basin 25



The Ontario Water Resources Commission Act, 1957



WATER WELL RECORD

County or District Carleton Township, Village, Town or City North Gower

Date completed 18 April 1961
(day month year)

Address K.A.S. Ont.

Casing and Screen Record

Inside diameter of casing 4 in
Total length of casing 41 fts
Type of screen
Length of screen
Depth to top of screen
Diameter of finished hole 4 in

Pumping Test

Static level 22 fts
Test-pumping rate 15 g.p.m.
Pumping level 24 fts
Duration of test pumping 1 hour
Water clear or cloudy at end of test clear
Recommended pumping rate 10 G.P.M.
with pumping level of 24 fts

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	No. of feet water rises	Kind of water (fresh, salty, sulphur)
<u>Hardpan</u>	<u>0 ft</u>	<u>41 ft</u>	<u>79 ft</u>	<u>57 ft</u>	<u>fresh</u>
<u>Limestone</u>	<u>41 ft</u>	<u>81 ft</u>			

For what purpose(s) is the water to be used?

cattle

Is well on upland, in valley, or on hillside? upland

Drilling Firm Armand Gauthier

Address Chesterville, Ont.
R.R. 3

Licence Number 80

Name of Driller Armand Gauthier

Address

Date April 18, 1961

(Signature of Licensed Drilling Contractor)

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.

N



#2 Count Road

1/4 miles 1/4 miles



Ontario

MINISTRY OF THE ENVIRONMENT
The Ontario Water Resources Act

WATER WELL RECORD

31⁶/₄₀

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

COUNTY OR DISTRICT Carleton	TOWNSHIP, BOROUGHS, CITY, TOWN, VILLAGE North Town	CON. BLOCK, TRACT, SURVEY, ETC. Con 3	LOT NO. 022
DATE COMPLETED DAY 11 MO 08 YR 75		DATE RECEIVED 15 01 76	
WELLING 998044	PC 4	ELEVATION 0298	BASIN CODE 26

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET	
				FROM	TO
grey	clay	stone		0	23
grey	limestone			23	75

31	0023205112	0075215
32		

WATER RECORD	
WATER FOUND AT - FEET	KIND OF WATER
0073	☒ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL

CASING & OPEN HOLE RECORD	
INSIDE DIAM. INCHES	MATERIAL
06	☒ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE
	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE
	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE

SCREEN	
SIZE(S) OF OPENING (SLOT NO.)	DIAMETER
	18
MATERIAL AND TYPE	DEPTH TO TOP OF SCREEN
	0026

PUMPING TEST	
PUMPING TEST METHOD	PUMPING RATE
☒ PUMP ☐ BAILER	00/0
STATIC LEVEL	WATER LEVEL END OF PUMPING
008	050
IF FLOWING, GIVE RATE	PUMP INTAKE SET AT
	050
RECOMMENDED PUMP TYPE	RECOMMENDED PUMP SETTING
☐ SHALLOW ☒ DEEP	050

LOCATION OF WELL	
4598	
IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.	

FINAL STATUS OF WELL	
☒ WATER SUPPLY	☐ ABANDONED, INSUFFICIENT SUPPLY
☐ OBSERVATION WELL	☐ ABANDONED, POOR QUALITY
☐ TEST HOLE	☐ UNFINISHED
☐ RECHARGE WELL	
WATER USE	
☒ DOMESTIC	☐ COMMERCIAL
☐ STOCK	☐ MUNICIPAL
☐ IRRIGATION	☐ PUBLIC SUPPLY
☐ INDUSTRIAL	☐ COOLING OR AIR CONDITIONING
☐ OTHER	☐ NOT USED
METHOD OF DRILLING	
☐ CABLE TOOL	☐ BORING
☐ ROTARY (CONVENTIONAL)	☐ DIAMOND
☐ ROTARY (REVERSE)	☐ JETTING
☐ ROTARY (AIR)	☐ DRIVING
☒ AIR PERCUSSION	

NAME OF WELL CONTRACTOR Henry Mains Well Drilling	LICENCE NUMBER 3644
ADDRESS Box 326, Richmond Hill, Ont.	
NAME OF DRILLER OR BORER J. Mains	LICENCE NUMBER
SIGNATURE OF CONTRACTOR	SUBMISSION DATE DAY 19 MO 8 YR 75

DATA SOURCE 1	CONTRACTOR 3644	DATE RECEIVED 15 01 76
DATE OF INSPECTION 28 May 74	INSPECTOR P/R Doyle	
REMARKS		P
		WI



Ministry
of the
Environment
Ontario

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

WATER WELL RECORD

The Ontario Water Resources Act

1520429

MUNICIPALITY: 10 14 15 22 23 24
CONTRACTOR: 11

COUNTY OR DISTRICT OTTAWA	TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE North Gower	CON. BLOCK, TRACT, SURVEY, ETC. 2	LOT 21
DATE COMPLETED DAY 9 MO 7 YR 85			

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET	
				FROM	TO
	clay			0	20
	"Douliders" & gravel			20	54
grey	limestone			54	84

31	32	33	34	35	36	37	38	39	40
----	----	----	----	----	----	----	----	----	----

41 WATER RECORD	
WATER FOUND AT - FEET	KIND OF WATER
10-13 78	1 ☒ FRESH 3 ☐ SULPHUR 2 ☐ SALTY 4 ☐ MINERAL
14-18	1 ☐ FRESH 3 ☐ SULPHUR 2 ☐ SALTY 4 ☐ MINERAL
19-23	1 ☐ FRESH 3 ☐ SULPHUR 2 ☐ SALTY 4 ☐ MINERAL
24-28	1 ☐ FRESH 3 ☐ SULPHUR 2 ☐ SALTY 4 ☐ MINERAL
29-33	1 ☐ FRESH 3 ☐ SULPHUR 2 ☐ SALTY 4 ☐ MINERAL

51 CASING & OPEN HOLE RECORD			
INSIDE DIAM. INCHES	MATERIAL	WALL THICKNESS INCHES	DEPTH - FEET
10-11 8 1/4	1 ☒ STEEL 2 ☐ GALVANIZED 3 ☐ CONCRETE 4 ☐ OPEN HOLE	12	13-16 198 0 52
17-18	1 ☐ STEEL 2 ☐ GALVANIZED 3 ☐ CONCRETE 4 ☐ OPEN HOLE	19	20-23
24-25	1 ☐ STEEL 2 ☐ GALVANIZED 3 ☐ CONCRETE 4 ☐ OPEN HOLE	26	27-30

SCREEN	SIZE(S) OF OPENING (SLOT NO.)	31-33 DIAMETER INCHES	34-38 LENGTH FEET
	MATERIAL AND TYPE	DEPTH TO TOP OF SCREEN	41-44 30 FEET

61 PLUGGING & SEALING RECORD	
DEPTH SET AT - FEET	MATERIAL AND TYPE (CEMENT GROUT, LEAD PACKER, ETC.)
FROM TO	
10-13	14-17
18-21	22-25
26-29	30-33 80

71 PUMPING TEST METHOD	10 PUMPING RATE	11-14 DURATION OF PUMPING
1 ☒ PUMP 2 ☐ BAILER	15 GPM	15-16 HOURS 30 17-18 MINS
STATIC LEVEL	WATER LEVEL END OF PUMPING	WATER LEVELS DURING
19-21 10 FEET	22-24 40 FEET	15 MINUTES 26-28 40 FEET 30 MINUTES 29-31 40 FEET 45 MINUTES 32-34 40 FEET 60 MINUTES 35-37 40 FEET
IF FLOWING, GIVE RATE	PUMP INTAKE SET AT	WATER AT END OF TEST
	GPM	FEET
RECOMMENDED PUMP TYPE	RECOMMENDED PUMP SETTING	RECOMMENDED PUMPING RATE
☐ SHALLOW ☒ DEEP	50 FEET	15 GPM

LOCATION OF WELL	
IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.	
Sub. Lot 14 Plan 4M439	
DRILLER'S REMARKS	

FINAL STATUS OF WELL	1 ☒ WATER SUPPLY 2 ☐ OBSERVATION WELL 3 ☐ TEST HOLE 4 ☐ RECHARGE WELL	5 ☐ ABANDONED, INSUFFICIENT SUPPLY 6 ☐ ABANDONED, POOR QUALITY 7 ☐ UNFINISHED
WATER USE	1 ☒ DOMESTIC 2 ☐ STOCK 3 ☐ IRRIGATION 4 ☐ INDUSTRIAL 5 ☐ OTHER	5 ☐ COMMERCIAL 6 ☐ MUNICIPAL 7 ☐ PUBLIC SUPPLY 8 ☐ COOLING OR AIR CONDITIONING 9 ☐ NOT USED
METHOD OF DRILLING	1 ☐ CABLE TOOL 2 ☐ ROTARY (CONVENTIONAL) 3 ☐ ROTARY (REVERSE) 4 ☒ ROTARY (AIR) 5 ☐ AIR PERCUSSION	6 ☐ BORING 7 ☐ DIAMOND 8 ☐ JETTING 9 ☐ DRIVING

CONTRACTOR	NAME OF WELL CONTRACTOR AIR ROCK DRILLING CO. LTD.	LICENCE NUMBER 1119
	ADDRESS P.O. #2, Jasper, Ontario K0G 1G0	
	NAME OF DRILLER OR BORER Wallace Desaulniers	LICENCE NUMBER 1119
	SIGNATURE OF CONTRACTOR 	SUBMISSION DATE DAY 10 MO 2 YR 88

OFFICE USE ONLY	DATA SOURCE	58 CONTRACTOR	59-62 DATE RECEIVED 200286	63-68	80
	DATE OF INSPECTION	INSPECTOR			
	REMARKS				

NORTH GOWER 1522073

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

COUNTY OF DISTRICT Carleton TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE North Gower CON. BLOCK, TRACT, SURVEY, ETC. Con 2 LOT 20
Manolick General Delivery DATE COMPLETED DAY 27 MO 11 YR 87
ELEVATION 110.4 BASIN CODE 2110

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET	
				FROM	TO
grey	hardpan	stones		0	25
grey	hardpan			25	65
grey	gravel	stones		65	71
grey	limestone			71	105

41 WATER RECORD

WATER FOUND AT - FEET	KIND OF WATER
75	☒ FRESH ☐ SULPHUR
100	☐ SALTY ☐ MINERAL
	☐ FRESH ☐ SULPHUR
	☐ SALTY ☐ MINERAL
	☐ FRESH ☐ SULPHUR
	☐ SALTY ☐ MINERAL
	☐ FRESH ☐ SULPHUR
	☐ SALTY ☐ MINERAL

51 CASING & OPEN HOLE RECORD

INSIDE DIAM INCHES	MATERIAL	WALL THICKNESS INCHES	DEPTH - FEET
6.5	STEEL	1.88	0 74
6	STEEL		74 105
	GALVANIZED		
	CONCRETE		
	OPEN HOLE		

SCREEN

SIZE(S) OF OPENING (SLOT NO.)	DIAMETER INCHES	LENGTH FEET
MATERIAL AND TYPE	DEPTH TO TOP OF SCREEN FEET	

61 PLUGGING & SEALING RECORD

DEPTH SET AT - FEET	MATERIAL AND TYPE
FROM TO	
10-13	14-17
18-21	22-25
26-29	30-33
	34-40

pressure cement grouted

71 PUMPING TEST

PUMPING TEST METHOD	PUMPING RATE	DURATION OF PUMPING
☒ PUMP ☐ BAILER	30 GPM	1 HOURS 0 MINS
STATIC LEVEL	WATER LEVEL END OF PUMPING	WATER LEVELS DURING
25 FEET	70 FEET	15 MINUTES 70 FEET 30 MINUTES 70 FEET 45 MINUTES 70 FEET 60 MINUTES 70 FEET
IF FLOWING, GIVE RATE	PUMP INTAKE SET AT	WATER AT END OF TEST
RECOMMENDED PUMP TYPE	RECOMMENDED PUMP SETTING	RECOMMENDED PUMPING RATE
☐ SHALLOW ☒ DEEP	70 FEET	15 GPM

LOCATION OF WELL

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.

08669

FINAL STATUS OF WELL

☒ WATER SUPPLY	☐ ABANDONED, INSUFFICIENT SUPPLY
☐ OBSERVATION WELL	☐ ABANDONED, POOR QUALITY
☐ TEST HOLE	☐ UNFINISHED
☐ RECHARGE WELL	

WATER USE

☒ DOMESTIC	☐ COMMERCIAL
☐ STOCK	☐ MUNICIPAL
☐ IRRIGATION	☐ PUBLIC SUPPLY
☐ INDUSTRIAL	☐ COOLING OR AIR CONDITIONING
☐ OTHER	☐ NOT USED

METHOD OF DRILLING

☐ CABLE TOOL	☐ BORING
☐ ROTARY (CONVENTIONAL)	☐ DIAMOND
☐ ROTARY (REVERSE)	☐ JETTING
☐ ROTARY (AIR)	☐ DRIVING
☒ AIR PERCUSSION	

3644

CONTRACTOR

NAME OF WELL CONTRACTOR	LICENCE NUMBER
<u>Manolick Well Drilling</u>	<u>3644</u>
ADDRESS	
<u>Box 326, Richmond O.N.</u>	
NAME OF DRILLER OR BORER	LICENCE NUMBER
SIGNATURE OF CONTRACTOR	SUBMISSION DATE
	DAY <u>27</u> MO <u>11</u> YR <u>87</u>

OFFICE USE ONLY

DATE OF INSPECTION	INSPECTOR
REMARKS	



Ministry
of the
Environment
Ontario
OTTAWA-CARLETON

The Ontario Water Resources Act
WATER WELL RECORD

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

11

1522165

MUNICIPALITY: _____ LOT: 20

COUNTY OR DISTRICT: Carleton TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE: Osgoode Realeau CON. BLOCK, TRACT, SURVEY, ETC.: Con 2 DATE COMPLETED: DAY 27 MO. 11 YR. 87

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET	
				FROM	TO
grey	hardpan	stones		0	20
grey	hardpan			20	71
grey	gravel	stones		71	73
grey	limestone			73	100

4. WATER RECORD

WATER FOUND AT - FEET	KIND OF WATER
10-13	1 ☒ FRESH 3 ☐ SULPHUR
15-18	2 ☐ SALTY 4 ☐ MINERAL
20-23	1 ☐ FRESH 2 ☐ SULPHUR
25-28	2 ☐ SALTY 4 ☐ MINERAL
30-33	1 ☐ FRESH 3 ☐ SULPHUR
	2 ☐ SALTY 4 ☐ MINERAL

5. CASING & OPEN HOLE RECORD

INSIDE DIAM. INCHES	MATERIAL	WALL THICKNESS INCHES	DEPTH - FEET
6 1/4	1 ☒ STEEL	1/88	0 76
6	2 ☐ GALVANIZED		76 100
	3 ☐ CONCRETE		
	4 ☐ OPEN HOLE		

6. PLUGGING & SEALING RECORD

DEPTH SET AT - FEET	MATERIAL AND TYPE
10-13	1 ☐ CEMENT GROUT
14-17	2 ☐ LEAD PACKER, ETC.
18-21	3 ☒ pressure cement grouted
22-25	4 ☐
26-29	5 ☐

7. PUMPING TEST

1 ☒ PUMP 2 ☐ BAILER

PUMPING RATE: 15 GPM DURATION OF PUMPING: 15 MIN

STATIC LEVEL: 18 FEET WATER LEVEL END OF PUMPING: 90 FEET

WATER LEVELS DURING:

15 MINUTES	30 MINUTES	45 MINUTES	60 MINUTES
90	90	90	90

IF FLOWING, GIVE RATE: 38.41 GPM PUMP INTAKE SET AT: 90 FEET

WATER AT END OF TEST: 42 FEET

RECOMMENDED PUMP TYPE: ☐ SHALLOW ☒ DEEP

RECOMMENDED PUMP SETTING: 90 FEET

RECOMMENDED PUMPING RATE: 15 GPM

8. FINAL STATUS OF WELL

1 ☐ WATER SUPPLY 5 ☐ ABANDONED, INSUFFICIENT SUPPLY

2 ☐ OBSERVATION WELL 6 ☐ ABANDONED, POOR QUALITY

3 ☐ TEST HOLE 7 ☐ UNFINISHED

4 ☒ RECHARGE WELL

9. WATER USE

1 ☒ DOMESTIC 5 ☐ COMMERCIAL

2 ☐ STOCK 6 ☐ MUNICIPAL

3 ☐ IRRIGATION 7 ☐ PUBLIC SUPPLY

4 ☐ INDUSTRIAL 8 ☐ COOLING OR AIR CONDITIONING

5 ☐ OTHER 9 ☐ NOT USED

10. METHOD OF DRILLING

1 ☐ CABLE TOOL 5 ☐ BORING

2 ☐ ROTARY (CONVENTIONAL) 6 ☐ DIAMOND

3 ☐ ROTARY (REVERSE) 7 ☐ JETTING

4 ☐ ROTARY (AIR) 8 ☐ DRIVING

9 ☒ AIR PERCUSSION

LOCATION OF WELL

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.

100m 2nd Line

100m 1st Line

OC Rd 4.

DRILLERS REMARKS: 08668

CONTRACTOR

NAME OF WELL CONTRACTOR: H. Mairs Well Drilling LICENCE NUMBER: 3644

ADDRESS: Box 326, Richmond Hill

NAME OF DRILLER OR BORE: [Signature] LICENCE NUMBER: [Blank]

SIGNATURE OF CONTRACTOR: [Signature] SUBMISSION DATE: DAY 27 MO. 11 YR. 87

OFFICE USE ONLY

DATE RECEIVED: JAN 12 1988

DATE OF INSPECTION: [Blank] INSPECTED BY: [Blank]

REMARKS: [Blank]



Ministry
of the
Environment

The Ontario Water Resources Act
WATER WELL RECORD

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

11 1525259 15004 CON 03

COUNTY OR DISTRICT: [redacted] TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE: North Gower CON. BLOCK, TRACT, SURVEY ETC: 3 LOT: 20
DATE COMPLETED: DAY 19 MO 12 YR 90
RC. ELEVATION RC. BASIN CODE

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET	
				FROM	TO
grey	Sand gravel & boulders			0	56
	limestone			56	120

31 32

41 WATER RECORD

WATER FOUND AT - FEET	KIND OF WATER					
10-13	1 ☒ FRESH	3 ☐ SULPHUR	14			
	2 ☐ SALTY	4 ☐ MINERALS				
		6 ☐ GAS				
15-18	1 ☒ FRESH	3 ☐ SULPHUR	19			
	2 ☐ SALTY	4 ☐ MINERALS				
		6 ☐ GAS				
20-23	1 ☐ FRESH	3 ☐ SULPHUR	24			
	2 ☐ SALTY	4 ☐ MINERALS				
		6 ☐ GAS				
25-28	1 ☐ FRESH	3 ☐ SULPHUR	29			
	2 ☐ SALTY	4 ☐ MINERALS				
		6 ☐ GAS				
30-33	1 ☐ FRESH	3 ☐ SULPHUR	34			
	2 ☐ SALTY	4 ☐ MINERALS				
		6 ☐ GAS				

51 CASING & OPEN HOLE RECORD

INSIDE DIAM INCHES	MATERIAL	WALL THICKNESS INCHES	DEPTH - FEET	
			FROM	TO
10-11	1 ☒ STEEL			13-16
	2 ☐ GALVANIZED			
	3 ☐ CONCRETE			
	4 ☐ OPEN HOLE			
	5 ☐ PLASTIC			
17-18	1 ☐ STEEL			20-23
	2 ☐ GALVANIZED			
	3 ☐ CONCRETE			
	4 ☐ OPEN HOLE			
	5 ☐ PLASTIC			
24-25	1 ☐ STEEL			27-30
	2 ☐ GALVANIZED			
	3 ☐ CONCRETE			
	4 ☐ OPEN HOLE			
	5 ☐ PLASTIC			

SCREEN SIZE (SI) OF OPENING (SLOT NO.): 31-33 DIAMETER 34-38 LENGTH 39-40
MATERIAL AND TYPE DEPTH TO TOP OF SCREEN 41-44 30 FEET

61 PLUGGING & SEALING RECORD


DEPTH SET AT - FEET		MATERIAL AND TYPE (CEMENT GROUT LEAD PACKER, ETC.)
FROM	TO	
10-13	14-17	
18-21	22-25	
26-29	30-33	

PUMPING TEST

71 PUMPING TEST METHOD 10 PUMPING RATE 11-14 DURATION OF PUMPING 15-16 17-18
1 ☒ PUMP 2 ☐ BAILER 14 GPM 1 HOURS
STATIC LEVEL 19-21 WATER LEVEL END OF PUMPING 22-24 WATER LEVELS DURING 25
16 FEET 90 FEET 90 FEET 90 FEET 90 FEET 90 FEET
IF FLOWING, GIVE RATE 38-41 PUMP INTAKE SET AT WATER AT END OF TEST 42
GPM FEET 1 ☒ CLEAR 2 ☐ CLOUDY
RECOMMENDED PUMP TYPE 43-45 RECOMMENDED PUMP SETTING 46-49
☐ SHALLOW ☒ DEEP 100 FEET 14 GPM

LOCATION OF WELL

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE INDICATE NORTH BY ARROW.



FINAL STATUS OF WELL

- 1 ☒ WATER SUPPLY 5 ☐ ABANDONED, INSUFFICIENT SUPPLY
- 2 ☐ OBSERVATION WELL 6 ☐ ABANDONED, POOR QUALITY
- 3 ☐ TEST HOLE 7 ☐ UNFINISHED
- 4 ☐ RECHARGE WELL 8 ☐ DEWATERING

WATER USE

- 1 ☒ DOMESTIC 5 ☐ COMMERCIAL
- 2 ☐ STOCK 6 ☐ MUNICIPAL
- 3 ☐ IRRIGATION 7 ☐ PUBLIC SUPPLY
- 4 ☐ INDUSTRIAL 8 ☐ COOLING OR AIR CONDITIONING
- 9 ☐ OTHER 9 ☐ NOT USED

METHOD OF CONSTRUCTION

- 1 ☐ CABLE TOOL 6 ☐ BORING
- 2 ☐ ROTARY (CONVENTIONAL) 7 ☐ DIAMOND
- 3 ☐ ROTARY (REVERSE) 8 ☐ JETTING
- 4 ☐ ROTARY (AIR) 9 ☐ DRIVING
- 5 ☒ AIR PERCUSSION 10 ☐ DIGGING 11 ☐ OTHER

CONTRACTOR NAME OF WELL CONTRACTOR: Air-Rock Drilling & LTD. WELL CONTRACTOR'S LICENCE NUMBER: 1119
ADDRESS: Rm #2 Jasper Ont
NAME OF WELL TECHNICIAN: William Delamater WELL TECHNICIAN'S LICENCE NUMBER: 70007
SIGNATURE OF TECHNICIAN/CONTRACTOR: [Signature] SUBMISSION DATE: DAY 20 MO 12 YR 90

OFFICE USE ONLY DATA SOURCE 58 CONTRACTOR 59-62 DATE RECEIVED 63-68 80
1119 JAN 10 1991
DATE OF INSPECTION INSPECTOR
REMARKS



Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

11

1530536

Municipality

15004

Con.

CON

02

[illegible]

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

[illegible]

31

32

41		WATER RECORD			
Water found at - feet	Kind of water				
10-12 65	1 ☒ Fresh	3 ☐ Sulphur	14		
	2 ☐ Salty	4 ☐ Minerals			
		5 ☐ Gas			
15-18	1 ☐ Fresh	3 ☐ Sulphur	19		
	2 ☐ Salty	4 ☐ Minerals			
		5 ☐ Gas			
20-23	1 ☐ Fresh	3 ☐ Sulphur	24		
	2 ☐ Salty	4 ☐ Minerals			
		5 ☐ Gas			
25-28	1 ☐ Fresh	3 ☐ Sulphur	29		
	2 ☐ Salty	4 ☐ Minerals			
		5 ☐ Gas			
30-33	1 ☐ Fresh	3 ☐ Sulphur	34		
	2 ☐ Salty	4 ☐ Minerals			
		5 ☐ Gas			

CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11 8 3/4"	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	12	0	40
17-18 6 1/4"	1 ☒ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	19	188	42
24-25 6"	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☒ Open hole 5 ☐ Plastic	26	40	79

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-38	Length	39-40
			inches		feet	
	Material and type			Depth at top of screen		30
						feet

61	PLUGGING & SEALING RECORD			
☒ Annular space		☐ Abandonment		
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)		
From	To			
10-13	14-17	Cement grout		
18-21	22-25			
26-29	30-33			

71	Pumping test method ¹⁰ ☐ Pump ☒ Boiler		Pumping rate ¹¹⁻¹⁴ 40 GPM		Duration of pumping ¹⁷⁻¹⁸ 1 Hours 0 Mins	
	Static level ¹⁹⁻²¹ 24 feet	Water level end of pumping ²²⁻²⁴ 79 feet	Water levels during ²⁵ ☐ Pumping ☒ Recovery			
			15 minutes ²⁶⁻²⁸ 24 feet	30 minutes ²⁹⁻³¹ 24 feet	45 minutes ³²⁻³⁴ 24 feet	60 minutes ³⁵⁻³⁷ 24 feet
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at ⁴² 79 feet		Water at end of test ☐ Clear ☒ Cloudy	
	Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ 70 feet		Recommended pump rate ⁴⁶⁻⁴⁹ 15 GPM	

FINAL STATUS OF WELL		54
1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well
3 ☒ Test hole	7 ☐ Abandoned (Other)	
4 ☐ Recharge well	8 ☐ Dewatering	

WATER USE		55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not use
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other
3 ☐ Irrigation	7 ☐ Public supply	
4 ☐ Industrial	8 ☐ Cooling & air conditioning	

METHOD OF CONSTRUCTION		57
1 ☐ Cable tool	5 ☐ Air percussion	9 ☐ Driving
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other
4 ☒ Rotary (air)	8 ☐ Jetting	

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

206049

Name of Well Contractor <i>Gille Bourgeois Well Drill</i>	Well Contractor's Licence No. <i>1414</i>
Address <i>St-Albert Ont.</i>	
Name of Well Technician <i>Jacques Raymond</i>	Well Technician's Licence No. <i>0264</i>
Signature of Technician/Contractor <i>[Signature]</i>	Submission date <i>19 08 99</i> day mo yr

MINISTRY USE ONLY	Data source	58 Contractor	59-62	Date received	63-68	69
		1414		JUN 01 1999		
	Date of inspection	Inspector				
	Remarks					
	CSS.ES9					



The Ontario Water Resources Act

WATER WELL RECORD

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

11

1530539

Municipality **15004** Con. **CON** **02**

County or District <i>DeWitt County</i>	Township/Borough/City/Town/Village <i>Ridgely</i>	Con block tract survey, etc. <i>2</i>	Lot <i>21</i>
Address <i>North 6th Avenue</i>		Date completed <i>19 05 99</i>	<i>99</i>
21 2 T M 10 12 18 24 25 26 30 31 37 47		North RC Elevation RC Basin Code ii iii iv	

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

[illegible]

41		WATER RECORD				42	
Water found at - feet		Kind of water					
85	10-13	1 ☐ Fresh	3 ☐ Sulphur			14	
		2 ☐ Salty	4 ☐ Minerals				
	15-18	1 ☐ Fresh	3 ☐ Sulphur			19	
		2 ☐ Salty	4 ☐ Minerals				
	20-23	1 ☐ Fresh	3 ☐ Sulphur			24	
		2 ☐ Salty	4 ☐ Minerals				
	25-28	1 ☐ Fresh	3 ☐ Sulphur			29	
		2 ☐ Salty	4 ☐ Minerals				
	30-33	1 ☐ Fresh	3 ☐ Sulphur			34	
		2 ☐ Salty	4 ☐ Minerals				

51 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11 8 3/4"	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☒ Open hole 5 ☐ Plastic	12	0	31
17-18 6 1/4"	1 ☒ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	19	188 + 2	31
24-25 6"	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☒ Open hole 5 ☐ Plastic	26	31	104

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-38	Length	39-40
			inches			feet
	Material and type	Depth at top of screen			30	
					feet	

61				PLUGGING & SEALING RECORD			
☒ Annular space				☐ Abandonment			
Depth set at - feet				Material and type (Cement grout, bentonite, etc.)			
From		To		Cement grout			
10-13		14-17					
0		31					
18-21		22-25					
26-29		30-33		80			

71	Pumping test method ¹⁰ ☐ Pump <u>APIR</u> Bailer		Pumping rate ¹¹⁻¹⁴ <u>40</u> GPM		Duration of pumping ¹⁵⁻¹⁸ <u>1</u> Hours <u>0</u> Mins	
	Static level ¹⁹⁻²¹ <u>6</u> feet		Water level end of pumping ²²⁻²⁴ <u>104</u> feet		Water levels during ²⁵ ☐ Pumping ☒ Recovery	
			15 minutes ²⁶⁻²⁸ <u>6</u> feet		30 minutes ²⁹⁻³¹ <u>6</u> feet	
			45 minutes ³²⁻³⁴ <u>6</u> feet		60 minutes ³⁵⁻³⁷ <u>6</u> feet	
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at ⁴² <u>104</u> feet		Water at end of test ⁴³ ☐ Clear ☒ Cloudy	
PUMP TEST	Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ <u>80</u> feet		Recommended pump rate ⁴⁶⁻⁴⁹ <u>15</u> GPM	

FINAL STATUS OF WELL			54
1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished	
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well	
3 ☐ Test hole	7 ☐ Abandoned (Other)		
4 ☐ Recharge well	8 ☐ Dewatering		

WATER USE			55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not used	
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other	
3 ☐ Irrigation	7 ☐ Public supply		
4 ☐ Industrial	8 ☐ Cooling & air conditioning		

METHOD OF CONSTRUCTION			57
1 ☐ Cable tool	5 ☐ Air percussion	9 ☐ Driving	
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging	
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other	
4 ☒ Rotary (air)	8 ☐ Jetting		

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

↑ N
County #4

Highway 416

197100

Name of Well Contractor <i>Gilles Bourgoin's Well Drill</i>	Well Contractor's Licence No. <i>1414</i>
Address <i>St-Albert Ont</i>	
Name of Well Technician <i>Jacques Raymond</i>	Well Technician's Licence No. <i>0264</i>
Signature of Technician/Contractor <i>[Signature]</i>	Submission date <i>19 05 99</i> day mo year

MINISTRY USE ONLY	Data source	58 Contractor	59-62	Date received	63-68	80
	Date of inspection	1414		JUN 09 1999		
	Inspector					
	Remarks	CSS.ES9				



The Ontario Water Resources Act

WATER WELL RECORD

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

11

1530540

Municipality
15004

Con.
CON

02

County or District <i>Ottawa-Carleton</i>	Township/Borough/City/Town/Village <i>Rideau</i>	Con block tract survey, etc. <i>2</i>	Lot <i>21</i>
Address <i>north Gower</i>		Date completed <i>18 05 99</i>	<i>99</i>
Northing 		Elevation 	Basin Code

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

[illegible]

31

32

41 WATER RECORD			
Water found at - feet	Kind of water		
10-13	1 ☒ Fresh	3 ☐ Sulphur	14
	4 ☐ Minerals		
50	2 ☐ Salty	6 ☐ Gas	
15-18	1 ☒ Fresh	3 ☐ Sulphur	19
	4 ☐ Minerals		
105	2 ☐ Salty	6 ☐ Gas	
20-23	1 ☐ Fresh	3 ☐ Sulphur	24
	4 ☐ Minerals		
	2 ☐ Salty	6 ☐ Gas	
25-28	1 ☐ Fresh	3 ☐ Sulphur	29
	4 ☐ Minerals		
	2 ☐ Salty	6 ☐ Gas	
30-33	1 ☐ Fresh	3 ☐ Sulphur	34
	4 ☐ Minerals		
	2 ☐ Salty	6 ☐ Gas	

CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11 8 3/4"	☐ Steel ☐ Galvanized ☐ Concrete ☒ Open hole ☐ Plastic	12	0	30
17-18 6 1/4"	☒ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic	19	1.88	30
24-25 6"	☐ Steel ☐ Galvanized ☐ Concrete ☒ Open hole ☐ Plastic	26	30	122

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-38	Length	39-40
			inches		feet	
	Material and type	Depth at top of screen			41-44	30
					feet	

61		PLUGGING & SEALING RECORD	
☒ Annular space		☐ Abandonment	
Depth set at - feet		Material and type (Cement grout, bentonite, etc.).	
From 10-13 18-21	To 14-17 22-25	Cement grout	
26-29	30-33		
	80		

PUMPING TEST	71 Pumping test method ¹⁰ ☐ Pump ☒ Boiler		Pumping rate ¹¹⁻¹⁴ 35 GPM		Duration of pumping ¹⁷⁻¹⁸ 1 Hours 0 Mins	
	Static level		Water level end of pumping ²⁵		Water levels during ☐ Pumping ☒ Recovery	
	19-21	22-24	15 minutes ²⁶⁻²⁸	30 minutes ²⁹⁻³¹	45 minutes ³²⁻³⁴	60 minutes ³⁵⁻³⁷
	7 feet	122 feet	7 feet	7 feet	7 feet	7 feet
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at ⁴² 122 feet		Water at end of test ☐ Clear ☒ Cloudy	
Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ 100 feet		Recommended pump rate ⁴⁶⁻⁴⁸ 15 GPM		

FINAL STATUS OF WELL			54
1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished	
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well	
3 ☒ Test hole	7 ☐ Abandoned (Other)		
4 ☐ Recharge well	8 ☐ Dewatering		

WATER USE			55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not used	
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other	
3 ☐ Irrigation	7 ☐ Public supply		
4 ☐ Industrial	8 ☐ Cooling & air conditioning		

METHOD OF CONSTRUCTION			57
1 ☐ Cable tool	5 ☐ Air percussion	9 ☐ Driving	
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging	
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other	
4 ☒ Rotary (air)	8 ☐ Jetting		

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

N ↗

County Rd #4

416
Highway

197099

Name of Well Contractor <i>Gilles Boursediz Well Drill</i>	Well Contractor's Licence No. <i>1414</i>
Address <i>57-ALBERT Ont</i>	
Name of Well Technician <i>JACQUES RAYMOND</i>	Well Technician's Licence No. <i>0264</i>
Signature of Technician/Contractor <i>Gilles Boursediz</i>	Submission date day mo yr

MINISTRY USE ONLY	Data source	58 Contractor	59-62	Date received	63-68	69
		1414		JUN 09 1999		
	Date of inspection	Inspector				
	Remarks					
	CSS.ES9					

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

11

1531768

Municipality **15004** Con. **CON** **03**

County or District CARLETON	Township/Borough/City/Town/Village RIDEAU	Con block tract survey, etc. 3	Lot Part of 2022
Address 6626 3RD Line RD KARS		Date completed 16 day 01 month 2001 year	

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)					
General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
Brown	clay		thick	0	10
Grey	clay		Runny	10	20
Grey	Clay	Sandy, with Boulders,	HARD Pan	20	36
Grey	Limestone	BROKEN LAYERS,	Sand MED HARD	36	48
Grey	Limestone		MED HARD	48	65
		43' OF 6 1/4" casing			
		20' OF 5" casing			
		1 Heavy Duty DRIVE shoe			
		1 well cap			
		10 Bags OF Cement			

[illegible]

41	10	14	15	21	31	32	43	54	65	75	80	
WATER RECORD					CASING & OPEN HOLE RECORD				SCREEN			
Water found at - feet		Kind of water			Inside diam inches	Material	Wall thickness inches	Depth - feet		Sizes of opening (Slot No.)	Diameter inches	Length feet
53		1 ☐ Fresh	3 ☐ Sulphur	14	6 1/4	1 ☒ Steel	1.88	From 0	To 38			
		2 ☐ Salty	4 ☒ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	19	5 1/4	1 ☒ Steel	1.88	30	50			
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☒ Open hole		50	65			
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	24	4 3/8	1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	29		1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	34		1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	34		1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	34		1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	34		1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
			6 ☐ Gas			3 ☐ Concrete						
						4 ☐ Open hole						
						5 ☐ Plastic						
		1 ☐ Fresh	3 ☐ Sulphur	34		1 ☐ Steel						
		2 ☐ Salty	4 ☐ Minerals			2 ☐ Galvanized						
</												

PUMPING TEST	Pumping test method ¹⁰ 1 ☐ Pump 2 ☒ Bailer		Pumping rate ¹¹⁻¹⁴ 10 GPM		Duration of pumping ¹⁵⁻¹⁸ 1 Hours 17-18 Mins	
	Static level		Water level end of pumping ²⁵		Water levels during 1 ☒ Pumping 2 ☐ Recovery	
	19-21 3 feet	22-24 40 feet	15 minutes ²⁶⁻²⁸ 40 feet	30 minutes ²⁹⁻³¹ 40 feet	45 minutes ³²⁻³⁴ 40 feet	60 minutes ³⁵⁻³⁷ 40 feet
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at feet		Water at end of test ⁴² ☒ Clear ☐ Cloudy	
	Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ 50 feet		Recommended pump rate ⁴⁶⁻⁴⁹ 7 GPM	
	50-53					

FINAL STATUS OF WELL			54
1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished	
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well	
3 ☐ Test hole	7 ☐ Abandoned (Other)		
4 ☐ Recharge well	8 ☐ Dewatering		

WATER USE			55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not use	
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other	
3 ☐ Irrigation	7 ☐ Public supply		
4 ☐ Industrial	8 ☐ Cooling & air conditioning		

METHOD OF CONSTRUCTION			57
1 ☒ Cable tool	5 ☐ Air percussion	9 ☐ Driving	
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging	
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other	
4 ☐ Rotary (air)	8 ☐ Jetting		

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

Roger Stevens DR.

Mass

RD line RD

416

Pumped well for
49 hrs until clear

227611

Name of Well Contractor	Well Contractor's License No.
B. MOORE Well Drilling	6455
Address	
Box 436 OSGOOD ONT KOA 2W	
Name of Well Technician	Well Technician's Licence No.
BOB MOORE	T-0319
Signature of Technician/Contractor	Submission date
Bob Moore	17/01/2001
	day mo yr

MINISTRY USE ONLY	Data source	58 Contractor	59-62	Date received	63-68	80
		6455		MAR 01 2001		
	Date of inspection	Inspector				
	Remarks					
	CSS.ES1					

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

11

1532141

Municipality **15004** Con. **CON** **02**

County or District Ottawa Carleton		Township/Borough/City/Town/Village Rideau		Con block tract survey, etc. 2		Lot 21	
				Address 25-C Banner Rod. Nepean, ON. K2H 8T3		Date completed 19 07 01 day month year	
21 1 2		U T M 10		Northings 13 14 15 16 17		RC 18 19 20 21 22	
				Elevation 23 24 25 26 27		RC 28 29 30 31 32	
				Basin Code ii iii iv		21 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)					
General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
Brown	clay			0	10
Grey	clay			10	23
Grey	limestone			23	125
	Note:	casing was left 1 1/2 feet above ground level at time of drilling			

[illegible]

41 WATER RECORD		51 CASING & OPEN HOLE RECORD		61 PLUGGING & SEALING RECORD					
Water found at - feet 117 10-13 1 ☐ Fresh 2 ☐ Salty 15-18 1 ☐ Fresh 2 ☐ Salty 20-23 1 ☐ Fresh 2 ☐ Salty 25-28 1 ☐ Fresh 2 ☐ Salty 30-33 1 ☐ Fresh 2 ☐ Salty	Kind of water NOT TESTED 3 ☐ Sulphur 4 ☐ Minerals 6 ☐ Gas 3 ☐ Sulphur 4 ☐ Minerals 6 ☐ Gas 3 ☐ Sulphur 4 ☐ Minerals 6 ☐ Gas 3 ☐ Sulphur 4 ☐ Minerals 6 ☐ Gas 3 ☐ Sulphur 4 ☐ Minerals 6 ☐ Gas	Inside diam inches 6 1/4 1 ☒ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic 6 1/16 1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic 6 1/16 1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	Material Steel 12 Steel 19 Steel 26	Wall thickness inches .188 .188 .188	Depth - feet 0 16-26 26 20-23 125 27-30	Sizes of opening (Slot No.) 1 31-33 1 34-38 1 39-40	Diameter inches 1 41-44 1 45-48 1 49-52	Length feet 1 53-56 1 57-60 1 61-64	SCREEN 1 65-68 1 69-72 1 73-76
				Material and type Grouted-bentonite & cement mix (2)					

PUMPING TEST	71 Pumping test method ¹⁰ 1 ☒ Pump 2 ☐ Bailer		Pumping rate ¹¹⁻¹⁴ 10 GPM		Duration of pumping ¹⁵⁻¹⁶ 1 Hours ¹⁷⁻¹⁸ Mins	
	25 Static level 19-21		Water level end of pumping 22-24		Water levels during 1 ☒ Pumping 2 ☐ Recovery	
	7 feet		60 feet		120 feet	
	35-37		30 minutes ²⁶⁻²⁸ 100 feet		45 minutes ²⁹⁻³¹ 75 feet	
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at feet		Water at end of test ⁴² ☐ Clear ☒ Cloudy	
	Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ 100 feet		Recommended pump rate ⁴⁶⁻⁴⁹ 5 GPM	

FINAL STATUS OF WELL			54
1	☒ Water supply	5	☐ Abandoned, insufficient supply
2	☐ Observation well	6	☐ Abandoned, poor quality
3	☐ Test hole	7	☐ Abandoned (Other)
4	☐ Recharge well	8	☐ Dewatering
9	☐ Unfinished		
10	☐ Replacement well		

WATER USE			55-56
1	☒ Domestic	5	☐ Commercial
2	☐ Stock	6	☐ Municipal
3	☐ Irrigation	7	☐ Public supply
4	☐ Industrial	8	☐ Cooling & air conditioning
9	☐ Not use		
10	☐ Other		

METHOD OF CONSTRUCTION			57
1	☐ Cable tool	5	☒ Air percussion
2	☐ Rotary (conventional)	6	☐ Boring
3	☐ Rotary (reverse)	7	☐ Diamond
4	☒ Rotary (air)	8	☐ Jetting
9	☐ Driving		
10	☐ Digging		
11	☐ Other		

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

3rd Line Rideau

Rodger Stevens Drive

6658

68' 18'

230171

Name of Well Contractor	Well Contractor's Licence No.
Capital Water Supply Ltd.	1558
Address	
Box 490, Stittsville On. K2S 1A6	
Name of Well Technician	Well Technician's Licence No.
S. Miller	T0097
Signature of Technician/Contractor	Submission date
	day 20 mo 7 yr 01

MINISTRY USE ONLY	Data source	58 Contractor	59-62	Date received	63-68	80
		1558		AUG 21 2001		
	Date of inspection	Inspector				
	Remarks					
	CSS.ES1					

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

11

1533049

Municipality

Con.

15004


CON


03

County or District Ottawa-Carleton	Township/Borough/City/Town/Village Rideau	Con block tract survey, etc. 3	Lot 22
	Address North Gower St	Date completed 6 day 08 month 02 year	

21
 2
 U
 T
 M
 10
 15
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532
 533

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)[illegible]

31 

32 

41		10		14		15		21	
WATER RECORD									
Water found at - feet		Kind of water							
10-13		1	☒ Fresh	3	☐ Sulphur	14			
50		2	☐ Salty	4	☐ Minerals				
				6	☐ Gas				
15-18		1	☒ Fresh	3	☐ Sulphur	19			
50		2	☐ Salty	4	☐ Minerals				
				6	☐ Gas				
20-23		1	☒ Fresh	3	☐ Sulphur	24			
70		2	☐ Salty	4	☐ Minerals				
				6	☐ Gas				
25-28		1	☒ Fresh	3	☐ Sulphur	29			
90		2	☐ Salty	4	☐ Minerals				
				6	☐ Gas				
30-33		1	☐ Fresh	3	☐ Sulphur	34			
		2	☐ Salty	4	☐ Minerals				
				6	☐ Gas				

CASING & OPEN HOLE RECORD					
Inside diam inches	Material	Wall thickness inches	Depth - feet		
			From	To	
10-11 6'4"	☒ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic	188	D	29	
17-18 83 1/4	☐ Steel ☐ Galvanized ☐ Concrete ☒ Open hole ☐ Plastic		O	27	
24-25 6	☐ Steel ☐ Galvanized ☐ Concrete ☒ Open hole ☐ Plastic		27	102	

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-38	Length	39-40
			inches		feet	
	Material and type			Depth at top of screen		30
				feet		

61				PLUGGING & SEALING RECORD	
☒ Annular space		☐ Abandonment			
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)			
From	To				
10-13	27	Bentonite Grout			
18-21	22-25				
26-29	30-33	80			

PUMPING TEST	Pumping test method ¹⁰ 1 ☒ Pump 2 ☐ Bailer		Pumping rate ¹¹⁻¹⁴ 22 GPM		Duration of pumping ¹⁵⁻¹⁶ 1 Hours ¹⁷⁻¹⁸ 15 Mins	
	Static level	Water level end of pumping ²⁵	Water levels during		1 ☐ Pumping	2 ☒ Recovery
	19-21 10 feet	22-24 90 feet	15 minutes ²⁶⁻²⁸ 10 feet	30 minutes ²⁹⁻³¹ 10 feet	45 minutes ³²⁻³⁴ 10 feet	60 minutes ³⁵⁻³⁷ 10 feet
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at feet		Water at end of test ⁴² ☐ Clear ☒ Cloudy	
	Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ 90 feet		Recommended pump rate ⁴⁶⁻⁴⁹ 22 GPM	
	50-53					

FINAL STATUS OF WELL			54
1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished	
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well	
3 ☐ Test hole	7 ☐ Abandoned (Other)		
4 ☐ Recharge well	8 ☐ Dewatering		

WATER USE			55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not use	
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other	
3 ☐ Irrigation	7 ☐ Public supply		
4 ☐ Industrial	8 ☐ Cooling & air conditioning		

METHOD OF CONSTRUCTION			57
1 ☐ Cable tool	5 ☒ Air percussion	9 ☐ Driving	
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging	
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other	
4 ☐ Rotary (air)	8 ☐ Jetting		

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

Diagram illustrating the location of a well relative to a road and a lot line. The road is labeled "Rogers Drive" and the lot line is labeled "6684 3rd Ave Rd.". A north arrow is shown in the upper right corner. Two points representing wells are marked with dots. The distance from the well to the road is indicated as 80m. The distance from the well to the lot line is indicated as 150'.

248064

Name of Well Contractor APR-Rock Drilling GULF	Well Contractor's Licence No. 1119
Address RR # 2 Jasper AL	
Name of Well Technician Shannon Parcello	Well Technician's Licence No. T2122
Signature of Technician/Contractor 	Submission date 02/08/02

MINISTRY USE ONLY	Data source	58	Contractor	59-62	Date received	63-68	80
			1119		AUG 27 2002		
	Date of inspection		Inspector				
	Remarks						
	CSS.ES2						



The Ontario Water Resources Act

WATER WELL RECORD

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

11

1533105

Municipality

Con.

15004

CON

03

County or District Ottawa (Carleton)	Township/Borough/City/Town/Village Rideau	Con block 3	tract survey, etc.	Lot 21
Address North Gower, Ont		Date completed 28 day	08 month 02 year	

21

1 2

U
T
M

10 12 13 14 15 16 17

18 19 20 21 22 23 24

25 26 27 28 29 30

31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47

Northring RC Elevation RC Basin Code ii iii iv

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

[illegible]

31

[illegible]

41	WATER RECORD				42
Water found at - feet	Kind of water				
10-13	1 ☒ Fresh	3 ☐ Sulphur	14		
58	2 ☐ Salty	4 ☐ Minerals	15		
		5 ☐ Gas	16		
15-18	1 ☒ Fresh	3 ☐ Sulphur	19		
67	2 ☐ Salty	4 ☐ Minerals	20		
		5 ☐ Gas	21		
20-23	1 ☐ Fresh	3 ☐ Sulphur	24		
	2 ☐ Salty	4 ☐ Minerals	25		
		5 ☐ Gas	26		
25-28	1 ☐ Fresh	3 ☐ Sulphur	29		
	2 ☐ Salty	4 ☐ Minerals	30		
		5 ☐ Gas	31		
30-33	1 ☐ Fresh	3 ☐ Sulphur	34		
	2 ☐ Salty	4 ☐ Minerals	35		
		5 ☐ Gas	36		

CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11 6 1/4	1 ☒ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	12 188	0	45
17-18 8 3/4	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☒ Open hole 5 ☐ Plastic	19	0	43
24-25 6	1 ☐ Steel 2 ☐ Galvanized 3 ☒ Concrete 4 ☐ Open hole 5 ☐ Plastic	26	43	74

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-38	Length	39-40
			inches		feet	
	Material and type			Depth at top of screen		30
				feet		

61				PLUGGING & SEALING RECORD			
 Annular space				☐ Abandonment			
Depth set at - feet			Material and type (Cement grout, bentonite, etc.)				
From		To					
10-13		24.5	bentonite				
18-21		22-25					
26-29		30-33	80				

PUMPING TEST	Pumping test method ¹⁰ 1 ☒ Pump 2 ☐ Bailer		Pumping rate ¹¹⁻¹⁴ 22 GPM		Duration of pumping ¹⁵⁻¹⁸ 1 Hours _____ Mins	
	Static level	Water level end of pumping	Water levels during 1 ☐ Pumping 2 ☒ Recovery			
	¹⁹⁻²¹ 7 feet	²²⁻²⁴ 60 feet	²⁵ 15 minutes ²⁶⁻²⁸ 7 feet	²⁹⁻³¹ 30 minutes 7 feet	³²⁻³⁴ 45 minutes 7 feet	³⁵⁻³⁷ 60 minutes 7 feet
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at feet		Water at end of test ⁴² ☐ Clear ☒ Cloudy	
	Recommended pump type ☐ Shallow ☒ Deep		Recommended pump setting ⁴³⁻⁴⁵ 60 feet		Recommended pump rate ⁴⁶⁻⁴⁹ 22 GPM	
	50-53					

FINAL STATUS OF WELL			54
1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished	
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well	
3 ☐ Test hole	7 ☐ Abandoned (Other)		
4 ☐ Recharge well	8 ☐ Dewatering		

WATER USE			55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not use	
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other	
3 ☐ Irrigation	7 ☐ Public supply		
4 ☐ Industrial	8 ☐ Cooling & air conditioning		

METHOD OF CONSTRUCTION			57
1 ☐ Cable tool	5 ☒ Air percussion	9 ☐ Driving	
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging	
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other	
4 ☐ Rotary (air)	8 ☐ Jetting		

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

235'

165'

Roger Stevens Dr

3rd line Rd

248104

Name of Well Contractor	Well Contractor's Licence No.
ArKoch Drilling Ltd 1119	
Address	
RR#1 Richmond Ont	
Name of Well Technician	Well Technician's Licence No.
Shannon Purcell	T2122
Signature of Technician/Contractor	Submission date
	2009 02 day mo yr

MINISTRY USE ONLY	Data source	58 Contractor	59-62	Date received	63-68	69
		1119		SEP 27 2002		
	Date of inspection		Inspector			
	Remarks					
	CSS.ES2					

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

1533955

Municipality 15004 Con. CON 02

County or District City of Columbia	Township/Borough/City/Town/Village Ridgely	Con block tract survey, etc. 2	Lot 22
Address North Tower Dr		Date completed 25 day 07 month 03 year	

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

[illegible]

31

32

41		10		14		15		21	
WATER RECORD									
Water found at - feet		Kind of water							
10-13		1	☐ Fresh	3	☐ Sulphur			14	
113		2	☐ Salty	4	☐ Minerals			15	
		6	☐ Gas						
15-18		1	☐ Fresh	3	☐ Sulphur			19	
132		2	☐ Salty	4	☐ Minerals			20	
		6	☐ Gas						
20-23		1	☐ Fresh	3	☐ Sulphur			24	
135		2	☐ Salty	4	☐ Minerals			25	
		6	☐ Gas						
25-28		1	☐ Fresh	3	☐ Sulphur			29	
		2	☐ Salty	4	☐ Minerals			30	
		6	☐ Gas						
30-33		1	☐ Fresh	3	☐ Sulphur			34	
		2	☐ Salty	4	☐ Minerals			35	
		6	☐ Gas						

CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11 6 1/4	1 ☒ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	•188	0	60
17-18 8 3/4	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☒ Open hole 5 ☐ Plastic		0	58
24-25 6	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☒ Open hole 5 ☐ Plastic		58	140

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-38	Length	39-40
			inches		feet	
	Material and type			Depth at top of screen		30
				feet		

61				PLUGGING & SEALING RECORD			
☒ Annular space				☐ Abandonment			
Depth set at - feet			Material and type (Cement grout, bentonite, etc.)				
From		To					
58 ¹⁰⁻²³		14-17	bentonite				
18-21		22-25					
26-29		30-33					

PUMPING TEST	71 Pumping test method ¹⁰ ☒ Pump ² ☐ Bailer		Pumping rate ¹¹⁻¹⁴ 15 GPM		Duration of pumping ¹⁵⁻¹⁶ 1 Hours ¹⁷⁻¹⁸ 15 Mins	
	Static level ¹⁹⁻²¹ 38 feet		Water level end of pumping ²²⁻²⁴ 130 feet		Water levels during ²⁵ ☐ Pumping ¹ ☒ Recovery ²	
	15 minutes ²⁶⁻²⁸ 38 feet		30 minutes ²⁹⁻³¹ 38 feet		45 minutes ³²⁻³⁴ 38 feet	
	60 minutes ³⁵⁻³⁷ 38 feet					
	If flowing give rate ³⁸⁻⁴¹ GPM		Pump intake set at ⁴² feet		Water at end of test ⁴³ ☐ Clear ☒ Cloudy	
	Recommended pump type ⁴⁴⁻⁴⁵ ☐ Shallow ☒ Deep		Recommended pump setting ⁴⁶⁻⁴⁹ 130 feet		Recommended pump rate ^{50, 53} 15 GPM	

FINAL STATUS OF WELL 54

1 ☒ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well
3 ☐ Test hole	7 ☐ Abandoned (Other)	
4 ☐ Recharge well	8 ☐ Dewatering	

WATER USE		55-56
1 ☒ Domestic	5 ☐ Commercial	9 ☐ Not use
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other
3 ☐ Irrigation	7 ☐ Public supply	
4 ☐ Industrial	8 ☐ Cooling & air conditioning	

METHOD OF CONSTRUCTION 57

1 ☐ Cable tool	5 ☒ Air percussion	9 ☐ Driving
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other
4 ☐ Rotary (air)	8 ☐ Jetting	

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

6677 3rd Ave Rd

200'

15 Km

Roger Sterens
Dr

248411

Name of Well Contractor A. R. R. Drilling Ltd	Well Contractor's Licence No. 1119
Address Rt #1 Richmond, Ont	
Name of Well Technician Shannon Dwyer	Well Technician's Licence No. T2122
Signature of Technician/Contractor 	Submission date 20 08 03

MINISTRY USE ONLY	Data source	58	Contractor	59-62	Date received	63-68	80
			1119		AUG 26 2003		
	Date of inspection	Inspector					
	Remarks						
	CSS.ES3						

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10th of a metre.**
- Please print clearly in blue or black ink only.

Ministry Use Only

Address of Well Location (County/District/Municipality) Ottawa Carleton				Township Rideau		Lot 21	Concession 2
RR#/Street Number/Name 6653 3rd Line Rd.				City/Town/Village North Gower		Site/Compartment/Block/Tract etc.	
GPS Reading	NAD	Zone	Easting	Northing	Unit Make/Model	Mode of Operation: ☐ Undifferentiated ☒ Averaged	
	83	18	445773	4998576	magellan		

Log of Overburden and Bedrock Materials (see instructions)


General Colour	Most common material	Other Materials	General Description	Depth From	Metres To
	Clay			0	3.35
	Sand	boulders.		3.35	7.62
grey	limestone			7.62	17.37
grey	limestone		* very soft.	17.37	25.91
grey	limestone			25.91	36.58

Hole Diameter			Construction Record				Test of Well Yield			
Depth From	Metres To	Diameter Centimetres	Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down	Recovery
0	36.58	15.24						Subpump	Time min	Water Level Metres
								Pump intake set at - (metres)	Static Level	
								Pumping rate - (litres/min)	1	3.76
								Duration of pumping	2	3.84
								1 hrs + 0 min		2.18
								Final water level end of pumping	3	4.04
								4.42 metres		2.06
								Recommended pump type	4	4.11
								☐ Shallow ☒ Deep		2.03
								Recommended pump depth	5	4.16
								15 metres		2.03
								Recommended pump rate	10	4.19
								(litres/min)	15	4.19
								If flowing give rate -	20	4.34
								(litres/min)	25	4.34
								If pumping discontinued, give reason.	30	4.37
									40	4.37
									50	4.42
									60	4.42

Plugging and Sealing Record			☒ Annular space	☐ Abandonment
Depth set at - Metres From	To	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)	
10.21	0	bentonite slurry	90 gallons	

Method of Construction			
☐ Cable Tool	☐ Rotary (air)	☐ Diamond	☐ Digging
☐ Rotary (conventional)	☒ Air percussion	☐ Jetting	☐ Other
☐ Rotary (reverse)	☐ Boring	☐ Driving	
Water Use			
☒ Domestic	☐ Industrial	☐ Public Supply	☐ Other
☐ Stock	☐ Commercial	☐ Not used	
☐ Irrigation	☐ Municipal	☐ Cooling & air conditioning	
Final Status of Well			
☒ Water Supply	☐ Recharge well	☐ Unfinished	☐ Abandoned, (Other)
☐ Observation well	☐ Abandoned, insufficient supply	☐ Dewatering	
☐ Test Hole	☐ Abandoned, poor quality	☐ Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor A. Rock Drilling Ltd	Well Contractor's Licence No. 1119
Business Address (street name, number, city etc.) RR#1 Richmond, Ont	
Name of Well Technician (last name, first name) Shannon Purcell	Well Technician's Licence No. 12122
Signature of Technician/Contractor x Shannon Purcell	Date Submitted 2003 12 02

Location of Well	
In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.	
	
Audit No. 2 04795	Date Well Completed 2003 11 17
Was the well owner's information package delivered? ☒ Yes ☐ No	Date Delivered 2003 11 27

Ministry Use Only	
Data Source	Contractor 1119
Date Received FEB 06 2004	Date of Inspection
Remarks CSS ES4	Well Record Number 1534485

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10th of a metre.
- Please print clearly in blue or black ink only.

Ministry Use Only

Address of Well Location (County/District/Municipality) Ottawa Carleton Township Rideau Lot 21 Concession 2
RR#/Street Number/Name 6623 - 3rd Line Rd South City/Town/Village North Gower Site/Compartment/Block/Tract etc.
GPS Reading NAD 83 Zone 18 Easting 445619 Northing 4898746 Unit Make/Model magellan Mode of Operation: Undifferentiated Averaged Differentiated, specify

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth From	Metres To
grey	Sandy clay limestone			0	7.3
				7.3	18.3

Hole Diameter			Construction Record				Test of Well Yield			
Depth From	Metres To	Diameter Centimetres	Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down	Recovery
0	18.3	149.1						Sub pump	Time min	Water Level Metres
								Pump intake set at - (metres)	Static Level	2.32
								Pumping rate - (litres/min)	1	2.20
								Duration of pumping	2	2.23
								Final water level end of pumping	3	2.25
								Recommended pump type	4	2.26
								Recommended pump depth	5	2.27
								Recommended pump rate	10	2.28
								If flowing give rate -	15	2.29
									20	2.29
									25	2.30
									30	2.30
									40	2.31
									50	2.31
									60	2.32

Water Record		
Water found at Metres	Kind of Water	
11.6	Fresh Sulphur	
14.6	Gas Salty Minerals	
16.4	Other: NOT	
	Fresh Sulphur	
	Gas Salty Minerals	
	Other: NOT	
After test of well yield, water was		
Clean and sediment free		
Other, specify		
Chlorinated	Yes	No

Casing		
15.88	Steel Fibreglass	0 10.0
	Plastic Concrete	
	Galvanized	
	Steel Fibreglass	
	Plastic Concrete	
	Galvanized	
	Steel Fibreglass	
	Plastic Concrete	
	Galvanized	

Screen		
Outside diam	Steel Fibreglass	Slot No.
	Plastic Concrete	
	Galvanized	

No Casing or Screen		
9.4	Open hole	18.3

Plugging and Sealing Record		
Depth set at - Metres	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)
9.4 0	Cement slurry	0.6356


Method of Construction			
☐ Cable Tool	☐ Rotary (air)	☐ Diamond	☐ Digging
☐ Rotary (conventional)	☒ Air percussion	☐ Jetting	☐ Other
☐ Rotary (reverse)	☐ Boring	☐ Driving	

Water Use			
☒ Domestic	☐ Industrial	☐ Public Supply	☐ Other
☐ Stock	☐ Commercial	☐ Not used	
☐ Irrigation	☐ Municipal	☐ Cooling & air conditioning	

Final Status of Well			
☒ Water Supply	☐ Recharge well	☐ Unfinished	☐ Abandoned, (Other)
☐ Observation well	☐ Abandoned, insufficient supply	☐ Dewatering	
☐ Test Hole	☐ Abandoned, poor quality	☐ Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor	Well Contractor's Licence No.
Air Rod Drilling Ltd	1119
Business Address (street name, number, city etc)	
2221 Richmond, Ont	
Name of Well Technician (last name, first name)	Well Technician's Licence No.
Puxell Shannon	72122
Signature of Technician/Contractor	Date Submitted
X	2004 06 01

Location of Well	
In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.	



Audit No.	Date Well Completed
Z 04944	2004 05 14
Was the well owner's information package delivered?	Date Delivered
Yes	2004 05 19

Ministry Use Only	
Data Source	Contractor
Date Received	Date of Inspection
JUN 07 2004	11 19
Remarks	Well Record Number
	1534648

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
 • All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
 • Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
 • **All metre measurements shall be reported to 1/10th of a metre.**
 • Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

[illegible]

6659 Third Line Road		Ottawa Carlton		21-22 2	
RF#/Street Number/Name		City/Town/Village		Site/Compartment/Block/Tract etc.	
6659 Third Line Road		North Cowan			
GPS Reading	NAD	Zone	Easting	Nothing	Unit Make/Model
✓	813	18	0445830	4198560	E Tex
Mode of Operation:					☐ Undifferentiated ☐ Differentiated, specify ☒ Averaged

Log of Overburden and Bedrock Materials (see instructions)

[illegible]

Hole Diameter		
Depth	Metres	Diameter
From	To	Centimetres
0	9.7	25.40

Water Record		
Water found at	Metres	Kind of Water
☐ m	☐ Fresh	☐ Sulphur
☐ Gas	☐ Salty	☐ Minerals
☐ Other: _____		
☐ m	☐ Fresh	☐ Sulphur
☐ Gas	☐ Salty	☐ Minerals
☐ Other: _____		
☐ m	☐ Fresh	☐ Sulphur
☐ Gas	☐ Salty	☐ Minerals
☐ Other: _____		

After test of good yield, water was

☒ Clear and sediment free

☐ Other, specify _____

Chlorinated ☒ Yes ☐ No

Construction Record				
Inside diam centimetres	Material	Wall thickness centimetres	Depth	Metres
			From	To
Casing				
15.24	☒ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized	0.48	0	8.7
	☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized			
	☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized			
Screen				
Outside diam	☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized	Slot No.		
No Casing or Screen				
	☐ Open hole			

Test of Well Yield				
Pumping test method	Draw Down		Recovery	
	Time min	Water Level Metres	Time min	Water Level Metres
Pump intake set at (metres)	Static Level	4.1		4.9
Pumping rate - (litres/min)	1	4.4	1	4.3
Duration of pumping ____ hrs + ____ min	2	4.8	2	4.1
Final water level end of pumping ____ metres	3	4.9	3	-
Recommended pump type. ☐ Shallow ☒ Deep	4	-	4	-
Recommended pump depth. ____ metres	5	-	5	-
Recommended pump rate. (litres/min)	10	-	10	-
	15	-	15	-
If flowing give rate - (litres/min)	20	-	20	-
	25	-	25	-
If pumping discontinued, give reason.	30	-	30	-
	40	-	40	-
	50	-	50	-
	60	-	60	-

Plugging and Sealing Record			☒ Annular space	☐ Abandonment
Depth set at - Metres		Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)	
From	To			
0	8.7	Quick Grout	3 Bags	

Method of Construction			
☐ Cable Tool	☒ Rotary (air)	☐ Diamond	☐ Digging
☐ Rotary (conventional)	☐ Air percussion	☐ Jetting	☐ Other
☐ Rotary (reverse)	☐ Boring	☐ Driving	

Water Use			
☒ Domestic	☐ Industrial	☐ Public Supply	☐ Other
☐ Stock	☐ Commercial	☐ Not used	
☐ Irrigation	☐ Municipal	☐ Cooling & air conditioning	

Final Status of Well			
☒ Water Supply	☐ Recharge well	☐ Unfinished	☐ Abandoned, (Other) _____
☒ Observation well	☐ Abandoned, insufficient supply	☐ Dewatering	
☐ Test Hole	☐ Abandoned, poor quality	☐ Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor <i>Dave's Well Drilling</i>	Well Contractor's Licence No. <i>6565</i>
Business Address (street name, number, city etc.) <i>RR 3 North Augusta</i>	
Name of Well Technician (last name, first name) <i>Dave Smith</i>	Well Technician's Licence No. <i>10-147</i>
Signature of Technician/Contractor <i>[Signature]</i>	Date Submitted <i>2006</i> MM <i>11</i> DD <i>13</i>

Location of Well	
In diagram below show distances of well from road, lot line and building. Indicate north by arrow. 19.5 meters 20.10 meters Well Drive way Rd N E	
Audit No. z 42756	Date Well Completed 2006 11 13
Was the well owner's information package delivered? ☐ Yes ☐ No	Date Delivered 2006 11 13

Ministry Use Only					
Data Source			Contractor		
Date Received			Date of Inspection		
MM DD			YYYY MM DD		
Remarks			Well Record Number		

Address of Well Location (Street Number/Name, RR) **#6614 3RD LINE ROAD RIDGEMOUNT** Township **22** Concession **3**
County/District/Municipality **Ottawa-Carleton** City/Town/Village **North Gower** Province **Ontario** Postal Code _____
UTM Coordinates Zone Easting Northing GPS Unit Make Model Mode of Operation: ☐ Undifferentiated ☒ Averaged
NAD **83** **184451364998752** **Magellan 200** ☐ Differentiated, specify _____


Overburden and Bedrock Materials (see instructions on the back of this form)					
General Colour	Most Common Material	Other Materials	General Description	Depth (Metres) From	Depth (Metres) To
	Clay			0	7.62
	Gravel, Boulders			7.62	12.19
	Grey Limestone			12.19	36.57

Annular Space/Abandonment Sealing Record		
Depth Set at (Metres) From	Depth Set at (Metres) To	Type of Sealant Used (Material and Type)
15.24	12.19	Neat Cement Slurry
12.19	0	Bentonite Slurry

Method of Construction	Water Use
☐ Cable Tool	☐ Public
☐ Rotary (Conventional)	☐ Commercial
☐ Rotary (Reverse)	☐ Municipal
☐ Rotary (Air)	☐ Test Hole
☒ Air percussion	☐ Cooling & Air Conditioning
☐ Other, specify _____	☐ Other, specify _____

Status of Well		
☒ Water Supply	☐ Dewatering Well	☐ Observation and/or Monitoring Hole
☐ Replacement Well	☐ Abandoned, Insufficient Supply	☐ Alteration (Construction)
☐ Test Hole	☐ Abandoned, Poor Water Quality	☐ Other, specify _____
☐ Recharge Well	☐ Abandoned, other, specify _____	

Location of Well
Please provide a map below showing:
- all property boundaries, and measurements sufficient to locate the well in relation to fixed points,
- an arrow indicating the North direction
- detailed drawings can be provided as attachments no larger than legal size (8.5" by 14")
- digital pictures of inside of well can also be provided



Results of Well Yield Testing			
Check box if after test of well yield, water was:		Draw Down	
☐ Clear and sand free		Time (Min)	Water Level (Metres)
☐ Cannot develop to sand-free state		Static Level	Static Level
If pumping discontinued, give reason:		1	4.70
Pumping test method		2	5.26
Pump intake set at (Metres)		3	6.16
Pumping rate (Litres/min)		4	6.80
Duration of pumping		5	7.60
Final water level end of pumping (Metres)		10	9.10
Recommended pump type		15	9.90
Recommended pump depth (Metres)		20	10.60
Recommended pump rate (Litres/min)		25	10.83
If flowing give rate (Litres/min)		30	10.90
		40	10.70
		50	10.32
		60	10.16

Water Details	
Water found at Depth (Metres)	Kind of Water
16.70	☐ Gas ☐ Fresh ☐ Salty ☐ Sulphur ☐ Minerals
35.30	☐ Gas ☐ Fresh ☐ Salty ☐ Sulphur ☐ Minerals
	☐ Gas ☐ Fresh ☐ Salty ☐ Sulphur ☐ Minerals

Casing Used	Screen Used	Casing and Well Details
☐ Galvanized	☐ Galvanized	Diameter of the Hole (Centimetres)
☒ Steel	☐ Steel	Depth of the Hole (Metres)
☐ Fibreglass	☐ Fibreglass	Well Thickness (Metres)
☐ Plastic	☐ Plastic	
☐ Concrete	☐ Concrete	
No Casing and Screen Used		Inside Diameter of the Casing (Metres)
☒ Open Hole		Depth of the Casing (Metres)
Disinfected?		
☒ Yes ☐ No		

Ministry Use Only	
Audit No.	Well Contractor No.
261180	
Date Received (yyyy/mm/dd)	Date of Inspection (yyyy/mm/dd)
DEC 14 2007	
Remarks	

Date Well Completed (yyyy/mm/dd) **2007-11-19** Was the well owner's information package delivered? ☒ Yes ☐ No Date the Well Record and Package Delivered to Well Owner (yyyy/mm/dd) **2007-11-19**

Well Contractor and Well Technician Information
Business Name of Well Contractor **AIR ROCK DRILLING CO LTD** Well Contractor's Licence No. **11191**
Business Address (Street No./Name, number, RR) **RR#1** Municipality **RICHMOND**
Province **ONT** Postal Code **K0A2P0** Business E-mail Address
Bus. Telephone No. (inc. area code) **6138387170** Name of Well Technician (Last Name, First Name) **Desautels R**
Well Technician's Licence No. **14** Signature of Technician **Desautels R** Date Submitted (yyyy/mm/dd) **2007-12-03**

Measurements recorded in: ☐ Metric ☒ Imperial

A079332

Well Owner's Information

First Name Parkview	Last Name / Organization Homes	E-mail Address	☐ Well Constructed by Well Owner
Mailing Address (Street Number/Name) RR#2	Municipality North Gower Ont	Province KO	Postal Code A2T0
Telephone No. (inc. area code)			

Well Location

Address of Well Location (Street Number/Name) 6671 3rd Line Rd				Township Rideau (marlbouze) 22		Concession 2	
County/District/Municipality Ottawa Carleton				City/Town/Village North Gower		Province Ontario	
UTM Coordinates NAD 83		Zone 18		Easting 445828		Northing 498498	
Municipal Plan and Sublot Number PLAN 4M-1191				Other S/L3			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

[illegible]

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
50'	40'	Neat Cement Slurry	4.68'
40'	0	Bentonite Slurry	21'

Method of Construction

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☒ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole	☐ Monitoring
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☒ Air percussion		☐ Industrial		
☒ Other, specify _____		☐ Other, specify _____		

Well Use

☐ Public ☐ Commercial ☐ Not used
☒ Domestic ☐ Municipal ☐ Dewatering
☒ Livestock ☐ Test Hole ☐ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify* _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	
			From	To
6"	Steel	1/8"	+2	50'
6 7/8"	Open hole		50'	140'

Status of Well

☒ Water Supply
☒ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☐ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Construction Record - Screen

[illegible]

Water Details

Water found at Depth 123 (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☒ Contested ☐ Other, specify
Water found at Depth 129 (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☒ Contested ☐ Other, specify
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Contested ☐ Other, specify

Hole Diameter

Depth (m/ft)		Diameter
From	To	(cm/in)
0	140' 6 1/8"	

Well Contractor and Well Technician Information

Business Name of Well Contractor		Well Contractor's Licence No.	
Air Rock Drilling Co Ltd		1119	
Business Address (Street Number/Name)		Municipality	
221		Richmond	
Province	Postal Code	Business E-mail Address	
Ont	K0A2Z0		
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
6138382170		Hogan Van	
Well Technician's Licence No.	Signature of Technician and/or Contractor Date Submitted		
1358	Ker. S. 2008/12/05		

Results of Well Yield Testing

Draw Down		Recovery	
Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
Static Level	15		59.1
1	20	1	43
2	27	2	32.5
3	31	3	26
4	38	4	21
5	44	5	18
10	52.5	10	15
15	59	15	15
20	59	20	15
25	59	25	↓
30	59	30	
40	59	40	
50	59.1	50	
60	59.1	60	

Map of Well Location

Please provide a map below following instructions on the back.

foster stevens

3 km

#6671
3rd Line Rd.

250'

(x)

Comments:

Well owner
information
package
delivered

☒ Yes

☐ No

Date Package Delivered
2008/11/1
Date Work Completed
2008/11/1

Ministry Use Only

Audit No. **Z 90215**
DEC 22 2008
Received

Address of Well Location (Street Number/Name) **6676 Third Line Road** Township **Rideau** Lot **P/L 22** Concession **3**

County/District/Municipality **Ottawa-Carleton** City/Town/Village **North Gower** Province **Ontario** Postal Code

UTM Coordinates Zone Easting Northing **NAD 83 18445812 4998378** Municipal Plan and Sublot Number **5R-1231** Other **Port #1**

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
				From To
	6" Drilled well Abandonment			0' 100'

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From To		
100' 6'	hole plug	28 bags
6' 0'	backfill	

Method of Construction

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole	☐ Monitoring
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, specify		☐ Other, specify		

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	Status of Well
			From To	
				☐ Water Supply
				☐ Replacement Well
				☐ Test Hole
				☐ Recharge Well
				☐ Dewatering Well
				☐ Observation and/or Monitoring Hole
				☐ Alteration (Construction)
				☐ Abandoned, Insufficient Supply
				☐ Abandoned, Poor Water Quality
				☒ Abandoned, other, specify
				☐ Other, specify

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	Status of Well
			From To	
				☒ Abandoned, other, specify
				☐ Other, specify

Water Details

Water found at Depth (m/ft)	Kind of Water: ☐ Fresh ☐ Untested	Depth (m/ft)	Diameter (cm/in)
	☐ Gas ☐ Other, specify	From To	

Well Contractor and Well Technician Information

Business Name of Well Contractor **AIR ROCK DRILLING CO LTD** Well Contractor's Licence No. **1119**

Business Address (Street Number/Name) **RR#1** Municipality **Richmond**

Province **ONT** Postal Code **K0A 2T0** Business E-mail Address

Bus. Telephone No. (inc. area code) **613 838 2170** Name of Well Technician (Last Name, First Name) **Desautels Ken**

Well Technician's Licence No. **T4** Signature of Technician and/or Contractor **Ken Desautels** Date Submitted **20110208**

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
☐ Clear and sand free ☐ Other, specify	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:	Static Level			
	1		1	
	Pump intake set at (m/ft)	2	2	
	Pumping rate (l/min / GPM)	3	3	
	Duration of pumping hrs + min	5	5	
	Final water level end of pumping (m/ft)	10	10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
	Recommended pump depth (m/ft)	25	25	
	Recommended pump rate (l/min / GPM)	30	30	
	Well production (l/min / GPM)	40	40	
	Disinfected? ☒ Yes ☐ No	50	50	
	60	60		

Map of Well Location

Please provide a map below following instructions on the back.

Roger Stevens Drive

#6676 THIRD LINE ROAD

3km

75'

Comments:



February 14, 2011

Ministry of Environment
125 Resources Road
Toronto, Ontario
M9P 3V6

ATTACHED TO AND FORMING PART OF WELL RECORD

Audit # Z119773 – Well Abandonment
Audit # Z119915 – Tag # A105549 (Well # 1)
Audit # Z119774 – Tag # A105550 (Well # 2)

Property Owner Ralph Burwash

**CORRECTION TO "MAILING"
& "TOWN"**

**From: 6676 Third Line Road,
North Gower, Ont K0A 2T0**

**TO 6676 Third Line Road
Kars, Ontario
K0A 2E0**

Debbie Davis
Air Rock Drilling Co Ltd
Licence Number 1119
(O) 613-838-2170
(F) 613-838-3277

C-1119
Z119773
Z119915
Z119774
MAR 11 2011

Ministry of
the Environment

We

A105549

(Print Below)

Well Record

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☐ Metric ☒ Imperial

Page _____ of _____

Address of Well Location (Street Number/Name)

6676 Third Line Road

Township

Rideau

Lot

P/L 22

Concession

3

County/District/Municipality

Ottawa-Carleton

City/Town/Village

North Gower

Province

Ontario

Postal Code

UTM Coordinates Zone Easting

NAD 83 18 445769

Northing

4998386

Municipal Plan and Sublot Number

5R-1231

Other

Part 1

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
Grey	Sandy Clay			0' 21'
	Gravel			21' 24'
Grey & Brown	Limestone			24' 38'
Grey & Brown	Limestone			38' 56'
Grey & Brown	Limestone			56' 71'
Grey & Brown	Limestone			71' 80'

* Well #1 *


Annular Space			
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)	
31' 21'	Neat cement slurry	7.8	
21' 0'	Bentonite slurry	16.8	

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☒ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☒ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning
☒ Air percussion		☐ Industrial	
☐ Other, specify		☐ Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
6"	Steel	.188	31'	☒ Water Supply	
5 7/8"	Openhole		31' 0'	☐ Replacement Well	
				☐ Test Hole	
				☐ Recharge Well	
				☐ Dewatering Well	
				☐ Observation and/or Monitoring Hole	
				☐ Alteration (Construction)	
				☐ Abandoned, Insufficient Supply	
				☐ Abandoned, Poor Water Quality	
				☐ Abandoned, other, specify	
				☐ Other, specify	

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		
				☐ Replacement Well	
				☐ Test Hole	
				☐ Recharge Well	
				☐ Dewatering Well	
				☐ Observation and/or Monitoring Hole	
				☐ Alteration (Construction)	
				☐ Abandoned, Insufficient Supply	
				☐ Abandoned, Poor Water Quality	
				☐ Abandoned, other, specify	
				☐ Other, specify	

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: ☐ Fresh ☒ Untested	Depth (m/ft)	Diameter (cm/in)
38' (m/ft)	☐ Gas ☒ Other, specify	0' 31'	6"
56' (m/ft)	☐ Gas ☒ Other, specify	31' 80'	5 7/8"
71' (m/ft)	☐ Gas ☒ Other, specify		

Well Contractor and Well Technician Information			
Business Name of Well Contractor		Well Contractor's Licence No.	
Air Rock Drilling Co. Ltd.		1119	
Business Address (Street Number/Name)		Municipality	
6666 Franktown Road, RR#1		Richmond	
Province	Postal Code	Business E-mail Address	
ON	K0A 2Z0	air-rock@sympatico.ca	
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613883821 70		GRATHAM RYAN	
Well Technician's Licence No.	Signature of Technician and/or Contractor		Date Submitted
T34-84			20110228

Results of Well Yield Testing					
After test of well yield, water was:		Draw Down		Recovery	
☐ Clear and sand free		Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
☐ Other, specify Not tested		Static Level	4.6'		9.7'
If pumping discontinued, give reason:		1	5.3	1	4.6
		2	5.9	2	4.6
Pump intake set at (m/ft)		3	6.7	3	4.6
60		4	7.1	4	4.6
Pumping rate (l/min / GPM)		5	7.6	5	4.6
20		10	8.1	10	4.6
Duration of pumping		15	8.2	15	4.6
1 hrs + 0 min		20	8.4	20	4.6
Final water level end of pumping (m/ft)		25	8.6	25	4.6
9.7'		30	8.8	30	4.6
If flowing give rate (l/min / GPM)		40	9.1	40	4.6
		50	9.4	50	4.6
Recommended pump depth (m/ft)		60	9.7'	60	4.6'
60'					
Recommended pump rate (l/min / GPM)					
20					
Well production (l/min / GPM)					
20					
Disinfected?					
 Yes ☐ No					

Map of Well Location	
Please provide a map below following instructions on the back:	
Comments:	
* Well #1 *	
Well owner's information package delivered	Date Package Delivered
☒ Yes	Y/Y 2011 / M/M 02 / D/D 28
☐ No	Date Work Completed
	2011 / 01 / 26
Ministry Use Only	
Audit No.	
z119915	
MAR 1 1 2011	
Received	



February 14, 2011

Ministry of Environment
125 Resources Road
Toronto, Ontario
M9P 3V6

ATTACHED TO AND FORMING PART OF WELL RECORD

Audit # Z119773 – Well Abandonment
Audit # Z119915 – Tag # A105549 (Well # 1)
Audit # Z119774 – Tag # A105550 (Well # 2)

Property Owner Ralph Burwash

**CORRECTION TO "MAILING"
& "TOWN"**

**From: 6676 Third Line Road,
North Gower, Ont K0A 2T0**

**TO 6676 Third Line Road
Kars, Ontario
K0A 2E0**

Debbie Davis
Air Rock Drilling Co Ltd
Licence Number 1119
(O) 613-838-2170
(F) 613-838-3277

C-1119
Z119773
Z119915
Z119774
MAR 11 2011

Ministry of
the Environment

Well

A105550

(not Below)

Well Record

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☐ Metric ☒ Imperial

Page of

Address of Well Location (Street Number/Name) 6676 Third Line Road		Township Rideau	Lot A/L22	Concession 3
County/District/Municipality Ottawa Carleton		City/Town/Village North Gower	Province Ontario	Postal Code
UTM Coordinates NAD 83 18 445758 4998388	Zone 18	Easting 445758	Northing 4998388	Municipal Plan and Sublot Number 5R-1231
				Other Part 1

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From To
Grey	Sandy Clay			0' 20'
		Gravel		20' 23'
Grey & Brown	Limestone			23' 38'
Grey & Brown	Limestone			38' 56'
Grey & Brown	Limestone			56' 72'
Grey & Brown	Limestone			72' 80'

** well # 2 **

Annular Space		
Depth Set at (m/ft) From To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
31' 21'	Neat cement slurry	7.8
21' 0'	Bentonite slurry	16.8

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☒ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning
☒ Air percussion		☐ Industrial	
☐ Other, specify		☐ Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From To	☒ Water Supply	☐ Replacement Well
6"	Steel	.188"	+0' 31'	☐ Test Hole	☐ Recharge Well
57/8"	Open Hole		31' 80'	☐ Dewatering Well	☐ Observation and/or Monitoring Hole
				☐ Alteration (Construction)	☐ Abandoned, Insufficient Supply
				☐ Abandoned, Poor Water Quality	☐ Abandoned, other, specify
				☐ Other, specify	

Construction Record - Screen			
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From To

Water Details		Hole Diameter	
Water found at Depth 38' (m/ft) ☐ Gas ☒ Other, specify	Kind of Water: ☐ Fresh ☒ Untested	Depth (m/ft) From To	Diameter (cm/in)
Water found at Depth 56' (m/ft) ☐ Gas ☒ Other, specify	Kind of Water: ☐ Fresh ☒ Untested	0' 31'	6"
Water found at Depth 72' (m/ft) ☐ Gas ☒ Other, specify	Kind of Water: ☐ Fresh ☒ Untested	31' 80'	57/8"

Business Name of Well Contractor Air Rock Drilling Co. Ltd.		Well Contractor's Licence No. 1119
Business Address (Street Number/Name) 6659 Franktown Road, RR#1		Municipality Richmond
Province ON	Postal Code K0A 2Z0	Business E-mail Address air-rock@sympatico.ca
Bus. Telephone No. (inc. area code) 6138382170		
Name of Well Technician (Last Name, First Name) Graham, Ryan		
Well Technician's Licence No. T3484	Signature of Technician and/or Contractor <i>[Signature]</i>	Date Submitted 2011 02 28

Results of Well Yield Testing			
After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify Not tested		Draw Down	
If pumping discontinued, give reason:		Time (min)	Water Level (m/ft)
Pump intake set at (m/ft) 60		Static Level	4.2
Pumping rate (l/min / GPM) 20		1	6.1
Duration of pumping 1 hrs + 0 min		2	6.7
Final water level end of pumping (m/ft) 9.3		3	6.9
If flowing give rate (l/min / GPM) 20		4	7.1
Recommended pump depth (m/ft) 60		5	7.3
Recommended pump rate (l/min / GPM) 20		10	7.7
Well production (l/min / GPM) 20		15	7.9
Disinfected? ☒ Yes ☐ No		20	8.1
		25	8.2
		30	8.4
		40	8.6
		50	9.1
		60	9.3

Map of Well Location	
Please provide a map below following instructions on the back.	
<i>[Hand-drawn map showing location relative to Roger Stevens Drive and 6676 Third Line Road. Dimensions: 0.3km, 160', 6676 Third Line Road]</i>	

Comments: <i>* Well # 2 *</i>	
Well owner's information package delivered ☐ Yes ☒ No	Date Package Delivered 2011 02 01 Date Work Completed 2011 02 27
Ministry Use Only Audit No. z119774 Received MAR 1 2011	



February 14, 2011

Ministry of Environment
125 Resources Road
Toronto, Ontario
M9P 3V6

ATTACHED TO AND FORMING PART OF WELL RECORD

Audit # Z119773 – Well Abandonment
Audit # Z119915 – Tag # A105549 (Well # 1)
Audit # Z119774 – Tag # A105550 (Well # 2)

Property Owner Ralph Burwash

**CORRECTION TO "MAILING"
& "TOWN"**

**From: 6676 Third Line Road,
North Gower, Ont K0A 2T0**

**TO 6676 Third Line Road
Kars, Ontario
K0A 2E0**

Debbie Davis
Air Rock Drilling Co Ltd
Licence Number 1119
(O) 613-838-2170
(F) 613-838-3277

C-1119
Z119773
Z119915
Z119774
MAR 11 2011

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Environmental Engineer

EDUCATION

Carleton University, M.A.Sc., Environmental Engineering, 2013
Carleton University, B.Eng., Environmental Engineering, 2008

MEMBERSHIPS & AWARDS

Alberta Professional Engineers and Geoscience Association
NSERC Industry R&D Scholarship

EXPERIENCE

2018 – Present

Paterson Group Inc.

Consulting Engineers
Geotechnical and Environmental Division
Environmental Engineer

2014 – 2015

Thurber Engineering Limited

Oil Sand Tailings Group
Tailings Engineer

2014 – 2013

Carleton University

Department of Civil & Environmental Engineering
Research Engineer

2013 - 2009

Carleton University

Department of Civil & Environmental Engineering
Research Assistant and Teachers Assistant

2008 – 2009

SLR Consulting Limited

Contaminated Sites
Junior Environmental Engineer

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Associate and Supervisor of the Environmental Division
Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991
Geotechnical / Geological Engineering

MEMBERSHIPS

Ottawa Geotechnical Group
Professional Engineers of Ontario

EXPERIENCE

1991 to Present

Paterson Group Inc.

Associate and Senior Environmental/Geotechnical Engineer
Environmental and Geotechnical Division
Supervisor of the Environmental Division

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island
Agricultural Supply Facilities - Eastern Ontario
Laboratory Facility – Edmonton (Alberta)
Ottawa International Airport - Contaminant Migration Study - Ottawa
Richmond Road Reconstruction - Ottawa
Billings Hurdman Interconnect - Ottawa
Bank Street Reconstruction - Ottawa
Environmental Review – Various Laboratories across Canada - CFIA
Dwyer Hill Training Centre – Ottawa
Nortel Networks Environmental Monitoring - Carling Campus – Ottawa
Remediation Program - Block D Lands – Kingston
Investigation of former landfill sites – City of Ottawa
Record of Site Condition for Railway Lands – North Bay
Commercial Properties – Guelph and Brampton
Brownfields Remediation – Alcan Site - Kingston
Montreal Road Reconstruction - Ottawa
Appleford Street Residential Development - Ottawa
Remediation Program - Ottawa Train Yards
Remediation Program - Bayshore and Heron Gate
Gladstone Avenue Reconstruction – Ottawa
Somerset Avenue West Reconstruction - Ottawa