

JUNE 18, 2025



STITTSVILLE SOUTH COMMUNITY ENERGY PLAN REPORT

Prepared by:

**URBAN
EQUATION**

Prepared for

CAIVAN

TABLE OF CONTENTS

1	INTRODUCTION	3
2	DESCRIPTION OF DEVELOPMENT	4
2.1	DEVELOPMENT OVERVIEW.....	4
2.2	SUSTAINABILITY DRIVERS.....	5
2.3	DEVELOPMENT CHARACTERISTICS	5
2.3.1	PRELIMINARY DEVELOPMENT STATISTICS AND PHASING	6
3	EXISTING CONTEXT	8
4	OBJECTIVES OF THE COMMUNITY ENERGY PLAN.....	8
5	PARTNERS	9
6	DATA SOURCES AND METHODOLOGIES.....	9
7	CONSULTATIONS AND JOINT WORKING GROUP	9
8	ENERGY USE AND CARBON EMISSIONS	9
8.1	REFERENCE SCENARIOS	9
8.2	PROPOSED SCENARIO (SCENARIO 4).....	10
8.3	MITIGATION STRATEGIES.....	10
8.3.1	COMMUNITY INFRASTRUCTURE	10
8.3.2	BUILDING DESIGN	11
8.3.3	EMBODIED CARBON.....	13
9	ENERGY AND CARBON EMISSIONS ANALYSIS	15
9.1	THERMAL AND TOTAL ENERGY CONSUMPTION	15
9.2	OPERATIONAL GREENHOUSE GAS EMISSIONS.....	16
10	ENERGY RESILIENCE	17
11	IMPLEMENTATION MEASURING AND MONITORING	17

Ottawa: 150 Elgin, Suite 1000
Toronto: 30 Sudbury Street
Urbanequation.ca

June 18th, 2025

Caivan
4100 Strandherd
Ottawa, ON
K2J 0V2
Attention: Sue Murphy

Dear Sue,

We are pleased to submit the Community Energy Plan (CEP) Report for Stittsville South. The development of these lands presents a unique opportunity to accommodate planned growth within the City of Ottawa through the development of a new community. This Report has been prepared on behalf of Caivan.

The purpose of the CEP is to provide a description of the anticipated energy use and related emissions of the Stittsville South community while presenting design and other considerations for advanced energy conservation and low-carbon generation.



Sincerely,

Steve Dulmage
Director, Sustainability

1 Introduction

On April 24, 2019, Ottawa City Council declared a climate emergency to underscore scientific warnings that Canada is warming roughly twice as fast as the global average, raising local risks of flooding, heatwaves and costly infrastructure damage. This action was meant to “name, frame and deepen” the city’s commitment to safeguarding its economy, ecosystems and community from climate change, particularly after record Ottawa River floods and other extreme-weather events in the region.

Ottawa’s building-sector decarbonization agenda is anchored in the City’s Climate Change Master Plan (CCMP) and the companion Energy Evolution Strategy. Together they set a pathway to cut community-wide building emissions to **zero** by 2050. Energy Evolution is one of eight priorities in the Climate Change Master Plan – the City’s overarching framework to reduce greenhouse gas emissions and respond to climate change imperatives. Its vision is to transform Ottawa into a thriving city powered by clean, renewable energy.

In addition to the climate crisis, Ottawa is also facing a housing crisis. The Canada Housing and Mortgage Corporation (CMHC) estimates that Canada needs approximately 3.5 million additional units by 2030 to restore affordability¹, with the Province of Ontario committing to building 1.5 million new units by 2031². Building this much housing is, according to The Task Force for Housing and Climate, both a generational challenge and opportunity.

The Stittsville South development is addressing the housing crisis head on by helping Ottawa meet its housing needs. Furthermore, by leveraging its local, ABIC advanced manufacturing processes, Caivan is leaning into new and innovative ways to reduce the wider environmental impacts associated with homebuilding.

2 Description of Development

2.1 Development Overview

Stittsville South is planned to be a new residential community located in the western limits of the City of Ottawa. The 69-hectare Study Area is within the W-4 Stittsville Urban Expansion Area and designated in the Official Plan as a Future Neighborhood. The development is proceeding through a Concept Plan process recognizing the scale, accessibility to services and single ownership of the property. The development ties into the existing community to the north with road stubs, servicing connections and a sanitary pump station adjacent to the subject lands. The Stittsville South development is being guided by opportunities for innovation, sustainability, connectivity, and accessibility.

Stittsville South reflects objectives set out in The New Official Plan from the City of Ottawa, Urban Design Guidelines for Greenfield Neighborhoods (Ottawa, 2007), Building Better and Smarter Suburbs (Ottawa, 2015), Designing Neighborhood Collector Streets (Ottawa, 2019), Park Development Manual (Ottawa, 2017), and Traffic Calming Design Guidelines (Ottawa, 2019).

¹<https://www.cmhc-schl.gc.ca/professionals/housing-markets-data-and-research/housing-research/research-reports/accelerate-supply/housing-shortages-canada-updating-how-much-we-need-by-2030>

² <https://www.ontario.ca/page/tracking-housing-supply-progress>

This Community Energy Plan (CEP) is a requirement of Official Plan Amendment application for lands designated future urban neighbourhood. It will provide a community-specific level of direction in terms of energy policy. More specifically, it seeks to:

- Identify potential on-site and off-site technologies that can be considered for future screening, development, analysis, and implementation; and
- Align potential solutions with broader sustainability strategies to address current and future effects of climate change.

This CEP outlines potential strategies for consideration by developers, utilities, and other partners. Due to the stage of design and being adjacent to existing infrastructure, many strategies will not be feasible for Stittsville South, however the CEP will serve as a guide to future Caivan developments, and the subsequent Community Energy Brief required for the Draft Plan of Subdivision application.

The CEP is also being prepared alongside Life Cycle Assessments (LCA) of various Caivan housing typologies. While the CEP focusses on operational emissions, the LCAs will create a list of options that could be explored to reduce upfront carbon emissions associated with new construction.

2.2 Sustainability Drivers

Caivan is setting a new standard for sustainable residential development in Ottawa through its deep commitment to environmental stewardship and innovation. Central to this commitment is the company's advanced Building Innovation Centre (ABIC), a 105,000-square-foot prefabrication facility that embodies their ethos of innovation, sustainability and responsible, future-forward construction.

Unlike conventional building practices that generate significant material waste and emissions, Caivan's processes eliminate waste entirely during structural assembly. Their zero-waste facility ensures optimal use of materials through precise digital design, cataloging, and cutting technique that drastically reduce landfill contributions compared to traditional methods.

Each home component is engineered with millimeter-level accuracy, resulting in airtight, high-performance building envelopes that contribute to 12–15% greater energy efficiency. By shifting much of the construction process off-site, Caivan also minimizes the carbon footprint associated with on-site building activity.

For the Stittsville South project, the ABIC fully electrified production line, the use of sustainably sourced and kiln-dried SPF lumber, and a streamlined delivery system will help eliminate the thousands of vehicle trips and associated emissions commonly required for conventional construction. Additionally, ABIC-built homes arrive at site fully enclosed, minimizing the need for temporary propane heating and reducing the project's overall carbon impact.

2.3 Development Characteristics

This Community Energy Plan is based on the Urban Design Brief as of March 2025 (see Figure 1).




Figure 1: Stittsville South Concept Plan

The community design plan is defined by the following key components:

1. **Access and Visibility to Surrounding Natural Areas** is recognized as important function of enhanced livability. This will be achieved through retention and enhancement of a wooded buffer area along the Faulkner drain; a linked hydro corridor and open space system that provides visual and physical access.
2. **Fine-grained Network of Streets** with logical connections to adjacent existing communities including pedestrian connectivity that will provide an integrated neighborhood.
3. **Integrated Active and Passive Park and Open Spaces** provide a robust system for all ages and abilities to have all season access.
4. **High Quality and Attractive Built Form** will be provided through a variety of new housing forms and designs. The built form will showcase Cavan's commitment to quality architecture and thoughtful community design.

2.3.1 Preliminary Development Statistics and Phasing

The community will primarily showcase a mix of single detached and standard townhomes strategically interspersed, as well as stacked townhomes within the medium density blocks.

Preliminary projections (see Table 1: Stittsville Development Statistics), have been prepared based on the urban design brief. Best available information has been used to inform this CEP, including technical engineering reports. The following assumptions have been used to define areas:

- New Land Area includes lot area + 50% of ROW in front of lot.
- Floor areas include the total area of each floor whether located above, at, or below grade per the Community Energy Plan Terms of Reference.
- Estimated floor area taken from an average unit size.

Table 1: Stittsville Preliminary Development Statistics

Density Zone	Building Archetype	Net Land Area (% of total)	Total Units (approx.)	Floor Area Per Unit (m ²) (estimated)	Total Floor Area (m ²) (estimated)
Low Density	Single Detached	36	667	263	175,421
	Standard Townhome	24	837	153	128,061
	Stacked Townhome	7	550	89.5	49,225
Total	-	-	2054	-	352,707

To better analyze the energy and carbon data within the context of the CEP Terms of Reference (TOR), Stittsville South's development characteristics were mapped onto the HPDS building archetypes (see Table 2: Stittsville Development Statistics – HPDS Archetypes).

It was assumed that back-to-back and stacked townhouses qualified as low-rise apartments, given their enhanced density over the traditional townhouse archetype and given their treatment as apartments in other applicable City of Ottawa processes, like Development Charge collection.

Table 2: Stittsville South Development Statistics - HPDS Archetypes

Ottawa HPDS Archetypes	Stittsville South Building Archetype	Floor Area (m ²)
Singles, Townhomes	Semi and Single Detached Family Homes, Townhomes and Stacked Towns.	352,707
Total	-	352,707

It is assumed that Stittsville will be steadily constructed over a seven-year period between 2027 and 2033.




Figure 2: Cumulative Development Buildout (GFA per Year)

3 Existing Context

Currently, the Subject Site generally consists of undeveloped, vacant land. It is bordered by Flewellyn Road to the south, residential dwellings to the west, a residential development to the north, and agricultural land and residential dwellings to the east.

The site gradually slopes downward from the northwest to the southeast. The site also gradually slopes downward from the northeast and southwest to the central portion of the site, resulting in a shallow valley striking northwest southeast. There is an existing stormwater management facility centrally located on the subject lands, as well as the Faulkner Drain that runs north-south from the hydro corridor to Flewellyn Road which then runs east-west parallel to Flewellyn Road.

The property parcel of 5993 Flewellyn Road is void of trees and vegetation, whereas the property parcels comprising 6070 & 6115 Flewellyn Road are comprised of various treed areas. Further, an existing garage/storage building is located on the 6115 Flewellyn Road property.

4 Objectives of the Community Energy Plan

This Community Energy Plan sets objectives for energy and greenhouse gas emissions to provide pathways, considerations and solutions that act as guides to the preparation and review of future CEP Reports/Briefs. This supports planning the community with infrastructure and

systems that may contribute to the City's goal of net zero emissions by 2050, in alignment with the City's Energy Evolution Strategy.³.

Future development applications will be complemented by a CEP Report/Brief that will speak to building-specific details of the development application. Therefore, the mitigation and resilience strategies identified in this CEP are intended to serve as a guide only for consideration.

5 Partners

This project is being developed by Caivan, a leading Ontario-based land development and homebuilding company.

6 Data Sources and Methodologies

The data sources used to generate this CEP are as follows:

- The City of Ottawa's Community Energy Plan Terms of Reference.
- The City of Ottawa's Energy Evolution Strategy.
- Caivan Energy Model Reports

It has been assumed that the greenhouse gas targets outlined in this report are attributed to the ongoing operations of the buildings only, unless otherwise specified.

7 Consultations and Joint Working Group

Due to the nature of the Stittsville South development, specifically its proximity to existing energy infrastructure and development timeline with home construction starting in 2026, this development would not benefit from establishing a working group as other, larger scale developments would.

That said, communication was established with Ottawa Hydro to discuss the project in more detail, however at the time of writing no response was received. In the meantime, Caivan continues to engage its consultants, leaders in reducing real estate related emissions, to find ways to reduce its carbon footprint.

8 Energy Use and Carbon Emissions

8.1 Reference Scenarios

The Community Energy Plan requires that the project consider how the proposed solution (referred to as 'Scenario 4') will compare to three (3) reference scenarios. Per the City's CEP Terms of Reference, these include:

- Scenario 1: A Business As Planned (BAP). The BAP Scenario estimates 1,175kg equivalent annual CO² emissions added for every new home. Household energy for Ottawa's baseline year 2016 is estimated at 105.56GJ / household declining down to 65.93 GJ / household by 2050.

³https://documents.ottawa.ca/sites/default/files/energy_evolution_strategy_en.pdf

- Scenario 2: 50% Emissions Reduction. The Energy Evolution Strategy Model to 2050 reduces emissions 50% from the BAP scenario to 587kg equivalent annual CO² emissions per new home.
- Scenario 3: Near Zero Emissions. The Energy Evolution Strategy target scenario calls for near zero emissions for every new home built after 2030. Household energy use in this scenario is expected to reduce to 23.43 GJ / household in the target scenario, this consumption is offset by local renewable energy generation to achieve near zero emissions.

8.2 Proposed Scenario (Scenario 4)

This section outlines the proposed targeted thermal energy demand intensity (TEDI), energy use intensity (EUI) and greenhouse gas intensity (GHGI) targets for Stittsville South (see Table 3). These targets align with modelling conducted on archetype buildings within the typologies being constructed at Stittsville South.

Table 3: Proposed Scenario – Stittsville South

Building Archetype	EUI (kWh/m ²)	TEDI (kWh/m ²)	GHGI (kgCO _{2e} /m ²)
Single Detached	160	57	19
Townhouse	113	33	13
Apartment (<6 Storeys)	108	10	12

Caivan will continue to explore ways to reduce energy consumption and related greenhouse gas emissions as development takes place in the years to come. See the energy use and supply strategies described further in Section 8.3.

8.3 Mitigation Strategies

This section provides more detail on the potential energy consumption and carbon emission mitigation strategies that could be leveraged to assist Stittsville South in meeting the proposed approach. The strategies have been broken down into the following categories:

- Community Infrastructure
- Building Design
- Embodied Carbon

As the project advances towards detailed development applications, the following strategies will be explored as the community and building designs continue to evolve. The strategies included in this section have been included to inform and guide future assessment, both at the community and building infrastructure level.

8.3.1 Community Infrastructure

Energy Infrastructure

The use of community-based energy systems can be an effective method to efficiently provide thermal and electrical energy to buildings. Stittsville South will tie into the existing hydro grid system and alternatives are unlikely within the development horizon. However, if a community partnership is created, the following community energy sources may be considered for future communities.

- **Solar Photovoltaics (PV):** Solar PV has the potential to produce onsite zero-carbon energy, offsetting and mitigating carbon emissions for the development. There is an opportunity for solar to be considered both on buildings themselves and open spaces within or adjacent.
- **Battery Energy Storage Systems (BESS):** While not an energy source itself, BESS facilitates the full use of intermittent renewable electricity sources, such as solar PV, by allowing electricity to be stored for future use. The combined use of distributed and central battery storage systems will be assessed to mitigate carbon emissions.

Transportation Network

Stittsville South will be equipped with a variety of different mediums for travel throughout the community, aligning with the larger vision of creating a connected and accessible community that promotes healthy living and social opportunities. These mediums aim to connect users to major greenspace elements, such as parks and the hydro corridor that leads to a wider range of recreational opportunities. The mediums that will encourage active mobility in Stittsville South are:

- Sidewalks
- Multi-Use Pathway along the Collector Road and
- Through the Hydro Corridor
- Recreational Trail that runs parallel to the NHS
- Walkway Blocks

Stittsville South will consider the following mitigating strategies:

- **Connected and Active Transportation Networks:** Active transportation will be prioritized to make a pedestrian and bike-friendly community, thereby reducing the need to drive within the community to run local errands and travel to and from work and school.
- **Strong Transit Connection:** Stittsville South will enter into an Early Transit Service agreement with the City to extend local transit services to this new neighbourhood such that transit is available day one.
- **Electric Vehicle Charging Availability:** Stittsville South will continue to monitor the progression towards zero emission vehicles, and consider the infrastructure needed to reduce emissions related to automobile traffic.

8.3.2 Building Design

8.3.2.1 Passive Design Strategies

The most efficient energy source is energy that is not used. This means that one of the most effective solutions to creating an energy efficient community is reducing the work that building

systems must carry out to maintain a comfortable environment. Below are examples of passive design strategies that will be considered to reduce total energy demand.

Building Envelope

Given building design trends across Ontario: lower density building archetypes, such as townhouses and single detached homes, increasing insulation above minimum code requirements can improve envelope performance. These opportunities will be carefully considered during the detail design stage. Attainable home ownership is a key issue contributing to the housing crisis. Consideration of increasing energy standards and costs must be balanced with market pricing tolerances.

Glazing

High performance glazing products with low solar heat gain coefficients provide daylight while reducing over-heating in shoulder seasons and cooling loads in the summer.

Building and Street Orientation

The land use plan is premised on a well-connected grid network of local streets connecting in a logical and land-efficient way to the existing roads and sidewalks in the area. Therefore, there is limited opportunity to completely optimize the solar orientation of any new street networks.

8.3.2.2 Active Design Strategies

Once the thermal loads of buildings are reduced as much as is reasonable through passive design strategies, efficient building systems are used to further reduce energy use intensity. The following solutions do not leverage combustion as a means of building heating.

Given that building systems vary significantly between low density residential and higher density, multi-use residential buildings, they have been listed out separately. Examples of active design strategies are listed below.

Low-Density Building Archetypes

Caivan will consider the following (and other) active design strategies when preparing the specification level for the low-density building archetypes to improve performance over baseline:

- EnergySTAR appliances.
- High-efficiency LED lighting, daylight and occupancy controls.
- Designing to achieve reductions in domestic hot water energy use through low flow plumbing fixtures.
- High efficiency HVAC and domestic hot water systems where appropriate, including:
 - Cold climate air source heat pumps.
 - Dedicated ground source heat pumps, either on a dedicated loop for each home, or on shared loop in smaller quantities (i.e. a block of townhouses may share a single loop, but each unit will maintain their own heat pump).

8.3.3 Embodied Carbon

This section highlights embodied carbon targets and reduction strategies that will be considered at Stittsville South to further reduce greenhouse gas emissions. An embodied carbon study is being conducted to inform baselines and achievable targets.

Embodied carbon, the greenhouse gas emissions resulting from the extraction, production, transportation, and installation of building materials (as well as their end-of-life disposal), plays a significant role in the total carbon footprint of new development. Unlike operational carbon (emitted during a building's use) embodied carbon is "locked in" from the construction phase. Embodied carbon is important as it remains a significant portion of a building's emissions, more so as energy-efficient technologies reduce operational carbon.

Currently, the City of Ottawa does not provide guidance on the reduction of embodied carbon from material use and construction. As such, Caivan is developing its own embodied carbon targets (see Table 4: Example Embodied Carbon Targets), drawing from the Toronto Green Standard (TGS) and other relevant resources, where applicable. The example targets below have been defined for low-rise residential.

The targets apply to upfront embodied carbon from life cycle stages A1 to A5. Stages B (related to building use) and Stage C (end of life) are not included below but may be considered in the future. A1 to A5 (summarized below) typically represent more than 75% of a buildings' embodied emissions and are the focus of most industry standards.

- A1: Raw Material Supply
- A2: Transport (of Raw Materials to Manufacturer)
- A3: Manufacturing
- A4: Transport (of manufactured goods to construction site)
- A5: Construction/installation processes

All targets, including those for single family homes and townhomes, will be further evaluated where future CEP Reports/Briefs are requested, (i.e. Draft Plan of Subdivision application and conditions of approval).

8.3.3.1 Strategies to Reduce Embodied Carbon

The following embodied carbon reduction strategies will be considered, developed and finalized as additional building details are advanced.

Pre-design Stage

- Prefabrication: Modular and prefabricated components, such as those currently constructed at the Caivan AIBC manufacturing facility, can be lower in embodied carbon because they are manufactured in controlled environments thereby reducing material waste, optimizing resource use, and minimizing energy-intensive on-site processes.
- Framing Techniques: Optimizing the structural framing via stud and joist spacing can help reduce the amount of lumber used and thus lower carbon impact.

Design Stage

- Low Carbon Insulation: Where applicable in the assembly, substituting to a lower Global Warming Potential insulation will help lower impact.
- Local Lumber: Ensuring that lumber sourced is produced locally, where possible, can minimize transportation emissions and support sustainable forestry practices in the region.
- Salvaged Material: Incorporating salvaged timber, brick, or fixtures from deconstructed buildings, if available, can reduce demand for virgin materials.
- Low-Carbon Concrete: Using materials verified by Environmental Product Declarations (EPDs) can ensure they meet low-carbon performance standards. This includes innovative concrete, recycled steel, or alternative low-carbon products.
- Locally Sourced Materials: Specifying materials sourced within a certain radius of the construction site can ensure that emissions from transportation are reduced.

Construction Stage

- Circular Economy Practices: Reusing or recycling surplus materials from construction, such as steel formwork or optimizing concrete orders can minimize waste sent to landfills.
- Material Wastage: Collaborating with contractors to monitor and optimize material orders can help reduce waste. Implementing precise calculations can ensure efficient use of resources.

9 Energy and Carbon Emissions Analysis

9.1 Thermal and Total Energy Consumption

A comparison between Stittsville's proposed thermal and total energy consumption along with greenhouse gas emissions and the reference scenarios included in the City of Ottawa's Terms of Reference are shown below.

Figure 3 shows Stittsville South's Sitewide Thermal Energy Use (MWh) and demonstrates that the current design aligns with the 2025-2029 Business as Planned scenario.




Figure 3 Stittsville Sitewide Thermal Energy Use for Scenarios 1-4 (MWh)




Figure 4: Stittsville Sitewide Energy Use for Scenarios 1-4 (MWh)

9.2 Operational Greenhouse Gas Emissions

Sitewide greenhouse gas emission intensity targets are shown below. Like the sitewide TEDI, the proposed design remained under the Business as Planned scenario until the metrics changed earlier this year.




Figure 5: Stittsville South Sitewide GHGI for Scenarios 1-4 (KgCO2e/m2)

In addition to the efforts underway to reduce the embodied carbon of our homes (not shown in this CEP), Caivan will continue to explore ways to reduce operational emissions across its communities.

10 Energy Resilience

As climate change progresses and weather events become more extreme and unpredictable, it will be critical for energy systems to be resilient to these changes. The shift towards higher average annual temperatures can lead to lower heating and higher cooling loads over the life of the building. Using up to date, or even predicted, weather data when doing early analysis can allow the project team to consider how the design will perform over the life of the building.

With increasing global temperatures, extreme weather events require designs to carefully evaluate back-up power solutions for emergency (life safety) requirements in certain buildings. Passive design strategies such as a relatively low window-wall ratio, high thermal mass elements within the building, and high R-values for the building insulation would assist in maintaining building temperature in the event of heating/cooling system failure.

11 Implementation Measuring and Monitoring

As the design progresses, the proponents shall continue to evaluate the feasibility of options that could improve upon the business as planned scenario mentioned in this report.