

SCHEDULE OF INLET CONTROL DEVICES				
DRAINAGE AREA ID	STRUCTURE ID	ICD TYPE	100YR RELEASE RATE (L/s)	
L104B	CBMH 500	IPEX TEMPEST LMF 60	4.8	
L104A	CBMH 501	83mm ORIFICE	20.3	
L107A	CBMH 503	94mm ORIFICE	25.6	
L109A	CB 504	IPEX TEMPEST LMF 65	4.0	



Stantec Consulting Ltd.
400 - 1331 Clyde Avenue
Ottawa ON
Tel. 613.722.4420
www.stantec.com

Copyright Reserved
The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

- AREA ID
- RUNOFF COEFFICIENT
- STORM DRAINAGE AREA ha.
- STORM DRAINAGE BOUNDARY
- MAXIMUM PONDING LIMITS
- DIRECTION OF OVERLAND FLOW
- PROPOSED STORM SEWER
- PROPOSED CATCHBASIN MANHOLE
- PROPOSED CATCHBASIN
- PROPOSED SUBDRAIN AND LANDSCAPE CATCHBASIN
- CATCHBASIN TO BE INSTALLED WITH CIRCULAR ORIFICE (SEE DWG SD-1)
- CATCHBASIN TO BE INSTALLED WITH LMF ICD (SEE DWG SD-1)
- THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 1.5m. THERMAL INSULATION ON WATERMAIN WHERE COVER IS LESS THAN 2.4m AS PER W22.
- EXISTING CATCHBASIN
- EXISTING STORM SEWER

Notes

1	ISSUED TO CITY FOR REVIEW	MJS	KJK	19.08.01
Revision		By	Appd.	YY.MM.DD
File Name:	160401467-DB	MJS	DT	MJS
		Dwn.	Chkd.	Dsgn.
Permit-Seal				

Client/Project
1702599 ONTARIO INC
308 Rue De La Melodie
CHAPEL HILL HOUSING
6102 RENAUD ROAD
OTTAWA, ONTARIO

Title
STORM DRAINAGE PLAN

Project No.	160401467	Scale	0 2 6 10m 1:200
Drawing No.	SD-1	Sheet	5 of 6
		Revision	1

DWG# XXXXX

W:\action\160401467\design\drawing\160401467-DB.dwg
20/08/2019 14:07:19 WSP: kalmasson, m. modena

ORIGINAL SHEET - ARCH 0