

WATERIDGE VILLAGE BLOCKS 15, 22, 24



NAK PROJECT NO. 17-047

PROJECT ADDRESS: OTTAWA, ON

RE-ISSUED FOR SECOND SUBMISSION TO CITY DECEMBER 21, 2017

LIST OF DRAWINGS:

NAK		
LOO	-	COVER SHEET
LO1	-	LANDSCAPE PLAN - BLOCK 22
L02	-	LANDSCAPE PLAN - BLOCK 24
L03	-	Landscape plan - block 24 and 15
L04	-	LANDSCAPE PLAN - BLOCK 15
L05	-	LAYOUT PLAN - BLOCK 22
L06	-	LAYOUT PLAN - BLOCK 24
L07	-	LAYOUT PLAN - BLOCK 24 AND 15
L08	-	LAYOUT PLAN - BLOCK 15
P01	-	PLANTING PLAN
P02	-	PLANTING PLAN
P03	-	PLANTING PLAN
P04	-	PLANTING PLAN
P05	-	PLANTING PLAN
P06	-	PLANTING PLAN
P07	-	PLANTING PLAN
P08	-	PLANTING PLAN
P09	-	PLANTING PLAN
DETAILS		
D01	-	DETAILS
D02	-	DETAILS
D03	-	DETAILS
D04	-	GATEWAY AND WAYFINDING FEATURES





GENERAL NOTES:

- 1. ALL DIMENSIONS SHALL BE CHECKED AND VERIFIED IN THE FIELD BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION. ANY DISCREPANCIES SHALL BE REPORTED IMMEDIATELY TO THE ENGINEER. LOST TIME DUE TO FAILURE OF THE CONTRACTOR TO CONFIRM UTILITY LOCATIONS AND NOTIFY ENGINEER OF POSSIBLE CONFLICTS PRIOR TO CONSTRUCTION WILL BE AT THE CONTRACTORS EXPENSE.
- 2. REPORT ANY DISCREPANCIES TO THE LANDSCAPE ARCHITECT PRIOR TO COMMENCING WORK. NO RESPONSIBILITY IS BORNE BY THE CONTRACT ADMINISTRATOR FOR UNKNOWN SURFACE CONDITIONS.
- 3. REINSTATE ALL AREAS AND ITEMS DAMAGED ON SITE AND REPORT ANY ERRORS AND/OR OMISSIONS TO LANDSCAPE ARCHITECT. ANY AREAS BEYOND THE LIMIT OF THE SITE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION OR BETTER TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION AT THE CONTRACTOR'S EXPENSE.
- 4. ALL WORKS AND MATERIALS SHALL CONFORM TO THE LATEST REVISION OF THE STANDARDS AND SPECIFICATIONS FOR THE CITY OF OTTAWA, ONTARIO PROVINCIAL STANDARD DRAWINGS (OPSD) AND SPECIFICATIONS (OPSS), WHERE APPLICABLE. LOCAL UTILITY STANDARDS AND MINISTRY OF TRANSPORTATION STANDARDS WILL APPLY WHERE REQUIRED.
- 5. THERE WILL BE NO SUBSTITUTION OF MATERIALS UNLESS PRIOR WRITTEN APPROVAL IS RECEIVED FROM THE LANDSCAPE ARCHITECT.
- 6. ALL CONSTRUCTION SHALL BE CARRIED OUT IN ACCORDANCE WITH THE RECOMMENDATIONS MADE IN THE GEOTECHNICAL INVESTIGATION, PROSPOSED RESIDENTIAL BLOCK 15,22 AND 24, BY PATERSON GROUP DATED AUGUST 8,2017.
- 7. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED AND TO BEAR THE COST OF THE SAME.
- 8. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE 'OCCUPATIONAL HEALTH AND SAFETY ACT AND REGULATIONS FOR CONSTRUCTION PROJECT'. THE GENERAL CONTRACTOR SHALL BE DEEMED TO BE THE 'CONSTRUCTOR' AS DEFINED IN THE ACT.
- 9. THE LOCATION OF THE TREES SHOWN ON THIS PLAN IS APPROXIMATE AND SHALL NOT BE SCALED FROM THIS DRAWING. THIS PLAN MUST BE READ IN CONJUNCTION WITH THE APPROVED CUP AND CITY CROSS SECTIONS.
- 10. THE CONTRACTOR SHALL CONFIRM THE LOCATION OF ALL EXISTING UTILITIES WITHIN THE SITE AND ADJACENT WORK AREAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITIES TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF ANY SERVICES OR UTILITIES DISTURBED DURING CONSTRUCTION, TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION.
- 11. DRAWINGS SHALL BE READ IN CONJUNCTION WITH THE CIVIL, LIGHTING AND ARCHITECT DRAWINGS.
- 12. CONTRACTOR SHALL EMPLOY QUALIFIED SURVEYOR AT THEIR EXPENSE TO SET FINISHED GRADE STAKES AND MAINTAIN GRADE CONTROL AND LAYOUT UNTIL SUBSTANTIAL COMPLETION OF WORK.
- 13. BENCHMARKS: IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THAT THE SITE BENCHMARK(S) HAS NOT BEEN ALTERED OR DISTURBED AND THAT ITS RELATIVE ELEVATION AND DESCRIPTION AGREES WITH THE INFORMATION DEPICTED ON THIS PLAN.
- 14. TREE PLANTING GUIDELINE APPROVED CROSS SECTIONS SHALL TAKE PRECEDENCE
 - 4.5M STREET LIGHT 2.5M - STREET LIGHT (SMALL TREE <7M MATURE HT.)
 - 3.0M HYDRO TRANSFORMER ACCESS DOOR 1.5M - HYDRO TRANSFORMER SIDES AND BACKS
 - 1.0m HYDRO LATERAL 1.5M - PATH, DRIVEWAY, FENCE
 - 4.5M CONIFERS MINIMUM SETBACK FROM CURB 2.5M - FIRE HYDRANTS
 - 1.5M WATER SERVICE / CURB STOP 1.0M - BELL / CABLE PEDESTALS



Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.





Job No. 17-047



- ELEVATION AND DESCRIPTION AGREES WITH THE INFORMATION DEPICTED ON THIS PLAN.

discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect. ntion Pla

Contractor shall check all dimensions on the work and report any

	SIR GEORO		
	A REAL	MONTREAL RO	DAD
	LEGEND		
		PROPERTY LINE	
	DC	CENTRE LINE OF SWALE DROP CURB	
	FENCING		
		COMPOSITE WOOD PRIVACY FENCE 1.0m HT. RAILING	
	SURFACING		
		HEAVY DUTY UNIT PAVING - TYPE 1	
		HEAVY DUTY UNIT PAVING - TYPE 2	
		LIGHT DUTY UNIT PAVING - TYPE 1	
	000000000000000000000000000000000000000	LIGHT DUTY PAVING - TYPE 2	
		HEAVY DUTY CIP CONCRETE PAVINO	6
		stamped asphalt finish	
		ASPHALT PAVING	
	$\times\!\!\times\!\!\times\!\!\times\!\!\times\!\!\times$	PRIVATE PATIOS	
	6674669	BIOSWALE RIVERSTONE	
	PLANTING		
	(\cdot)	STREET TREES (BY OTHERS)	
	(\cdot)	DECIDUOUS TREES	
		ORNAMENTAL PLANTING	
		BIOSWALE PLANTING	
	AMENITIES		
		BENCH WITHOUT BACK	
		BENCH WITH BACK (ACCESSIBLE)	
	Ŧ		
		0.5m HT CIP CONCRETE WALL	
	DETAIL KEY	WITH 0.5m HT RAILING	
		DETAIL NO.	
		Sheet no.	
-			
-			
_			
<u>-</u> २	Re-Issued for Second	d Submission to City	Dec 21/17
2	Issued for Second Si	Jbmission to Citv	Dec 15/17
	Issued for Site Plan C	Control Submission	Aua 11/17
No.	Description		Date
Revi	sion		<u> </u>
City	Approval Stamp		



LANDSCAPE PLAN BLOCK 24



	OTTAWA RIVE	R TIENINE CARTIER PAR SITE MONTREAL RO	DAD
	LEGEND		
	DC	PROPERTY LINE CENTRE LINE OF SWALE DROP CURB	-
		Composite wood privacy fend 1.0m ht. railing	CE
	SURFACING		
		HEAVY DUTY UNIT PAVING - TYPE 1	
		HEAVY DUTY UNIT PAVING - TYPE 2	
		LIGHT DUTY UNIT PAVING - TYPE 1	
	000000000000000000000000000000000000000	LIGHT DUTY PAVING - TYPE 2	
		HEAVY DUTY CIP CONCRETE PAVIN	٩G
		STAMPED ASPHALT FINISH	
		ASPHALT PAVING	
		PRIVATE PATIOS	
		BIOSWALE RIVERSTONE	
	PLANTING		
	$\overline{\mathbf{\cdot}}$	STREET TREES (BY OTHERS)	
	(\cdot)	DECIDUOUS TREES	
		ORNAMENTAL PLANTING	
		BIOSWALE PLANTING	
	AMENITIES		
		BENCH WITHOUT BACK	
	F	FEATURES	
		0.5m HT CIP CONCRETE WALL	
	DETAIL KEY		
		deta i l no. Sheet no.	
_			
_			
_			
-	Polysued for Second	d Submission to City	Dec 21/17
2	Issued for Second Su	ubmission to City	Dec 15/17
	Issued for Site Plan C	Control Submission	Aug 11/17
NOV	ADeraviatiotamo		Date

Revision

Revision

City Approval Stamp

LAYOUT NOTES:

- 1. ALL WORKS AND MATERIALS SHALL CONFORM TO THE LATEST REVISION OF THE STANDARDS AND SPECIFICATIONS FOR THE CITY OF OTTAWA, ONTARIO PROVINCIAL STANDARD DRAWINGS (OPSD) AND SPECIFICATIONS (OPSS), WHERE APPLICABLE. LOCAL UTILITY STANDARDS AND MINISTRY OF TRANSPORTATION STANDARDS WILL APPLY WHERE REQUIRED.
- 2. THE CONTRACTOR SHALL CONFIRM THE LOCATION OF ALL EXISTING UTILITIES WITHIN THE SITE AND ADJACENT WORK AREAS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITIES TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF ANY SERVICES OR UTILITIES DISTURBED DURING CONSTRUCTION, TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION.
- 3. ALL DIMENSIONS SHALL BE CHECKED AND VERIFIED IN THE FIELD BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION. ANY DISCREPANCIES SHALL BE REPORTED IMMEDIATELY TO THE ENGINEER. LOST TIME DUE TO FAILURE OF THE CONTRACTOR TO CONFIRM UTILITY LOCATIONS AND NOTIFY ENGINEER OF POSSIBLE CONFLICTS PRIOR TO CONSTRUCTION WILL BE AT THE CONTRACTORS EXPENSE.
- 4. ANY AREAS BEYOND THE LIMIT OF THE SITE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION OR BETTER TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION AT THE CONTRACTOR'S EXPENSE.
- 5. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE 'OCCUPATIONAL HEALTH AND SAFETY ACT AND REGULATIONS FOR CONSTRUCTION PROJECTS.' THE GENERAL CONTRACTOR SHALL BE DEEMED TO BE THE 'CONSTRUCTOR' AS DEFINED IN THE ACT.
- 6. ALL CONSTRUCTION SIGNAGE MUST CONFORM TO THE MINISTRY OF TRANSPORTATION OF ONTARIO MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES PER LATEST AMENDMENT.
- 7. ALL DIMENSIONS ARE IN METRES UNLESS SPECIFIED OTHERWISE.
- 8. THERE WILL BE NO SUBSTITUTION OF MATERIALS UNLESS PRIOR WRITTEN APPROVAL IS RECEIVED FROM THE LANDSCAPE ARCHITECT
- 9. ALL CONSTRUCTION SHALL BE CARRIED OUT IN ACCORDANCE WITH THE RECOMMENDATIONS MADE IN THE GEOTECHNICAL REPORT.
- 10. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED AND TO BEAR THE COST OF THE SAME.
- 11. BENCHMARKS: IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THAT THE SITE BENCHMARK(S) HAS NOT BEEN ALTERED OR DISTURBED AND THAT ITS RELATIVE ELEVATION AND DESCRIPTION AGREES WITH THE INFORMATION DEPICTED ON THIS PLAN.
- 12. THE LANDSCAPE ARCHITECT SHALL APPROVE ANY MODIFICATIONS ON-SITE PRIOR TO CONSTRUCTION.
- 13. CONTRACTOR SHALL EMPLOY QUALIFIED SURVEYOR AT THEIR EXPENSE TO SET FINISHED GRADE STAKES AND MAINTAIN GRADE CONTROL AND LAYOUT UNTIL SUBSTANTIAL COMPLETION OF WORK.

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

Job No. 17-047

	ation Plan		
		SE-ETIEPINE CARTIER PA	RKWAY
LI	EGEND		
_		- PROPERTY LINE	
_		CENTRE LINE OF SWALE DROP CURB	
FE	ENCING		
_	-0		<u>:</u>
_	~~~~~~	0.5-1.0m HT. RAILING	
<u>A</u>	MENITIES	WITH U.SM HT KAILING	
		BENCH WITHOUT BACK	
		BENCH WITH BACK	
	+	BOLLARD LIGHTING (REFER TO ENG.)	
<u>S</u>			
		BOULEVARD SIDEWALK (BY OTHERS)	1
		PAVING	
		BIOSWALE RIVER STONE	
А	MENITIES		
_		BOLLARD LIGHTING	
	F	FEATURES	
-			
-			
-			
-			
3	Re-Issued for	Second Submission to City	Dec 21
2	Issued for Sec	ond Submission to City	Dec 15
	Issued for Site	Plan Control Submission	Aug 11
1	135060 101 3116		Augin

Contractor shall check all dimensions on the work and report any

discrepancy to the Landscape Architect before proceeding. All

drawings and specifications are the property of the Landscape

Architect and must be returned at the completion of the work.

discrepancy to the Landscape Architect before proceeding. All This drawing is not to be used for construction until signed by the Dec 15/17 Aug 11/17 Date

Dec 21/17

Dec 15/17

Aug 11/17 Date

Job No. 17-047

PLANTING NOTES:

- 1. CONTRACTOR TO VERIFY LOCATION OF ALL SERVICES PRIOR TO ANY EXCAVATION.
- 2. LOCATIONS OF ALL PLANT MATERIALS TO BE STAKED BY THE CONTRACTOR AND VERIFIED IN THE FIELD BY PRODSCAMPANRCHIRERIORIOR THE TEXCENTRATION PUTSPITS.
- 3. ALL PLANT MATERIAL SHALL BE NURSERY GROWN STOCK UNLESS OTHERWISE NOTED.
- 4. DECIDUOUS TREES TO HAVE A MINIMUM 1800 CLEAR STEM ABOVE GRADE.
- 5. ALL PLANT MATERIAL SHALL BE WARRANTIED FOR TWO YEARS FROM THE DATE OF PERFORMANCE ACCEPTANCE AS DETERMINED BY THE PROJECT MANAGER.
- 6. ALL STEEL T-BARS TO BE REMOVED AT THE ONE YEAR INTERIM INSPECTION UNLESS OTHERWISE DIRECTED BY THE PROJECT MANAGER. 7. CONTRACTOR TO MAKE GOOD ALL EXISTING AREAS DAMAGED BY HIS WORK TO THE
- SATISFACTION OF THE PROJECT MANAGER.
- 8. PERIODIC REVIEWS OF PLANTING SHALL BE CARRIED OUT BY THE PROJECT MANAGER.
- 9. ACER RUBRUM, QUERCUS RUBRA AND CELTIS OCCIDENTALIS TO BE SPRING DUG SPECIMENTS AND PLANTING IN THE SPRING ONLY.
- ANY PROPOSED SUBSTITUTIONS OF PLANT SPECIES SHALL BE MADE WITH PLANTS OF EQUIVALENT OVERALL FORM, HEIGHT, BRANCHING HABIT, FLOWER, LEAF, COLOR, FRUIT AND CULTURE AND ONLY AFTER APPROVAL OF THE PROJECT MANAGER.

	COMMON NAME	NATIVE	MATURE SIZE	CAL/HT.
S TREES			(HT./WD.)	(mm)
CER SACCHARUM	SUGAR MAPLE	Ν	20m/18m	90
ETULA ALLEGHANIENSIS	YELLOW BIRCH	N	25m/12m	90
QUERCUS MACROCARPA	BURR OAK	N	22m/18m	90
US TREES				
ACER RUBRUM	RED MAPLE	N	15m/12m	70
SETULA POPUFOLIA 'WHITESPIRE'	WHITESPIRE BIRCH	С	12m/8m	70
DSTRYA VIRGINIANA	IRONWOOD	N	12m/8m	70
S TREES				
MELANCHIER CANADENSIS	SERVICEBERRY	N	7m/4m	50
CRATAEGUS VIRIDIS "WINTER KING"	WINTER KING HAWTHORN	С	7m/7m	50
SUERCUS PALUSTRIS 'GREEN PILLAR'	PYRAMIDAL PIN OAK	C	14m/4m	70
COERCOS FALOSIRIS OREEN FILLAR	F IROMIDAL FIN OAK		rony 4m	70
\$				
UNIPERUS VIRGINIANA	EASTERN RED CEDAR	N	7m/3m	300cm
PINUS STROBUS 'FASTIGIATA'	COLUMNAR EASTERN WHITE PINE	С	15m/2.5m	300cm
'HUJA OCCIDENTALIS 'DEGROOT'S SPIRE'	DEGROOT'S SPIRE CEDAR	С	8m/1.25m	300cm
HUJA OCCIDENTALIS 'EMERALD'	EMERALD CEDAR	С	5m/1.25m	300cm
s				
CORNUS SERICEA 'KELSEYI'	KELSEY DWARF DOGWOOD	с	0.6m/0.6m	3-GAL
CORNUS SERICEA	RED OSIER DOGWOOD	N	2m/2.5m	3-GAL
HUS AROMATICA 'GRO-LOW'	DWARF FRAGRANT SUMAC	c	1.0m/2m	3-GAL
OSA X 'WINNIPEG PARKS'	WINNIPEG PARKS ROSE	ō	1.0m/1.0M	3-GAL
PIRAEA ALBA	MEADOWSWEET	N	1m/1.25m	3-GAL
IBURNUM ACERIFOLIUM	MAPLE LEAF VIBURNUM	N	1.75m/1.25m	3-GAL
IBURNUM LENTAGO	NANNYBERRY	N	óm/2m	3-GAL
IBURNUM TRILOBUM 'COMPACTUM'	DWARF AMERICAN CRANBERRY	С	1.5m / 1.5m	3-GAL
	READREDRY	N	80cm /40cm	2-0-41
		0	100cm/100cm	3 (2 14)
		š	40om/200cm	3-GAL
		ž	100cm/200cm	2 ር ላ በ
AXUS X MEDIA DENSIFORMIS		0	roociny200cm	3-94L
IIALS - FERNS				
ADIANTUM PEDATUM	MAINDENHAIR FERN		45cm / 30cm	2-GAL
ISTER NOVAE-ANLIAE	NEW ENGLAND ASTER	N	125cm / 60cm	2-GAL
ASTER LAEVIS	SMOOTH ASTER	Ν	100cm / 60cm	2-GAL
ATHYRIUM FILIX-FEMINA	LADY'S FERN	N	60cm / 75cm	2-GAL
CIMICIFUGA RACEMOSA	BLACK COHOSH	M	100cm / 60cm	2-GAL
DESCHAMPSIA CESPITOSA	TUFTED HAIR GRASS	N	90cm /60cm	2-GAL
CHINACEA PURPUREA	PURPLE CONEFLOWER	Ν	120cm / 60cm	2-GAL
ESTUCA GLAUCA 'ELIJAH BLUE'	ELIJAH BLUE FESCUE	0	30cm/40cm	2-GAL
GERANIUM MACULATUM	WILD GERANIUM	Ν	30cm / 30cm	2-GAL
IATRIS SPICATA	BLAZING STAR	Ν	60cm / 45cm	2-GAL
UDBECKIA HIRTA	BLACK-EYED SUSAN	Ν	70cm / 60cm	2-GAL
ANICUM VIRGATUM	SWITCH GRASS	N	100cm / 60cm	2-GAL
CHIZACHYRIUM SCOPARIUM	LITTLE BLUESTEM	Ν	80cm / 60cm	2-GAL
ORGHASTRUM NUTANS	INDIAN GRASS	Ν	80cm / 60cm	2-GAL

Cultivar of native species

Landscape Architect.		
Location Plan	ETERNIE CARTIER PA ETERNIE CARTIER PA SITE MONTREAL F	RKWAY
	PROPERTY LINE	
FENCING		
	PRIVACY FENCE	
SURFACING		
864867	RIVERSTONE SWALE	
000000000000000000000000000000000000000	RIVERSTONE EDGING	
PLANTING		
•	STREET TREES	
+	LARGE DECIDUOUS TREE	
×	CONIFEROUS TREE	
	Small Ornamental tre	E
	ORNAMENTAL PLANTING	
	BIOSWALE PLANTING	
	DECIDUOUS SHRUB	
000	GRASSES/PERENNIALS	
PLANTING KEY		
	tree species Quantity	
XX 00	SHRUB SPCIES QUANTITY	
_		
-		
-		
- 3 Re-Issued for Seco	and Submission to City	Dec 21/17
2 Issued for Second	submission to City	Dec 15/17
1 Issued for Site Plan	n Control Submission	Aug 11/17
		Dare

Contractor shall check all dimensions on the work and report any

discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape

Architect and must be returned at the completion of the work.

This drawing is not to be used for construction until signed by the

City Approval Stamp

KEY PLAN

PLANTING NOTES:

- 1. CONTRACTOR TO VERIFY LOCATION OF ALL SERVICES PRIOR TO ANY EXCAVATION.
- 2. LOCATIONS OF ALL PLANT MATERIALS TO BE STAKED BY THE CONTRACTOR AND VERIFIED IN THE FIELD BY PRODOCTAREARCHERENTIORIOR THETERCEAVCAINCAIN OF PIPSPITS.
- 3. ALL PLANT MATERIAL SHALL BE NURSERY GROWN STOCK UNLESS OTHERWISE NOTED.
- 4. DECIDUOUS TREES TO HAVE A MINIMUM 1800 CLEAR STEM ABOVE GRADE.
- 5. ALL PLANT MATERIAL SHALL BE WARRANTIED FOR TWO YEARS FROM THE DATE OF PERFORMANCE ACCEPTANCE AS DETERMINED BY THE PROJECT MANAGER.
- 6. ALL STEEL T-BARS TO BE REMOVED AT THE ONE YEAR INTERIM INSPECTION UNLESS OTHERWISE DIRECTED BY THE PROJECT MANAGER.
- 7. CONTRACTOR TO MAKE GOOD ALL EXISTING AREAS DAMAGED BY HIS WORK TO THE SATISFACTION OF THE PROJECT MANAGER.
- 8. PERIODIC REVIEWS OF PLANTING SHALL BE CARRIED OUT BY THE PROJECT MANAGER.
- 9. ACER RUBRUM, QUERCUS RUBRA AND CELTIS OCCIDENTALIS TO BE SPRING DUG SPECIMENTS AND PLANTING IN THE SPRING ONLY.
- ANY PROPOSED SUBSTITUTIONS OF PLANT SPECIES SHALL BE MADE WITH PLANTS OF EQUIVALENT OVERALL FORM, HEIGHT, BRANCHING HABIT, FLOWER, LEAF, COLOR, FRUIT AND CULTURE AND ONLY AFTER APPROVAL OF THE PROJECT MANAGER.

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

ı 20m (1:150)

12

KEY PLAN

PLANTING NOTES:

- 1. CONTRACTOR TO VERIFY LOCATION OF ALL SERVICES PRIOR TO ANY EXCAVATION.
- 2. LOCATIONS OF ALL PLANT MATERIALS TO BE STAKED BY THE CONTRACTOR AND VERIFIED IN THE FIELD BY PRIVIDE CAREARICHERERIORIOR THETERCEX CANVARIAN ON POPSPITS.
- 3. ALL PLANT MATERIAL SHALL BE NURSERY GROWN STOCK UNLESS OTHERWISE NOTED.
- 4. DECIDUOUS TREES TO HAVE A MINIMUM 1800 CLEAR STEM ABOVE GRADE.
- 5. ALL PLANT MATERIAL SHALL BE WARRANTIED FOR TWO YEARS FROM THE DATE OF PERFORMANCE ACCEPTANCE AS DETERMINED BY THE PROJECT MANAGER.
- 6. ALL STEEL T-BARS TO BE REMOVED AT THE ONE YEAR INTERIM INSPECTION UNLESS OTHERWISE DIRECTED BY THE PROJECT MANAGER.
- 7. CONTRACTOR TO MAKE GOOD ALL EXISTING AREAS DAMAGED BY HIS WORK TO THE SATISFACTION OF THE PROJECT MANAGER.
- 8. PERIODIC REVIEWS OF PLANTING SHALL BE CARRIED OUT BY THE PROJECT MANAGER.
- 9. ACER RUBRUM, QUERCUS RUBRA AND CELTIS OCCIDENTALIS TO BE SPRING DUG SPECIMENTS AND PLANTING IN THE SPRING ONLY.
- ANY PROPOSED SUBSTITUTIONS OF PLANT SPECIES SHALL BE MADE WITH PLANTS OF EQUIVALENT OVERALL FORM, HEIGHT, BRANCHING HABIT, FLOWER, LEAF, COLOR, FRUIT AND CULTURE AND ONLY AFTER APPROVAL OF THE PROJECT MANAGER.

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

KEY PLAN

PLANTING NOTES:

- 1. CONTRACTOR TO VERIFY LOCATION OF ALL SERVICES PRIOR TO ANY EXCAVATION.
- 2. LOCATIONS OF ALL PLANT MATERIALS TO BE STAKED BY THE CONTRACTOR AND VERIFIED IN THE FIELD BY PRIVIDE CAREARICHERERIORIOR THETERCEX CANVARIAN ON POPSPITS.
- 3. ALL PLANT MATERIAL SHALL BE NURSERY GROWN STOCK UNLESS OTHERWISE NOTED.
- 4. DECIDUOUS TREES TO HAVE A MINIMUM 1800 CLEAR STEM ABOVE GRADE.
- 5. ALL PLANT MATERIAL SHALL BE WARRANTIED FOR TWO YEARS FROM THE DATE OF PERFORMANCE ACCEPTANCE AS DETERMINED BY THE PROJECT MANAGER.
- 6. ALL STEEL T-BARS TO BE REMOVED AT THE ONE YEAR INTERIM INSPECTION UNLESS OTHERWISE DIRECTED BY THE PROJECT MANAGER.
- 7. CONTRACTOR TO MAKE GOOD ALL EXISTING AREAS DAMAGED BY HIS WORK TO THE SATISFACTION OF THE PROJECT MANAGER.
- 8. PERIODIC REVIEWS OF PLANTING SHALL BE CARRIED OUT BY THE PROJECT MANAGER.
- 9. ACER RUBRUM, QUERCUS RUBRA AND CELTIS OCCIDENTALIS TO BE SPRING DUG SPECIMENTS AND PLANTING IN THE SPRING ONLY.
- ANY PROPOSED SUBSTITUTIONS OF PLANT SPECIES SHALL BE MADE WITH PLANTS OF EQUIVALENT OVERALL FORM, HEIGHT, BRANCHING HABIT, FLOWER, LEAF, COLOR, FRUIT AND CULTURE AND ONLY AFTER APPROVAL OF THE PROJECT MANAGER.

discrepancy to the Land drawings and specificat Architect and must be re This drawing is not to be Landscape Architect.	dscape Architect before proceeding. All ions are the property of the Landscape eturned at the completion of the work. used for construction until signed by the
Location Plan	TIENINE CARTIER PARKWAY
LEGEND	CI MARKOAD
	PROPERTY LINE
	PRIVACY FENCE
SURFACING	
	RIVERSTONE SWALE
	RIVERSTONE EDGING
PLANTING	
•	STREET TREES
+	LARGE DECIDUOUS TREE
×	CONIFEROUS TREE
·	SMALL ORNAMENTAL TREE
	ORNAMENTAL PLANTING
	BIOSWALE PLANTING
$(\mathbf{A}^{\mathbf{A}})^{\mathbf{A}}$	DECIDUOUS SHRUB
	GRASSES/PERENNIALS
	SHRUB SPCIES QUANTITY
_	

No. Description

City Approval Stamp

Revision

3 Re-Issued for Second Submission to City

2 Issued for Second Submission to City

1 Issued for Site Plan Control Submission

Dec 21/17

Dec 15/17

Aug 11/17

Date

Contractor shall check all dimensions on the work and report any

City Approval Stamp

Job No. 17-047

Project no.: d07-12-17-0111 - wateridge village - mattamy homes - re-issued for second submission to city - december 2017

City Approval Stamp

Job No. 17-047

7 PROJECT NO.: D07-12-17-0111 - WATERIDGE VILLAGE - MATTAMY HOMES - RE-ISSUED FOR SECOND SUBMISSION TO CITY - DECEMBER 2017

8

12

City Approval Stamp

oject no.: d07-12-17-0111 - wateridge village - матаму номез - re-issued for second submission to city - december 2017

-		
-		
-		
-		
3	Re-Issued for Second Submission to City	Dec.21/17
2	Issued for Second Submission to City	Dec.15/17
1	Issued for Site Plan Control Submisison	Aug 11/17
No.	Description	Date
Revi	sion	

-		
-		
-		
-		
3	Re-Issued for Second Submission to City	Dec.21/17
2	Issued for Second Submission to City	Dec.15/17
1	Issued for Site Plan Control Submisison	Aug 11/17
No.	Description	Date
Revi	sion	

City Approval Stamp

Drawn NAK CheckedNAK Job No. 17-047 D-04