



1 | NORTH ELEVATION  
A9 | SCALE 1/4"=1'-0"

" NOTE: ALL SIX STAIRWELLS ARE EXTERIOR EXITS CLAD IN OPEN FIXED LOUVERS EXCEEDING MINIMUM NET 50 % OPEN AIR. BECAUSE OF THIS, ALL DWELLING UNITS EXIT DIRECTLY TO EXTERIOR. NO FIRE ALARM SYSTEM IS REQUIRED AS PER 9.10.18.2(2) . WHERE EACH SUITE HAS DIRECT ACCESS TO AN EXTERIOR EXIT LEADING TO GROUND LEVEL . ( SEE LETTER FROM TERRI HUNT DATED MAY 10, 2017, INCLUDED IN PERMIT APPLICATION)."

APPROVED  REFUSED   
THIS \_\_\_ DAY OF \_\_\_\_\_, 20\_\_\_  
Doug James,  
PLANNER, Development Review CENTRAL  
Planning, Infrastructure & ECONOMIC  
DEVELOPMENT DEPARTMENT, CITY OF OTTAWA

MATERIAL LIST:	
CPS1	COMPOSITE SIDING SYSTEM (COLOUR 1)
CPS2	COMPOSITE SIDING SYSTEM (COLOUR 2)
MF	METAL FLASHING / FASCIA (COLOUR 1)
TMF	METAL FLASHING / FASCIA (COLOUR 2)
MG	PREFINISHED METAL GRILLE
CP	CEMENT PARGING
LM	PREFINISHED METAL LOUVER SYSTEM
FG	FINISH GRADE

  

2	JAN 31/18	SS/ED/PM/PERM APPLICATION	PROJECT: CHARLESFORT DEV. 515-511-509 GLADSTONE AVENUE OTTAWA, ONT.
1	JAN 5/18	PERM/PERM CONSULTANT REVIEW	DRAWING TITLE: NORTH ELEVATION
NO.			DATE: May 17
It is the responsibility of the appropriate authority to check and verify all drawings and specifications for compliance with all applicable codes and regulations.		SCALE: 1/4"=1'-0"	
All contractors must comply with all pertinent codes and regulations.		PROJECT: 1702	
Do not scale drawings.		DRAWING NO: A-9	
This drawing may not be used for construction without approval.		Copyright reserved.	