

APPROVED REFUSED □ THIS ______ DAY OF _____, 20___

JEFF MCEWEN, P. ENG. MANAGER DEVELOPMENT REVIEW - EAST PLANNING, INFRASTRUCTURE AND ECONOMIC DEVELOPMENT DEPTMENT, CITY OF OTTAWA



GENERAL NOTES: GENERAL NOTES:

1. THE CONTRACTOR IS RESPONSIBLE FOR CHECKING AND VERIFYING ALL DIMENSIONS, ANY DISCREPANCY MUST BE REPORTED TO M. DAVID BLAKELY ARCHITECT INC.

2. ALL WORK AND MATERIALS TO BE IN COMPLIANCE WITH ALL CODES, REGULATIONS, AND BY-LAWS.

3. ADDITIONAL DRAWINGS MAY BE ISSUED FOR CLARIFICATION TO ASSIST THE PROPER EXECUTION OF WORK. SUCH DRAWINGS WILL HAVE THE SAME MEANING AND INTENT AS IF THEY WERE INCLUDED WITH THE PLANS IN CONTRACT DOCUMENTS.

4. DO NOT SCALE DRAWINGS.

5. THIS DRAWING SHALL NOT BE USED OR COPIED WITHOUT THE AUTHORIZATION OF THE ARCHITECT.

NORTH ELEVATION

T.O. FOOTING


6. THIS DRAWING SHALL NOT BE USED FOR PERMIT OR CONSTRUCTION UNLESS THE DRAWING BEARS THE ARCHITECT'S SEAL AND SIGNATURE.
7. THIS REPRODUCTION SHALL NOT BE ALTERED.

POST SCHEDULE P1 - 3" DIA. ADJUSTALE STEEL TELEPOST 8500 POUND CAP. (MIN.) P2 - 2-2"x4,6 OR 8" (AS APPLICABLE) P3 - 3-2"x4,6 OR 8" (AS APPLICABLE) P4 - 4-2"x4,6 OR 8" (AS APPLICABLE) P5 - 5-2"x4,6 OR 8" (AS APPLICABLE) P6 - HSS 3"x3"x.188" C/W 5"x3/8"x8" B. PL. & CAP PL. BRICK LINTEL SCHEDULE OPENING UP TO ANGLE SIZE L 3 1/2"x3 1/2"x5/16" L 4"x3 1/2"x5/16" L 5"x3 1/2"x5/16" L 5"x3 1/2"x 3/8"

T.O. FOOTING

ARCHITECT SEAL:

. 14/02/18 FOR REVIEW



78 UNIT PLANNED UNIT DEVELOPMENT 1298 OGILVIE ROAD OTTAWA, ONT.

ACCESSORY BUILDING **ELEVATIONS**



JAN., 2018. 3/16" = 1'-0" CHECKED:

SBM