

BLOCK 322
REGISTERED PLAN 4M-XXXX
CITY OF OTTAWA

Prepared by Annis, O'Sullivan, Vollebek Ltd.
Field Work Completed on April 11th, 2018
(Subdivision not Registered)

Scale 1 : 500



Metric
DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND
CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

Date Andre Roy O.L.S.



Notes & Legend

Denotes	
○ FH	Fire Hydrant
⊗ WV	Water Valve
○ MH-ST	Maintenance Hole (Storm Sewer)
○ MH-S	Maintenance Hole (Sanitary)
○ MH	Maintenance Hole (Unidentified)
⊗ VC	Valve Chamber (Watermain)
□ CB	Catch Basin
□ DI	Ditch Inlet
○ LS	Light Standard
BCH	Bell, Cable, Hydro
BC	Bell, Cable
+ 65.00	Location of Elevations
+ 66.00	Top of Concrete Curb Elevation
— ST —	Underground Storm Sewer
— S —	Underground Sanitary Sewer
— W —	Underground Water

AREA = 4.956 ac
2.006 ha

ELEVATION NOTES

- Elevations shown are geodetic and are referred to the CGVD28 geodetic datum.
- It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

UTILITY NOTES

- This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
- Only visible surface utilities were located.
- A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.
- The location and types of underground services are based on drawing ACAD-160401260-CUP-Model.dwg provide by Stantec.