


DRAWING LEGEND	
CB	CATCH BASIN
MH	MANHOLE
CB/MH	CATCH BASIN/MANHOLE
SN	SANITARY SEWER
ST	STORM SEWER
WS/WM	WATER SERVICE/WATERMAIN
CS	CURB STOP
VB	VALVE BOX
FH	FIRE HYDRANT
FDC	FIRE DEPARTMENT CONNECTION
RD	ROOF DRAIN
WM	WATER METER
WRM	REMOTE WATER METER READOUT
+66.75	EXISTING GRADE ELEVATION
±66.75	PROPOSED GRADE ELEVATION
0.5%	EXISTING SLOPE OF GRADE
0.5%	PROPOSED SLOPE OF GRADE
------	PROPERTY LINE
FFL	FIRST FLOOR ELEVATION
TOF	TOP OF FOUNDATION
BFL	BASEMENT FLOOR ELEVATION
USF	UNDERSIDE OF FOOTING



No.	Date	REVISION
1	AUG 30-18	ISSUED FOR COORDINATION
2	SEP 11-18	ISSUED FOR APPROVAL


D. B. GRAY ENGINEERING INC.
 700 Long Point Circle
 Ottawa, Ontario K1T 4E9
 Tel: 613-425-8044
 dgray@dbgray.com

**PROPOSED
 4-STORY, 24-UNIT
 APARTMENT BUILDING
 99 PINNEY STREET
 OTTAWA, ONTARIO**

SITE SERVICING PLAN

Engineer's Seal

 Drawing No. **C-1** of **4**



WATER SERVICE PROFILE TABLE						
MATERIAL: 150mm PVC PRESSURE CLASS 150 DR18						
STATION	DESCRIPTION	GRADE ELEV.	TOP OF PIPE	DEPTH OF COVER	COMMENTS	
0+0.0	T/S CONNECTION TO 200mm MUNICIPAL WATERMAIN AS PER CITY OF OTTAWA DRAWING No. W33	±62.68	±60.58	±2.10	START OF INSULATION 50mm THICK AS PER CITY OF OTTAWA DRAWING No. W22	
0+01.0	-	±62.71	60.56	2.15	CROSSING 300 SAN INV ±60.86 TOP 150 WS 60.36 - 300mm CLEARANCE	
0+02.1	-	±62.73	60.58	2.15	CROSSING 525 ST TOP ±60.13 U/S 150 WS 60.43 - 300mm CLEARANCE	
0+03.1	45° VERTICAL BEND TO CITY STANDARDS	±62.73	60.58	2.15	-	
0+03.2	-	±62.73	60.48	2.25	-	
0+03.4	45° VERTICAL BEND TO CITY STANDARDS	±62.72	60.26	2.46	END OF INSULATION 50mm THICK AS PER CITY OF OTTAWA DRAWING No. W22	
0+09.7	150mm VALVE & VALVE BOX AS PER CITY OF OTTAWA DRAWING No. W24	±62.86	60.26	2.60	-	
0+10.7	ENTRY INTO BUILDING	±62.94	60.26	2.68	PROPERTY LINE	