

VERIFIED BY CONTRACTOR, ANY DISCREPANCIES ARE TO BE REPORTED TO IBI GROUP PRIOR TO CONTRACTOR MOBILIZING TO SITE.

CONTRACTOR RESPONSIBLE TO SUPPORT EXISTING UTILITIES THAT MAY BE AFFECTED DURING CONSTRUCTION

12. EXISTING CURBS AND SIDEWALKS ARE TO BE REMOVED AND REPLACED AS NOTED ON THE DRAWINGS.

NOTED ON THE DRAWNOS.

J. THE CONTRACTOR SHALL IMPLEMENT BEST MANAGEMENT PRACTICES, TO MANAGEMENT PRACTICES, TO MANAGEMENT PRACTICES, TO MANAGEMENT PRACTICES, TO MANAGEMENT OF THE PROCESS OF THE PROCES

14. BEARINGS SHOWN HEREON AND ELEVATIONS ARE INDICATED ON THE LOT SURVEY BY ANNIS, O'SULLIVAN, VOLLEBEKK LTD.

15. FOR GEOTECHNICAL INFORMATION SEE PROPOSED MULTI-STOREY BUILDING, 81 SLATER STREET, OTTAWA, ONTARIO' BY XXXX.

16. CLAY SEAL TO BE INSTALLED IN SERVICE TRENCHES BETWEEN CONNECTION POINT AND CAP.

FOR SURFACE FINISH BETWEEN CONCRETE SIDEWALK AND BUILDING.

18. THE EXISTING BUILDING IS TO BE DEMOLISHED. PRIOR TO DEMOLITION THE EXISTING BUILDING SERVICES ARE TO BE FIELD LOCATED AND PRESERVED.

19. PROPOSED SIAMESE CONNECTION IS ±18m FROM EXISTING HYDRANT

2:00 FROM EASING TUDGHT

2.0. QUILET IPPE FROM THE SITE

AREA DRAIN TO BE DIRECTED INTO THE

PARKING LEVEL MECHANICAL DESIGNER

TO DESIGN THE INTERNAL DRAINAGE

PIPES TO THE CISTERN LOCATION. THE

DRAIN IS TO BE EQUIVALENT TO HEAVY


DUTY FLOOD DRAIN FIG. 2290 BY JAY

R. SMITH MFG.CO.


21. MONITORING MANHOLES ARE TO BE INSTALLED ON THE SANITARY AND STORM SEWERS AT THE PROPERTY LINE. CONTRACTOR TO SUBMIT SHOP DRAWINGS. FOR ENGINEERS REVIEW PRIOR TO CONSTRUCTION.

22. THE MECHANICAL ENGINEER IS TO CONNECT BOTH WATERMAINS IN THE MECHANICAL ROOM WITH A TEE AND CREATE ONE WATER SERVICE DESIGNED TO SERVICE THE BUILDING.

25. ELEVATIONS SHOWN ARE GEODETIC AND ARE REFERRED TO THE CGVD28 GEODETIC DATUM.







JIM