



GENERAL NOTES:

1. It is the responsibility of the appropriate contractor or official to report any errors, omissions or discrepancies on this plan with actual site conditions to the Landscape Architect before proceeding with construction.
2. The contractor is to notify all utility companies and authorities prior to any excavation and ascertain locations of underground services.
3. The contractor is to reinstate all areas and items damaged as a result of construction activity.
4. The contractor is to comply with all pertinent codes and by-laws.
5. The contractor is to maintain a positive surface run-off throughout the entire construction period.
6. The Landscape Architect is not responsible for subsurface conditions.
7. The contractor is to identify all existing trees to remain on site with the Landscape Architect prior to construction.
8. The contractor is to stake the proposed location of all plant material in conjunction with the Landscape Architect prior to excavation.
9. Minimum distances for selected deciduous trees are as follows:
 - Building Foundations 7.5m
 - Sidewalks 1.5m
 - Public Streets 2.5m
 - Underground Infrastructure 2.0m
10. All trees within 1m of underground utility trenches are to be excavated by hand.
11. Remove all protective wrapping from tree trunks after installation.
12. Staking of trees shall only be performed if necessary.
13. Ensure that mulch is pulled back a min. distance of 75mm from base of tree trunk.
14. A tree permit is required prior to the removal of the trees onsite. The contractor is to have the permit available onsite at all times during tree removal.

Diagram illustrating the planting process for shrubs and perennials. The diagram shows a cross-section of the planting area with dimensions and callouts for various steps:

- REMOVE POTS COMPLETELY FROM POTTED STOCK OR CUT AND REMOVE BURLAP AND WIRE FROM TOP 10% OF ROOTBALL.** (Callout to the rootball area)
- REMOVE DAMAGED OR OBJECTIONABLE BRANCHES. FOLLOW PROPER HORTICULTURAL PRACTICE.** (Callout to the top of the plant)
- PLANTING BED AROUND SHRUBS: COVER ENTIRE BED WITH 75mm DEPTH WOODCHIP MULCH. PULL BACK MULCH FROM BASE OF SHRUBS. ENSURE THAT MULCH COVERS ALL EXPOSED SOIL.** (Callout to the mulch layer)
- TAPER TO BLEND NATURALLY WITH FINISHED GRADE.** (Callout to the soil surface)
- TOPSOIL MIXTURE AS PER SPECIFICATIONS.** (Callout to the soil layer)

Dimensions shown: 450 (height of the planting bed) and 150 (width of the planting bed).

2 SHRUB/PERENNIAL PLANTING
L.1 SCALE: NTS

