

OF ROOTBALL OR REMOVE BURLAP FROM TOP 1/3

PRINE BROKEN BRANCHES
REIMN NORMAL SHRUB
SHAPE.

H WEED BARRIER

75mm MULCH

SAUGER

GUT & REHOVE TOP 1/3

OF BURLAP AND BASKET

PLANTING SOIL

SCARIFY SIDES OF PIT

DO NOT DAMAGE OR CUT LEADER
(DAMAGED OR BROKEN LEADERS
WILL NOT BE ACCEPTED)

TREE WRAPPING, REMOVE AFTER PLANTING

STEEL 'T POST (40X40X5X2440)

2 PER TREE. REMOVE AFTER 1 YEAR PLANTING

FLEXIBLE (WHITE) PLASTIC RODENT PROTECTION

450mm LENGTH MIN.


CUT & REMOVE TOP 1/3 OF BURLAP AND BASKE

75mm MULCH

SAUCER

DO NOT DAMAGE OR CUT LEADER (DAMAGED OR BROKEN LEADERS WILL NOT BE ACCEPTED)

H SCARIFY SIDES OF PIT H PLANTING SOIL MIX H SCARIFY SUBGRADE



(1) UNIT PAVING DETAILS

STN





.. N. HIGH VISIBIITY (INTERNATIONAL ORANGE) PLASTIC FABRIC (HIGH DENSITY POLYETYLENE) YN WOOD FRAME w/ TOP AND BOTTOM WOOD RAILS.



08	SEPT.13/19	ISSUE FOR SITE PLAN APPROVAL-PHASE
07	JAN. 14/19	ISSUE FOR PHASE 3 SPA
90	DEC.7/18	ISSUE FOR PHASE 2 SPA
05	AUG. 3/18	PER CITY COMMENTS (4)
04	JULY 5/18	ISSUED FOR SITE PLAN APPROVAL
03	MAR. 29/18	PER CITY COMMENTS (2)
02	NOV.28/17	PER CITY COMMENTS (1) / REVISED SITE
01	JUNE 12/17	ISSUE FOR SPA



and report all errors and/or omissions to sultant. be done in accordance with all applicable and by—laws.
scale Drawing.
awing shall not be used for construction gned by the Consultant.
ht reserved. This Drawing is the exclusive y of Levstek Consultants Inc. all not be used without consent.

LEVSTEK CONSULTANTS
LANDSCAPE ARCHITECTS

5871 Hugh Crescent · Ottawa · Ontario · KOA 2WO
613 · 826 · 0518



FRESH TOWNS 2795 BASELINE ROAD PHASE 2 OTTAWA ONTARIO Tawing Title
I ANDSCADE DETAILS

AS NOTED

1130.03

L2.01

MGB

SEPT. 2018