

	SCHEDULE OF ROOF RELEASE RATES					
G 0.15 3 x WATTS R1100 ACCUTROL 2.83	NG	HEAD (m)	ROOF DRAIN TYPE	100 YR RELEASE RATE (L/s)		
	G	0.15	3 x WATTS R1100 ACCUTROL	2.83		
	<u> </u>	0.10				

SCHEDULE OF INLET CONTROL DEVICES						
URE ID	DRAINAGE AREA ID	ORIFICE TYPE	ICD INVERT (m)	100 YR HEAD (m)	100 YR FLOW (I/s)	
100	MH100	LMF 70	57.32	0.78	3.77	


WATERMAIN CROSSING TABLE						
	SAN OBV	EX. WM BTM	EX. WM TOP	EX. COLL. INV	EX. COLL. OBV	NOTES
		±56.85	±57.05			
	57.50	±56.85	±57.05			
	57.48			52.85	54.35	
		±56.75	±56.95			
				52.82	54.32	



Stantec Consulting Ltd. 400 - 1331 Clyde Avenue Ottawa ON Tel. 613.722.4420 www.stantec.com

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.



Notes

TOPOGRAPHIC SURVEY AND BENCHMARK COMPLETED BY STANTEC GEOMETICS LTD. DATED APRIL 10, 2018

2. SITE PLAN PREPARED BY FIGURR ARCHITECTS DATED NOVEMBER 11, 2019.

	APPROVED	REFUSE		I
	THIS DAY OF	, 20		
	DOUGLAS JAMES, DEVELOPMENT PLANNING, INFRASTRI DEVELOPMENT DEPAR	REVIEW CENTRA	L, DNOM	
5	REVISED SITE PLAN	JP	KK	20.01.28
4	REVISED AS PER CITY COMMENTS	WJ	KK	19.11.29
3	REVISED AS PER CITY COMMENTS	WJ	KS	19.11.22
2	REVISED AS PER CITY COMMENTS	WJ	KS	19.08.28
1	ISSUED TO CITY FOR REVIEW	КК	KS	18.10.24
Re	vision	Ву	Appd.	YY.MM.DD
File 1	Name: 160401428-DB	JP KK	SL	18.06.13

Dwn. Chkd. Dsgn. YY.MM.DD

Permit-Seal

Client/Project

ROBINSON VILLAGE II LIMITED PARTNERSHIP

6 STOREY APARTMENT 29 ROBINSON AVENUE OTTAWA, ONTARIO

Title SITE SERVICING PLAN

