Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

patersongroup

Phase I Environmental Site Assessment

114 Isabella Street Ottawa, Ontario

Prepared For

2702021 Ontario Inc.

Paterson Group Inc.

Consulting Engineers 154 Colonnade Road South Ottawa (Nepean), Ontario Canada K2E 7J5

Tel: (613) 226-7381 Fax: (613) 226-6344 www.patersongroup.ca

August 30, 2019

Report: PE4701-1

TABLE OF CONTENTS

EXE	CUTIVI	E SUMMARY	ii
1.0	INTRO	DUCTION	1
2.0	PHAS	E I PROPERTY INFORMATION	2
3.0	SCOP	E OF INVESTIGATION	3
4.0	RECO	RDS REVIEW	4
	4.1	General	4
	4.2	Environmental Source Information	7
	4.3	Physical Setting Sources	
5.0		VIEWS	
6.0	SITE F	RECONNAISSANCE	. 13
	6.1	General Requirements	. 13
	6.2	Specific Observations at the Phase I Property	. 13
7.0	REVIE	W AND EVALUATION OF INFORMATION	. 15
	7.1	Land Use History	. 15
	7.2	Conceptual Site Model	
8.0		LUSIONS	
9.0	STATE	EMENT OF LIMITATIONS	. 20
10.0	REFE	RENCES	. 21

List of Figures

Figure 1 - Key Plan Figure 2 - Topographic Map Drawing PE4701-1 – Site Plan Drawing PE4701-2 – Surrounding Land Use Plan

List of Appendices

- Appendix 1 Aerial Photographs Site Photographs
- Appendix 2 MECP Freedom of Information Request City of Ottawa HLUI Request Water Well Records TSSA Correspondence
- Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

Paterson Group was retained by 2702021 Ontario Inc. to conduct a Phase I Environmental Site Assessment (Phase I-ESA) on 114 Isabella Street, in the City of Ottawa, Ontario. The purpose of this Phase I – Environmental Site Assessment was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject properties.

Based on the historical research, the subject site was developed with a single residential structure circa 1888 and remained as a residence until it was demolished during a fire in 2003. Since then, the site has remained vacant. The demolition of the former on-site residence was considered to represent a potentially contaminating activity (PCA) due to the presence of potential fill material of unknown quality.

Historically, neighbouring lands consisted of residential, commercial with some lightindustrial uses. Several PCAs were identified, however the majority of them were not considered to pose a concern to the subject site. Two (2) PCAs were identified in the immediate area of the Phase I Property: a former machine shop at 100 Isabella Street and an automotive body shop at 120 Isabella Street (461 O'Connor Street).

Based on a previous Phase II ESA conducted by Kollaard Associates Inc. (Kollaard) in 2013, the potential presence of impacted fill material on-site, the presence of a former machine shop and presence of an automotive body shop were addressed as areas of potential environmental concern (APECs) on the Phase I Property. Several tests pits and one monitoring boreholes II were placed on-site to investigate these APECs. Soil samples were submitted for BTEX, PHCs, PAHs and metals analysis. Based on the test results, impacted fill material was identified within the vicinity of the former dwelling. Groundwater samples were submitted for BTEX, PHCs and PAH analysis. The test results did not detect any groundwater impact.

Following the historical review, a site visit was conducted. The subject property is vacant with no buildings or structures noted. At the time of the site visit, the site was used for parking and storage of trailers and c-cans. No additional PCAs were identified with the current use of the Phase I Property or lands within the Study Area. Therefore, no areas of potential environmental concern with respect to the Phase I Property were identified. **No further Phase II ESA is recommended at this time.**

Recommendations

Impacted fill material was identified at 114 Isabella Street in the 2013 Phase II ESA prepared by Kollaard. The fill material encountered during the subsurface investigation is considered to be contaminated, particularly from an off-site disposal standpoint. The fill material was observed to contain various building debris (e.g. glass, concrete, wood etc.) that will require disposal at an approved disposal facility during site development.

Prior to the disposal of the impacted fill, at Toxicity Characteristic Leaching Procedure (TCLP) will need to be carried out on a representative fill sample to confirm its suitability for disposal at an approved waste disposal facility.

1.0 INTRODUCTION

At the request of Mr. Chris Allard of 2702021 Ontario Inc., Paterson Group (Paterson) conducted a Phase I Environmental Site Assessment (Phase I ESA) for 114 Isabella Street, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject property.

This report has been prepared specifically and solely for the above-noted project which is described herein. It contains all our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared in general accordance with the requirements of Ontario Regulation 153/04, as amended, under the Environmental Protection Act and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Address:	114 Isabella Street, Ottawa, Ontario.							
Property Identification Number:	04123-0086.							
Location:	The subject site is situated on the south side of Isabella Street, 65m northeast of the intersection between Isabella Street and O'Conner Street.							
Latitude and Longitude:	45° 24' 35" N, 75° 41' 17" W;							
Site Description:								
Configuration:	Rectangular.							
Site Area:	350 m ² (approximate).							
Zoning:	GM4 – General Mixed Use 4 th Density.							
Current Use:	The subject site is currently vacant with no permanent structures or usage.							
Services:	The subject site is located in a municipally serviced area.							

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases and regulatory agencies;
- □ Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
- □ Conduct interviews with persons knowledgeable of current and historic operations on the subject property and if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of Ontario Regulation 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

Based on the 1888 Fire Insurance Plans, the Phase I Property was occupied by a residential dwelling. For the purpose of this assessment, the first developed land use of the Phase I Property was residential in 1888.

Fire Insurance Plans

Fire Insurance Plans (FIPs) from 1888, 1912, 1925 and 1956 were reviewed for the Phase I Study Area. The 1888 – 1956 FIPs depict the subject land as being occupied by a residential dwelling.

Based on the FIPs, several Potentially Contaminating Activities (PCAs), as shown in Table 1, were identified within the Phase I Study Area.

Table 1: FIP – Potentially Contaminating Activities (PCA) in Phase I Study Area											
Address	Years listed	Activity	Distance / Orientation from site								
110 Isabella Street	1925-1956	Vendall machine shop; soft drinks cabinet assembly	Immediately east								
North of Isabella Street	1912-1925	Coal storage bins	18m north								
Isabella Street at O'Connor Street	1912	Planning mill at the intersection between Isabella Street and O'Conner Street	20m west								
North of Isabella Street	1888-1956	Grand Trunk Railway / Canadian National Railway	22m north								
136 Isabella Street	1925-1956	Coal Shed	70m west								
Isabella Street at Metcalfe Street	1912	Planing mill at the intersection between Isabella Street and Metcalfe Street	90m east								
Isabella Street at Metcalfe Street	1888	Ottawa Porcelain and Carbon Co.	130m east								
Isabella Street at Metcalfe Street	1912	Planing and cabinet making	130m east								
132 Catherine Street	1925-1956	"Greasing" and oil warehouse	140 m west								
132 Catherine Street	1925-1956	Gasoline service station (2 USTs)	150m west								
Isabella Street at Bank Street	1956	The Samuel Rodgers Oil Company	200m west								

The off-site PCAs identified in the FIPs review are not considered to generate Areas of Potential Environmental Concern APECs on the Phase I Property, based on the separation distances and/or orientation with respect to the subject site.

The presence of a former machine shop at 100 Isabella Street is not considered an APEC on the Phase I Property, since this PCA was addressed in a previous Phase II ESA, conducted by Kollaard in 2013. Furthermore, a Record of Site Condition (RSC) was filed for 110 Isabella Street in 2005. Based on information contained in the previous Phase II ESA report combined with the RSC, the former machine shop represents a former PCA that does not result in an APEC on the Phase I Property. More information regarding the 2013 Phase II ESA has been provided in the Previous Engineering Reports section.

City of Ottawa Street Directories

City directories at the National Archives were reviewed in approximate 10-year intervals from 1890 to 2010 as part of the Phase I ESA.

The subject site was first listed in the directories as a residenence in 1890 and remained as a residence. No concerns were identified with the past use of the subject site during the directories review.

Several PCAs were identified within the study area and have been summarized in Table 2.

Area			
Address	Years listed	Activity	Distance / Orientation from site
120 Isabella Street	2010	Elie Auto Body Collision Repair & Paint	10 m West
120 Isabella Street	1989	Superior Auto Body Ltd.	10 m West
120 Isabella Street	1980	Atlantica Body Shop	10 m West
120 Isabella Street	1970	Robitaille Dan Body Shop	10 m West
120 Isabella Street	1970	Corrigan's Garage	10 m West
461 O'Conner Street	2010	Griffin Automotive Services Ltd.	10m west
140-142 Pretoria Avenue	1910-1940	Fire station No 9	95m south
437-443 O'Conner Street	1930-1949	National Printers Ltd.	120m west
158 Isabella Street	1940	Morrison Lamothe Ltd Garage	125m west
182 Isabella Street	1949-1960	Harrison Geo P Ltd. Coal, fuel, oil, burners	200m west

 Table 2: City Directories – Potentially Contaminating Activities (PCA) in Phase I Study

 Area

The off-site PCAs identifed in the city directories review are not considered to generate Areas of Potential Environmental Concern APECs on the Phase I Property, based on the separation distances and/or orientation with respect to the subject site.

The presence of the automotive body shop at 120 Isabella Street was not considered an APEC on the Phase I Property, since this PCA was addressed in a previous Phase II ESA, conducted by Kollaard in 2013. Based on information contained in the previous Phase II ESA report, the automotive body shop is considered a former PCA that does not result in an APEC on the Phase I Property. More information regarding the 2013 Phase II ESA has been provided in the Previous Engineering Reports section.

Previous Engineering Reports

"Phase II Environmental Site Assessment – 114 Isabella Street, City of Ottawa, Ontario," prepared by Kollaard Associates Inc. (Kollaard), dated November 25, 2013.

Based on the Phase II ESA report, Kollaard conducted a Phase I ESA in June 2013 that identified three (3) potentially contaminating activities (PCAs) that resulted in areas of potential environmental concern (APECs) on the subject land. These PCAs include on-site presence of fill material containing building debris from the former dwelling, the presence of a former machine shop on the property immediately east at 100 Isabella Street (formerly 110 Isabella Street) and the presence of an automotive body shop on a property to the west at 120 Isabella Street.

The aforementioned APECS were addressed in the Phase II ESA work, which consisted of drilling two (2) boreholes and seven (7) test pits. The boreholes were placed along the eastern property edge, while the test pits were placed to obtain general coverage of the site. One borehole (northeast corner) was completed as a monitoring well.

Twelve (12) soil samples were submitted for BTEX, PHCs (fractions, F1-F4), PAHs and metals analysis. BTEX, PHCs and PAHs test parameters were in compliance with the selected MECP standards. The analytical results indicated however, that there are potential metal impacts (cobalt and vanadium) in the fill material. Based on the soil results, the underlying native silty clay material had not been impacted and therefore, contamination is confined only in the fill layer.

Two (2) groundwater samples were submitted for BTEX, PHCs and PAH analysis. Based on the test results, the groundwater samples were in compliance with the selected MECP standards.

Based on the Phase II, metal impacted fill material is present on-site. Fill material encountered during the subsurface investigation contained building debris, such as glass, concrete, wood, bricks, etc.) and is therefore considered contaminated and will require off-site disposal during development.

As for the remaining two (2) APECs on-site: the presence of the adjacent former machine shop (110 Isabella Street) and presence of a neighbouring automotive body shop (120 Isabella Street) have been addressed and are considered former PCAs that no longer represent APECs on the Phase I Property.

4.2 Environmental Source Information

Environment and Climate Change Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on July 31, 2019. The subject site was not listed in the NPRI database. No records of pollutant release were listed in the database for properties located within the Phase I Study Area.

Areas of Natural and Scientific Interest (ANSI)

A search for areas of natural significance and features within the Phase I study area was conducted on the web site of the Ontario Ministry of Natural Resources (MNR) on July 31, 2019. The search did not reveal any natural features or areas of natural significance within the Phase I study area.

PCB Inventory

A search of national PCB waste storage sites was conducted. No PCB waste storage sites were identified on the subject site or within a 250m radius.

Ontario Ministry of Environment (MECP) Instruments

A request was submitted to the MECP Freedom of Information (FOI) office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the site. Based on the MECP response, no information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments water, metal of property use or any other similar MECP issued instruments were issued in relation to the subject site or

neighbouring properties. A copy of the MECP FOI response is appended to this report.

MECP Incident Reports

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP for the site or adjacent properties. Based on the MECP response, no information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections were reported for the subject site or neighbouring properties. A copy of the MECP FOI response is appended to this report.

MECP Waste Management Records

A request was submitted to the MECP Freedom of Information office for information with respect to waste management records. At the time of issuance of this report, a response had not been received. Based on the MECP response, no information was provided regarding waste management records in relation to the subject site or neighbouring properties. A copy of the MECP FOI response is appended to this report.

MECP Submissions

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions have been submitted to the MECP. Based on the MECP response, no information was provided regarding environmental conditions in relation to the subject site or neighbouring properties. A copy of the MECP FOI response is appended to this report.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry (ESR) was conducted as part of this assessment for the site. No Record of Site Condition (RSC) was found for the subject site, however, two (2) RSCs were identified within the study area for 100 Isabella Street and 424 Metcalfe Street.

The RSC property at 100 Isabella Street is located immediately east of the subject site. According to the ESR website, approximately 3600 cubic meters of contaminated soil was removed off-site, as well as soil within 3 meters of the RSC Property boundary. No groundwater treatment was required.

Based on the reported maximum concentrations for soil and groundwater, this RSC Property is not considered to pose a risk to the Phase I Property.

The RSC property at 424 Metcalfe Street is located 125 m north of the subject site. Based on the separation distance, and information provided on the ESR website, this RSC property is not considered to pose concern to the Phase I Property.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. No waste disposal sites were identified within the Phase I study area.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No coal gasification plants were identified within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto, was contacted on July 31, 2019 to inquire about current and former underground/aboveground storage tanks, spills and incidents for the subject and neighbouring properties. No records were found for the subject site or surrounding area.

City of Ottawa Landfill Document

The document entitled "Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa", was reviewed. No former waste disposal sites were located within the Phase I study area.

City of Ottawa Historical Land Use Inventory

A search of the City's Historical Land Use Inventory (HLUI 2005) database for the subject property was conducted as part of the Phase I ESA. At the time of issuance of this report, a response had not been received. A copy of the response will be forwarded to the client, should it contain any pertinent information.

Former Industrial Sites

The report entitled "Mapping and Assessment of Former Industrial Sites, City of Ottawa" prepared by Intera Technologies Limited was reviewed. Three (3) former industrial sites were identified within the vicinity of the subject property, as presented in Table 3.

Table	Table 3: Former Industrial Sites												
Site No.	Address	Type of Industry	Operator	Approx. Distance from Subject Site									
35	439-443 O'Connor Street	Printing, publishing and allied industries	National Printers Ltd.	120m north									
30	Corner of Isabella Street and Metcalfe Street	Commercial printing industries	Dominion Loose Leaf Co. Ltd.	130m east									
31	Corner of Isabella Street and Metcalfe Street	Refined petroleum and coal products	Ottawa Porcelain & Carbon Co.	130m east									

Based on their separation distance from the subject property, the former industrial sites are not considered to result in APECs on the Phase I Property.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. The review period dates back to the first available air photos for the site. Based on the review, the following observations have been made:

- 1928 The subject site appears to be occupied by a single residential building. The subject site lies within a residential city block on the south side of Isabella Street. South of Isabella Street the land appears to be mostly residential in use while the Canadian National Railway lies to the north of Isabella Street.
- 1958 No significant changes have been made to the subject site. Immediately east of the site, the building has been extended however generally little significant redevelopment has occurred south of Isabella Street. North of Isabella Street, numerous buildings associated with the railway have been demolished.

patersongroup

Ottawa Kingston North Bay

- 1965 No significant changes have been made to the subject site. Further extension of the building immediately east of the subject site has occurred. Many of the properties fronting onto Isabella Street have been removed and replaced with larger buildings or parking lots. Properties fronting onto and south of Pretoria Avenue appear to remain residential in nature. North of Isabella Street, the railway has been demolished and the Highway No 417 is under construction.
- 1976 No significant changes have been made to the subject site. At the intersection between Isabella Street and O'Conner Street, a high rise office block has been constructed occupying the block between Isabella Street and Pretoria Avenue. Elsewhere along Isabella Street commercial buildings have been developed. To the north, the Highway No 417 is complete at this time.
- 1991 No significant changes have been made to the subject site. Further commercial development occurred along Isabella Street.
- 2002 No significant changes have been made to the subject site or surrounding properties.
- 2005 (Not appended) The building occupying the subject site has been demolished.
- 2011 No significant changes have been made to the subject site. The land immediately east of the subject site, has been redeveloped with an apartment building.
- 2017 No significant changes have been made to the subject site or surrounding properties.

Laser copies of selected aerial photographs reviewed are included in Appendix 1.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada - The Atlas of Canada website. The topographic maps indicate that the subject site and surrounding area slopes down gently to the east. An illustration of the referenced topographic map is presented in Figure 2 - Topographic Map following the body of this report.

Physiographic Maps

A Physiographic Map was reviewed from the Natural Resources Canada - The Atlas of Canada website. According to this physiographic map, the site is located in the St. Lawrence Lowlands. According to the mapping description provided: "The lowlands are plain-like areas that were all affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets." The subject site is located in the Central St. Lawrence Lowland, "where the land is rarely more than 150 m above sea level, except for the Monteregian Hills, which consist of intrusive igneous rocks".

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on the information from NRCAN, bedrock in the area of the site consists of shale, limestone, dolostone and siltstone of the Billings Formation. Based on available information, the thickness of overburden is anticipated to be around 18-20 m and consists of glacio-marine sediments.

Water Well Records

A search of the MECP's web site for all drilled well records within 250 m of the subject site was conducted on July 30, 2019. The search identified nine (9) records in the subject area, dating from 2007 to 2017, all comprising monitoring wells.

The nearest well is located approximately 100m north of the subject site. No indication of contamination was recorded in any of the records. Given the municipally supplied area, water supply wells are not expected in the subject area.

Based on the well records, the stratigraphy in the area of the subject site consists of fill material, underlain by silty clay or clay, followed by silt. Bedrock was not encountered in the area. A copy of the well records are appended to this report (Appendix 2).

Water Bodies and Areas of Natural Significance

There are no waterbodies or areas of natural and scientific interest on the subject site or within the study area.

5.0 INTERVIEWS

The property owner could not be contacted for comment regarding the history of the property.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The site assessment was conducted on August 1, 2019. Weather conditions were sunny, with a temperature of approximately 28 °C. Mr. Philip Price from the Environmental Department of Paterson Group conducted the site visit. In addition to the site, the uses of neighbouring properties within the Phase I study area were also assessed at the time of the site reconnaissance.

6.2 Specific Observations at the Phase I Property

Buildings and Structures

There are no buildings on the Phase I Property.

Site Features

The subject property is vacant with no buildings or structures noted. At the time of the site visit the site was used for parking and storage of two trucks, two trailers and two locked shipping containers (c-cans). The site is surfaced with gravel and in parts is overgrown with self-seeded grass and weeds.

Site drainage consists of infiltration and sheet flow to Isabella Street. Both the subject site and surrounding properties appear flat and level.

No evidence of recent excavation, fill placement or observation/monitoring wells was observed on the subject property. No evidence of current or former railway or spur lines on the subject property was observed at the time of the site visit. There were no unidentified substances observed on the exterior of the subject site. The above-noted site features are shown on Drawing PE4701-1 - Site Plan.

Potentially Contaminating Activities

No potentially contaminating activities were observed at the site at the time of this assessment.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site was as follows:

- North Isabella Street followed by vacant grassed land with the Highway No 417 beyond.
- South Residential land followed by Pretoria Avenue and further residential land beyond.
- East Residential condominiums and assisted living residences followed by Metcalfe Street.
- West Commercial land (fast food restaurant and Auto Body Collision Repair & Paint) followed by O'Conner Street with high rise commercial (office and retail) land beyond.

Land use within the Phase I study area is shown on Drawing PE4701-2 -Surrounding Land Use Plan. During the walkover, an approximately 1000 litre above ground storage tank (AST) was noted at 461 O'Conner Street, associated with Griffin Automotive Services Ltd. No staining was noted around the tank. Though this feature represents a PCA, it is not considered to have the potential to impact the subject site based on the distance from the subject site.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

The following table indicates the current and past uses of the site dating back to the first developed use of the site.

Table 4: Current and Past Use of the Phase I ESA Property 114 Isabella Street												
Year	Property Owner	Description of Property	Property Use	Other Observations from FIPs, Aerial Photographs, Directories, etc.								
Prior to 1888	Unknown	Unknown	Residential use	1888 FIPs								
1888-2003	Various private individuals	Residential	Residential use	City Directories, Kollaard 2013 Phase II ESA Report								
2003-2019	Private Individuals and possibly others Ashlar Homes	Vacant	Vacant	Aerial photographs Kollaard 2013 Phase II ESA Report								
2019-present	Unknown	Vacant	Vacant	No information available								

Potentially Contaminating Activities and Areas of Potential Environmental Concern

Nineteen (19) PCAs were identified within the study area. Based on separation distances, orientation and/or previous analytical results from the on-site Phase II ESA (Kollaard, 2013), none of the identified PCAs are considered to represent APECs on the Phase I Property. The location of these PCAs are depicted in green on Drawing PE4601-2 –Surrounding Land Use Plan, in the Figures section of this report.

Contaminants of Potential Concern (CPC)

No Contaminants of Potential Concern (CPCs) were identified on the subject site.

7.2 Conceptual Site Model

Geological and Hydrogeological Setting

Based on the information from NRCAN, bedrock in the area of the site consists of shale, limestone, dolostone and siltstone of the Billings Formation. Based on

available information, the thickness of overburden is anticipated to be around 18-20 m and consists of glacio-marine sediments.

Groundwater flow is interpreted to be in a north to northwesterly direction.

Contaminants of Potential Concern

As per Section 7.1 of this report, no Contaminants of Potential Concern (CPCs) were identified on the subject site.

Existing Buildings and Structures

Water Bodies and Areas of Natural Significance

No water bodies or areas of natural significance were identified on the Phase I Property. The Rideau Canal is the closest water body and is located approximately 390 m southeast of the Phase I Property.

Drinking Water Wells

Records of nine (9) wells were found in the study area all comprising monitoring wells, dating from 2007 to 2017.

The nearest well is located approximately 100m north of the subject site. No indication of contamination was recorded in any of the records.

Given the municipally supplied area, water supply wells are not expected in the subject area.

Neighbouring Land Use

Neighbouring land use in the Phase I Study Area consists of residential and commercial properties. Land use is shown on Drawing PE4701-2 Surrounding Land Use Plan.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, nineteen (19) PCAs were identified within the Phase I Study Area; however, as discussed previously, they do not represent areas of potential environmental concern on the Phase I Property.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I-ESA is considered to be sufficient to conclude that there are no APECs on the Phase I Property. A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSIONS

Assessment

Paterson Group was retained by 2702021 Ontario Inc. to conduct a Phase I Environmental Site Assessment (Phase I-ESA) on 114 Isabella Street, in the City of Ottawa, Ontario. The purpose of this Phase I – Environmental Site Assessment was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject properties.

Based on the historical research, the subject site was developed with a single residential structure circa 1888 and remained as a residence until it was demolished during a fire in 2003. Since then, the site has remained vacant. The demolition of the former on-site residence was considered to represent a potentially contaminating activity (PCA) due to the presence of potential fill material of unknown quality.

Historically, neighbouring lands consisted of residential, commercial with some light-industrial uses. Several PCAs were identified, however the majority of them were not considered to pose a concern to the subject site. Two (2) PCAs were identified in the immediate area of the Phase I Property: a former machine shop at 100 Isabella Street and an automotive body shop at 120 Isabella Street (461 O'Connor Street).

Based on a previous Phase II ESA conducted by Kollaard Associates Inc. (Kollaard) in 2013, the potential presence of impacted fill material on-site, the presence of a former machine shop and presence of an automotive body shop were addressed as areas of potential environmental concern (APECs) on the Phase I Property. Several tests pits and one monitoring boreholes II were placed on-site to investigate these APECs. Soil samples were submitted for BTEX, PHCs, PAHs and metals analysis. Based on the test results, impacted fill material was identified within the vicinity of the former dwelling. Groundwater samples were submitted for BTEX, PHCs and PAH analysis. The test results did not detect any groundwater impact.

Following the historical review, a site visit was conducted. The subject property is vacant with no buildings or structures noted. At the time of the site visit, the site was used for parking and storage of trailers and c-cans. No additional PCAs were identified with the current use of the Phase I Property or lands within the Study

Area. Therefore, no areas of potential environmental concern with respect to the Phase I Property were identified. **No further Phase II ESA is recommended at this time.**

Recommendations

Impacted fill material was identified at 114 Isabella Street in the 2013 Phase II ESA prepared by Kollaard. The fill material encountered during the subsurface investigation is considered to be contaminated, particularly from an off-site disposal standpoint. The fill material was observed to contain various building debris (e.g. glass, concrete, wood etc.) that will require disposal at an approved disposal facility during site development.

Prior to the disposal of the impacted fill, at Toxicity Characteristic Leaching Procedure (TCLP) will need to be carried out on a representative fill sample to confirm its suitability for disposal at an approved waste disposal facility.

9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differs from our findings, we request that we are notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of 2702021 Ontario Inc. Permission and notification from the above-noted party and Paterson will be required to release this report to any other party.

Paterson Group Inc.

Mandy Witteman, B.Eng., M.A.Sc.



Mark S. D'Arcy, P.Eng., QPESA

Report Distribution:

- □ 2702021 Ontario Inc.
- Paterson Group



10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library. National Archives. Maps and photographs (Geological Survey of Canada surficial and subsurface mapping). Natural Resources Canada – The Atlas of Canada. Environment Canada, National Pollutant Release Inventory. PCB Waste Storage Site Inventory.

Provincial Records

MECP Freedom of Information and Privacy Office.
MECP Municipal Coal Gasification Plant Site Inventory, 1991.
MECP document titled "Waste Disposal Site Inventory in Ontario".
MECP Brownfields Environmental Site Registry.
Office of Technical Standards and Safety Authority, Fuels Safety Branch.
MNR Areas of Natural Significance.
MECP Water Well Inventory.

Municipal Records

The City of Ottawa Historical Land Use Inventory. The City of Ottawa geoOttawa website.

Local Information Sources

Personal Interviews.

Public Information Sources

Google Earth. Google Maps/Street View Bing Maps

FIGURES

FIGURE 1 – KEY PLAN


FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE4701-1 – SITE PLAN

DRAWING PE4701-2 – SURROUNDING LAND USE PLAN

patersongroup

FIGURE 1 KEY PLAN







FIGURE 2 TOPOGRAPHIC MAP




109 PRETORIA AVENUE RESIDENTIAL DWELLING

111 PRETORIA AVENUE RESIDENTIAL DWELLING

113 PRETORIA AVENUE RESIDENTIAL DWELLING

119 PRETORIA AVENUE RESIDENTIAL DWELLING

	Scale:		Date:
		1:150	08/2019
	Drawn by:		Report No.:
		YA	PE4701-1
ONTARIO	Checked by:		Dwg. No.:
		PP	PE4701-1
	Approved by:		. =
		MSD	Revision No.:




	ONTARIO			19. ISABEL		16. DOM 17. 132.0		14. ISAB CO.	13. ISAB				8. 136 IS	7. NOR	6. BINS			2. 120 K	MET/	FUENIALL	 Se al	うって	0
Approved by: MSD	Checked by: PP	Drawn by: YA	Scale: 1:2500	IANNS) ISABELLA AT BANK - FORMER SAMUEL RODGERS OIL COMPANY	130 CATHERINE STREET - FORMER GASOLINE SERVICE STATION (2	DOMINION LOOSE LEAF CO LID FORMER PRINT SHOP 132 CATHERINE STREET - FORMER GREASING AND OIL 1	ELLA AT METCALFE- FORMER F	ELLA AT METCALFE- FORMER O	140 - 142 PRETURIA AVENUE - FORMER FIRE STATION	437-433 O' CONNOR - FORMER NATIONAL PRINTERS LTD	IERS	158 ISABELLA STREET - FORMER MORRISON LAMOTHE LTD. GAR	NATIONAL KAILWAY 136 ISABELLA STREET - FORMER COAL SHED	NORTH OF ISABELLA STREET - FORMER GRAND TRUCK/CANADIAN	'H OF ISABELLA STREET - FORN	461 O'CONNOR STREET - ABOVE GROUND STORAGE TANK (CONNOR STREET - COMMERCI	120 ISABELLA STREET & 461 O'CONN AUTO RODY SHOPS	100 ISABELLA STREET (FORMERLY 120 ISABELLA STREET - FOR METAL MACHINE SHOP AND SOFT DRINKS CABINET ASSEMBLY	LET CONTAMINATING ACTIVITIES			
Revision No.:	Dwg. No.: PE4701-2	Report No.: PE4701-1	Date: 08/2019	EL RODGERS OIL COMPANY	ASOLINE SERVICE STATION (2	DOMINION LOOSE LEAF CO LID FORMER PRINT SHOP 132 CATHERINE STREET - FORMER GREASING AND OIL WAREHOUSE	ISABELLA AT METCALFE- FORMER FOREST PRODUCTS LABORATORIES	ISABELLA AT METCALFE- FORMER OTTAWA PORCELAIN AND CARBON CO.	PLANING MILL	ONAL PRINTERS LTD.		158 ISABELLA STREET - FORMER MORRISON LAMOTHE LTD. GARAGE	AL SHED	MER GRAND TRUCK/CANADIAN	NORTH OF ISABELLA STREET - FORMER GRAND TRUCK RAILWAY COAL BINS	461 O'CONNOR STREET - ABOVE GROUND STORAGE TANK (CURRENT)	461 O'CONNOR STREET - COMMERCIAL AUTO BODY SHOP (CURRENT)	120 ISABELLA STREET & 461 O'CONNOR STREET - VARIOUS COMMERCIAL AUTO BODY SHOPS	100 ISABELLA STREET (FORMERLY 120 ISABELLA STREET - FORMER METAL MACHINE SHOP AND SOFT DRINKS CABINET ASSEMBLY				

p:\autocad drawings\environmental\pe47xx\pe4701\pe4701-2-slup.dwg


APPENDIX 1

AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS














AERIAL PHOTOGRAPH 2002



AERIAL PHOTOGRAPH 2011



AERIAL PHOTOGRAPH 2017

Site Photographs

PE4524-1

114 Isabella Street, Ottawa

August 7, 2019



Photograph 1: Centre and rear of the site facing southeast.



Photograph 2: Site frontage and Isabella Street facing northwest.

APPENDIX 2

MECP FREEDOM OF INFORMATION REQUEST

CITY OF OTTAWA HLUI REQUEST

WATER WELL RECORDS

TSSA CORRESPONDENCE

Ministry of the Environment, Conservation and Parks

Access and Privacy Office

12th Floor 40 St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075 Fax: (416) 314-4285 Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée

12[®] étage 40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél. : (416) 314-4075



August 13, 2019

Philip Price Paterson Group Inc. 154 Colonnade Road Ottawa, ON K3E 7J5

Dear Philip Price:

RE: Freedom of Information and Protection of Privacy Act Request Our File # A-2019-05291, Your Reference PE4701

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 114 Isabella Street, Ottawa.

After a thorough search through the files of the Ministry's Ottawa District Office, Investigations and Enforcement Branch, Environmental Assessment and Permissions Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, no records were located responsive to your request. To provide you with this response and in accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, the fee owed is \$30.00 for 1 hour of search time @ \$30.00 per hour. We have applied the \$30.00 for this request from your initial payment. This file is now closed.

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Sasha Naidu at 416-314-4075 or sasha.naidu@ontario.ca.

Yours truly

Janet Dadufalza Manager, Access and Privacy

	Office Use Only		
Application Number:	Ward Number:	Application Received: (dd/mm)	/уууу):
Client Service Centre Staff:		Fee Received: \$	



Historic Land Use Inventory

Application Form

Notice of Public Record

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

Municipal Freedom of Information and Protection Act

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning Infrastructure and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

	Background Information
*Site Address or Location:	114 Isabella Street, Ottawa, ON
	* Mandatory Field
Applicant/Agent I	nformation:
Name:	Paterson Group
Mailing Address:	154 Colonnade Road, Ottawa ON
Telephone:	613 226 7381 Email Address: pprice@patersongroup.ca
Registered Prope	rty Owner Information:
Name:	2702021 Ontario Inc.
Mailing Address:	110-150 Isabella Street, Ottawa ON
Telephone:	613 324 2389 Email Address: <i>chris@chrisallard.ca</i>

	Site Details
Legal Description and PIN: What is the land currently used for? Lot frontage OR Lot	041230086 Vacant :: m Lot depth: m Lot area: m ² :: area: (irregular lot) 350 m ²
Does the sit	e have Full Municipal Services: 💿 Yes 🔿 No
	Required Fees
	te to visit <u>the Historic Land Use Inventory</u> website Fees must be paid in full at the time of application submission.
Planning Fee	\$105.00
	Submittal Paguizaments

Submittal Requirements

The following are required to be submitted with this application:

- 1. Consent to Disclose Information: Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner. This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer: Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Infrastructure and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.
- 4. Any significant dates or time frames that you would like researched.

Disclaimer For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Paterso	n Group ("	"the Requester")	does so only unde	r the following


conditions and understanding:


- The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.
- 2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
- 3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
- 4. Copyright is reserved to the City.
- 5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
- 6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
- 7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed:	
Dated (dd/mm/yyyy): 07/08/2019	-
Per: Philip Price	-
(Please print name)	
Title: Environmental Scientist	
Company: Paterson Group	

	Ministry of the Environment	Well Ta	94278	hber below)	Regulation 90		II Record
 Instructions for Completin For use in the Province All Sections must be cor Questions regarding con 	of Ontario only. The npleted in full to avo	is document is a per bid delays in process	ing. Further	instructions ar	nd explanations are av	re reference. ailable on the b	page $\int of \mathcal{A}$
 All metre measurement Please print clearly in blu 	s shall be reported	d to 1/10 th of a metr	e.	· · · · · · · · · · · · · · · · · · ·	Ministry Us		
F			I MUNI				
Address of well Location (County	/District/Municipality)		ownship		Lot	Conce	ession
	alfe Stre	et	City/Town/V	tawa		artment/Block/T	ract etc.
GPS Reading NAD Zor 8 3 11 Log of Overburden and Be	0 9 1 8100	5028889	Unit Make/N	Model Mod		differentiated	Averaged
General Colour Most common		Other Materials		Gener	al Description	Dej	
Brown/Gray Fill -	arma An Cill	clay + silf.				En C	
	granula fill						$\frac{1}{2}$
Grey Clay	Suck 4 conc	Nere				1 /	$\frac{5}{1.7}$
C C-11							1 2.7
Grey Silly				n na wakaza		0.	1 7.2
LIM	milmina	allinglally	1.00	1 A CLAR	ter asper O	al Mar	Q Gol
7.110	survey a	() installa	rons u	Sacus	Les ves pres U	NF MOE	Rog 903
		(+gpicar)	•				
		14					
Hole Diameter		Construction Red	ord		Tos	st of Well Yield	
Depth Metres Diameter	Inside	Wall	Depth	Metres	Pumping test method	1	Recovery
From To Centimetres	diam Mate	rial thickness				Time Water Leve	Time Water Level
0 4.5 20	centimetres	centimetres	From	То	Pump intake set at -	min Metres	min Metres
				1			
		Casing	ł		(metres)	Level	
	51 Plastic	Fibreglass	Δ	12	(metres) Pumping rate - (litres/min)	Level 1	1
Water Record	51 Plastic	Fibreglass Concrete	0	1.3	Pumping rate - (litres/min) Duration of pumping	2	1
Water found at Metres / Kind of Water	51 Plastic	Fibreglass Concrete d	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min	1	
Water found atMetres // Kind of Water	51 Plastic MM Galvanize Steel Plastic	Fibreglass Concrete d Fibreglass Concrete	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumping	1 2 3	1 2 3
Water found at Metres / Kind of Water	51 Plastic Mm Galvanize Steel Plastic Galvanize	Fibreglass Concrete d Fibreglass Concrete d	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump	1 2 3	
Water found atMetres / Kind of Water m Fresh Sulphur Gas Salty / Minerals Other: m Fresh Sulphur	51 Plastic Mm Galvanize Steel Plastic Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeed	1 2 3 4	3
Water found atMetres / Kind of Water m Fresh Sulphur Gas Salty / Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type.	1 2 3 4 5	3
Water found atMetres / Kind of Water m Fresh Sulphur Gas Salty Minerals Other: Gas Salty Minerals Other: m Fresh Sulphur Gas Salty Minerals Other: m Fresh Sulphur	51 Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump	1 2 3 4 5 10	3
Water found atMetres / Kind of Water m Fresh Sulphur Gas Salty Minerals Other: Gas Salty Minerals Other: Other: Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Steel Galvanize Outside Steel Galvanize Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Screen Fibreglass Slot No.	0	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min)	1 2 3 4 5 10 15	3 4 5 10 15
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other: Gas Salty Minerals Other: Gas Salty Minerals Other: m Fresh Sulphur Gas Salty Minerals Other: After test of well yield, water was	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Steel Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Screen			Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. Shallowbeep Recommended pump depthmetres Recommended pump ratenetres (litres/min)	1 2 3 4 5 10	3 4 5 10
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Steel Galvanize Outside Steel Galvanize Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Screen Fibreglass Concrete d Screen	1.5	1.3	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeep Recommended pump depthmetres Recommended pump ratemetres Recommended pump ratemetres	1 2 3 4 5 10 15 20 25 30	3 4 5 10 15 20 25 30
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Outside diam Steel 58 Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d No Casing or Scr	1.5		Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min)	1 2 3 4 5 10 15 20 25 30 40	3 4 5 10 15 20 25 30 40
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Steel Galvanize Outside Steel diam Plastic 58 Galvanize	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d No Casing or Scr	1.5		Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min)	1 2 3 4 5 10 15 20 25 30	3 4 5 10 15 20 25 30
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Galvanize Outside Galvanize Outside Outside Galvanize Outside Outside Outside <t< td=""><td>Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d No Casing or Screen</td><td>1.5</td><td></td><td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min)</td><td>1 2 3 4 5 10 15 20 25 30 40 50 60</td><td>3 4 5 10 15 20 25 30 40 50</td></t<>	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d No Casing or Screen	1.5		Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min)	1 2 3 4 5 10 15 20 25 30 40 50 60	3 4 5 10 15 20 25 30 40 50
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Galvanize Outside Galvanize Outside Outside Galvanize Outside Outside Outside <t< td=""><td>Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d No Casing or Sci Annular space A Meent slurn) etc</td><td>1.5 reen</td><td>H, 5</td><td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.</td><td>1 2 3 4 5 10 15 20 25 30 40 50 60 0 0 Well</td><td>3 4 5 10 15 20 25 30 40 50 60</td></t<>	Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d Fibreglass Concrete d No Casing or Sci Annular space A Meent slurn) etc	1.5 reen	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 0 0 Well	3 4 5 10 15 20 25 30 40 50 60
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Outside Outside Steel Galvanize Outside Outside Outside Galvanize Outside Outside Outside Galvanize Outside Galvanize Outside Outside Galvanize	Fibreglass Image: Concrete displays G Image: Concrete displays G Fibreglass Concrete displays Slot No. Fibreglass Slot No. Concrete displays Slot No. Concrete displays Slot No. Mo Casing or Scientific Image: Concrete displays Mo Casing or Scientific </td <td>bandonment ne Placed ic metres)</td> <td>H, 5</td> <td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.</td> <td>1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60</td> <td>3 4 5 10 15 20 25 30 40 50 60 </td>	bandonment ne Placed ic metres)	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60	3 4 5 10 15 20 25 30 40 50 60
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Outside Outside Steel Galvanize Outside Outside Outside Galvanize Outside Outside Outside Galvanize Outside Galvanize Outside Outside Galvanize	Fibreglass Image: Concrete displays G Image: Concrete displays G Fibreglass Concrete displays Slot No. Fibreglass Slot No. Concrete displays Slot No. Concrete displays Slot No. Mo Casing or Scientific Image: Concrete displays Mo Casing or Scientific </td <td>1.5 reen</td> <td>H, 5</td> <td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.</td> <td>1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60</td> <td>3 4 5 10 15 20 25 30 40 50 60 </td>	1.5 reen	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60	3 4 5 10 15 20 25 30 40 50 60
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Outside Outside Steel Galvanize Outside Outside Outside Galvanize Outside Outside Outside Galvanize Outside Galvanize Outside Outside Galvanize	Fibreglass Image: Concrete displays G Image: Concrete displays G Fibreglass Concrete displays Slot No. Fibreglass Slot No. Concrete displays Slot No. Concrete displays Slot No. Mo Casing or Scientific Image: Concrete displays Mo Casing or Scientific </td <td>bandonment ne Placed ic metres)</td> <td>H, 5</td> <td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.</td> <td>1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60</td> <td>3 4 5 10 15 20 25 30 40 50 60 </td>	bandonment ne Placed ic metres)	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump type. ShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60	3 4 5 10 15 20 25 30 40 50 60
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Galvanize Steel Plastic Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Outside Galvanize Galvanize Outside Outside Galvanize Galvanize Outside Galvanize Galvanize Galvanize Open hole Galvanize Open hole Galvanize Galvanize Galvanize Open hole Galvanize Galvanize Galvanize G	Fibreglass Image: Concrete displays G Image: Concrete displays G Fibreglass Concrete displays Slot No. Fibreglass Slot No. Concrete displays Slot No. Concrete displays Slot No. Mo Casing or Scientific Image: Concrete displays Mo Casing or Scientific </td <td>bandonment ne Placed ic metres)</td> <td>H, 5</td> <td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.</td> <td>1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60</td> <td>3 4 5 10 15 20 25 30 40 50 60 </td>	bandonment ne Placed ic metres)	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60	3 4 5 10 15 20 25 30 40 50 60
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Galvanize Steel Plastic Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Outside Galvanize Galvanize Outside Outside Galvanize Galvanize Outside Galvanize Galvanize Galvanize Open hole Galvanize Open hole Galvanize Galvanize Galvanize Open hole Galvanize Galvanize Galvanize G	Fibreglass Image: Concrete displays G Image: Concrete displays G Fibreglass Concrete displays Slot No. Fibreglass Slot No. Concrete displays Slot No. Concrete displays Slot No. Mo Casing or Scientific Image: Concrete displays Mo Casing or Scientific </td <td>bandonment ne Placed ic metres)</td> <td>H, 5</td> <td>Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.</td> <td>1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60</td> <td>3 4 5 10 15 20 25 30 40 50 60 </td>	bandonment ne Placed ic metres)	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60	3 4 5 10 15 20 25 30 40 50 60
Water found atMetres Kind of Water m Fresh Sulphur Gas Salty Minerals m Fresh Sulphur m Gas Salty m Fresh Sulphur m Gas Salty m Fresh Sulphur Gas Salty Minerals m Other:	51 Plastic Mm Galvanize Steel Plastic Galvanize Steel Plastic Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Steel Galvanize Galvanize Outside Galvanize Outside Outside Galvanize Galvanize Open hole Galvanize Open hole Galvanize Imm Open hole aling Record Galvanize MM Galvanize MM Galvanize Open hole Galvanize MM Galvanize Open hole Galvanize	Fibreglass Image: Concrete displays G Image: Concrete displays G Fibreglass Concrete displays Slot No. Fibreglass Slot No. Concrete displays Slot No. Concrete displays Slot No. Concrete displays Slot No. Mo Casing or Scientific displays Mo Casing or Scientific displays Ment slurry) etc. Volum (cubic) Q No Casing or Scientific displays Ment slurry) etc. Volum (cubic) Q No On No	bandonment ne Placed ic metres)	H, 5	Pumping rate - (litres/min) Duration of pumping hrs +min Final water level end of pumpingmetres Recommended pump typeShallowDeep Recommended pump depthmetres Recommended pump rate. (litres/min) If flowing give rate - (litres/min) If flowing give rate - (litres/min) If pumping discontin- ued, give reason.	1 2 3 4 5 10 15 20 25 30 40 50 60 60 60 60 60 60 60	3 4 5 10 15 20 25 30 40 50 60

28





- ****** 1 - march

		ry of ivironment Metric	perial	A O	81085	nd/or Print Below) A081085	Regulation	903 OI	Wel	Resourc	
Well Ow	ner's Information						0	16			
First Name		.as Name / Org		~		E-mail Address				Vell Const	ructed
	roperties	Provige	$ L^{+}$	ee			D (10)			y Well Ov	
Mailing Add	dress (Street Number/Nar Ave Ste - C	ne) J		S	unicipality + Lawrent	Province	Postal Code	L 4 3	elephone No.	(inc. area 3 3 8 8	code) 3 0 0
Well Loca			-		current	weper		1.1.			
	Well Location (Street Nur	mber/Name)		To	ownship		Lot	(Concession		
64	sabel a										
County/Dis	trict/Municipality			Ci	ity/Town/Village			Province Onta		ostal Cod	e
UTM Coordi	inates Zone Easting	, North	nina	M	unicipal Plan and Suble	at Number		Other	110		
	83177160	15249	078	124							
	en and Bedrock Materi	the second se		the second s	d (see instructions on the	back of this form)					
General Co	olour Most Comm	non Material		Othe	er Materials	Gene	ral Description		Fr	Depth (m om	/ft) To
Brow	in Fill					Lou	se		0		5-
Grey	Clay					Lous			5	- 1	8-
/	/										
		Annular Sp	bace				Results of We	II Yield	Testing		-
	et at (<i>m/ft</i>)	Type of Sealar	nt Used		Volume Placed	After test of well yield,			w Down	Recov	
From	То	(Material and T			(m ³ /ft ³)	Clear and sand f	ree	(min)	Water Level T (m/ft) (er Level n/ft)
					0.0005m	If pumping discontinue	ed, give reason:	Static			
1	/	Bensea	1		0.0035m3			Level		1	
7'	181	59~10			0.0055m3	Pump intake set at (r	n/ft)				
						Fump make set at ()	nuncj	2		2	
	and of Construction	_		Well Use		Pumping rate (I/min /	GPM)	3		3	
Cable To	ool Diamond	Public	<u>г</u>	Commerce				4		4	
Rotary (C	Conventional) 🗌 Jetting	Dome	stic [🗍 Municipa	Dewatering	Duration of pumping hrs + c	nin	5		5	
Boring	Reverse) Driving	Livest		Test Hole	e Monitoring & Air Conditioning	Final water level end d					
Air percu	ission Durant Rush	Indust	rial	_ coomy c	a tar oonditioning		is a company from ()	10		10	
Other, sp		Other,				If flowing give rate (I/r	nin-/ GPM)	15		15	
- Inclusion	Construction R		g Depth (m/ft)	Status of Well	Destruction	alandi (mi	20		20	
Inside Diameter	Open Hole OR Material (Galvanized, Fibreglass,	Wall Thickness	From	<i>m/π)</i> To	Water Supply	Recommended pump	aepth (m/tt)	25		25	
(cm/in)	Concrete, Plastic, Steel)	(cm/in)			Test Hole	Recommended pump	o rate	30			
1.0	PVC	0.25	0	81	Recharge Well Dewatering Well	(I/min / GPM)		30		30	
					Observation and/or	Well production (I/mir	1 / GPM)	40		40	
					Monitoring Hole			50		50	
					(Construction)	Disinfected?		60		60	
	O another attempt	and Course			Insufficient Supply		Map of We		ation		_
Outside	Construction R	ecord - Screen	Depth (m/ft)	Abandoned, Poor Water Quality	Please provide a map	and the state of t		the second s	k. 🔨	
Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	From	То	Abandoned, other,		139 belle		2	- 小	-
MARM	PVL	10	81	181	specify		124 20116			-N-	
1751	1			'	Other, specify	2 -				Fence	
1.27	-					cal flee	64 (0	oble.	150	4	
Mater for	Water Det	and the second se	Unicated		n (<i>m/ft</i>) Diameter	2 1/1	0/ (.			× 1	m
vvater toun	id at Depth Kind of Wate	r: Fresh	Untested	From	To (<i>cm/in</i>)	tellle			-2	Sevi	

Por		irement			1016		Regulation	903 Ont	tario Wate	er Reso	
Measureme	nts recorded in: Me	etric 🗌 Im	nperia n	03		10 11 010	1	11	Page_	<u> </u>	of
First Name Lobla	WS	st Name / O	rganization	M	unicipality .	E-mail Address Province	Postal Code	Те	lephone N	by Wel	onstructed I Owner irea code)
Mailing Addr	t choice cir	cle ut	Fl. 5.	Towar	Brampton	ON	L 645	55			111
Well Locat	tion		10111111	191611					oncession	HI (N)	Charles In
Address of V	Vell Location (Street Num	ber/Name)		To	ownship		Lot		oncession		
64 County/Distr	TSabella S	· ·			ty/Town/Village			Province		Postal	Code
					ottawa	at Number		Ontar	10		
	ates Zone Easting 8 3 1 8 4 4 6 2	-	thing		unicipal Plan and Suble	st Number		outor			
NAD Overburde	n and Bedrock Materia	Is/Abandor	ment Seali	ng Recor	d (see instructions on the	back of this form)		149416	1. alter		- ((D))
General Co		Contract of the second second			er Materials		ral Description			From	h (<i>m/ft</i>) To
Bra	Gravel			Sand	1	Kard,	dry			0	1.83
Gra	Clay					Wet ,	150	f+	1.	83	4,88
1	1									123	Pac
					and the second						
											1
				3.30 F 4							
			-								1
		A	0		****************		Results of W	ell Yield	Testing		THE CONTRACT OF
Depth Se	et at (m/ft)	Annular Type of Sea		12122222	Volume Placed	After test of well yield,	water was:	Drav	w Down		ecovery
From	То	(Material and	d Type)		(m³/ft³)	Clear and sand f	iree	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/lt)
0	,31 Concre	k /44	ishmou	int		If pumping discontinue	ed, give reason:	Static Level		1	
,31	1.5 Bens	eal						1	1 1 9 1	1	1
1.5	4.88 San	d				Pump intake set at (/	m/ft)	2		2	-
No.				Second St.							
Meth	nod of Construction			Well Us	e	Pumping rate (Vmin /	GPM)	3		3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Cable To	ol Diamond	and the second se		Commer		Duration of pumping		4		4	~ ~
Rotary (C	Conventional) Jetting Reverse) Driving			Municipa			min	5		5	
Boring	Digging	🗌 İmiş	gation [Cooling	& Air Conditioning	Final water level end	of pumping (m/fi	10		10	
Air percu Other, sp	pocify Direct Pus	h Oth	ustrial ier, specify	1. S.		If flowing give rate (//	min / GPM)	15		15	
CONTRACT.	Construction R				Status of Well			20		20	S. F. M. K. M.
Inside Diameter	Open Hole OR Material (Galvanized, Fibreglass,	Wall Thickness	Depth		Water Supply	Recommended pum	p depth (m/ft)	25		25	
(cm/in)	Concrete, Plastic, Steel)	(cm/in)	From	То	Test Hole	Recommended pum	p rate				112181
3.45	PVC	,356	0	1.83	Recharge Well Dewatering Well	(l/min / GPM)	See See	30		30	
					Observation and/or	Well production (Vmi	n / GPM)	40		40	
					Monitoring Hole	Disinfected?		50		50	
		N AUA			(Construction)	Yes No		60	1.1.4	60	
(CONTRACTOR)	Construction R	ecord - Scre	en	ETAMIN'S	Insufficient Supply		Map of V				(Contrology)
Outside	Material	Slot No.	Depth	(m/ft)	Water Quality	Please provide a mag			ons on the l	back.	1
Diameter (cm/in)	(Plastic, Galvanized, Steel)	SIGUNO.	From	То	Abandoned, other, specify	I IS	abella s	,t			- N
4.21	PVC	10	1.83	4.88		17				S. S.	
					Other, specify	30	m				
The second	Water De	tails		Н	lole Diameter	4					
Water four	nd at Depth Kind of Wate	r: Fresh	Untested		th (m/ft) Diameter To (cm/in)	al	1		1		

Por	tario Ministry	of ironment		No. (Place Sticker and		Regulation	903 Onta			ecord
Measuremen	nts recorded in: Me	tric 🗌 Imperial	AU	91017	A09107	1	177	Page_	2	of _4
Well Own First Name Loblaws		st Name / Organiz		1017	E-mail Address					onstructed I Owner
	ess (Street Number/Name t choice Circ	le 4th Fl.	S. Tower	Brampton	Province DN	Postal Code	5 5	ephone No	. (inc. a	irea code)
64	Vell Location (Street Numi T Sabe / /a S rict/Municipality	ber/Name)		wnship ty/Town/Village		Lot	Province	F	Postal	Code
NAD			8805	unicipal Plan and Sublo			Other			
Overburde General Co	n and Bedrock Material			d (see instructions on the er Materials		al Description		F	Dept	h (<i>m/ît</i>) To
.0	0 1		Sand		thard	dry	in the second	(2	1.83
brn	Grave		Sance	1007	soft	dry		L.	83	2.66
Gry	Clay Clay	lay		-	Soft. 1	vet		3,	66	5.79
1		'							1	
						T. A.				
<u></u>						10 10 10 10 10 10 10 10 10 10 10 10 10 1			2	
Depth Se	t ot (m/#)	Annular Space Type of Sealant Us	the second s	Volume Placed	After test of well yield,	Results of We water was:		Down	R	ecovery
From		(Material and Type		(m³/ft³)	Clear and sand 1	iree	Time V (min) Static	Vater Level (m/tt)	Time (min)	Water Level (m/ft)
,31	0	Benseal	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		If pumping discontinue	ed, give reason:	Level 1		1	
2.44	5.79 Sai	nd			Pump intake set at (m/ft)	2	A starting	2	
					Pumping rate (I/min /	GPM)	3		3	Maria .
Meth	od of Construction	Public	Well Us		St. St. St.		4		4	No.
Rotary (C	Conventional)	Domestic	Municipa	al Dewatering	Duration of pumping hrs +		5	Wet St.	5	1
Rotary (F Boring Aippercu	Digging	Livestock	Test Hol	e Monitoring & Air Conditioning	Final water level end	of pumping (m/it	10		10	
ther, sp	socily Direct Push	Other, sp	ecify		If flowing give rate (b	min / GPM)	15		15	
	Construction Re		Depth (m/ft)	Status of Well Water Supply	Recommended pum	n depth (m/#)	20		20	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Thickness	om To	Replacement Well		a series	25	-1	25	
3.45	PUL	,356 0	2.74	Recharge Well Dewatering Well	Recommended pum (Vmin / GPM)	ip rate	30		30	Ne
				Observation and/or	Well production (I/m	in / GPM)	40	1 15	40	
				Monitoring Hole	• Disinfected?	1999-1997-1997-1997-1997-1997-1997-1997	50		50	
				(Construction)	Yes No	S. 2.	60	1	60	
ROTIN	Construction R	ecord - Screen		Abandoned, Poor	Planet	Map of V			art	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No. Fr	Depth (<i>m/ft</i>) om To	Water Quality Abandoned, other, specify	Please provide a ma	ISA	bella			1
4.21	PVC	10 2.3	5.79	Other, specify	(20m	\$ 51			2	En l
TONE OF THE	Water Det	tails	F	lole Diameter						
Water four	nd at Depth Kind of Wate		ested Dep	th (<i>m/ft</i>) Diameter	24	T	11.50	3	7 1	


1


Por	ntario Ministry	of vironment		Well Tag	No. (Place Sticker an	d/or Print Below)	Regulation	903 Or	ntario W	ater Reso	11
Measureme	nts recorded in: 12 Me	etric 🗌 In	nperial	A O	91017		7	$\left(\right)^{2}$	Page	<u> </u>	of
Well Own First Name	er's Information	st Name / O	roanization	HIIIII		E-mail Address	<u>aanaana</u>	<u> HIMAN</u>	111111	Well C	Constructed
Lobla	WS			144	un findamentation	Province	Postal Code	T	elephone	by We No. (inc. a	II Owner area code)
Presi d	ent choice C	a) rele 4	+" FI.	5 Tower	Brampton	ON	L 645				
Well Locat	tion		HHIIII				Lot		Concessi	on	HUMBER
Address of V	Vell Location (Street Num ISabella	ber/Name)		То	wnship		Lot		100000		
-	rict/Municipality	21.		Cit	ty/Town/Village			Provinc		Postal	Code
UTM Coordin	nates Zone Easting		rthing		unicipal Plan and Sublo	ot Number		Other			1
NAD			028		a	hash of this form!	CALCULATION OF		100000	0110101	TALLE BOT
Overburde General Co	en and Bedrock Materia		nment Sea		er Materials		ral Description			Dep	th (<i>m/ft</i>) To
Brn	Sand			Grav	ie/	hard, dr	1			0	1.83
Gry	Clay					Soft,	dry.	2		1.83	3,66
Gry	clay				p.	Soft,	Welt-			3.66	5.79
ł	Y									1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Contraction of the second
						1					
									-		
							i kin		100	APPA	1
						1	1994 - 1995	1	a line	1	to an
		Annular	Space	TANIS IN			Results of W	ell Yield	d Testin	ıg	N. 84. 1. 191
Depth Se From	et at (<i>m/ft)</i> To	Type of Sea (Material an		1.00	Volume Placed (m ³ /ft ³)	After test of well yield.			aw Down Water Le	wel Time	Water Level
D	.31 Concr		101	hmount	X	Other, specify		(min) Static	(m/ft)	(min)	(m/ft)
						If pumping discontinu	ed, give reason:	Level			
					and the second	Pump intake set at (m/ft)	1	-	1	
					A CONTRACTOR OF			2		2	<u>, i</u>
Meth	nod of Construction			Well Use	e	Pumping rate (I/min)	(GPM)	3		3	
Cable To	col Diamond		blic mestic	Commer		Duration of pumping		4		4	
Rotary (F	Reverse) Driving	Liv	estock	Test Hol		hrs + Final water level end	min of pumping <i>(m/</i>)	5		5	-
Boring	ussion Direct Pusi		lustrial		a Air Conditioning			10		10	-
Other, sp	Construction R		her, specify_	11111111111	Status of Well	If flowing give rate (i	/min / GPM)	15		15	
Inside	Open Hole OR Material	Wall		n (<i>m/ft</i>)	Water Supply	Recommended pur	np depth (m/ft)	20		20	
Diameter (cm/in)	(Galvanized, Fibreglass, Concrete, Plastic, Steel)	Thickness (cm/in)	From	To	Replacement Well Test Hole	Recommended pur	no rate	25		25	
3.45	PUL	.356	0	2,74	Recharge Well Dewatering Well	(I/min / GPM)		30		30	
		-			Dbservation and/or Monitoring Hole	Well production (I/m	in / GPM)	40		40	
					Alteration (Construction)	Disinfected?		50		50	
1					Abandoned, Insufficient Supply	Yes No	Mar. (1)	60	ation	60	
Outside	Construction R Material	1.000	A CONTRACTOR OF A CONTRACTOR O	h (<i>m/ft</i>)	Abandoned, Poor Water Quality	Please provide a ma	Map of V p below followin			ne back.	
Diameter (cm/in)	(Plastic, Galvanized, Steel)	Slot No.	From	То	Abandoned, other, specify	4	sahe Ile	, ,	st		
4.21	PVC	10	2.74	5.79	Other, specify	1-1	sabello	2 5	m	100.00	1
	and a state work					5	5m	0			
Water four	Water De nd at Depth Kind of Wate		Untested		Iole Diameter th (m/ft) Diameter						
veater rour	to at popul rund of wate	. Circon	ontobiou	From			State State		-		

25-On	tario Minist	ry of wironment			07000	· · · · ·	Regulation	1 903 O			ecord
Measurement	ts recorded in: 🛛	Metric 🗌	Imperial	AU	87398	1007370	5-1	209	3 Page	Z	of 🖉
Well Owner First Name	r's Information	.aşt Name /	Organizatio	n (E-mail Address			T		
Mailing Addres	ss (Street Number/Na	Nahor me)		OTAL	Region YM	CA-YWCA	ostal Code	1		by We	Constructed II Owner area code)
Well Locatio	C				oftawa	ON F	1241	137			
Address of We	ell Location (Street Nu Arau de A	mber/Name) // //~		T	ownship		ot	0	Concessio	n	
County/Distr.c	ct/Manicipality				ity/Town/Village			Provinc		Postal	Code
NAD 8		0415		81917	0 <i>HF a W a</i> lunicipal Plan and Subl			Onta	110		
Overburden General Color		als/Abando non Material			VVVVVVV	back of this form)			*	Dept	h (<i>m∕ft</i>)
BRW					er Materials	General L	Description			From	To
BRN	Tup 50;	/		lar		. 572				11	2111
LRY	Clar		Z	i aj						<u>6 </u>].44	6.71
01-1										1.47	<u>G 7 1</u>
		***************************************		-		· · · · · · · · · · · · · · · · · · ·					
					- * -						
						-					
Depth Set at	+ (m/ši)	Annular			Values Discod	Res After test of well yield, wate	ults of We	1		0.0000000000000000000000000000000000000	an tan an ta
From	То	Type of Sea (Material an	nd Type)		Volume Placed (m³/ft³)	Clear and sand free	1 W25,	Time	w Down Water Lev	el Time	Water Level
0.	31 Concu	che/ 1	Jushn	ncum/		Other, specify If pumping discontinued, gi	ve reason'	(min) Static	(m/ît)	(min)	(m/ft)
.31 3	3.35 Bens	seal					ine reason.	Level 1		1	
3.35 6	.71 Sana	¢	····		-	Pump intake set at (m/ft)		2			
								-		2	
	of Construction			Well Us	- a pullingeoid a sea a sea and	Pumping rate (I/min / GPN	1)	3		3	
Cable Tool	Diamond Iventional) Detting		blic mestic	Commer		Duration of pumping	· · · · · ·	4		4	
Boring	rerse) Driving Digging		estock	-Fest Hole		hrs + min Final water level end of pur	mping (m/#)	5		5	
Air percussio			lustrial				nping (mm)	10		10	
Grother, speci	Construction R		ner, specify _		Status of Well	If flowing give rate (I/min /	GPM)	15		15	
Inside (Open Hole OR Material	Wali		n (<i>m\ft</i>)	Water Supply	Recommended pump dep	oth <i>(m/ft)</i>	20		20	
Diameter (((cm/in) C	Galvanized, Fibreglass, Concrete, Plastic, Steel)	Thickness (cm/in)	From	То	Replacement Well			25	,	25	
4.03	PUC	.358	0	3.66	Recharge Well	Recommended pump rate (I/min / GPM)	e	30		30	
		and the second			Dewatering Well Dewatering and/or	Well production (I/min / GI	PM)	40		40	
					Monitoring Hole			50		50	
						Disinfected?					
					(Construction)	Disinfected?		60		60	
	Construction R	ecord - Scre	en			Yes No		ell Loca			at de la composition
Outside Diameter	Construction R Material Plastic, Galvanized, Steel)	ecord - Scre Slot No.	Depth	(<i>m/fi</i>)	Abandoned, Insufficient Supply	Yes No		ell Loca			Σ,
Diameter (cm/in) (P	Material Plastic, Galvanized, Steel)	Slot No.	Depth From	То	Abandoned, Insufficient Supply Abandoned, Poor Water Quality	Yes No		ell Loca			and the second
Diameter (D	Material		Depth		 Abandoned, Insufficient Supply Abandoned, Poor Water Quality Abandoned, other, 	Yes No		ell Loca		back.	and the second


and and a second se		ja staja		gitan <u>syd</u>						er Arty		80008
$>_{0}$) ntaric	Minist	ry of ivironment		_			Bogulation	. 0.02 (-		Record
Measurem	nents record			Imperia	3U <i>F</i>	37399	17081597	Regulation	G7			
Well Ow	ner's Info	and a second to the second second second Host			4			(av			\$ <u>4</u> \$.	
First Name	9		ast Name /		ioital	DORALA VILL	E-mail Address					Constructed
Mailing Ad		t Number/Na		in Ca		unicipality	Province	Postal Code	ľ	Telephone	•	area code)
180	Arcu	He M	Knue	-		ottawa	ON	Kat IB	1			
Vell Loc ddress of		on (Street Nu	mber/Name)		 Ti	ownship		Lot		Concessi	оп	t de la cara
180	Arg	yle	Aux			· ·						
ounty/Dis	strict/Munici	bality			c	ity/Town/Village			Provin Ont		Posta	I Code
	linates Zone	7 10.00	1.14	orthing	DG	unicipal Plan and Suble	ot Number		Other			
	831	2446		<u>>028</u>	891	19 - Signification general a concentration of the						
General C			als/Abando non Material			rd (see instructions on the er Materials	1	al Description				pth (<i>m/ft</i>)
BRN	, -	Top So	1								From	To
BRN		c1+	-	0	lay						41	2.44
; Ry		lav									2.44	
		4									<i>p</i>	
	· · · ·			-								
			Annular	Space			•	lesults of We	ell Yiel	d Testin	g ;	
Depth S From	et at (<i>m/ît</i>) To		Type of Sea (Material an			Volume Placed (m³/ñ³)	After test of well yield, y		Dr Time	aw Down Water Le		Recovery Water Level
0	.31	Concie			and t		Other, specify		(min)	(m/ft)	(min)	(m/ft)
7/	3.35	Rea	e c c c l	0. 377777			If pumping discontinue	d, give reason:	Static Level			
270	1.71	Ben. Sano	1						1		1	
	0.77	Sand	7				Pump intake set at (m	v/ft)	2		2	
and a state of the s		line and the state	uniti aginuniti				Pumping rate (I/min / 0	GPM)	3		3	
Cable To	hod of Co ool	Diamono	i 🗌 Pu	blic	Well Us				4		4	
Rotary (Conventional Reverse)) 🗌 Jetting		mestic estock	Municipa		Duration of pumping hrs + m	nin	5		5	
Boring	,	Digging	🗌 Irrig	gation	_	Air Conditioning	Final water level end of	pumping (m/it)	10		10	
Air percu		et Push		ustrial ner, specify_			If flowing give rate (1/m	in (GPM)	15		15	
		struction R	ecord - Cas			Status of Well	In nowing give rate [//f	wir Sennj	20		20	
Inside Diameter	(Galvanize	e OR Material d, Fibreglass,	Wall Thickness		(<i>m/ft)</i> 	Water Supply	Recommended pump	depth (m/it)	25		25	
(cm/in)	Concrete,	Plastic, Steel)	(cm/in)	From	To	-Test Hole	Recommended pump	rate				
1 -		C	·358	0	3.66	Recharge Well Dewatering Well	(I/min / GPM)		30		30	
:03	10			-		- Observation and/or Monitoring Hole	Well production (I/min	/GPM)	40		40	
:03					<u>}</u>							
.03						Alteration	Disinfected?		50		50	
.03						Alteration (Construction)	Disinfected?		50 60		50 60	
	C	onstruction R	ecord - Scre	1		 Alteration (Construction) Abandoned, Insufficient Supply Abandoned, Poor 	Yes No	Map of We	60 ell Loc		60	
Outside Diameter	M	onstruction R aterial Ivanized, Steel)	ecord - Scre Slot No.	1	(<i>m/ft</i>)	 Alteration (Construction) Abandoned, Insufficient Supply Abandoned, Poor Water Quality Abandoned, other, 			60 ell Loc		60	<u> </u>
Diameter (cm/in)	Mi (Plastic, Ga	aterial Ivanized, Steel)	Slot No.	Deptr From	i (<i>m/ft</i>) To	 Alteration (Construction) Abandoned, Insufficient Supply Abandoned, Poor Water Quality 	Yes No		60 ell Loc		60	ŝ
Outside Diameter	M	aterial Ivanized, Steel)		Deptr	(<i>m/it</i>)	 Alteration (Construction) Abandoned, Insufficient Supply Abandoned, Poor Water Quality Abandoned, other, 	Yes No		60 ell Loc		60	ŝ

80				-	Sticker and/or Print Below) 092457 Master Well Record for Sluster Well Construction Igulation 903 Ontario Water Resources A Master Well Construction						
Address of W	Catherin Catherin	et Number/Name, RR) A. C. S. F.		Townsh City/To	hip wn/Villag	0			Lat	Concession Province Postal Code	
UTM Coordina NAD 8	3 1844	5928500	28711	GPS Unit	in	Model	ex.		ntiated, specify		
Overbur General Colour BRN	Most Common Material	CK Materials (see ins Other Materials	Gen	the back of veral cription	Depth (From		Depth From	(Metres) To	8.25	e Details Diameter (Centimetres)	
GRY GRY	clay clay		soft	wet	1,83 3,35	3.35					
							Rotar	estic Cock N ion Tool y (Conventio y (Reverse) y (Air) Hole icement Well tering Well	ndustrial Commercial Aunicipal Set Hole Method o Air Pr nal) Diam Jettin Drivin Statu Aban Aban Other	g Other, specify	
Inside Diame (Centimetre		Wall Thickness	Depth (From	То	No Casing and Screen Used Static Water Level Test Open Hole Yes No Metres Screen Galvanized Steel Fibreglass Concrete Plastic Outside Diamgter (Contimutes) Static No.						
9.03	PVL	,368	3.05	3,05	Water fo	1.82 ound at Dep Metres ound at Dep	Water D oth Kind Gas Fr oth Kind	Slot No. / O tetails of Water esh Salty Sulphur Minerals of Water esh Salty Sulphur Minerals			
Annular Space/Abandonment Sealing Record Depth Set at (Metres) From To 0 2.77 Bussea 2.74 Lo. J. J. Hut San							Water fo		oth Kind Gas Fr	of Water esh Salty Sulphur Minerals wide reason: Date Master Well Completer (yyy/mm/dd) 2010/08/26	
							Informa Total We		ell Constructio	o fill out the additional Cluster Well on for each parcel of land and cluster.) Please indicate Number of Cluster We Information Log Sheets Submitted	
							(8.5"/x 1	4"). Sketche	be provided as as are not allov	of Well Cluster an attachment no larger than legal size red. nap is provided as per Section 11.1 (3) complian concerning the cluster to	
Business Nar Business Ado H 2 - 14	Well Contract pe of Well Contract HA SA Iress (Street No./N	Samplir Beaver Co	rek Mu		ractor's Lion	ance No.			Minist	ry Use Only	
Bus Telephone Well Technical	cian (Last Na	y/mm/dd)	Audit No. Date Rec Remarks	M O peived (1999/1	3211	Well Contractor No. Date of Inspection (yyy/mm/dd)					
1992 (11/2006)	91	Y			N	linistry	's Copy			© Queen's Printer for Ontario, 200	







ddress of We	ell Location (Street Number/Name, Catherine St	RR)	Lot	Co	ncession T	ownship			Cour	nty/District/Mun	icipality	Signature of Ternnician/Contra	actor Date (yyyy/mm/dd)
City/Town/Villa	age Pr		ostal Code			lodel trex		le of Oper entiated, s		ndifferentiated	Averaged	In	2010/08/
Vell # Sketch Zone	UTM Coordinates Easting Northing	Full Depth o Hole (metres		Method of Construction	Casing Material	Casing Length (metres)	Screen Inte	erval (metres)	Annular Space Sealant Used		Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
2 180	445949502873	96.0	8.25	Direct	PVC	3.05	3.05	6.)	Beaseal				2010/08
5 180	445919502876	3 6.1	8.25	Direct	PVC	3.05	3.05	6.1	Bensed]				2010/08,
1 181	445911502872	86.1	8.25	Direct	PVC	3.05	3.05	6.1	Bensea				2010/081
5 18 4	445945562874	06.1	8.25	Direct	PVC	3.05	3.05	6.1	Benseq)	1			2010/08/
. 184	445941502872	42.74	5.7)	Directpush	PVC	1.22	1.22	2.74	BRUSCH				2010/08/
7 185	145944502871	52.74	5.71	Direct	PVC	1.22	1.22	2.94	Benseal				2010/08/2
- [1	multip												
	in a harrier							and the pro-	Contraction of the				
	uniture												
	actor and Well Technician	Information										Date 1st Well in Cluster Constructed	d Date Last Well in Cluster Constructed
state soil sumpline inc. #2-147 West Bequercleek Richmond Itill on									Province	Ministry Use Only			
Postal Code Business Telephone No. (inc. wea code) Well Contractor's Licence No. Business E-mail Address									Date Received (yyyy/mm/dd)	Date Inspected (yyyy/mm/dd)			
Nume of Well Technician (First Name, LastMathe) OOLD FENELUS Well Technician's Licence No. Date Submitted (1999/Inmidd) Signature of Technician										Audit No. 08532	Remarks		
91 (11/2006)	FOR DL	1005					Ministry's	Copy					© Queen's Printer for Ontario, 2006




80				-	Sticker and/or Print Below) 092457 Master Well Record for Sluster Well Construction Igulation 903 Ontario Water Resources A Master Well Construction						
Address of W	Catherin Catherin	et Number/Name, RR) A. C. S. F.		Townsh City/To	hip wn/Villag	0			Lat	Concession Province Postal Code	
UTM Coordina NAD 8	3 1844	5928500	28711	GPS Unit	in	Model	ex.		ntiated, specify		
General Colour BRN	Most Common Material	CK Materials (see ins Other Materials	Gen	the back of veral cription	Depth (From		Depth From	(Metres) To	8.25	e Details Diameter (Centimetres)	
GRY GRY	clay clay		soft	wet	1,83 3,35	3.35					
							Rotar	estic Cock N ion Tool y (Conventio y (Reverse) y (Air) Hole icement Well tering Well	ndustrial Commercial Aunicipal Set Hole Method o Air Pr nal) Diam Jettin Drivin Statu Aban Aban Other	g Other, specify	
Inside Diame (Centimetre		Wall Thickness	Depth (From	То	No Casing and Screen Used Static Water Level Test Open Hole Yes No Metres Screen Galvanized Steel Fibreglass Concrete Plastic Outside Diamgter (Contimutes) Static No.						
9.03	PVL	,368	3.05	3,05	Water fo	1.82 ound at Dep Metres ound at Dep	Water D oth Kind Gas Fr oth Kind	Slot No. / O tetails of Water esh Salty Sulphur Minerals of Water esh Salty Sulphur Minerals			
Annular Space/Abandonment Sealing Record Depth Set at (Metres) From To 0 2.77 Bussea 2.74 Lo. J. J. Hut San							Water fo		oth Kind Gas Fr	of Water esh Salty Sulphur Minerals wide reason: Date Master Well Completer (yyy/mm/dd) 2010/08/26	
							Informa Total We		ell Constructio	o fill out the additional Cluster Well on for each parcel of land and cluster.) Please indicate Number of Cluster We Information Log Sheets Submitted	
							(8.5"/x 1	4"). Sketche	be provided as as are not allov	of Well Cluster an attachment no larger than legal size red. nap is provided as per Section 11.1 (3) complian concerning the cluster to	
Business Nar Business Ado H 2 - 14	Well Contract pe of Well Contract HA SA Iress (Street No./N	Samplir Beaver Co	rek Mu		ractor's Lion	ance No.			Minist	ry Use Only	
Bus Telephone Well Technical	cian (Last Na	y/mm/dd)	Audit No. Date Rec Remarks	M O peived (1999/1	3211	Well Contractor No. Date of Inspection (yyy/mm/dd)					
1992 (11/2006)	91	Y			N	linistry	's Copy			© Queen's Printer for Ontario, 200	





ddress of We	ell Location (Street Number/Name, Catherine St	RR)	Lot	Co	ncession T	ownship			Cour	nty/District/Mun	icipality	Signature of Ternnician/Contra	actor Date (yyyy/mm/dd)
City/Town/Villa	age Pr		ostal Code			lodel trex		le of Oper entiated, s		ndifferentiated	Averaged	In	2010/08/
Vell # Sketch Zone	UTM Coordinates Easting Northing	Full Depth o Hole (metres		Method of Construction	Casing Material	Casing Length (metres)	Screen Inte	erval (metres)	Annular Space Sealant Used		Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
2 180	445949502873	96.0	8.25	Direct	PVC	3.05	3.05	6.)	Beaseal				2010/08
5 180	445919502876	3 6.1	8.25	Direct	PVC	3.05	3.05	6.1	Bensed]				2010/08,
1 181	445911502872	86.1	8.25	Direct	PVC	3.05	3.05	6.1	Bensea				2010/081
5 18 4	445945562874	06.1	8.25	Direct	PVC	3.05	3.05	6.1	Benseq)	1			2010/08/
. 184	445941502872	42.74	5.7)	Directpush	PVC	1.22	1.22	2.74	BRUSCH				2010/08/
7 185	145944502871	52.74	5.71	Direct	PVC	1.22	1.22	2.94	Benseal				2010/08/2
- [1	multip												
	(nature							and the pro-	er da de				
	uniture												
	actor and Well Technician	Information										Date 1st Well in Cluster Constructed	d Date Last Well in Cluster Constructed
state soil sumpline inc. #2-147 West Bequercleek Richmond Itill on									Province	Ministry Use Only			
Postal Code Business Telephone No. (inc. wea code) Well Contractor's Licence No. Business E-mail Address									Date Received (yyyy/mm/dd)	Date Inspected (yyyy/mm/dd)			
Name of Well Technician (First Name, Last Name) Odyn-Fenerus 3069 3069 3069										Audit No. 08532	Remarks		
91 (11/2006)	POP CONDL	1005					Ministry's	Copy					© Queen's Printer for Ontario, 2006



Philip Price

From:	Public Information Services <publicinformationservices@tssa.org></publicinformationservices@tssa.org>
Sent:	July-31-19 10:33 AM
То:	Philip Price
Subject:	Re: TSSA Records Search, PE4701 - Ottawa, ON (No Record)

Hello,

Thank you for your inquiry.

We have no record in our database of any fuel storage tanks at the subject address (addresses).

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Thank you and have a great day,

Roxana



Public Information Agent Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: <u>publicinformationservices@tssa.org</u>

From: Philip Price <PPrice@Patersongroup.ca>
Sent: July 31, 2019 9:28 AM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: TSSA Records Search, PE4701 - Ottawa, ON

Good morning,

Could you please conduct a search of your records for underground/aboveground storage tanks, historical spills and other incidents/infractions for the following addresses for properties located in Ottawa, Ontario:

100 Isabella Street 114 Isabella Street 118 Isabella Street 120 Isabella Street

480 Metcalfe Street

460 O'Conner Street

113 Pretoria Ave 109 Pretoria Ave 111 Pretoria Ave 119 Pretoria Ave

Thank you very much,

Philip Price

Philip Price

patersongroup

solution oriented engineering over 60 years servicing our clients

154 Colonnade Road South Ottawa, Ontario, K2E 7J5 Tel: (613) 226-7381 Ext. 250 Cell: (343) 999 7255

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Mandy Witteman, B.Eng., M.A.Sc.

patersongroup

POSITION

Intermediate Environmental Engineer

EDUCATION

Carleton University M.A.Sc., Environmental Engineering, 2013 B.Eng., Environmental Engineering, 2008

MEMBERSHIPS & AWARDS

Ontario Professional Engineers Association (EIT) NSERC Industry R&D Scholarship

EXPERIENCE

2018 – Present **Paterson Group Inc.** Consulting Engineers Geotechnical and Environmental Division Environmental Engineer

2014 – 2015 **Thurber Engineering Limited** Oil Sand Tailings Group Tailings Engineer

2009 – 2014 Carleton University Department of Civil & Environmental Engineering Research Engineer, Research Assistant & Teaching Assistant

2008 – 2009 SLR Consulting Limited Contaminated Sites Junior Environmental Engineer

SELECTED LIST OF PROJECTS

Phase I & II Environmental Site Assessments – NRC, Kingston Remediation – National Capital Region, Saskatchewan Multi-lift and dry-stacking pilot programs – Northern Alberta Polymer amended oil sand tailings – Northern Alberta Hydraulic cut-off wall – Allen, Saskatchewan Cemented paste backfill systems – Northern Ontario

Mark S. D'Arcy, P. Eng.

patersongroup

Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

POSITION

Associate and Supervisor of the Environmental Division Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991 Geotechnical / Geological Engineering

MEMBERSHIPS

Ottawa Geotechnical Group Professional Engineers of Ontario

EXPERIENCE

1991 to Present **Paterson Group Inc.** Associate and Senior Environmental/Geotechnical Engineer Environmental and Geotechnical Division Supervisor of the Environmental Division

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island Agricultural Supply Facilities - Eastern Ontario Laboratory Facility - Edmonton (Alberta) Ottawa International Airport - Contaminant Migration Study - Ottawa **Richmond Road Reconstruction - Ottawa** Billings Hurdman Interconnect - Ottawa Bank Street Reconstruction - Ottawa Environmental Review - Various Laboratories across Canada - CFIA Dwyer Hill Training Centre - Ottawa Nortel Networks Environmental Monitoring - Carling Campus - Ottawa Remediation Program - Block D Lands - Kingston Investigation of former landfill sites - City of Ottawa Record of Site Condition for Railway Lands - North Bay Commercial Properties - Guelph and Brampton Brownfields Remediation - Alcan Site - Kingston Montreal Road Reconstruction - Ottawa Appleford Street Residential Development - Ottawa Remediation Program - Ottawa Train Yards Remediation Program - Bayshore and Heron Gate Gladstone Avenue Reconstruction - Ottawa Somerset Avenue West Reconstruction - Ottawa