

ENLARGEMENT PLANT LISTS

120025 - Block 13 - Plants Adjacent to Building - Plant List



KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	COND	SPACING
Deciduous Trees						
AFAF	8	<i>Acer x freemanii 'Autumn Fantasy'</i>	Autumn Fantasy Maple	50mm Cal	WB	As Shown
GTI	12	<i>Gleditsia triacanthos var. inermis 'Shademaster'</i>	Shademaster Honeylocust	50mm Cal	WB	As Shown
MES	4	<i>Malus 'Spring Snow'</i>	Spring Snow Crabapple	50mm Cal	WB	As Shown
UAV	13	<i>Ulmus americana 'Valley Forge'</i>	Valley Forge Elm	50mm Cal	WB	As Shown
Coniferous Shrubs						
Psm	1	<i>Pinus mugo 'Stoumound'</i>	Stoumound Mugo Pine	40cm Spr	PT	100cm O.C.
Deciduous Shrubs						
Csa	120	<i>Cornus sericea 'Farrow'</i>	Arctic Fire Dogwood	45cm Ht	PT	90cm O.C.
Hk	420	<i>Hypericum kalmianum</i>	Kalm's St. John's Wort	45cm Ht	PT	60cm O.C.
Pj	221	<i>Physocarpus opulifolius 'LIFANI'</i>	Amber Jubilee Ninespark	60cm Ht	PT	100cm O.C.
Rag	36	<i>Rhus aromatica 'Gro-Low'</i>	Gro-Low Fragrant Sumac	45cm Ht	PT	100cm O.C.

120025 - Block 13 - Plants Adjacent to Building - Plant List

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	COND	SPACING
Perennials						
Hb	36	<i>Hosta 'Fragrant Blue'</i>	Fragrant Blue Hosta	1g	PT	90cm O.C.
ps	326	<i>Perovskia atriplicifolia 'Little Spire'</i>	Dwarf Russian Sage	1g	PT	60cm O.C.
rg	360	<i>Rubiochka fulgida 'Little Gold Star'</i>	Little Gold Star Coneflower	1g	PT	45cm O.C.
sm	38	<i>Salvia nemorosa 'May Night'</i>	May Night Perennial Salvia	1g	PT	45cm O.C.
Vines						
Lds	32	<i>Lonicera x brownii 'Droptone Scarlet'</i>	Droptone Scarlet Honeysuckle	1g	PT	150cm O.C.
pvn	56	<i>Panicum virgatum 'Northwind'</i>	Northwind Switch Grass	1g	PT	60cm O.C.
sh	442	<i>Sporobolus heterolepis</i>	Prairie Dropseed	1g	PT	45cm O.C.

120025 - Block 13 - Entrance Features - Plant List

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	COND	SPACING
Deciduous Shrubs						
Csa	29	<i>Cornus sericea 'Farrow'</i>	Arctic Fire Dogwood	45cm Ht	PT	90cm O.C.
Hk	59	<i>Hypericum kalmianum</i>	Kalm's St. John's Wort	45cm Ht	PT	60cm O.C.
Rag	24	<i>Rhus aromatica 'Gro-Low'</i>	Gro-Low Fragrant Sumac	45cm Ht	PT	100cm O.C.
Perennials						
ps	26	<i>Perovskia atriplicifolia 'Little Spire'</i>	Dwarf Russian Sage	1g	PT	60cm O.C.
Ornamental Grasses						
pvn	14	<i>Panicum virgatum 'Northwind'</i>	Northwind Switch Grass	1g	PT	60cm O.C.



ENLARGEMENT - A

LANDSCAPE LEGEND:


- PROPERTY LIMIT
- PROPOSED CONCRETE
- PROPOSED HEAVY DUTY CONCRETE
- OFF-SITE CONCRETE
- CLEAR STONE
- RIVER STONE
- PROPOSED MUP
- OFF-SITE MUP
- PROPOSED SEED
- PROPOSED SOD
- PROPOSED PLANTING AREA
- PROPOSED SHRUB PLANTING AREA
- RHUS TYPRA
- PROPOSED REFORESTATION
- EXISTING VEGETATION TO PROTECT
- PROPOSED TREE
- OFF-SITE EXISTING TREES TO PROTECT
- OFF-SITE FUTURE TREE
- EXISTING TREE TO PROTECT
- PROPOSED SHRUBS
- OFF-SITE SHRUBS
- SPECIES (SEE PLANT LIST)
- QUANTITY
- TREE PROTECTION FENCE
- PEDESTRIAN FENCE
- SECURITY FENCE
- RETAINING WALL
- PEDESTRIAN SHELTER
- BENCH

PLANTING

- This drawing shall be read in conjunction with all relevant Architectural, Engineering, and related drawings and documents.
- Refer to Engineering Drawings for Grading. Provide drainage as indicated in grading plan. Round all tops and toes of slopes, smoothly. Compact all areas to 95% Standard Proctor Density unless otherwise noted.
- Refer to Architectural Drawings for site layout.
- Refer to Engineering Drawings for site servicing.
- Contractor must contact utility companies for locates prior to excavation or planting.
- It is essential to use the plans and details in conjunction with the specifications and notes.
- Existing trees to be retained shall be protected according to the contract detail and specifications.
- Plant material shall be No. 1 Grade and shall comply with Canadian Standards for Nursery Stock (latest edition) published by the Canadian Nursery Landscape Association.
- Use plant material with strong fibrous root system free of disease, defects or injuries, and structurally sound. Use trees with straight trunks, well and characteristically branched for species. Obtain approval from consultant of plant material at source prior to digging. All trees and shrubs shall be container grown, potted, W/B or B/B, as indicated on Plant List. Bare root planting will only be acceptable for certain species and as approved by the Landscape Architect.
- Plant material substitutions shall not be permitted without the written approval from the consultant, with 45 hours notice, prior to shipping plant material.
- Plant locations are schematic / approximate only. Contractor shall stake out locations on site for approval by the Landscape Architect prior to installation. The illustrated number of plants shown in the Planting Plan supersedes the estimated number in the Plant List. Contractor to report any discrepancies to the Landscape Architect prior to installation. Contractor will assume full responsibility if the Landscape Architect is not notified.
- Shrubs, Perennials, Vines, and Groundcovers shall be planted in a continuous planting bed of 450mm depth with approved topsoil covered with 75mm depth shredded bark mulch. For reforestation beds, refer to the detail on Sheet 120025-L-01.
- Ensure trees are thoroughly watered following planting. Monitor material and ensure adequate moisture until acceptance.
- In heavy clay or poorly drained soils, set root ball with root collar 75-100mm higher than finished grade.
- Sod and/or seed areas to receive 100mm depth topsoil as specified. Sod shall be No. 1 Kentucky Bluegrass Sod grown from minimum mixture of 3 Kentucky Bluegrass cultivars. Quality and source shall comply with Canadian Standards for Nursery Stock, Section 17, (latest edition) published by the Canadian Nursery Landscape Association. Unless otherwise specified, turf is to be maintained by the contractor until a second cutting is accepted by the Landscape Architect.
- Apply the following mineral fertilizer unless soil tests show other requirements: Sodded areas - (8-32-16) 8% Nitrogen, 32% Phosphorus, 16% Potash at a rate of 350kg/ha. - Planting Beds - (8-32-16) - 8% Nitrogen, 32% Phosphorus, 16% Potash as per manufacturer specifications.
- Reinstate all areas damaged or disturbed beyond the Limit of Work.

GENERAL

- Plant labels for trees can be found on other sheets in the landscape sheet set.



ENLARGEMENT - B

NOTE: THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

NOT FOR CONSTRUCTION

No.	REVISION	DATE	BY
4.	REVISED PER CITY COMMENTS	JUN 1/20	JP
3.	ISSUED FOR INTERNAL REVIEW	MAY 19/20	JP
2.	ISSUED FOR DESIGN REVIEW	APR 20/20	JP
1.	APPLICATION FOR SITE PLAN APPROVAL	APR 9/20	JP

SCALE	DESIGN	CHECKED	DRAWN	APPROVED
1:250	KW/JP	JP	JP	RJ

FOR REVIEW ONLY	

NOVATECH
 Engineers, Planners & Landscape Architects
 Suite 200, 240 Michael Cowpland Drive
 Ottawa, Ontario, Canada K2M 1P6
 Telephone: (613) 254-9643
 Facsimile: (613) 254-9637
 Website: www.novatech-eng.com

LOCATION	PROJECT	DRAWING NAME	PROJECT NO.
PROJECT PYTHON 222 CITIGATE DRIVE, CITY OF OTTAWA		LANDSCAPE ENLARGEMENTS A AND B	120025-00
			REV #4
			DRAWING NO. 120025-L6

D07-12-20-0038