


**DRAWING LEGEND**

- CB CATCH BASIN
- MH MANHOLE
- CB/MH CATCH BASIN/MANHOLE
- SPL SPRINGLINE OF PIPE
- INV INVERT OF PIPE
- SAN SANITARY SEWER
- ST STORM SEWER
- WS/WM WATER SERVICE/WATERMAIN
- CS CURB STOP & STANDPOST
- VB VALVE & VALVE BOX
- VC VALVE CHAMBER
- FD FIRE HYDRANT
- FDC FIRE DEPARTMENT CONNECTION
- FIRE DRAIN
- WATER METER
- REMOTE WATER METER READOUT
- EXISTING GRADE ELEVATION
- PROPOSED GRADE ELEVATION
- EXISTING SLOPE OF GRADE
- PROPOSED SLOPE OF GRADE
- - - - - PROPERTY LINE
- FFL FIRST FLOOR ELEVATION
- TOF TOP OF FOUNDATION
- BFL BASEMENT FLOOR ELEVATION
- USF UNDERSIDE OF FOOTING



No.	DATE	REVISION
2	JUN 22-20	ISSUED FOR APPROVAL
1	MAY 15-20	ISSUED FOR COORDINATION

**D. B. GRAY ENGINEERING INC.**  
 Stormwater Management - Grading & Drainage - Storm & Sanitary Sewers - Watermain  
 700 Long Point Circle Ottawa, Ontario 141 1st Ave. S. #101  
 613-425-8044 d.gray@dbgrayengineering.com


**PROJECT**  
 PROPOSED  
 4-STORY 12-UNIT  
 APARTMENT BUILDING  
 52 GARLAND STREET  
 OTTAWA, ONTARIO

**DRAWING TITLE**  
 SITE SERVICING PLAN

Engineer's Seal:

Drawn: D.B.G.  
 Hor. Scale: 1:100  
 Vert. Scale: As Shown  
 Date: MAY 15-20  
 Job No.: 20030

Drawing No.: **C-1**  
 of 3



**WATER SERVICE PROFILE TABLE**

MATERIAL:  
150mm PVC PRESSURE CLASS 150 DR18

STATION	DESCRIPTION	GRADE ELEV.	TOP OF PIPE	DEPTH OF COVER	COMMENTS
0+00.0	150mm x 200mm TEE CONNECTION IN 200mm MUNICIPAL WATERMAIN TO CITY OF OTTAWA STANDARDS	±62.92	±60.58	±2.34	-
0+01.2	-	±62.89	±60.49	2.40	GRADE ELEVATION AT BOTTOM OF CURB
0+02.8	150mm VALVE & VALVE BOX TO CITY OF OTTAWA STANDARDS	±63.00	60.49	±2.51	ON PROPERTY LINE
0+04.6	ENTRY INTO BUILDING	62.98	60.49	2.49	-