


1 LIGHT DUTY CONCRETE
L201.0


1:15

2 BIKE RACK
L201.0

NTS



RAILING AT BUILDING TO BE WALL MOUNTED ON BUILDING FACE. REFER TO DETAIL ON C505.0. ELSEWISE, RAILING TO BE FREESTANDING.




3 RAMP AND RAILING
L201.0

1:20

NOTES:

- DO NOT DAMAGE OR CUT LEADER. REMOVE BROKEN BRANCHES AS DIRECTED BY LANDSCAPE ARCHITECT. PRUNE AS REQUIRED MAINTAINING NATURAL SHAPE.
- ENSURE NO SOIL OR MULCH BUILD-UP AT ROOT FLARE




6 DECIDUOUS TREE
L201.0

1:30


7 CONIFEROUS TREE
L201.0

1:30




4 HAND RAIL & POST
L201.0

1:20



5 SHRUB PLANTING
L201.0

1:30




NOTES:

THE FOLLOWING PROTECTION MEASURES MUST BE IMPLEMENTED FOR RETAINED TREES, BOTH WITHIN THE WORK AREA AND ON ADJACENT PARCELS.

- UNDER THE GUIDANCE OF AN ARBORIST, ERECT A FENCE AT THE CRITICAL ROOT ZONE (CRZ) OF TREES WHERE THE CRZ IS ESTABLISHED AS BEING 10 CENTIMETERS FROM THE TRUNK FOR EVERY CENTIMETER OF TRUNK DIAMETER AT BREAST HEIGHT.
- TREE PROTECTION SHALL BE ERECTED TO PROVIDE A CONTINUOUS BARRICADE BETWEEN DESIGNATED TREES AND THE WORK AREA PRIOR TO CONSTRUCTION.
- TUNNEL OR BORE WHEN DIGGING WITHIN THE CRZ OF A TREE.
- ENSURE ALL EQUIPMENT AND CONSTRUCTION RELATED MATERIAL ARE NOT PLACED OR TEMPORARILY STORED WITHIN THE CRZ.
- ENSURE EXHAUST FUMES FROM ALL EQUIPMENT ARE NOT DIRECTED TOWARDS ANY TREES CANOPY.
- FLOODING OR DEPOSITION OF SEDIMENT SHALL BE PREVENTED WHERE TREES ARE LOCATED.
- ALL DISTURBED ROOT SYSTEMS SHALL BE EXPOSED AND BACKFILLED IN ONE CONTINUOUS OPERATION TO MINIMIZE DESICCATION.
- EXPOSED ROOTS SHALL BE KEPT CONTINUOUSLY MOIST DURING EXCAVATION.
- REMOVE BROKEN AND DAMAGED ROOTS WITH SHARP PRUNING SHEARS.
- THE TREE PROTECTION FENCE IS TEMPORARY. SHALL BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION OPERATIONS, AND SHALL BE REMOVED UPON COMPLETION OF WORK WHEN AGREED TO BY THE CONTRACT ADMINISTRATOR AND LANDSCAPE ARCHITECT.

STAKED/ ANCHORED TREE CONSTRUCTION FENCE BEYOND CRITICAL ROOT ZONE UNLESS AUTHORIZED BY THE CONTRACT ADMINISTRATOR AND LANDSCAPE ARCHITECT

UNDISTURBED NATIVE SOIL AND LATERAL TREE ROOTS



8 TREE PROTECTION FENCE
L201.0

This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from stated dimension.

AECOM

PROJECT

Shell Canada Products
HAZELDEAN RD. &
FRINGEWOOD DR. NTI

5 Orchard Drive
Stittsville, Ontario

CLIENT

Shell Canada

400-4th Avenue SW

Calgary, AB T2P 0J4

403.252.4554 tel

www.shell.ca

CONSULTANT

AECOM Canada Ltd

4th Floor, 3292 Production Way


Burnaby, BC V5A 4R4

604.444.6400 tel 604.294.8597 fax

www.aecom.com



LASHLEY+ASSOCIATES
LANDSCAPE ARCHITECTURE
& SITE ENGINEERING
202-250 GLADSTONE AVENUE
OTTAWA, ON K1Y 3E8
T 613 233 8579
F 613 233 4051
W LashleyLA.com



REGISTRATION

LEGAL DESCRIPTION

PART OF BLOCK 21 OF DRAFT PLAN OF SUBDIVISION OF PARTS OF LOTS 26 AND 27 OF REGISTERED PLAN 4R2506 PART 3, CONCESSION 11, GEOGRAPHIC TOWNSHIP OF GOULBOURN (CITY OF OTTAWA)


ISSUE/REVISION

NO.	DATE	DESCRIPTION
B	2020-09-11	RE-ISSUED FOR SPA
A	2020-03-31	ISSUED FOR SPA

DRAWN BY

E.L.

KEY PLAN



GLOBAL PROJECT ID NUMBER

CAN01444

SHEET TITLE

DETAILS

CTM DESIGN FILE NAME

20771-1

SHEET NUMBER

L 201.0

CITY PLAN NO. 18131

CITY FILE NO. 007-12-26-042