



Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

Phase I-Environmental Site Assessment

406 Bank Street
Ottawa, Ontario

Prepared For

12291444 Canada Inc.

Paterson Group Inc.

Consulting Engineers
154 Colonnade Road South
Ottawa (Nepean), Ontario
Canada K2E 7J5

Tel: (613) 226-7381
Fax: (613) 226-6344
www.patersongroup.ca

December 4, 2020

Report: PE5088-1

TABLE OF CONTENTS

EXECUTIVE SUMMARY.....	ii
1.0 INTRODUCTION.....	1
2.0 PHASE I PROPERTY INFORMATION.....	2
3.0 SCOPE OF INVESTIGATION	3
4.0 RECORDS REVIEW	4
4.1 General.....	4
4.2 Environmental Source Information	8
4.3 Physical Setting Sources	13
5.0 INTERVIEWS.....	16
6.0 SITE RECONNAISSANCE.....	16
6.1 General Requirements.....	16
6.2 Specific Observations at the Phase I Property	16
7.0 REVIEW AND EVALUATION OF INFORMATION	18
7.1 Land Use History	18
7.2 Conceptual Site Model.....	21
8.0 CONCLUSIONS	25
8.1 Assessment.....	25
8.2 Recommendations.....	26
9.0 STATEMENT OF LIMITATIONS	27
10.0 REFERENCES.....	28

List of Figures

- Figure 1 - Key Plan
- Figure 2 - Topographic Map
- Drawing PE5088-1 - Site Plan
- Drawing PE5088-2 - Surrounding Land Use Plan

List of Appendices

- Appendix 1 Chain of Title
 - Survey Plan
 - Aerial Photographs
 - Site Photographs
- Appendix 2 MECP Freedom of Information
 - MECP Well Records
 - HLUI Response
 - ERIS Report
- Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

Paterson Group was retained by 12291444 Canada Inc. to conduct a Phase I-Environmental Site Assessment (ESA) for the property located at 406 Bank Street, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the subject site and the Phase I Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was formerly addressed 406-408 Bank Street and 5 Florence Street, which was initially developed prior to 1888 for commercial purposes. At that time, it was occupied by an office building and a storehouse (hardware store) until 1915. From 1915 to its last known use, circa 2004, the northern portion was mainly occupied by a restaurant under several different names, while the southern portion was occupied by an apartment building. In 2005, the subject building was destroyed and subsequently demolished due to a fire that occurred on the site. Since 2005, the Phase I Property has been vacant land. Fill material of an unknown quality associated with the former building demolition is expected to be present on the Phase I Property, and as such, it is considered to result in an area of potential environmental concern (APEC).

The historical use of the surrounding lands consisted of commercial along Bank Street and residential on the adjacent streets. Several historical potentially contaminating activities (PCAs) were identified within the Phase I Study Area, however, the majority of these PCAs were not considered to represent APECs on the Phase I Property, based on orientation and/or separation distances in combination with information contained within our files.

Off-site PCAs considered to result in APECs on the Phase I Property include a former paint and oil store that had operated at 396-404 Bank Street (immediately north) from 1901 to the mid-1960s; and a former automotive repair garage with a UST that had operated at 7-11 Florence Street (immediately west) from 1925 to 1957. Both historical PCAs to the immediate north and west were considered to generate APECs on the Phase I Property.

Following the historical research, a site visit was conducted. The Phase I Property exists as a vacant lot. Neighbouring land use in the Phase I Study Area consists of residential and commercial (retailers and restaurants). No existing PCAs were noted with the current use of the Phase I Property or the Study Area.

Recommendations

Based on the findings of the assessment, it is **our opinion that a Phase II-Environmental Site Assessment is required for the subject property.**

1.0 INTRODUCTION

At the request of 12291444 Canada Inc., Paterson Group (Paterson) conducted a Phase I-Environmental Site Assessment (Phase I-ESA) for the property located at 406 Bank Street, in the City of Ottawa, Ontario, herein referred to as the Phase I Property. The purpose of this Phase I-ESA was to research the past and current use of the Phase I Property and properties within the Phase I Study Area to identify any potentially contaminating activities that would result in areas of potential environmental concern on the Phase I Property.

Paterson was engaged to conduct this Phase I-ESA by Mr. Fernando Matos with the Ottawa Carleton Construction Ltd., on behalf of Mr. Kevin Hu of 12291444 Canada Inc. Mr. Hu may be reached through Mr. Matos by telephone at (613) 295-5253.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all of our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared in general accordance with Ontario Regulation (O.Reg.) 153/04, as amended, under the Environmental Protection Act, and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I-ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Address:	406 Bank Street, Ottawa, Ontario
Legal Description:	Part of Lot 21 West Bank Street, Part 1 of RP 4R-20717, in the City of Ottawa.
Location:	The site is located at the northwest corner of the Bank Street at Florence Street intersection, in the City of Ottawa, Ontario. Refer to Figure 1 - Key Plan in the Figures section following the text.
PIN:	04119-0323
Latitude and Longitude:	45° 24' 47.07" N, 75° 41' 40.91" W
Site Description:	
Configuration:	Rectangular
Area:	294 m ² (approximately)
Zoning:	TM – Traditional Mainstreet, Mixed-use Zone
Current Use:	The Phase I Property is a vacant grassed lot.
Services:	The Phase I Property is situated in a municipally serviced area.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies;
- Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
- Conduct interviews with persons knowledgeable of current and historic operations on the subject properties, and if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of O.Reg. 153/04, as amended, under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I Study Area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

Based on the 1888 Fire Insurance Plan (FIP), the Phase I Property was initially developed with a two (2) unit commercial building addressed 406 and 408 Bank Street, labelled as an office and hardware store, respectively. The exact year of first developed use is not known, however, for the purpose of this assessment, the first developed use of the Phase I Property was taken to be commercial in 1888.

Fire Insurance Plans

The 1888, 1912, 1945 and 1956 Fire Insurance Plans (FIPs) for the Phase I Property and properties within the Phase I Study Area were reviewed as part of this assessment.

The 1888 FIP depicts a two (2) unit commercial building on the Phase I Property, addressed 406 and 408 Bank Street. The unit addressed 406 Bank Street was labelled as an office building, while 408 Bank Street was labelled as a hardware store. The 1912 FIPs depict the same two (2) unit building without a description. The 1945 and 1956 FIPs show that the Phase I Property was developed with a second commercial building, addressed 406 ½ Bank Street, which was occupied by a restaurant, while 406 and 408 Bank Street were used for residential purposes (Clarendon Apartments).

Based on the FIPs, the neighbouring lands consisted of commercial businesses along Bank Street and residential dwellings along surrounding side streets. Several potentially contaminating activities (PCAs) were identified within the Phase I Study Area. These historical PCAs as well as their respective distances and orientation in relation to the Phase I Property are listed in Table 1.

Potentially contaminating activities that represent areas of potential environmental concern (APECs) are also identified in the Table.

Table 1: Potentially Contaminating Activities and Areas of Potential Environmental Concern				
Fire Insurance Plans Review Summary				
Address	Year of FIP	Listed Activity	Approximate Distance / Orientation from Site	Area of Potential Environmental Concern
Bank Street				
390	1925, 1956 1956	Gasoline Service Station (2 USTs) Automotive service garage	40 m N	NO
404	1901, 1925, 1956	Paints	Immediately north	YES
370	1901 1925	Printing Office Photo Processing	105 m N	NO
374	1901	Printing Office	100 m N	NO
376-378	1925, 1956	Electrical Works	90 m N	NO
384	1925	Glass Works	80 m N	NO
448	1925, 1956	Gasoline Service Station (4 USTs)	140 m S	NO
455	1925, 1956	Gasoline Service Station (3 USTs)	145 m SE	NO
464	1925, 1956	Dealership & Automotive Garage	195 m S	NO
Gladstone Avenue				
433	1956	Gasoline Service Station (2 USTs)	155 m SW	NO
430	1956	Progressive Printers	150 m SW	NO
Gilmour Street				
384	1925, 1956	Garage & Repairs	92 m NE	NO
James Street				
9	1925	Garage & Repairs	80 m NW	NO
24-26	1925	Battery Charging	95 m NW	NO
Flora Street				
37-41	1925, 1956	Garage and Auto repairs	235 m S	NO
43-45	1956	Print shop	245 m SW	NO
Florence Street				
7-11	1925, 1956	Garage & Repairs (1 UST)	Immediately west	YES

Historical off-site PCAS considered to result in APECs on the Phase I Property include a paint shop at 404 Bank Street; and an automotive repair garage at 7-11 Florence Street, situated to the immediate north and west, respectively.

All other historical PCAs are not considered to represent APECs based on the separation distances and/or down-or-cross gradient orientation with respect to the Phase I Property.

Historical PCAs identified in the FIPs reviewed are shown on Drawing PE5088-2-Surrounding Land Use Plan.

City of Ottawa Street Directories

City directories were reviewed in approximately ten (10) year intervals from 1895 through 2011.

Based on the city directories, the Phase I Property was addressed 406 and 408 Bank Street and 5 Florence Street from 1895 to 2002. The Phase I Property was listed, according to civic addresses and years, as follows:

- ❑ 406 Bank Street (include 406 ½, 406A and 406B Bank Street): Lawyer Annie MD (1896); Aston J Real Estate (1915-1927); St. James Fish & Chips and Ideal Shoe Repair (1937-1947); Capital Restaurant (1970); and Ging Sing Restaurant (1981-2002).
- ❑ 408 Bank Street: Birkett Thomas Warehouse (1895-1901); Stewart J. Shoes (1915-1927); Rewards Shoes and Repairs (1937-1970); Paris Taylors (1981/1982); and Capillano Pizza (2001/2002).
- ❑ 5 Florence Street: Pankin Wm A Warehouse (1901); Clarendon Apartments (1915-1961); and an apartment building (1970-2001/2002).

Surrounding lands consisted primarily of commercial along Bank Street and residential on the adjacent side streets. Based on the directories reviewed, PCAs identified within the study area are presented in Table 2.

Table 2. Potentially Contaminating Activities City Directories Review Summary				
Address	Years Listed	Listed Activity	Approximate Distance / Orientation from Site	Area of Potential Environmental Concern
Bank Street				
390	1922-1970	Various Retail fuel outlets	40 m N	NO
390	1934-1958	Various automotive repair garages	40 m N	NO
404	1919-1929	Stewart Paints	Immediately north	YES
448	1922-1960	Retail fuel outlet	150 m S	NO
455	1922-1960	Retail fuel outlet	160 m S	NO
464	1922-1960	Automotive Garage	200 m S	NO
Gladstone Avenue				
433	1950-1960	Retail fuel outlet	150 m SW	NO
Florence Street				
7-11	1937-1961	Garage & Repairs	Immediately west	YES

As previously discussed, the historical paint shop at 404 Bank Street and automotive repair garage at 7-11 Florence Street are considered PCAs that represent APECs on the Phase I Property. Other off-site PCAs identified within the Phase I Study Area are not considered to represent APECs, based on the separation distances and/or orientations with respect to the Phase I Property.

Historical PCAs identified in the city directories review are shown on Drawing PE5088-2- Surrounding Land Use Plan.

Plan of Survey

A draft survey plan prepared by Annis, O'Sullivan Vollebakk Ltd., was reviewed as part of this assessment. The Phase I Property appears as depicted in the plan of survey. A copy of the survey plan is provided in Appendix 1.

Chain of Title

Paterson verified the past and current land title for the Phase I Property with Read Abstracts Limited. The chain of title was reviewed for the Phase I Property, referred to as Part of Lot 21 West Bank Street as Part 1 of RP 4R-20717.

According to the title search, 406-408 Bank Street was first registered by James MacLaren on July 10, 1877. The deed was transferred over the years to various private individuals until 1883, when the property was acquired by Freehold Association of Ottawa. The ownership of the property was then transferred from Freehold Association of Ottawa to various private individuals until 1969, when W.A. Pankin Limited (also referred to as Pankin's Hardware Limited) acquired the land. In 1972, the property deed was transferred to Lawban Holdings Limited, who then subsequently transferred the land deed to Lai Sum Leung in 1973. The subject land was then acquired by 2084253 Ontario Inc., followed by a transfer of deed to the present property owner 12911444 Canada Inc. on September 1, 2020.

No PCAs were identified on the Phase I Property during the title search review. A copy of the chain of title is provided in Appendix 1.

Previous Engineering Reports

The following engineering report was reviewed as part of this assessment.

- "Preliminary Geotechnical Investigation, Vacant Property, 406 – 408 Bank Street, Ottawa, Ontario," prepared by DST Consulting Engineers Inc. (DST), dated January 2006.

A preliminary Geotechnical Investigation was conducted by DST, in which four (4) boreholes were placed on the subject site. Three (3) of the four (4) boreholes were instrumented with monitoring wells. Fill material of an unknown quality associated with the reported fire that destroyed the former on-site building was identified during the subsurface program.

The general soil profile was reported as consisting of surficial sand, followed by fill material (silty sand with gravel, and fragments of demolition debris and traces of ash), underlain by silty clay, followed by silty sand or till.

Based on the review of this report, fill material of an unknown quality is expected to be present on the Phase I Property, and as such, it is considered to represent an APEC.

4.2 Environmental Source Information

Environment Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on November 2, 2020. No records were found in the NPRI database for properties within the Phase I Study Area.

PCB Inventory

A search of national PCB waste storage sites was conducted. No PCB waste storage sites are located within the Phase I Study Area.

Areas of Natural Significance

A search for areas of natural significance and features within the Phase I study area was conducted on the website of the Ontario Ministry of Natural Resources (MNR) on November 2, 2020. The search did not reveal any areas of natural significance within the Phase I Study Area.

Ministry of the Environment, Conservation and Parks (MECP) Submissions

A request was submitted to the MECP FOI office for information with respect to reports related to environmental conditions for the Phase I Property as apart of this assessment. A response from the MECP had not been received at the time this report was issued; however, a copy of the response will be forwarded to the client. A copy of the request form is provided in Appendix 2.

MECP Instruments

A request was submitted to the MECP Freedom of Information (FOI) office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments as apart of this assessment. A response from the MECP had not been received at the time this report was issued; however, a copy of the response will be forwarded to the client. A copy of the request form is provided in Appendix 2.

MECP Waste Management Records

A request was submitted to the MECP FOI office for information with respect to waste management records as apart of this assessment. A response from the MECP had not been received at the time this report was issued; however, a copy of the response will be forwarded to the client. A copy of the request form is provided in Appendix 2.

MECP Incident Reports

A request was submitted to the MECP FOI office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP as apart of this assessment. A response from the MECP had not been received at the time this report was issued; however, a copy of the response will be forwarded to the client. A copy of the request form is provided in Appendix 2.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry (ESR) was conducted as part of this assessment for the site and Phase I Study Area.

No RSC has been filed for the Phase I Property. An RSC was filed for 390 Bank Street in April 2011. Based on the ESR, an underground storage tank decommissioning program as well as a Phase I and II ESA were conducted on the adjacent property to the north of the Phase I Property at 390 Bank Street.

The maximum reported concentrations remaining on-site were in compliance with the current MECP Table 3 Residential Standards. No remediation was required for the RSC Property. It is not expected that the operations that occurred at 390 Bank Street had impacted the Phase I Property based its down-gradient orientation, approximately 40 m north of the subject land.

Four (4) RSCs were identified for the following properties within the Phase I Study Area, 330 Gilmour Street, 340 McLeod Street, 453 Bank Street and 435 Gladstone Avenue.

Based on the separation distances of these RSC properties with respect to the Phase I Property, in combination with the information in the ESR, these properties are not considered to represent APECs on the Phase I Property.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. There are no former waste disposal sites located within 250 m of the Phase I Study Area.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No Municipal Coal Gasification Plant Sites are located within the Phase I Study Area.

Technical Standards and Safety Authority (TSSA)

An ERIS search was conducted in lieu of contacting the TSSA, Fuels Safety Branch in Toronto to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties.

No TSSA records for the subject site or the adjacent properties were identified; however, the ERIS report, dated November 3, 2020 identified several TSSA records in the Phase I Study Area. More details are provided in the following section of this report. A copy of the TSSA correspondence is included in Appendix 2.

Former Industrial Sites

The report titled “Mapping and Assessment of Former Industrial Sites, City of Ottawa” prepared by Intera Technologies Limited was reviewed.

The aforementioned report indicated the presence of one former industrial site within the study area: Site #39 (Printing, Publishing and Allied Industries) located at 430 Gladstone Avenue, approximately 180 m SW of the subject land. This industrial site is not considered to have the potential to impact the Phase I Property based on the separation distance.

City of Ottawa Landfill Document

The document entitled “Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa”, was reviewed. No former landfill sites were identified in within the Phase I Study Area.

City of Ottawa Historical Land Use Inventory (HLUI)

A search request for the City of Ottawa’s Historical Land Use Inventory (HLUI 2005) database was requested as part of this assessment. According to the City of Ottawa’s HLUI, two (2) activities associated with the Phase I Property were identified as Mainstreet Garage at 7 Florence Street and Ginn Digital (electronics retailer) at 9 Florence Street.

However, according our research (i.e. FIPs and city directories), the Phase I Property was listed as 406-408 Bank Street and 5 Florence Street.

As previously discussed in this report, the former automotive repair garage at 7 Florence Street (Activity ID 8262), immediately west of the Phase I Property is considered to result in an APEC on the Phase I Property. The former electronics retailer (Activity ID 5893) is not considered a PCA nor an APEC.

The City’s inventory revealed that there are 140 activities associated with properties within the Phase I Study Area. The majority of these activities were located 100m or more away from the Phase I Property. Activities that were considered PCAs and identified within 100m of the Phase I Property are summarized in Table 3.

Table 3: Potentially Contaminating Activities HLUI Review Summary				
Activity ID	Address	Listed Activity	Years Listed	Approximate Distance / Orientation from Site
7770	388 Bank Street	Service Station (RFO)	1960-1970	40 m N
10330	394 Bank Street	Peter Stewart Paints	1920	20 m N
13129	394-396 Bank Street (now 390 Bank Street)	Automotive repair & service shops	1930-1956	40 m N
2558	404 Bank Street	Commercial Paints	1960	Immediately north
8262	7 Florence Street	Automotive repair garage	1930-1960	Immediately west
13994	382 Bank Street	Commercial Printing	1970-1994	55 m N
10588	376 Bank Street	Petroleum products (wholesale) – Ottawa Gas	1960	78 m N
11907	374 Bank Street	Rochester Lithograph Co.	1910, 1958-1965	80 m N
3555	384 Bank Street	Glass and architectural metal products	1930	40 m N
3814	384 Bank Street	Commercial Printing	1900-2005	40 m N
8423	380 Bank Street	Heating equipment industry	1910	80 m N
13685	383 Bank Street	Machine shop	1958-1961	70 m NE
2896	381 Bank Street	Petroleum products wholesale	1940	70 m NE
14464	429 Bank Street	Weiner’s cleaners & dyers	1940-1956	60 m SE
12915, 8902	24 Florence Street	Skerce’s garage	1940-1950	78 m SW
14310	9 James Street	Automotive repair garage	1948	70 m NW
8871	487 Lewis Street	HVAC industry	1949	100 m NE

The off-site PCAs identified on the immediate properties to the north and west have been previously identified in the FIPs and directories resulting in APECs on the Phase I Property. No new APECs were identified during the HLUI review. A copy of the HLUI response is provided in Appendix 2.

Environmental Risk Information Services (ERIS) Report

An ERIS (Environmental Risk Information Service) Search Report, dated November 3, 2020, was obtained for the Phase I Property and properties within the study area.

According to the ERIS report, an Environmental Compliance Approval (ECA) for the Phase I ESA was identified. This ECA pertained to a sewer work permit which is not considered to be a concern to the Phase I Property. No potential environmental concerns or new information regarding the Phase I Property was identified in the ERIS report.

The ERIS search identified records for Auto wrecking and Supplies, Certificates of Approvals, Delisted Storage Tanks, Environmental Compliance Approvals, TSSA related records (i.e. fuel storage tanks, incidences and spill records), Scott's Manufacturing Directories, and Ontario Waste Generators for properties within the Phase I Study Area.

No new APECs not previously identified in this report were identified during the review of the ERIS report. Records considered to represent PCAs in the study area are shown on Drawing PE5088-2- Surrounding Land Use Plan, in the Figures section of this report. A copy of the ERIS report is included in Appendix 2.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. Based on the review, the following observations have been made:

- | | |
|------|--|
| 1928 | The subject site appears to be occupied by a commercial building. The surrounding properties along Bank Street appears to be used for commercial purposes, while residential dwellings are present along the side streets. |
| 1950 | Based on the scale and quality of this photograph, it is difficult to distinguish any significant changes to the subject site and neighbouring lands. |
| 1969 | No significant changes are apparent on the subject site. The properties further west and northwest of the site have been cleared and for vehicular parking. No other significant changes were made |

to the neighbouring properties. A retail fuel outlet can be seen on the southwest corner of Bank Street and James Street.

- 1978 The subject site remains unchanged from the previous photograph. The properties further to the northwest and west of the site have been developed with what appear to be residential apartment buildings. The kiosk associated with the retail fuel outlet appears to have been removed, while the pump island/apron appear to remain on the site. No other significant changes were made to the subject site or neighbouring properties.
- 1991 The Phase I Property appears to remain unchanged from the previous photograph. No other significant changes were made to the neighbouring properties, with the exception of a new building on two (2) properties to the north.
- 2002 No significant changes were made to the subject site or neighbouring properties.
- 2007 The subject site is vacant land at this time. No significant changes are apparent on the neighbouring properties.
- 2017 The subject site and neighbouring lands appear unchanged from the previous photograph.

Copies of selected aerial photographs reviewed are included in Appendix 1.

Physiographic Maps

The Ontario Geological Survey publication ‘The Physiography of Southern Ontario, Third Edition’ was reviewed as a part of this assessment. According to the publication, the site is situated within the Ottawa Clay Plain physiographic region.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the regional topography in the general area of the site slopes down in a south/southeasterly direction. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area consists of shale of the Billings Formation. The surficial geology in the area of the site consists of alluvial sediments (fluvial terraces, sand and silt) with a drift thickness ranging from 10 to 25 m.

Water Well Records

A well record search was conducted on November 4, 2020 for all drilled wells within 250 m of the Phase I Property. The search returned thirty-three (33) well records of which thirty (30) were monitoring wells and three (3) were decommissioned wells.

The majority of these records were wells located 150 m or more away from the subject site. Based on the separation distance, the monitoring wells are not considered an environmental concern to the subject land.

Several monitoring wells were located within the immediate vicinity of the Phase I Property: five (5) located on Bank Street immediately north of James Street (366-382 Bank Street), two (2) on the adjacent property to the south (406 Bank Street) and one at 21 James Street, approximately 25 north of the subject land. The monitoring wells were drilled to depths ranging from 4.5 to 5.8 m below the ground surface.

The stratigraphy in the immediate area of the Phase I Property consisted of sand and/or gravel, overlying a sandy silt/silty sand with some clay. No other information was provided in the well records. A copy of the well records has been included in Appendix 2.

Areas of Natural Significance and Water Bodies

No areas of natural significance or bodies of water were identified in the Phase I Study Area.

Fill Material

Fill material of an unknown quality consisting of demolition debris was identified in a previous engineering investigation. As previously discussed in this report, the fill material on-site is considered to represent an APEC on the Phase I Property.

5.0 INTERVIEWS

Property Owner Representatives

The current property owner, Mr. Kevin Hu, and Mr. Fernando Matos, of Ottawa Carleton Construction Group Inc., were interviewed as part of this assessment via email on November 3, 2020. Mr. Hu has owned the subject site since February 2020. According to both interviewees, the previous building on site was demolished in April/May of 2005, following an on-site fire. The former two (2) unit building addressed 406 and 408 Bank Street were occupied by a restaurant and a residential apartment building, respectively. Neither Mr. Hu nor Mr. Matos are not aware of any potential concerns apart from what has been discussed previously in this report.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

A site visit was conducted on February 4, 2020., by Mr. Joshua Dempsey from the Environmental Department of Paterson Group. Weather conditions at the time of the site visit were sunny with a high of 7 degrees Celsius. The uses of the neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit, from publicly accessible areas.

6.2 Specific Observations at the Phase I Property

Buildings and Structures

The Phase I Property addressed 406 Bank Street exists as a vacant lot with remnants of the former building foundation along the eastern and northern property boundary. No other buildings or structures are present on-site.

Site Features

The Phase I Property is a vacant lot covered by gravel and sand with visible remnants of the former on-site building. One groundwater monitoring well was noted on the northwest side corner of the subject land, which was previously drill by DST in 2007.

The subject land is bordered by two (2) buildings; one the north and west sides of the site, while the eastern and southern property boundaries border Bank Street and Florence Street, respectively.

The site topography is relatively flat and at the grade of the adjacent streets, while the regional topography appears to slope down in a northerly direction. Site drainage consists primarily of infiltration with overflow drainage to catchbasins location on Bank Street and Florence Street.

There are presently no services on the Phase I Property, although it is expected that once developed, it will be serviced by the municipality.

No evidence of current or former railway, spur lines or storage tanks were observed on the subject property at the time of the site visit. No areas of stressed vegetation or unidentified substances were observed on-site at this time.

Fill Material

Fill material consisting of fragments of demolition debris was noted at the time of the site visit. As previously discussed in this report, the unknown quality of the fill material present on the site, due to the former fire and subsequent demolition of the subject building, represents an APEC on the Phase I Property.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site is as follows:

- North: Vacant commercial office buildings, followed by a vacant restaurant;
- South: Florence Street, followed by a bakery and restaurant;
- East: Bank Street, followed by a commercial retailer and parking lot; and,
- West: Mixed-use building (residential apartments and commercial retailer and dance studio, followed by a laneway.

Lands within the Phase I Study Area are used for residential and commercial purposes with some institutional land use. No existing off-site PCAs were identified at the time of the site visit. Surrounding land use is shown on Drawing PE5088-2 – Surrounding Land Use Plan.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

The following tables indicate the current and past uses of the Phase I Property dating back to the first developed use of the site based on the Chain of Title, Fire Insurance Plans, aerial photographs, City Directories and personal interviews.

Table 4. Land Use History – 406 Bank Street Part of Lot 21 West Bank Street, Part 1 of RP 4R-20717 (PIN 04119-0323)				
Time Period	Name of Owner	Property Use	Description of Property Use	Other Observations from Aerial Photos, FIPs, Directories, etc.
Prior to 1877	Unknown	Unknown	Unknown	No available observations
1887-1883	James MacLaren	Unknown	Unknown	Registered. No available observations
1883	John Christie	Unknown	Unknown	No available observations
1883	Robert et al.	Unknown	Unknown	No available observations
1883	Charles Magee et al.	Unknown	Unknown	No available observations
1883	Freehold Association Ottawa	Unknown	Unknown	All interests transferred to Freehold Association Ottawa
1883	Richard Nagle	Unknown	Unknown	No available observations
1883-1890	Bridget McKenna	Commercial office and hardware store	Commercial Use	1888 FIPs depicts the site as occupied by an office at 406 Bank Street and a hardware store at 408 Bank Street.
1890-1892	Thomas Biskett			No available observations
1892-1908	John Caldwell	Commercial office and hardware store	Commercial Use	1895/1896 city directories listed a lawyer's office at 406 Bank Street and Birkette Thomas HW at 408 Bank Street 1901 city directories listed Birkette T & Sons Co. Hardware Store.
1908-1909	Christopher B. Taggart George F. Hodgins	Commercial office and hardware store	Commercial Use	No available observations
1909-1912	George R. Hodgins	Commercial office and shoe store	Commercial Use	1915 city directories
1912-1934	John C. Brennon	Commercial office and shoe store Residential Apartments	Commercial Use Residential Use	1915 city directories listed Aston Real Estate at 406 Bank Street and Stewart J. Shoes at 408 Bank Street. 1915 directories listed Clarendon Apartments at 5 Florence Street.

Table 4. Land Use History – 406 Bank Street Part of Lot 21 West Bank Street, Part 1 of RP 4R-20717 (PIN 04119-0323)				
Time Period	Name of Owner	Property Use	Description of Property Use	Other Observations from Aerial Photos, FIPs, Directories, etc.
1934-1969	W.A. Pankin Ltd.	Restaurant and shoe store	Commercial Use	1927 to 1961 directories listed St. James Fish & Chips at 406A Bank Street and Ideal Shoe Repair at 406B Bank Street.
		Residential Apartments	Residential Use	Clarendon Apartments was also listed at 5 Florence Street.
1969-1972	Pankin's Hardware Ltd.	Restaurant and shoe store	Commercial Use	1970 directories listed Capital Restaurant at 406 Bank Street and Reward Shoes at 408 Bank Street.
		Residential Apartments	Residential Use	Clarendon Apartments was also listed at 5 Florence Street.
1972-1973	Lawban Holdings Ltd.	Restaurant and shoe store	Commercial Use	No available observations
		Residential Apartments	Residential Use	
1973-2006	Lai Sim Leung	Restaurant and shoe store	Commercial Use	1981-2002 directories listed a Ging Sing Restaurant at 406 Bank Street and Paris Tailors (in 1981/9182) and Capilano Pizza (2002) at 408 Bank Street.
		Residential Apartments	Residential Use	Clarendon Apartments was also listed at 5 Florence Street (1981-1990) and under 408 Bank Street (2002).
2006-2020	2084253 Ontario Inc.	Vacant land	Commercial Use	Based on a previous report, the land has been vacant land since 2005, as a result of a fire and subsequent demolition of the former building.
2020-Present	1291444 Canada Inc.	Vacant land	Commercial Use	Based on a personal interview with the current landowner, the land has remained vacant.

Potentially Contaminating Activities

Based on the historical review, historical potentially contaminating activities (PCAs) were identified on-site and off-site, resulting in areas of potential environmental concern (APECs) on the Phase I Property. As per Column A of Table 2 of the O.Reg. 153/04, as amended, the following on-and off-site PCAs that generate APECs on the Phase I Property are:

- ❑ PCA 30 – “*Importation of Fill Material of Unknown Quality*” associated with a fire that destroyed the former on-site building, which was subsequently demolished in March and April of 2005.
- ❑ PCA 39 – “*Paints Manufacturing, Processing and Bulk Storage,*” associated with a historical paint and oil store located on the Phase I Property (394 and 404 Bank Street); and
- ❑ PCA 52 – “*Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems,*” associated with a historical automotive service garage on the neighbouring property to the south of 406 Bank Street, now 19 Florence Street.
- ❑ PCA 28 – “*Gasoline and Associated Products Storage in Fixed Tanks,*” associated with the former presence of a UST situated on the southside of 7-11 Florence Street, now 19 Florence Street.

The remaining off-site PCAs were not considered to result in APECs based on their separation distances and/or orientations (down or cross-gradient) with respect to the subject land in combination of the underlying impermeable clay layer.

The off-site PCAs within the Phase I Study Area are identified in green on Drawing PE5088-2– Surrounding Land Use Plan.

Areas of Potential Environmental Concern

The aforementioned historical PCAs have resulted in the following APECs:

- ❑ APEC 1: Resulting from the presence of fill material of unknown quality on the Phase I Property, associated with the reported fire which destroyed the former building, followed by a demolition in 2005 (PCA 30);
- ❑ APEC 2: Resulting from the historical presence of a paint and oil store at 394-404 Bank Street (PCA 39); and
- ❑ APEC 3: Resulting from the historical operations of an off-site automotive repair garage and a former UST located on the south side of the 7-11 Florence Street property (PCA 52, PCA 28).

The identified APECs and relative locations on the Phase I Property are illustrated on Drawing PE5088-1 – Site Plan.

Contaminants of Potential Concern

Based on the APECs identified on the Phase I Property, the contaminants of potential concern (CPCs) are:

- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX);
- Petroleum hydrocarbons (PHCs, Fractions F₁-F₄);
- Polyaromatic hydrocarbons (PAHs);
- Volatile organic compounds (VOCs); and
- Metals including Mercury (Hg) and Hexavalent Chromium (CrVI).

7.2 Conceptual Site Model

Geological and Hydrogeological Setting

According to the Geological Survey of Canada website, the bedrock in the area of the Phase I Property is reported to consist of shale of the Billings Formation. The overburden is reported to consist of alluvial sediments (sand and silt) of depths ranging from 10 to 25 m over the entire site. The previous subsurface investigation conducted by DST confirms the reported geology.

Groundwater beneath the Phase I Property is expected to flow in a northerly direction.

Fill Placement

Based on the findings of a previous subsurface investigation in combination with observations at the time of the site visit, fill material of an unknown quality is present on the Phase I Property. The presence of fill of an unknown quality represents an APEC on the Phase I Property.

Existing Buildings and Structures

The Phase I Property is a vacant lot with remnants of the former building foundation along the eastern and northern property boundary. No other buildings or structures are present on-site.

Subsurface Structures and Utilities

No services are expected to be present on-site. There is one monitoring well situated on the northwest corner of the Phase I Property. No other subsurface structures are located on the subject site.

Water Bodies and Areas of Natural Significance

No areas of natural significance or water bodies were identified on the Phase I Property or within a 250 m search radius.

Drinking Water Wells

There are no potable water wells on the Phase I Property.

Neighbouring Land Use

Neighbouring land use in the Phase I Study Area consists of residential and commercial (offices, cafes, and retailers) properties.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, four (4) PCAs are considered to result APECs on the Phase I Property. These APECs are summarized in Table 5, along with their respective locations and contaminants of potential concern (CPCs) on the Phase I Property.

Table 5. Potentially Contaminating Activities and Areas of Potential Environmental Concern					
Area of Potential Environmental Concern	Location of Area of Potential Environmental Concern	Potentially Contaminating Activity	Location of PCA (on-site or off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, Soil, and/or Sediment)
APEC 1: Resulting from fill material of unknown quality	Across the entire Phase I Property	PCA 30 – Importation of Fill Material of Unknown Quality	On-site	PAHs Metals Hg, CrVI	Soil
APEC 2: Resulting from the former presence of a paint and oil store	Northern portion of the Phase I Property	PCA 39 – Paints Manufacturing, Processing and Bulk Storage	Off-site	Metals Hg, CrVI	Groundwater
APEC 3: Resulting from a former automotive repair garage and former UST nest	Western portion of the Phase I Property	PCA 52 – Storage, maintenance, fuelling and repairing of equipment, vehicles, and materials used to maintain transportation systems PCA 28 – Gasoline and Associated Products Storage in Fixed Tanks	Off-site	VOCs PHCs Metals	Soil and Groundwater

As previously discussed in Section 7.1 and shown on Drawing PE5088-2-Surrounding Land Use Plan. The remaining off-site PCAs are not considered to represent APECs on the Phase I Property based on their separation distances and/or orientations relative to the subject property, in combination with information provided in the MECP ESR and our files.

Contaminants of Potential Concern

As per the APECs identified in Section 7.1, the contaminants of potential concern (CPCs) in soil and/or groundwater include:

- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX);
- Petroleum hydrocarbons (PHCs, Fractions F₁-F₄);
- Polyaromatic hydrocarbons (PAHs);
- Volatile organic compounds (VOCs); and
- Metals including Mercury (Hg) and Hexavalent Chromium (CrVI).

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I- ESA is considered to be sufficient to conclude that there are on-site and off-site PCAs that have resulted in APECs on the Phase I Property.

A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSIONS

8.1 Assessment

Paterson Group was retained by 12291444 Canada Inc. to conduct a Phase I-Environmental Site Assessment (ESA) for the property located at 406 Bank Street, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the subject site and the Phase I Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was formerly addressed 406-408 Bank Street and 5 Florence Street, which was initially developed prior to 1888 for commercial purposes. At that time, it was occupied by an office building and a storehouse (hardware store) until 1915. From 1915 to its last known use, circa 2004, the northern portion was mainly occupied by a restaurant under several different names, while the southern portion was occupied by an apartment building. In 2005, the subject building was destroyed and subsequently demolished due to a fire that occurred on the site. Since 2005, the Phase I Property has been vacant land. Fill material of an unknown quality associated with the former building demolition is expected to be present on the Phase I Property, and as such, it is considered to result in an area of potential environmental concern (APEC).

The historical use of the surrounding lands consisted of commercial along Bank Street and residential on the adjacent streets. Several historical potentially contaminating activities (PCAs) were identified within the Phase I Study Area, however, the majority of these PCAs were not considered to represent APECs on the Phase I Property, based on orientation and/or separation distances in combination with information contained within our files.

Off-site PCAs considered to result in APECs on the Phase I Property include a former paint and oil store that had operated at 396-404 Bank Street (immediately north) from 1901 to the mid-1960s; and a former automotive repair garage with a UST that had operated at 7-11 Florence Street (immediately west) from 1925 to 1957. Both historical PCAs to the immediate north and west were considered to generate APECs on the Phase I Property.

Following the historical research, a site visit was conducted. The Phase I Property exists as a vacant lot. Neighbouring land use in the Phase I Study Area consists of residential and commercial (retailers and restaurants). No existing PCAs were noted with the current use of the Phase I Property or the Study Area.

8.2 Recommendations

Based on the findings of the assessment, it is **our opinion that a Phase II-Environmental Site Assessment is required for the subject property.**

9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared under the supervision of a Qualified Person, in general accordance with O.Reg. 153/04, as amended, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of 12291444 Canada Inc. Permission and notification from 12291444 Canada Inc. and Paterson will be required to release this report to any other party.

Paterson Group Inc.



Mandy Witteman, B.Eng., M.A.Sc.



Karyn Munch, P.Eng, QP_{ESA}



Report Distribution:

- 12291444 Canada Inc.
- Paterson Group

10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library.
National Archives.
Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).
Natural Resources Canada – The Atlas of Canada.
Environment Canada, National Pollutant Release Inventory.
PCB Waste Storage Site Inventory.

Provincial Records

MECP Freedom of Information and Privacy Office.
MECP Municipal Coal Gasification Plant Site Inventory, 1991.
MECP document titled “Waste Disposal Site Inventory in Ontario”.
MECP Brownfields Environmental Site Registry.
Office of Technical Standards and Safety Authority, Fuels Safety Branch.
MNR Areas of Natural Significance.
MECP Water Well Record Inventory.
Chapman, L.J., and Putnam, D.F., 1984: ‘The Physiography of Southern Ontario, Third Edition’, Ontario Geological Survey Special Volume 2.

Municipal Records

City of Ottawa Document “Old Landfill Management Strategy, Phase I - Identification of Sites.”, prepared by Golder Associates, 2004.
Intera Technologies Limited Report “Mapping and Assessment of Former Industrial Sites, City of Ottawa”, 1988.
geoOttawa: City of Ottawa electronic mapping website.
City of Ottawa Historical Land Use Inventory (HLUI) Database

Local Information Sources

Personal Interviews.

Public Information Sources

Google Earth.
Google Maps/Street View.

Private Information Sources

ERIS Report (November 3, 2020)

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE5088-1 – SITE PLAN

DRAWING PE5088-2 – SURROUNDING LAND USE PLAN




FIGURE 1
KEY PLAN




FIGURE 2
TOPOGRAPHIC MAP



F L O R E N C E S T R E E T

B A N K S T R E E T

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN:

- 1. **FILL MATERIAL OF UNKNOWN QUALITY ON SITE (PCA 30)**
- 2. **396-404 BANK STREET - FORMER PAINT AND OIL STORES**
- 3. **7-11 FLORENCE STREET - FORMER AUTO REPAIR GARAGE WITH 1 UNDERGROUND STORAGE TANK (PCA 52)**

LEGEND:

 **BOREHOLE/MONITORING WELL LOCATION BY OTHERS**

RESIDENTIAL

#410 BANK STREET COMMERCIAL

#413 BANK STREET PARKING LOT

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL
0			

OTTAWA CARLETON CONSTRUCTION
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
406 BANK STREET

OTTAWA, ONTARIO

Title: **SITE PLAN**

Scale: 1:150	Date: 11/2020
Drawn by: MPG	Report No.: PE5088-1
Checked by: MW	Dwg. No.: PE5088-1
Approved by: MSD	Revision No.:

APPENDIX 1

CHAIN OF TITLE

SURVEY PLAN

AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS



READ Abstracts Limited

331 Cooper Street, Suite 300, Ottawa, Ontario K2P 0A4

Email: search@readsearch.com

Tel.: 613-236-0664

Fax: 613-236-3677

ENVIRONMENTAL SEARCH

Patersongroup

Attn: Mandy

BRIEF DESCRIPTION OF LAND:

406 Bank St., Ottawa

Part of Lot 21, Plan 15558, West Bank St., being Part 1 on 4R20717

PIN: 04119-0323

LAST REGISTERED OWNER: 12291444 Canada Inc.

CHAIN OF TITLE:

Plan 15558 registered Jul 10, 1877

By James MacLaren

Deed CR21483 registered Oct 1, 1883

From James MacLaren, et al to John Christie

Deed CR21484 registered Oct 1, 1883

From John Christie to James MacLaren as to ½ interest

Deed CR21485 registered Oct 1, 1883

From John Christie to Robert Blackburn et al as to ½ interest

Deed CR21486 registered Oct 1, 1883

From Charles Magee, et al to Freehold Association of Ottawa

Deed CR21642 registered Nov 14, 1883

From Freehold Association of Ottawa to Richard Nagle

Deed CR32140 registered Mar 21, 1890

From Richard Nagle to Bridget McKenna

Deed CR38038 registered Nov 21, 1892

From John McKenna to Thomas Biskett

Deed CR85241 registered May 4, 1908
From Thomas Biskett to John Caldwell

Deed CR89836 registered May 14, 1909
From John Caldwell to Christopher B. Taggart and George F. Hodgins

Deed CR116652 registered Dec 5, 1912
From Christopher B. Taggart to George R. Hodgins

Release CR213386 registered Nov 5, 1934
From George F. Hodgins to estate of John C. Brennon

Deed CR560971 registered Jun 30, 1969
From estate of John C. Brennon to W.A. Pankin Limited

Deed CR623039 registered Dec 4, 1972
From Pankin's Hardware Limited to Lawban Holdings Limited


Deed CR638437 registered Aug 31, 1973
From Lawban Holdings Limited to Lai Sim Leung

Deed OC568342 registered Mar 1, 2006
From Lai Sim Leung to 2084253 Ontario Inc.

Deed OC2252420 registered Sep 1, 2020
Form 2084253 Ontario Inc. to 1291444 Canada Inc.




AERIAL PHOTOGRAPH
1928




AERIAL PHOTOGRAPH
1950




AERIAL PHOTOGRAPH
1969




AERIAL PHOTOGRAPH
1978




AERIAL PHOTOGRAPH
1991



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2007



AERIAL PHOTOGRAPH
2017

Site Photographs

PE5088

406 Bank Street, Ottawa, ON

February 4, 2020



Photograph 1: View of the vacant lot at 406 Bank Street, looking northeast onto Bank Street.



Photograph 2: View of northwest corner of the vacant lot. The photograph shows fill material and demolition debris as well as previously drilled groundwater monitoring well.

APPENDIX 2

MECP FREEDOM OF INFORMATION

MECP WELL RECORDS

HLUI RESPONSE

ERIS REPORT

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216268

Well Audit Number: Z180051

Well Tag Number: A154274

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445750.00 Northing: 5028833.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	1.83 m
GREY	CLAY	SOFT		1.83 m	4.57 m
GREY	CLAY	SOFT	WBRG	4.57 m	7.62 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	4.27 m		
4.27 m	7.62 m		

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	4.57 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	4.57 m	7.62 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	7.62 m	8.25 cm

Audit Number: Z180051

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7246843

Well Audit Number: Z208885

Well Tag Number: A163032

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	296 BANK ST.
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445519.00 Northing: 5029299.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
GREY		HARD		0 ft	1 ft
GREY	CLAY	SILT	SOFT	1 ft	10 ft

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	1 ft	CONCRETE/FLUSHMOUNT	
1 ft	2.5 ft	BENSEAL	
2.5 ft	10 ft	FILTER SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
1.38 inch	PLASTIC	0 ft	3 ft

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
1.66 inch	PLASTIC	3 ft	10 ft

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 ft	10 ft	2.375 inch

Audit Number: Z208885

Date Well Completed: July 17, 2015

Date Well Record Received by MOE: August 24, 2015

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295729

Well Audit Number: Z206496

Well Tag Number: A182829

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANK STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445570.00 Northing: 5029192.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND	SOFT	0 m	2.74 m
GREY	SILT	CLAY	SOFT	2.74 m	3.96 m
GREY	SILT	CLAY	SOFT	3.96 m	5.79 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	2.44 m	BENSEAL	
2.44 m	5.79 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.74 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.74 m	5.79 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.79 m	8.25 cm

Audit Number: Z206496

Date Well Completed: August 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295730

Well Audit Number: Z206497

Well Tag Number: A189880

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANK STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445582.00 Northing: 5029178.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND		0 m	2.74 m
GREY	SILT	CLAY	SOFT	2.74 m	3.46 m
GREY	SILT	CLAY	WBRG	3.46 m	5.79 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	2.44 m	BENSEAL	
2.44 m	5.79 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.74 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.74 m	5.79 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.79 m	8.25 cm

Audit Number: Z206497

Date Well Completed: August 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295731

Well Audit Number: Z206498

Well Tag Number: A189879

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANK STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445584.00 Northing: 5029168.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND	DRY	0 m	2.74 m
GREY	SILT	CLAY		2.74 m	3.96 m
GREY	SILT	CLAY	SOFT	3.96 m	5.79 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	2.44 m	BENSEAL	
2.44 m	5.79 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.74 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.74 m	5.79 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.79 m	8.25 cm

Audit Number: Z206498

Date Well Completed: August 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295732

Well Audit Number: Z206499

Well Tag Number: A189788

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANKS STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445593.00 Northing: 5029168.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND	SOFT	0 m	2.13 m
GREY	SILT	CLAY	SOFT	2.13 m	3.96 m
GREY	SILT	CLAY	WBRG	3.96 m	5.79 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	2.44 m	BENSEAL	
2.44 m	5.79 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.74 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.79 m	5.79 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.79 m	8.25 cm

Audit Number: Z206499

Date Well Completed: September 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295732

Well Audit Number: Z206499

Well Tag Number: A189788

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANKS STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445593.00 Northing: 5029168.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND	SOFT	0 m	2.13 m
GREY	SILT	CLAY	SOFT	2.13 m	3.96 m
GREY	SILT	CLAY	WBRG	3.96 m	5.79 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	2.44 m	BENSEAL	
2.44 m	5.79 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.74 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.79 m	5.79 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.79 m	8.25 cm

Audit Number: Z206499

Date Well Completed: September 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295733

Well Audit Number: Z206495

Well Tag Number: A182830

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANK STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445605.00 Northing: 5029135.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND		0 m	2.44 m
GREY	SILT	CLAY	SOFT	2.44 m	3.96 m
GREY	SILT	CLAY	WBRG	3.96 m	5.79 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	2.44 m	BENSEAL	
2.44 m	5.79 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.74 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.74 m	5.79 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.79 m	8.25 cm

Audit Number: Z206495

Date Well Completed: August 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7295734

Well Audit Number: Z206494

Well Tag Number: A182831

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	366 382 BANKS STREET
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445606.00 Northing: 5029117.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	GRVL	SAND		0 m	1.83 m
BLUE	CLAY	SILT	SOFT	1.83 m	3.35 m
BLUE	SAND	MUCK	SOFT	3.35 m	4.88 m
GREY	SILT	CLAY	SOFT	4.88 m	5.49 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.31 m	FLUSHMOUNT/ CONCRETE	
.31 m	1.83 m	BENSEAL	
1.83 m	5.49 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	2.44 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	2.44 m	5.49 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	5.49 m	8.25 cm

Audit Number: Z206494

Date Well Completed: August 10, 2017

Date Well Record Received by MOE: September 29, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7301137

Well Audit Number: C39107

Well Tag Number: A191626

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location

Township	NEPEAN TOWNSHIP
-----------------	-----------------

Lot

Concession

County/District/Municipality	OTTAWA-CARLETON
-------------------------------------	-----------------

City/Town/Village

Province	ON
-----------------	----

Postal Code	n/a
--------------------	-----

UTM Coordinates	NAD83 — Zone 18
------------------------	-----------------

Easting: 445601.00

Northing: 5028797.00

Municipal Plan and Sublot Number

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
-------------------	-------------------------	--------------------	------------------------	---------------	-------------

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
---------------	-------------	---	------------------

Method of Construction & Well Use

Method of Construction	Well Use
------------------------	----------

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
--------------------	-----------------------	---------------	-------------

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
---------------------	----------	---------------	-------------

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7543

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
------------	----------	----------

Audit Number: C39107

Date Well Completed: November 06, 2017

Date Well Record Received by MOE: December 11, 2017

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216269

Well Audit Number: Z180052

Well Tag Number: A152631

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445753.00 Northing: 5028824.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	2.74 m
GREY	CLAY	SOFT		2.74 m	4.57 m
GREY	CLAY	SOFT	WBRG	4.57 m	7.62 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	4.27 m	BENTONITE	
4.27 m	7.62 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	4.57 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	4.57 m	7.62 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	7.62 m	8.25 cm

Audit Number: Z180052

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216270

Well Audit Number: Z180053

Well Tag Number: A154273

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445748.00 Northing: 5028836.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	2.14 m
GREY	CLAY	SOFT		2.14 m	4.57 m
GREY	CLAY	SOFT	WBRG	4.57 m	6.1 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	2.74 m	BENTONITE	
2.74 m		SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.02 cm	PLASTIC	0 m	3.1 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	3.1 m	6.1 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	6.1 m	8.25 cm

Audit Number: Z180053

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216271

Well Audit Number: Z180054

Well Tag Number: A154272

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445747.00 Northing: 5028837.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	1.83 m
GREY	CLAY	SOFT		1.83 m	2.74 m
GREY	CLAY	SOFT	WBRG	2.74 m	6.1 m
GREY	CLAY	SOFT		6.1 m	14.3 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	12.1 m	BENTONITE	
12.1 m	14.3 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	12 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	12 m	14.3 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	

15
20
25
30
40
45
50
60

15
20
25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	14.3 m	8.25 cm

Audit Number: Z180054

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216272

Well Audit Number: Z180055

Well Tag Number: A154271

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445751.00 Northing: 5028829.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	1.83 m
GREY	CLAY	SOFT		1.83 m	3.1 m
GREY	CLAY	SOFT	WBRG	3.1 m	4.57 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	1.22 m	BENTONITE	
1.22 m	4.57 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	1.5 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	1.5 m	4.57 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	4.57 m	8.25 cm

Audit Number: Z180055

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216273

Well Audit Number: Z173804

Well Tag Number: A154151

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445748.00 Northing: 5028846.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	1.83 m
GREY	CLAY	SOFT		1.83 m	3.27 m
GREY	CLAY	SOFT	WBRG	3.27 m	4.57 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	1.22 m	BENTONITE	
1.22 m	4.57 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	1.5 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	1.5 m	4.57 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	4.57 m	8.25 cm

Audit Number: Z173804

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7218928

Well Audit Number: Z163980

Well Tag Number: A136699

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	356 MACLAREN STREET
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445678.00 Northing: 5029243.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
GREY				0 m	.05 m
GREY	SAND	GRVL	FILL	.05 m	.53 m
BRWN	SAND		FILL	.53 m	1.52 m
BRWN	SILT	CLAY	WTHD	1.52 m	3.51 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
.75 m	1.5 m	BENTONITE	

Method of Construction & Well Use

Method of Construction	Well Use
Other Method	
SSA	Monitoring

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
3.18 cm	PLASTIC	0 m	3.05 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
3.8 cm	PLASTIC	3.05 m	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 1844

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m		16.51 cm

Audit Number: Z163980

Date Well Completed: December 30, 2012

Date Well Record Received by MOE: April 03, 2014

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7239266

Well Audit Number: C19500

Well Tag Number: A122871

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location

Township	NEPEAN TOWNSHIP
-----------------	-----------------

Lot	
------------	--

Concession	
-------------------	--

County/District/Municipality	OTTAWA-CARLETON
-------------------------------------	-----------------

City/Town/Village	
--------------------------	--

Province	ON
-----------------	----

Postal Code	n/a
--------------------	-----

UTM Coordinates	NAD83 — Zone 18
	Easting: 445732.00
	Northing: 5029042.00

Municipal Plan and Sublot Number	
---	--

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
----------------	----------------------	-----------------	---------------------	------------	----------

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
------------	----------	--	---------------

Method of Construction & Well Use

Method of Construction	Well Use
------------------------	----------

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
-----------------	-----------------------	------------	----------

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
------------------	----------	------------	----------

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7328

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
---------------	-------------	----------

Audit Number: C19500

Date Well Completed: March 08, 2012

Date Well Record Received by MOE: April 02, 2015

Updated: January 24, 2020

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue](#).

[Go Back to Map](#)

Well ID

Well ID Number: 7216269

Well Audit Number: Z180052

Well Tag Number: A152631

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	37 FLORA ST
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445753.00 Northing: 5028824.00
Municipal Plan and Sublot Number	

Other

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SOFT	DRY	0 m	2.74 m
GREY	CLAY	SOFT		2.74 m	4.57 m
GREY	CLAY	SOFT	WBRG	4.57 m	7.62 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	4.27 m	BENTONITE	
4.27 m	7.62 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	4.57 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	4.57 m	7.62 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
---------------------	-----------------------	--------------------	----------------------

SWL

1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	

25
30
40
45
50
60

25
30
40
45
50
60

Water Details

Water Found at Depth	Kind
----------------------	------

Hole Diameter

Depth From	Depth To	Diameter
0 m	7.62 m	8.25 cm

Audit Number: Z180052

Date Well Completed: December 04, 2013

Date Well Record Received by MOE: February 10, 2014

Updated: January 24, 2020

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
All Sections must be completed in full to avoid delays in processing.
Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
All metre measurements shall be reported to 1/10th of a metre.
Please print clearly in blue or black ink only.

Ministry Use Only

Well Owner Information (Municipality, Township, Lot, Concession)

Address of Well Location (City of Ottawa, Somerset Roadway, Ottawa)
RR#/Street Number/Name, City/Town/Village, Site/Compartment/Block/Tract etc.
GPS Reading, NAD, Zone, Easting, Northing, Unit Make/Model, Mode of Operation: WASS

Log of Overburden and Bedrock Materials (see instructions)

Table with columns: General Colour, Most common material, Other Materials, General Description, Depth From, Metres To. Includes handwritten entries for asphalt, sand, and silty clay.

Hole Diameter (Depth, Metres, Diameter) and Water Record (Water found at, Kind of Water, Chlorinated)

Construction Record (Inside diam, Material, Wall thickness, Depth, Metres) and Screen (Outside diam, Slot No.)

Test of Well Yield (Pumping test method, Draw Down, Recovery) with handwritten data points.

Plugging and Sealing Record (Depth set at, Material and type, Volume Placed)

Location of Well (In diagram below show distances of well from road, lot line, and building. Indicate north by arrow. Please see site plan)

Method of Construction (Cable Tool, Rotary, Diamond, Digging, etc.)

Water Use (Domestic, Industrial, Public Supply, etc.)

Final Status of Well (Water Supply, Recharge well, Unfinished, etc.)

Well Contractor/Technician Information (Name of Well Contractor, Well Contractor's Licence No., etc.)

Audit No. Z 30507, Date Well Completed 2005 04 27

Ministry Use Only (Data Source, Contractor 1844, Date Received JUN 4 2005, Date of Inspection, etc.)

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- **All metre measurements shall be reported to 1/10th of a metre.**
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Ministry Use Only										
MUN					CON					LOT

RR#/Street Number/Name: **510 Bank Street** City/Town/Village: **Ottawa** Site/Compartment/Block/Tract etc.: **Ottawa**

GPS Reading: NAD **83** Zone **17N** Easting **443776** Northing **5028755** Unit Make/Model: _____ Mode of Operation: Undifferentiated Averaged Differentiated, specify _____

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth Metres	
				From	To
	Asphalt		Typical	0	0.2
Black to gray	coarse sand	gravel traces of brick		0.2	1.5
Brown	Med to Fine Sand	silt	3 Monitoring well	1.5	2.4
Grey	Clay		installations as a cluster	2.4	4.57

Hole Diameter

Depth From	Metres To	Diameter Centimetres
0	4.57	20

Construction Record

Inside diam centimetres	Material	Wall thickness centimetres	Depth Metres	
			From	To
Casing				
50 mm	<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized	Schedule 40	0.7	1
Screen				
58 mm	<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized	Slot No. # 10	1	4.57
No Casing or Screen				
<input type="checkbox"/> Open hole				

Test of Well Yield

Pumping test method	Draw Down		Recovery	
	Time min	Water Level Metres	Time min	Water Level Metres
Pump intake set at - (metres)				
Pumping rate - (litres/min)	1		1	
Duration of pumping hrs + min	2		2	
Final water level end of pumping metres	3		3	
Recommended pump type <input type="checkbox"/> Shallow <input type="checkbox"/> Deep	4		4	
Recommended pump depth. metres	5		5	
Recommended pump rate. (litres/min)	10		10	
If flowing give rate - (litres/min)	15		15	
	20		20	
	25		25	
If pumping discontinued, give reason.	30		30	
	40		40	
	50		50	
	60		60	

Plugging and Sealing Record Annular space Abandonment

Depth set at - Metres From	To	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)
0.7	1	Bentonite holeplug Typical.	10 Kg

Method of Construction

Cable Tool Rotary (air) Diamond Digging

Rotary (conventional) Air percussion Jetting Other **Auger**

Rotary (reverse) Boring Driving

Water Use

Domestic Industrial Public Supply Other **Sample**

Stock Commercial Not used

Irrigation Municipal Cooling & air conditioning

Final Status of Well

Water Supply Recharge well Unfinished Abandoned, (Other)

Observation well Abandoned, insufficient supply Dewatering

Test Hole Abandoned, poor quality Replacement well

Well Contractor/Technician Information

Name of Well Contractor: **George Downing Estate Drilling Ltd** Well Contractor's Licence No.: **1844**

Business Address (street name, number, city etc.): **410 Main St. Grenville Sur La Rouge Qc J0V1B0**

Name of Well Technician (last name, first name): **Downing Bruce** Well Technician's Licence No.: **12173**

Signature of Technician/Contractor: *[Signature]* Date Submitted: **2005 10/24**

Location of Well

In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.

Please see attached site plan

Audit No. **Z 31608** Date Well Completed: **2005 06 28**

Was the well owner's information package delivered? Yes No Date Delivered: _____

Ministry Use Only

Data Source: _____ Contractor: **1844**

Date Received: **NOV 30 2005** Date of Inspection: _____

Remarks: _____ Well Record Number: _____

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- **All metre measurements shall be reported to 1/10th of a metre.**
- Please print clearly in blue or black ink only.

Ministry Use Only

Well Owner's Information and Location of Well

Address of Well Location (County/District/Municipality) **408 BANK STREET** Township _____ Lot _____ Concession _____

RR#/Street Number/Name _____ City/Town/Village **OTTAWA** Site/Compartment/Block/Tract etc. _____

GPS Reading NAD **83** Zone **18** Easting **445641** Northing **5029106** Unit Make/Model **GARMIN GPS** Mode of Operation: Undifferentiated Averaged Differentiated, specify **3D**

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth	
				From	To
LT BROWN	SAND		SAND	0	0.2
DK BROWN	SAND	SILT, GRAVEL	SAND, SILTY TRACE GRAVEL	0.2	2.0
GREY	CLAY	SILT	CLAY, SILTY	2.0	5.4

Hole Diameter			Construction Record				Test of Well Yield					
Depth From	Metres To	Diameter Centimetres	Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down Time min	Water Level Metres	Recovery Time min	Water Level Metres
0	5.4	10	5cm	<input checked="" type="checkbox"/> Plastic	0.5	0	2.2	Pump intake set at - (metres)	1		1	
Water Record			Casing				Screen					
Water found at 3.4 Metres / Kind of Water			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized				<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized					
<input type="checkbox"/> m <input checked="" type="checkbox"/> Fresh <input type="checkbox"/> Sulphur <input type="checkbox"/> Gas <input type="checkbox"/> Salty <input type="checkbox"/> Minerals <input type="checkbox"/> Other:			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized				<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized					
<input type="checkbox"/> m <input type="checkbox"/> Fresh <input type="checkbox"/> Sulphur <input type="checkbox"/> Gas <input type="checkbox"/> Salty <input type="checkbox"/> Minerals <input type="checkbox"/> Other:			Screen				Outside diam <input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized					
After test of well yield, water was <input checked="" type="checkbox"/> Clear and sediment free			Slot No. 10				Recommended pump rate (litres/min) 20 If flowing give rate (litres/min) 25 If pumping discontinued, give reason. TEST HOLE					
Chlorinated <input type="checkbox"/> Yes <input type="checkbox"/> No			No Casing or Screen				Recommended pump depth (metres) 5 Recommended pump rate (litres/min) 10 If flowing give rate (litres/min) 25 If pumping discontinued, give reason.					

Plugging and Sealing Record Annular space Abandonment

Depth set at - Metres From **0** To **01.8** Material and type (bentonite slurry, neat cement slurry) etc. **BENTONITE** Volume Placed (cubic metres) **0.01 m³**

Method of Construction

Cable Tool Rotary (air) Diamond Digging
 Rotary (conventional) Air percussion Jetting Other
 Rotary (reverse) Boring Driving

Water Use

Domestic Industrial Public Supply Other
 Stock Commercial Not used
 Irrigation Municipal Cooling & air conditioning

Final Status of Well

Water Supply Recharge well Unfinished Abandoned, (Other)
 Observation well Abandoned, insufficient supply Dewatering
 Test Hole Abandoned, poor quality Replacement well

Location of Well

In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.

Audit No. **2 19282** Date Well Completed **2005 12 09**

Was the well owner's information package delivered? Yes No Date Delivered **2005 12 23**

Well Contractor/Technician Information

Name of Well Contractor **GEORGE DOWNING ESTATE DRILLING** Well Contractor's Licence No. **1844**

Business Address (street name, number, city etc.) **410 RUE PRINCIPAL GREENVILLE SUR LA ROUVEE.**

Name of Well Technician (last name, first name) **J L WARNER** Well Technician's Licence No. **3236**

Signature of Technician/Contractor **J L WARNER** Date Submitted **2005 12 23**

Ministry Use Only

Data Source _____ Contractor **1844**

Date Received **JAN 06 2006** Date of Inspection _____

Remarks _____ Well Record Number _____

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Help Desk (Toll Free) at 1-888-396-9355.
- **All metre measurements shall be reported to 1/10th of a metre.**
- Please print clearly in blue or black ink only.

Ministry Use Only

Address of Well Location (County/District/Municipality) 454 Gladstone Ave		Township	Lot	Concession
RR#/Street Number/Name		City/Town/Village Ottawa	Site/Compartment/Block/Tract etc.	
GPS Reading	NAD 83	Zone 18	Easting 445502	Northing 5028040
Unit Make/Model Garmin/GPS map 76		Mode of Operation: <input checked="" type="checkbox"/> Undifferentiated <input type="checkbox"/> Averaged <input type="checkbox"/> Differentiated, specify		

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth	
				From	To
Black	Asphalt			0	0.13
Grey	Fill	Sand & Gravel		0.13	0.96
DK Brown	Peat			0.96	1.07
Lite Brown	Sand & Gravel	Trace Silt		1.07	1.96
Olive Grey	Clay	Silty		1.96	4.88

Hole Diameter			Construction Record				Test of Well Yield					
Depth From	Metres To	Diameter Centimetres	Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down Time min	Water Level Metres	Recovery Time min	Water Level Metres
0	4.88	200	5	<input checked="" type="checkbox"/> Plastic	0.3	0	1.83	Pump intake set at - (metres)	1		1	
Water Record			Casing				Test of Well Yield					
Water found at Metres	Kind of Water			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass				Static Level				
0.1	Fresh			<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete				Pumping rate - (litres/min)	1		1	
	Sulphur			<input type="checkbox"/> Galvanized				Duration of pumping	2		2	
	Gas			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass				Final water level end of pumping	3		3	
	Salty			<input type="checkbox"/> Plastic <input type="checkbox"/> Concrete				Recommended pump type	4		4	
	Minerals			<input type="checkbox"/> Galvanized				Recommended pump depth	5		5	
	Other:			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass				Recommended pump rate	10		10	
				<input type="checkbox"/> Plastic <input type="checkbox"/> Concrete				(litres/min)	15		15	
				<input type="checkbox"/> Galvanized				If flowing give rate - (litres/min)	20		20	
									25		25	
									30		30	
									40		40	
									50		50	
									60		60	

Plugging and Sealing Record			
Depth set at - Metres From	To	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)
0	1.83	bentonite	0.4

Method of Construction			
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary (air)	<input type="checkbox"/> Diamond	<input type="checkbox"/> Digging
<input type="checkbox"/> Rotary (conventional)	<input type="checkbox"/> Air percussion	<input type="checkbox"/> Jetting	<input type="checkbox"/> Other
<input type="checkbox"/> Rotary (reverse)	<input checked="" type="checkbox"/> Boring	<input type="checkbox"/> Driving	

Water Use	
<input type="checkbox"/> Domestic	<input type="checkbox"/> Industrial
<input type="checkbox"/> Stock	<input type="checkbox"/> Commercial
<input type="checkbox"/> Irrigation	<input type="checkbox"/> Municipal
<input type="checkbox"/> Public Supply	<input checked="" type="checkbox"/> Not used
<input type="checkbox"/> Other	<input type="checkbox"/> Cooling & air conditioning

Final Status of Well	
<input type="checkbox"/> Water Supply	<input type="checkbox"/> Recharge well
<input type="checkbox"/> Observation well	<input type="checkbox"/> Abandoned, insufficient supply
<input checked="" type="checkbox"/> Test Hole	<input type="checkbox"/> Abandoned, poor quality
<input type="checkbox"/> Unfinished	<input type="checkbox"/> Abandoned, (Other)
<input type="checkbox"/> Dewatering	<input type="checkbox"/> Replacement well

Well Contractor/Technician Information	
Name of Well Contractor DST Consulting Engineers Inc	Well Contractor's Licence No. 6838
Business Address (street name, number, city etc.) 605 Hewitson St Thunder Bay Ont P7B5V5	
Name of Well Technician (last name, first name) Wayne Terry	Well Technician's Licence No. T 3236
Signature of Technician/Contractor <i>[Signature]</i>	Date Submitted 2007 05 11

Location of Well	
In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.	
Audit No. 2 70110	Date Well Completed 2007 05 11
Was the well owner's information package delivered? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date Delivered 2007 05 11

Ministry Use Only	
Data Source	Contractor 6838
Date Received MAY 28 2007	Date of Inspection - YYYY MM DD
Remarks	Well Record Number

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Help Desk (Toll Free) at 1-888-396-9355.
- **All metre measurements shall be reported to 1/10th of a metre.**
- Please print clearly in blue or black ink only.

Ministry Use Only										
MUN								CON		LOT

Well Owner's Information and Location of Well Information

First Name Canadian Federation	Last Name of Students	Mailing Address (Street Number/Name, RR, Lot, Concession) 170 Metcalfe St
County/District/Municipality CARLETON	Township/City/Town/Village Ottawa	Province Ontario
Address of Well Location (County/District/Municipality) 338 Somerset St. W., CARLETON		Postal Code K2P 1P3
RR#/Street Number/Name	City/Town/Village Ottawa	Site/Compartment/Block/Tract etc.
GPS Reading	NAD 83	Zone 18
Easting 45602	Northing 50129369	Unit Make/Model Garmin Etrex
Mode of Operation:		<input type="checkbox"/> Undifferentiated <input checked="" type="checkbox"/> Averaged
		<input type="checkbox"/> Differentiated, specify _____

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth	
				From	Metres To
Brn	Topsoil		Sandy Gravel, soft	0	.91
Brn	silt	Sand / clay	fine Sand, dry, soft	.91	1.5
Brn Grey	silt	Clay	Soft, moist	1.5	3.66
Grey	clay	silt	Soft, moist	3.66	6.1
Grey	clay		wet, sticky, soft	6.1	8.23

Hole Diameter			Construction Record				Test of Well Yield					
Depth From	Metres To	Diameter Centimetres	Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down Time min	Water Level Metres	Recovery Time min	Water Level Metres
0	8.23	8.89	3.81	<input checked="" type="checkbox"/> Plastic	0.25	0	4.88	Pump intake set at - (metres)	1		1	
Water Record			Casing				Duration of pumping					
Water found at ___ Metres / Kind of Water			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass				hrs + ___ min					
<input type="checkbox"/> m <input type="checkbox"/> Fresh <input type="checkbox"/> Sulphur			<input type="checkbox"/> Plastic <input type="checkbox"/> Concrete				Final water level end of pumping					
<input type="checkbox"/> Gas <input type="checkbox"/> Salty <input type="checkbox"/> Minerals			<input type="checkbox"/> Galvanized				metres					
Other: _____			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass				Recommended pump type.					
<input type="checkbox"/> m <input type="checkbox"/> Fresh <input type="checkbox"/> Sulphur			<input type="checkbox"/> Plastic <input type="checkbox"/> Concrete				<input type="checkbox"/> Shallow <input type="checkbox"/> Deep					
<input type="checkbox"/> Gas <input type="checkbox"/> Salty <input type="checkbox"/> Minerals			<input type="checkbox"/> Galvanized				Recommended pump depth. ___ metres					
Other: _____			Screen				Recommended pump rate. (litres/min)					
After test of well yield, water was			Outside diam				10					
<input type="checkbox"/> Clear and sediment free			<input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass				15					
<input type="checkbox"/> Other, specify _____			<input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Concrete				20					
Chlorinated <input type="checkbox"/> Yes <input type="checkbox"/> No			Slot No.				25					
			10				30					
			4.88				40					
			8.23				50					
			No Casing or Screen				60					
			<input type="checkbox"/> Open hole									

Plugging and Sealing Record			<input checked="" type="checkbox"/> Annular space	<input type="checkbox"/> Abandonment
Depth set at - Metres From	To	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)	
0	.31	Plushmount / concrete		
.31		Benseal		
		Sand		

Method of Construction			
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Rotary (air)	<input type="checkbox"/> Diamond	<input type="checkbox"/> Digging
<input type="checkbox"/> Rotary (conventional)	<input type="checkbox"/> Air percussion	<input type="checkbox"/> Jetting	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> Rotary (reverse)	<input type="checkbox"/> Boring	<input type="checkbox"/> Driving	Geoprobe

Water Use			
<input type="checkbox"/> Domestic	<input type="checkbox"/> Industrial	<input type="checkbox"/> Public Supply	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> Stock	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used	Monitoring well
<input type="checkbox"/> Irrigation	<input type="checkbox"/> Municipal	<input type="checkbox"/> Cooling & air conditioning	well

Final Status of Well			
<input type="checkbox"/> Water Supply	<input type="checkbox"/> Recharge well	<input type="checkbox"/> Unfinished	<input type="checkbox"/> Abandoned, (Other)
<input checked="" type="checkbox"/> Observation well	<input type="checkbox"/> Abandoned, insufficient supply	<input type="checkbox"/> Dewatering	
<input checked="" type="checkbox"/> Test Hole	<input type="checkbox"/> Abandoned, poor quality	<input type="checkbox"/> Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor STRATA SOIL SAMPLING	Well Contractor's Licence No. 7241
Business Address (street name, number, city etc.) 147 WEST BEAVER CREEK RICHMOND HILL	
Name of Well Technician (last name, first name) FENGLIUS JOAN T-3069	Well Technician's Licence No. T-3069
Signature of Technician/Contractor X	Date Submitted 2007 06 22

Location of Well	
In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.	
Audit No. Z 74024	Date Well Completed 2007 YYYY MM DD 06 22
Was the well owner's information package delivered? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date Delivered YYYY MM DD

Ministry Use Only	
Data Source	Contractor 1241
Date Received JUL 17 2007 YYYY MM DD	Date of Inspection YYYY MM DD
Remarks	Well Record Number

Master Well Owner's and Land Owner's Information

First Name: ALLSTATE INSURANCE COMPANY OF CANADA
Last Name: COMPANY OF CANADA
E-mail Address: [blank]
Mailing Address (Street Number/Name, RR): 612-2446 BANK ST.
Municipality: OTTAWA
Province: ON
Postal Code: K1M 1A8
Telephone No. (inc. area code): [blank]

Location and Construction of the Master Well in the Cluster

Address of Well Location (Street Number/Name, RR): 111 FLORENCE ST.
Township: [blank]
Lot: [blank]
Concession: [blank]
County/District/Municipality: OTTAWA
City/Town/Village: OTTAWA
Province: Ontario
Postal Code: [blank]
UTM Coordinates: NAD 83 Zone Easting 184400 Northing 535600
GPS Unit Make: GARMIN Model: ETREX
Mode of Operation: Undifferentiated Averaged

Overburden and Bedrock Materials (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (Metres) From	Depth (Metres) To
BLN	FILL	GRAVEL/SAND	DENSE	0	0.61
BRN	CLAY	SILT.	DENSE	0.61	1.5
GRY	CLAY	SILT.	WET.	1.5	2.74

Hole Details

Depth (Metres) From	Depth (Metres) To	Diameter (Centimetres)
0	2.74	6.03

Water Use

Public Industrial Not used Other, specify
 Domestic Commercial Dewatering
 Livestock Municipal Monitoring
 Irrigation Test Hole Cooling & Air Conditioning

Method of Construction

Cable Tool Air Percussion Digging
 Rotary (Conventional) Diamond Boring
 Rotary (Reverse) Jetting Other, specify
 Rotary (Air) Driving **ELECTRIC BOSH**

Status of Well

Test Hole Abandoned, Insufficient Supply
 Replacement Well Abandoned, Poor Water Quality
 Dewatering Well Other, specify
 Alteration (Construction) Abandoned, other, specify

No Casing and Screen Used Yes No

Static Water Level Test [] Metres

Screen

Galvanized Steel Fibreglass Concrete Plastic

Outside Diameter (Centimetres): 4.21
Slot No.: 10

Construction Details

Inside Diameter (Centimetres)	Material (steel, plastic, fibreglass, concrete, galvanized)	Wall Thickness	Depth (Metres) From	Depth (Metres) To
3.45	PLASTIC RISER	.356	0	1.22
3.45	PLASTIC SCREEN	.356	1.22	2.74

Water Details

Water found at Depth [] Metres Gas Fresh Salty Sulphur Minerals

Water found at Depth [] Metres Gas Fresh Salty Sulphur Minerals

Water found at Depth [] Metres Gas Fresh Salty Sulphur Minerals

Annular Space/Abandonment Sealing Record

Depth Set at (Metres) From	Depth Set at (Metres) To	Type of Sealant Used (Material and Type)	Volume Used (Cubic Metres)
0	0.3	CONCRETE	
0.3	0.91	BENTONITE	
0.91	2.74	SAND	

Disinfected Yes No If no, provide reason: [blank] Date Master Well Completed (yyyy/mm/dd): 09/03/16

Cluster Information (Please also fill out the additional Cluster Well Information for Well Construction for each parcel of land and cluster.)

Total Wells in Cluster: 4
Please indicate Number of Cluster Well Information Log Sheets Submitted: 1

Total Wells on this Property: 4

Location of Well Cluster

Detailed Map must be provided as an attachment no larger than legal size (8.5" x 14"). Sketches are not allowed.
 Check box to confirm detailed map is provided as per Section 11.1 (3)

Consent to release additional information concerning the cluster to the Director upon request

Signature of Technician/Contractor: [blank] Date (yyyy/mm/dd): [blank]

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Soil Sampling Inc. Well Contractor's Licence No.: 7241
 Business Address (Street No./Name, number, RR): 147-2 West Beaver Creek Road Municipality: Richmond Hill
 Province: Ontario Postal Code: L4B 1C6 Business E-mail Address: wrecords@stratasoil.com
 Bus. Telephone No. (inc. area code): 905-764-9304 Name of Well Technician (Last Name, First Name): Mike Brown
 Well Technician's Licence No.: T+2977 Signature of Technician: [Signature] Date Submitted (yyyy/mm/dd): 2009/03/24

Remarks

M 04383
 Date Received (yyyy/mm/dd): APR 29 2009
 Date of Inspection (yyyy/mm/dd): [blank]

A 077999
 (Print Well Tag No.)
 A077999

Cluster Well Information for Cluster Well Construction

Regulation 903 Ontario Water Resources Act

6229 Page 2 of 3

Property Owner's Information

First Name: Allstate Insurance Company of Canada
 Last Name: [Redacted]
 Mailing Address (Street No./Name, RR): 612-2446 Bank St.
 Municipality: Ottawa
 Province: ON
 Postal Code: K1V1A8
 E-mail Address: [Redacted]
 Telephone No. (inc. area code): [Redacted]

Corporation Name: [Redacted]
 Project Name: [Redacted]
 Signature: [Redacted]

Cluster Well Information

Address of Well Location (Street Number/Name, RR): 111 Florence St.
 Lot: [Redacted]
 Concession: [Redacted]
 Township: [Redacted]
 County/District/Municipality: [Redacted]
 City/Town/Village: Ottawa
 Province: Ontario
 Postal Code: [Redacted]
 GPS Unit Make: Garmin
 Model: Etrex
 Unit Mode of Operation: Undifferentiated Averaged
 Differentiated, specify: [Redacted]

Signature of Technician/Contractor: [Signature]
 Date (yyyy/mm/dd): March 16/09

Well # on Sketch	UTM Coordinates		Full Depth of Hole (metres)	Hole Diameter (cm)	Method of Construction	Casing Material	Casing Length (metres)	Screen Interval (metres)		Annular Space Sealant Used	Static Water Level (metres)	Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
	Zone	Easting						Northing	From					
2	18	4453535028096	2.44	5.71	Direct Push	PVC	.91	.91	2.44	Benseal				2009/03/16
3	18	4458965028853	"	"	"	"	"	"	"	"				"
4	18	4453435028848	"	"	"	"	"	"	"	"				"


Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Soil Sampling Inc.
 Business Address (Street Number/Name, RR): 147-2 West Beaver Creek Road
 Municipality: Richmond Hill
 Province: Ontario
 Postal Code: L4B 1G6
 Business Telephone No. (inc. area code): 905-764-9304
 Well Contractor's Licence No.: 7241
 Business E-mail Address: wrecords@stratasoil.com
 Name of Well Technician (First Name, Last Name): Mike Brown
 Well Technician's Licence No.: T-2917
 Date Submitted (yyyy/mm/dd): 2009/03/24
 Signature of Technician: [Signature]

Date 1st Well in Cluster Constructed (yyyy/mm/dd): 2009/03/16
 Date Last Well in Cluster Constructed (yyyy/mm/dd): 2009/03/16


Ministry Use Only

Date Received (yyyy/mm/dd): APR 29 2009
 Date Inspected (yyyy/mm/dd): [Redacted]
 Audit No.: c05057
 Remarks: m04383



10m

445353
5028896



7m

LYON ST

445343
5028846

445350
5028853

445356
5028893

CLORANCE ST.

APR 29 2009

C-7241
M04383
C05057

Address of Well Location (Street Number/Name, RR) **203 Catherine st.** Township _____ Lot _____ Concession _____
 County/District/Municipality _____ City/Town/Village **Ottawa** Province **Ontario** Postal Code _____

UTM Coordinates Zone Easting Northing GPS Unit Make Model Mode of Operation: Undifferentiated Averaged
 NAD 83 **18445876 5028803** **Garmin** **Etrex** Differentiated, specify _____

Overburden and Bedrock Materials (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (Metres)	
				From	To
Brn	Gravel	Sand	soft, dry	0	1.22
Gry	clay		soft,	1.22	3.66
Gry	clay		soft, wet	3.66	6.1

Hole Details

Depth (Metres)		Diameter (Centimetres)
From	To	
0	6.1	8.25

Water Use

Public Industrial Not used Other, specify _____
 Domestic Commercial Dewatering
 Livestock Municipal Monitoring
 Irrigation Test Hole Cooling & Air Conditioning

Method of Construction

Cable Tool Air Percussion Digging
 Rotary (Conventional) Diamond Boring
 Rotary (Reverse) Jetting Other, specify _____
 Rotary (Air) Driving **Direct Pory**

Status of Well

Test Hole Abandoned, Insufficient Supply
 Replacement Well Abandoned, Poor Water Quality
 Dewatering Well Other, specify _____
 Alteration (Construction) Abandoned, other, specify _____

No Casing and Screen Used Yes No

Static Water Level Test _____ Metres

Screen

Galvanized Steel Fibreglass Concrete Plastic
 Outside Diameter (Centimetres) **4.82** Slot No. **10**

Water Details

Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals

Disinfected Yes No If no, provide reason: _____ Date Master Well Completed (yyyy/mm/dd) **2010/07/19**

Cluster Information (Please also fill out the additional Cluster Well Information for Well Construction for each parcel of land and cluster.)

Total Wells in Cluster **6** Please indicate Number of Cluster Well Information Log Sheets Submitted **1**
 Total Wells on this Property **6**

Location of Well Cluster

Detailed Map must be provided as an attachment no larger than legal size (8.5" x 14"). Sketches are not allowed.
 Check box to confirm detailed map is provided as per Section 11.1 (3)
 Consent to release additional information concerning the cluster to _____

Construction Details

Inside Diameter (Centimetres)	Material (steel, plastic, fibreglass, concrete, galvanized)	Wall Thickness	Depth (Metres)	
			From	To
4.03	PVC Riser	.368	0	1.5
	PVC Screen		1.5	6.1

Annular Space/Abandonment Sealing Record

Depth Set at (Metres)		Type of Sealant Used (Material and Type)	Volume Used (Cubic Metres)
From	To		
0	.31	Concrete / Plush mount	
.31	1.22	Benseal	
1.22	6.1	Sand	

Well Contractor and Well Technician Information

Business Name of Well Contractor **Strata Soil Sampling** Well Contractor's Licence # **7241**
 Business Address (Street No./Name, number, RR) **#2-147 West Beaver Creek** Municipality **Richmond Hill**
 Province **ON** Postal Code **L4B1C6** Business E-mail Address **wrecords@stratasoil.com**
 Bus. Telephone No. (inc. area code) **(905) 764 9304** Name of Well Technician (Last Name, First Name) **Maig, Mike**
 Well Technician's Licence No. **3448** Signature of Technician **[Signature]** Date Submitted (yyyy/mm/dd) **2010/08/10**

Ministry Use Only

Audit No. **M 05285** Well Contractor No. _____
 Date Received (yyyy/mm/dd) **AUG 05 2010** Date of Inspection (yyyy/mm/dd) _____
 Remarks _____

Address of Well Location (Street Number/Name, RR) 203 Catherine St Lot _____ Concession _____ Township _____ County/District/Municipality Ottawa

City/Town/Village Ottawa Province Ontario Postal Code _____ GPS Unit Make Garmin Model Etrex Unit Mode of Operation Undifferentiated Averaged Differentiated, specify: _____

Signature of Technician/Contractor _____ Date (yyyy/mm/dd) _____

Well # on Sketch	Zone	UTM Coordinates		Full Depth of Hole (metres)	Hole Diameter (cm)	Method of Construction	Casing Material	Casing Length (metres)	Screen Interval (metres)		Annular Space Sealant Used	Static Water Level (metres)	Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
		Easting	Northing						From	To					
2	18	4458735028794	6.1	8.25	Direct Push	PVC	1.5	1.5	6.1	Benseal				2010/07/19	
3	18	4458655028783	6.1	8.25	Direct Push	PVC	1.5	1.5	6.1	Benseal				2010/07/19	
4	18	4458535028785	6.1	8.25	Direct Push	PVC	1.5	1.5	6.1	Benseal				2010/07/19	
5	18	4458465028776	6.1	8.25	Direct Push	PVC	1.5	1.5	6.1	Benseal				2010/07/19	
6	18	4458415028756	6.1	8.25	Direct Push	PVC	1.5	1.5	6.1	Benseal				2010/07/19	

Well Contractor and Well Technician Information

Business Name of Well Contractor Strata Soil Sampling Business Address (Street Number/Name, RR) #2-147 West Beaver Creek Municipality Richmond Hill Province ON

Postal Code L4B 1C6 Business Telephone No. (inc. area code) (905) 764-9304 Well Contractor's Licence No. 7241 Business E-mail Address _____

Name of Well Technician (First Name, Last Name) Mike Muir Well Technician's Licence No. 3448 Date Submitted (yyyy/mm/dd) 2010/08/10 Signature of Technician [Signature]

Date 1st Well in Cluster Constructed (yyyy/mm/dd) 2010/17/19 Date Last Well in Cluster Constructed (yyyy/mm/dd) 2010/17/19

Ministry Use Only


Date Received (yyyy/mm/dd) AUG 05 2010 Date Inspected (yyyy/mm/dd) _____

Audit No. C 03811 Remarks M05285

ATTN: [REDACTED]

pg 3 of 3
7628

NEED FULL BLDG PERIMETER SCAN & NET NW CORNERS



ALL 6 - PILES, VOCs
2 - METALS.



PROJECT NAME		PHASE I ENVIRONMENTAL SITE ASSESSMENT	
CLIENT NAME		HUNTINGTON PROPERTIES INC.	
PROJECT LOCATION		203 CATHERINE STREET, OTTAWA, ONTARIO	
DRAWING NAME		SITE AND SURROUNDING LAND USE PLAN	
SCALE	PROJECT NO.	DATE	DRAWING NO. FIG. 2
NTS	59603	JUNE 2010	

C-7241 m08285
C03811

AUG 05 2010

Master Well Owner's and Land Owner's Information

First Name: Toth Equity Limited Last Name: _____ E-mail Address: _____
 Mailing Address (Street Number/Name, RR): 4000-381 Kent Street Municipality: Ottawa Province: ON Postal Code: K2P2A8 Telephone No. (inc. area code): (613) 241-6380

Location and Construction of the Master Well in the Cluster

Address of Well Location (Street Number/Name, RR): 381 Kent st. Township: _____ Lot: _____ Concession: _____
 County/District/Municipality: _____ City/Town/Village: Ottawa Province: **Ontario** Postal Code: _____
 UTM Coordinates: Zone 18 Easting 445491 Northing 5029035 GPS Unit Make: Garmin Model: Etrex Mode of Operation: Undifferentiated Averaged Differentiated, specify _____

Overburden and Bedrock Materials (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (Metres)	
				From	To
Brown	Sand	fill	soft, dry	0	1.22
Grey	Clay		soft, dry	1.22	3.96
Grey	Clay		soft, wet	3.96	6.1

Hole Details

Depth (Metres)		Diameter (Centimetres)
From	To	
0	6.1	8.25

Water Use

Public Industrial Not used Other, specify _____
 Domestic Commercial Dewatering
 Livestock Municipal Monitoring
 Irrigation Test Hole Cooling & Air Conditioning

Method of Construction

Cable Tool Air Percussion Digging
 Rotary (Conventional) Diamond Boring
 Rotary (Reverse) Jetting Other, specify Direct Push
 Rotary (Air) Driving

Status of Well

Test Hole Abandoned, Insufficient Supply
 Replacement Well Abandoned, Poor Water Quality
 Dewatering Well Other, specify _____
 Alteration (Construction) Abandoned, other, specify _____

No Casing and Screen Used Yes No

Static Water Level Test _____ Metres

Screen

Galvanized Steel Fibreglass Concrete Plastic
 Outside Diameter (Centimetres): 4.82 Slot No.: 10

Construction Details

Inside Diameter (Centimetres)	Material (steel, plastic, fibreglass, concrete, galvanized)	Wall Thickness	Depth (Metres)	
			From	To
4.03	PVC Riser	.368	0	3.1
	PVC screen		3.1	6.1

Water Details

Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals

Annular Space/Abandonment Sealing Record

Depth Set at (Metres)		Type of Sealant Used (Material and Type)	Volume Used (Cubic Metres)
From	To		
0	.31	Concrete / Flushmount	
.31	2.74	Benseal	
2.74	6.1	Sand	

Disinfected Yes No If no, provide reason: _____ Date Master Well Completed (yyyy/mm/dd): 2010/12/02

Cluster Information (Please also fill out the additional Cluster Well Information for Well Construction for each parcel of land and cluster.)

Total Wells in Cluster: 3 Please indicate Number of Cluster Well Information Log Sheets Submitted: 1
 Total Wells on this Property: 3

Location of Well Cluster

Detailed Map must be provided as an attachment no larger than legal size (8.5" x 14"). Sketches are not allowed.
 Check box to confirm detailed map is provided as per Section 11.1 (3)


Consent to release additional information concerning the cluster to _____

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Soil Sampling Inc Well Contractor's Licence No.: 7121411
 Business Address (Street No./Name, number, RR): 147-2 West Beaver Creek Rd Municipality: Richmond Hill
 Province: Ontario Postal Code: L4B1K6 Business E-mail Address: wrecords@stratasoil.com
 Bus. Telephone No. (inc. area code): 905-764-9304 Name of Well Technician (Last Name, First Name): Beatty Brian
 Well Technician's Licence No.: 316110 Signature of Technician: _____ Date Submitted (yyyy/mm/dd): _____

Ministry Use Only

Audit No.: M 03242 Well Contractor No.: _____
 Date Received (yyyy/mm/dd): JAN 17 2011 Date of Inspection (yyyy/mm/dd): _____
 Remarks: _____



BH10-1 & BH10-2 to address the UST oil base & printing facility previously located at 50 & 52 James Street
 BH103 - to address dry cleaning facilities prev. located at 80-100 m NE of site

← 241 m03202
 C05908

JAN 14 2011

Well Location

Address of Well Location (Street Number/Name) 320 Gilmour St.		Township	Lot	Concession
County/District/Municipality		City/Town/Village Ottawa	Province Ontario	Postal Code
UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number
NAD 83	18	445564	5029134	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
Bm	Gravel	Sand	soft, dry	0	.91
Gry	Clay	Silt	soft, wet	.91	3.96

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 to .31	Concrete / Flushmount	
.31 to .91	Benseal	
.91 to 3.96	Sand	

Results of Well Yield Testing				
After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Static Level	1		1	
	2		2	
Pump intake set at (m/ft)	3		3	
Pumping rate (l/min / GPM)	4		4	
Duration of pumping ____ hrs + ____ min	5		5	
Final water level end of pumping (m/ft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
Recommended pump rate (l/min / GPM)	30		30	
Well production (l/min / GPM)	40		40	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	50		50	
	60		60	

Method of Construction		Well Use		
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial		
<input checked="" type="checkbox"/> Other, specify <u>D.P.</u>		<input type="checkbox"/> Other, specify _____		

Construction Record - Casing			Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	
			From	To
3.45	PVC	.356	0	.91

Construction Record - Screen				Status of Well
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
4.21	PVC	10	.91	3.96

Water Details		Hole Diameter		
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	Depth (m/ft)	Diameter (cm/in)	
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	From	To	
		0	3.96	5.71

Well Contractor and Well Technician Information			
Business Name of Well Contractor strata Soil Sampling		Well Contractor's Licence No. 7 2 4 1	
Business Address (Street Number/Name) 147-2 W. Beaver creek		Municipality Richmond Hill	
Province ON	Postal Code L4B1C6	Business E-mail Address wrecords@stratasoil.com	

Bus. Telephone No. (inc. area code) 905 764 9304	Name of Well Technician (Last Name, First Name) Beatty Brian		
Well Technician's Licence No. 36 1 6	Signature of Technician and/or Contractor 	Date Submitted 2012 01 24	

Map of Well Location

Please provide a map below following instructions on the back.

Comments:

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered	Ministry Use Only	
		YYYYMMDD 20120124	Audit No. Z145266



Ministry of the Environment

Well Tag No. (Place Sticker and/or Print Below)

A106637

A106637

S12067

Well Record

Regulation 903 Ontario Water Resources Act

Page 3 of 3

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name: Minto Apartments Last Name / Organization: [Redacted] E-mail Address: [Redacted] Well Constructed by Well Owner

Mailing Address (Street Number/Name): 1051 Baxter Rd Suite 22B Municipality: Ottawa Province: ON Postal Code: K2C3P2 Telephone No. (inc. area code): [Redacted]

Well Location

Address of Well Location (Street Number/Name): 320 Gilmour St. Township: [Redacted] Lot: [Redacted] Concession: [Redacted]

County/District/Municipality: [Redacted] City/Town/Village: Ottawa Province: Ontario Postal Code: [Redacted]

UTM Coordinates: Zone 18 Easting 445564 Northing 5029134 Municipal Plan and Sublot Number: [Redacted] Other: [Redacted]

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
Brn	Gravel	Sand	soft, dry	0	1.22
Gry	Clay	Silt	soft, wet	1.22	4.27

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 - 0.31	Concrete / Plushmount	
0.31 - 0.91	Benseal	
0.91 - 4.27	Sand	

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
<input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____				
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
	4		4	
Duration of pumping _____ hrs + _____ min	5		5	
Final water level end of pumping (m/ft)	10		10	
	15		15	
If flowing give rate (l/min / GPM)	20		20	
	25		25	
Recommended pump depth (m/ft)	30		30	
Recommended pump rate (l/min / GPM)	40		40	
Well production (l/min / GPM)	50		50	
	60		60	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No				

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial
 Other, specify D.P. Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
3.45	Pvc	3.56	0	1.22	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
4.21	Pvc	10	1.22	4.27

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft)	Diameter (cm/in)
		From	To
		0	4.27
			5.71

Well Contractor and Well Technician Information

Business Name of Well Contractor: strata soil sampling Well Contractor's Licence No.: 721411

Business Address (Street Number/Name): 147-2 W. Beaver creek Municipality: Richmond Hill

Province: ON Postal Code: L4B1C6 Business E-mail Address: wrecords@stratasoil.com

Bys. Telephone No. (inc. area code): 9057649304 Name of Well Technician (Last Name, First Name): Beatty Brian

Well Technician's Licence No.: 3616 Signature of Technician and/or Contractor: [Signature] Date Submitted: 2012/01/24

Map of Well Location

Please provide a map below following instructions on the back.

Comments:

Well owner's information package delivered: Yes No

Date Package Delivered: 2012/01/24

Date Work Completed: 2012/01/24

Ministry Use Only

Audit No.: Z145265

Received: 2012/01/24

Measurements recorded in: Metric Imperial

Well Owner's Information

Last Name / Organization: **C/O Minto Apartments Ltd.** E-mail Address: _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name): **1051 Baxter Rd Suite 22 B** Municipality: **Ottawa** Province: **ON** Postal Code: **K2L3P2** Telephone No. (inc. area code): _____

Well Location

Address of Well Location (Street Number/Name): **21 James St.** Township: _____ Lot: _____ Concession: _____

County/District/Municipality: _____ City/Town/Village: **Ottawa** Province: **Ontario** Postal Code: _____

UTM Coordinates: Zone **18** Easting **445594** Northing **5029121** Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
Brown	Clay	soft	soft	0	1.5
Grey	clay		soft, wet	1.5	4.57

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From: 0 To: 0.31	Concrete / flushmount	
0.31 To: 1.22	Benseal	
1.22 To: 4.57	Sand	

Method of Construction

Cable Tool Diamond Public Commercial Not used

Rotary (Conventional) Jetting Domestic Municipal Dewatering

Rotary (Reverse) Driving Livestock Test Hole Monitoring

Boring Digging Irrigation Cooling & Air Conditioning

Air percussion Industrial Other, specify _____

Other, specify **D.P.**

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
3.45	PVC	.345	0	1.5	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		Status of Well
			From	To	
4.21	PRC	10	1.5	4.57	<input type="checkbox"/> Other, specify _____

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Depth (m/ft)	Diameter (cm/in)
0		0	4.57
4.57		4.57	5.71

Well Contractor and Well Technician Information

Business Name of Well Contractor: **Strata Drilling Group** Well Contractor's Licence No.: **72411**

Business Address (Street Number/Name): **147-2 W. Beaver creek** Municipality: **Richmond Hill**

Province: **ON** Postal Code: **L4B1C6** Business E-mail Address: **wrecords@stratasoil.com**

Bus. Telephone No. (inc. area code): **9057649304** Name of Well Technician (Last Name, First Name): **Beatty Brian**

Well Technician's Licence No.: **3616** Signature of Technician and/or Contractor: _____ Date Submitted: **20120727**

Results of Well Yield Testing

After test of well yield, water was: Clear and sand free Other, specify _____

If pumping discontinued, give reason: _____

Pump intake set at (m/ft): _____

Pumping rate (l/min / GPM): _____

Duration of pumping: _____ hrs + _____ min

Final water level end of pumping (m/ft): _____

If flowing give rate (l/min / GPM): _____


Recommended pump depth (m/ft): _____

Recommended pump rate (l/min / GPM): _____

Well production (l/min / GPM): _____

Disinfected? Yes No

Time (min)	Draw Down		Recovery	
	Water Level (m/ft)	Time (min)	Water Level (m/ft)	Time (min)
Static Level				
1		1		
2		2		
3		3		
4		4		
5		5		
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		



Comments: _____

Well owner's information package delivered: Yes No

Date Package Delivered: **20120726**

Date Work Completed: **20120726**

Ministry Use Only

Audit No.: **2152937**

Received: **SEP 04 2012**

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name: CITY OF OTTAWA
 Last Name / Organization: COLAUTTI CONSTRUCTION LIMITED
 E-mail Address: _____
 Mailing Address (Street Number/Name): 2562 DEL ZOTTO AVENUE
 Municipality: OTTAWA Province: ONT Postal Code: K1H3V7
 Telephone No. (inc. area code): _____

Well Location

Address of Well Location (Street Number/Name): GLADSTONE AVENUE
 Township: OTTAWA Lot: _____ Concession: _____
 County/District/Municipality: OTTAWA-CARLETON City/Town/Village: OTTAWA
 Province: Ontario Postal Code: _____
 UTM Coordinates: Zone: NAD 83 Easting: 18445852 Northing: 5029045
 Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From To
			2" ABANDONMENT - MONITORING WELL	0' 20'
			* BOREHOLE #12-3	

Annular Space

Depth Set at (m/ft) From To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
20' 2'	3/8 HOLE PLUG	1 BAG
2' 0'	BACK FILL	

Results of Well Yield Testing

After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Pump intake set at (m/ft) Pumping rate (l/min / GPM) Duration of pumping _____ hrs + _____ min Final water level end of pumping (m/ft) If flowing give rate (l/min / GPM) Recommended pump depth (m/ft) Recommended pump rate (l/min / GPM) Well production (l/min / GPM)	Static Level			
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
	10		10	
	15		15	
	20		20	
	25		25	
	30		30	
	40		40	
	50		50	
	60		60	

Method of Construction

<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial		
<input type="checkbox"/> Other, specify _____		<input type="checkbox"/> Other, specify _____		

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
					<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input checked="" type="checkbox"/> Abandoned, other, specify ROAD CONSTRUCTION <input type="checkbox"/> Other, specify _____

Construction Record - Screen


Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		Status of Well
			From	To	
					<input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input checked="" type="checkbox"/> Abandoned, other, specify ROAD CONSTRUCTION <input type="checkbox"/> Other, specify _____

Water Details

Water found at Depth (m/ft)	Kind of Water:	Depth (m/ft)	Diameter (cm/in)
	<input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	From To	
	<input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____		
	<input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____		

Well Contractor and Well Technician Information

Business Name of Well Contractor: AIR ROCK DRILLING CO. LTD
 Well Contractor's Licence No.: 111119
 Business Address (Street Number/Name): 6659 FRANKTOWN ROAD
 Municipality: RICHMOND
 Province: ONT Postal Code: K0A1A20
 Business E-mail Address: _____
 Bus. Telephone No. (inc. area code): 613-838-2170
 Name of Well Technician (Last Name, First Name): DESAULNIERS, KEN
 Well Technician's Licence No.: T4
 Signature of Technician and/or Contractor: _____
 Date Submitted: 2013/09/30



Comments: _____

Well owner's information package delivered <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date Package Delivered: 2013/09/25 Date Work Completed: 2013/09/25	Ministry Use Only Audit No.: z155230 NOV 12 2013
--	---	---



Measurements recorded in: Metric Imperial

Page _____ of _____

N/A

Well Owner's Information

First Name: CITY OF OTTAWA, Last Name / Organization: COLAOTTI CONSTRUCTION LIMITED, E-mail Address: [blank], Mailing Address: 2562 DELZOTTO AVENUE, Municipality: OTTAWA, Province: ONT, Postal Code: K1M1Z1V7, Telephone No. [blank]

Well Location

Address of Well Location: GLADSTONE AVENUE, Township: OTTAWA, Lot: [blank], Concession: [blank], County/District/Municipality: OTTAWA-CARLETON, City/Town/Village: OTTAWA, Province: Ontario, Postal Code: [blank], UTM Coordinates: NAD 83, Zone 18, Easting 445914, Northing 5029087, Municipal Plan and Sublot Number: [blank]

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with 5 columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From/To. Entry: 2" ABANDONMENT - MONITORING WELL, 0' 20', * BOREHOLE # 12-4

Annular Space table with 3 columns: Depth Set at (m/ft) From/To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³). Entries: 20' 2' 3/8 HOLE PLUG 1 BAG, 2' 0' BACK FILL

Results of Well Yield Testing table with 4 columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes rows for static level, pump intake, pumping rate, duration, final water level, and recommended pump depth/rate.


Method of Construction and Well Use checkboxes. Method of Construction includes Cable Tool, Rotary, Boring, etc. Well Use includes Public, Commercial, Domestic, etc.

Construction Record - Casing and Status of Well. Casing table has columns for Inside Diameter, Material, Wall Thickness, Depth. Status of Well includes Water Supply, Replacement Well, etc.

Construction Record - Screen table with columns for Outside Diameter, Material, Slot No., Depth. Status of Well includes Abandoned, Insufficient Supply, etc.

Water Details and Hole Diameter tables. Water Details has columns for Depth, Kind of Water. Hole Diameter has columns for Depth, Diameter.

Well Contractor and Well Technician Information. Business Name: AIR ROCK DRILLING CO. LTD., Business Address: 6659 FRANKTOWN ROAD, Municipality: RICHMOND, Province: ONT, Postal Code: K0A2R0, Name of Well Technician: DESAULNIERS, KEN



Well owner's information package delivered (Yes/No), Date Package Delivered, Date Work Completed, Well Technician's Licence No., Signature of Technician, Date Submitted.

Ministry Use Only section with Audit No. 2155043 and date NOV 12 2013.

Measurements recorded in: Metric Imperial

Page _____ of _____

Well Owner's Information

First Name _____ Last Name / Organization District Realty Corporation E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) 50 Bauswater Avenue Municipality Ottawa Province ON Postal Code K1H4Z6 Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 384 McLaurin Rd. Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province Ontario Postal Code _____

UTM Coordinates Zone Easting Northing Municipal Plan and Sublot Number Other

NAD 83 18 445546 5029231

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
<u>BRN</u>	<u>concrete</u>	<u>gravel</u>	<u>hard</u>	<u>0</u>	<u>3.1</u>
<u>BRN</u>	<u>sand</u>	<u>gravel</u>	<u>loose</u>	<u>3.1</u>	<u>2.13</u>
<u>GRY</u>	<u>clay</u>	<u>silt</u>	<u>soft</u>	<u>2.13</u>	<u>6.1</u>

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
From	To	
<u>0</u>	<u>concrete / flush mount</u>	
<u>3.1</u>	<u>benfonite</u>	
<u>2.79</u>	<u>6.1</u>	<u>filter sand</u>

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
<input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____				
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
Duration of pumping _____ hrs + _____ min	4		4	
Final water level end of pumping (m/ft)	5		5	
	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
Recommended pump rate (l/min / GPM)	30		30	
Well production (l/min / GPM)	40		40	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	50		50	
	60		60	

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial
 Other, specify Direct Push Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
<u>3.45</u>	<u>PVC</u>	<u>3.56</u>	<u>0</u>	<u>3.1</u>	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
<u>4.21</u>	<u>PVC</u>	<u>10</u>	<u>3.1</u>	<u>6.1</u>

Water Details

Water found at Depth (m/ft)	Kind of Water:	Hole Diameter
	<input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Depth (m/ft) From To Diameter (cm/in)
		<u>0</u> <u>6.1</u> <u>5.71</u>

Well Contractor and Well Technician Information

Business Name of Well Contractor Strata Drilling Group Well Contractor's Licence No. 7241

Business Address (Street Number/Name) 147 West Beaver Creek Richmond Hill Municipality _____

Province ON Postal Code L4B1G6 Business E-mail Address records@strataoil.com

Bus. Telephone No. (inc. area code) 905-764-9304 Name of Well Technician (Last Name, First Name) M. C. JAMES

Well Technician's Licence No. 3656 Signature of Technician and/or Contractor _____ Date Submitted 20131015

Map of Well Location

Please provide a map below following instructions on the back.

Comments: _____

Well owner's information package delivered Yes No

Date Package Delivered _____

Date Work Completed 20131015

Ministry Use Only

Audit No. Z177968

Received NOV 28 2013

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name	Last Name / Organization District Realty Corporation	E-mail Address	<input type="checkbox"/> Well Constructed by Well Owner
Mailing Address (Street Number/Name) 50 Baywater Avenue		Municipality Ottawa	Province ON
		Postal Code K1H4Z9E9	Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name) 384 McLawren Rd.		Township	Lot	Concession
County/District/Municipality		City/Town/Village Ottawa	Province Ontario	Postal Code
UTM Coordinates	Zone	Easting	Northing	
NAD 83	18	445561	5029227	
Municipal Plan and Sublot Number			Other	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BRN	concrete	gravel	hard	0	3.1
BRN	sand	gravel	soft, loose	3.1	1.82
GRY	clay	silt	soft	1.82	4.57

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 - 3.1	concrete/brushment	
3.1 - 2.77	bentonite	
2.77 - 4.57	filter sand	

Results of Well Yield Testing				
After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Pump intake set at (m/ft) Pumping rate (l/min / GPM) Duration of pumping _____ hrs + _____ min Final water level end of pumping (m/ft) If flowing give rate (l/min / GPM) Recommended pump depth (m/ft) Recommended pump rate (l/min / GPM) Well production (l/min / GPM) Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	Static Level			
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Method of Construction		Well Use		
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input checked="" type="checkbox"/> Test Hole	<input type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input type="checkbox"/> Air percussion	<input checked="" type="checkbox"/> Direct Push	<input type="checkbox"/> Industrial		
<input checked="" type="checkbox"/> Other, specify _____		<input type="checkbox"/> Other, specify _____		

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____
			From	To	
3.45	PVC	3.56	0	3.1	

Construction Record - Screen					
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		<input type="checkbox"/> Other, specify _____
			From	To	
4.24	PVC	10	3.1	4.57	

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Depth (m/ft)	Diameter (cm/in)
		From: 0 To: 5.71	4.57

Well Contractor and Well Technician Information			
Business Name of Well Contractor Strata Drilling Group		Well Contractor's Licence No. 7241	
Business Address (Street Number/Name) 147 West Beaver Creek		Municipality Richmond Hill	
Province ON	Postal Code L4B1G6	Business E-mail Address wrecords@stratasoil.com	
Bus. Telephone No. (inc. area code) 905764-4304	Name of Well Technician (Last Name, First Name) McLay, James		
Well Technician's Licence No. 3658	Signature of Technician and/or Contractor 		Date Submitted 20131015

Map of Well Location

Please provide a map below following instructions on the back.

Comments:

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
<input type="checkbox"/> Yes <input type="checkbox"/> No	YYYYMMDD 20131015	Audit No. Z177967
	Date Work Completed	NOV 28 2013



Measurements recorded in: Metric Imperial

Page of

N/A

Well Owner's Information

First Name: CITY OF OTTAWA, Last Name / Organization: Colautti Construction Limited, Mailing Address: 2562 Dalzotto Avenue, Ottawa, Ontario, Postal Code: K1T 3V7

Well Location

Address of Well Location: GLADSTONE AVENUE, Township: OTTAWA, County/District/Municipality: OTTAWA-CARLETON, Province: Ontario, UTM Coordinates: NAD 83 18 445766 5628987

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft). Entry: 2" Monitoring Well Abandonment, Depth 0' to 20'. Includes handwritten notes: * Borehole 12-1 * and * Contract 13179-1SD# 13-5116 *

Annular Space table with columns: Depth Set at (m/ft) From/To, Type of Sealant Used, Volume Placed (m³/ft³). Entries: 20' to 2' 3/8 Hole Plug, 2' to 0' Back Fill, 1 Bag.

Results of Well Yield Testing table with columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes a large diagonal line through the table.


Method of Construction and Well Use checkboxes. Method of Construction includes Cable Tool, Rotary, Boring, etc. Well Use includes Public, Commercial, Domestic, etc.

Construction Record - Casing table with columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth (m/ft), Status of Well. Status of Well includes Water Supply, Replacement Well, etc.

Construction Record - Screen table with columns: Outside Diameter, Material, Slot No., Depth (m/ft). Includes handwritten note: CONSTRUCTION.

Water Details and Hole Diameter tables. Water Details includes Water found at Depth, Kind of Water. Hole Diameter includes Depth (m/ft), Diameter (cm/in).

Well Contractor and Well Technician Information. Business Name: Rock Drilling Co Ltd, Well Contractor's Licence No.: 1119, Well Technician: Desautiers Ken, Date Submitted: 20140530.



Comments: Borehole 12-1. Ministry Use Only section with Audit No. Z166933 and date JUN 24 2014.



Measurements recorded in: Metric Imperial

A173760

5-6268 Page ____ of ____

Well Owner's Information

First Name, Last Name / Organization (1618721 Ontario Inc. The Hair Loft / Le Spa), E-mail Address, Mailing Address (429 MacLaren Street), Municipality (Ottawa), Province (ON), Postal Code (K2P 0M7), Telephone No. (613) 232-0202

Well Location

Address of Well Location (429 MacLaren), Township, Lot, Concession, City/Town/Village (Ottawa), Province (Ontario), Postal Code, UTM Coordinates (NAD 83: 189453995029205)

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with 5 columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From/To. Rows include Fill, Silty Sand, Silty Clay, and Clay.

Annular Space table with 4 columns: Depth Set at (m/ft) From/To, Type of Sealant Used, Volume Placed (m³/ft³). Rows include Concrete/Flushmount, Bentonite, and Sand.

Method of Construction and Well Use checkboxes. Includes Rotary (Conventional), Jetting, Driving, Digging, and various well uses like Domestic, Commercial, etc.


Construction Record - Casing table with 5 columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From/To, Status of Well. Includes PVC casing from 0 to 3.1 m.

Construction Record - Screen table with 5 columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From/To, Status of Well. Includes PVC screen from 3.1 to 6.1 m.

Water Details and Hole Diameter table. Water found at depths 0, 6.1, and 15.32 m. Hole diameter is 15.32 cm.

Well Contractor and Well Technician Information. Contractor: Strata Drilling Group, 165 Shields Court, Markham. Technician: Halladay Phil.

Results of Well Yield Testing table with 4 columns: Time (min), Draw Down (m/ft), Recovery Time (min), Water Level (m/ft). Shows pumping from 0 to 60 minutes.



Well owner's information package delivered (Yes/No) and Date Work Completed (2014/1/06).

Ministry Use Only section with Audit No. 2198211 and date DEC 15 2014.

Measurements recorded in: Metric Imperial

A173761

3-1626B Page of

Well Owner's Information

First Name: _____ Last Name / Organization: *1618721 Ontario Inc. The Hair Loft / The Spa* E-mail Address: _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name): *429 MacLaren Street* Municipality: *Ottawa* Province: *ON* Postal Code: *K2P1M7* Telephone No. (inc. area code): _____

Well Location

Address of Well Location (Street Number/Name): *429 McLearn* Township: _____ Lot: _____ Concession: _____

County/District/Municipality: _____ City/Town/Village: *Ottawa* Province: **Ontario** Postal Code: _____

UTM Coordinates: Zone *18* Easting *495405* Northing *5029222* Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
<i>BRN</i>	<i>Fill</i>	<i>Gravel / sand</i>	<i>Soft</i>	<i>0</i>	<i>1.22</i>
<i>BRN</i>	<i>Silty sand</i>	<i>Trace clay</i>	<i>Soft</i>	<i>1.22</i>	<i>3.1</i>
<i>BRN</i>	<i>Silty clay</i>		<i>Soft</i>	<i>3.1</i>	<i>4.88</i>
<i>GRY</i>	<i>Clay</i>	<i>Silt</i>	<i>Soft</i>	<i>4.88</i>	<i>6.1</i>

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From	To	
<i>0</i>	<i>3.1 Concrete / Flushmount</i>	
<i>.31</i>	<i>2.74 Bentonite</i>	
<i>2.74</i>	<i>6.1 Sand</i>	

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
<input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____				
If pumping discontinued, give reason: _____	Static Level			
Pump intake set at (m/ft)	<i>1</i>		<i>1</i>	
Pumping rate (l/min / GPM)	<i>2</i>		<i>2</i>	
Duration of pumping _____ hrs + _____ min	<i>3</i>		<i>3</i>	
Final water level end of pumping (m/ft)	<i>4</i>		<i>4</i>	
If flowing give rate (l/min / GPM)	<i>5</i>		<i>5</i>	
Recommended pump depth (m/ft)	<i>10</i>		<i>10</i>	
Recommended pump rate (l/min / GPM)	<i>15</i>		<i>15</i>	
Well production (l/min / GPM)	<i>20</i>		<i>20</i>	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	<i>25</i>		<i>25</i>	
	<i>30</i>		<i>30</i>	
	<i>40</i>		<i>40</i>	
	<i>50</i>		<i>50</i>	
	<i>60</i>		<i>60</i>	

Method of Construction

Cable Tool Diamond
 Rotary (Conventional) Jetting
 Rotary (Reverse) Driving
 Boring Digging
 Air percussion
 Other, specify _____

Well Use

Public Commercial Not used
 Domestic Municipal Dewatering
 Livestock Test Hole Monitoring
 Irrigation Cooling & Air Conditioning
 Industrial
 Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
<i>5.20</i>	<i>PVC</i>	<i>390</i>	<i>0</i>	<i>3.1</i>	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
<i>6.03</i>	<i>PVC</i>	<i>10</i>	<i>3.1</i>	<i>6.1</i>

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	Depth (m/ft)	Diameter (cm/in)
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	<i>0</i>	<i>15.32</i>
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____		
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____		

Well Contractor and Well Technician Information


Business Name of Well Contractor: *Strata Drilling Group* Well Contractor's Licence No.: *7241*

Business Address (Street Number/Name): *165 Shields Court* Municipality: *Markham*

Province: *ON* Postal Code: *L3R 8V8* Business E-mail Address: *Wrecords@strata-sit.com*

Bus. Telephone No. (inc. area code): *905 764 9304* Name of Well Technician (Last Name, First Name): *Halladay Phil*

Well Technician's Licence No.: *3872* Signature of Technician and/or Contractor: *[Signature]* Date Submitted: *2014/11/06*



Well owner's information package delivered: Yes No

Date Package Delivered: _____ Date Work Completed: *2014/11/06*

Ministry Use Only

Audit No. *Z198210*

DEC 15 2014

Received _____



A 173762

Tag #: A173762

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name, Last Name / Organization, E-mail Address, Mailing Address (Street Number/Name), Municipality, Province, Postal Code, Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name), Township, Lot, Concession, County/District/Municipality, City/Town/Village, Province, Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number, Other

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To

Annular Space table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³)

Method of Construction and Well Use checkboxes: Cable Tool, Rotary, Boring, etc.


Construction Record - Casing table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To, Status of Well

Construction Record - Screen table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To

Water Details and Hole Diameter tables with columns: Water found at Depth, Kind of Water, Depth (m/ft) From, To, Diameter (cm/in)

Well Contractor and Well Technician Information: Business Name, Address, Province, Postal Code, Business E-mail Address, Name of Well Technician, Signature, Date Submitted

Results of Well Yield Testing table with columns: After test of well yield, water was, Draw Down, Recovery, Time (min), Water Level (m/ft)



Comments: McLaren

Ministry Use Only: Well owner's information package delivered, Date Package Delivered, Date Work Completed, Audit No. 2188288, DEC 15 2014

Well Owner's Information

7,9,11 Florence St
 County/District/Municipality: Carleton County
 City/Town/Village: Ottawa
 Province: Ontario
 Postal Code: K2P0W6
 UTM Coordinates: NAD 83 Zone 18 Easting 18445461 Northing 50791169
 GPS Unit Make: Garmin Model: Etrex
 Mode of Operation: Undifferentiated Averaged
 Differentiated, specify _____

Overburden and Bedrock Materials (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (Metres) From	Depth (Metres) To
Ben	fill	Sand/Bricks	soft dry	0	2.44
Grey	clay		soft, moist	2.44	4.57
Grey	clay		soft, wet	4.57	5.79

Annular Space/Abandonment Sealing Record

Depth Set at (Metres) From	Depth Set at (Metres) To	Type of Sealant Used (Material and Type)	Volume Placed (Cubic Metres)
0	2.44	Benseal	0.0112
2.44	5.79	Sand	0.0154

Results of Well Yield Testing

Check box if after test of well yield, water was:	Draw Down		Recovery	
	Time (Min)	Water Level (Metres)	Time (Min)	Water Level (Metres)
<input type="checkbox"/> Clear and sand free	Static Level		Static Level	
<input type="checkbox"/> Cannot develop to sand-free state	1		1	
<input type="checkbox"/> If pumping discontinued, give reason:	2		2	
Pumping test method	3		3	
Pump intake set at (Metres)	4		4	
Pumping rate (Litres/min)	5		5	
Duration of pumping	10		10	
hrs + min	15		15	
Final water level end of pumping (Metres)	20		20	
Recommended pump type	25		25	
<input type="checkbox"/> Shallow <input type="checkbox"/> Deep	30		30	
Recommended pump depth	40		40	
Metres	50		50	
Recommended pump rate (Litres/min)	60		60	
If flowing give rate (Litres/min)				

Method of Construction


Cable Tool Diamond
 Rotary (Conventional) Jetting
 Rotary (Reverse) Driving
 Rotary (Air) Digging
 Air percussion Boring
 Other, specify: Geoprobe

Water Use

Public Commercial Not used
 Domestic Municipal Dewatering
 Livestock Test Hole Monitoring
 Irrigation Cooling & Air Conditioning
 Industrial
 Other, specify _____

Status of Well

Water Supply Dewatering Well Observation and/or Monitoring Hole
 Replacement Well Abandoned, Insufficient Supply Alteration (Construction)
 Test Hole Abandoned, Poor Water Quality Other, specify _____
 Recharge Well Abandoned, other, specify _____



Water Details

Water found at Depth	Kind of Water
Metres <input type="checkbox"/> Gas	<input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals
Metres <input type="checkbox"/> Gas	<input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals
Metres <input type="checkbox"/> Gas	<input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals

Casing Used

Galvanized Steel Fibreglass Plastic Concrete

Screen Used

Galvanized Steel Fibreglass Plastic Concrete

Casing and Well Details

Diameter of the Hole (Centimetres): 8.89
 Depth of the Hole (Metres): 5.79
 Wall Thickness (Metres): 0.0037
 Inside Diameter of the Casing (Metres): 0.040
 Depth of the Casing (Metres): 2.74

No Casing and Screen Used

Open Hole

Disinfected? Yes No

Date Well Completed (yyyy/mm/dd): 2008/03/05
 Was the well owner's information package delivered? Yes No
 Date the Well Record and Package Delivered to Well Owner (yyyy/mm/dd):

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Soil Sampling
 Well Contractor's Licence No.: 7241
 Business Address (Street No./Name, number, RR): 2-147 West Beaver Creek
 Municipality: Richmond Hill
 Province: ON
 Postal Code: 4B1C6
 Business E-mail Address: jandean@stratasoil.com
 Bus. Telephone No. (inc. area code): 9057649304
 Name of Well Technician (Last Name, First Name): Mike Brown
 Well Technician's Licence No.: T-2977
 Signature of Technician: [Signature]
 Date Submitted (yyyy/mm/dd): 2008/03/05

Ministry Use Only

Audit No.: 62488
 Date Received (yyyy/mm/dd): MAR 18 2008
 Well Contractor No.:
 Date of Inspection (yyyy/mm/dd):
 Remarks:



Ministry of the Environment

Well Tag No. (Place Sticker and/or Print Below)

A106638

A106638

512007 Well Record

Regulation 903 Ontario Water Resources Act

Page 2 of 2

Measurements recorded in: Metric Imp

Well Owner's Information

First Name: Minto Apartments, Last Name/Organization: [Redacted], E-mail Address: [Redacted], Mailing Address: 1051 Baxter Rd Suite 22B, Municipality: Ottawa, Province: ON, Postal Code: K2K3A2

Well Location

Address of Well Location: 320 Gilmour St., Township: [Redacted], City/Town/Village: Ottawa, Province: Ontario, UTM Coordinates: NAD 83 18 44 55 78 50 29 11 9

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Includes entries for Brn Gravel, Grg clay, Sand, and Silt.

Annular Space table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used, Volume Placed. Includes entries for Concrete/Flushmount, Benseal, and Sand.

Results of Well Yield Testing table with columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes data for pumping duration and water level changes.


Method of Construction and Well Use section with checkboxes for Cable Tool, Rotary, Boring, etc., and Public, Commercial, Industrial, etc.

Construction Record - Casing table with columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth (m/ft) From, To. Includes entry for PVC casing from 0 to 3.66m.

Construction Record - Screen table with columns: Outside Diameter, Material, Slot No., Depth (m/ft) From, To. Includes entry for PVC screen from 0.61 to 3.66m.

Water Details and Hole Diameter section with tables for water depth and kind, and hole diameter depth and diameter.

Well Contractor and Well Technician Information section with fields for Business Name (Strata Soil Sampling), Address, and Technician Name (Beath Brian).



Well owner's information and Date Package Delivered section with fields for telephone number, technician signature, and date.

Ministry Use Only section with fields for Audit No. (2145264) and Received date (APR 24 2017).



Measurements recorded in: Metric Imperial

Well Owner's Information

First Name, Last Name / Organization, E-mail Address, Mailing Address (Street Number/Name), Municipality, Province, Postal Code, Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name), Township, Lot, Concession, County/District/Municipality, City/Town/Village, Province, Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number, Other

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To

Annular Space table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³)

Results of Well Yield Testing table with columns: After test of well yield, water was, Draw Down (Time (min), Water Level (m/ft)), Recovery (Time (min), Water Level (m/ft))


Method of Construction, Well Use (Cable Tool, Rotary, Boring, etc.)

Construction Record - Casing table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To, Status of Well

Construction Record - Screen table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To

Water Details table with columns: Water found at Depth (m/ft), Kind of Water, Hole Diameter (Depth (m/ft) From, To, Diameter (cm/in))

Well Contractor and Well Technician Information (Business Name, Address, Licence No., etc.)



Well owner's information package delivered, Date Package Delivered, Date Work Completed

Ministry Use Only (Audit No., Date Submitted)

Mandy Witteman

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: November 3, 2020 12:29 PM
To: Mandy Witteman
Subject: RE: Search records request (PE5088)

Follow Up Flag: Follow up
Flag Status: Flagged

NO RECORD FOUND (FUEL STORAGE TANKS ONLY)

Hello. Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Gaya

From: Mandy Witteman <MWitteman@Patersongroup.ca>
Sent: November 3, 2020 9:16 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: Search records request (PE5088)

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good Morning,

Could you please complete a search of your records for **underground/aboveground storage tanks, historical spills or other incidents/infractions** for the following addresses in **Ottawa, ON:**

Bank Street: 390, 394, 396, 403, 410, 413, 417
Florence Street: 19, 21

Thank you

Cheers,

Mandy Witteman, B.Eng., M.A.Sc.

patersongroup

**solution oriented engineering
over 60 years servicing our clients**

154 Colonnade Road South
Ottawa, Ontario, K2E 7J5
Tel: (613) 226-7381 Ext. 339
Cell: (403) 921-1157

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



File Number: D06-03-20-0189

November 26, 2020

Mandy Witteman
Paterson Group
154 Colonnade Road South
Ottawa, ON

Sent via email [mwitteman@patersongroup.ca]

Dear Ms. Witteman,

**Re: Information Request
406 Bank Street, Ottawa, Ontario (“Subject Property”)**

Internal Department Circulation

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

- **Disposals and Environmental Remediation Unit:** The City’s Environmental Remediation Unit has a Phase I ESA and a preliminary Geotechnical Investigation on file pertaining to the subject property noted above either directly on or adjacent to the subject property. To submit requests for information under the Municipal Freedom of Information and Protection of Privacy Act, please visit <https://ottawa.ca/en/city-hall/accountabilityand-transparency/accountability-framework/freedom-information-and-protectionprivacy/access-information>

Search of Historical Land Use Inventory

This acknowledges receipt of the signed Disclaimer regarding your request for information from the City’s Historical Land Use Inventory (HLUI 2005) database for the Subject Property.

A search of the HLUI database revealed the following information:

- There are two (2) activities associated with the Subject Property.

The HLUI database was also searched for activity associated with properties located within 250m of the Subject Property. The search revealed the following:

*Shaping our future together
Ensemble, formons notre avenir*

City of Ottawa
Planning, Infrastructure and Economic
Development Department

110 Laurier Avenue West, 4th Floor
Ottawa, ON K1P 1J1
Tel: (613) 580-2424 ext. 21690
Fax: (613) 560-6006
www.ottawa.ca

Ville d'Ottawa
Services de la planification, de l'infrastructure et
du développement économique

110, avenue Laurier Ouest, 4e étage
Ottawa (Ontario) K1P 1J1
Tél.: (613) 580-2424 ext. 21690
Télééc: (613) 560-6006
www.ottawa.ca

- There are 140 activities associated with 71 properties located within 250m of the Subject Property.

Please note that certain activities have been identified to have a PIN Certainty of “2”. This identifier acknowledges that there is some uncertainty about the exact location of the land use activity and that the activity may or may not have been located on the property. All database entries with a PIN Certainty of “2” require independent verification as to their precise location.

A **site map** and **table** have been included to show the location of the Subject Property as well as the location of all the activities noted above, including the HLUI database’s location of the Activity Numbers with a PIN Certainty of “2”.

Additional information may be obtained by contacting:

Ontario’s Environmental Registry

The Environmental Registry found at <http://www.ebr.gov.on.ca/ERS-WEB-External/> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using keys words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House
161 Elgin Street 4th Floor
Ottawa ON K2P 2K1
Tel: (613) 239-1230
Fax: (613) 239-1422

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an “as is” basis with no representation or warranty

by the City with respect to the information's accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact Colette Gorni at 613-580-2424 ext. 21239 or HLUI@ottawa.ca

Sincerely,



Colette Gorni


Per:

Michael Boughton, MCIP, RPP
Senior Planner
Development Review East
Planning Services
Planning, Infrastructure and Economic Development Department

MB / CG

Enclosures.

cc: File no. D06-03-20-0189



Address: 406 Bank Street
Ottawa, ON

File No.: D06-03-20-0189

Prepared By: Colette Gorni

Legend: 00 Area Number
 Subject Site
 250 m Buffer

Scale: 1 : N/A



Area	Associated HLUI Activities	Associated HLUI Activities with a PIN Certainty of "2" *
Subject Property	5893, 8262	
1	10330, 13129, 13139, 2558	
2		7770
3	13994, 14310, 2748, 6359	7770
4	10588, 11907, 3368, 3555, 3814, 5192, 8423	10436
5		10436, 4690
6	10154, 3920	
7	11316	
8	1053, 6656	2210, 4690
9	792	
10	2999	
11	8708	
12	4660	
13	14669	
14	917, 9899	5808
15		5808
16	8902, 9878	12915
17		12915
18	8243, 8244	3461, 9506



19	12376, 8497	9506
20	445, 7222	7459
21		3461, 4692
22	7656	3321
23	14065	3321
24	11931, 14065, 9804	
25	3063	
26	13045	
27	11152, 3804, 7481	
28	1310, 14974, 5130, 6360, 8835	
29	13162	
30		5129
31	4182	
32	2879, 3015	
33	14468, 309, 4073	14467, 2924
34	664	2924
35	5577	14467
36	14764, 7933	14467
37	14466	3233
38	1238	
39	11003, 11616, 12419, 12736, 1302, 1324, 2533, 3037, 3408, 8532, 9601	9836



40	5992, 9957	
41	7371	
42	14632, 1653, 2786, 9957	
43	14463	1017, 6966
44	6910	
45	11006, 2997	
46	5895	
47	14444	
48	14464	
49	6272	
50	4137, 5871	9788
51	1347	
52	2896, 2898	13685
53	3062, 4053, 8871	7889, 861
54		7889
55		10166
56		10166
57	11808	
58	6788	
59	4008	
60	8056	



61		13939
62		13939
63	384	
64		13939
65	13847	
66	1375	
67		13939
68	13969, 8671,	9013
69	12352, 12835, 9969	2210
70	8747	
71		4781

*This identifier acknowledges that there is some uncertainty about the exact location of the land use activity and that the activity may or may not have been located on the property. All database entries with a PIN Certainty of "2" require independent verification as to their precise location.

Historical Land Use Inventory

Activity Numbers –

Subject Property/Properties



CITY OF OTTAWA

HLUI ID: __679EMK

AREA (Square Metres): 546.120

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 16:53:50

Study Year
1998

PIN
041190141

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 5893 Multiple PINS: N
 PIN Certainty: 1 Previous Activity ID(s) :
 Related PINS: 041190141
 Name: GINN DIGITAL
 Address: 9 FLORENCE STREET, OTTAWA
 Facility Type: Electrical and Electronic Machinery, Equipment and Supplies, Wholesale
 Comments 1:
 Comments 2:
 Generator Number:
 Storage Tanks:
 HL References 1:
 HL References 2:
 HL References 3: 2001 Employment Survey

NAICS	SIC
811210	0

Company Name	Year of Operation
GINN DIGITAL	c. 2001
VALLEY LASER SERVICES	c. 2001

Historical Land Use Inventory

Activity Numbers –

Adjacent Properties

Historical Land Use Inventory

Area #1 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679ELR

AREA (Square Metres): 535.453

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:03:26

Study Year
1998

PIN
041190140

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 13129 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 3686

Related PINS: 041190140

Name: STEWART & HOEY

Address: BANK STREET, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1: 1910 - plumbers 1930 - white pages - wholesale & retail ignition parts, Bosch Eisemann & Webster, Magneto Service Station, SKF Bearings & Hart Batteries

Comments 2: 394-396

Generator Number:

Storage Tanks: FIP1922 -One UST, gasoline 500 gal. FIP1948, FIP1956 -Two USTs, gasoline, 1000 gal each

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1948, M.1950, M.1956; FIP1901-56-380, Vol2; FIP1912-380,vol1; FIP1922-56-380,vol1; FIP1948-130-380; FIP1956-130-380

HL References 2:

HL References 3:

NAICS	SIC
447110	633
811199	633
811112	635
415210	552
811119	635
415290	552
447190	633
811121	635

Company Name	Year of Operation
Stewart & Hoey	c. 1930
Sunlight Oil Company	c. 1940-1956
Gordon Arbutnot	c. 1950

Historical Land Use Inventory

Area #2 Activity Numbers

Historical Land Use Inventory

Area #3 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679E68
AREA (Square Metres): 711.730

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:04:10

Study Year
1998

PIN
041190092

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 13994 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 3484
Related PINS: 041190092
Name: TRUE REPRODUCTIONS LIMITED
Address: BANK STREET, OTTAWA
Facility Type: Commercial Printing Industries
Comments 1: Ashley Reproductions Inc. GEN# = ON1078600
Comments 2: 384 to 386
Generator Number:
Storage Tanks:
HL References 1: M.1960, M.1970, M.1980; PID1994
HL References 2:
HL References 3:

NAICS	SIC
323119	281
323116	281
323114	281
323115	281

Company Name	Year of Operation
True Reproductions Ltd.	c. 1970
Ashley Reproductions Inc.	c. 1994



CITY OF OTTAWA
HLUI ID: __679E68
AREA (Square Metres): 711.730

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:10

Study Year
1998

PIN
041190092

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 2748 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190092

Name: CAMERA TRADING CO

Address: 368 BANK STREET,

Facility Type: Camera and Photographic Supply Stores

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
443130	0

Company Name

CAMERA TRADING CO

Year of Operation

c. 2005

Historical Land Use Inventory

Area #4 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679FOX

AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 10436 Multiple PINS: Y

PIN Certainty: 2 Previous Activity ID(s) : 3684

Related PINS: 155560000

Name: ONTARIO NATIONAL BEVERAGES LIMITED

Address: 356 BANK STREET, OTTAWA

Facility Type: Soft Drink Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
312120	111

Company Name

Ontario National Beverages Ltd.

Year of Operation

c. 1930



CITY OF OTTAWA
HLUI ID: __679FOX
AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 10588 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 2422
Related PINS: 041190093
Name: OTTAWA GAS
Address: 376 BANK STREET, OTTAWA
Facility Type: Petroleum Products, Wholesale
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1960, M.1970, M.1980
HL References 2:
HL References 3:

NAICS	SIC
454310	511
412110	511
419120	511
221210	492

Company Name	Year of Operation
Ottawa Gas	c. 1960



CITY OF OTTAWA

HLUI ID: __679FOX

AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 11907 Multiple PINS: N
PIN Certainty: 1 Previous Activity ID(s) : 1975, 1705

Related PINS: 041190093

Name: ROCHESTER LITHOGRAPH CO. LIMITED
Address: 374 BANK STREET, OTTAWA
Facility Type: Platemaking, Typesetting and Bindery Industry
Comments 1: 1920 - vacant
Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950, M.1958, M.1960, M.1961, M.1964, M.1970, M.1980, S.1958, S.1961, S.1964, S.1965

HL References 2:

HL References 3:

NAICS	SIC
323114	281
323120	282
323115	281
323119	281
812921	282
323116	281

Company Name

Rapid Grip and Batten Ltd.

Rochester Lithograph Co. Ltd.

Year of Operation

c. 1958-1965

c. 1910



CITY OF OTTAWA

HLUI ID: __679FOX

AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 3368 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041190093

Name: COMPUTERS 4 EVERY 1

Address: 386 BANK STREET, OTTAWA

Facility Type: Electrical and Electronic Machinery, Equipment and Supplies, Wholesale

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
443120	0

Company Name

COMPUTERS 4 EVERY 1

Year of Operation

c. 2001



CITY OF OTTAWA

HLUI ID: __679FOX

AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 3555 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 646

Related PINS: 041190093

Name: COLONIAL ART GLASS CO.

Address: 384 BANK STREET, OTTAWA

Facility Type: Ornamental and Architectural Metal Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
332321	303
327215	303
332329	303

Company Name

Colonial Art Glass Co.

Year of Operation

c. 1930



CITY OF OTTAWA

HLUI ID: __679FOX

AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 5192 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 724

Related PINS: 041190093

Name: ELECTRICAL WORKS
Address: BANK STREET WEST, OTTAWA
Facility Type: Electric Power Systems Industry
Comments 1: Company not there in 1930, 1940, 1950.
Comments 2: 378 to 384

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
221112	491
221111	491
221121	491
221119	491
221113	491
221122	491

Company Name

C. C. B. Electric Works

Year of Operation

c. 1920



CITY OF OTTAWA

HLUI ID: __679FOX

AREA (Square Metres): 1411.329

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:04:25

Study Year
1998

PIN
041190093

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8423 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 1976

Related PINS: 041190093

Name: LEE MANUFACTURING CO. LIMITED

Address: 380 BANK STREET, OTTAWA

Facility Type: Heating Equipment Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
333413	307
333416	307
333310	307

Company Name

Lee Manufacturing Co. Ltd.

Year of Operation

c. 1910

Historical Land Use Inventory

Area #5 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679F3J
AREA (Square Metres): 2213.534

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:05:00

Study Year
1998

PIN
155560000

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 10436 **Multiple PINS:** Y
PIN Certainty: 2 **Previous Activity ID(s) :** 3684

Related PINS: 155560000

Name: ONTARIO NATIONAL BEVERAGES LIMITED

Address: 356 BANK STREET, OTTAWA

Facility Type: Soft Drink Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
312120	111

Company Name

Ontario National Beverages Ltd.

Year of Operation

c. 1930

Historical Land Use Inventory

Area #6 Activity Numbers



CITY OF OTTAWA

HLUI ID: __670H1C

AREA (Square Metres): 447.920

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:05:59

Study Year
1998

PIN
041190078

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 10154 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190078

Name: P W GROUP

Address: 427 GILMOUR STREET,

Facility Type: Commercial Printing Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
323114	0

Company Name

P W GROUP

Year of Operation

c. 2005



CITY OF OTTAWA

HLUI ID: __670H1C

AREA (Square Metres): 447.920

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:05:59

Study Year
1998

PIN
041190078

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 3920 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 1267

Related PINS: 041190078

Name: DODWELL FILM SERVICES LIMITED

Address: 427 GILMOUR STREET, OTTAWA

Facility Type: Platemaking, Typesetting and Bindery Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
323120	282
812921	282

Company Name

Dodwell Film Services Ltd.

Year of Operation

c. 1970

Historical Land Use Inventory

Area #7 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679BT8
AREA (Square Metres): 430.277

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:06:20

Study Year
2005

PIN
041190077

Multi-NAIC
N

Multiple Activities
N

Activity ID: 11316 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190077

Name: PROVIDENCE ROAD PRESS INC.

Address: 431 GILMOUR STREET, OTTAWA

Facility Type: Combined Publishing and Printing Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS **SIC**
511130 0

Company Name

PROVIDENCE ROAD PRESS INC.

Year of Operation

c. 2001

Historical Land Use Inventory

Area #8 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EW4
AREA (Square Metres): 627.082

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:07:03

Study Year
1998

PIN
041190065

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 6656 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190065

Name: H H BLOOM SOUND ENTERPRISES

Address: 386 MACLAREN STREET,

Facility Type: Record Player, Radio and Television Receiver Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
443110	0
334310	0

Company Name	Year of Operation
H H BLOOM SOUND ENTERPRISES	c. 2001
H H BLOOM SOUND ENTERPRISES	c. 2005

Historical Land Use Inventory

Area #9 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6799BT

AREA (Square Metres): 334.148

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:06:49

Study Year
2005

PIN
041190069

Multi-NAIC
N

Multiple Activities
N

Activity ID: 792 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190069

Name: AMBERWOOD PRODUCTIONS

Address: 404 MACLAREN STREET, OTTAWA

Facility Type: Motion Picture Laboratories and Video Production Facilities

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
512110	0

Company Name

AMBERWOOD PRODUCTIONS

Year of Operation

c. 2001

Historical Land Use Inventory

Area #10 Activity Numbers

Historical Land Use Inventory

Area #11 Activity Numbers

Historical Land Use Inventory

Area #12 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6799YE

AREA (Square Metres): 3819.955

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:08:46

Study Year
2005

PIN
041190081

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 4660 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041190081

Name: DYNACARE LABORATORIES LIMITED

Address: 381 KENT STREET, OTTAWA

Facility Type: Medical and Other Health Laboratories

Comments 1: SUITE 208

Comments 2:

Generator Number: ON0245632

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2000 PID

NAICS	SIC
621510	0
541380	0

Company Name	Year of Operation
DYNACARE LABORATORIES LIMITED	c. 2000
SPIROTECH HEALTH SERVICES	c. 2001
SPIROTECH HEALTH SERVICES	c. 2005
GAMMA-DYNACARE MEDICAL LABS	c. 2001
GAMMA-DYNACARE MEDICAL LABS	c. 2005
RADIOLOGY & ULTRASOUND	c. 2005

Historical Land Use Inventory

Area #13 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6799YF

AREA (Square Metres): 289.579

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:09:19

Study Year
2005

PIN
041200163

Multi-NAIC
N

Multiple Activities
N

Activity ID: 14669 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041200163

Name: VISION FORM INC.

Address: 392 KENT STREET,

Facility Type: Sign and Display Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
339950	0

Company Name

VISION FORM INC.

Year of Operation

c. 2005

Historical Land Use Inventory

Area #14 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679ECY
AREA (Square Metres): 879.180

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:11:25

Study Year
1998

PIN
041190200

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 917 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190200

Name: A ACTION RESTORATION
Address: 410 BANK STREET, OTTAWA
Facility Type: Exterior Close In Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
238140	0

Company Name

A ACTION RESTORATION

Year of Operation

c. 2001



CITY OF OTTAWA
HLUI ID: __679ECY
AREA (Square Metres): 879.180

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:11:25

Study Year
1998

PIN
041190200

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9899 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190200

Name: OTTAWA CARLETON CONSTRUCTION LIMITED

Address: 410 BANK STREET,

Facility Type: Residential Building and Development

Comments 1: #515

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
238350	0
236110	0
238130	0

Company Name	Year of Operation
OTTAWA CARLETON CONSTRUCTION LIMITED	c. 2005
OTTAWA CARLETON CONSTRUCTION LIMITED	c. 2001

Historical Land Use Inventory

Area #15 Activity Numbers

Historical Land Use Inventory

Area #16 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679C2D
AREA (Square Metres): 232.203

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:14:26

Study Year
1998

PIN
041190171

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 12915 **Multiple PINS:** Y
PIN Certainty: 2 **Previous Activity ID(s) :** 682
Related PINS: 041190170

Name: SKERCE'S GARAGE
Address: FLORENCE STREET, OTTAWA
Facility Type: Motor Vehicle Repair Shops
Comments 1: Same Company at #24 Florence St in 1950
Comments 2: 24 to 26

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950; FIP1948-131-381. FIP1956-131-381. FIP1922-66-381.vol1. M.1947. M.1949.

HL References 2:

HL References 3:

NAICS	SIC
811119	635
811121	635
811112	635

Company Name	Year of Operation
Skerce's Garage	c. 1940-1948
Maynard Skuce Garage	c. 1950



CITY OF OTTAWA
HLUI ID: __679C2D
AREA (Square Metres): 232.203

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:14:26

Study Year
1998

PIN
041190171

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8902 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 183

Related PINS: 041190171

Name: MAYNARD SKUCE GARAGE
Address: 24 FLORENCE STREET, OTTAWA
Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
811112	635
811121	635
811119	635

Company Name

Maynard Skuce Garage

Year of Operation

c. 1950



CITY OF OTTAWA
HLUI ID: __679C2D
AREA (Square Metres): 232.203

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:14:26

Study Year
1998

PIN
041190171

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9878 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 884

Related PINS: 041190171

Name: OTTAWA CABINET CO LIMITED

Address: 24 FLORENCE STREET,

Facility Type: Interior and Finishing Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: S.1958, S.1961, S.1964-65, M.1958, M.1960, M.1961, M.1964, M.1970, M.1980; SC98

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
336360	269
416320	563
238350	0
337910	269
444110	563
238130	0
337126	261
444120	563
337123	261
339940	269
337110	0
321215	254
321992	254
337121	261
416310	563
416340	563
444190	563
321911	254
337110	254

Company Name	Year of Operation
OTTAWA CABINET CO LIMITED	c. 2005
OTTAWA CABINET CO LIMITED	c. 2001
Ottawa Cabinet Shop	c. 1958-1980
Ottawa Cabinet Co. Ltd.	c. 1998

Historical Land Use Inventory

Area #17 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679C3N
AREA (Square Metres): 232.454

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:14:49

Study Year
1998

PIN
041190170

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 12915 **Multiple PINS:** Y
PIN Certainty: 2 **Previous Activity ID(s) :** 682
Related PINS: 041190170

Name: SKERCE'S GARAGE
Address: FLORENCE STREET, OTTAWA
Facility Type: Motor Vehicle Repair Shops
Comments 1: Same Company at #24 Florence St in 1950
Comments 2: 24 to 26

Generator Number:
Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950; FIP1948-131-381. FIP1956-131-381. FIP1922-66-381.vol1. M.1947. M.1949.

HL References 2:
HL References 3:

NAICS	SIC
811119	635
811121	635
811112	635

Company Name	Year of Operation
Skerce's Garage	c. 1940-1948
Maynard Skuce Garage	c. 1950

Historical Land Use Inventory

Area #18 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679F4T

AREA (Square Metres): 2448.147

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:16:43

Study Year
1998

PIN
041190161

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 3461 Multiple PINS: Y
 PIN Certainty: 2 Previous Activity ID(s) : 1803
 Related PINS: 041190161

Name: CHARLES REGAN SERVICE STATION
 Address: GLADSTONE AVENUE, OTTAWA
 Facility Type: Gasoline Service Stations

Comments 1:
 Comments 2: 431 - 437

Generator Number:

Storage Tanks: two undgrnd storage tanks located btween office and Gladstone Av , side by side, perpendicular to Gladstone Av 1 - 1000 gal. & 1 - 100 gal

HL References 1: M.1960, M.1970, M.1980; SC98; FIP1901-66-381; FIP1912-66-381,vol1; FIP1922-66-381,vol1; FIP1948-131-381; FIP1956-131-381; M.1957

HL References 2:

HL References 3:

NAICS	SIC
811199	633
811121	635
447110	633
447190	633
811119	635
811112	635

Company Name

Year of Operation

Centretown Service Centre	c. 1980
Main Garage Ltd.	c. 1998
Charles Regan Service Station	c. 1956-1960
Unnamed Garage	c. 1922



CITY OF OTTAWA
HLUI ID: __679F4T
AREA (Square Metres): 2448.147

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:16:43

Study Year
1998

PIN
041190161

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8243 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190161

Name: MAIN GARAGE LIMITED
Address: 421 GLADSTONE AVENUE, OTTAWA
Facility Type: Gasoline Service Stations

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Property Assessment

NAICS	SIC
447110	0
447190	0

Company Name	Year of Operation
W O STINSON & SON LIMITED	c. 2005
MAIN GARAGE LIMITED	c. 2005



CITY OF OTTAWA
HLUI ID: __679F4T
AREA (Square Metres): 2448.147

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:16:43

Study Year
1998

PIN
041190161

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8244 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190161

Name: MAIN GARAGE LIMITED
Address: 435 GLADSTONE AVENUE,
Facility Type: Motor Vehicles, Wholesale

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
811111	0

Company Name	Year of Operation
MAIN GARAGE LIMITED	c. 2005
MAIN GARAGE LIMITED	c. 2001

Historical Land Use Inventory

Area #19 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679DC7
AREA (Square Metres): 465.503

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:17:04

Study Year
1998

PIN
041190182

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 12376 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190182

Name: SAVASTA AUTOMOTIVE REPAIR INC.

Address: 417 GLADSTONE AVENUE, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Property Assessment

NAICS	SIC
811199	0
811121	0
811112	0
811111	0
811119	0

Company Name

Year of Operation

SAVASTA AUTOMOTIVE REPAIR INC.

c. 2005

SAVASTA AUTOMOTIVE REPAIR INC.

c. 2001



CITY OF OTTAWA
HLUI ID: __679DC7
AREA (Square Metres): 465.503

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:17:04

Study Year
1998

PIN
041190182

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9506 **Multiple PINS:** Y

PIN Certainty: 2 **Previous Activity ID(s) :** 2723

Related PINS: 041190161

Name: N.A. BORDELEAU & SONS LIMITED

Address: GLADSTONE AVENUE, OTTAWA

Facility Type: Household Furniture Industries

Comments 1: 419 -421

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
337126	261
337121	261
337214	264
337127	264
337123	261
337213	264

Company Name

N.A. Bordeleau & Sons Ltd.

Year of Operation

c. 1970

Historical Land Use Inventory

Area #20 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679ADM

AREA (Square Metres): 2238.939

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:28:45

Study Year	PIN	Multi-NAIC	Multiple Activities
1998	041190246	Y	Y
2005	041190265	Y	N

Activity ID: 7222 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 3689

Related PINS: 041190246

Name: J. & H. M. MACDONALD GARAGE

Address: 448 BANK STREET, OTTAWA

Facility Type: Gasoline Service Stations

Comments 1:

Comments 2:

Generator Number:

Storage Tanks: FIP1922 -One UST, gasoline, 920 gallons, FIP1948, FIP1956 -Four USTs

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1957; FIP1901-66-465; FIP1912-66-465, Vol1; FIP1922-66-465,Vol1; FIP1948-131-465; FIP1956-131-465,Vol1

HL References 2:

HL References 3:

NAICS	SIC
447110	633
811199	633
811121	635
811119	635
488410	639
811112	635
447190	633

Company Name

Red Indian Service Station

J. & H. M. MacDonald Garage

Year of Operation

c. 1922-1956

c. 1910

Historical Land Use Inventory

Area #21 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679C60
AREA (Square Metres): 252.015

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:34:52

Study Year
1998

PIN
041200267

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 4692 **Multiple PINS:** N

PIN Certainty: 2 **Previous Activity ID(s) :** 193

Related PINS: 041200267

Name: E. H KNIGHT GARAGE

Address: 428 KENT STREET, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1: Hewit's Messenger Service in 1950 Auto Accessory Business in 1940. No garage listed in 1940. Residential in 1900

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950, M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
811119	635
811112	635
811121	635

Company Name	Year of Operation
Custom Muffler Service Ltd.	c. 1970-1980
Mc Donald Brothers Garage	c. 1920
E. H Knight Garage	c. 1930

Historical Land Use Inventory

Area #22 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679E71

AREA (Square Metres): 719.436

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:35:18

Study Year
1998

PIN
041200266

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 7656 Multiple PINS: N
 PIN Certainty: 1 Previous Activity ID(s) : 1313
 Related PINS: 041200266
 Name: KARGAKOS JIM
 Address: 449 GLADSTONE AVENUE, OTTAWA
 Facility Type: Motor Vehicle Repair Shops
 Comments 1:
 Comments 2:
 Generator Number:
 Storage Tanks:
 HL References 1: M.1960, M.1970, M.1980
 HL References 2:
 HL References 3: 2005 Property Assessment

NAICS	SIC
811112	0
811119	0
811199	0
811121	635
811119	635
811111	0
811121	0
811112	635

Company Name	Year of Operation
KARGAKOS JIM	c. 2005
Long Island Motors	c. 1970

Historical Land Use Inventory

Area #23 Activity Numbers

Historical Land Use Inventory

Area #24 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679DDK
AREA (Square Metres): 467.863

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:36:11

Study Year
1998

PIN
041200264

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 11931 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 5954
Related PINS: 041200264

Name: RAY NEON SIGN CO.
Address: 458 GLADSTONE AVENUE, OTTAWA
Facility Type: Sign and Display Industry
Comments 1:
Comments 2:

Generator Number:
Storage Tanks:

HL References 1: M.1948, M.1955; FIP1901-64-377,vol2; FIP1912-64-377, Vol1; FIP1922-64-377, Vol1; FIP1948-129-377; FIP1957-129-3-377, Vol1

HL References 2:
HL References 3:

NAICS	SIC
339950	397

Company Name	Year of Operation
Ray Neon Sign Co.	c. 1956



CITY OF OTTAWA
HLUI ID: __679DDK
AREA (Square Metres): 467.863

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:36:11

Study Year
1998

PIN
041200264

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9804 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041200264

Name: NG LOK-PING

Address: 457 GLADSTONE AVENUE, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Property Assessment

NAICS	SIC
811119	0
811111	0
811121	0
811199	0
811112	0

Company Name

NG LOK-PING

Year of Operation

c. 2005

Historical Land Use Inventory

Area #25 Activity Numbers

Historical Land Use Inventory

Area #26 Activity Numbers

Historical Land Use Inventory

Area #27 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679CA4
AREA (Square Metres): 287.443

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:42:20

Study Year
1998

PIN
041190240

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 3804 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190240

Name: COUVRETTE STUDIO
Address: 430 GLADSTONE AVENUE,
Facility Type: Photographers

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
541920	0

Company Name	Year of Operation
COUVRETTE STUDIO	c. 2001
COUVRETTE STUDIO	c. 2005



CITY OF OTTAWA
HLUI ID: __679CA4
AREA (Square Metres): 287.443

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:42:20

Study Year
1998

PIN
041190240

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 7481 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 802

Related PINS: 041190240

Name: JOHN FERNS
Address: 430 GLADSTONE AVENUE, OTTAWA
Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
811112	635
811119	635
811121	635

Company Name

John Ferns

Year of Operation

c. 1920

Historical Land Use Inventory

Area #28 Activity Numbers



CITY OF OTTAWA

HLUI ID: __670H3K

AREA (Square Metres): 609.268

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:42:53

Study Year
1998

PIN
041190241

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 1310 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041190241

Name: ART'S AUTO REPAIR
Address: 426 GLADSTONE AVENUE, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS SIC
811121 0

Company Name Year of Operation
ART'S AUTO REPAIR c. 2001



CITY OF OTTAWA
HLUI ID: __670H3K
AREA (Square Metres): 609.268

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:42:53

Study Year
1998

PIN
041190241

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8835 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190241

Name: MIKE'S GLADSTONE AUTO REPAIR

Address: 426 GLADSTONE AVENUE,

Facility Type: Motor Vehicles, Wholesale

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
811111	0

Company Name	Year of Operation
MIKE'S GLADSTONE AUTO REPAIR	c. 2005
SILVER AUTOMOTIVE LIMITED	c. 2005
MIKE'S GLADSTONE AUTO REPAIR	c. 2001

Historical Land Use Inventory

Area #29 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679BOX

AREA (Square Metres): 304.955

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:43:12

Study Year
2005

PIN
041190256

Multi-NAIC
N

Multiple Activities
N

Activity ID: 13162 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041190256

Name: TML ELECTRIC

Address: 415 MCLEOD STREET, OTTAWA

Facility Type: Mechanical Specialty Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
238210	0

Company Name

TML ELECTRIC

Year of Operation

c. 2001

Historical Land Use Inventory

Area #30 Activity Numbers

Historical Land Use Inventory

Area #31 Activity Numbers

Historical Land Use Inventory

Area #32 Activity Numbers

Historical Land Use Inventory

Area #33 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679AC0

AREA (Square Metres): 1785.460

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:49:34

Study Year

1998

2005

PIN

041220062

156550000

Multi-NAIC

Y

Y

Multiple Activities

Y

Y

Activity ID: 14467

Multiple PINS: Y

PIN Certainty: 2

Previous Activity ID(s) : 1007

Related PINS: 041220062

Name: WELCH AND JOHNSTON

Address: FLORA STREET, OTTAWA

Facility Type: Gasoline Service Stations

Comments 1: 37 to 51

Comments 2:

Generator Number:

Storage Tanks: FIP1948 -Two USTs. No USTs are indicated on FIP1956

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1957, M.1960, M.1970, M.1980; SC98; FIP1901-66-466,vol1; FIP1912-66-466,vol1; FIP1922-66-466,vol1; FIP1948-131-466; FIP1956-131-466,vol1.

HL References 2:

HL References 3:

NAICS	SIC
811112	635
811199	633
447110	633
811121	635
447190	633
811119	635

Company Name

Welch and Johnston

Heritage Auto Tech

Year of Operation

c. 1930-1960

c. 1998



CITY OF OTTAWA

HLUI ID: __679AC0

AREA (Square Metres): 1785.460

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:49:34

Study Year	PIN	Multi-NAIC	Multiple Activities
1998	041220062	Y	Y
2005	156550000	Y	Y

Activity ID: 2924 Multiple PINS: Y

PIN Certainty: 2 Previous Activity ID(s) : 202

Related PINS: 041220062

Name: CANE'S CAR SERVICE

Address: 390 MCLEOD STREET, OTTAWA

Facility Type: Gasoline Service Stations

Comments 1: - Welch & Johnston Ltd. likely changed address to 400 in 1980

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950, M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
447190	633
447110	633
811112	635
811121	635
811199	633
811119	635

Company Name	Year of Operation
--------------	-------------------

Cane's Car Service c. 1950

Welch & Johnston Ltd. c. 1970



CITY OF OTTAWA

HLUI ID: __679AC0

AREA (Square Metres): 1785.460

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:49:34

Study Year	PIN	Multi-NAIC	Multiple Activities
1998	041220062	Y	Y
2005	156550000	Y	Y

Activity ID: 309 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 156550000

Name: 400 MCLEOD INC.

Address: 400 MCLEOD STREET, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Property Assessment

NAICS	SIC
811121	0
811199	0
811112	0
811119	0
811111	0

Company Name	Year of Operation
400 MCLEOD INC.	c. 2005

Historical Land Use Inventory

Area #34 Activity Numbers



CITY OF OTTAWA
HLUI ID: __670H5G
AREA (Square Metres): 1107.253

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:49:58

Study Year
1998

PIN
041220063

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 664 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 2533

Related PINS: 041220063

Name: AIR COOLED ENGINE PARTS (DIVISION OF ACKLAND LIMITED)

Address: 474 BANK STREET, OTTAWA

Facility Type: Other Chemical Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
325920	379
325910	379
325520	379

Company Name

Air Cooled Engine Parts (Division of Ackland Ltd.)

Year of Operation

c. 1980

Historical Land Use Inventory

Area #35 Activity Numbers



CITY OF OTTAWA

HLUI ID: __670HZC

AREA (Square Metres): 296.056

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:50:32

Study Year
1998

PIN
041220067

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 14467 Multiple PINS: Y
PIN Certainty: 2 Previous Activity ID(s) : 1007

Related PINS: 041220062

Name: WELCH AND JOHNSTON
Address: FLORA STREET, OTTAWA
Facility Type: Gasoline Service Stations
Comments 1: 37 to 51
Comments 2:

Generator Number:

Storage Tanks: FIP1948 -Two USTs. No USTs are indicated on FIP1956

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1957, M.1960, M.1970, M.1980; SC98;
FIP1901-66-466,vol1; FIP1912-66-466,vol1; FIP1922-66-466,vol1; FIP1948-131-466; FIP1956-131-466,vol1.

HL References 2:

HL References 3:

NAICS	SIC
811112	635
811199	633
447110	633
811121	635
447190	633
811119	635

Company Name	Year of Operation
Welch and Johnston	c. 1930-1960
Heritage Auto Tech	c. 1998

Historical Land Use Inventory

Area #36 Activity Numbers



CITY OF OTTAWA

HLUI ID: __670HZB

AREA (Square Metres): 297.562

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:50:52

Study Year
1998

PIN
041220066

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 14467 Multiple PINS: Y
PIN Certainty: 2 Previous Activity ID(s) : 1007

Related PINS: 041220062

Name: WELCH AND JOHNSTON
Address: FLORA STREET, OTTAWA
Facility Type: Gasoline Service Stations
Comments 1: 37 to 51
Comments 2:

Generator Number:

Storage Tanks: FIP1948 -Two USTs. No USTs are indicated on FIP1956

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1957, M.1960, M.1970, M.1980; SC98;
FIP1901-66-466,vol1; FIP1912-66-466,vol1; FIP1922-66-466,vol1; FIP1948-131-466; FIP1956-131-466,vol1.

HL References 2:

HL References 3:

NAICS	SIC
811112	635
811199	633
447110	633
811121	635
447190	633
811119	635

Company Name	Year of Operation
Welch and Johnston	c. 1930-1960
Heritage Auto Tech	c. 1998



CITY OF OTTAWA
HLUI ID: __670HZB
AREA (Square Metres): 297.562

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:50:52

Study Year
1998

PIN
041220066

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 14764 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041220066

Name: UPLAND AUTOMOTIVE

Address: 37 FLORA STREET,

Facility Type: Motor Vehicles, Wholesale

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
811111	0

Company Name

Year of Operation

UPLAND AUTOMOTIVE

c. 2005

UPTOWN AUTOMOTIVE

c. 2001



CITY OF OTTAWA
HLUI ID: __670HZB
AREA (Square Metres): 297.562

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:50:52

Study Year
1998

PIN
041220066

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 7933 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041220066

Name: LADANY MILAD
Address: 37 FLORA STREET, OTTAWA
Facility Type: Motor Vehicles, Wholesale

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Property Assessment

NAICS	SIC
811111	0
811112	0
811121	0
811119	0
811199	0

Company Name

LADANY MILAD

Year of Operation

c. 2005

Historical Land Use Inventory

Area #37 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679DJ0
AREA (Square Metres): 322.360

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:51:26

Study Year
1998

PIN
041220065

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 14466 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 2742

Related PINS: 041220065

Name: WELCH & JOHNSTON SERVICE STATION
Address: 17 FLORA STREET, OTTAWA
Facility Type: Gasoline Service Stations
Comments 1: This company is listed at 37-41 Flora St. in M.1960.
Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1960, M.1970, M.1980.

HL References 2:

HL References 3:

NAICS	SIC
811199	633
447110	633
447190	633

Company Name

Welch & Johnston Service Station

Year of Operation

c. 1970

Historical Land Use Inventory

Area #38 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679EUX

AREA (Square Metres): 609.961

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:52:15

Study Year
1998

PIN
041220064

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 1238 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 1811

Related PINS: 041220064

Name: B. F. GOODRICH CANADA LIMITED

Address: 464 BANK STREET, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1: FIP1912, FIP1922 - vacant lot M. 1949 - listed as Hughes Appliances Ltd.

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: FIP1901- 66-466; FIP1912-66-466,vol1; FIP1922-66-466,vol1; FIP1948-131-166; FIP1956-131-466; M.1949, M.1957, M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
811119	635
811112	635
811121	635

Company Name

B.F. Goodrich Canada Ltd.

Year of Operation

c. 1948 -1957

Historical Land Use Inventory

Area #39 Activity Numbers



CITY OF OTTAWA
HLUI ID: __670H9E
AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 11616 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041230003

Name: REZA JEWELLERS

Address: 473 BANK STREET,

Facility Type: Jewellery Stores and Watch and Jewellery Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
448310	0

Company Name

Year of Operation

REZA JEWELLERS

c. 2001

REZA JEWELLERS

c. 2005



CITY OF OTTAWA

HLUI ID: __670H9E

AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 12419 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041230003

Name: SILVERTRUST COMMUNICATIONS

Address: 485 BANK STREET,

Facility Type: Photographers

Comments 1: #207

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
541920	0
512110	0

Company Name	Year of Operation
SILVERTRUST COMMUNICATIONS	c. 2001
SILVERTRUST COMMUNICATIONS	c. 2005



CITY OF OTTAWA
HLUI ID: __670H9E
AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 12736 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041230003

Name: SHAMAR MAINTENANCE INC.
Address: 485 BANK STREET,
Facility Type: Service Industries Incidental to Air Transport
Comments 1: #210
Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
561799	0
561722	0

Company Name	Year of Operation
SHAMAR MAINTENANCE INC.	c. 2001
SHAMAR MAINTENANCE INC.	c. 2005



CITY OF OTTAWA

HLUI ID: __670H9E

AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 1302 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041230003

Name: ARTIFEX DECORATIVE PAINTING

Address: 491 BANK STREET,

Facility Type: Interior and Finishing Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
238320	0

Company Name

Year of Operation

ARTIFEX DECORATIVE PAINTING

c. 2001

ARTIFEX DECORATIVE PAINTING

c. 2005



CITY OF OTTAWA
HLUI ID: __670H9E
AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 1324 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 2623

Related PINS: 041230003

Name: ASH TEMPLE LIMITED
Address: 485 BANK STREET, OTTAWA

Facility Type: Other Manufactured Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
334610	399

Company Name

Ash Temple Ltd.

Year of Operation

c. 1980



CITY OF OTTAWA

HLUI ID: __670H9E

AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 2533 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041230003

Name: C W G FOOTCARE
Address: 485 BANK STREET, OTTAWA
Facility Type: Leather and Allied Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS SIC
316210 0

Company Name

C W G FOOTCARE

Year of Operation

c. 2001



CITY OF OTTAWA
HLUI ID: __670H9E
AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 3037 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 3661

Related PINS: 041230003

Name: CAPITAL MOTORS OF OTTAWA LIMITED

Address: BANK STREET, OTTAWA

Facility Type: Gasoline Service Stations

Comments 1:

Comments 2: 485 - 489

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
811199	633
447190	633
447110	633

Company Name

Capital Motors of Ottawa Ltd.

Year of Operation

c. 1930



CITY OF OTTAWA
HLUI ID: __670H9E
AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8532 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 2500

Related PINS: 041230003

Name: LETT HYDE AUTOMOBILES LIMITED

Address: 475 BANK STREET, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
811121	635
811119	635
811112	635

Company Name

Lett Hyde Automobiles Ltd.

Year of Operation

c. 1960-1970



CITY OF OTTAWA

HLUI ID: __670H9E

AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9601 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041230003

Name: OMER DESERRES
Address: 499 BANK STREET, OTTAWA
Facility Type: Sign and Display Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS SIC
339950 0

Company Name

OMER DESERRES

Year of Operation

c. 2001



CITY OF OTTAWA
HLUI ID: __670H9E
AREA (Square Metres): 2473.431

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:58:20

Study Year
1998

PIN
041230003

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9836 **Multiple PINS:** N

PIN Certainty: 2 **Previous Activity ID(s) :** 3618

Related PINS: 041230003

Name: NORBORD ENTERPRISES LIMITED

Address: 267 ARGYLE AVENUE, OTTAWA

Facility Type: Recreational Vehicle Dealers (where servicing is present)

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1970, M.1980, M.1990, M.1997

HL References 2:

HL References 3:

NAICS	SIC
811490	632

Company Name

Norbord Enterprises Ltd.

Year of Operation

c. 1970

Historical Land Use Inventory

Area #40 Activity Numbers



CITY OF OTTAWA
HLUI ID: __670H8J
AREA (Square Metres): 1742.292

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 17:58:41

Study Year
1998

PIN
041230031

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 5992 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 636

Related PINS: 041230031

Name: FUMETTES LIMITED
Address: 255 ARGYLE AVENUE, OTTAWA
Facility Type: Other Chemical Products Industries
Comments 1:
Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
325910	379
325520	379
325920	379

Company Name

Fumettes Ltd.

Year of Operation

c. 1940

Historical Land Use Inventory

Area #41 Activity Numbers



CITY OF OTTAWA

HLUI ID: __670H4W

AREA (Square Metres): 798.937

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:59:24

Study Year
1998

PIN
041230032

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 7371 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 3617

Related PINS: 041230032

Name: JAMES MORE AND SONS LIMITED

Address: 239 ARGYLE AVENUE, OTTAWA

Facility Type: Site Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1970, M.1980, M.1990, M.1997

HL References 2:

HL References 3:

NAICS	SIC
238990	421
238390	421

Company Name

James More and Sons Ltd.

Year of Operation

c. 1970

Historical Land Use Inventory

Area #42 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679AC9

AREA (Square Metres): 4531.850

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:59:50

Study Year	PIN	Multi-NAIC	Multiple Activities
1998	041230002	Y	Y
2005	041230121	Y	Y

Activity ID: 14632 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 1970

Related PINS: 041230002

Name: W.H. MARTIN & SONS

Address: ARGYLE AVENUE, OTTAWA

Facility Type: Laundries and Cleaners

Comments 1: 249 to 251

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1957, M.1970, M.1980, M.1990, M.1997; FIP1901-66-470, Vol1; FIP1912-66-470, Vol1; FIP1922-66-470, Vol1; FIP1948-131-470; FIP1956-131-470, Vol1

HL References 2:

HL References 3:

NAICS	SIC
812310	972
561740	972
812330	972
812320	972

Company Name

W.H. Martin & Sons

Year of Operation

c. 1930-1970



CITY OF OTTAWA

HLUI ID: __679AC9

AREA (Square Metres): 4531.850

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:59:50

Study Year	PIN	Multi-NAIC	Multiple Activities
1998	041230002	Y	Y
2005	041230121	Y	Y

Activity ID: 1653 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041230121

Name: BIO PED FOOT CARE CENTRE

Address: 340 MCLEOD STREET, OTTAWA

Facility Type: Leather and Allied Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS SIC

316210 0

Company Name

BIO PED FOOT CARE CENTRE

Year of Operation

c. 2001



CITY OF OTTAWA

HLUI ID: __679AC9

AREA (Square Metres): 4531.850

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 17:59:50

Study Year	PIN	Multi-NAIC	Multiple Activities
1998	041230002	Y	Y
2005	041230121	Y	Y

Activity ID: 2786 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041230121

Name: CANADIAN MEDICAL LABORATORIES LIMITED

Address: 340 MCLEOD STREET, OTTAWA

Facility Type: Medical and Other Health Laboratories

Comments 1: LOWER LEVEL

Comments 2:

Generator Number: ON0245155

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2000 PID

NAICS SIC

621510 0

Company Name

Year of Operation

CANADIAN MEDICAL LABORATORIES LIMITED

c. 2000

CML HEALTHCARE INC.

c. 2003

Historical Land Use Inventory

Area #43 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679FAW

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 18:01:24

AREA (Square Metres): 3486.131

Study Year
1998

PIN
041190230

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 1017 **Multiple PINS:** N

PIN Certainty: 2 **Previous Activity ID(s) :** 907

Related PINS: 041190230

Name: ALBERT FARR SERVICE
Address: BANK STREET, OTTAWA
Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2: 451-455

Generator Number:

Storage Tanks: FIP1948, FIP1956 -Three USTs, 1000 gallons each, parallel to Bank st.

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1957, M.1960; FIP1901-66-469, Vol1; FIP1922-66-469, Vol1; FIP1948-131-469; FIP1956-131-469, Vol1

HL References 2:

HL References 3:

NAICS	SIC
488410	639
447110	633
811121	635
811199	633
811119	635
811112	635
447190	633

Company Name	Year of Operation
Unnamed Service Station	c. 1948-1956
Albert Farr Service	c. 1940
Mike O'Connor Service Station	c. 1949-1950
Gordon Butterfield Service Station	c. 1957-1960

Historical Land Use Inventory

Area #44 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6799EZ

AREA (Square Metres): 4191.970

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:01:49

Study Year
2005

PIN
041190226

Multi-NAIC
N

Multiple Activities
N

Activity ID: 6910 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041190226

Name: HULSE PLAYFAIR & MCGARRY INC.

Address: 315 MCLEOD STREET, OTTAWA

Facility Type: Funeral Services

Comments 1:

Comments 2:

Generator Number: ONF022600

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2000 PID

NAICS SIC
812210 0

Company Name	Year of Operation
HULSE, PLAYFAIR & MCGARRY INC.	c. 2003
HULSE, PLAYFAIR & MCGARRY INC.	c. 2001
HULSE PLAYFAIR & MCGARRY INC.	c. 2000
HULSE PLAYFAIR & MCGARRY INC.	c. 2005

Historical Land Use Inventory

Area #45 Activity Numbers

Historical Land Use Inventory

Area #46 Activity Numbers



CITY OF OTTAWA
HLUI ID: __6790H3
AREA (Square Metres): 561.070

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 18:07:42

Study Year
2005

PIN
041190221

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 5895 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190221

Name: GINN PHOTOGRAPHIC COMPANY
Address: 433 BANK STREET,
Facility Type: Camera and Photographic Supply Stores
Comments 1:
Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
541920	0
443130	0

Company Name	Year of Operation
GINN PHOTOGRAPHIC COMPANY	c. 2005
GINN PHOTOGRAPHIC COMPANY	c. 2001

Historical Land Use Inventory

Area #47 Activity Numbers

Historical Land Use Inventory

Area #48 Activity Numbers



CITY OF OTTAWA
HLUI ID: __670HYG
AREA (Square Metres): 113.694

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 18:08:32

Study Year
1998

PIN
041190194

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 14464 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 905
Related PINS: 041190194

Name: WEINER'S CLEANERS AND DYERS
Address: 429 BANK STREET, OTTAWA
Facility Type: Laundries and Cleaners
Comments 1: Clothes Repair in 1930 and 1920 FIP1912 - lists fruit shop
Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1956; FIP1901-66-387; FIP1912-66-387,vol1; FIP1922-66-387,vol1; FIP1948-131-387; FIP1956-131-387

HL References 2:

HL References 3:

NAICS	SIC
812330	972
812320	972
812310	972
561740	972

Company Name

Year of Operation

Rudy's Valet Service	c. 1947-1956
Weiner's Cleaners and Dyers	c. 1940

Historical Land Use Inventory

Area #49 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679BYI
AREA (Square Metres): 207.124

Report: RPTC_OT_DEV0122
Run On: 09 Nov 2020 at: 18:08:50

Study Year
2005

PIN
041190192

Multi-NAIC
N

Multiple Activities
N

Activity ID: 6272 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190192

Name: HACKETT THE SHOEMAKERS

Address: 427 BANK STREET, OTTAWA

Facility Type: Leather and Allied Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
316210	0

Company Name

HACKETT THE SHOEMAKERS

Year of Operation

c. 2001

Historical Land Use Inventory

Area #50 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679GHO

AREA (Square Metres): 4545.979

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:09:43

Study Year
1998

PIN
041190125

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 5871 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) : 1500

Related PINS: 041190125

Name: GENERAL MOTORS SERVICE STATION

Address: 396 WAVERLEY STREET, OTTAWA

Facility Type: Gasoline Service Stations

Comments 1: 1900, 1910, 1920, - planing mill

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
811199	633
447190	633
447110	633

Company Name

General Motors Service Station

Year of Operation

c. 1930



CITY OF OTTAWA
HLUI ID: __679GHO
AREA (Square Metres): 4545.979

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:09:43

Study Year
1998

PIN
041190125

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 9788 **Multiple PINS:** N

PIN Certainty: 2 **Previous Activity ID(s) :** 904

Related PINS: 041190125

Name: NEW YORK CLEANERS
Address: 409 BANK STREET, OTTAWA
Facility Type: Laundries and Cleaners

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
812330	972
561740	972
812320	972
812310	972

Company Name

Year of Operation

Copland, Saul Cleaners and Pressers

New York Cleaners

c. 1940

Historical Land Use Inventory

Area #51 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679DIE
AREA (Square Metres): 319.475

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 18:15:03

Study Year
1998

PIN
041190122

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 1347 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 1986

Related PINS: 041190122

Name: ASSOCIATED CLEANERS & DYERS

Address: 397 BANK STREET, OTTAWA

Facility Type: Laundries and Cleaners

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
812310	972
812320	972
561740	972
812330	972

Company Name

Associated Cleaners & Dyers

Year of Operation

c. 1950

Historical Land Use Inventory

Area #52 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679EFG

AREA (Square Metres): 1015.264

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:15:25

Study Year
1998

PIN
041190120

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 13685 Multiple PINS: N

PIN Certainty: 2 Previous Activity ID(s) : 1628

Related PINS: 041190120

Name: THORTON AND TRUMAN LIMITED

Address: 383 BANK STREET, OTTAWA

Facility Type: Machine Shop Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1958, M.1961, M.1964, S.1958, S.1961, S.1964, S.1965

HL References 2:

HL References 3:

NAICS	SIC
332510	306
333511	306
332710	308
333619	308
336350	308
336310	308
333519	306

Company Name

Thorton and Truman Ltd.

Year of Operation

c. 1958-1961



CITY OF OTTAWA
HLUI ID: __679EFG
AREA (Square Metres): 1015.264

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:15:25

Study Year
1998

PIN
041190120

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 2896 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 903

Related PINS: 041190120

Name: CANADIAN UNDERFEED COAL BURNER LIMITED

Address: 381 BANK STREET, OTTAWA

Facility Type: Petroleum Products, Wholesale

Comments 1: Was a Meeting Hall in 1920

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
333413	307
333310	307
333416	307
454310	511
419120	511
412110	511

Company Name

Canadian Underfeed Coal Burner Ltd.

Year of Operation

c. 1940



CITY OF OTTAWA

HLUI ID: __679EFG

AREA (Square Metres): 1015.264

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:15:25

Study Year
1998

PIN
041190120

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 2898 Multiple PINS: N
 PIN Certainty: 1 Previous Activity ID(s) : 6781
 Related PINS: 041190120
 Name: CANADIAN UNION OF POSTAL WORKERS
 Address: 377 BANK STREET, OTTAWA
 Facility Type: Commercial Printing Industries
 Comments 1:
 Comments 2:
 Generator Number: ON1763400
 Storage Tanks:
 HL References 1: PID1994
 HL References 2:
 HL References 3: 2000 PID

NAICS	SIC
323115	0
323116	281
323115	281
323114	281
323114	0
323119	281

Company Name	Year of Operation
CANADIAN UNION OF POSTAL WORKERS	c. 2000
Canadian Union of Postal Workers	c. 1994

Historical Land Use Inventory

Area #53 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679E90
AREA (Square Metres): 778.014

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:15:58

Study Year
1998

PIN
041190094

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 4053 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190094

Name: CUSTOM PLASTICS
Address: 371 BANK STREET, OTTAWA
Facility Type: Other Plastic Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
326198	0

Company Name
CUSTOM PLASTICS

Year of Operation
c. 2001

Historical Land Use Inventory

Area #54 Activity Numbers



CITY OF OTTAWA
 HLUI ID: __679DWO

AREA (Square Metres): 373.838

Report: RPTC_OT_DEV0122

Run On: 09 Nov 2020 at: 18:16:21

Study Year
1998

PIN
041190095

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 7889 **Multiple PINS:** Y

PIN Certainty: 2 **Previous Activity ID(s) :** 1019

Related PINS: 041190094

Name: KNIGHT E. J. AUTO GARAGE

Address: 384 GILMOUR STREET, OTTAWA

Facility Type: Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M. 1900, M.1910, M.1920, M.1930, M.1940, M.1949, M.1950, M.1956; FIP1901-56-384, Vol2; FIP1912-56-384, Vol1; FIP1922-56-384, Vol1; FIP1948-130-384; FIP1956-130-384

HL References 2:

HL References 3:

NAICS	SIC
811112	635
811119	635
811121	635

Company Name

Year of Operation

Maynard Hobbs and Cockwell Auto Garage	c. 1949-1950
Gilmour Street Garage	c. 1956
Knight E. J. Auto Garage	c. 1940

Historical Land Use Inventory

Area #55 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679CFW
AREA (Square Metres): 305.313

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 18:20:21

Study Year
1998

PIN
041190116

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 10166 **Multiple PINS:** Y
PIN Certainty: 2 **Previous Activity ID(s) :** 5639
Related PINS: 041190116
Name: OTTAWA PERMA COATING CO. LIMITED
Address: 355 WAVERLEY STREET, OTTAWA
Facility Type: Stamped, Pressed and Coated Metal Products Industries
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1960, M.1970, M.1980
HL References 2:
HL References 3:

NAICS	SIC
332439	304
339910	304
332118	304
332431	304
332720	304
332210	304

Company Name	Year of Operation
Ottawa Perma Coating Co. Ltd.	c. 1980

Historical Land Use Inventory

Area #56 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679CE8
AREA (Square Metres): 304.081

Report: RPTC_OT_DEV0122
 Run On: 09 Nov 2020 at: 18:20:41

Study Year
1998

PIN
041190117

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 10166 **Multiple PINS:** Y
PIN Certainty: 2 **Previous Activity ID(s) :** 5639
Related PINS: 041190116
Name: OTTAWA PERMA COATING CO. LIMITED
Address: 355 WAVERLEY STREET, OTTAWA
Facility Type: Stamped, Pressed and Coated Metal Products Industries
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1960, M.1970, M.1980
HL References 2:
HL References 3:

NAICS	SIC
332439	304
339910	304
332118	304
332431	304
332720	304
332210	304

Company Name	Year of Operation
Ottawa Perma Coating Co. Ltd.	c. 1980

Historical Land Use Inventory

Area #57 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EU9
AREA (Square Metres): 610.744

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:15:57

Study Year
1998

PIN
041190106

Multi-NAIC
N

Multiple Activities
N

Activity ID: 11808 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 5149

Related PINS: 041190106

Name: ROYALE DISCOUNT UPHOLSTERY
Address: 456 LEWIS STREET, OTTAWA
Facility Type: Household Furniture Stores
Comments 1:
Comments 2:

Generator Number:

Storage Tanks:

HL References 1: SC98

HL References 2:

HL References 3:

NAICS	SIC
442110	621

Company Name

Royale Discount Upholstery

Year of Operation

c. 1998

Historical Land Use Inventory

Area #58 Activity Numbers



CITY OF OTTAWA

HLUI ID: __679AH4

AREA (Square Metres): 220.132

Report: RPTC_OT_DEV0122

Run On: 16 Nov 2020 at: 14:16:37

Study Year
2005

PIN
041180263

Multi-NAIC
N

Multiple Activities
N

Activity ID: 6788 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041180263

Name: HETHERINGTON CONSTRUCTION

Address: 321 O'CONNOR STREET,

Facility Type: Residential Building and Development

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
236110	0

Company Name

HETHERINGTON CONSTRUCTION

Year of Operation

c. 2005

Historical Land Use Inventory

Area #59 Activity Numbers



CITY OF OTTAWA
HLUI ID: __67990D
AREA (Square Metres): 610.034

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:16:54

Study Year
2005

PIN
041180142

Multi-NAIC
N

Multiple Activities
N

Activity ID: 4008 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041180142

Name: DESIGN FIRST CREATION & DEV

Address: 322 WAVERLEY STREET,

Facility Type: Other Plastic Products Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
326198	0

Company Name

DESIGN FIRST CREATION & DEV

Year of Operation

c. 2005

Historical Land Use Inventory

Area #60 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679ECJ
AREA (Square Metres): 860.880

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:17:25

Study Year
1998

PIN
041190098

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 8056 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 683

Related PINS: 041190098

Name: LASALLE EXTENSION UNIVERSITY

Address: 356 GILMOUR STREET, OTTAWA

Facility Type: Post-Secondary Non-University Education

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
611610	852
611210	852

Company Name

LaSalle Extension University

Year of Operation

c. 1940

Historical Land Use Inventory

Area #61 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EPO
AREA (Square Metres): 580.028

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:19:47

Study Year
1998

PIN
041190051

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 13939 **Multiple PINS:** N
PIN Certainty: 2 **Previous Activity ID(s) :** 2463, 3180
Related PINS: 041140257
Name: UNNAMED LUMBER YARD
Address: BANK STREET, OTTAWA
Facility Type: Lumber and Building Materials, Wholesale
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950
HL References 2:
HL References 3:

NAICS	SIC
416310	563
444190	563
444120	563
444110	563
416340	563
416320	563

Company Name	Year of Operation
Unnamed Lumber Yard	c. 1900

Historical Land Use Inventory

Area #62 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EPQ
AREA (Square Metres): 580.202

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:20:12

Study Year
1998

PIN
041190050

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 13939 **Multiple PINS:** N
PIN Certainty: 2 **Previous Activity ID(s) :** 2463, 3180
Related PINS: 041140257
Name: UNNAMED LUMBER YARD
Address: BANK STREET, OTTAWA
Facility Type: Lumber and Building Materials, Wholesale
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950
HL References 2:
HL References 3:

NAICS	SIC
416310	563
444190	563
444120	563
444110	563
416340	563
416320	563

Company Name	Year of Operation
Unnamed Lumber Yard	c. 1900

Historical Land Use Inventory

Area #63 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6790WU

AREA (Square Metres): 403.823

Report: RPTC_OT_DEV0122

Run On: 16 Nov 2020 at: 14:26:31

Study Year
2005

PIN
041190055

Multi-NAIC
N

Multiple Activities
N

Activity ID: 384 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190055

Name: ABRA-MERLIN PRODUCTIONS

Address: 355 GILMOUR STREET,

Facility Type: Motion Picture Laboratories and Video Production Facilities

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
512110	0

Company Name

ABRA-MERLIN PRODUCTIONS

Year of Operation

c. 2005

Historical Land Use Inventory

Area #64 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EPP
AREA (Square Metres): 580.080

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:27:13

Study Year
1998

PIN
041190049

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 13939 **Multiple PINS:** N
PIN Certainty: 2 **Previous Activity ID(s) :** 2463, 3180
Related PINS: 041140257
Name: UNNAMED LUMBER YARD
Address: BANK STREET, OTTAWA
Facility Type: Lumber and Building Materials, Wholesale
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950
HL References 2:
HL References 3:

NAICS	SIC
416310	563
444190	563
444120	563
444110	563
416340	563
416320	563

Company Name	Year of Operation
Unnamed Lumber Yard	c. 1900

Historical Land Use Inventory

Area #65 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6799BS

AREA (Square Metres): 1136.658

Report: RPTC_OT_DEV0122

Run On: 16 Nov 2020 at: 14:27:33

Study Year
2005

PIN
041190062

Multi-NAIC
N

Multiple Activities
N

Activity ID: 13847 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190062

Name: WETV DEVELOPMENT CORPORATION

Address: 342 MACLAREN STREET, OTTAWA

Facility Type: Communication and Other Electronic Equipment Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2001 Employment Survey

NAICS	SIC
334220	0

Company Name

WETV DEVELOPMENT CORPORATION

Year of Operation

c. 2001

Historical Land Use Inventory

Area #66 Activity Numbers



CITY OF OTTAWA

HLUI ID: __6799E5

AREA (Square Metres): 454.061

Report: RPTC_OT_DEV0122

Run On: 16 Nov 2020 at: 14:28:12

Study Year
2005

PIN
041190064

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 1375 Multiple PINS: N

PIN Certainty: 1 Previous Activity ID(s) :

Related PINS: 041190064

Name: AUBUT & NADEAU SERVICES INC.

Address: 356 MACLAREN STREET, OTTAWA

Facility Type: Camera and Photographic Supply Stores

Comments 1:

Comments 2:

Generator Number: ON1785700

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2000 PID

NAICS	SIC
812922	0
443130	0

Company Name

AUBUT & NADEAU SERVICES INC.

Year of Operation

c. 2000

Historical Land Use Inventory

Area #67 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EPN
AREA (Square Metres): 579.796

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:29:24

Study Year
1998

PIN
041190048

Multi-NAIC
Y

Multiple Activities
N

Activity ID: 13939 **Multiple PINS:** N
PIN Certainty: 2 **Previous Activity ID(s) :** 2463, 3180
Related PINS: 041140257
Name: UNNAMED LUMBER YARD
Address: BANK STREET, OTTAWA
Facility Type: Lumber and Building Materials, Wholesale
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950
HL References 2:
HL References 3:

NAICS	SIC
416310	563
444190	563
444120	563
444110	563
416340	563
416320	563

Company Name	Year of Operation
Unnamed Lumber Yard	c. 1900

Historical Land Use Inventory

Area #68 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EPD
AREA (Square Metres): 585.281

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:28:36

Study Year
1998

PIN
041190038

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 13969 **Multiple PINS:** N
PIN Certainty: 1 **Previous Activity ID(s) :** 850
Related PINS: 041190038
Name: TYNELL REPRODUCTION SERVICES
Address: 306 BANK STREET, OTTAWA
Facility Type: Commercial Printing Industries
Comments 1:
Comments 2:
Generator Number:
Storage Tanks:
HL References 1: M.1960, M.1970, M.1980, S.1961
HL References 2:
HL References 3:

NAICS	SIC
323119	281
323116	281
323114	281
323115	281

Company Name	Year of Operation
Tynell Reproduction Services	c. 1960-1961



CITY OF OTTAWA
HLUI ID: __679EPD
AREA (Square Metres): 585.281

Report: RPTC_OT_DEV0122

Run On: 16 Nov 2020 at: 14:28:36

Study Year
1998

PIN
041190038

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 8671 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :**

Related PINS: 041190038

Name: MULTI ARMS SECURITY INC.

Address: 309 BANK STREET,

Facility Type: Motor Vehicles, Wholesale

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3: 2005 Select Phone

NAICS	SIC
811411	0
811310	0
561791	0

Company Name

MULTI ARMS SECURITY INC.

Year of Operation

c. 2005

Historical Land Use Inventory

Area #69 Activity Numbers



CITY OF OTTAWA
HLUI ID: __679EEJ
AREA (Square Metres): 928.150

Report: RPTC_OT_DEV0122
 Run On: 16 Nov 2020 at: 14:33:03

Study Year
1998

PIN
041190225

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 12352 **Multiple PINS:** Y
PIN Certainty: 1 **Previous Activity ID(s) :** 1797
Related PINS: 041190224

Name: ROCKWELL'S BODY SHOP
Address: 388 MACLAREN STREET, OTTAWA
Facility Type: Motor Vehicle Repair Shops
Comments 1:
Comments 2:

Generator Number:

Storage Tanks:

HL References 1: FIP1901-5-299 (1888); FIP1912-55-299,vol1; FIP1922-55-299,vol1; FIP1948-126-299; FIP1956-126-299,vol1; M.1900-M.1980

HL References 2:

HL References 3:

NAICS	SIC
811121	635
811112	635
811119	635

Company Name	Year of Operation
Dunlop's Body Repairs Shop	c. 1963
Modern Motor Service	c. 1930-1940
Cockwell's Body Shop	c. 1948-1957



CITY OF OTTAWA
HLUI ID: __679EEJ
AREA (Square Metres): 928.150

Report: RPTC_OT_DEV0122

Run On: 16 Nov 2020 at: 14:33:03

Study Year
1998

PIN
041190225

Multi-NAIC
Y

Multiple Activities
Y

Activity ID: 12835 **Multiple PINS:** N

PIN Certainty: 1 **Previous Activity ID(s) :** 735

Related PINS: 041190225

Name: SUNSHINE UNIFORM SUPPLY LIMITED

Address: 388 MACLAREN STREET, OTTAWA

Facility Type: Laundries and Cleaners

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
561740	972
812330	972
812320	972
812310	972

Company Name

Sunshine Uniform Supply Ltd

Year of Operation

c. 1940

Historical Land Use Inventory

Area #70 Activity Numbers

Historical Land Use Inventory

Area #71 Activity Numbers



DATABASE REPORT

Project Property: *PE5088 - 406 Bank Street
406 Bank Street & 7 Florence St
Ottawa ON K2P 1Y6*

Project No:

Report Type: *Standard Report*

Order No: *20302900328*

Requested by: *Paterson Group Inc.*

Date Completed: *November 3, 2020*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	38
Map.....	75
Aerial.....	76
Topographic Map.....	77
Detail Report.....	78
Unplottable Summary.....	272
Unplottable Report.....	276
Appendix: Database Descriptions.....	297
Definitions.....	306

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: PE5088 - 406 Bank Street
406 Bank Street & 7 Florence St Ottawa ON K2P 1Y6

Project No:

Coordinates:

Latitude: 45.4128499
Longitude: -75.6943543
UTM Northing: 5,029,048.92
UTM Easting: 445,668.71
UTM Zone: 18T

Elevation: 248 FT
75.57 M

Order Information:

Order No: 20302900328
Date Requested: October 29, 2020
Requested by: Paterson Group Inc.
Report Type: Standard Report

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	2	2
BORE	<i>Borehole</i>	Y	0	3	3
CA	<i>Certificates of Approval</i>	Y	1	20	21
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	7	7
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	1	1
ECA	<i>Environmental Compliance Approval</i>	Y	0	32	32
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	62	62
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	6	6
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	10	10
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	4	4
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	150	150
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	2	2

Database	Name	Searched	Project Property	Within 0.25 km	Total
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	3	3
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	14	14
PINC	<i>Pipeline Incidents</i>	Y	0	1	1
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	3	3
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	7	7
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	3	3
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	14	14
SPL	<i>Ontario Spills</i>	Y	0	16	16
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	27	27
Total:			1	388	389

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	CA	LAI SIM LEUNG	SWM - 7 FLORENCE STREET OTTAWA CITY ON K2P 0W6	-/0.0	-0.62	78

Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
2	EHS		406-408 Bank St Ottawa ON K2P 1Y5	SE/7.6	-0.62	78
3	EHS		390 and 394 Bank St Ottawa ON K2P 1Y5	NW/22.8	0.10	78
3	EHS		390 and 394 Bank St Ottawa ON K2P 1Y5	NW/22.8	0.10	78
3	EHS		390 and 394 Bank St Ottawa ON K2P 1Y5	NW/22.8	0.10	79
4	EHS		7, 9 and 11 Florence Street Ottawa ON	SW/26.0	0.00	79
5	GEN	Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S/32.4	-0.73	79
5	GEN	Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S/32.4	-0.73	79
5	GEN	Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S/32.4	-0.73	80
5	GEN	Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S/32.4	-0.73	80
6	BORE		ON	W/38.6	0.31	80
7	RSC	176929 Canada Inc	390 BANK ST, OTTAWA, ON, K2P 1Y5, ON K2P 1Y5	WNW/41.6	0.31	82
8	PINC		417 BANK ST, OTTAWA ON	E/44.8	-0.66	83

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
8	SPL	Enbridge Energy Distribution Inc.	417 Bank Street Ottawa ON	E/44.8	-0.66	83
9	SCT	Coco International	410 Bank St Suite 138 Ottawa ON K2P 1Y8	SSE/46.2	-0.72	84
9	SCT	Coco International Inc.	410 Bank St Unit 138 Ottawa ON K2P 1Y8	SSE/46.2	-0.72	84
10	GEN	party world	420 bank st OTTAWA ON K2P 1Y8	SE/48.6	-0.69	84
11	EHS		390 bank street ottawa ON K2P 1Y5	NW/52.0	0.31	85
12	EHS		393-395 Bank Street Ottawa ON	N/59.0	-0.39	85
13	ECA	Canadian Union of Public Employees Realty Holdings Incorporated	21 Florence St and 20 James Street Ottawa ON K2P 0W6	WSW/59.6	0.31	85
14	CA	Canadian Union of Public Employees Realty Holdings Incorporated	21 Florence Street and 20 James Street Ottawa ON	W/61.9	0.27	85
15	WWIS		408 BANK STREET OTTAWA ON Well ID: 1536121	NW/63.4	0.34	86
16	WWIS		ON Well ID: 7239266	E/63.7	-1.15	88
17	EHS		425 Bank Street Ottawa ON	ESE/67.4	-0.66	89
18	SCT	Ottawa Cabinet Company Limited	24 Florence St Ottawa ON K2P 0W7	SW/74.0	0.31	89
19	SPL	FRANCIS FUELS	379 WAVERLEY ST AT POLISH COMBATTANTS ASS'N BUILDING. TANK TRUCK (CARGO)	NNE/78.5	-0.69	90

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			OTTAWA CITY ON K2P 0W4			
20	GEN	ASHLEY REPRODUCTIONS INC.	386 BANK STREET OTTAWA ON K2P 1Y4	NW/78.9	0.31	90
20	GEN	ASHLEY REPRODUCTIONS INC. 03-350	386 BANK STREET OTTAWA ON K2P 1Y4	NW/78.9	0.31	90
21	SPL	City of Ottawa	434 Bank St Ottawa ON	SE/86.0	-0.94	91
22	GEN	PEZOULAS BROTHER REALTY CO.	384 BANK ST. OTTAWA ON K2P 1Y4	NW/88.3	0.31	91
22	EHS		384 BANK STREET OTTAWA ON K2P 1Y4	NW/88.3	0.31	91
22	SCT	AssayNet Canada Inc.	384 Bank St Suite 330 Ottawa ON K2P 1Y4	NW/88.3	0.31	91
23	EHS		21 James Street Ottawa ON K2P 0T5	WNW/88.8	1.00	92
24	EHS		31 Florence St Ottawa ON K2P0W6	WSW/89.2	0.22	92
25	CA	YING YEE KUNG	380 FRANK STREET (SWM) OTTAWA CITY ON K2P 0Y1	ESE/91.7	-1.69	92
26	GEN	The Governing Council of The Salvation Army in Can	391 Gladstone Ave Ottawa ON K2P 0Y9	SSW/91.9	-0.81	93
26	GEN	The Governing Council of The Salvation Army in Can	391 Gladstone Ave Ottawa ON K2P 0Y9	SSW/91.9	-0.81	93
27	GEN	CANADIAN UNION OF POSTAL WORKERS	377 BANK STREET OTTAWA ON K2P 1Y3	N/92.4	0.33	93

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
27	GEN	Canadian Union of Postal Workers	377 Bank Street Ottawa ON K2P 1Y3	N/92.4	0.33	93
27	EHS		377 Bank Street Ottawa ON K2P 1Y3	N/92.4	0.33	94
28	WWIS		366 382 BANKS STREET Ottawa ON <i>Well ID: 7295734</i>	NW/92.6	0.27	94
29	EHS		433 Bank St Ottawa ON K2P1Y7	ESE/94.2	-1.69	97
30	EHS		382-386 Bank Street Ottawa ON K2P 1Y4	NW/96.5	0.31	97
30	EHS		382 - 386 Bank Street, Ottawa ON K2P 1Y4	NW/96.5	0.31	97
31	EHS		433 bank street Ottawa ON K2P 1Y7	ESE/97.5	-1.69	98
31	GEN	Canderel Stoneridge Equity Group Inc.	433 Bank Street Ottawa ON K2P 1Y7	ESE/97.5	-1.69	98
32	EHS		433 Bank St Ottawa ON K2P1Y7	ESE/97.6	-1.69	98
33	WWIS		21 JAMES ST OTTAWA ON <i>Well ID: 7186496</i>	WNW/103.8	1.00	98
34	EHS		366 Bank St Ottawa ON K2P1Y4	NW/106.1	0.27	101
35	WWIS		366 382 BANK STREET Ottawa ON <i>Well ID: 7295733</i>	NW/107.1	0.28	101
36	SPL	Enbridge Gas Distribution Inc.	38 James Street Ottawa ON	W/109.7	1.31	104

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
37	SPL	PRIVATE RESIDENCE	378 BANK ST. FURNACE OIL TANK OTTAWA CITY ON K2P 1Y4	NW/110.5	0.28	105
37	GEN	C.C.B. ELECTRIC WKS. LIMITED	378 BANK STREET OTTAWA ON K2P 1Y4	NW/110.5	0.28	105
37	GEN	C.C.B. ELECTRIC WKS. LIMITED	378 BANK STREET OTTAWA ON K2P 1Y4	NW/110.5	0.28	105
37	GEN	C.C.B. ELECTRIC WKS. LIMITED 07-123	378 BANK STREET OTTAWA ON K2P 1Y4	NW/110.5	0.28	106
37	GEN	C.C.B. ELECTRIC WORKS LIMITED	378 BANK STREET OTTAWA ON K2P 1Y4	NW/110.5	0.28	106
38	SPL	PRIVATE RESIDENCE	366 WAVERLY ST. FURNACE OIL TANK OTTAWA CITY ON	ENE/112.0	-1.69	106
39	EHS		354, 362, 366 Waverley Street Ottawa ON	ENE/113.4	-1.69	107
40	WWIS		320 GILMOUR ST Ottawa ON Well ID: 7179840	WNW/114.6	1.00	107
41	WWIS		GLADSTONE AVENUE Ottawa ON Well ID: 7222343	ESE/115.3	-1.69	109
42	EHS		375 Bank Street Ottawa ON K2P 1Y2	NNW/117.9	0.31	112
43	SPL	The Buzz<UNOFFICIAL>	374 Bank Street Ottawa ON	NW/120.6	0.28	112
44	EHS		366- 380 BANK STREET (EVENS ONLY) OTTAWA ON K2P 1Y4	NW/122.5	0.28	112
45	ECA	Urban Capital (Gladstone) Inc.	343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Ottawa ON M5C 1C3	SE/123.1	-1.69	112

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
46	EHS		371 Bank St Ottawa ON K2P1Y2	NNW/123.7	0.30	113
47	CA	172965 CANADA LTD., IMPERIAL OIL	450 BANK STREET (SWM) OTTAWA CITY ON K2P 1Z1	SSE/125.7	-1.78	113
47	EHS		450 Bank Street Ottawa ON K2P 1Z1	SSE/125.7	-1.78	113
47	FST	MAC'S CONVENIENCE STORES INC	450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	113
47	FST	MAC'S CONVENIENCE STORES INC	450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	114
47	FST	MAC'S CONVENIENCE STORES INC	450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	115
47	EXP	BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	115
47	EXP	BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	116
47	EXP	BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	116
47	EHS		450 Bank St Ottawa ON	SSE/125.7	-1.78	116
47	PES	827219 ONTARIO LIMITED O/A BYTOWN PEST CONTROL	450 BANK ST OTTAWA ON K2P1Z1	SSE/125.7	-1.78	117
47	FST		450 BANK ST OTTAWA ON K2P 1Z1	SSE/125.7	-1.78	117
47	FST	BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	117

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
47	FST	BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	118
47	FST	BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE/125.7	-1.78	118
48	EHS		354-362 & 366 Waverley Street Ottawa ON K2P 0W4	ENE/126.9	-1.69	119
49	PRT	BANK STREET ESSO	450 BANK ST OTTAWA ON K2P1Z1	SE/128.0	-1.69	119
49	RST	BANK ST ESSO	450 BANK ST OTTAWA ON K2P 1Z1	SE/128.0	-1.69	119
49	FSTH	BANK STREET ESSO	450 BANK ST OTTAWA ON K2P 1Z1	SE/128.0	-1.69	119
49	FSTH	BANK STREET ESSO	450 BANK ST OTTAWA ON K2P 1Z1	SE/128.0	-1.69	120
49	DTNK	BANK STREET ESSO	450 BANK ST OTTAWA ON	SE/128.0	-1.69	120
49	DTNK	BANK STREET ESSO	450 BANK ST OTTAWA ON	SE/128.0	-1.69	121
49	DTNK	BANK STREET ESSO	450 BANK ST OTTAWA ON	SE/128.0	-1.69	121
49	GEN	Mac's Convenience Stores Inc.	450 Bank Street Ottawa ON K2P1Z1	SE/128.0	-1.69	121
50	INC		29 JAMES STREET, OTTAWA ON K2P 0T4	WNW/128.3	1.31	121
51	ECA	The Corporation of the City of Ottawa	Gladstone Ave Ottawa ON K1N 5A1	NNE/129.3	-0.69	122

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
51	ECA	City of Ottawa	Bank St , from Somerset Street to Catherine Street Ottawa ON K1P 1J1	NNE/129.3	-0.69	122
51	ECA	City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE/129.3	-0.69	123
51	ECA	The Regional Municipality of Ottawa-Carleton	Waverley Street Ottawa ON K2P 2L7	NNE/129.3	-0.69	123
51	ECA	The Regional Municipality of Ottawa-Carleton	Gladstone Ave Ottawa ON K2P 2L7	NNE/129.3	-0.69	123
51	ECA	The Corporation of the City of Ottawa	Waverley Street Ottawa ON K1N 5A1	NNE/129.3	-0.69	123
51	ECA	City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE/129.3	-0.69	124
51	ECA	City of Ottawa	Waverley Street Ottawa ON K1P 1J1	NNE/129.3	-0.69	124
51	ECA	City of Ottawa	Lewis St, MacDonald St, Gilmour St & Robert St Ottawa ON K1N 5A1	NNE/129.3	-0.69	124
51	ECA	City of Ottawa	Lewis Street, MacDonald Street, Gilmour Street, Waverley Street and Robert Street Ottawa ON K1N 5A1	NNE/129.3	-0.69	125
51	ECA	City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE/129.3	-0.69	125
51	ECA	City of Ottawa	Gilmour Street (O'Connor to Metcalfe Streets) Ottawa ON K1S 5K2	NNE/129.3	-0.69	125
51	ECA	City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE/129.3	-0.69	125

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
51	ECA	City of Ottawa	Bank St , from Somerset Street to Catherine Street Ottawa ON K1P 1J1	NNE/129.3	-0.69	126
51	ECA	City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE/129.3	-0.69	126
52	CA	OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON	E/130.2	-1.69	126
53	EHS		366 Bank Street Ottawa ON K2P 1Y4	NW/131.3	0.28	126
54	WWIS		320 GILMOUR ST Ottawa ON <i>Well ID:</i> 7179838	WNW/134.9	1.31	127
54	WWIS		320 GILMOUR ST Ottawa ON <i>Well ID:</i> 7179839	WNW/134.9	1.31	129
55	EHS		360 Frank St Ottawa On Ottawa ON	E/138.6	-1.69	132
56	WWIS		366 382 BANKS STREET Ottawa ON <i>Well ID:</i> 7295732	NW/141.1	0.20	132
57	GEN	Ottawa Mens Clinic	367 Bank st ottawa ON K2P 1Y2	NNW/141.4	0.31	135
58	INC		50 JAMES STREET, OTTAWA ON	W/143.5	1.31	135
59	EHS		420 Gilmour Street Ottawa ON	WNW/143.7	1.31	136
60	SPL		50 James St Ottawa ON K2P 0T6	W/144.5	1.31	136
61	EHS		428 Gilmour Street Ottawa ON K2P 0R8	WNW/145.8	1.31	137

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
62	WWIS		366 382 BANK STREET Ottawa ON <i>Well ID: 7295731</i>	NW/146.1	0.20	137
63	AUWR	AXLE AUTOMOTIVE INC	410 GLADSTONE AVE OTTAWA ON K2P 0Z1	S/146.5	-0.70	140
63	SCT	Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S/146.5	-0.70	140
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	140
63	CA	Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S/146.5	-0.70	140
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	141
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	141
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	141
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	141
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	142
63	ECA	Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S/146.5	-0.70	142
63	EASR	AXLE AUTOMOTIVE INC	410 GLADSTONE AVENUE OTTAWA ON K2P 0Z1	S/146.5	-0.70	142
63	AUWR	AXLE AUTOMOTIVE INC	410 GLADSTONE AVE OTTAWA ON K2P0Z1	S/146.5	-0.70	143
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON	S/146.5	-0.70	143

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
63	ECA	Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S/146.5	-0.70	143
63	ECA	Axle Automotive Inc.	3270 Blais Rd and 410 Gladstone Avenue Ottawa ON K2P 0Z1	S/146.5	-0.70	143
63	ECA	Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S/146.5	-0.70	144
63	ECA	Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S/146.5	-0.70	144
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	144
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	145
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	145
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	146
63	GEN	Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S/146.5	-0.70	146
64	EHS		353-357 Frank St Ottawa ON K2P 0X9	ENE/148.3	-1.69	146
65	EHS		420 Gilmour Street Ottawa ON K2P 0R9	WNW/149.6	1.31	147
66	CA	R.M. OF OTTAWA-CARLETON - O'CONNOR ST.	GILMOUR ST./BANK ST. OTTAWA CITY ON	NW/151.4	0.31	147
67	SCT	Paramount Gold & Silver Corp.	346 Waverley St Ottawa ON K2P 0W5	ENE/152.4	-1.69	147

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
67	EHS		346 Waverley St Ottawa ON K2P 0W5	ENE/152.4	-1.69	147
68	SCT	CUDDLE DOWN PRODUCTS LTD	340 GLADSTONE AVE OTTAWA ON K2P 0Y8	ESE/154.8	-1.69	148
68	SPL	OC Transpo<UNOFFICIAL>	340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Ottawa ON K2P 0Y8	ESE/154.8	-1.69	148
69	EHS		58 Florence Street Ottawa ON K2P 0W7	SW/154.9	0.31	148
70	WWIS		366 382 BANK STREET Ottawa ON <i>Well ID: 7295730</i>	NW/155.5	0.20	149
71	EHS		383 Mcleod St Ottawa ON	SSE/157.0	-1.00	152
72	EHS		436 Gilmour St Ottawa ON K2P0R8	WNW/157.9	1.31	152
73	EHS		436 Gilmour Street Ottawa ON K2P 0R8	WNW/157.9	1.31	152
74	RSC	Urban Capital (Gladstone) Inc.	453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontari ON	ESE/159.2	-1.69	152
75	EHS		58 James St Ottawa ON K2P 0T6	W/159.3	1.31	153
76	SCT	Chinese Cdn Community News	397 Kent St Ottawa ON K2P 2B1	WSW/160.7	1.33	153
77	RSC	Tega Developments Inc.	No Municipal Address, OTTAWA ON	SW/161.6	0.31	153
78	EXP	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW/169.6	0.34	154

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
78	EXP	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW/169.6	0.34	154
78	EXP	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW/169.6	0.34	154
78	ECA	Tega Developments Inc.	435 Gladstone Ave Ref. Plan 4R-21612 Ottawa ON K2A 1E4	SW/169.6	0.34	155
78	FST	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW/169.6	0.34	155
78	FST	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW/169.6	0.34	155
78	FST	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW/169.6	0.34	156
79	CA	Tega Developments Inc.	435 Gladstone Ave Ref. Plan 4R-21612 Ottawa ON K2P 0Y9	SW/169.8	0.34	156
80	GEN	128431 Canada Inc.	429 Kent St. Ottawa ON K2P 1A5	SW/172.4	0.27	157
81	PRT	SUNYS PETROLEUM INC	435 GLADSTONE AV OTTAWA ON K2P0Y9	SW/173.3	0.34	157
81	PRT	SUNYS PETROLEUM INC	435 GLADSTONE AV OTTAWA ON K2P0Y9	SW/173.3	0.34	157
81	RST	MAIN GARAGE LTD	435 GLADSTONE AVE OTTAWA ON K2P0Y9	SW/173.3	0.34	157
81	FSTH	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON K2P 0Y9	SW/173.3	0.34	157

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
81	FSTH	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON K2P 0Y9	SW/173.3	0.34	158
81	DTNK	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON	SW/173.3	0.34	158
81	DTNK	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON	SW/173.3	0.34	159
81	DTNK	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON	SW/173.3	0.34	159
81	GEN	TEGA HOMES	435 GLADSTONE OTTAWA ON K2P 0Y9	SW/173.3	0.34	159
81	SPL	Enbridge Gas Distribution Inc.	435 Gladstone Street Ottawa ON	SW/173.3	0.34	160
81	DTNK	MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON K2P 0Y9	SW/173.3	0.34	160
82	WWIS		366 382 BANK STREET Ottawa ON Well ID: 7295729	NW/173.8	1.31	160
83	CA	OTTAWA CITY	MCLEOD ST. BANK ST. OTTAWA CITY ON	SE/175.2	-1.69	163
83	CA	R.M OF OTTAWA-CARLETON	MCLEOD ST.BANK STREET OTTAWA CITY ON	SE/175.2	-1.69	164
83	CA	OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	MCLEOD ST./BANK ST. COMB.SEWER OTTAWA CITY ON	SE/175.2	-1.69	164
84	GEN	Quantum Murray LP	453 Bank Street Ottawa ON K2P 1Y9	ESE/175.3	-1.69	164
84	PES	BEN GUNTER PHARMACY INC	455 BANK ST #1 OTTAWA ON K2P 1Y9	ESE/175.3	-1.69	165

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
84	PES	BEN GUNTER PHARMACY INC	455 BANK ST #1 OTTAWA ON K2P1Y9	ESE/175.3	-1.69	165
84	GEN	Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE/175.3	-1.69	165
84	GEN	Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE/175.3	-1.69	166
84	GEN	Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE/175.3	-1.69	166
84	PES	BEN GUNTER PHARMACY INC O/A SHOPPERS DRUG MART #1248	455 BANK ST #1 OTTAWA ON K2P1Y9	ESE/175.3	-1.69	166
84	GEN	Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE/175.3	-1.69	167
85	GEN	CMG	344 Waverley St. Ottawa ON K2P 0W5	ENE/176.3	-1.69	167
86	BORE		ON	W/178.2	1.31	167
87	EHS		383 McLeod Street Ottawa ON K2P 1A5	SSE/181.3	-1.69	170
87	EHS		383 McLeod Street Ottawa ON K2P 1A5	SSE/181.3	-1.69	170
87	EHS		383 McLeod Street Ottawa ON K2P 1A5	SSE/181.3	-1.69	170
88	WWIS		GLADSTONE AVENUE OTTAWA ON Well ID: 7210734	E/183.3	-2.80	170
89	EHS		381 Kent St Ottawa ON K2P2A8	W/185.4	1.27	172

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
90	EHS		323 Mcleod St Ottawa ON K2P 1A2	ESE/187.5	-2.27	172
91	GEN	DENTISTRY CANADA FUND	427 GILMORE STREET OTTAWA ON K2P 0R5	WNW/188.7	1.31	173
92	EHS		375 Gilmour St Ottawa ON	NNW/189.3	0.31	173
93	GEN	DYNACARE LABORATORIES	381 KENT STREET SUITE 208 OTTAWA ON K2P 2A8	W/189.3	1.27	173
93	GEN	DYNACARE LABORATORIES 13-100	381 KENT ST. SUITE 208 C/O 1095 CARLING AVE. SUITE 500 OTTAWA ON K2P 2A8	W/189.3	1.27	174
93	GEN	DYNACARE LABORATORIES LIMITED	381 KENT STREET SUITE 208 OTTAWA ON K2P 2A8	W/189.3	1.27	174
93	GEN	DOUGLASS LABORATORY SERVICES LTD.	381 KENT STREET OTTAWA ON K2P 2A8	W/189.3	1.27	174
93	GEN	DOUGLASS LABORATORY SERVICES LTD.	381 KENT STREET OTTAWA ON K2P 2A8	W/189.3	1.27	175
93	GEN	DOUGLASS (SEE&USE ON0245632) 13-100	381 KENT STREET C/O 1385 BANK ST., SUITE 205 OTTAWA ON K2P 2A8	W/189.3	1.27	175
93	GEN	CARLETON PLACE IDA DRUGMART	381 KENT STREET OTTAWA ON K2P 2A8	W/189.3	1.27	176
93	EHS		381 Kent Street Ottawa ON K2P 2A8	W/189.3	1.27	176
93	EHS		381 Kent Street Ottawa ON K2P 2A8	W/189.3	1.27	176
93	EHS		381 Kent Street Ottawa ON K2P 2A8	W/189.3	1.27	176

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
93	GEN	Dr. Howard Levine	381 Kent St. Unit 381 Ottawa ON K2P 2A8	W/189.3	1.27	177
93	GEN	Dr. Howard Levine	381 Kent St. Unit 381 Ottawa ON K2P 2A8	W/189.3	1.27	177
93	GEN	Dr. Howard Levine	381 Kent St. Unit 381 Ottawa ON K2P 2A8	W/189.3	1.27	177
93	GEN	Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON	W/189.3	1.27	178
93	GEN	Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W/189.3	1.27	178
93	GEN	Dr. Karine Plieva	310-381 Kent Street Ottawa ON K2P2A8	W/189.3	1.27	178
93	GEN	Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W/189.3	1.27	178
93	GEN	Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W/189.3	1.27	179
93	GEN	Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W/189.3	1.27	179
93	GEN	Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W/189.3	1.27	179
93	GEN	Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W/189.3	1.27	180
93	GEN	Dr. Karine Plieva	310-381 Kent Street Ottawa ON K2P2A8	W/189.3	1.27	180
93	GEN	Kent Street Dental Dental Corp of Canada	381 Kent St # 326 Ottawa ON K2P 2A8	W/189.3	1.27	180

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
93	GEN	Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W/189.3	1.27	181
93	GEN	Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W/189.3	1.27	181
93	GEN	Dr. Karine Plieva	310-381 Kent Street Ottawa ON K2P2A8	W/189.3	1.27	181
93	GEN	Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W/189.3	1.27	182
93	GEN	Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W/189.3	1.27	182
93	GEN	Kent Street Dental Dental Corp of Canada	381 Kent St # 326 Ottawa ON K2P 2A8	W/189.3	1.27	182
93	GEN	Seguin Dental	500-381 Kent Street ottawa ON K2P 2A8	W/189.3	1.27	183
94	EHS		437 Gilmour Street Ottawa ON K2P 0R5	WNW/189.4	1.31	183
95	ECA	Urban Capital (Central 2) Inc.	360 McLeod St Ottawa ON M5C 1C3	SE/190.3	-1.69	183
96	GEN	GLADSTONE (OUT OF BUS) 17- 619	430 GLADSTONE AVENUE OTTAWA ON K2P 0Z1	SSW/192.9	-0.49	183
97	HINC		438 LEWIS STREET OTTAWA ON	NE/193.3	-0.69	184
98	WWIS		356 MACLAREN STREET Ottawa ON Well ID: 7218928	N/194.3	0.39	184
99	GEN	CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW/194.9	1.31	187

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
99	GEN	CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW/194.9	1.31	187
99	GEN	CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW/194.9	1.31	188
99	GEN	CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW/194.9	1.31	188
100	WWIS		381 KENT ST Ottawa ON <i>Well ID: 7157724</i>	WNW/199.6	1.27	188
101	EHS		371 Gilmour St Ottawa ON K2P0R2	N/203.1	0.39	194
102	GEN	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW/203.6	1.31	194
102	GEN	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW/203.6	1.31	195
102	GEN	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW/203.6	1.31	195
102	GEN	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW/203.6	1.31	195
103	WWIS		384 MCLAUREN RD OTTAWA ON <i>Well ID: 7212004</i>	NW/203.9	1.31	196
104	WWIS		180 WALLER ST OTTAWA ON <i>Well ID: 7212067</i>	NW/204.5	1.31	198
105	GEN	CANADIAN MEDICAL LABORATORIES	340 MCLEOD STREET, LOWER LEVEL OTTAWA ON K2D 1A4	ESE/207.3	-1.69	201
105	GEN	KOPP LABORATORIES LIMITED	340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	ESE/207.3	-1.69	202

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
105	GEN	KOPP LABORATORIES LIM (OUT OF BUSINESS)	340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	ESE/207.3	-1.69	202
105	GEN	KOPP LABORATORIES LIMITED 23-100	340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	ESE/207.3	-1.69	202
105	GEN	CML HEALTHCARE INC.	340 MCLEOD STREET, LOWER LEVEL OTTAWA ON	ESE/207.3	-1.69	202
105	GEN	Toth Equity Limited	340 McLeod St. Ottawa ON K2P 1A4	ESE/207.3	-1.69	203
105	GEN	Toth Equity Limited	340 McLeod St. Ottawa ON K2P 1A4	ESE/207.3	-1.69	203
105	GEN	Demo Plus	340 McLeod Ottawa ON K2P 1A4	ESE/207.3	-1.69	203
105	RSC	URBAN CAPITAL (CENTRAL 3) INC.	340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Ottawa ON	ESE/207.3	-1.69	204
106	GEN	THE PROPERTY GROUP	404 McLAREN ST OTTAWA ON	WNW/211.4	1.31	205
107	CA	HULSE PLAYFAIR MCGARRY HOLDINGS LTD.	SWM-315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	205
107	GEN	HULSE AND PLAYFAIR LIMITED	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	205
107	GEN	HULSE AND PLAYFAIR LIMITED	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	206
107	GEN	HULSE AND PLAYFAIR LIMITED 44-226	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	206
107	GEN	HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	206

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
107	GEN	HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON	E/212.9	-2.69	207
107	GEN	HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	207
107	GEN	HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	207
107	GEN	HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	207
107	GEN	HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E/212.9	-2.69	208
107	GEN	Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E/212.9	-2.69	208
107	GEN	Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E/212.9	-2.69	208
107	GEN	Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E/212.9	-2.69	209
107	GEN	Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E/212.9	-2.69	209
107	GEN	Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E/212.9	-2.69	209
108	EHS		428 Kent Street Ottawa ON K2P 2B3	SW/214.5	0.46	209
109	GEN	TOMMY & LEFEBVRE INC.	464 BANK ST. OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	210
109	GEN	TOMMY & LEFEBVRE INC. 37-488	464 BANK ST. OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	210

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	210
109	CA	Tommy & Lefebvre Investments Ltd.	464 Bank St Ottawa ON K2P 1Z3	SSE/214.6	-1.69	211
109	HINC		464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	211
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	211
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	212
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	212
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	213
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON	SSE/214.6	-1.69	213
109	ECA	Tommy & Lefebvre Investments Ltd.	464 Bank St Ottawa ON K2P 1Z3	SSE/214.6	-1.69	214
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	214
109	GEN	TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE/214.6	-1.69	214
109	GEN	Tomlinson Environmental	464 Bank Str Ottawa ON K2P 1Z3	SSE/214.6	-1.69	215
110	ECA	Urban Capital (Central 3) Inc.	Part 1 Ottawa ON M5V 0G2	SE/214.8	-1.73	215

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
110	ECA	Urban Capital (Central 2) Inc.	Part 1 Ottawa ON M5C 1C3	SE/214.8	-1.73	215
111	RST	TOPIA ENERGY	311 O'CONNOR ST OTTAWA ON K2P 2G9	ENE/215.9	-1.66	216
112	SCT	Chinese Cdn Community News	80 Florence St Ottawa ON K1R 7W6	WSW/216.2	0.22	216
113	WWIS		37 FLORA ST OTTAWA ON <i>Well ID: 7216273</i>	SSE/217.9	-1.69	216
114	GEN	AUBUT & NADEAU SERVICES INC.	356 MCLAREN STREET OTTAWA ON K2P 0M6	NNW/218.9	0.31	219
114	EHS		356 MacLaren Street Ottawa ON K2P 0M6	NNW/218.9	0.31	219
115	WWIS		384 MC LAUREN RD OTTAWA ON <i>Well ID: 7212003</i>	NW/219.6	1.30	219
116	GEN	CRAIG OFFICE PRODUCTS CORPORATION	329 WAVERLEY STREET OTTAWA ON K2P 0V9	ENE/220.4	-1.69	222
116	GEN	CRAIG OFFICE PRODUCTS CORPORATION 11-330	329 WAVERLEY STREET OTTAWA ON K2P 0V9	ENE/220.4	-1.69	223
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	223
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	223
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON	NE/221.3	-1.73	223
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	224

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	224
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	224
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	224
117	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE/221.3	-1.73	225
118	CA	R.M. OF OTTAWA-CARLETON	LEWIS ST/BANK/METCALFE STS. OTTAWA CITY ON	NE/221.5	-1.00	225
118	CA	OTTAWA CITY	LEWIS ST./BANK ST. (COMB. SEW) OTTAWA CITY ON	NE/221.5	-1.00	225
119	BORE		ON	ESE/221.8	-1.66	226
120	INC		384 MacLaren Street, Ottawa ON	NW/225.1	1.30	227
120	SPL	Enbridge Gas Distribution Inc.	384 MacLaren St Ottawa ON K2P 0M8	NW/225.1	1.30	228
121	GEN	Carleton Condominium Corporation 251	420 Lewis Street Ottawa ON K2P 0S9	NE/225.9	-1.69	229
122	RSC	Mr. Milad Ladany	37 FLORA ST, OTTAWA, ON, K2P 1A7 OTTAWA ON K2P 1A7	SSE/225.9	-1.69	229
122	WWIS		37 FLORA ST OTTAWA ON Well ID: 7216271	SSE/225.9	-1.69	229
123	SPL	PRIVATE RESIDENCE	446 KENT ST. FUEL STORAGE TANK OTTAWA CITY ON K2P 2B5	SW/226.2	-0.69	232

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
124	GEN	MCLEOD RETIREMENT HOME	330 McLeod St Ottawa ON K2P 2C5	ESE/226.4	-2.39	233
125	WWIS		37 FLORA ST OTTAWA ON <i>Well ID: 7216270</i>	SSE/227.2	-1.69	233
126	GEN	WALLACE KEARNEY MCGILL ADVERTISING	412 MACLAREN ST. OTTAWA ON K2P 0M8	WNW/228.6	1.27	236
126	GEN	WALLACE KEARNEY MCGILL ADVERTISING41-370	412 MACLAREN ST. OTTAWA ON K2P 0M8	WNW/228.6	1.27	236
127	SCT	Canvet Publications Ltd.	359 Kent St Suite 407 Ottawa ON K2P 0R6	WNW/228.8	2.00	236
127	GEN	CANVET PUBLICATIONS LTD.	359 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	WNW/228.8	2.00	237
127	GEN	CANVET PUBLICATIONS LTD. 08-145	359 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	WNW/228.8	2.00	237
127	GEN	CANVET PUBLICATIONS LTD.	359 KENT STREET SUITE 504 OTTAWA ON	WNW/228.8	2.00	237
127	GEN	DOMINION COMMAND ROYAL CANADIAN LEGION	359 KENT STREET PRINT SHOP OTTAWA ON K2P 0R7	WNW/228.8	2.00	238
127	GEN	DOMINION COMMAND ROYAL CANADIAN LEGION	359 KENT STREET OTTAWA ON K2P 0R7	WNW/228.8	2.00	238
127	EHS		359 Kent Street Ottawa ON K2P 0R6	WNW/228.8	2.00	238
127	GEN	Taggart Corporation	359 Kent St Ottawa ON K2P 0R6	WNW/228.8	2.00	238
127	GEN	359 Kent Street Ltd.	359 Kent Street Ottawa ON K2P 0R6	WNW/228.8	2.00	239

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
128	SCT	Soundmaster Ltd.	386 MacLaren St Ottawa ON K2P 0M8	NW/229.0	1.30	239
129	SPL	PRIVATE OWNER	LOT BESIDE 374 MACLAREN STREET. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K2P 0M6	NNW/229.3	0.28	239
130	WWIS		37 FLORA ST OTTAWA ON Well ID: 7216268	SSE/230.7	-1.69	240
131	SPL	Ultramar Ltd.	444 Gladstone Ottawa ON	SW/231.0	-0.69	243
132	RSC		400 McLeod Street Ottawa ON K2P 1A6	SSE/234.1	-1.74	243
132	CA		400 McLeod Street Ottawa ON K2P 1A6	SSE/234.1	-1.74	244
132	ECA	Domicile Holdings (2000) Inc.	400 McLeod Street Ottawa ON K2A 0E7	SSE/234.1	-1.74	244
133	WWIS		37 FLORA ST OTTAWA ON Well ID: 7216272	SSE/234.8	-1.69	244
134	EBR	CHSS International Investment & Management Ltd.	423-425 McLeod Street Ottawa, ON K2P 1A5 Canada ON	SSW/235.6	-1.80	247
134	ECA	CHSS International Investment & Management Ltd.	423-425 McLeod Street 443-447 Kent Street Ottawa ON K2A 3A1	SSW/235.6	-1.80	247
135	EHS		322 Waverly Street Ottawa Ontario Ottawa ON K2P 0W3	ENE/235.7	-2.45	248
136	SCT	Canadian Library Association	328 Frank St Suite 602 Ottawa ON K2P 0X8	E/235.8	-2.69	248
136	SCT	Canadian Library Trustees Assn	328 Frank St Ottawa ON K2P 0X8	E/235.8	-2.69	248

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
136	EHS		328 Frank St Ottawa ON K2P 0X8	E/235.8	-2.69	248
137	EHS		377 O'Connor Street Ottawa ON K2P 2M2	E/238.8	-2.67	249
137	EHS		377 O'Connor Street Ottawa ON K2P 2M2	E/238.8	-2.67	249
138	WWIS		7, 9, 11 FLORENCE ST. OTTAWA ON <i>Well ID: 7103047</i>	WNW/239.9	2.07	249
139	WWIS		37 FLORA ST OTTAWA ON <i>Well ID: 7216269</i>	SSE/240.2	-0.61	252
140	EHS		422 Maclaren St Ottawa ON K2P0M8	WNW/240.5	2.07	255
141	GEN	WILLIAM E. CARSON, DC	430 MACLAREN STREET OTTAWA ON K2P 0M8	WNW/241.7	2.00	255
141	GEN	WILLIAM E. CARSON, DC 41-254	430 MACLAREN STREET OTTAWA ON K2P 0M8	WNW/241.7	2.00	255
142	GEN	CANVET PUBLICATIONS LTD.	354 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	WNW/242.4	2.31	256
143	EHS		278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	NNE/242.9	-0.69	256
143	EHS		278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	NNE/242.9	-0.69	256
143	EHS		278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	NNE/242.9	-0.69	256
144	SCT	CWG Footcare Inc.	485 Bank St Suite 209 Ottawa ON K2P 1Z2	SE/245.1	-0.69	256

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
144	GEN	PBC Delvelopment and Construction Management Group	485 Bank St Ottawa ON K2P 1Z2	SE/245.1	-0.69	257
144	GEN	PBC Development and Construction Management Group	485 Bank St, Suite 205 Ottawa ON K2P 1Z2	SE/245.1	-0.69	257
144	GEN	PBC Development & Construction Management Group In	485 Bank Street Suit 205 Ottawa ON K2P 1Z2	SE/245.1	-0.69	257
145	CA	STUDIO ARGYLE INC.	255 ARGYLE STREET (SWM) OTTAWA CITY ON K2P 2N7	SE/245.8	-1.00	258
146	GEN	AUBUT & NADEAU SERVICES INC.	342 MCLAREN STREET OTTAWA ON K2P 0M6	N/246.0	0.31	258
147	CA	OTTAWA CITY - BANK STREET	GILMOUR ST./O'CONNOR ST. OTTAWA CITY ON	NNE/246.8	-0.69	258
148	WWIS		GLADSTONE AVENUE OTTAWA ON Well ID: 7210740	E/248.2	-2.70	258
149	EHS		422/430 MacLaren Street Ottawa ON K2P 0M8	WNW/248.2	2.07	261
149	EHS		422/430 MacLaren Street Ottawa ON K2P 0M8	WNW/248.2	2.07	261
150	EHS		380 &386 Somerset St W/296 Bank St Ottawa ON	NW/249.4	1.31	261
150	GEN	DUFRESNE PILING COMPANY (1967) LTD.	380 SOMERSET STREET WEST OTTAWA ON K2P 2R2	NW/249.4	1.31	261
151	GEN	OTTAWA BOARD OF EDUCATION	330 GILMOUR STREET OTTAWA ON K2P 2P6	NE/249.4	-1.73	261
151	GEN	OTTAWA BOARD OF EDUCATION 29-129	330 GILMOUR STREET OTTAWA ON K2P 2P6	NE/249.4	-1.73	262

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
151	GEN	OTTAWA BOARD OF EDUCATION	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	NE/249.4	-1.73	262
151	GEN	OTTAWA (SEE&USE ON1285703)	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	NE/249.4	-1.73	262
151	GEN	OTTAWA (SEE&USE ON1285703) 29-129	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	NE/249.4	-1.73	262
151	RSC	1384274 Ontario Incorporated	330 GILMOUR ST, OTTAWA, ON, K2P 2P6 OTTAWA ON K2P 2P6	NE/249.4	-1.73	263
151	CA	1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2P 2P6	NE/249.4	-1.73	263
151	ECA	1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2E 1A9	NE/249.4	-1.73	263
152	GEN	Unico Auto Service	457 Gladstone avenue Ottawa ON K1R 5N7	SW/249.5	0.39	264
153	GEN	Ashcroft Homes	320 McLeod Street Ottawa ON K2P 1A3	ESE/249.5	-3.03	264
153	CA	1230173 Ontario Inc.	320 McLeod Street Ottawa ON	ESE/249.5	-3.03	264
153	ECA	1230173 Ontario Inc.	320 McLeod Street Ottawa ON K2E 1A9	ESE/249.5	-3.03	264
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK STREET OTTAWA ON K2P 1X8	NW/249.6	1.36	265
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK STREET OTTAWA ON K2P 1X8	NW/249.6	1.36	265
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P 1X8	NW/249.6	1.36	265

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P 1X8	NW/249.6	1.36	266
154	SPL	Parson Refrigeration (1985) Ltd.	296 Bank St. Ottawa ON K2P 1X8	NW/249.6	1.36	266
154	CA	Bank and Somerset Holdings Limited	296 Bank Street Ottawa ON K2P 1X8	NW/249.6	1.36	267
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P 1X8	NW/249.6	1.36	267
154	SPL	Parson Refrigeration (1985) Ltd.	296 Bank St Ottawa ON	NW/249.6	1.36	267
154	PES	MASSINE ENTERPRISES INC. O/A MASSINE'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW/249.6	1.36	268
154	PES	LOBLAWS INC O/A BANK STREET YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW/249.6	1.36	268
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW/249.6	1.36	269
154	ECA	Bank and Somerset Holdings Limited	296 Bank Street Ottawa ON K2P 1X8	NW/249.6	1.36	269
154	GEN	Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	NW/249.6	1.36	269
154	GEN	Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	NW/249.6	1.36	270
154	GEN	LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	NW/249.6	1.36	270
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW/249.6	1.36	270

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
154	PES	HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW/249.6	1.36	271
154	GEN	LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	NW/249.6	1.36	271

Executive Summary: Summary By Data Source

AUWR - Automobile Wrecking & Supplies

A search of the AUWR database, dated 1999-Jun 30, 2020 has found that there are 2 AUWR site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
AXLE AUTOMOTIVE INC	410 GLADSTONE AVE OTTAWA ON K2P0Z1	S	146.46	63
AXLE AUTOMOTIVE INC	410 GLADSTONE AVE OTTAWA ON K2P 0Z1	S	146.46	63

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 3 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	W	38.59	6
	ON	W	178.18	86
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	ESE	221.77	119

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 21 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Canadian Union of Public Employees Realty Holdings Incorporated	21 Florence Street and 20 James Street Ottawa ON	W	61.92	14

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.M. OF OTTAWA-CARLETON - O'CONNOR ST.	GILMOUR ST./BANK ST. OTTAWA CITY ON	NW	151.42	66
Tega Developments Inc.	435 Gladstone Ave Ref. Plan 4R-21612 Ottawa ON K2P 0Y9	SW	169.79	79
Bank and Somerset Holdings Limited	296 Bank Street Ottawa ON K2P 1X8	NW	249.62	154

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
LAI SIM LEUNG	SWM - 7 FLORENCE STREET OTTAWA CITY ON K2P 0W6	-	0.00	1
YING YEE KUNG	380 FRANK STREET (SWM) OTTAWA CITY ON K2P 0Y1	ESE	91.67	25
172965 CANADA LTD., IMPERIAL OIL	450 BANK STREET (SWM) OTTAWA CITY ON K2P 1Z1	SSE	125.67	47
OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON	E	130.16	52
Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S	146.46	63
OTTAWA CITY	MCLEOD ST. BANK ST. OTTAWA CITY ON	SE	175.22	83
R.M OF OTTAWA-CARLETON	MCLEOD ST.BANK STREET OTTAWA CITY ON	SE	175.22	83

OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	MCLEOD ST./BANK ST. COMB. SEWER OTTAWA CITY ON	SE	175.22	83
HULSE PLAYFAIR MCGARRY HOLDINGS LTD.	SWM-315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
Tommy & Lefebvre Investments Ltd.	464 Bank St Ottawa ON K2P 1Z3	SSE	214.63	109
R.M. OF OTTAWA-CARLETON	LEWIS ST/BANK/METCALFE STS. OTTAWA CITY ON	NE	221.55	118
OTTAWA CITY	LEWIS ST./BANK ST. (COMB. SEW) OTTAWA CITY ON	NE	221.55	118
	400 McLeod Street Ottawa ON K2P 1A6	SSE	234.12	132
STUDIO ARGYLE INC.	255 ARGYLE STREET (SWM) OTTAWA CITY ON K2P 2N7	SE	245.75	145
OTTAWA CITY - BANK STREET	GILMOUR ST./O'CONNOR ST. OTTAWA CITY ON	NNE	246.77	147
1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2P 2P6	NE	249.45	151
1230173 Ontario Inc.	320 McLeod Street Ottawa ON	ESE	249.52	153

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Jul 31, 2020 has found that there are 7 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON K2P 0Y9	SW	173.33	81

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON	SW	173.33	81
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON	SW	173.33	81
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON	SW	173.33	81

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BANK STREET ESSO	450 BANK ST OTTAWA ON	SE	128.00	49
BANK STREET ESSO	450 BANK ST OTTAWA ON	SE	128.00	49
BANK STREET ESSO	450 BANK ST OTTAWA ON	SE	128.00	49

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Sep 30, 2020 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
AXLE AUTOMOTIVE INC	410 GLADSTONE AVENUE OTTAWA ON K2P 0Z1	S	146.46	63

EBR - Environmental Registry

A search of the EBR database, dated 1994-Sep 30, 2020 has found that there are 1 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CHSS International Investment & Management Ltd.	423-425 McLeod Street Ottawa, ON K2P 1A5 Canada	SSW	235.58	134

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Sep 30, 2020 has found that there are 32 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Canadian Union of Public Employees Realty Holdings Incorporated	21 Florence St and 20 James Street Ottawa ON K2P 0W6	WSW	59.63	13
Tega Developments Inc.	435 Gladstone Ave Ref. Plan 4R-21612 Ottawa ON K2A 1E4	SW	169.56	78
Bank and Somerset Holdings Limited	296 Bank Street Ottawa ON K2P 1X8	NW	249.62	154
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Urban Capital (Gladstone) Inc.	343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Ottawa ON M5C 1C3	SE	123.06	45
City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE	129.32	51
The Corporation of the City of Ottawa	Gladstone Ave Ottawa ON K1N 5A1	NNE	129.32	51
City of Ottawa	Bank St , from Somerset Street to Catherine Street Ottawa ON K1P 1J1	NNE	129.32	51
City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE	129.32	51

The Regional Municipality of Ottawa-Carleton	Waverley Street Ottawa ON K2P 2L7	NNE	129.32	51
The Regional Municipality of Ottawa-Carleton	Gladstone Ave Ottawa ON K2P 2L7	NNE	129.32	51
The Corporation of the City of Ottawa	Waverley Street Ottawa ON K1N 5A1	NNE	129.32	51
City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE	129.32	51
City of Ottawa	Waverley Street Ottawa ON K1P 1J1	NNE	129.32	51
City of Ottawa	Lewis St, MacDonald St, Gilmour St & Robert St Ottawa ON K1N 5A1	NNE	129.32	51
City of Ottawa	Lewis Street, MacDonald Street, Gilmour Street, Waverley Street and Robert Street Ottawa ON K1N 5A1	NNE	129.32	51
City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE	129.32	51
City of Ottawa	Gilmour Street (O'Connor to Metcalfe Streets) Ottawa ON K1S 5K2	NNE	129.32	51
City of Ottawa	Gladstone Ave Ottawa ON K1P 1J1	NNE	129.32	51
City of Ottawa	Bank St , from Somerset Street to Catherine Street Ottawa ON K1P 1J1	NNE	129.32	51
Axle Automotive Inc.	3270 Blais Rd and 410 Gladstone Avenue Ottawa ON K2P 0Z1	S	146.46	63

Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S	146.46	63
Urban Capital (Central 2) Inc.	360 McLeod St Ottawa ON M5C 1C3	SE	190.25	95
Tommy & Lefebvre Investments Ltd.	464 Bank St Ottawa ON K2P 1Z3	SSE	214.63	109
Urban Capital (Central 3) Inc.	Part 1 Ottawa ON M5V 0G2	SE	214.75	110
Urban Capital (Central 2) Inc.	Part 1 Ottawa ON M5C 1C3	SE	214.75	110
Domicile Holdings (2000) Inc.	400 McLeod Street Ottawa ON K2A 0E7	SSE	234.12	132
CHSS International Investment & Management Ltd.	423-425 McLeod Street 443-447 Kent Street Ottawa ON K2A 3A1	SSW	235.58	134
1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2E 1A9	NE	249.45	151
1230173 Ontario Inc.	320 McLeod Street Ottawa ON K2E 1A9	ESE	249.52	153

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jul 31, 2020 has found that there are 62 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	390 and 394 Bank St Ottawa ON K2P 1Y5	NW	22.80	<u>3</u>
	390 and 394 Bank St Ottawa ON K2P 1Y5	NW	22.80	<u>3</u>
	390 and 394 Bank St Ottawa ON K2P 1Y5	NW	22.80	<u>3</u>
	7, 9 and 11 Florence Street Ottawa ON	SW	25.98	<u>4</u>
	390 bank street ottawa ON K2P 1Y5	NW	51.95	<u>11</u>
	384 BANK STREET OTTAWA ON K2P 1Y4	NW	88.29	<u>22</u>
	21 James Street Ottawa ON K2P 0T5	WNW	88.83	<u>23</u>
	31 Florence St Ottawa ON K2P0W6	WSW	89.17	<u>24</u>
	377 Bank Street Ottawa ON K2P 1Y3	N	92.36	<u>27</u>
	382-386 Bank Street Ottawa ON K2P 1Y4	NW	96.48	<u>30</u>
	382 - 386 Bank Street, Ottawa ON K2P 1Y4	NW	96.48	<u>30</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	366 Bank St Ottawa ON K2P1Y4	NW	106.07	<u>34</u>
	375 Bank Street Ottawa ON K2P 1Y2	NNW	117.92	<u>42</u>
	366- 380 BANK STREET (EVENS ONLY) OTTAWA ON K2P 1Y4	NW	122.55	<u>44</u>
	371 Bank St Ottawa ON K2P1Y2	NNW	123.74	<u>46</u>
	366 Bank Street Ottawa ON K2P 1Y4	NW	131.30	<u>53</u>
	420 Gilmour Street Ottawa ON	WNW	143.66	<u>59</u>
	428 Gilmour Street Ottawa ON K2P 0R8	WNW	145.78	<u>61</u>
	420 Gilmour Street Ottawa ON K2P 0R9	WNW	149.57	<u>65</u>
	58 Florence Street Ottawa ON K2P 0W7	SW	154.88	<u>69</u>
	436 Gilmour St Ottawa ON K2P0R8	WNW	157.85	<u>72</u>
	436 Gilmour Street Ottawa ON K2P 0R8	WNW	157.88	<u>73</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	58 James St Ottawa ON K2P 0T6	W	159.25	<u>75</u>
	381 Kent St Ottawa ON K2P2A8	W	185.44	<u>89</u>
	375 Gilmour St Ottawa ON	NNW	189.28	<u>92</u>
	381 Kent Street Ottawa ON K2P 2A8	W	189.34	<u>93</u>
	381 Kent Street Ottawa ON K2P 2A8	W	189.34	<u>93</u>
	381 Kent Street Ottawa ON K2P 2A8	W	189.34	<u>93</u>
	437 Gilmour Street Ottawa ON K2P 0R5	WNW	189.38	<u>94</u>
	371 Gilmour St Ottawa ON K2P0R2	N	203.10	<u>101</u>
	428 Kent Street Ottawa ON K2P 2B3	SW	214.47	<u>108</u>
	356 MacLaren Street Ottawa ON K2P 0M6	NNW	218.90	<u>114</u>
	359 Kent Street Ottawa ON K2P 0R6	WNW	228.76	<u>127</u>
	422 Maclaren St Ottawa ON K2P0M8	WNW	240.46	<u>140</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	422/430 MacLaren Street Ottawa ON K2P 0M8	WNW	248.25	<u>149</u>
	422/430 MacLaren Street Ottawa ON K2P 0M8	WNW	248.25	<u>149</u>
	380 &386 Somerset St W/296 Bank St Ottawa ON	NW	249.43	<u>150</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	406-408 Bank St Ottawa ON K2P 1Y5	SE	7.59	<u>2</u>
	393-395 Bank Street Ottawa ON	N	58.96	<u>12</u>
	425 Bank Street Ottawa ON	ESE	67.36	<u>17</u>
	433 Bank St Ottawa ON K2P1Y7	ESE	94.15	<u>29</u>
	433 bank street Ottawa ON K2P 1Y7	ESE	97.51	<u>31</u>
	433 Bank St Ottawa ON K2P1Y7	ESE	97.65	<u>32</u>
	354, 362, 366 Waverley Street Ottawa ON	ENE	113.36	<u>39</u>
	450 Bank Street Ottawa ON K2P 1Z1	SSE	125.67	<u>47</u>

450 Bank St Ottawa ON	SSE	125.67	<u>47</u>
354-362 & 366 Waverley Street Ottawa ON K2P 0W4	ENE	126.87	<u>48</u>
360 Frank St Ottawa On Ottawa ON	E	138.57	<u>55</u>
353-357 Frank St Ottawa ON K2P 0X9	ENE	148.30	<u>64</u>
346 Waverley St Ottawa ON K2P 0W5	ENE	152.36	<u>67</u>
383 Mcleod St Ottawa ON	SSE	156.96	<u>71</u>
383 McLeod Street Ottawa ON K2P 1A5	SSE	181.34	<u>87</u>
383 McLeod Street Ottawa ON K2P 1A5	SSE	181.34	<u>87</u>
383 McLeod Street Ottawa ON K2P 1A5	SSE	181.34	<u>87</u>
323 Mcleod St Ottawa ON K2P 1A2	ESE	187.47	<u>90</u>
322 Waverly Street Ottawa Ontario Ottawa ON K2P 0W3	ENE	235.75	<u>135</u>
328 Frank St Ottawa ON K2P 0X8	E	235.75	<u>136</u>

377 O'Connor Street Ottawa ON K2P 2M2	E	238.82	137
377 O'Connor Street Ottawa ON K2P 2M2	E	238.82	137
278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	NNE	242.86	143
278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	NNE	242.86	143
278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	NNE	242.86	143

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Jul 31, 2020 has found that there are 6 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW	169.56	78
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW	169.56	78
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW	169.56	78
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47
BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47

BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47
------------------	---	-----	--------	--------------------

FST - Fuel Storage Tank

A search of the FST database, dated Jul 31, 2020 has found that there are 10 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW	169.56	78
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW	169.56	78
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	SW	169.56	78

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	450 BANK ST OTTAWA ON K2P 1Z1	SSE	125.67	47
MAC'S CONVENIENCE STORES INC	450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47
MAC'S CONVENIENCE STORES INC	450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47
MAC'S CONVENIENCE STORES INC	450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47
BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47

BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47
BANK STREET ESSO	450 BANK ST OTTAWA K2P 1Z1 ON CA ON	SSE	125.67	47

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 4 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON K2P 0Y9	SW	173.33	81
MAIN GARAGE LTD	435 GLADSTONE AV OTTAWA ON K2P 0Y9	SW	173.33	81

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BANK STREET ESSO	450 BANK ST OTTAWA ON K2P 1Z1	SE	128.00	49
BANK STREET ESSO	450 BANK ST OTTAWA ON K2P 1Z1	SE	128.00	49

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 150 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ASHLEY REPRODUCTIONS INC.	386 BANK STREET OTTAWA ON K2P 1Y4	NW	78.91	20
ASHLEY REPRODUCTIONS INC. 03-350	386 BANK STREET OTTAWA ON K2P 1Y4	NW	78.91	20

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PEZOULAS BROTHER REALTY CO.	384 BANK ST. OTTAWA ON K2P 1Y4	NW	88.29	<u>22</u>
CANADIAN UNION OF POSTAL WORKERS	377 BANK STREET OTTAWA ON K2P 1Y3	N	92.36	<u>27</u>
Canadian Union of Postal Workers	377 Bank Street Ottawa ON K2P 1Y3	N	92.36	<u>27</u>
C.C.B. ELECTRIC WKS. LIMITED	378 BANK STREET OTTAWA ON K2P 1Y4	NW	110.52	<u>37</u>
C.C.B. ELECTRIC WKS. LIMITED	378 BANK STREET OTTAWA ON K2P 1Y4	NW	110.52	<u>37</u>
C.C.B. ELECTRIC WKS. LIMITED 07-123	378 BANK STREET OTTAWA ON K2P 1Y4	NW	110.52	<u>37</u>
C.C.B. ELECTRIC WORKS LIMITED	378 BANK STREET OTTAWA ON K2P 1Y4	NW	110.52	<u>37</u>
Ottawa Mens Clinic	367 Bank st ottawa ON K2P 1Y2	NNW	141.40	<u>57</u>
128431 Canada Inc.	429 Kent St. Ottawa ON K2P 1A5	SW	172.42	<u>80</u>
TEGA HOMES	435 GLADSTONE OTTAWA ON K2P 0Y9	SW	173.33	<u>81</u>
DENTISTRY CANADA FUND	427 GILMORE STREET OTTAWA ON K2P 0R5	WNW	188.71	<u>91</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
DYNACARE LABORATORIES	381 KENT STREET SUITE 208 OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
DYNACARE LABORATORIES 13-100	381 KENT ST. SUITE 208 C/O 1095 CARLING AVE. SUITE 500 OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
DYNACARE LABORATORIES LIMITED	381 KENT STREET SUITE 208 OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
DOUGLASS LABORATORY SERVICES LTD.	381 KENT STREET OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
DOUGLASS LABORATORY SERVICES LTD.	381 KENT STREET OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
DOUGLASS (SEE&USE ON0245632) 13-100	381 KENT STREET C/O 1385 BANK ST., SUITE 205 OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
CARLETON PLACE IDA DRUGMART	381 KENT STREET OTTAWA ON K2P 2A8	W	189.34	<u>93</u>
Dr. Howard Levine	381 Kent St. Unit 381 Ottawa ON K2P 2A8	W	189.34	<u>93</u>
Dr. Howard Levine	381 Kent St. Unit 381 Ottawa ON K2P 2A8	W	189.34	<u>93</u>
Dr. Howard Levine	381 Kent St. Unit 381 Ottawa ON K2P 2A8	W	189.34	<u>93</u>
Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON	W	189.34	<u>93</u>
Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W	189.34	<u>93</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Dr. Karine Plieva	310-381 Kent Street Ottawa ON K2P2A8	W	189.34	93
Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W	189.34	93
Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W	189.34	93
Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W	189.34	93
Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W	189.34	93
Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W	189.34	93
Dr. Karine Plieva	310-381 Kent Street Ottawa ON K2P2A8	W	189.34	93
Kent Street Dental Dental Corp of Canada	381 Kent St # 326 Ottawa ON K2P 2A8	W	189.34	93
Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W	189.34	93
Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W	189.34	93
Dr. Karine Plieva	310-381 Kent Street Ottawa ON K2P2A8	W	189.34	93

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Dr. Howard Levine	381 Kent St. Unit 500 Ottawa ON K2P 2A8	W	189.34	<u>93</u>
Dr J Rochon Dr P Racicot	381 kent street,suite 508 ottawa ON K2P2A8	W	189.34	<u>93</u>
Kent Street Dental Dental Corp of Canada	381 Kent St # 326 Ottawa ON K2P 2A8	W	189.34	<u>93</u>
Seguin Dental	500-381 Kent Street ottawa ON K2P 2A8	W	189.34	<u>93</u>
CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW	194.90	<u>99</u>
CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW	194.90	<u>99</u>
CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW	194.90	<u>99</u>
CentreTown Pharmacy Inc.	326 Bank Street ottawa ON K2P 1Y1	NW	194.90	<u>99</u>
Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW	203.56	<u>102</u>
Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW	203.56	<u>102</u>
Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW	203.56	<u>102</u>
Dr P BIRSILA & DR. A AMZAR DENTISTRY PC	437 GILMOUR ST OTTAWA ON K2P0R5	WNW	203.56	<u>102</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
THE PROPERTY GROUP	404 McLAREN ST OTTAWA ON	WNW	211.39	106
AUBUT & NADEAU SERVICES INC.	356 MCLAREN STREET OTTAWA ON K2P 0M6	NNW	218.90	114
WALLACE KEARNEY MCGILL ADVERTISING	412 MACLAREN ST. OTTAWA ON K2P 0M8	WNW	228.58	126
WALLACE KEARNEY MCGILL ADVERTISING41-370	412 MACLAREN ST. OTTAWA ON K2P 0M8	WNW	228.58	126
CANVET PUBLICATIONS LTD.	359 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	WNW	228.76	127
CANVET PUBLICATIONS LTD. 08-145	359 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	WNW	228.76	127
CANVET PUBLICATIONS LTD.	359 KENT STREET SUITE 504 OTTAWA ON	WNW	228.76	127
DOMINION COMMAND ROYAL CANADIAN LEGION	359 KENT STREET PRINT SHOP OTTAWA ON K2P 0R7	WNW	228.76	127
DOMINION COMMAND ROYAL CANADIAN LEGION	359 KENT STREET OTTAWA ON K2P 0R7	WNW	228.76	127
Taggart Corporation	359 Kent St Ottawa ON K2P 0R6	WNW	228.76	127
359 Kent Street Ltd.	359 Kent Street Ottawa ON K2P 0R6	WNW	228.76	127

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WILLIAM E. CARSON, DC	430 MACLAREN STREET OTTAWA ON K2P 0M8	WNW	241.67	141
WILLIAM E. CARSON, DC 41-254	430 MACLAREN STREET OTTAWA ON K2P 0M8	WNW	241.67	141
CANVET PUBLICATIONS LTD.	354 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	WNW	242.44	142
AUBUT & NADEAU SERVICES INC.	342 MCLAREN STREET OTTAWA ON K2P 0M6	N	245.98	146
DUFRESNE PILING COMPANY (1967) LTD.	380 SOMERSET STREET WEST OTTAWA ON K2P 2R2	NW	249.43	150
Unico Auto Service	457 Gladstone avenue Ottawa ON K1R 5N7	SW	249.46	152
Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	NW	249.62	154
Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	NW	249.62	154
LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	NW	249.62	154
LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	NW	249.62	154
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S	32.40	5

Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S	32.40	<u>5</u>
Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S	32.40	<u>5</u>
Florence Dentistry	6 Florence St Ottawa ON K2P 0W7	S	32.40	<u>5</u>
party world	420 bank st OTTAWA ON K2P 1Y8	SE	48.56	<u>10</u>
The Governing Council of The Salvation Army in Can	391 Gladstone Ave Ottawa ON K2P 0Y9	SSW	91.91	<u>26</u>
The Governing Council of The Salvation Army in Can	391 Gladstone Ave Ottawa ON K2P 0Y9	SSW	91.91	<u>26</u>
Canderel Stoneridge Equity Group Inc.	433 Bank Street Ottawa ON K2P 1Y7	ESE	97.51	<u>31</u>
Mac's Convenience Stores Inc.	450 Bank Street Ottawa ON K2P1Z1	SE	128.00	<u>49</u>
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S	146.46	<u>63</u>
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S	146.46	<u>63</u>
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S	146.46	<u>63</u>
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S	146.46	<u>63</u>
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P 0Z1	S	146.46	<u>63</u>

Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P OZ1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P OZ1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P OZ1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P OZ1	S	146.46	63
Axle Automotive Inc.	410 Gladstone Ave. Ottawa ON K2P OZ1	S	146.46	63
Quantum Murray LP	453 Bank Street Ottawa ON K2P 1Y9	ESE	175.33	84
Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE	175.33	84
Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE	175.33	84
Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE	175.33	84
Ben Gunter Pharmacy Inc.	455 BANK STREET OTTAWA ON K2P 1Y9	ESE	175.33	84
CMG	344 Waverley St. Ottawa ON K2P 0W5	ENE	176.28	85

GLADSTONE (OUT OF BUS) 17-619	430 GLADSTONE AVENUE OTTAWA ON K2P 0Z1	SSW	192.93	96
CANADIAN MEDICAL LABORATORIES	340 MCLEOD STREET, LOWER LEVEL OTTAWA ON K2D 1A4	ESE	207.30	105
KOPP LABORATORIES LIMITED	340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	ESE	207.30	105
KOPP LABORATORIES LIM (OUT OF BUSINESS)	340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	ESE	207.30	105
KOPP LABORATORIES LIMITED 23-100	340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	ESE	207.30	105
CML HEALTHCARE INC.	340 MCLEOD STREET, LOWER LEVEL OTTAWA ON	ESE	207.30	105
Toth Equity Limited	340 McLeod St. Ottawa ON K2P 1A4	ESE	207.30	105
Toth Equity Limited	340 McLeod St. Ottawa ON K2P 1A4	ESE	207.30	105
Demo Plus	340 McLeod Ottawa ON K2P 1A4	ESE	207.30	105
HULSE AND PLAYFAIR LIMITED	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
HULSE AND PLAYFAIR LIMITED	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
HULSE AND PLAYFAIR LIMITED 44-226	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107

HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON	E	212.90	107
HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
HULSE, PLAYFAIR & MCGARRY INC.	315 MCLEOD STREET OTTAWA ON K2P 1A2	E	212.90	107
Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E	212.90	107
Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E	212.90	107
Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E	212.90	107
Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E	212.90	107
Hulse, Playfair & McGarry	315 McLeod Street Ottawa ON K2P 1A2	E	212.90	107
TOMMY & LEFEBVRE INC.	464 BANK ST. OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INC. 37-488	464 BANK ST. OTTAWA ON K2P 1Z3	SSE	214.63	109

TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
TOMMY & LEFEBVRE INCORPORATED	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109
Tomlinson Environmental	464 Bank Str Ottawa ON K2P 1Z3	SSE	214.63	109
CRAIG OFFICE PRODUCTS CORPORATION	329 WAVERLEY STREET OTTAWA ON K2P 0V9	ENE	220.35	116
CRAIG OFFICE PRODUCTS CORPORATION 11-330	329 WAVERLEY STREET OTTAWA ON K2P 0V9	ENE	220.35	116
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117

David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON	NE	221.33	117
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	NE	221.33	117
Carleton Condominium Corporation 251	420 Lewis Street Ottawa ON K2P 0S9	NE	225.87	121
MCLEOD RETIREMENT HOME	330 McLeod St Ottawa ON K2P 2C5	ESE	226.42	124
PBC Delvelopment and Construction Management Group	485 Bank St Ottawa ON K2P 1Z2	SE	245.07	144
PBC Development and Construction Management Group	485 Bank St, Suite 205 Ottawa ON K2P 1Z2	SE	245.07	144
PBC Development & Construction Management Group In	485 Bank Street Suit 205 Ottawa ON K2P 1Z2	SE	245.07	144
OTTAWA BOARD OF EDUCATION	330 GILMOUR STREET OTTAWA ON K2P 2P6	NE	249.45	151

OTTAWA BOARD OF EDUCATION 29-129	330 GILMOUR STREET OTTAWA ON K2P 2P6	NE	249.45	151
OTTAWA BOARD OF EDUCATION	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	NE	249.45	151
OTTAWA (SEE&USE ON1285703)	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	NE	249.45	151
OTTAWA (SEE&USE ON1285703) 29-129	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	NE	249.45	151
Ashcroft Homes	320 McLeod Street Ottawa ON K2P 1A3	ESE	249.52	153

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 2 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	438 LEWIS STREET OTTAWA ON	NE	193.35	97
	464 BANK STREET OTTAWA ON K2P 1Z3	SSE	214.63	109

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Jul 31, 2020 has found that there are 3 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	29 JAMES STREET, OTTAWA ON K2P 0T4	WNW	128.30	50
	50 JAMES STREET, OTTAWA ON	W	143.54	58

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	384 MacLaren Street, Ottawa ON	NW	225.08	120

PES - Pesticide Register

A search of the PES database, dated Oct 2011-Sep 30, 2020 has found that there are 14 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P 1X8	NW	249.62	154
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK STREET OTTAWA ON K2P 1X8	NW	249.62	154
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P 1X8	NW	249.62	154
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P 1X8	NW	249.62	154
MASSINE ENTERPRISES INC. O/A MASSINE'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW	249.62	154
LOBLAWS INC O/A BANK STREET YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW	249.62	154
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW	249.62	154
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW	249.62	154

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK ST OTTAWA ON K2P1X8	NW	249.62	154
HARTMAN'S YOUR INDEPENDENT GROCER	296 BANK STREET OTTAWA ON K2P 1X8	NW	249.62	154
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
827219 ONTARIO LIMITED O/A BYTOWN PEST CONTROL	450 BANK ST OTTAWA ON K2P1Z1	SSE	125.67	47
BEN GUNTER PHARMACY INC O/A SHOPPERS DRUG MART #1248	455 BANK ST #1 OTTAWA ON K2P1Y9	ESE	175.33	84
BEN GUNTER PHARMACY INC	455 BANK ST #1 OTTAWA ON K2P1Y9	ESE	175.33	84
BEN GUNTER PHARMACY INC	455 BANK ST #1 OTTAWA ON K2P 1Y9	ESE	175.33	84

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	417 BANK ST, OTTAWA ON	E	44.78	8

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 3 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SUNYS PETROLEUM INC	435 GLADSTONE AV OTTAWA ON K2P0Y9	SW	173.33	81

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SUNYS PETROLEUM INC	435 GLADSTONE AV OTTAWA ON K2P0Y9	SW	173.33	81

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BANK STREET ESSO	450 BANK ST OTTAWA ON K2P1Z1	SE	128.00	49

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Sep 2020 has found that there are 7 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
176929 Canada Inc	390 BANK ST, OTTAWA, ON, K2P 1Y5, ON K2P 1Y5	WNW	41.63	7

Tega Developments Inc.	No Municipal Address, OTTAWA ON	SW	161.61	77
------------------------	------------------------------------	----	--------	--------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Urban Capital (Gladstone) Inc.	453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontari ON	ESE	159.18	74

URBAN CAPITAL (CENTRAL 3) INC.	340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Ottawa ON	ESE	207.30	105
-----------------------------------	---	-----	--------	---------------------

Mr. Milad Ladany	37 FLORA ST, OTTAWA, ON, K2P 1A7 OTTAWA ON K2P 1A7	SSE	225.92	122
------------------	--	-----	--------	---------------------

	400 McLeod Street Ottawa ON K2P 1A6	SSE	234.12	132
--	--	-----	--------	---------------------

1384274 Ontario Incorporated	330 GILMOUR ST, OTTAWA, ON, K2P 2P6 OTTAWA ON K2P 2P6	NE	249.45	151
------------------------------	---	----	--------	---------------------

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jun 30, 2020 has found that there are 3 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAIN GARAGE LTD	435 GLADSTONE AVE OTTAWA ON K2P0Y9	SW	173.33	81

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BANK ST ESSO	450 BANK ST OTTAWA ON K2P 1Z1	SE	128.00	49

TOPIA ENERGY	311 O'CONNOR ST OTTAWA ON K2P 2G9	ENE	215.94	111
--------------	--------------------------------------	-----	--------	---------------------

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 14 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Ottawa Cabinet Company Limited	24 Florence St Ottawa ON K2P 0W7	SW	73.98	18

AssayNet Canada Inc.	384 Bank St Suite 330 Ottawa ON K2P 1Y4	NW	88.29	22
----------------------	--	----	-------	--------------------

Chinese Cdn Community News	397 Kent St Ottawa ON K2P 2B1	WSW	160.65	76
----------------------------	----------------------------------	-----	--------	--------------------

Chinese Cdn Community News	80 Florence St Ottawa ON K1R 7W6	WSW	216.21	112
----------------------------	-------------------------------------	-----	--------	---------------------

Canvet Publications Ltd.	359 Kent St Suite 407 Ottawa ON K2P 0R6	WNW	228.76	127
--------------------------	--	-----	--------	---------------------

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Soundmaster Ltd.	386 MacLaren St Ottawa ON K2P 0M8	NW	228.99	128

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Coco International Inc.	410 Bank St Unit 138 Ottawa ON K2P 1Y8	SSE	46.21	9
Coco International	410 Bank St Suite 138 Ottawa ON K2P 1Y8	SSE	46.21	9
Axle Automotive Inc.	410 Gladstone Ave Ottawa ON K2P 0Z1	S	146.46	63
Paramount Gold & Silver Corp.	346 Waverley St Ottawa ON K2P 0W5	ENE	152.36	67
CUDDLE DOWN PRODUCTS LTD	340 GLADSTONE AVE OTTAWA ON K2P 0Y8	ESE	154.81	68
Canadian Library Association	328 Frank St Suite 602 Ottawa ON K2P 0X8	E	235.75	136
Canadian Library Trustees Assn	328 Frank St Ottawa ON K2P 0X8	E	235.75	136
CWG Footcare Inc.	485 Bank St Suite 209 Ottawa ON K2P 1Z2	SE	245.07	144

SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019 has found that there are 16 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Enbridge Gas Distribution Inc.	38 James Street Ottawa ON	W	109.69	<u>36</u>
PRIVATE RESIDENCE	378 BANK ST. FURNACE OIL TANK OTTAWA CITY ON K2P 1Y4	NW	110.52	<u>37</u>
The Buzz<UNOFFICIAL>	374 Bank Street Ottawa ON	NW	120.62	<u>43</u>
	50 James St Ottawa ON K2P 0T6	W	144.48	<u>60</u>
Enbridge Gas Distribution Inc.	435 Gladstone Street Ottawa ON	SW	173.33	<u>81</u>
Enbridge Gas Distribution Inc.	384 MacLaren St Ottawa ON K2P 0M8	NW	225.08	<u>120</u>
PRIVATE OWNER	LOT BESIDE 374 MACLAREN STREET. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K2P 0M6	NNW	229.29	<u>129</u>
Parson Refrigeration (1985) Ltd.	296 Bank St Ottawa ON	NW	249.62	<u>154</u>
Parson Refrigeration (1985) Ltd.	296 Bank St. Ottawa ON K2P 1X8	NW	249.62	<u>154</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Enbridge Energy Distribution Inc.	417 Bank Street Ottawa ON	E	44.78	<u>8</u>
FRANCIS FUELS	379 WAVERLEY ST AT POLISH COMBATTANTS ASS'N BUILDING. TANK TRUCK (CARGO) OTTAWA CITY ON K2P 0W4	NNE	78.54	<u>19</u>

City of Ottawa	434 Bank St Ottawa ON	SE	86.01	21
PRIVATE RESIDENCE	366 WAVERLY ST. FURNACE OIL TANK OTTAWA CITY ON	ENE	111.98	38
OC Transpo<UNOFFICIAL>	340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Ottawa ON K2P 0Y8	ESE	154.81	68
PRIVATE RESIDENCE	446 KENT ST. FUEL STORAGE TANK OTTAWA CITY ON K2P 2B5	SW	226.17	123
Ultramar Ltd.	444 Gladstone Ottawa ON	SW	231.03	131


WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2020 has found that there are 27 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	408 BANK STREET OTTAWA ON <i>Well ID:</i> 1536121	NW	63.45	15
	366 382 BANKS STREET Ottawa ON <i>Well ID:</i> 7295734	NW	92.56	28
	21 JAMES ST OTTAWA ON <i>Well ID:</i> 7186496	WNW	103.81	33
	366 382 BANK STREET Ottawa ON <i>Well ID:</i> 7295733	NW	107.09	35
	320 GILMOUR ST Ottawa ON <i>Well ID:</i> 7179840	WNW	114.63	40

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	320 GILMOUR ST Ottawa ON <i>Well ID: 7179838</i>	WNW	134.92	<u>54</u>
	320 GILMOUR ST Ottawa ON <i>Well ID: 7179839</i>	WNW	134.92	<u>54</u>
	366 382 BANKS STREET Ottawa ON <i>Well ID: 7295732</i>	NW	141.11	<u>56</u>
	366 382 BANK STREET Ottawa ON <i>Well ID: 7295731</i>	NW	146.13	<u>62</u>
	366 382 BANK STREET Ottawa ON <i>Well ID: 7295730</i>	NW	155.50	<u>70</u>
	366 382 BANK STREET Ottawa ON <i>Well ID: 7295729</i>	NW	173.82	<u>82</u>
	356 MACLAREN STREET Ottawa ON <i>Well ID: 7218928</i>	N	194.30	<u>98</u>
	381 KENT ST Ottawa ON <i>Well ID: 7157724</i>	WNW	199.62	<u>100</u>
	384 MCLAUREN RD OTTAWA ON <i>Well ID: 7212004</i>	NW	203.86	<u>103</u>
	180 WALLER ST OTTAWA ON <i>Well ID: 7212067</i>	NW	204.52	<u>104</u>
	384 MC LAUREN RD OTTAWA ON <i>Well ID: 7212003</i>	NW	219.57	<u>115</u>
	7, 9, 11 FLORENCE ST. OTTAWA ON	WNW	239.92	<u>138</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7103047			
 <u>Lower Elevation</u>	 <u>Address</u>	 <u>Direction</u>	 <u>Distance (m)</u>	 <u>Map Key</u>
	ON	E	63.67	16
	<i>Well ID:</i> 7239266			
	GLADSTONE AVENUE Ottawa ON	ESE	115.32	41
	<i>Well ID:</i> 7222343			
	GLADSTONE AVENUE OTTAWA ON	E	183.33	88
	<i>Well ID:</i> 7210734			
	37 FLORA ST OTTAWA ON	SSE	217.86	113
	<i>Well ID:</i> 7216273			
	37 FLORA ST OTTAWA ON	SSE	225.92	122
	<i>Well ID:</i> 7216271			
	37 FLORA ST OTTAWA ON	SSE	227.21	125
	<i>Well ID:</i> 7216270			
	37 FLORA ST OTTAWA ON	SSE	230.72	130
	<i>Well ID:</i> 7216268			
	37 FLORA ST OTTAWA ON	SSE	234.81	133
	<i>Well ID:</i> 7216272			
	37 FLORA ST OTTAWA ON	SSE	240.20	139
	<i>Well ID:</i> 7216269			
	GLADSTONE AVENUE OTTAWA ON	E	248.23	148
	<i>Well ID:</i> 7210740			




Map : 0.25 Kilometer Radius

Order Number: 20302900328

Address: 406 Bank Street & 7 Florence St, Ottawa, ON



	Project Property		Expressway		Industrial and Resource - Regions		National Park
	Buffer Outline		Principal Highway		Main Line		Provincial or Territorial Park
	Eris Sites with Higher Elevation		Secondary Highway		Sidetrack		Other Park
	Eris Sites with Same Elevation		Major Road		Transit Line		Golf Course or Driving Range
	Eris Sites with Lower Elevation		Local road		Abandoned Line		Park or Sports Field
	Eris Sites with Unknown Elevation		Trail		Proposed Road		Other Recreation Area
			Proposed Road		Ferry Route/Ice Road		



Aerial Year: 2019

Address: 406 Bank Street & 7 Florence St, Ottawa, ON

Source: ESRI World Imagery

Order Number: 20302900328



© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Address: 406 Bank Street & 7 Florence St, ON

Source: ESRI World Topographic Map

Order Number: 20302900328



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	-/0.0	74.9 / -0.62	LAI SIM LEUNG SWM - 7 FLORENCE STREET OTTAWA CITY ON K2P 0W6	CA
Certificate #: 3-1730-95-966 Application Year: 95 Issue Date: 2/2/96 Approval Type: Municipal sewage Status: Received in 1995, Issued in 1996 Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
<u>2</u>	1 of 1	SE/7.6	74.9 / -0.62	406-408 Bank St Ottawa ON K2P 1Y5	EHS
Order No: 20051004014 Status: C Report Type: Custom Report Report Date: 10/13/2005 Date Received: 10/4/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Bank St & Florence St Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.694342 Y: 45.412874			
<u>3</u>	1 of 3	NW/22.8	75.7 / 0.10	390 and 394 Bank St Ottawa ON K2P 1Y5	EHS
Order No: 20200205812 Status: C Report Type: Standard Report Report Date: 10-FEB-20 Date Received: 05-FEB-20 Previous Site Name: James St Pub and Doyle Lot/Building Size: 1625 m2 Additional Info Ordered:		Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.6944808 Y: 45.4130348			
<u>3</u>	2 of 3	NW/22.8	75.7 / 0.10	390 and 394 Bank St Ottawa ON K2P 1Y5	EHS
Order No: 20200205812 Status: C Report Type: Standard Report Report Date: 10-FEB-20 Date Received: 05-FEB-20 Previous Site Name: James St Pub and Doyle		Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.6944808 Y: 45.4130348			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: 1625 m2 Additional Info Ordered:					
3	3 of 3	NW/22.8	75.7 / 0.10	390 and 394 Bank St Ottawa ON K2P 1Y5	EHS
Order No: 20200205812 Status: C Report Type: Standard Report Report Date: 10-FEB-20 Date Received: 05-FEB-20 Previous Site Name: James St Pub and Doyle Lot/Building Size: 1625 m2 Additional Info Ordered:		Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.6944808 Y: 45.4130348			
4	1 of 1	SW/26.0	75.6 / 0.00	7, 9 and 11 Florence Street Ottawa ON	EHS
Order No: 20080208007 Status: C Report Type: Custom Report Report Date: 2/19/2008 Date Received: 2/8/2008 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps And/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.694573 Y: 45.412674			
5	1 of 4	S/32.4	74.8 / -0.73	Florence Dentistry 6 Florence St Ottawa ON K2P 0W7	GEN
Generator No: ON9742405 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 621210 SIC Description: OFFICES OF DENTISTS		PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Magdalena K Lysik Phone No Admin: 613 722 0919 Ext.			
Detail(s)					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
5	2 of 4	S/32.4	74.8 / -0.73	Florence Dentistry 6 Florence St Ottawa ON K2P 0W7	GEN
Generator No: ON9742405 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 621210 SIC Description: OFFICES OF DENTISTS		PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Magdalena K Lysik Phone No Admin: 613 722 0919 Ext.			
Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
5	3 of 4	S/32.4	74.8 / -0.73	Florence Dentistry 6 Florence St Ottawa ON K2P 0W7	GEN
Generator No:	ON9742405			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
5	4 of 4	S/32.4	74.8 / -0.73	Florence Dentistry 6 Florence St Ottawa ON K2P 0W7	GEN
Generator No:	ON9742405			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
6	1 of 1	W/38.6	75.9 / 0.31	ON	BORE
Borehole ID:	613243			Inclin FLG:	No
OGF ID:	215514545			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	APR-1972			Municipality:	
Static Water Level:	6.7			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.412786
Total Depth m:	16.1			Longitude DD:	-75.694839
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	445631
Drill Method:				Northing:	5029042
Orig Ground Elev m:	71.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	72				
Concession:					
Location D:					
Survey D:					
Comments:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218394302			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Brick fragments			Geologic Period:	
Material 4:	Granuls			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL.				
Geology Stratum ID:	218394303			Mat Consistency:	Dense
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND. DENSE.				
Geology Stratum ID:	218394305			Mat Consistency:	Soft
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. GREY,SOFT.				
Geology Stratum ID:	218394308			Mat Consistency:	Dense
Top Depth:	8.4			Material Moisture:	
Bottom Depth:	9.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED. DENSE.				
Geology Stratum ID:	218394304			Mat Consistency:	Stiff
Top Depth:	1.6			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. BROWN,GREY, VERY STIFF TO STIFF,FISSURED.				
Geology Stratum ID:	218394306			Mat Consistency:	Soft
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		CLAY. GREY,SOFT TO STIFF.			
Geology Stratum ID:	218394309			Mat Consistency:	Dense
Top Depth:	9.1			Material Moisture:	
Bottom Depth:	13.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		UNSPECIFIED. DENSE.			
Stratum Description:		UNSPECIFIED. DENSE.			
Geology Stratum ID:	218394307			Mat Consistency:	Soft
Top Depth:	7.6			Material Moisture:	
Bottom Depth:	8.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		CLAY. SOFT, WATER STABLE AT 213.5 FEET.			
Stratum Description:		CLAY. SOFT, WATER STABLE AT 213.5 FEET.			
Geology Stratum ID:	218394310			Mat Consistency:	
Top Depth:	13.4			Material Moisture:	
Bottom Depth:	16.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		BEDROCK. 00010 017 00052 051 00120 070 00200 070 00250 035 00275 010 00300 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:		BEDROCK. 00010 017 00052 051 00120 070 00200 070 00250 035 00275 010 00300 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 057510 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
7	1 of 1	WNW/41.6	75.9 / 0.31	176929 Canada Inc 390 BANK ST, OTTAWA, ON, K2P 1Y5, ON K2P 1Y5	RSC
RSC ID:	90917			Cert Date:	13-Nov-07
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Curr Property Use: Ministry District: Filing Date: Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686:	Commercial OTTAWA 14-Apr-11			Qual Person Name: Laurence Bradely Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Yes Accuracy Estimate: 2 to 5 meters Telephone: 613-7894928 Fax: 613-5623278 Email:	
Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Longitude: UTM Coordinates: Consultant: Legal Desc: Measurement Method: Applicable Standards:	No 6.14042E+17 04119-0139 (LT) 390 BANK ST, OTTAWA, ON, K2P 1Y5, 45.41316350N 75.69469950W NAD83 18-445642-5029084 (converted from Latitude & Longitude)			LT 18, PL 15558; W/S OF BANK ST; LT 19, PL 15558; W/S OF BANK ST; OTTAWA, NEPEAN Global Positioning System Stratified Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use	
RSC PDF:					

<u>8</u>	1 of 2	E/44.8	74.9 / -0.66	417 BANK ST, OTTAWA ON	PINC
Incident ID: Incident No: Type: Status Code: Fuel Occurrence Tp: Fuel Type: Tank Status: Task No: Spills Action Centre: Method Details: Fuel Category: Date of Occurrence: Occurrence Start Date: Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:	1926122 FS-Pipeline Incident Pipeline Damage Reason Est RC Established 6293996 E-mail Natural Gas 2016/10/14			Health Impact: Environment Impact: Property Damage: Yes Service Interrupt: Enforce Policy: Yes Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: FS-Perform P-line Inc Invest Regulator Location:	
		417 BANK ST, OTTAWA - PIPELINE HIT - 1"		Bernie Monette - ENBRIDGE	
		Excavation practices not sufficient			

<u>8</u>	2 of 2	E/44.8	74.9 / -0.66	Enbridge Energy Distribution Inc. 417 Bank Street Ottawa ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1:	1866-ACXS76 NA 8/18/2016			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Unknown / N/A Agency Involved: Nearest Watercourse: Site Address: 417 Bank Street Site District Office:	
		Leak/Break 35 NATURAL GAS (METHANE)			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Air MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 8/18/2016 Dt Document Closed:</p> <p>Incident Reason: Operator/Human Error Site Name: Residential <UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: TSSA FSB: 1" pl IP service line strike, made safe Contaminant Qty: 0 L</p> <p>Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill</p> <p>Source Type:</p>					
9	1 of 2	SSE/46.2	74.9 / -0.72	Coco International 410 Bank St Suite 138 Ottawa ON K2P 1Y8	SCT
<p>Established: 1987 Plant Size (ft²): Employment: 8</p> <p>--Details-- Description: Textile and Fabric Finishing SIC/NAICS Code: 313310</p> <p>Description: Women's and Girls' Cut and Sew Lingerie, Loungewear and Nightwear Manufacturing SIC/NAICS Code: 315231</p> <p>Description: Commercial Screen Printing SIC/NAICS Code: 323113</p>					
9	2 of 2	SSE/46.2	74.9 / -0.72	Coco International Inc. 410 Bank St Unit 138 Ottawa ON K2P 1Y8	SCT
<p>Established: 1987 Plant Size (ft²): Employment: 8</p> <p>--Details-- Description: Women's and Girls' Cut and Sew Lingerie, Loungewear and Nightwear Manufacturing SIC/NAICS Code: 315231</p> <p>Description: Commercial Screen Printing SIC/NAICS Code: 323113</p>					
10	1 of 1	SE/48.6	74.9 / -0.69	party world 420 bank st OTTAWA ON K2P 1Y8	GEN
<p>Generator No: ON8790621 Status: Approval Years: 03,04 Contam. Facility:</p> <p>PO Box No: Country: Choice of Contact: Co Admin:</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
11	1 of 1	NW/52.0	75.9 / 0.31	390 bank street ottawa ON K2P 1Y5	EHS
Order No:	20071113025			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	11/22/2007			Search Radius (km):	0.25
Date Received:	11/13/2007			X:	-75.694822
Previous Site Name:				Y:	45.41319
Lot/Building Size:					
Additional Info Ordered:					
12	1 of 1	N/59.0	75.2 / -0.39	393-395 Bank Street Ottawa ON	EHS
Order No:	20160519079			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	27-MAY-16			Search Radius (km):	.25
Date Received:	19-MAY-16			X:	-75.694389
Previous Site Name:				Y:	45.41338
Lot/Building Size:					
Additional Info Ordered:	City Directory; Aerial Photos				
13	1 of 1	WSW/59.6	75.9 / 0.31	Canadian Union of Public Employees Realty Holdings Incorporated 21 Florence St and 20 James Street Ottawa ON K2P 0W6	ECA
Approval No:	1136-6DMRG4			MOE District:	
Approval Date:	2005-06-29			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	21 Florence St and 20 James Street				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/9630-6B8KRA-14.pdf				
14	1 of 1	W/61.9	75.8 / 0.27	Canadian Union of Public Employees Realty Holdings Incorporated 21 Florence Street and 20 James Street Ottawa ON	CA
Certificate #:	1136-6DMRG4				
Application Year:	2005				
Issue Date:	6/29/2005				
Approval Type:	Municipal and Private Sewage Works				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Description:					
Contaminants:					
Emission Control:					

15	1 of 1	NW/63.4	75.9 / 0.34	408 BANK STREET OTTAWA ON	WWIS
Well ID:	1536121			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	1/6/2006
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	3
Audit No:	Z19282			Owner:	
Tag:	A019061			Street Name:	408 BANK STREET
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536121.pdf

Bore Hole Information

Bore Hole ID:	11550187	Elevation:	71.784591
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:	o	East83:	445641
Code OB Desc:	Overburden	North83:	5029106
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	12/9/2005	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	933040736
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		5.4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933040735			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		.2			
Formation End Depth:		2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933040734			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		.2			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933287081			
Layer:		1			
Plug From:		0			
Plug To:		0.18			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961536121			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11559794			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Construction Record - Casing

Casing ID: 930874051
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 2.2
Casing Diameter: 5
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 933416987
Layer: 1
Slot: 10
Screen Top Depth: 2.2
Screen End Depth: 5.4
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6

Results of Well Yield Testing

Pump Test ID: 991536121
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing: No

Hole Diameter

Hole ID: 11680799
Diameter: 10
Depth From: 0
Depth To: 5.4
Hole Depth UOM: m
Hole Diameter UOM: cm

16	1 of 1	E/63.7	74.4 / -1.15	ON	WWIS
--------------------	--------	--------	--------------	----	----------------------

Well ID: 7239266	Data Entry Status: Yes
Construction Date:	Data Src:
Primary Water Use:	Date Received: 4/2/2015
Sec. Water Use:	Selected Flag: Yes
Final Well Status:	Abandonment Rec:
Water Type:	Contractor: 7328
Casing Material:	Form Version: 8

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	C19500			Owner:	
Tag:	A122871			Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005319048			Elevation:	70.965545
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445732
Code OB Desc:				North83:	5029042
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	3/8/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
17	1 of 1	ESE/67.4	74.9 / -0.66	425 Bank Street Ottawa ON	EHS
Order No:	20150604086			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	11-JUN-15			Search Radius (km):	.25
Date Received:	04-JUN-15			X:	-75.693632
Previous Site Name:				Y:	45.41252
Lot/Building Size:					
Additional Info Ordered:					
18	1 of 1	SW/74.0	75.9 / 0.31	Ottawa Cabinet Company Limited 24 Florence St Ottawa ON K2P 0W7	SCT
Established:	01-JUL-48				
Plant Size (ft²):	5000				
Employment:					
--Details--					
Description:	Showcase, Partition, Shelving and Locker Manufacturing				
SIC/NAICS Code:	337215				
Description:	Other Wood Household Furniture Manufacturing				
SIC/NAICS Code:	337123				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	1 of 1	NNE/78.5	74.9 / -0.69	FRANCIS FUELS 379 WAVERLEY ST AT POLISH COMBATTANTS ASS'N BUILDING. TANK TRUCK (CARGO) OTTAWA CITY ON K2P 0W4	SPL
Ref No:	134737			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	11/28/1996			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	CONTAINER OVERFLOW			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	20101
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	11/28/1996			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ERROR			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	FRANCIS FUELS- 5 LITRES FURNACE OIL OVERFLOW TO GROUND, CONTAINED,CLEANED				
Contaminant Qty:					

20	1 of 2	NW/78.9	75.9 / 0.31	ASHLEY REPRODUCTIONS INC. 386 BANK STREET OTTAWA ON K2P 1Y4	GEN
Generator No:	ON1078600			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2819				
SIC Description:	OTHER COMM. PRINTING				
Detail(s)					
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				

20	2 of 2	NW/78.9	75.9 / 0.31	ASHLEY REPRODUCTIONS INC. 03-350 386 BANK STREET OTTAWA ON K2P 1Y4	GEN
Generator No:	ON1078600			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2819				
SIC Description:	OTHER COMM. PRINTING				
Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
21	1 of 1	SE/86.0	74.6 / -0.94	City of Ottawa 434 Bank St Ottawa ON	SPL
Ref No:	2574-AQ2668			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	8/7/2017			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	Municipal Government
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	27			Nearest Watercourse:	
Contaminant Name:	COOLANT N.O.S.			Site Address:	434 Bank St
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	n/a			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land; Surface Water			Northing:	5028971.42
MOE Response:	No			Easting:	445719.08
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	8/7/2017			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Watercourse Spills
Incident Reason:	Equipment Failure			Source Type:	Motor Vehicle
Site Name:	Asphalt and storm drain<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	OC Transpo: est. 40L to grnd & CB; cntnd & clning				
Contaminant Qty:	40 L				
22	1 of 3	NW/88.3	75.9 / 0.31	PEZOULAS BROTHER REALTY CO. 384 BANK ST. OTTAWA ON K2P 1Y4	GEN
Generator No:	ON4217355			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	551114				
SIC Description:	Head Offices				
22	2 of 3	NW/88.3	75.9 / 0.31	384 BANK STREET OTTAWA ON K2P 1Y4	EHS
Order No:	20080618011			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	6/27/2008			Search Radius (km):	0.25
Date Received:	6/18/2008			X:	-75.695124
Previous Site Name:				Y:	45.413494
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				
22	3 of 3	NW/88.3	75.9 / 0.31	AssayNet Canada Inc. 384 Bank St Suite 330 Ottawa ON K2P 1Y4	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established: Plant Size (ft²): Employment:					
--Details--					
Description:		Computer Systems Design and Related Services			
SIC/NAICS Code:		541510			
Description:		Computer Systems Design and Related Services			
SIC/NAICS Code:		541510			
Description:		Semiconductor and Other Electronic Component Manufacturing			
SIC/NAICS Code:		334410			
23	1 of 1	WNW/88.8	76.6 / 1.00	21 James Street Ottawa ON K2P 0T5	EHS
Order No:		20111109003		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		11/15/2011		Search Radius (km): 0.25	
Date Received:		11/9/2011 8:48:16 AM		X: -75.69537	
Previous Site Name:				Y: 45.413207	
Lot/Building Size:					
Additional Info Ordered:					
24	1 of 1	WSW/89.2	75.8 / 0.22	31 Florence St Ottawa ON K2P0W6	EHS
Order No:		20161117145		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		23-NOV-16		Search Radius (km): .25	
Date Received:		17-NOV-16		X: -75.695386	
Previous Site Name:				Y: 45.412509	
Lot/Building Size:					
Additional Info Ordered:					
25	1 of 1	ESE/91.7	73.9 / -1.69	YING YEE KUNG 380 FRANK STREET (SWM) OTTAWA CITY ON K2P 0Y1	CA
Certificate #:		3-1193-95-006			
Application Year:		95			
Issue Date:		11/9/95			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	1 of 2	SSW/91.9	74.8 / -0.81	The Governing Council of The Salvation Army in Can 391 Gladstone Ave Ottawa ON K2P 0Y9	GEN
Generator No:	ON4193101			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	813210				
SIC Description:					
26	2 of 2	SSW/91.9	74.8 / -0.81	The Governing Council of The Salvation Army in Can 391 Gladstone Ave Ottawa ON K2P 0Y9	GEN
Generator No:	ON4193101			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	813210				
SIC Description:	Grant-Making and Giving Services				
27	1 of 3	N/92.4	75.9 / 0.33	CANADIAN UNION OF POSTAL WORKERS 377 BANK STREET OTTAWA ON K2P 1Y3	GEN
Generator No:	ON1763400			PO Box No:	
Status:				Country:	
Approval Years:	93,94,95,96,97,98,99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2819				
SIC Description:	OTHER COMM. PRINTING				
Detail(s)					
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
27	2 of 3	N/92.4	75.9 / 0.33	Canadian Union of Postal Workers 377 Bank Street Ottawa ON K2P 1Y3	GEN
Generator No:	ON6285950			PO Box No:	
Status:				Country:	
Approval Years:	06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	491110 323119				
SIC Description:	Postal Service, Other Printing				
Detail(s)					
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	3 of 3	N/92.4	75.9 / 0.33	377 Bank Street Ottawa ON K2P 1Y3	EHS
Order No:	20110106026			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	1/13/2011			Search Radius (km):	0.25
Date Received:	1/6/2011 1:19:43 PM			X:	-75.694685
Previous Site Name:				Y:	45.413601
Lot/Building Size:					
Additional Info Ordered:					

28	1 of 1	NW/92.6	75.8 / 0.27	366 382 BANKS STREET Ottawa ON	WWIS
Well ID:	7295734			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	9/29/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z206494			Owner:	
Tag:	A182831			Street Name:	366 382 BANKS STREET
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1006738386	Elevation:	72.411582
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445606
Code OB Desc:		North83:	5029117
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	8/10/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	1006883513
Layer:	2
Color:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.83			
Formation End Depth:		3.35			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006883512			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1.83			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006883515			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		4.88			
Formation End Depth:		5.49			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006883514			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		03			
Mat2 Desc:		MUCK			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		3.35			
Formation End Depth:		4.88			
Formation End Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883525			
Layer:		3			
Plug From:		1.83			
Plug To:		5.49			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883524			
Layer:		2			
Plug From:		0.31			
Plug To:		1.83			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883523			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006883522			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006883511			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006883518			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.44			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006883519			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.44			
Screen End Depth:		5.49			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1006883517			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006883516			
Diameter:		8.25			
Depth From:		0			
Depth To:		5.49			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
29	1 of 1	ESE/94.2	73.9 / -1.69	433 Bank St Ottawa ON K2P1Y7	EHS
Order No:		20170620116		Nearest Intersection:	
Status:		C		Municipality:	Ottawa
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		27-JUN-17		Search Radius (km):	.25
Date Received:		20-JUN-17		X:	-75.69331
Previous Site Name:				Y:	45.412429
Lot/Building Size:					
Additional Info Ordered:					
30	1 of 2	NW/96.5	75.9 / 0.31	382-386 Bank Street Ottawa ON K2P 1Y4	EHS
Order No:		20091125009		Nearest Intersection:	
Status:		C		Municipality:	ON
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		12/1/2009		Search Radius (km):	0.25
Date Received:		11/25/2009		X:	-75.695176
Previous Site Name:				Y:	45.413447
Lot/Building Size:					
Additional Info Ordered:					
30	2 of 2	NW/96.5	75.9 / 0.31	382 - 386 Bank Street, Ottawa ON K2P 1Y4	EHS
Order No:		20100707037		Nearest Intersection:	Bank and James Street
Status:		C		Municipality:	ON
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		7/16/2010		Search Radius (km):	0.25
Date Received:		7/7/2010		X:	-75.694961
Previous Site Name:				Y:	45.413521
Lot/Building Size:					
Additional Info Ordered:		City Directory			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
31	1 of 2	ESE/97.5	73.9 / -1.69	433 bank street Ottawa ON K2P 1Y7	EHS
Order No:	20080610034			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	6/19/2008			Search Radius (km):	0.25
Date Received:	6/10/2008			X:	-75.69346
Previous Site Name:				Y:	45.412361
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; Title Search				
31	2 of 2	ESE/97.5	73.9 / -1.69	Candere! Stoneridge Equity Group Inc. 433 Bank Street Ottawa ON K2P 1Y7	GEN
Generator No:	ON3467452			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531310				
SIC Description:	Real Estate Property Managers				
Detail(s)					
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	150				
Waste Class Desc:	INERT INORGANIC WASTES				
32	1 of 1	ESE/97.6	73.9 / -1.69	433 Bank St Ottawa ON K2P1Y7	EHS
Order No:	20131112007			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	18-NOV-13			Search Radius (km):	.25
Date Received:	12-NOV-13			X:	-75.693255
Previous Site Name:				Y:	45.412434
Lot/Building Size:					
Additional Info Ordered:					
33	1 of 1	WNW/103.8	76.6 / 1.00	21 JAMES ST OTTAWA ON	WWIS
Well ID:	7186496			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/4/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z152937			Owner:	
Tag:	A131060			Street Name:	21 JAMES ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186496.pdf

Bore Hole Information

Bore Hole ID:	1004147850	Elevation:	72.810722
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445594
Code OB Desc:		North83:	5029121
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/26/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004419311
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0
Formation End Depth:	1.5
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004419312
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	91
Mat3 Desc:	WATER-BEARING
Formation Top Depth:	1.5
Formation End Depth:	4.57
Formation End Depth UOM:	m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004419321			
Layer:		2			
Plug From:		0.31			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004419322			
Layer:		3			
Plug From:		1.22			
Plug To:		4.57			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004419320			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004419319			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1004419310			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004419315			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		3.45			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004419316			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.57			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.21			
<u>Water Details</u>					
Water ID:		1004419314			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004419313			
Diameter:		5.71			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
34	1 of 1	NW/106.1	75.8 / 0.27	366 Bank St Ottawa ON K2P1Y4	EHS
Order No:		20170724036	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State:		ON
Report Date:		27-JUL-17	Search Radius (km):		.25
Date Received:		24-JUL-17	X:		-75.695182
Previous Site Name:			Y:		45.413606
Lot/Building Size:					
Additional Info Ordered:					
35	1 of 1	NW/107.1	75.9 / 0.28	366 382 BANK STREET Ottawa ON	WWIS
Well ID:		7295733	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:		Test Hole	Date Received:		9/29/2017
Sec. Water Use:		Monitoring	Selected Flag:		Yes
Final Well Status:		Monitoring and Test Hole	Abandonment Rec:		
Water Type:			Contractor:		7241
Casing Material:			Form Version:		7
Audit No:		Z206495	Owner:		
Tag:		A182830	Street Name:		366 382 BANK STREET
Construction Method:			County:		OTTAWA
Elevation (m):			Municipality:		OTTAWA CITY
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
PDF URL (Map):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006738383			Elevation:	72.486358
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445605
Code OB Desc:				North83:	5029135
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	8/10/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006883498				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	2.44				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006883500				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:	91				
Mat3 Desc:	WATER-BEARING				
Formation Top Depth:	3.96				
Formation End Depth:	5.79				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006883499				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Mat2 Desc:	CLAY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.44			
Formation End Depth:		3.96			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883508			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883509			
Layer:		2			
Plug From:		0.31			
Plug To:		2.44			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883510			
Layer:		3			
Plug From:		2.44			
Plug To:		5.79			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006883507			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006883497			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006883503			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:			1006883504		
Layer:			1		
Slot:			10		
Screen Top Depth:			2.74		
Screen End Depth:			5.79		
Screen Material:			5		
Screen Depth UOM:			m		
Screen Diameter UOM:			cm		
Screen Diameter:			4.82		
<u>Water Details</u>					
Water ID:			1006883502		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			m		
<u>Hole Diameter</u>					
Hole ID:			1006883501		
Diameter:			8.25		
Depth From:			0		
Depth To:			5.79		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		
<u>36</u>	1 of 1	W/109.7	76.9 / 1.31	Enbridge Gas Distribution Inc. 38 James Street Ottawa ON	SPL
Ref No:	1388-99ULST			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2013/07/22			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Leak/Break			Sector Type:	Pipeline/Components
Incident Event:				Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	NATURAL GAS (METHANE)			Site Address:	38 James Street
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	Ottawa
Nature of Impact:	Air Pollution			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	Referral to others			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2013/07/22			Site Map Datum:	
Dt Document Closed:	2013/08/24			SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason:	Other			Source Type:	
Site Name:	Private residence<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA Service line strike contractor with locates, made safe				
Contaminant Qty:	0 other - see incident description				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	1 of 5	NW/110.5	75.9 / 0.28	PRIVATE RESIDENCE 378 BANK ST. FURNACE OIL TANK OTTAWA CITY ON K2P 1Y4	SPL
Ref No:	96680			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2/21/1994			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2/21/1994			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ICE/FROST DAMAGE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	CCB ELECTRIC - FUEL OIL TO GROUND FROM BROKEN FILLER PIPE				
Contaminant Qty:					

37	2 of 5	NW/110.5	75.9 / 0.28	C.C.B. ELECTRIC WKS. LIMITED 378 BANK STREET OTTAWA ON K2P 1Y4	GEN
Generator No:	ON0968600			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	0000				
SIC Description:	*** NOT DEFINED ***				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

37	3 of 5	NW/110.5	75.9 / 0.28	C.C.B. ELECTRIC WKS. LIMITED 378 BANK STREET OTTAWA ON K2P 1Y4	GEN
Generator No:	ON0968600			PO Box No:	
Status:				Country:	
Approval Years:	92,93,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9941				
SIC Description:	ELECTRIC MOTOR REPAI				
<u>Detail(s)</u>					
Waste Class:	213				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
37	4 of 5	NW/110.5	75.9 / 0.28	C.C.B. ELECTRIC WKS. LIMITED 07-123 378 BANK STREET OTTAWA ON K2P 1Y4	GEN
Generator No:	ON0968600			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9941				
SIC Description:	ELECTRIC MOTOR REPAI				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
<hr/>					
37	5 of 5	NW/110.5	75.9 / 0.28	C.C.B. ELECTRIC WORKS LIMITED 378 BANK STREET OTTAWA ON K2P 1Y4	GEN
Generator No:	ON0968600			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9941				
SIC Description:	ELECTRIC MOTOR REPAIR				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
<hr/>					
38	1 of 1	ENE/112.0	73.9 / -1.69	PRIVATE RESIDENCE 366 WAVERLY ST. FURNACE OIL TANK OTTAWA CITY ON	SPL
Ref No:	180115			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	//			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CONTAINER LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	CONFIRMED			Site Municipality:	20101
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	LAND / WATER			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	WORKS
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	4/28/2000			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	CORROSION			Source Type:	
Site Name:					
Site County/District:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Geo Ref Meth:					
Incident Summary:		PRIVATE RESIDENCE-180 L FURNACE OIL ONTO FLOOR & COMBINED SEWER, WORKS.			
Contaminant Qty:					

39	1 of 1	ENE/113.4	73.9 / -1.69	354, 362, 366 Waverley Street Ottawa ON	EHS
Order No:	20070108018			Nearest Intersection:	Bank Street
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	1/16/2007			Search Radius (km):	0.25
Date Received:	1/8/2007			X:	-75.693201
Previous Site Name:				Y:	45.413444
Lot/Building Size:					
Additional Info Ordered:					

40	1 of 1	WNW/114.6	76.6 / 1.00	320 GILMOUR ST Ottawa ON	WWIS
Well ID:	7179840			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	4/24/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z145264			Owner:	
Tag:	A106638			Street Name:	320 GILMOUR ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7179840.pdf				

Bore Hole Information

Bore Hole ID:	1003712973	Elevation:	72.543762
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445578
Code OB Desc:		North83:	5029119
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/24/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1004287200			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		.91			
Formation End Depth:		3.66			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004287199			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		.91			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004287210			
Layer:		3			
Plug From:		0.61			
Plug To:		3.66			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004287209			
Layer:		2			
Plug From:		0.31			
Plug To:		0.61			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004287208			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1004287207			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004287198			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004287203			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		.61			
Casing Diameter:		3.45			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004287204			
Layer:		1			
Slot:		10			
Screen Top Depth:		0.51			
Screen End Depth:		3.66			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.21			
<u>Water Details</u>					
Water ID:		1004287202			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004287201			
Diameter:		5.71			
Depth From:		0			
Depth To:		3.66			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
41	1 of 1	ESE/115.3	73.9 / -1.69	GLADSTONE AVENUE Ottawa ON	WWIS
Well ID:		7222343		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received: 6/24/2014	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z166933			Owner:	
Tag:				Street Name:	GLADSTONE AVENUE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7222343.pdf

Bore Hole Information

Bore Hole ID:	1004860766	Elevation:	71.384513
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445766
Code OB Desc:		North83:	5028987
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/20/2014	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1005186821
Layer:	2
Plug From:	2
Plug To:	0
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1005186820
Layer:	1
Plug From:	20
Plug To:	2
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1005186819
Layer:	1
Plug From:	0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005186818			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005186812			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005186816			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005186817			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005186815			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005186814			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
42	1 of 1	NNW/117.9	75.9 / 0.31	375 Bank Street Ottawa ON K2P 1Y2	EHS
Order No:	20070410020			Nearest Intersection: Lewis Street	
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	4/19/2007			Search Radius (km): 0.25	
Date Received:	4/10/2007			X: -75.694633	
Previous Site Name:				Y: 45.413975	
Lot/Building Size:	780 square meters				
Additional Info Ordered:					
43	1 of 1	NW/120.6	75.9 / 0.28	The Buzz<UNOFFICIAL> 374 Bank Street Ottawa ON	SPL
Ref No:	6153-B76PFC			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2018/12/04			Health/Env Conseq: 0 - No Impact	
Year:				Client Type:	
Incident Cause:				Sector Type: Miscellaneous Industrial	
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	14			Nearest Watercourse:	
Contaminant Name:	GREASE (N.O.S.)			Site Address: 374 Bank Street	
Contaminant Limit 1:				Site District Office: Ottawa	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	n/a			Site Region: Eastern	
Environment Impact:				Site Municipality: Ottawa	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing: 5029156	
MOE Response:	No			Easting: 445613	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2018/12/05			Site Map Datum:	
Dt Document Closed:	2018/12/10			SAC Action Class: Land Spills	
Incident Reason:	Unknown / N/A			Source Type: Valve/Fitting/Piping	
Site Name:	Parking Lot<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	NoNameRestaurant: unkn vol. of grease to parking lot, cnt, clnup ongn				
Contaminant Qty:	1 other - see incident description				
44	1 of 1	NW/122.5	75.9 / 0.28	366- 380 BANK STREET (EVENS ONLY) OTTAWA ON K2P 1Y4	EHS
Order No:	20080604002			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State: ON	
Report Date:	6/12/2008			Search Radius (km): 0.25	
Date Received:	6/4/2008			X: -75.695324	
Previous Site Name:				Y: 45.41363	
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				
45	1 of 1	SE/123.1	73.9 / -1.69	Urban Capital (Gladstone) Inc. 343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Ottawa ON M5C 1C3	ECA
Approval No:	1501-82LQJG			MOE District:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Date: 2010-03-17 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8632-7Y4RUA-14.pdf					
46	1 of 1	NNW/123.7	75.9 / 0.30	371 Bank St Ottawa ON K2P1Y2	EHS
Order No: 20140618036 Status: C Report Type: Custom Report Report Date: 24-JUN-14 Date Received: 18-JUN-14 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.694717 Y: 45.413934					
47	1 of 14	SSE/125.7	73.8 / -1.78	172965 CANADA LTD., IMPERIAL OIL 450 BANK STREET (SWM) OTTAWA CITY ON K2P 1Z1	CA
Certificate #: 3-1194-95- Application Year: 95 Issue Date: 9/19/1995 Approval Type: Municipal sewage Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
47	2 of 14	SSE/125.7	73.8 / -1.78	450 Bank Street Ottawa ON K2P 1Z1	EHS
Order No: 20060202022 Status: C Report Type: Complete Report Report Date: 2/13/2006 Date Received: 2/2/2006 Previous Site Name: Lot/Building Size: 2280 sq m Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Gladstone Avenue (to the north) & McLeod Street (to the south) Municipality: Ottawa Carleton Client Prov/State: ON Search Radius (km): 0.25 X: -75.693588 Y: 45.411732					
47	3 of 14	SSE/125.7	73.8 / -1.78	MAC'S CONVENIENCE STORES INC 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	FST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Instance No: 11345161
Status: Active
Cont Name:
Instance Type: FS Liquid Fuel Tank
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Double Wall UST
Install Date: 5/22/2009
Install Year: 1995
Years in Service: 1.9
Model: NULL
Description:
Capacity: 45400
Tank Material: Fiberglass (FRP)
Corrosion Protect: Fiberglass
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type: FS Gasoline Station - Self Serve
Facility Location: 450 BANK ST OTTAWA K2P 1Z1 ON CA
Device Installed Location: 450 BANK ST OTTAWA K2P 1Z1 ON CA

Manufacturer: NULL
Serial No: NULL
Ulc Standard: NULL
Quantity: 1
Unit of Measure: EA
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related: NULL
Panam Venue: NULL

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: MAC'S CONVENIENCE STORES INC

47	4 of 14	SSE/125.7	73.8 / -1.78	MAC'S CONVENIENCE STORES INC 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	FST
--------------------	---------	-----------	--------------	--	-----

Instance No: 11345182
Status: Active
Cont Name:
Instance Type: FS Liquid Fuel Tank
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Double Wall UST
Install Date: 5/22/2009
Install Year: 1995
Years in Service: 1.9
Model: NULL
Description:
Capacity: 31800
Tank Material: Fiberglass (FRP)
Corrosion Protect: Fiberglass
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type: FS Gasoline Station - Self Serve
Facility Location: 450 BANK ST OTTAWA K2P 1Z1 ON CA
Device Installed Location: 450 BANK ST OTTAWA K2P 1Z1 ON CA

Manufacturer: NULL
Serial No: NULL
Ulc Standard: NULL
Quantity: 1
Unit of Measure: EA
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related: NULL
Panam Venue: NULL

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

Liquid Fuel Tank Details

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overfill Protection:		NULL			
Owner Account Name:		MAC'S CONVENIENCE STORES INC			

47	5 of 14	SSE/125.7	73.8 / -1.78	MAC'S CONVENIENCE STORES INC 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	FST
--------------------	---------	-----------	--------------	--	-----

Instance No:	11345177	Manufacturer:	NULL
Status:	Active	Serial No:	NULL
Cont Name:		Ulc Standard:	NULL
Instance Type:	FS Liquid Fuel Tank	Quantity:	1
Item:	FS LIQUID FUEL TANK	Unit of Measure:	EA
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline
Tank Type:	Double Wall UST	Fuel Type2:	NULL
Install Date:	5/22/2009	Fuel Type3:	NULL
Install Year:	1995	Piping Steel:	
Years in Service:	1.9	Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	31800	Num Underground:	
Tank Material:	Fiberglass (FRP)	Panam Related:	NULL
Corrosion Protect:	Fiberglass	Panam Venue:	NULL
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:	FS Gasoline Station - Self Serve		
Facility Location:	450 BANK ST OTTAWA K2P 1Z1 ON CA		
Device Installed Location:	450 BANK ST OTTAWA K2P 1Z1 ON CA		

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: MAC'S CONVENIENCE STORES INC

47	6 of 14	SSE/125.7	73.8 / -1.78	BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	EXP
--------------------	---------	-----------	--------------	--	-----

Instance No:	10899599	Model:	NULL
Status:	EXPIRED	Quantity:	1
Instance ID:		Unit of Measure:	EA
Instance Type:		Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM	Fuel Type3:	NULL
Instance Install Dt:	5/22/2009	Piping Steel:	
Item:		Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank	Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK	Piping Underground:	
Overfill Prot Type:	NULL	Tank Underground:	
Creation Date:	7/5/2009 1:22:03 AM	Panam Related:	NULL
Expired Date:		Panam Venue Nm:	NULL
Manufacturer:	NULL		
Source:	FS Liquid Fuel Tank		
Description:	2009VBS UNDERGROUND TANK		
Serial No:	NULL		
Ulc Standard:	NULL		
Facility Location:	450 BANK ST OTTAWA K2P 1Z1 ON CA		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
47	7 of 14	SSE/125.7	73.8 / -1.78	BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	EXP
Instance No:	10899587			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	5/22/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:22:05 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	2009VBS UNDERGROUND TANK				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	450 BANK ST OTTAWA K2P 1Z1 ON CA				
47	8 of 14	SSE/125.7	73.8 / -1.78	BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	EXP
Instance No:	10899617			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	5/22/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:22:10 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	2009VBS UNDERGROUND TANK				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	450 BANK ST OTTAWA K2P 1Z1 ON CA				
47	9 of 14	SSE/125.7	73.8 / -1.78	450 Bank St Ottawa ON	EHS
Order No:	20150508125			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	14-MAY-15			Search Radius (km):	.25
Date Received:	08-MAY-15			X:	-75.693654
Previous Site Name:				Y:	45.411785
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
47	10 of 14	SSE/125.7	73.8 / -1.78	827219 ONTARIO LIMITED O/A BYTOWN PEST CONTROL 450 BANK ST OTTAWA ON K2P1Z1	PES
Detail Licence No: Licence No: 08802 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Operator Licence Type Code: 02 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 8513363 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
47	11 of 14	SSE/125.7	73.8 / -1.78	450 BANK ST OTTAWA ON K2P 1Z1	FST
Instance No: 9851282 Status: Active Cont Name: Instance Type: Item: FS GASOLINE STATION - SELF SERVE Item Description: Tank Type: Install Date: Install Year: Years in Service: Model: Description: Capacity: Tank Material: Corrosion Protect: Overfill Protect: Facility Type: Parent Facility Type: Facility Location: Device Installed Location:		Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Fuel Type2: Fuel Type3: Piping Steel: 0 Piping Galvanized: 0 Tanks Single Wall St: 0 Piping Underground: 3 Num Underground: 3 Panam Related: Panam Venue:			
47	12 of 14	SSE/125.7	73.8 / -1.78	BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	FST
Instance No: 10899587 Status: Cont Name: Instance Type: Item: FS LIQUID FUEL TANK Item Description: FS Liquid Fuel Tank Tank Type: Liquid Fuel Single Wall UST Install Date: 5/22/2009 Install Year: 1972 Years in Service:		Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Gasoline Fuel Type2: NULL Fuel Type3: NULL Piping Steel: Piping Galvanized:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	50000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		450 BANK ST OTTAWA K2P 1Z1 ON CA			

Fuel Storage Tank Details

Owner Account Name: BANK STREET ESSO

<u>47</u>	13 of 14	SSE/125.7	73.8 / -1.78	BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	FST
Instance No:	10899617			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	5/22/2009			Fuel Type3:	NULL
Install Year:	1972			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		450 BANK ST OTTAWA K2P 1Z1 ON CA			

Fuel Storage Tank Details

Owner Account Name: BANK STREET ESSO

<u>47</u>	14 of 14	SSE/125.7	73.8 / -1.78	BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON	FST
Instance No:	10899599			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	5/22/2009			Fuel Type3:	NULL
Install Year:	1972			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	50000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		450 BANK ST OTTAWA K2P 1Z1 ON CA			
Fuel Storage Tank Details					
Owner Account Name:		BANK STREET ESSO			
48	1 of 1	ENE/126.9	73.9 / -1.69	354-362 & 366 Waverley Street Ottawa ON K2P 0W4	EHS
Order No:		20151117146		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		24-NOV-15		Search Radius (km): .25	
Date Received:		17-NOV-15		X: -75.693055	
Previous Site Name:				Y: 45.413533	
Lot/Building Size:					
Additional Info Ordered:					
49	1 of 8	SE/128.0	73.9 / -1.69	BANK STREET ESSO 450 BANK ST OTTAWA ON K2P1Z1	PRT
Location ID:		10832			
Type:		retail			
Expiry Date:		1995-11-30			
Capacity (L):		125000			
Licence #:		0076376078			
49	2 of 8	SE/128.0	73.9 / -1.69	BANK ST ESSO 450 BANK ST OTTAWA ON K2P 1Z1	RST
Headcode:		1186800			
Headcode Desc:		Service Stations-Gasoline, Oil & Natural Gas			
Phone:		6132360350			
List Name:					
Description:					
49	3 of 8	SE/128.0	73.9 / -1.69	BANK STREET ESSO 450 BANK ST OTTAWA ON K2P 1Z1	FSTH
License Issue Date:		9/27/2002			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Removed			
Year of Installation:		1972			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:		Removed			
Year of Installation:		1972			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Removed			
Year of Installation:		1972			
Corrosion Protection:					
Capacity:		25000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			

49	4 of 8	SE/128.0	73.9 / -1.69	BANK STREET ESSO 450 BANK ST OTTAWA ON K2P 1Z1	FSTH
License Issue Date:		9/27/2002			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1995			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1995			
Corrosion Protection:					
Capacity:		31800			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1995			
Corrosion Protection:					
Capacity:		31800			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			

49	5 of 8	SE/128.0	73.9 / -1.69	BANK STREET ESSO 450 BANK ST OTTAWA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		10899624			
Status:		EXPIRED			
Instance ID:		50361			
Instance Type:		FS Piping			
Description:		FS Piping			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Original Source:		EXP			
Record Date:		Up to Mar 2012			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
49	6 of 8	SE/128.0	73.9 / -1.69	BANK STREET ESSO 450 BANK ST OTTAWA ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 10899608
Status: EXPIRED
Instance ID: 50568
Instance Type: FS Piping
Description: FS Piping
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Original Source: EXP
Record Date: Up to Mar 2012

49	7 of 8	SE/128.0	73.9 / -1.69	BANK STREET ESSO 450 BANK ST OTTAWA ON	DTNK
--------------------	--------	----------	--------------	--	------

Delisted Expired Fuel Safety Facilities

Instance No: 10899595
Status: EXPIRED
Instance ID: 51204
Instance Type: FS Piping
Description: FS Piping
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Original Source: EXP
Record Date: Up to Mar 2012

49	8 of 8	SE/128.0	73.9 / -1.69	Mac's Convenience Stores Inc. 450 Bank Street Ottawa ON K2P1Z1	GEN
--------------------	--------	----------	--------------	--	-----

Generator No: ON5315721
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 447110
SIC Description: 447110
PO Box No:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Kathryn Maton
Phone No Admin: 613-617-9237 Ext.

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

50	1 of 1	WNW/128.3	76.9 / 1.31	29 JAMES STREET, OTTAWA ON K2P 0T4	INC
--------------------	--------	-----------	-------------	---------------------------------------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident No:	323080			Any Health Impact:	
Incident ID:	2474538			Any Enviro Impact:	
Instance No:				Service Interrupted:	
Status Code:	Causal Analysis Complete			Was Prop Damaged:	
Attribute Category:	FS-Incident			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:				Indus App. Type:	
Time of Occurrence:				Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:				Pipeline Type:	Service / Riser Distribution Pipeline
Approx Quant Rel:				Pipeline Involved:	
Tank Capacity:				Pipe Material:	Plastic
Fuels Occur Type:				Depth Ground Cover:	.6m
Fuel Type Involved:				Regulator Location:	Outside
Enforcement Policy:				Regulator Type:	Service Regulator (up to 60 psi intake)
Prc Escalation Req:				Operation Pressure:	IP
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:				Equipment Type:	
Notes:				Equipment Model:	
Drainage System:				Serial No:	
Sub Surface Contam.:				Cylinder Capacity:	
Aff Prop Use Water:				Cylinder Cap Units:	
Contam. Migrated:				Cylinder Mat Type:	
Contact Natural Env:				Near Body of Water:	
Incident Location:		29 JAMES STREET, OTTAWA - 1/2" PIPELINE HIT			
Occurrence Narrative:					
Operation Type Involved:					
Item:					
Item Description:					
Device Installed Location:					

51	1 of 15	NNE/129.3	74.9 / -0.69	The Corporation of the City of Ottawa Gladstone Ave Ottawa ON K1N 5A1	ECA
Approval No:	2461-4LXMEM			MOE District:	Ottawa
Approval Date:	2000-07-05			City:	
Status:	Approved			Longitude:	-75.6941
Record Type:	ECA			Latitude:	45.414
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	Gladstone Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/5462-4LPPZL-14.pdf				

51	2 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Bank St , from Somerset Street to Catherine Street Ottawa ON K1P 1J1	ECA
Approval No:	7043-7MDTJ7			MOE District:	Ottawa
Approval Date:	2008-12-22			City:	
Status:	Approved			Longitude:	-75.6941
Record Type:	ECA			Latitude:	45.414

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	IDS Rideau Valley			Geometry X: Geometry Y: ECA-Municipal Drinking Water Systems Municipal Drinking Water Systems Bank St , from Somerset Street to Catherine Street	
51	3 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Gladstone Ave Ottawa ON K1P 1J1	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	3692-6PGP9X 2006-05-06 Approved ECA IDS Rideau Valley			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: Ottawa Ottawa -75.6941 45.414 ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Gladstone Ave https://www.accessenvironment.ene.gov.on.ca/instruments/0516-6PDK5S-14.pdf	
51	4 of 15	NNE/129.3	74.9 / -0.69	The Regional Municipality of Ottawa-Carleton Waverley Street Ottawa ON K2P 2L7	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	0020-4J3R8L 2000-04-06 Approved ECA IDS Rideau Valley			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: Ottawa Ottawa -75.6941 45.414 ECA-Municipal and Private Water Works Municipal and Private Water Works Waverley Street	
51	5 of 15	NNE/129.3	74.9 / -0.69	The Regional Municipality of Ottawa-Carleton Gladstone Ave Ottawa ON K2P 2L7	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	4558-4LXLWW 2000-07-05 Approved ECA IDS Rideau Valley			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: Ottawa Ottawa -75.6941 45.414 ECA-Municipal and Private Water Works Municipal and Private Water Works Gladstone Ave	
51	6 of 15	NNE/129.3	74.9 / -0.69	The Corporation of the City of Ottawa Waverley Street Ottawa ON K1N 5A1	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No:	2252-4L5L5A			MOE District: Ottawa	
Approval Date:	2000-06-14			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	Waverley Street				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1144-4HQSJC-14.pdf				
51	7 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Gladstone Ave Ottawa ON K1P 1J1	ECA
Approval No:	8414-6PGPE2			MOE District: Ottawa	
Approval Date:	2006-05-06			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-Municipal Drinking Water Systems				
Project Type:	Municipal Drinking Water Systems				
Address:	Gladstone Ave				
Full Address:					
Full PDF Link:					
51	8 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Waverley Street Ottawa ON K1P 1J1	ECA
Approval No:	5545-57HJZ7			MOE District: Ottawa	
Approval Date:	2002-02-19			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	Waverley Street				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/9862-573MHN-14.pdf				
51	9 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Lewis St, MacDonald St, Gilmour St & Robert St Ottawa ON K1N 5A1	ECA
Approval No:	2454-4X3N3J			MOE District: Ottawa	
Approval Date:	2001-05-31			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	Lewis St, MacDonald St, Gilmour St & Robert St				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1617-4X2PKK-14.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
51	10 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Lewis Street, MacDonald Street, Gilmour Street, Waverley Street and Robert Street Ottawa ON K1N 5A1	ECA
Approval No:	2865-4X3HKA			MOE District: Ottawa	
Approval Date:	2001-05-31			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-Municipal and Private Water Works				
Project Type:	Municipal and Private Water Works				
Address:	Lewis Street, MacDonald Street, Gilmour Street, Waverley Street and Robert Street				
Full Address:					
Full PDF Link:					
51	11 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Gladstone Ave Ottawa ON K1P 1J1	ECA
Approval No:	3068-6ZYQ4A			MOE District: Ottawa	
Approval Date:	2007-05-04			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-Municipal Drinking Water Systems				
Project Type:	Municipal Drinking Water Systems				
Address:	Gladstone Ave				
Full Address:					
Full PDF Link:					
51	12 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Gilmour Street (O'Connor to Metcalfe Streets) Ottawa ON K1S 5K2	ECA
Approval No:	6597-5PZN2S			MOE District: Ottawa	
Approval Date:	2003-08-08			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	Gilmour Street (O'Connor to Metcalfe Streets)				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/6678-5PSPL2-14.pdf				
51	13 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Gladstone Ave Ottawa ON K1P 1J1	ECA
Approval No:	6651-73WP47			MOE District: Ottawa	
Approval Date:	2007-06-06			City:	
Status:	Approved			Longitude: -75.6941	
Record Type:	ECA			Latitude: 45.414	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Approval Type: Project Type: Address: Full Address: Full PDF Link:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Gladstone Ave https://www.accessenvironment.ene.gov.on.ca/instruments/7203-73WHFY-14.pdf				
51	14 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Bank St , from Somerset Street to Catherine Street Ottawa ON K1P 1J1	ECA	
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		7054-7L4LKY 2008-11-28 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Bank St , from Somerset Street to Catherine Street https://www.accessenvironment.ene.gov.on.ca/instruments/1610-7JKHK9-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa Ottawa -75.6941 45.414
51	15 of 15	NNE/129.3	74.9 / -0.69	City of Ottawa Gladstone Ave Ottawa ON K1P 1J1	ECA	
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		7239-738KJA 2007-06-18 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Gladstone Ave https://www.accessenvironment.ene.gov.on.ca/instruments/7179-6ZSPLS-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa Ottawa -75.6941 45.414
52	1 of 1	E/130.2	73.9 / -1.69	OTTAWA CITY, DESIGN & CONSTRUCTION DIV. FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON	CA	
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3-0476-97-97 6/26/1997 Municipal sewage Approved				
53	1 of 1	NW/131.3	75.9 / 0.28	366 Bank Street Ottawa ON K2P 1Y4	EHS	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	20091130034			Nearest Intersection: Bank Street and Gilmour Street	
Status:	C			Municipality: Ottawa	
Report Type:	Standard Report			Client Prov/State: ON	
Report Date:	12/4/2009			Search Radius (km): 0.25	
Date Received:	11/30/2009			X: -75.695255	
Previous Site Name:				Y: 45.413765	
Lot/Building Size:	3460 square feet				
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				

54 1 of 2 **WNW/134.9** **76.9 / 1.31** **320 GILMOUR ST**
Ottawa ON **WWIS**

Well ID:	7179838	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	4/24/2012
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z145266	Owner:	
Tag:	A115780	Street Name:	320 GILMOUR ST
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7179838.pdf

Bore Hole Information

Bore Hole ID:	1003712967	Elevation:	72.516128
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445564
Code OB Desc:		North83:	5029134
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	1/24/2012	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004287174
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		.91			
Formation End Depth:		3.96			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004287173			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		.91			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004287184			
Layer:		3			
Plug From:		0.91			
Plug To:		3.96			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004287183			
Layer:		2			
Plug From:		0.31			
Plug To:		0.91			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004287182			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1004287181			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1004287172			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004287177			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		.91			
Casing Diameter:		3.45			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004287178			
Layer:		1			
Slot:		10			
Screen Top Depth:		0.91			
Screen End Depth:		3.96			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.21			
<u>Water Details</u>					
Water ID:		1004287176			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004287175			
Diameter:		5.71			
Depth From:		0			
Depth To:		3.96			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[54](#)

2 of 2

WNW/134.9

76.9 / 1.31

320 GILMOUR ST
Ottawa ON

WWIS

Well ID: 7179839
 Construction Date:
 Primary Water Use: Monitoring and Test Hole
 Sec. Water Use: 0
 Final Well Status: Test Hole
 Water Type:
 Casing Material:
 Audit No: Z145265
 Tag: A106637
 Construction Method:

Data Entry Status:
 Data Src:
 Date Received: 4/24/2012
 Selected Flag: Yes
 Abandonment Rec:
 Contractor: 7241
 Form Version: 7
 Owner:
 Street Name: 320 GILMOUR ST
 County: OTTAWA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	NEPEAN TOWNSHIP
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7179839.pdf			

Bore Hole Information

Bore Hole ID:	1003712970	Elevation:	72.516128
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445564
Code OB Desc:		North83:	5029134
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/24/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004287187
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	91
Mat3 Desc:	WATER-BEARING
Formation Top Depth:	1.22
Formation End Depth:	4.27
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004287186
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0
Formation End Depth:	1.22

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004287197			
Layer:		3			
Plug From:		0.91			
Plug To:		4.27			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004287195			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004287196			
Layer:		2			
Plug From:		0.31			
Plug To:		0.91			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004287194			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004287185			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004287190			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.22			
Casing Diameter:		3.45			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004287191			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		1.22			
Screen End Depth:		4.27			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.21			
<u>Water Details</u>					
Water ID:		1004287189			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004287188			
Diameter:		5.71			
Depth From:		0			
Depth To:		4.27			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
55	1 of 1	E/138.6	73.9 / -1.69	360 Frank St Ottawa On Ottawa ON	EHS
Order No:		20160112020		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		15-JAN-16		Search Radius (km): .25	
Date Received:		12-JAN-16		X: -75.692605	
Previous Site Name:				Y: 45.413044	
Lot/Building Size:					
Additional Info Ordered:					
56	1 of 1	NW/141.1	75.8 / 0.20	366 382 BANKS STREET Ottawa ON	WWIS
Well ID:		7295732		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Test Hole		Date Received: 9/29/2017	
Sec. Water Use:		Monitoring		Selected Flag: Yes	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z206499		Owner:	
Tag:		A189788		Street Name: 366 382 BANKS STREET	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: OTTAWA CITY	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1006738380	Elevation:	72.496185
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445593
Code OB Desc:		North83:	5029168
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	9/10/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006883484
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0
Formation End Depth:	2.13
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006883485
Layer:	2
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	2.13
Formation End Depth:	3.96
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006883486
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		SILT			
Mat2 Desc:		05			
Mat3:		CLAY			
Mat3 Desc:		91			
Formation Top Depth:		WATER-BEARING			
Formation End Depth:		3.96			
Formation End Depth UOM:		5.79			
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883495			
Layer:		2			
Plug From:		0.31			
Plug To:		2.44			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883496			
Layer:		3			
Plug From:		2.44			
Plug To:		5.79			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883494			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006883493			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006883483			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006883489			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:	1006883490				
Layer:	1				
Slot:	10				
Screen Top Depth:	2.79				
Screen End Depth:	5.79				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	4.82				
<u>Water Details</u>					
Water ID:	1006883488				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1006883487				
Diameter:	8.25				
Depth From:	0				
Depth To:	5.79				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
57	1 of 1	NNW/141.4	75.9 / 0.31	Ottawa Mens Clinic 367 Bank st ottawa ON K2P 1Y2	GEN
Generator No:	ON3904567			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621110				
SIC Description:					
58	1 of 1	W/143.5	76.9 / 1.31	50 JAMES STREET, OTTAWA ON	INC
Incident No:	178644			Any Health Impact:	No
Incident ID:	2329542			Any Enviro Impact:	Yes
Instance No:				Service Interrupted:	No
Status Code:	Causal Analysis Complete			Was Prop Damaged:	Yes
Attribute Category:	FS-Perform L1 Incident Insp			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:	2009/08/31 00:00:00			Indus App. Type:	
Time of Occurrence:	11:30:00			Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:	2009/08/31 00:00:00			Pipeline Type:	
Approx Quant Rel:	Unknown			Pipeline Involved:	
Tank Capacity:				Pipe Material:	
Fuels Occur Type:	Leak			Depth Ground Cover:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Fuel Type Involved: Fuel Oil Enforcement Policy: NULL Prc Escalation Req: NULL Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap: Task No: 2391333 Notes: Drainage System: Unknown Sub Surface Contam.: At least 9.5 feet. Aff Prop Use Water: No Contam. Migrated: Unknown Contact Natural Env: Yes Incident Location: 50 JAMES STREET, OTTAWA - DISCOVERY OF PRODUCT Occurrence Narrative: Paving contractor discovered a UST. Product has been discovered both within the tank and in the soil around it. Operation Type Involved: Multi-unit Residential Item: Item Description: Device Installed Location:					
Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water: No					
59	1 of 1	WNW/143.7	76.9 / 1.31	420 Gilmour Street Ottawa ON	EHS
Order No: 20111109004 Status: C Report Type: Custom Report Report Date: 11/15/2011 Date Received: 11/9/2011 8:49:27 AM Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.695791 Y: 45.413655					
60	1 of 1	W/144.5	76.9 / 1.31	50 James St Ottawa ON K2P 0T6	SPL
Ref No: 0764-7VFLR4 Site No: Incident Dt: Year: Incident Cause: Tank (Underground) Leak Incident Event: Contaminant Code: 13 Contaminant Name: FURNACE OIL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Confirmed Nature of Impact: Soil Contamination Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 8/31/2009 Dt Document Closed: 9/19/2009 Incident Reason: Other - Reason not otherwise defined Site Name: 50 James St<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: TSSA: Leak- historic UST leak, ukn amt Contaminant Qty: 0 other - see incident description					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
61	1 of 1	WNW/145.8	76.9 / 1.31	428 Gilmour Street Ottawa ON K2P 0R8	EHS
Order No: 20051128032 Status: C Report Type: Custom Report Report Date: 12/7/2005 Date Received: 11/28/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.69634 Y: 45.41357			
62	1 of 1	NW/146.1	75.8 / 0.20	366 382 BANK STREET Ottawa ON	WWIS
Well ID: 7295731 Construction Date: Primary Water Use: Test Hole Sec. Water Use: Monitoring Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z206498 Tag: A189879 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 9/29/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 366 382 BANK STREET County: OTTAWA Municipality: OTTAWA CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006738377 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 8/10/2017 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 72.657897 Elevrc: Zone: 18 East83: 445584 North83: 5029168 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1006883470 Layer: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		68			
Mat3 Desc:		DRY			
Formation Top Depth:		0			
Formation End Depth:		2.74			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006883471			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.74			
Formation End Depth:		3.96			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006883472			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		3.96			
Formation End Depth:		5.79			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006883482			
Layer:		3			
Plug From:		2.44			
Plug To:		5.79			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006883481			
Layer:		2			
Plug From:		0.31			
Plug To:		2.44			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883480			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006883479			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006883469			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006883475			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006883476			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.74			
Screen End Depth:		5.79			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1006883474			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1006883473 8.25 0 5.79 m cm			
63	1 of 21	S/146.5	74.9 / -0.70	AXLE AUTOMOTIVE INC 410 GLADSTONE AVE OTTAWA ON K2P 0Z1	AUWR
Headcode: Headcode Desc: Phone: List Name: Description:		00096400 AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT			
63	2 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1	SCT
Established: Plant Size (ft²): Employment:		01-JUL-95 6000			
--Details--					
Description: SIC/NAICS Code:		Machine Shops 332710			
Description: SIC/NAICS Code:		Machine Shops 332710			
63	3 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON7153867 07,08 441310 Automotive Parts and Accessories Stores		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
63	4 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1	CA
Certificate #: Application Year: Issue Date: Approval Type: Status:		3390-8FLPJC 2011 4/7/2011 Waste Management Systems Approved			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
63	5 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	441310				
SIC Description:	Automotive Parts and Accessories Stores				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
63	6 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	441310				
SIC Description:	Automotive Parts and Accessories Stores				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
63	7 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	441310				
SIC Description:	Automotive Parts and Accessories Stores				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

63	8 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	441310				
SIC Description:	Automotive Parts and Accessories Stores				

<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

63	9 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1	ECA
Approval No:	3390-8FLPJc			MOE District:	Ottawa
Approval Date:	2013-10-31			City:	
Status:	Revoked and/or Replaced			Longitude:	-75.69463999999999
Record Type:	ECA			Latitude:	45.411667
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-WASTE MANAGEMENT SYSTEMS				
Project Type:	WASTE MANAGEMENT SYSTEMS				
Address:	410 Gladstone Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/4842-9B9KTV-14.pdf				

63	10 of 21	S/146.5	74.9 / -0.70	AXLE AUTOMOTIVE INC 410 GLADSTONE AVENUE OTTAWA ON K2P 0Z1	EASR
Approval No:	R-001-5440470946			SWP Area Name:	
Status:	REGISTERED			MOE District:	
Date:	2014-08-15			Municipality:	OTTAWA
Record Type:	EASR			Latitude:	
Link Source:	MOFA			Longitude:	
Project Type:	Automotive Refinishing Facility			Geometry X:	
Full Address:				Geometry Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type:		EASR-Automotive Refinishing Facility			
Full PDF Link:		http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=9816			
63	11 of 21	S/146.5	74.9 / -0.70	AXLE AUTOMOTIVE INC 410 GLADSTONE AVE OTTAWA ON K2P0Z1	AUWR
Headcode:		00096400			
Headcode Desc:		AUTOMOBILE PARTS & SUPPLIES USED & REBU			
Phone:		6136880490			
List Name:					
Description:					
63	12 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON	GEN
Generator No:		ON7153867		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		441310			
SIC Description:		AUTOMOTIVE PARTS AND ACCESSORIES STORES			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
63	13 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1	ECA
Approval No:		3390-8FLPJC		MOE District: Ottawa	
Approval Date:		2015-04-24		City:	
Status:		Revoked and/or Replaced		Longitude: -75.69463999999999	
Record Type:		ECA		Latitude: 45.411667	
Link Source:		IDS		Geometry X:	
SWP Area Name:		Rideau Valley		Geometry Y:	
Approval Type:		ECA-WASTE MANAGEMENT SYSTEMS			
Project Type:		WASTE MANAGEMENT SYSTEMS			
Address:		410 Gladstone Ave			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/5012-999Q4Z-14.pdf			
63	14 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 3270 Blais Rd and 410 Gladstone Avenue Ottawa ON K2P 0Z1	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No:	3390-8FLPJC			MOE District:	
Approval Date:	2015-08-18			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-WASTE MANAGEMENT SYSTEMS				
Project Type:	WASTE MANAGEMENT SYSTEMS				
Address:	3270 Blais Rd and 410 Gladstone Avenue				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8148-9USKCU-14.pdf				

63	15 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1	ECA
Approval No:	3390-8FLPJC			MOE District:	Ottawa
Approval Date:	2011-04-07			City:	
Status:	Revoked and/or Replaced			Longitude:	-75.69463999999999
Record Type:	ECA			Latitude:	45.411667
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-WASTE MANAGEMENT SYSTEMS				
Project Type:	WASTE MANAGEMENT SYSTEMS				
Address:	410 Gladstone Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3740-8ELS96-14.pdf				

63	16 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1	ECA
Approval No:	3390-8FLPJC			MOE District:	Ottawa
Approval Date:	2012-05-30			City:	
Status:	Revoked and/or Replaced			Longitude:	-75.69463999999999
Record Type:	ECA			Latitude:	45.411667
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-WASTE MANAGEMENT SYSTEMS				
Project Type:	WASTE MANAGEMENT SYSTEMS				
Address:	410 Gladstone Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7261-8TVPNJ-14.pdf				

63	17 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	James J Bajada
MHSW Facility:	No			Phone No Admin:	613-688-0490 Ext.
SIC Code:	441310				
SIC Description:	AUTOMOTIVE PARTS AND ACCESSORIES STORES				

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
63	18 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	James J Bajada
MHSW Facility:	No			Phone No Admin:	613-688-0490 Ext.
SIC Code:	441310				
SIC Description:	AUTOMOTIVE PARTS AND ACCESSORIES STORES				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
63	19 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1	GEN
Generator No:	ON7153867			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	James J Bajada
MHSW Facility:	No			Phone No Admin:	613-688-0490 Ext.
SIC Code:	441310				
SIC Description:	AUTOMOTIVE PARTS AND ACCESSORIES STORES				
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
63	20 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1	GEN
Generator No:	ON7153867			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	213 T				
Waste Class Desc:	Petroleum distillates				
Waste Class:	221 I				
Waste Class Desc:	Light fuels				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
63	21 of 21	S/146.5	74.9 / -0.70	Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1	GEN
Generator No:	ON7153867			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	221 I				
Waste Class Desc:	Light fuels				
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	213 T				
Waste Class Desc:	Petroleum distillates				
64	1 of 1	ENE/148.3	73.9 / -1.69	353-357 Frank St Ottawa ON K2P 0X9	EHS
Order No:	20101124026			Nearest Intersection:	Frank St. and Bank St.
Status:	C			Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type: Standard Report Report Date: 12/3/2010 Date Received: 11/24/2010 2:16:10 PM Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Client Prov/State: ON Search Radius (km): 0.25 X: -75.692535 Y: 45.413224					
65	1 of 1	WNW/149.6	76.9 / 1.31	420 Gilmour Street Ottawa ON K2P 0R9	EHS
Order No: 20071101041 Status: C Report Type: CAN - Complete Report Report Date: 11/5/2007 Date Received: 11/1/2007 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps And /or Site Plans					
Nearest Intersection: Gilmour & Bank Municipality: Client Prov/State: Search Radius (km): 0.25 X: -75.695634 Y: 45.413459					
66	1 of 1	NW/151.4	75.9 / 0.31	R.M. OF OTTAWA-CARLETON - O'CONNOR ST. GILMOUR ST./BANK ST. OTTAWA CITY ON	CA
Certificate #: 7-0332-91- Application Year: 91 Issue Date: 4/16/1991 Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
67	1 of 2	ENE/152.4	73.9 / -1.69	Paramount Gold & Silver Corp. 346 Waverley St Ottawa ON K2P 0W5	SCT
Established: 01-SEP-06 Plant Size (ft²): Employment:					
--Details-- Description: Other Support Activities for Mining SIC/NAICS Code: 213119 Description: Gold and Silver Ore Mining SIC/NAICS Code: 212220 Description: All Other Metal Ore Mining SIC/NAICS Code: 212299					
67	2 of 2	ENE/152.4	73.9 / -1.69	346 Waverley St Ottawa ON K2P 0W5	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20121212020 Status: C Report Type: Custom Report Report Date: 18-DEC-12 Date Received: 12-DEC-12 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.692729 Y: 45.413604					
68	1 of 2	ESE/154.8	73.9 / -1.69	CUDDLE DOWN PRODUCTS LTD 340 GLADSTONE AVE OTTAWA ON K2P 0Y8	SCT
Established: 1982 Plant Size (ft²): 0 Employment: 10					
--Details--					
Description: HOUSEFURNISHINGS, EXCEPT CURTAINS AND DRAPERIES SIC/NAICS Code: 2392					
68	2 of 2	ESE/154.8	73.9 / -1.69	OC Transpo<UNOFFICIAL> 340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Ottawa ON K2P 0Y8	SPL
Ref No: 5012-6CTRUT Site No: Incident Dt: 5/28/2005 Year: Incident Cause: Pipe Or Hose Leak Incident Event: Contaminant Code: Contaminant Name: ENGINE OIL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Surface Water Pollution Receiving Medium: Water Receiving Env: MOE Response: Dt MOE Arvl on Scrn: MOE Reported Dt: 5/28/2005 Dt Document Closed: Incident Reason: Unknown - Reason not determined Site Name: 340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: OC Transpo - 40L oil to road/catch basin Contaminant Qty:					
Discharger Report: 0 Material Group: Oil Health/Env Conseq: Client Type: Sector Type: Other Motor Vehicle Agency Involved: Nearest Watercourse: Site Address: Site District Office: Ottawa Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spills to Land Source Type:					
69	1 of 1	SW/154.9	75.9 / 0.31	58 Florence Street Ottawa ON K2P 0W7	EHS
Order No: 20190326180 Status: C Report Type: Standard Report Report Date: 02-APR-19 Date Received: 26-MAR-19					
Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.695729					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Site Name:				Y:	45.411847
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			

70	1 of 1	NW/155.5	75.8 / 0.20	366 382 BANK STREET Ottawa ON	WWIS
Well ID:	7295730			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	9/29/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z206497			Owner:	
Tag:	A189880			Street Name:	366 382 BANK STREET
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1006738374	Elevation:	72.678871
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445582
Code OB Desc:		North83:	5029178
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	8/10/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006883458
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	91
Mat3 Desc:	WATER-BEARING
Formation Top Depth:	3.46

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		5.79			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006883457			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.74			
Formation End Depth:		3.46			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006883456			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		2.74			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883466			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883468			
Layer:		3			
Plug From:		2.44			
Plug To:		5.79			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006883467			
Layer:		2			
Plug From:		0.31			
Plug To:		2.44			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006883465			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006883455			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006883461			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006883462			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.74			
Screen End Depth:		5.79			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1006883460			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006883459			
Diameter:		8.25			
Depth From:		0			
Depth To:		5.79			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
71	1 of 1	SSE/157.0	74.6 / -1.00	383 Mcleod St Ottawa ON	EHS
Order No:	20130403015			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	12-APR-13			Search Radius (km):	.25
Date Received:	03-APR-13			X:	0
Previous Site Name:				Y:	0
Lot/Building Size:	7320 square feet				
Additional Info Ordered:					
72	1 of 1	WNW/157.9	76.9 / 1.31	436 Gilmour St Ottawa ON K2P0R8	EHS
Order No:	20140929013			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	03-OCT-14			Search Radius (km):	.25
Date Received:	29-SEP-14			X:	-75.696219
Previous Site Name:				Y:	45.413392
Lot/Building Size:					
Additional Info Ordered:					
73	1 of 1	WNW/157.9	76.9 / 1.31	436 Gilmour Street Ottawa ON K2P 0R8	EHS
Order No:	20060515031			Nearest Intersection:	Bank Street
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	5/17/2006			Search Radius (km):	0.25
Date Received:	5/15/2006			X:	-75.696311
Previous Site Name:				Y:	45.413408
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
74	1 of 1	ESE/159.2	73.9 / -1.69	Urban Capital (Gladstone) Inc. 453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontario ON	RSC
RSC ID:	77916			Cert Date:	5-Apr-10
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Community			Qual Person Name:	David Wex
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	20-May-10			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	11 to 20 meters
Restoration Type:				Telephone:	416-3040289
Soil Type:				Fax:	
Criteria:				Email:	wex@urbancapital.ca
CPU Issued Sect 1686:	No				
Asmt Roll No:	0614042-20102500 (453 Bank Street) and 0614042-20111400 (343 Mc Leod Street)				
Prop ID No (PIN):	04119-0230 LT and 04119-0235 LT				
Property Municipal Address:	453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontario, K2P 1A2				
Mailing Address:	Suite 810, 10 KING ST E, TORONTO, ON, M5C 1C3				
Latitude & Longitude:	45.41194440N 75.69277780W				
UTM Coordinates:	NAD83 18-445791-5028947 (converted from Latitude & Longitude)				
Consultant:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Legal Desc: PT LT 1, PL 30; LTS 2&3, PL 30, E/S BANK ST; LT 15, PL 30, S/S GLADSTONE AV; PT LT 15, PL 30, N/S MCLEOD ST; AS IN NS116211, CR210079, CR337634, CR500676; OTTAWA/NEPEAN. PT LT 15, PL 30, N/S MCLEOD, AS IN N397605; FORMERLY NEPEAN, NOW CITY OF OTTAWA.					
Measurement Method: Digitized from a satellite image					
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use					
RSC PDF:					
75	1 of 1	W/159.3	76.9 / 1.31	58 James St Ottawa ON K2P 0T6	EHS
Order No: 20000615003		Nearest Intersection: James and Kent or James and Bank			
Status: C		Municipality: Ottawa-Carleton			
Report Type: Basic Report		Client Prov/State: ON			
Report Date: 6/20/00		Search Radius (km): 0.25			
Date Received: 6/16/00		X: -75.695644			
Previous Site Name:		Y: 45.412985			
Lot/Building Size:					
Additional Info Ordered:					
76	1 of 1	WSW/160.7	76.9 / 1.33	Chinese Cdn Community News 397 Kent St Ottawa ON K2P 2B1	SCT
Established: 01-AUG-79					
Plant Size (ft²):					
Employment:					
--Details--					
Description: Newspaper Publishers					
SIC/NAICS Code: 511110					
77	1 of 1	SW/161.6	75.9 / 0.31	Tega Developments Inc. No Municipal Address, OTTAWA ON	RSC
RSC ID: 113162		Cert Date: 17-Jun-11			
RA No:		Cert Prop Use No: No CPU			
RSC Type:		Intended Prop Use: Residential			
Curr Property Use: Commercial		Qual Person Name: Mr. Spyro Dimitrakopoulos			
Ministry District: OTTAWA		Stratified (Y/N):			
Filing Date: 23-Jun-11		Audit (Y/N):			
Date Ack:		Entire Leg Prop. (Y/N): Yes			
Date Returned:		Accuracy Estimate: 11 to 20 meters			
Restoration Type:		Telephone: 613-729993x111			
Soil Type:		Fax: 613-7294810			
Criteria:		Email:			
CPU Issued Sect 1686: No					
Asmt Roll No:					
Prop ID No (PIN): 04119-0318 LT; 04119-0317 LT					
Property Municipal Address: No Municipal Address,					
Mailing Address: 1755 Woodward Drive, Suite 200, Ottawa, Ontario, K2C 0P9					
Latitude & Longitude: 45.41166670N 75.69555560W					
UTM Coordinates: NAD83 18-445574-5028918 (converted from Latitude & Longitude)					
Consultant:					
Legal Desc: PT LT 9, PL 21612, S/S OF FLORENCE ST., AS IN N378778; OTAWA/NEPEAN AND LTS 7, 8, 9, 10, PL 21612, N/S GLADSTONE AV; LT 10, PL 21612, S/S FLORENCE ST; S/T & T/W N378777; OTTAWA/NEPEAN					
Measurement Method: Digitized from a satellite image					
Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
RSC PDF:					
78	1 of 7	SW/169.6	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	EXP
Instance No:	10902827			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	5/22/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:22:05 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	2009VBS				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA				
78	2 of 7	SW/169.6	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	EXP
Instance No:	10902857			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	5/22/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:22:05 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	2009VBS				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA				
78	3 of 7	SW/169.6	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	EXP
Instance No:	10902842			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	5/22/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Overfill Prot Type: NULL
Creation Date: 7/5/2009 1:22:07 AM
Expired Date: NULL
Manufacturer: NULL
Source: FS Liquid Fuel Tank
Description: 2009VBS
Serial No: NULL
Ulc Standard: NULL
Facility Location: 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA

Tank Underground:
Panam Related: NULL
Panam Venue Nm: NULL

[78](#) 4 of 7 SW/169.6 75.9 / 0.34 **Tega Developments Inc.**
 435 Gladstone Ave Ref. Plan 4R-21612
 Ottawa ON K2A 1E4 **ECA**

Approval No: 1077-8HLJY7
Approval Date: 2011-06-10
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: 435 Gladstone Ave Ref. Plan 4R-21612
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3312-8BFTP6-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

[78](#) 5 of 7 SW/169.6 75.9 / 0.34 **MAIN GARAGE LTD**
 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA
 ON **FST**

Instance No: 10902842
Status:
Cont Name:
Instance Type:
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 5/22/2009
Install Year: 1986
Years in Service:
Model: NULL
Description:
Capacity: 22600
Tank Material: Fiberglass (FRP)
Corrosion Protect:
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related:
Panam Venue:

Fuel Storage Tank Details

Owner Account Name: MAIN GARAGE LTD

[78](#) 6 of 7 SW/169.6 75.9 / 0.34 **MAIN GARAGE LTD**
 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA
 ON **FST**

Instance No: 10902857
Status:

Manufacturer:
Serial No:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Diesel
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	5/22/2009			Fuel Type3:	NULL
Install Year:	1986			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22600			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA			

Fuel Storage Tank Details

Owner Account Name: MAIN GARAGE LTD

78	7 of 7	SW/169.6	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA ON	FST
Instance No:	10902827			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	5/22/2009			Fuel Type3:	NULL
Install Year:	1986			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22600			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		435 GLADSTONE AV OTTAWA K2P 0Y9 ON CA			

Fuel Storage Tank Details

Owner Account Name: MAIN GARAGE LTD

79	1 of 1	SW/169.8	75.9 / 0.34	Tega Developments Inc. 435 Gladstone Ave Ref. Plan 4R-21612 Ottawa ON K2P 0Y9	CA
Certificate #:	1077-8HLJY7				
Application Year:	2011				
Issue Date:	6/10/2011				
Approval Type:	Municipal and Private Sewage Works				
Status:	Approved				
Application Type:					
Client Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
80	1 of 1	SW/172.4	75.8 / 0.27	128431 Canada Inc. 429 Kent St. Ottawa ON K2P 1A5	GEN
Generator No: ON3754673 Status: Registered Approval Years: As of Dec 2017 Contam. Facility: MHSW Facility: SIC Code: SIC Description:		PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:			
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
81	1 of 11	SW/173.3	75.9 / 0.34	SUNYS PETROLEUM INC 435 GLADSTONE AV OTTAWA ON K2P0Y9	PRT
Location ID: 10942 Type: retail Expiry Date: 1994-12-31 Capacity (L): 2000 Licence #: 0054508001					
81	2 of 11	SW/173.3	75.9 / 0.34	SUNYS PETROLEUM INC 435 GLADSTONE AV OTTAWA ON K2P0Y9	PRT
Location ID: 10942 Type: retail Expiry Date: 1995-12-31 Capacity (L): 68100 Licence #: 0052353001					
81	3 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AVE OTTAWA ON K2P0Y9	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 6132330333 List Name: Description:					
81	4 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA ON K2P 0Y9	FSTH

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
License Issue Date:		12/3/2001			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Full Serve			
--Details--					
Status:		Active			
Year of Installation:		1986			
Corrosion Protection:					
Capacity:		22600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1986			
Corrosion Protection:					
Capacity:		22600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1986			
Corrosion Protection:					
Capacity:		22600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			

81	5 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA ON K2P 0Y9	FSTH
--------------------	---------	----------	-------------	--	------

License Issue Date: 12/3/2001
Tank Status: Pending Renewal
Tank Status As Of: December 2008
Operation Type: Retail Fuel Outlet
Facility Type: Gasoline Station - Full Serve

--Details--
Status: Active
Year of Installation: 1986
Corrosion Protection:
Capacity: 22600
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline
Status: Active
Year of Installation: 1986
Corrosion Protection:
Capacity: 22600
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline
Status: Active
Year of Installation: 1986
Corrosion Protection:
Capacity: 22600
Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel

81	6 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA ON	DTNK
--------------------	---------	----------	-------------	--	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		9794681			
Status:		EXPIRED			
Instance ID:		395159			
Instance Type:		FS Facility			
Description:		FS Propane Refill Cntr - Cylr Fill			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Original Source:		EXP			
Record Date:		Up to Mar 2012			
81	7 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		10902884			
Status:		EXPIRED			
Instance ID:		50645			
Instance Type:		FS Propane Tank			
Description:		FS Propane Tank			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Original Source:		EXP			
Record Date:		Up to Mar 2012			
81	8 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		10902875			
Status:		EXPIRED			
Instance ID:		52337			
Instance Type:		FS Propane Tank			
Description:		FS Propane Tank			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Original Source:		EXP			
Record Date:		Up to Mar 2012			
81	9 of 11	SW/173.3	75.9 / 0.34	TEGA HOMES 435 GLADSTONE OTTAWA ON K2P 0Y9	GEN
Generator No:		ON6409527		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: 447190 SIC Description:		Co Admin: Phone No Admin:			
81	10 of 11	SW/173.3	75.9 / 0.34	Enbridge Gas Distribution Inc. 435 Gladstone Street Ottawa ON	SPL
Ref No: 7377-8Y4LKN Site No: Incident Dt: 13-SEP-12 Year: Incident Cause: Leak/Break Incident Event: Contaminant Code: 35 Contaminant Name: NATURAL GAS (METHANE) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Air Pollution Receiving Medium: Receiving Env: MOE Response: Referral to others Dt MOE Arvl on Scn: MOE Reported Dt: 13-SEP-12 Dt Document Closed:		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Pipeline/Components Agency Involved: Nearest Watercourse: Site Address: 435 Gladstone Street Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Source Type:			
Incident Reason: Operator/Human Error Site Name: commercial bldg under construction<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: TSSA FSB: 1" gas service; made safe Contaminant Qty: 0 other - see incident description					

81	11 of 11	SW/173.3	75.9 / 0.34	MAIN GARAGE LTD 435 GLADSTONE AV OTTAWA ON K2P 0Y9	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No: 9734302 Status: EXPIRED Instance ID: Instance Type: FS Facility Description: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 12/19/2012 16:51 Original Source: EXP Record Date: Up to May 2013					

82	1 of 1	NW/173.8	76.9 / 1.31	366 382 BANK STREET Ottawa ON	WWIS
Well ID: 7295729 Construction Date: Primary Water Use: Test Hole		Data Entry Status: Data Src: Date Received: 9/29/2017			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		SILT			
Mat2 Desc:		05			
Mat3:		CLAY			
Mat3 Desc:		85			
Formation Top Depth:		SOFT			
Formation End Depth:		3.96			
Formation End Depth UOM:		5.79			
		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006883442			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		2.74			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006883454			
Layer:		3			
Plug From:		2.44			
Plug To:		5.79			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006883452			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006883453			
Layer:		2			
Plug From:		0.31			
Plug To:		2.44			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006883451			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1006883441			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006883447			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006883448			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.74			
Screen End Depth:		5.79			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1006883446			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006883445			
Diameter:		8.25			
Depth From:		0			
Depth To:		5.79			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[83](#)

1 of 3

SE/175.2

73.9 / -1.69

OTTAWA CITY
MCLEOD ST. BANK ST.
OTTAWA CITY ON

CA

Certificate #: 3-1480-88-
Application Year: 88
Issue Date: 8/16/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Postal Code: Project Description: Contaminants: Emission Control:					
83	2 of 3	SE/175.2	73.9 / -1.69	R.M OF OTTAWA-CARLETON MCLEOD ST./BANK STREET OTTAWA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		7-1123-88-88 8/8/1988 Municipal water Approved			
83	3 of 3	SE/175.2	73.9 / -1.69	OTTAWA CITY, DESIGN & CONSTRUCTION DIV. MCLEOD ST./BANK ST. COMB.SEWER OTTAWA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3-0365-99-99 5/17/1999 Municipal sewage Approved			
84	1 of 8	ESE/175.3	73.9 / -1.69	Quantum Murray LP 453 Bank Street Ottawa ON K2P 1Y9	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON9450235 2009 813110 Religious Organizations			
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: Waste Class Desc:		145 PAINT/PIGMENT/COATING RESIDUES			
Waste Class: Waste Class Desc:		243 PCBS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
84	2 of 8	ESE/175.3	73.9 / -1.69	BEN GUNTER PHARMACY INC 455 BANK ST #1 OTTAWA ON K2P 1Y9	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
84	3 of 8	ESE/175.3	73.9 / -1.69	BEN GUNTER PHARMACY INC 455 BANK ST #1 OTTAWA ON K2P1Y9	PES
Detail Licence No: Licence No: 16018 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 2389041 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
84	4 of 8	ESE/175.3	73.9 / -1.69	Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9	GEN
Generator No: ON6380432 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 446110 SIC Description: 446110		PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: NASTRAN NAJAFI-FARD Phone No Admin: 4164931120 Ext.3218			

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
84	5 of 8	ESE/175.3	73.9 / -1.69	Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9	GEN
Generator No:	ON6380432			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	NASTRAN NAJAFI-FARD
MHSW Facility:	No			Phone No Admin:	4164931120 Ext.3218
SIC Code:	446110				
SIC Description:	446110				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
84	6 of 8	ESE/175.3	73.9 / -1.69	Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9	GEN
Generator No:	ON6380432			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
84	7 of 8	ESE/175.3	73.9 / -1.69	BEN GUNTER PHARMACY INC O/A SHOPPERS DRUG MART #1248 455 BANK ST #1 OTTAWA ON K2P1Y9	PES
Detail Licence No:				Operator Box:	
Licence No:	18325			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	613
Licence Type:	Limited Vendor			Oper Phone No:	2389041
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot: Concession: Region: District: County: Trade Name: PDF Link:				Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
84	8 of 8	ESE/175.3	73.9 / -1.69	Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON6380432 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
Detail(s)					
Waste Class: Waste Class Desc:	261 A Pharmaceuticals				
Waste Class: Waste Class Desc:	312 P Pathological wastes				
85	1 of 1	ENE/176.3	73.9 / -1.69	CMG 344 Waverley St. Ottawa ON K2P 0W5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5378833 2010 531310 Real Estate Property Managers		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
Detail(s)					
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				
86	1 of 1	W/178.2	76.9 / 1.31	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method:	613242 215514544 Borehole DEC-1971 11.8 Ground Surface		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing:	No Initial Entry No No 45.412776 -75.696629 18 445491 5029042	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	72.2 71.9			Location Accuracy: Accuracy:	Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394298 3.8 6.2 Grey Clay Silt Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft
		CLAY. GREY,SOFT TO STIFF,FISSURED.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394299 6.2 6.6 Unknown Till Clay			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense
		UNSPECIFIED. DENSE.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394293 0 .8 Sand Clay Granuls			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		ARTIFICIAL.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394296 1.5 3 Brown Clay Silt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Hard
		CLAY. BROWN,GREY,VERY STIFF TO HARD,FISSURED.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394300 6.6 10.3 Unknown Till Silt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense
		UNSPECIFIED. DENSE.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218394301			Mat Consistency:	
Top Depth:	10.3			Material Moisture:	
Bottom Depth:	11.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. 00000 022 00025 007 00037 032 00050 045 00100 056 00125 075 00205 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218394294			Mat Consistency:	Dense
Top Depth:	.8			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND. DENSE.				
Geology Stratum ID:	218394295			Mat Consistency:	Hard
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. BROWN,GREY,HARD.				
Geology Stratum ID:	218394297			Mat Consistency:	Stiff
Top Depth:	3			Material Moisture:	
Bottom Depth:	3.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. BROWN,GREY, STIFF TO VERY STIFF,FISSURED.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 057500 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
87	1 of 3	SSE/181.3	73.9 / -1.69	383 McLeod Street Ottawa ON K2P 1A5	EHS
Order No:	20200203260			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	06-FEB-20			Search Radius (km):	.25
Date Received:	03-FEB-20			X:	-75.6936123
Previous Site Name:				Y:	45.4113036
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
87	2 of 3	SSE/181.3	73.9 / -1.69	383 McLeod Street Ottawa ON K2P 1A5	EHS
Order No:	20200203260			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	06-FEB-20			Search Radius (km):	.25
Date Received:	03-FEB-20			X:	-75.6936123
Previous Site Name:				Y:	45.4113036
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
87	3 of 3	SSE/181.3	73.9 / -1.69	383 McLeod Street Ottawa ON K2P 1A5	EHS
Order No:	20200203260			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	06-FEB-20			Search Radius (km):	.25
Date Received:	03-FEB-20			X:	-75.6936123
Previous Site Name:				Y:	45.4113036
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
88	1 of 1	E/183.3	72.8 / -2.80	GLADSTONE AVENUE OTTAWA ON	WWIS
Well ID:	7210734			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	11/12/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z155230			Owner:	
Tag:				Street Name:	GLADSTONE AVENUE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210734.pdf

Bore Hole Information

Bore Hole ID:	1004625550	Elevation:	71.405677
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445852
Code OB Desc:		North83:	5029045
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	9/25/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1004875056
Layer:	1
Plug From:	0
Plug To:	20
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004875058
Layer:	2
Plug From:	2
Plug To:	0
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1004875057
Layer:	1
Plug From:	20
Plug To:	2
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1004875055
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	1004875049
Casing No:	0
Comment:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
Casing ID:		1004875053			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004875054			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004875052			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004875051			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>89</u>	1 of 1	W/185.4	76.8 / 1.27	381 Kent St Ottawa ON K2P2A8	EHS
Order No:	20171218041			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	21-DEC-17			Search Radius (km):	.25
Date Received:	18-DEC-17			X:	-75.696724
Previous Site Name:				Y:	45.412834
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

<u>90</u>	1 of 1	ESE/187.5	73.3 / -2.27	323 Mcleod St Ottawa ON K2P 1A2	EHS
Order No:	20130116008			Nearest Intersection:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		23-JAN-13		Search Radius (km): .25	
Date Received:		16-JAN-13		X: -75.692239	
Previous Site Name:				Y: 45.412159	
Lot/Building Size:					
Additional Info Ordered:					

91	1 of 1	WNW/188.7	76.9 / 1.31	DENTISTRY CANADA FUND 427 GILMORE STREET OTTAWA ON K2P 0R5	GEN
Generator No:		ON4162591		PO Box No:	
Status:				Country:	
Approval Years:		07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621210			
SIC Description:		Offices of Dentists			
Detail(s)					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		243			
Waste Class Desc:		PCB'S			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

92	1 of 1	NNW/189.3	75.9 / 0.31	375 Gilmour St Ottawa ON	EHS
Order No:		20130124026		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		04-FEB-13		Search Radius (km): .25	
Date Received:		24-JAN-13		X: -75.694729	
Previous Site Name:				Y: 45.414533	
Lot/Building Size:					
Additional Info Ordered:					

93	1 of 30	W/189.3	76.8 / 1.27	DYNACARE LABORATORIES 381 KENT STREET SUITE 208 OTTAWA ON K2P 2A8	GEN
Generator No:		ON0245632		PO Box No:	
Status:				Country:	
Approval Years:		92,93,97		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8681			
SIC Description:		MEDICAL LABORATORIES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
93	2 of 30	W/189.3	76.8 / 1.27	DYNACARE LABORATORIES 13-100 381 KENT ST. SUITE 208 C/O 1095 CARLING AVE. SUITE 500 OTTAWA ON K2P 2A8	GEN
Generator No:		ON0245632		PO Box No:	
Status:				Country:	
Approval Years:		94,95,96		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8681			
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
93	3 of 30	W/189.3	76.8 / 1.27	DYNACARE LABORATORIES LIMITED 381 KENT STREET SUITE 208 OTTAWA ON K2P 2A8	GEN
Generator No:		ON0245632		PO Box No:	
Status:				Country:	
Approval Years:		98,99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8681			
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
93	4 of 30	W/189.3	76.8 / 1.27	DOUGLASS LABORATORY SERVICES LTD. 381 KENT STREET OTTAWA ON K2P 2A8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No:	ON0478800			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8681				
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

<u>93</u>	5 of 30	W/189.3	76.8 / 1.27	DOUGLASS LABORATORY SERVICES LTD. 381 KENT STREET OTTAWA ON K2P 2A8	GEN
Generator No:	ON0478800			PO Box No:	
Status:				Country:	
Approval Years:	90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8681				
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

<u>93</u>	6 of 30	W/189.3	76.8 / 1.27	DOUGLASS (SEE&USE ON0245632) 13-100 381 KENT STREET C/O 1385 BANK ST., SUITE 205 OTTAWA ON K2P 2A8	GEN
Generator No:	ON0478800			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8681				
SIC Description:		MEDICAL LABORATORIES			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
93	7 of 30	W/189.3	76.8 / 1.27	CARLETON PLACE IDA DRUGMART 381 KENT STREET OTTAWA ON K2P 2A8	GEN
Generator No:	ON1565721			PO Box No:	
Status:				Country:	
Approval Years:	00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6031				
SIC Description:	PHARMACIES				
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
93	8 of 30	W/189.3	76.8 / 1.27	381 Kent Street Ottawa ON K2P 2A8	EHS
Order No:	20040303011			Nearest Intersection:	Kent Street and James Street
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	3/12/04			Search Radius (km):	0.25
Date Received:	3/3/04			X:	-75.696865
Previous Site Name:				Y:	45.412946
Lot/Building Size:					
Additional Info Ordered:					
93	9 of 30	W/189.3	76.8 / 1.27	381 Kent Street Ottawa ON K2P 2A8	EHS
Order No:	20101006001			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	10/18/2010			Search Radius (km):	0.25
Date Received:	10/6/2010 9:00:38 AM			X:	-75.697032
Previous Site Name:				Y:	45.412918
Lot/Building Size:					
Additional Info Ordered:					
93	10 of 30	W/189.3	76.8 / 1.27	381 Kent Street Ottawa ON K2P 2A8	EHS
Order No:	20120517014			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	5/24/2012 1:02:44 PM			Search Radius (km):	0.25
Date Received:	5/17/2012 1:03:03 PM			X:	-75.696971
Previous Site Name:				Y:	45.412871
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
93	11 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 381 Ottawa ON K2P 2A8	GEN
Generator No:	ON8098363			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621210				
SIC Description:	Offices of Dentists				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
93	12 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 381 Ottawa ON K2P 2A8	GEN
Generator No:	ON8098363			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621210				
SIC Description:	Offices of Dentists				
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
93	13 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 381 Ottawa ON K2P 2A8	GEN
Generator No:	ON8098363			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621210				
SIC Description:	Offices of Dentists				
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
93	14 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 500 Ottawa ON	GEN
Generator No:	ON8098363			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
93	15 of 30	W/189.3	76.8 / 1.27	Dr J Rochon Dr P Racicot 381 kent street,suite 508 ottawa ON K2P2A8	GEN
Generator No:	ON7309066			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
93	16 of 30	W/189.3	76.8 / 1.27	Dr. Karine Plieva 310-381 Kent Street Ottawa ON K2P2A8	GEN
Generator No:	ON5684716			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Patricia R Rana
MHSW Facility:	No			Phone No Admin:	613-235-5348 Ext.
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
93	17 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 500	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON K2P 2A8					
Generator No:	ON8098363			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Howard Levine
MHSW Facility:	No			Phone No Admin:	613 237 5545 Ext.
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:		264			
Waste Class Desc:	PHOTOPROCESSING WASTES				
<u>93</u>	18 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 500 Ottawa ON K2P 2A8	GEN
Generator No:	ON8098363			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Howard Levine
MHSW Facility:	No			Phone No Admin:	613 237 5545 Ext.
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:	PHOTOPROCESSING WASTES				
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
<u>93</u>	19 of 30	W/189.3	76.8 / 1.27	Dr J Rochon Dr P Racicot 381 kent street,suite 508 ottawa ON K2P2A8	GEN
Generator No:	ON7309066			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
<u>93</u>	20 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 500 Ottawa ON K2P 2A8	GEN
Generator No:	ON8098363			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 621210 SIC Description: OFFICES OF DENTISTS				Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Howard Levine Phone No Admin: 613 237 5545 Ext.	
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES					
93	21 of 30	W/189.3	76.8 / 1.27	Dr J Rochon Dr P Racicot 381 kent street,suite 508 ottawa ON K2P2A8	GEN
Generator No: ON7309066 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 621210 SIC Description: OFFICES OF DENTISTS				PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
93	22 of 30	W/189.3	76.8 / 1.27	Dr. Karine Plieva 310-381 Kent Street Ottawa ON K2P2A8	GEN
Generator No: ON5684716 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 264 L Waste Class Desc: Photoprocessing wastes					
Waste Class: 264 T Waste Class Desc: Photoprocessing wastes					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
93	23 of 30	W/189.3	76.8 / 1.27	Kent Street Dental Dental Corp of Canada 381 Kent St # 326 Ottawa ON K2P 2A8	GEN
Generator No: ON9392245 Status: Registered				PO Box No: Country: Canada	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
<u>93</u>	24 of 30	W/189.3	76.8 / 1.27	Dr J Rochon Dr P Racicot 381 kent street,suite 508 ottawa ON K2P2A8	GEN
Generator No: ON7309066 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
<u>93</u>	25 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 500 Ottawa ON K2P 2A8	GEN
Generator No: ON8098363 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 264 L Waste Class Desc: Photoprocessing wastes					
Waste Class: 264 T Waste Class Desc: Photoprocessing wastes					
Waste Class: 312 P Waste Class Desc: Pathological wastes					
<u>93</u>	26 of 30	W/189.3	76.8 / 1.27	Dr. Karine Plieva 310-381 Kent Street Ottawa ON K2P2A8	GEN
Generator No: ON5684716 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:					
<u>Detail(s)</u>					
				Waste Class: 312 P Waste Class Desc: Pathological wastes	
93	27 of 30	W/189.3	76.8 / 1.27	Dr. Howard Levine 381 Kent St. Unit 500 Ottawa ON K2P 2A8	GEN
				Generator No: ON8098363 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description:	
				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
				Waste Class: 312 P Waste Class Desc: Pathological wastes	
				Waste Class: 264 T Waste Class Desc: Photoprocessing wastes	
				Waste Class: 264 L Waste Class Desc: Photoprocessing wastes	
93	28 of 30	W/189.3	76.8 / 1.27	Dr J Rochon Dr P Racicot 381 kent street,suite 508 ottawa ON K2P2A8	GEN
				Generator No: ON7309066 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:	
				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
				Waste Class: 312 P Waste Class Desc: Pathological wastes	
93	29 of 30	W/189.3	76.8 / 1.27	Kent Street Dental Dental Corp of Canada 381 Kent St # 326 Ottawa ON K2P 2A8	GEN
				Generator No: ON9392245 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:	
				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
93	30 of 30	W/189.3	76.8 / 1.27	Seguin Dental 500-381 Kent Street ottawa ON K2P 2A8	GEN
Generator No:	ON6721820			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
94	1 of 1	WNW/189.4	76.9 / 1.31	437 Gilmour Street Ottawa ON K2P 0R5	EHS
Order No:	20131026001			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	04-NOV-13			Search Radius (km):	.25
Date Received:	26-OCT-13			X:	-75.696504
Previous Site Name:				Y:	45.413633
Lot/Building Size:	5014 sq ft				
Additional Info Ordered:					
95	1 of 1	SE/190.3	73.9 / -1.69	Urban Capital (Central 2) Inc. 360 McLeod St Ottawa ON M5C 1C3	ECA
Approval No:	2196-8ZVL4N			MOE District:	
Approval Date:	2012-11-16			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	360 McLeod St				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/5703-8YYHUM-14.pdf				
96	1 of 1	SSW/192.9	75.1 / -0.49	GLADSTONE (OUT OF BUS) 17-619 430 GLADSTONE AVENUE OTTAWA ON K2P 0Z1	GEN
Generator No:	ON1517000			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2819				
SIC Description:	OTHER COMM. PRINTING				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

97	1 of 1	NE/193.3	74.9 / -0.69	438 LEWIS STREET OTTAWA ON	HINC
--------------------	--------	----------	--------------	-------------------------------	------

External File Num: FS INC 0707-03424
Fuel Occurrence Type: Pipeline Strike
Date of Occurrence: 6/28/2007
Fuel Type Involved: Natural Gas
Status Desc: Completed - No Action Required
Job Type Desc: Incident/Near-Miss Occurrence (FS)
Oper. Type Involved: Private Dwelling
Service Interruptions: Yes
Property Damage: No
Fuel Life Cycle Stage: Utilization
Root Cause:
Reported Details:
Fuel Category: Gaseous Fuel
Occurrence Type: Incident
Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name: Ottawa
Approx. Quant. Rel:
Nearby body of water:
Enter Drainage Syst.:
Approx. Quant. Unit:
Environmental Impact:

98	1 of 1	N/194.3	76.0 / 0.39	356 MACLAREN STREET Ottawa ON	WWIS
--------------------	--------	---------	-------------	----------------------------------	------

Well ID: 7218928 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z163980 Tag: A136699 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: Date Received: 4/3/2014 Selected Flag: Yes Abandonment Rec: Contractor: 1844 Form Version: 7 Owner: Street Name: 356 MACLAREN STREET County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	--

PDF URL (Map):

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1004729714			Elevation:	72.071182
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445678
Code OB Desc:				North83:	5029243
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/30/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 1005133996
Layer: 1
Color: 2
General Color: GREY
Mat1:
Most Common Material:
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: .05
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005133998
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Mat2 Desc:
Mat3: 01
Mat3 Desc: FILL
Formation Top Depth: .53
Formation End Depth: 1.52
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005133999
Layer: 4
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 05
Mat2 Desc: CLAY
Mat3: 92
Mat3 Desc: WEATHERED

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		1.52			
Formation End Depth:		3.51			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005133997			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		.05			
Formation End Depth:		.53			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005134006			
Layer:		1			
Plug From:		0.75			
Plug To:		1.5			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005134005			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		SSA			
<u>Pipe Information</u>					
Pipe ID:		1005133995			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005134002			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.05			
Casing Diameter:		3.18			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005134003			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		3.05			
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		3.8			
<u>Water Details</u>					
Water ID:		1005134001			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005134000			
Diameter:		16.51			
Depth From:		0			
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

99	1 of 4	NW/194.9	76.9 / 1.31	CentreTown Pharmacy Inc. 326 Bank Street ottawa ON K2P 1Y1	GEN
Generator No:	ON3330352			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	George Zahalan
MHSW Facility:	No			Phone No Admin:	613-422-2900 Ext.
SIC Code:	325410				
SIC Description:	PHARMACEUTICAL AND MEDICINE MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				

99	2 of 4	NW/194.9	76.9 / 1.31	CentreTown Pharmacy Inc. 326 Bank Street ottawa ON K2P 1Y1	GEN
Generator No:	ON3330352			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Shira Bar Or
MHSW Facility:	No			Phone No Admin:	613-422-2900 Ext.
SIC Code:	325410				
SIC Description:	PHARMACEUTICAL AND MEDICINE MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:	261				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PHARMACEUTICALS			
99	3 of 4	NW/194.9	76.9 / 1.31	CentreTown Pharmacy Inc. 326 Bank Street ottawa ON K2P 1Y1	GEN
Generator No:	ON3330352			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
99	4 of 4	NW/194.9	76.9 / 1.31	CentreTown Pharmacy Inc. 326 Bank Street ottawa ON K2P 1Y1	GEN
Generator No:	ON3330352			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
100	1 of 1	WNW/199.6	76.8 / 1.27	381 KENT ST Ottawa ON	WWIS
Well ID:	7157724			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	1/14/2011
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	5
Audit No:	M03242			Owner:	
Tag:	A104644			Street Name:	381 KENT ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7157724.pdf

Bore Hole Information

Bore Hole ID:	1003456104	Elevation:	71.809051
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445491
Code OB Desc:		North83:	5029035
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	12/2/2010	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004584017
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	01
Mat2 Desc:	FILL
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0
Formation End Depth:	1.22
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004584018
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	1.22
Formation End Depth:	3.96
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004584019
---------------	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		3.96			
Formation End Depth:		6.1			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004584022			
Layer:		2			
Plug From:		0.31			
Plug To:		2.74			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004584021			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004584023			
Layer:		3			
Plug From:		2.74			
Plug To:		6.1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004584028			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1004584016			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004584024			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		3.1			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		1004584025			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		3.1			
Depth To:		6.1			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004584026			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					
Hole ID:		1004584020			
Diameter:		8.25			
Depth From:		0			
Depth To:		6.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1004584007			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445480
Code OB Desc:				North83:	5029114
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	4
Date Completed:	12/2/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004584011			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004584010			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1004584012			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004584014			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.1			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004584013			
Layer:		1			
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.1			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004584015			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1004584009			
<i>Diameter:</i>		8.25			
<i>Depth From:</i>					
<i>Depth To:</i>		6.1			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1004583998			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	445501
<i>Code OB Desc:</i>				<i>North83:</i>	5029044
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	4
<i>Date Completed:</i>	12/2/2010			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	WWR
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004584002			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004584001			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		DIRECT PUSH			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004584003			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004584005			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		3.1			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004584004			
Layer:		1			
Slot:					
Screen Top Depth:		3.1			
Screen End Depth:		6.1			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004584006			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1004584000			
Diameter:		8.25			
Depth From:					
Depth To:		6.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

101	1 of 1	N/203.1	76.0 / 0.39	371 Gilmour St Ottawa ON K2P0R2	EHS
Order No:		20170404157		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		10-APR-17		Search Radius (km): .25	
Date Received:		04-APR-17		X: -75.694364	
Previous Site Name:				Y: 45.414678	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			

102	1 of 4	WNW/203.6	76.9 / 1.31	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC 437 GILMOUR ST OTTAWA ON K2P0R5	GEN
Generator No:		ON5848142		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_OFFICIAL	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	No No 621210	OFFICES OF DENTISTS		Co Admin: Phone No Admin:	ADRIANA AMZAR 6132351220 Ext.
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
102	2 of 4	WNW/203.6	76.9 / 1.31	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC 437 GILMOUR ST OTTAWA ON K2P0R5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5848142 No 2015 No No 621210	OFFICES OF DENTISTS		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL ADRIANA AMZAR 6132351220 Ext.
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
102	3 of 4	WNW/203.6	76.9 / 1.31	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC 437 GILMOUR ST OTTAWA ON K2P0R5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5848142 Registered As of Dec 2018			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
102	4 of 4	WNW/203.6	76.9 / 1.31	Dr P BIRSILA & DR. A AMZAR DENTISTRY PC 437 GILMOUR ST OTTAWA ON K2P0R5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON5848142 Registered As of Jul 2020			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 P Pathological wastes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
103	1 of 1	NW/203.9	76.9 / 1.31	384 MCLAUREN RD OTTAWA ON	WWIS
Well ID: 7212004 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z177967 Tag: A150791 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 11/28/2013 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 384 MCLAUREN RD County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7212004.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: 1004655512 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 10/15/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 72.64624 Elevrc: Zone: 18 East83: 445561 North83: 5029222 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1004976207 Layer: 2 Color: 6 General Color: BROWN Mat1: 28 Most Common Material: SAND Mat2: 11 Mat2 Desc: GRAVEL Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: .31 Formation End Depth: 1.82 Formation End Depth UOM: m					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1004976206		
Layer:			1		
Color:			2		
General Color:			GREY		
Mat1:			11		
Most Common Material:			GRAVEL		
Mat2:			73		
Mat2 Desc:			HARD		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0		
Formation End Depth:			.31		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1004976208		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			06		
Mat2 Desc:			SILT		
Mat3:			85		
Mat3 Desc:			SOFT		
Formation Top Depth:			1.82		
Formation End Depth:			4.57		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1004976217		
Layer:			2		
Plug From:			0.31		
Plug To:			2.74		
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1004976216		
Layer:			1		
Plug From:			0		
Plug To:			0.31		
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1004976218		
Layer:			3		
Plug From:			2.74		
Plug To:			4.57		
Plug Depth UOM:			m		
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1004976215			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004976205			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004976211			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.1			
Casing Diameter:		3.45			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004976212			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.1			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.24			
<u>Water Details</u>					
Water ID:		1004976210			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004976209			
Diameter:		4.57			
Depth From:		0			
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[104](#)

1 of 1

NW/204.5

76.9 / 1.31

180 WALLER ST
OTTAWA ON

WWIS

Well ID: 7212067
Construction Date:Data Entry Status:
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/28/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z177969			Owner:	
Tag:	A152703			Street Name:	180 WALLER ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7212067.pdf				

Bore Hole Information

Bore Hole ID:	1004655744	Elevation:	72.608963
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445563
Code OB Desc:		North83:	5029224
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10/15/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004978360
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	.31
Formation End Depth:	1.83
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004978359
Layer:	1
Color:	6
General Color:	BROWN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		.31			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004978361			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.83			
Formation End Depth:		6.1			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004978370			
Layer:		2			
Plug From:		0.31			
Plug To:		2.74			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004978371			
Layer:		3			
Plug From:		2.74			
Plug To:		6.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004978369			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004978368			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Pipe Information

Pipe ID: 1004978358
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1004978364
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 3.1
 Casing Diameter: 3.45
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004978365
 Layer: 1
 Slot: 10
 Screen Top Depth: 3.1
 Screen End Depth: 6.1
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.21

Water Details

Water ID: 1004978363
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004978362
 Diameter: 8.25
 Depth From: 0
 Depth To: 6.1
 Hole Depth UOM: m
 Hole Diameter UOM: cm

105	1 of 9	ESE/207.3	73.9 / -1.69	CANADIAN MEDICAL LABORATORIES 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON K2D 1A4	GEN
------------	---------------	------------------	---------------------	---	------------

Generator No: ON0245155	PO Box No:
Status:	Country:
Approval Years: 99,00,01,02	Choice of Contact:
Contam. Facility:	Co Admin:
MHSW Facility:	Phone No Admin:
SIC Code: 8681	
SIC Description: MEDICAL LABORATORIES	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
105	2 of 9	ESE/207.3	73.9 / -1.69	KOPP LABORATORIES LIMITED 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	GEN
Generator No:	ON0390105			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8681				
SIC Description:	MEDICAL LABORATORIES				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
105	3 of 9	ESE/207.3	73.9 / -1.69	KOPP LABORATORIES LIMI (OUT OF BUSINESS) 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	GEN
Generator No:	ON0390105			PO Box No:	
Status:				Country:	
Approval Years:	92,93,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8681				
SIC Description:	MEDICAL LABORATORIES				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
105	4 of 9	ESE/207.3	73.9 / -1.69	KOPP LABORATORIES LIMITED 23-100 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4	GEN
Generator No:	ON0390105			PO Box No:	
Status:				Country:	
Approval Years:	94,95			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8681				
SIC Description:	MEDICAL LABORATORIES				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
105	5 of 9	ESE/207.3	73.9 / -1.69	CML HEALTHCARE INC. 340 MCLEOD STREET, LOWER LEVEL	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON					
Generator No:	ON0245155			PO Box No:	
Status:				Country:	
Approval Years:	03,04,05			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621510				
SIC Description:	Medical & Diagnostic Laboratories				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
105	6 of 9	ESE/207.3	73.9 / -1.69	Toth Equity Limited 340 McLeod St. Ottawa ON K2P 1A4	GEN
Generator No:	ON8496209			PO Box No:	
Status:				Country:	
Approval Years:	03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531120				
SIC Description:	Lessors - Non-Res. Buildings (exc. Mini-Ware)				
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
105	7 of 9	ESE/207.3	73.9 / -1.69	Toth Equity Limited 340 McLeod St. Ottawa ON K2P 1A4	GEN
Generator No:	ON8496209			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531120				
SIC Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)				
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
105	8 of 9	ESE/207.3	73.9 / -1.69	Demo Plus 340 McLeod Ottawa ON K2P 1A4	GEN
Generator No:	ON9831948			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 238299 SIC Description:		Country: Choice of Contact: Co Admin: Phone No Admin:			

105	9 of 9	ESE/207.3	73.9 / -1.69	URBAN CAPITAL (CENTRAL 3) INC. 340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Ottawa ON	RSC
RSC ID: 223466 RA No: RSC Type: Phase 1 and 2 RSC Curr Property Use: Commercial Ministry District: Ottawa District Office Filing Date: 2017/07/13 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No: 0614042201160100000 Prop ID No (PIN): 04123-0149 (LT) Property Municipal Address: 340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: Legal Desc: Measurement Method: Applicable Standards: RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81515&fileName=BROWNFIELDS-E.pdf		Cert Date: Cert Prop Use No: Intended Prop Use: Residential Qual Person Name: CARLOS DA SILVA Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:			

Document(s) Detail

Document Heading:	Supporting Documents
Document Name:	APEC Table.pdf
Document Type:	Area(s) of Potential Environmental Concern
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81521&fileName=APEC+Table.pdf
Document Heading:	Supporting Documents
Document Name:	Legal Letter.pdf
Document Type:	Lawyer's letter consisting of a legal description of the property
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81510&fileName=Legal+Letter.pdf
Document Heading:	Supporting Documents
Document Name:	Land transfer.pdf
Document Type:	Copy of any deed(s), transfer(s) or other document(s)
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81517&fileName=Land+transfer.pdf
Document Heading:	Supporting Documents
Document Name:	Owner Authorization.pdf
Document Type:	Proof of the owner's authorization
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81516&fileName=Owner+Authorization.pdf
Document Heading:	Supporting Documents

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Document Name:		Current and Past Uses.pdf			
Document Type:		Table of Current and Past Property Use			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81511&fileName=Current+and+Past+Uses.pdf			
Document Heading:		Supporting Documents			
Document Name:		Certificate of Status.pdf			
Document Type:		Certificate of Status			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81512&fileName=Certificate+of+Status.pdf			
Document Heading:		Supporting Documents			
Document Name:		Survey Plan.pdf			
Document Type:		A Current plan of Survey			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81514&fileName=Survey+Plan.pdf			
Document Heading:		Supporting Documents			
Document Name:		Phase II CSM.pdf			
Document Type:		Phase 2 Conceptual Site Model			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81518&fileName=Phase+II+CSM.pdf			

106	1 of 1	WNW/211.4	76.9 / 1.31	THE PROPERTY GROUP 404 McLAREN ST OTTAWA ON	GEN
Generator No:	ON4270376			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	236110				
SIC Description:					

107	1 of 15	E/212.9	72.9 / -2.69	HULSE PLAYFAIR MCGARRY HOLDINGS LTD. SWM-315 MCLEOD STREET OTTAWA ON K2P 1A2	CA
Certificate #:	3-1696-98-				
Application Year:	98				
Issue Date:	11/23/1998				
Approval Type:	Municipal sewage				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

107	2 of 15	E/212.9	72.9 / -2.69	HULSE AND PLAYFAIR LIMITED 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:	ONF022600			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9731				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		FUNERAL HOMES			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	3 of 15	E/212.9	72.9 / -2.69	HULSE AND PLAYFAIR LIMITED 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:		ONF022600		PO Box No:	
Status:				Country:	
Approval Years:		92,93,97,98,99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9731			
SIC Description:		FUNERAL HOMES			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	4 of 15	E/212.9	72.9 / -2.69	HULSE AND PLAYFAIR LIMITED 44-226 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:		ONF022600		PO Box No:	
Status:				Country:	
Approval Years:		94,95,96		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9731			
SIC Description:		FUNERAL HOMES			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	5 of 15	E/212.9	72.9 / -2.69	HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:		ONF022600		PO Box No:	
Status:				Country:	
Approval Years:		02,03,04,05,06,07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
107	6 of 15	E/212.9	72.9 / -2.69	HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON	GEN
Generator No:	ONF022600			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812210				
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	7 of 15	E/212.9	72.9 / -2.69	HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:	ONF022600			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812210				
SIC Description:	Funeral Homes				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	8 of 15	E/212.9	72.9 / -2.69	HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:	ONF022600			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812210				
SIC Description:	Funeral Homes				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	9 of 15	E/212.9	72.9 / -2.69	HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:	ONF022600			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812210				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Funeral Homes			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	10 of 15	E/212.9	72.9 / -2.69	HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2	GEN
Generator No:	ONF022600			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812210				
SIC Description:	Funeral Homes				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	11 of 15	E/212.9	72.9 / -2.69	Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2	GEN
Generator No:	ON6945095			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Carissa Craig
MHSW Facility:	No			Phone No Admin:	6132331143 Ext.250
SIC Code:	812210				
SIC Description:	812210				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	12 of 15	E/212.9	72.9 / -2.69	Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2	GEN
Generator No:	ON6945095			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Carissa Craig
MHSW Facility:	No			Phone No Admin:	6132331143 Ext.250
SIC Code:	812210				
SIC Description:	812210				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
107	13 of 15	E/212.9	72.9 / -2.69	Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2	GEN
Generator No:	ON6945095			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Carissa Craig
MHSW Facility:	No			Phone No Admin:	6132331143 Ext.250
SIC Code:	812210				
SIC Description:	812210				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
107	14 of 15	E/212.9	72.9 / -2.69	Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2	GEN
Generator No:	ON6945095			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
107	15 of 15	E/212.9	72.9 / -2.69	Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2	GEN
Generator No:	ON6945095			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
108	1 of 1	SW/214.5	76.0 / 0.46	428 Kent Street Ottawa ON K2P 2B3	EHS
Order No:	20030917001			Nearest Intersection:	Gladstone Avenue
Status:	C			Municipality:	Ottawa
Report Type:	Site Report			Client Prov/State:	ON
Report Date:	9/18/03			Search Radius (km):	0.25
Date Received:	9/17/03			X:	-75.69608
Previous Site Name:				Y:	45.411439
Lot/Building Size:	approximately 900 sq. m. with two storey				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
building					
Additional Info Ordered:					
109	1 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INC. 464 BANK ST. OTTAWA ON K2P 1Z3	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	89			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6541				
SIC Description:		SPORTING GOODS STORE			
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
109	2 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INC. 37-488 464 BANK ST. OTTAWA ON K2P 1Z3	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6541				
SIC Description:		SPORTING GOODS STORE			
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
109	3 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01,02,03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6541				
SIC Description:		SPORTING GOODS STORE			
Detail(s)					
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
109	4 of 14	SSE/214.6	73.9 / -1.69	Tommy & Lefebvre Investments Ltd. 464 Bank St Ottawa ON K2P 1Z3	CA
Certificate #:		8716-7UGJ3L			
Application Year:		2009			
Issue Date:		8/6/2009			
Approval Type:		Municipal and Private Sewage Works			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
109	5 of 14	SSE/214.6	73.9 / -1.69	464 BANK STREET OTTAWA ON K2P 1Z3	HINC
External File Num:		FS INC 0903-01665			
Fuel Occurrence Type:					
Date of Occurrence:					
Fuel Type Involved:					
Status Desc:		Completed - No Action Required			
Job Type Desc:		Incident/Near-Miss Occurrence (FS)			
Oper. Type Involved:					
Service Interruptions:					
Property Damage:					
Fuel Life Cycle Stage:					
Root Cause:					
Reported Details:		Sporting Goods Store. Non-mandated, Enbridge reports that the fire is not attributed to any hydrocar			
Fuel Category:		Unknown			
Occurrence Type:		Incident			
Affiliation:		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
County Name:		Ottawa			
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					
109	6 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN
Generator No:		ON1144000		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		451110			
SIC Description:		Sporting Goods Stores			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			

109	7 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	451110				
SIC Description:	Sporting Goods Stores				

<u>Detail(s)</u>					
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

109	8 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	451110				
SIC Description:	Sporting Goods Stores				

<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

109	9 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	451110				
SIC Description:	Sporting Goods Stores				
<u>Detail(s)</u>					
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

109	10 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON	GEN
Generator No:	ON1144000			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	451110				
SIC Description:	SPORTING GOODS STORES				
<u>Detail(s)</u>					
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
109	11 of 14	SSE/214.6	73.9 / -1.69	Tommy & Lefebvre Investments Ltd. 464 Bank St Ottawa ON K2P 1Z3	ECA
Approval No:		8716-7UGJ3L		MOE District:	Ottawa
Approval Date:		2009-08-06		City:	
Status:		Approved		Longitude:	-75.693146
Record Type:		ECA		Latitude:	45.411179999999995
Link Source:		IDS		Geometry X:	
SWP Area Name:		Rideau Valley		Geometry Y:	
Approval Type:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
Project Type:		MUNICIPAL AND PRIVATE SEWAGE WORKS			
Address:		464 Bank St			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/4557-7T9NQT-14.pdf			
109	12 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN
Generator No:		ON1144000		PO Box No:	
Status:				Country:	Canada
Approval Years:		2015		Choice of Contact:	CO_ADMIN
Contam. Facility:		No		Co Admin:	Freddi Rodier
MHSW Facility:		No		Phone No Admin:	613-236-9731 Ext.109
SIC Code:		451110			
SIC Description:		SPORTING GOODS STORES			
Detail(s)					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
109	13 of 14	SSE/214.6	73.9 / -1.69	TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON1144000 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 451110 SIC Description: SPORTING GOODS STORES PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Freddi Rodier Phone No Admin: 613-236-9731 Ext.109					
Detail(s)					
Waste Class: 222 Waste Class Desc: HEAVY FUELS					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 253 Waste Class Desc: EMULSIFIED OILS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES					
109	14 of 14	SSE/214.6	73.9 / -1.69	Tomlinson Environmental 464 Bank Str Ottawa ON K2P 1Z3	GEN
Generator No: ON6350879 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description: PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 251 L Waste Class Desc: Waste oils/sludges (petroleum based)					
110	1 of 2	SE/214.8	73.8 / -1.73	Urban Capital (Central 3) Inc. Part 1 Ottawa ON M5V 0G2	ECA
Approval No: 8866-96MN28 Approval Date: 2013-04-30 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: Part 1 Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7080-8Z7QW6-14.pdf MOE District: Ottawa City: Longitude: -75.69239 Latitude: 45.411500000000004 Geometry X: Geometry Y:					
110	2 of 2	SE/214.8	73.8 / -1.73	Urban Capital (Central 2) Inc. Part 1 Ottawa ON M5C 1C3	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	8060-8TJPJ7 2012-04-30 Revoked and/or Replaced ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Part 1 https://www.accessenvironment.ene.gov.on.ca/instruments/3349-8MMSL2-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa -75.69239 45.411500000000004

111	1 of 1	ENE/215.9	73.9 / -1.66	TOPIA ENERGY 311 O'CONNOR ST OTTAWA ON K2P 2G9	RST
Headcode: Headcode Desc: Phone: List Name: Description:	924800 Oils-Fuel 6135944777 Petroleum Products, Wholesale				

112	1 of 1	WSW/216.2	75.8 / 0.22	Chinese Cdn Community News 80 Florence St Ottawa ON K1R 7W6	SCT
Established: Plant Size (ft²): Employment: --Details-- Description: SIC/NAICS Code:	1979 9 Newspaper Publishers 511110				

113	1 of 1	SSE/217.9	73.9 / -1.69	37 FLORA ST OTTAWA ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map):	7216273 Monitoring and Test Hole 0 Monitoring and Test Hole Z173804 A154151			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	2/10/2014 Yes 7241 7 37 FLORA ST OTTAWA NEPEAN TOWNSHIP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

Bore Hole ID:	1004708050	Elevation:	70.442016
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445748
Code OB Desc:		North83:	5028846
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/4/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1005080080
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	91
Mat3 Desc:	WATER-BEARING
Formation Top Depth:	3.27
Formation End Depth:	4.57
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1005080078
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	68
Mat3 Desc:	DRY
Formation Top Depth:	0
Formation End Depth:	1.83
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1005080079
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.83			
Formation End Depth:		3.27			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080089			
Layer:		2			
Plug From:		1.22			
Plug To:		4.57			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080088			
Layer:		1			
Plug From:		0			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005080087			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005080077			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005080083			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005080084			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.57			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005080082			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005080081			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
114	1 of 2	NNW/218.9	75.9 / 0.31	AUBUT & NADEAU SERVICES INC. 356 MCLAREN STREET OTTAWA ON K2P 0M6	GEN
Generator No:		ON1785700		PO Box No:	
Status:				Country:	
Approval Years:		93,95,96,97,98,99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6571			
SIC Description:		CAMERA/PHOTO. SUPPLY			
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
114	2 of 2	NNW/218.9	75.9 / 0.31	356 MacLaren Street Ottawa ON K2P 0M6	EHS
Order No:		20070412026		Nearest Intersection: Bank Street	
Status:		C		Municipality:	
Report Type:		CAN - Complete Report		Client Prov/State:	
Report Date:		4/20/2007		Search Radius (km): 0.25	
Date Received:		4/12/2007		X: -75.694978	
Previous Site Name:				Y: 45.414769	
Lot/Building Size:					
Additional Info Ordered:					
115	1 of 1	NW/219.6	76.9 / 1.30	384 MC LAUREN RD OTTAWA ON	WWIS
Well ID:		7212003		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 11/28/2013	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	7
Audit No:	Z177968			Owner:	
Tag:	A152603			Street Name:	384 MC LAUREN RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7212003.pdf

Bore Hole Information

Bore Hole ID:	1004655469	Elevation:	72.757598
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445546
Code OB Desc:		North83:	5029231
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10/15/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004976192
Layer:	1
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	.31
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004976193
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Mat2 Desc:	GRAVEL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		.31			
Formation End Depth:		2.13			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004976194			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.13			
Formation End Depth:		6.1			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004976203			
Layer:		2			
Plug From:		0.31			
Plug To:		2.74			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004976204			
Layer:		3			
Plug From:		2.74			
Plug To:		6.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004976202			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004976201			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004976191			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004976197				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	3.1				
Casing Diameter:	3.45				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1004976198				
Layer:	1				
Slot:	10				
Screen Top Depth:	3.1				
Screen End Depth:	6.1				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	4.21				
<u>Water Details</u>					
Water ID:	1004976196				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1004976195				
Diameter:	5.71				
Depth From:	0				
Depth To:	6.1				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

116

1 of 2

ENE/220.4

73.9 / -1.69

CRAIG OFFICE PRODUCTS CORPORATION
329 WAVERLEY STREET
OTTAWA ON K2P 0V9

GEN

Generator No: ON0961400
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 0000
SIC Description: *** NOT DEFINED ***

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 213

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
116	2 of 2	ENE/220.4	73.9 / -1.69	CRAIG OFFICE PRODUCTS CORPORATION 11-330 329 WAVERLEY STREET OTTAWA ON K2P 0V9	GEN
Generator No:	ON0961400			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	3362				
SIC Description:	ELECT. OFFICE, ETC.				
Detail(s)					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
117	1 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No:	ON8141730			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621110				
SIC Description:					
117	2 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No:	ON8141730			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621110				
SIC Description:	Offices of Physicians				
117	3 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON	GEN
Generator No:	ON8141730			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
117	4 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No:	ON8141730			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
117	5 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No:	ON8141730			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
117	6 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No:	ON8141730			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
117	7 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No:	ON8141730			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: SIC Description:					
Detail(s)					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
117	8 of 8	NE/221.3	73.8 / -1.73	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON8141730 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
		Canada			
Detail(s)					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
118	1 of 2	NE/221.5	74.6 / -1.00	R.M. OF OTTAWA-CARLETON LEWIS ST/BANK/METCALFE STS. OTTAWA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		7-0587-96- 96 7/16/1996 Municipal water Approved			
Detail(s)					
118	2 of 2	NE/221.5	74.6 / -1.00	OTTAWA CITY LEWIS ST./BANK ST. (COMB. SEW) OTTAWA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3-0682-96- 96 7/22/1996 Municipal sewage Approved			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
119	1 of 1	ESE/221.8	73.9 / -1.66	ON	BORE
Borehole ID:	613223			Inclin FLG:	No
OGF ID:	215514526			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUN-1964			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.411723
Total Depth m:	20.6			Longitude DD:	-75.692015
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	445851
Drill Method:				Northing:	5028922
Orig Ground Elev m:	70.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	70.8				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218394206			Mat Consistency:	Soft
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. GREY,STIFF,SOFT,FISSURED.				
Geology Stratum ID:	218394210			Mat Consistency:	
Top Depth:	18.9			Material Moisture:	
Bottom Depth:	20.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED. 00000 018 00060 039 00075 075 00100 070 0000000900212076 040 0 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218394204			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL.				
Geology Stratum ID:	218394207			Mat Consistency:	Soft
Top Depth:	3			Material Moisture:	
Bottom Depth:	10.4			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY, GREY,STIFF,SOFT.			
Geology Stratum ID:	218394205			Mat Consistency:	Hard
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY, BROWN,GREY,HARD,FISSURED.			
Geology Stratum ID:	218394208			Mat Consistency:	
Top Depth:	10.4			Material Moisture:	
Bottom Depth:	18.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		UNSPECIFIED.			
Geology Stratum ID:	218394209			Mat Consistency:	
Top Depth:	18.3			Material Moisture:	
Bottom Depth:	18.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		UNSPECIFIED.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 057310 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

120

1 of 2

NW/225.1

76.9 / 1.30

384 MacLaren Street, Ottawa
ON

INC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident No:	710966			Any Health Impact:	No
Incident ID:	2867936			Any Enviro Impact:	No
Instance No:				Service Interrupted:	Yes
Status Code:	Causal Analysis Complete			Was Prop Damaged:	Yes
Attribute Category:	FS-Perform L1 Incident Insp			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:	2012/01/03 00:00:00			Indus App. Type:	
Time of Occurrence:	01:49:00			Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:	2012/01/03 00:00:00			Pipeline Type:	Service / Riser Distribution Pipeline
Approx Quant Rel:				Pipeline Involved:	
Tank Capacity:				Pipe Material:	Steel
Fuels Occur Type:	Vapour Release			Depth Ground Cover:	N/A
Fuel Type Involved:	Natural Gas			Regulator Location:	Outside
Enforcement Policy:	NULL			Regulator Type:	Service Regulator (up to 60 psi intake)
Prc Escalation Req:	NULL			Operation Pressure:	65
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:	3664254			Equipment Type:	
Notes:				Equipment Model:	
Drainage System:				Serial No:	
Sub Surface Contam.:				Cylinder Capacity:	
Aff Prop Use Water:				Cylinder Cap Units:	
Contam. Migrated:				Cylinder Mat Type:	
Contact Natural Env:				Near Body of Water:	
Incident Location:	384 MacLaren Street, Ottawa - Vapour Release				
Occurrence Narrative:	Sidewalk machine struck meter set, snapping off steel riser at ground level.				
Operation Type Involved:	Commercial (e.g. restaurant, business unit, etc)				
Item:					
Item Description:					
Device Installed Location:					

120	2 of 2	NW/225.1	76.9 / 1.30	Enbridge Gas Distribution Inc. 384 MacLaren St Ottawa ON K2P 0M8	SPL
Ref No:	2456-8Q6D6F			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	03-JAN-12			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Discharge or Emission to Air			Sector Type:	Pipeline
Incident Event:				Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	NATURAL GAS (METHANE)			Site Address:	384 MacLaren St
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:	Sewage - Municipal/Private and Commercial			Site Conc:	
Receiving Env:				Northing:	
MOE Response:	Referral to others			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	03-JAN-12			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	TSSA - Fuel Safety Branch
Incident Reason:	Equipment/Vehicles			Source Type:	
Site Name:	384 MacLaren St<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Summary:		TSSA: 1/2 Inch Line Strike, made safe			
Contaminant Qty:					
121	1 of 1	NE/225.9	73.9 / -1.69	Carleton Condominium Corporation 251 420 Lewis Street Ottawa ON K2P 0S9	GEN
Generator No:	ON4976215			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	252 I				
Waste Class Desc:	Waste crankcase oils and lubricants				
122	1 of 2	SSE/225.9	73.9 / -1.69	Mr. Milad Ladany 37 FLORA ST, OTTAWA, ON, K2P 1A7 OTTAWA ON K2P 1A7	RSC
RSC ID:	44580			Cert Date:	19-Feb-08
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	25-Jun-08			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	6 to 10 meters
Restoration Type:				Telephone:	613-7974921
Soil Type:				Fax:	
Criteria:				Email:	mladany@gmail.com
CPU Issued Sect 1686:	No				
Asmt Roll No:	06 14 042 201 25000				
Prop ID No (PIN):	04122-0066				
Property Municipal Address:	37 FLORA ST, OTTAWA, ON, K2P 1A7				
Mailing Address:	37 FLORA ST, OTTAWA, ON, K2P 1A7				
Latitude & Longitude:	45.41055560N 75.69361110W				
UTM Coordinates:	NAD83 18-445725-5028794 (converted from Latitude & Longitude)				
Consultant:					
Legal Desc:	Parcel 6-1, Section 30, Part of Lot 6 on Registered Plan number 30 on the West side of Bank Street, Part Lot 17 on Registered Plan number 30, on the North side of Flora Street designated as Part 1 on Plan 4R-6684 City of Ottawa, Regional Municipality of Ottawa-Carleton, Land Titles Division of Ottawa-Carleton (No. 4)				
Measurement Method:	Global Positioning System				
Applicable Standards:	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use				
RSC PDF:					
122	2 of 2	SSE/225.9	73.9 / -1.69	37 FLORA ST OTTAWA ON	WWIS
Well ID:	7216271			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	2/10/2014
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z180054			Owner:	
Tag:	A154272			Street Name:	37 FLORA ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Bore Hole Information

Bore Hole ID:	1004708044	Elevation:	70.425262
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445747
Code OB Desc:		North83:	5028837
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/4/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1005080053
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	91
Mat3 Desc:	WATER-BEARING
Formation Top Depth:	2.74
Formation End Depth:	6.1
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1005080051
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	68

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		DRY			
Formation Top Depth:		0			
Formation End Depth:		1.83			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005080052			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.83			
Formation End Depth:		2.74			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005080054			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.1			
Formation End Depth:		14.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080063			
Layer:		2			
Plug From:		12.1			
Plug To:		14.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080062			
Layer:		1			
Plug From:		0			
Plug To:		12.1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005080061			
Method Construction Code:		D			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005080050			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005080057			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		12			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005080058			
Layer:		1			
Slot:		10			
Screen Top Depth:		12			
Screen End Depth:		14.3			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005080056			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005080055			
Diameter:		8.25			
Depth From:		0			
Depth To:		14.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[123](#)

1 of 1

SW/226.2

74.9 / -0.69

PRIVATE RESIDENCE
446 KENT ST. FUEL STORAGE TANK
OTTAWA CITY ON K2P 2B5

SPL

Ref No: 46820
Site No:
Incident Dt: 10/9/1990
Year:
Incident Cause: ABOVE-GROUND TANK LEAK

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Water course or lake Receiving Medium: LAND / WATER Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 10/9/1990 Dt Document Closed: Incident Reason: EQUIPMENT FAILURE Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: BACKENTRY - 10L FURNACE OIL LEAKED TO FLOOR & DRAIN FROM STORAGE TANK. Contaminant Qty:				Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20101 Site Lot: Site Conc: Northing: Easting: MOE, UNITED FUELS Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	

124	1 of 1	ESE/226.4	73.2 / -2.39	MCLEOD RETIREMENT HOME 330 McLeod St Ottawa ON K2P 2C5	GEN
Generator No: ON3139052 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		221 L			
Waste Class Desc:		Light fuels			

125	1 of 1	SSE/227.2	73.9 / -1.69	37 FLORA ST OTTAWA ON	WWIS
Well ID: 7216270 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z180053 Tag: A154273 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: Date Received: 2/10/2014 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 37 FLORA ST County: OTTAWA Municipality: OTTAWA CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1004708041	Elevation:	70.431015
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445748
Code OB Desc:		North83:	5028836
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/4/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1005080039
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	2.14
Formation End Depth:	4.57
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1005080038
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	68
Mat3 Desc:	DRY
Formation Top Depth:	0
Formation End Depth:	2.14
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1005080040
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		CLAY			
Mat2 Desc:		85			
Mat3:		SOFT			
Mat3 Desc:		91			
Formation Top Depth:		WATER-BEARING			
Formation End Depth:		4.57			
Formation End Depth UOM:		6.1			
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080048			
Layer:		1			
Plug From:		0			
Plug To:		2.74			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080049			
Layer:		2			
Plug From:		2.74			
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005080047			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005080037			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005080043			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.1			
Casing Diameter:		4.02			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005080044			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.1			
Screen End Depth:		6.1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:		5 m cm 4.82			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		1005080042 m			
<u>Hole Diameter</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1005080041 8.25 0 6.1 m cm			
126	1 of 2	WNW/228.6	76.8 / 1.27	WALLACE KEARNEY MCGILL ADVERTISING 412 MACLAREN ST. OTTAWA ON K2P 0M8	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON1318700 92,93,97,98 7741 ADVERTISING AGENCIES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		264 PHOTOPROCESSING WASTES			
126	2 of 2	WNW/228.6	76.8 / 1.27	WALLACE KEARNEY MCGILL ADVERTISING41- 370 412 MACLAREN ST. OTTAWA ON K2P 0M8	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON1318700 94,95,96 7741 ADVERTISING AGENCIES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		264 PHOTOPROCESSING WASTES			
127	1 of 9	WNW/228.8	77.6 / 2.00	Canvet Publications Ltd. 359 Kent St Suite 407	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON K2P 0R6					
Established:		1972			
Plant Size (ft²):					
Employment:		9			
--Details--					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
127	2 of 9	WNW/228.8	77.6 / 2.00	CANVET PUBLICATIONS LTD. 359 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	GEN
Generator No:		ON0507900		PO Box No:	
Status:				Country:	
Approval Years:		86,87		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		2841			
SIC Description:		NEWSPAPER, ETC. IND.			
Detail(s)					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
127	3 of 9	WNW/228.8	77.6 / 2.00	CANVET PUBLICATIONS LTD. 08-145 359 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	GEN
Generator No:		ON0507900		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		2841			
SIC Description:		NEWSPAPER, ETC. IND.			
Detail(s)					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
127	4 of 9	WNW/228.8	77.6 / 2.00	CANVET PUBLICATIONS LTD. 359 KENT STREET SUITE 504 OTTAWA ON	GEN
Generator No:		ON0507900		PO Box No:	
Status:				Country:	
Approval Years:		99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		2841			
SIC Description:		NEWSPAPER, ETC. IND.			
Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
127	5 of 9	WNW/228.8	77.6 / 2.00	DOMINION COMMAND ROYAL CANADIAN LEGION 359 KENT STREET PRINT SHOP OTTAWA ON K2P 0R7	GEN
Generator No:	ON1762300			PO Box No:	
Status:				Country:	
Approval Years:	93,95,96,97,98,99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9861				
SIC Description:	CIVIC/FRAT. ORGAN.				
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
127	6 of 9	WNW/228.8	77.6 / 2.00	DOMINION COMMAND ROYAL CANADIAN LEGION 359 KENT STREET OTTAWA ON K2P 0R7	GEN
Generator No:	ON1762300			PO Box No:	
Status:				Country:	
Approval Years:	94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9861				
SIC Description:	CIVIC/FRAT. ORGAN.				
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
127	7 of 9	WNW/228.8	77.6 / 2.00	359 Kent Street Ottawa ON K2P 0R6	EHS
Order No:	20050826023			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Basic Report			Client Prov/State:	ON
Report Date:	9/7/2005			Search Radius (km):	0.25
Date Received:	8/26/2005			X:	-75.697223
Previous Site Name:				Y:	45.413547
Lot/Building Size:					
Additional Info Ordered:					
127	8 of 9	WNW/228.8	77.6 / 2.00	Taggart Corporation 359 Kent St Ottawa ON K2P 0R6	GEN
Generator No:	ON9791017			PO Box No:	
Status:				Country:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	07,08 531310	Real Estate Property Managers		Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	243 PCB'S				
127	9 of 9	WNW/228.8	77.6 / 2.00	359 Kent Street Ltd. 359 Kent Street Ottawa ON K2P 0R6	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON6916212 2010 531310	Real Estate Property Managers		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	212 ALIPHATIC SOLVENTS				
128	1 of 1	NW/229.0	76.9 / 1.30	Soundmaster Ltd. 386 MacLaren St Ottawa ON K2P 0M8	SCT
Established: Plant Size (ft²): Employment:	01-OCT-47 2000				
--Details--					
Description: SIC/NAICS Code:	Radio and Television Broadcasting and Wireless Communications Equipment Manufacturing 334220				
Description: SIC/NAICS Code:	Semiconductor and Other Electronic Component Manufacturing 334410				
Description: SIC/NAICS Code:	Audio and Video Equipment Manufacturing 334310				
Description: SIC/NAICS Code:	Audio and Video Equipment Manufacturing 334310				
129	1 of 1	NNW/229.3	75.9 / 0.28	PRIVATE OWNER LOT BESIDE 374 MACLAREN STREET. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K2P 0M6	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event:	172618 9/12/1999 OTHER CONTAINER LEAK			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: NOT ANTICIPATED Nature of Impact: Receiving Medium: WATER Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 9/13/1999 Dt Document Closed: Incident Reason: UNKNOWN Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: PRIVATE AUTO-20 L GASOLINE TO CATCHBASIN,FDPD,CLEANED-UP. Contaminant Qty:		Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20101 Site Lot: Site Conc: Northing: Easting: CITY,PD,FD. Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:			

130	1 of 1	SSE/230.7	73.9 / -1.69	37 FLORA ST OTTAWA ON	WWIS
Well ID: 7216268 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z180051 Tag: A154274 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 2/10/2014 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 37 FLORA ST County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

[PDF URL \(Map\):](#)

Bore Hole Information

Bore Hole ID: 1004708035 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 12/4/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 70.427734 Elevrc: Zone: 18 East83: 445750 North83: 5028833 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
---	--	---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080013
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 1.83
Formation End Depth: 4.57
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080014
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 4.57
Formation End Depth: 7.62
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080012
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 85
Mat2 Desc: SOFT
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0
Formation End Depth: 1.83
Formation End Depth UOM: m

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1005080022
Layer: 1
Plug From: 0
Plug To: 4.27
Plug Depth UOM: m

Annular Space/Abandonment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Sealing Record</u>					
Plug ID:		1005080023			
Layer:		2			
Plug From:		4.27			
Plug To:		7.62			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005080021			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005080011			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005080017			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.57			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005080018			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.57			
Screen End Depth:		7.62			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005080016			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005080015			
Diameter:		8.25			
Depth From:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		7.62			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
131	1 of 1	SW/231.0	74.9 / -0.69	Ultramar Ltd. 444 Gladstone Ottawa ON	SPL
Ref No:	8715-9E9NNE			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2013/12/10			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Unknown / N/A			Sector Type:	Tank - Indoors
Incident Event:				Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	FURNACE OIL			Site Address:	444 Gladstone
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	Ottawa
Nature of Impact:	Surface Water Pollution			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	Referral to others			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2013/12/10			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Unknown / N/A			Source Type:	
Site Name:	Residence<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA Ultramar Canada furnace oil to drain, cntnd				
Contaminant Qty:	0 other - see incident description				
132	1 of 3	SSE/234.1	73.8 / -1.74	400 McLeod Street Ottawa ON K2P 1A6	RSC
RSC ID:				Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:				Intended Prop Use:	
Curr Property Use:				Qual Person Name:	
Ministry District:	Ottawa			Stratified (Y/N):	N
Filing Date:	07/27/01			Audit (Y/N):	
Date Ack:	08/03/01			Entire Leg Prop. (Y/N):	
Date Returned:				Accuracy Estimate:	
Restoration Type:	Generic			Telephone:	
Soil Type:	Coarse			Fax:	
Criteria:	Ind/Comm + Nonpotable			Email:	
CPU Issued Sect 1686:					
Asmt Roll No:					
Prop ID No (PIN):					
Property Municipal Address:					
Mailing Address:					
Latitude & Longitude:					
UTM Coordinates:					
Consultant:	J.D. Paterson & Associates Ltd.				
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
132	2 of 3	SSE/234.1	73.8 / -1.74	400 McLeod Street Ottawa ON K2P 1A6	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:		3761-4UMTZX 01 4/20/01 Municipal & Private sewage Approved New Certificate of Approval Domicile Holdings (2000) Inc. 371A Richmond Road Ottawa K2A 0E7 This application is for the construction of a stormwater management facility to serve the Flora/McLeod development project.			
Contaminants: Emission Control:					
132	3 of 3	SSE/234.1	73.8 / -1.74	Domicile Holdings (2000) Inc. 400 McLeod Street Ottawa ON K2A 0E7	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		3761-4UMTZX 2001-04-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS 400 McLeod Street https://www.accessenvironment.ene.gov.on.ca/instruments/8003-4TZL66-14.pdf		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa Ottawa -75.69377 45.410849999999996
133	1 of 1	SSE/234.8	73.9 / -1.69	37 FLORA ST OTTAWA ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		7216272 Monitoring and Test Hole 0 Monitoring and Test Hole Z180055 A154271		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	2/10/2014 Yes 7241 7 37 FLORA ST OTTAWA OTTAWA CITY
PDF URL (Map):					
Bore Hole Information					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1004708047			Elevation:	70.399375
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445751
Code OB Desc:				North83:	5028829
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/4/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 1005080066
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 1.83
Formation End Depth: 3.1
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005080067
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 3.1
Formation End Depth: 4.57
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005080065
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 85
Mat2 Desc: SOFT
Mat3: 68
Mat3 Desc: DRY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0			
Formation End Depth:		1.83			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080076			
Layer:		2			
Plug From:		1.22			
Plug To:		4.57			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005080075			
Layer:		1			
Plug From:		0			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005080074			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005080064			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005080070			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005080071			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1005080069			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005080068			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

134	1 of 2	SSW/235.6	73.8 / -1.80	CHSS International Investment & Management Ltd. 423-425 McLeod Street Ottawa, ON K2P 1A5 Canada ON	EBR
EBR Registry No:	013-5318			Decision Posted:	March 2, 2020
Ministry Ref No:	7382-BAPM3A			Exception Posted:	
Notice Type:	Instrument			Section:	Part II.1 (20.3 or 20.5)
Notice Stage:	Decision			Act 1:	Environmental Protection Act, R.S.O. 1990
Notice Date:				Act 2:	Environmental Protection Act
Proposal Date:	June 19, 2019			Site Location Map:	45.410755,-75.695149
Year:	2019				
Instrument Type:	Environmental Compliance Approval (sewage)				
Off Instrument Name:	Environmental Compliance Approval (sewage) (OWRA s.53)				
Posted By:	Ministry of the Environment, Conservation and Parks				
Company Name:					
Site Address:	423-425 McLeod Street Ottawa, ON K2P 1A5 Canada				
Location Other:					
Proponent Name:	CHSS International Investment & Management Ltd.				
Proponent Address:	904 Mooney Avenue Ottawa, ON K2A 3A1 Canada				
Comment Period:	June 19, 2019 - August 3, 2019 (45 days) Closed				
URL:	https://ero.ontario.ca/notice/013-5318				
Site Location Details:					

134	2 of 2	SSW/235.6	73.8 / -1.80	CHSS International Investment & Management Ltd. 423-425 McLeod Street 443-447 Kent Street Ottawa ON K2A 3A1	ECA
Approval No:	0029-BLYPMZ			MOE District:	
Approval Date:	2020-02-25			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Link Source: IDS SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 423-425 McLeod Street 443-447 Kent Street Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7382-BAPM3A-14.pdf					
135	1 of 1	ENE/235.7	73.1 / -2.45	322 Waverly Street Ottawa Ontario Ottawa ON K2P 0W3	EHS
Order No: 20190510179 Status: C Report Type: Standard Report Report Date: 16-MAY-19 Date Received: 10-MAY-19 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.69184 Y: 45.414019					
136	1 of 3	E/235.8	72.9 / -2.69	Canadian Library Association 328 Frank St Suite 602 Ottawa ON K2P 0X8	SCT
Established: 1946 Plant Size (ft²): 1200 Employment: 12					
136	2 of 3	E/235.8	72.9 / -2.69	Canadian Library Trustees Assn 328 Frank St Ottawa ON K2P 0X8	SCT
Established: 1946 Plant Size (ft²): Employment: 8 --Details-- Description: Book Publishers SIC/NAICS Code: 511130 Description: Libraries SIC/NAICS Code: 519121					
136	3 of 3	E/235.8	72.9 / -2.69	328 Frank St Ottawa ON K2P 0X8	EHS
Order No: 20121025036 Status: C Report Type: Custom Report Report Date: 01-NOV-12 Date Received: 25-OCT-12 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.691365 Y: 45.413345					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
137	1 of 2	E/238.8	72.9 / -2.67	377 O'Connor Street Ottawa ON K2P 2M2	EHS
Order No:	20051117018			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	11/28/2005			Search Radius (km):	0.25
Date Received:	11/17/2005			X:	-75.690913
Previous Site Name:				Y:	45.413029
Lot/Building Size:					
Additional Info Ordered:					

137	2 of 2	E/238.8	72.9 / -2.67	377 O'Connor Street Ottawa ON K2P 2M2	EHS
Order No:	20200616045			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	19-JUN-20			Search Radius (km):	.25
Date Received:	16-JUN-20			X:	-75.6908987
Previous Site Name:				Y:	45.4130545
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

138	1 of 1	WNW/239.9	77.6 / 2.07	7, 9, 11 FLORENCE ST. OTTAWA ON	WWIS
Well ID:	7103047			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	3/18/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	4
Audit No:	Z62488			Owner:	
Tag:	A070252			Street Name:	7, 9, 11 FLORENCE ST.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107103047.pdf

Bore Hole Information

Bore Hole ID:	1001551403	Elevation:	73.258171
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445461
Code OB Desc:		North83:	5029169
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	3/5/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Location Source Date:
 Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 1001562395
 Layer: 3
 Color: 2
 General Color: GREY
 Mat1: 05
 Most Common Material: CLAY
 Mat2:
 Mat2 Desc:
 Mat3: 85
 Mat3 Desc: SOFT
 Formation Top Depth: 4.51
 Formation End Depth: 5.79
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1001562394
 Layer: 2
 Color: 2
 General Color: GREY
 Mat1: 05
 Most Common Material: CLAY
 Mat2:
 Mat2 Desc:
 Mat3: 85
 Mat3 Desc: SOFT
 Formation Top Depth: 2.44
 Formation End Depth: 4.51
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1001562393
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 01
 Most Common Material: FILL
 Mat2: 28
 Mat2 Desc: SAND
 Mat3: 85
 Mat3 Desc: SOFT
 Formation Top Depth: 0
 Formation End Depth: 2.44
 Formation End Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 1001562397
 Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0			
Plug To:		2.44			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001562398			
Layer:		2			
Plug From:		2.44			
Plug To:		5.79			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1001562403			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		GEOPROBE			
<u>Pipe Information</u>					
Pipe ID:		1001562391			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001562400			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		2.74			
Casing Diameter:		.04			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001562401			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1001562392			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		1001562399			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1001562396			
Diameter:		8.39			
Depth From:					
Depth To:		5.79			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[139](#) 1 of 1 SSE/240.2 75.0 / -0.61 37 FLORA ST OTTAWA ON [WWIS](#)

Well ID:	7216269	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	2/10/2014
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z180052	Owner:	
Tag:	A152631	Street Name:	37 FLORA ST
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

[PDF URL \(Map\):](#)

Bore Hole Information

Bore Hole ID:	1004708038	Elevation:	70.324569
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445753
Code OB Desc:		North83:	5028824
Open Hole:		Org CS:	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	4
Date Completed:	12/4/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080026
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 2.74
Formation End Depth: 4.57
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080025
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 85
Mat2 Desc: SOFT
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0
Formation End Depth: 2.74
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080027
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 4.57
Formation End Depth: 7.62
Formation End Depth UOM: m

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1005080036			
Layer:		2			
Plug From:		4.27			
Plug To:		7.62			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005080035			
Layer:		1			
Plug From:		0			
Plug To:		4.27			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005080034			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005080024			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005080030			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.57			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005080031			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.57			
Screen End Depth:		7.62			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005080029			
Layer:					
Kind Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:					
Water Found Depth:					
Water Found Depth UOM: m					
Hole Diameter					
Hole ID: 1005080028					
Diameter: 8.25					
Depth From: 0					
Depth To: 7.62					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
140	1 of 1	WNW/240.5	77.6 / 2.07	422 Maclaren St Ottawa ON K2P0M8	EHS
Order No: 20140109002					
Status: C					
Report Type: Custom Report					
Report Date: 15-JAN-14					
Date Received: 09-JAN-14					
Previous Site Name:					
Lot/Building Size:					
Additional Info Ordered:					
Nearest Intersection:					
Municipality:					
Client Prov/State: ON					
Search Radius (km): .25					
X: -75.697009					
Y: 45.41394					
141	1 of 2	WNW/241.7	77.6 / 2.00	WILLIAM E. CARSON, DC 430 MACLAREN STREET OTTAWA ON K2P 0M8	GEN
Generator No: ON1101800					
Status:					
Approval Years: 88,89,90,99,00,01					
Contam. Facility:					
MHSW Facility:					
SIC Code: 8661					
SIC Description: CHIRO./OSTEOPATHS					
PO Box No:					
Country:					
Choice of Contact:					
Co Admin:					
Phone No Admin:					
Detail(s)					
Waste Class: 264					
Waste Class Desc: PHOTOPROCESSING WASTES					
141	2 of 2	WNW/241.7	77.6 / 2.00	WILLIAM E. CARSON, DC 41-254 430 MACLAREN STREET OTTAWA ON K2P 0M8	GEN
Generator No: ON1101800					
Status:					
Approval Years: 92,93,94,95,96,97,98					
Contam. Facility:					
MHSW Facility:					
SIC Code: 8661					
SIC Description: CHIRO./OSTEOPATHS					
PO Box No:					
Country:					
Choice of Contact:					
Co Admin:					
Phone No Admin:					
Detail(s)					
Waste Class: 264					
Waste Class Desc: PHOTOPROCESSING WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
142	1 of 1	WNW/242.4	77.9 / 2.31	CANVET PUBLICATIONS LTD. 354 KENT STREET, SUITE 504 OTTAWA ON K2P 0R6	GEN
Generator No:	ON0507900			PO Box No:	
Status:				Country:	
Approval Years:	88,89			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2841				
SIC Description:	NEWSPAPER, ETC. IND.				
Detail(s)					
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
143	1 of 3	NNE/242.9	74.9 / -0.69	278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	EHS
Order No:	20191112287			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	15-NOV-19			Search Radius (km):	.25
Date Received:	12-NOV-19			X:	-75.693682
Previous Site Name:				Y:	45.414984
Lot/Building Size:					
Additional Info Ordered:					
143	2 of 3	NNE/242.9	74.9 / -0.69	278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	EHS
Order No:	20191112287			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	15-NOV-19			Search Radius (km):	.25
Date Received:	12-NOV-19			X:	-75.693682
Previous Site Name:				Y:	45.414984
Lot/Building Size:					
Additional Info Ordered:					
143	3 of 3	NNE/242.9	74.9 / -0.69	278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	EHS
Order No:	20191112287			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	15-NOV-19			Search Radius (km):	.25
Date Received:	12-NOV-19			X:	-75.693682
Previous Site Name:				Y:	45.414984
Lot/Building Size:					
Additional Info Ordered:					
144	1 of 4	SE/245.1	74.9 / -0.69	CWG Footcare Inc. 485 Bank St Suite 209 Ottawa ON K2P 1Z2	SCT
Established:	1988				
Plant Size (ft²):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Employment: 7

--Details--

Description: Medical Equipment and Supplies Manufacturing
SIC/NAICS Code: 339110

144	2 of 4	SE/245.1	74.9 / -0.69	PBC Delvelopment and Construction Management Group 485 Bank St Ottawa ON K2P 1Z2	GEN
---------------------	--------	----------	--------------	--	-----

Generator No:	ON2756411	PO Box No:	
Status:		Country:	
Approval Years:	05	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	236220		
SIC Description:	Commercial and Institutional Building Construction		

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

144	3 of 4	SE/245.1	74.9 / -0.69	PBC Development and Construction Management Group 485 Bank St, Suite 205 Ottawa ON K2P 1Z2	GEN
---------------------	--------	----------	--------------	--	-----

Generator No:	ON6639069	PO Box No:	
Status:		Country:	
Approval Years:	05	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class: 243
Waste Class Desc: PCB'S

144	4 of 4	SE/245.1	74.9 / -0.69	PBC Development & Construction Management Group In 485 Bank Street Suit 205 Ottawa ON K2P 1Z2	GEN
---------------------	--------	----------	--------------	---	-----

Generator No:	ON8948647	PO Box No:	
Status:		Country:	
Approval Years:	07,08	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	236110 236210 236220		
SIC Description:	Residential Building Construction, Industrial Building and Structure Construction, Commercial and Institutional Building Construction		

Detail(s)

Waste Class: 221

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		LIGHT FUELS			
145	1 of 1	SE/245.8	74.6 / -1.00	STUDIO ARGYLE INC. 255 ARGYLE STREET (SWM) OTTAWA CITY ON K2P 2N7	CA
Certificate #:		3-0493-99-			
Application Year:		99			
Issue Date:		6/16/1999			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
146	1 of 1	N/246.0	75.9 / 0.31	AUBUT & NADEAU SERVICES INC. 342 MCLAREN STREET OTTAWA ON K2P 0M6	GEN
Generator No:		ON1785700		PO Box No:	
Status:				Country:	
Approval Years:		94		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6571			
SIC Description:		CAMERA/PHOTO. SUPPLY			
Detail(s)					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
147	1 of 1	NNE/246.8	74.9 / -0.69	OTTAWA CITY - BANK STREET GILMOUR ST./O'CONNOR ST. OTTAWA CITY ON	CA
Certificate #:		3-0369-91-			
Application Year:		91			
Issue Date:		4/16/1991			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
148	1 of 1	E/248.2	72.9 / -2.70	GLADSTONE AVENUE OTTAWA ON	WWIS
Well ID:		7210740		Data Entry Status:	
Construction Date:				Data Src:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z155043 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Date Received: 11/12/2013 Selected Flag: Yes Abandonment Rec: Yes Contractor: 1119 Form Version: 7 Owner: Street Name: GLADSTONE AVENUE County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210740.pdf			

Bore Hole Information

Bore Hole ID: 1004625767 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 9/25/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	Elevation: 71.357742 Elevrc: Zone: 18 East83: 445914 North83: 5029087 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr
---	---

Annular Space/Abandonment Sealing Record

Plug ID: 1004875132 Layer: 2 Plug From: 2 Plug To: 0 Plug Depth UOM: ft
--

Annular Space/Abandonment Sealing Record

Plug ID: 1004875130 Layer: 1 Plug From: 0 Plug To: 20 Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1004875131 Layer: 1

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		20			
<i>Plug To:</i>		2			
<i>Plug Depth UOM:</i>		ft			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004875129			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004875123			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004875127			
<i>Layer:</i>					
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1004875128			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>					
<u>Water Details</u>					
<i>Water ID:</i>		1004875126			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1004875125			
<i>Diameter:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Hole Depth UOM:</i>		ft			
<i>Hole Diameter UOM:</i>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
149	1 of 2	WNW/248.2	77.6 / 2.07	422/430 MacLaren Street Ottawa ON K2P 0M8	EHS
Order No:	20200221063			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	26-FEB-20			Search Radius (km):	.25
Date Received:	21-FEB-20			X:	-75.69712578
Previous Site Name:				Y:	45.41393729
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				
149	2 of 2	WNW/248.2	77.6 / 2.07	422/430 MacLaren Street Ottawa ON K2P 0M8	EHS
Order No:	20200221063			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	26-FEB-20			Search Radius (km):	.25
Date Received:	21-FEB-20			X:	-75.69712578
Previous Site Name:				Y:	45.41393729
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				
150	1 of 2	NW/249.4	76.9 / 1.31	380 & 386 Somerset St W/296 Bank St Ottawa ON	EHS
Order No:	20040317015			Nearest Intersection:	Bank St & Sommerset St W
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	3/26/04			Search Radius (km):	0.25
Date Received:	3/17/04			X:	-75.696447
Previous Site Name:				Y:	45.415117
Lot/Building Size:					
Additional Info Ordered:					
150	2 of 2	NW/249.4	76.9 / 1.31	DUFRESNE PILING COMPANY (1967) LTD. 380 SOMERSET STREET WEST OTTAWA ON K2P 2R2	GEN
Generator No:	ON3389146			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	213117				
SIC Description:	Contract Drilling (except Oil and Gas)				
151	1 of 8	NE/249.4	73.8 / -1.73	OTTAWA BOARD OF EDUCATION 330 GILMOUR STREET OTTAWA ON K2P 2P6	GEN
Generator No:	ON0375206			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	0008				
SIC Description:	EXEMPT				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
151	2 of 8	NE/249.4	73.8 / -1.73	OTTAWA BOARD OF EDUCATION 29-129 330 GILMOUR STREET OTTAWA ON K2P 2P6	GEN
Generator No:	ON0375206			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	0008				
SIC Description:	EXEMPT				
151	3 of 8	NE/249.4	73.8 / -1.73	OTTAWA BOARD OF EDUCATION ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	GEN
Generator No:	ON0375222			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8511				
SIC Description:	ELEMT./SECON. EDUC.				
Detail(s)					
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
151	4 of 8	NE/249.4	73.8 / -1.73	OTTAWA (SEE&USE ON1285703) ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	GEN
Generator No:	ON0375222			PO Box No:	
Status:				Country:	
Approval Years:	90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8511				
SIC Description:	ELEMT./SECON. EDUC.				
151	5 of 8	NE/249.4	73.8 / -1.73	OTTAWA (SEE&USE ON1285703) 29-129 ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	GEN
Generator No:	ON0375222			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8511				
SIC Description:	ELEMT./SECON. EDUC.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
151	6 of 8	NE/249.4	73.8 / -1.73	1384274 Ontario Incorporated 330 GILMOUR ST, OTTAWA, ON, K2P 2P6 OTTAWA ON K2P 2P6	RSC
RSC ID:	59510			Cert Date:	28-Aug-08
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Institutional			Qual Person Name:	Paul Rothwell
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	3-Sep-09			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	No
Date Returned:				Accuracy Estimate:	11 to 20 meters
Restoration Type:				Telephone:	613-2267266x221
Soil Type:				Fax:	613-2267161
Criteria:				Email:	prothwell@ashcroft-homes.com
CPU Issued Sect 1686:	No				
Asmt Roll No:	0614042 - 10102100				
Prop ID No (PIN):	04118-0064 LT				
Property Municipal Address:	330 GILMOUR ST, OTTAWA, ON, K2P 2P6				
Mailing Address:	18 ANTARES DR, NEPEAN, ON, K2E 1A9				
Latitude & Longitude:	45.41500000N 75.69222220W				
UTM Coordinates:	NAD83 18-445838-5029286 (converted from Latitude & Longitude)				
Consultant:					
Legal Desc:	Lots 7 & 8, Plan 15558, E/S O'Connor St; Lots 1 & 2, Plan 15558, W/S Wallace Place (AKA Gladstone Place); Wallace Place (AKA Gladstone Place) as closed by CR449725; Part of Lots 1 & 2, Plan 15558, E/S Wallace Place (AKA Gladstone Place), as in CR423316; S/T CR475252, Ottawa/Nepean. RSC Site Description: Part of Lots 7 & 8, Plan 15558, E/S O'Connor St; Lots 1 & 2, Plan 15558, W/S Wallace Place (AKA Gladstone Place); Wallace Place (AKA Gladstone Place) as closed by CR449725; Part of Lots 1 & 2, Plan 15558, E/S Wallace Place (AKA Gladstone Place), as in CR423316; S/T CR475252, Ottawa/Nepean. (as in Parts 3, 4 and 5 on Plan 4R-23803)				
Measurement Method:	Digitized from a satellite image				
Applicable Standards:	ESA Phase 1				
RSC PDF:					
151	7 of 8	NE/249.4	73.8 / -1.73	1384274 Ontario Inc. 330 Gilmour St Ward 14 Ottawa ON K2P 2P6	CA
Certificate #:	9606-88TP5T				
Application Year:	2010				
Issue Date:	8/31/2010				
Approval Type:	Municipal and Private Sewage Works				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
151	8 of 8	NE/249.4	73.8 / -1.73	1384274 Ontario Inc. 330 Gilmour St Ward 14 Ottawa ON K2E 1A9	ECA
Approval No:	9606-88TP5T			MOE District:	Ottawa
Approval Date:	2010-08-31			City:	
Status:	Approved			Longitude:	-75.69230999999999
Record Type:	ECA			Latitude:	45.415023999999995
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Address:		330 Gilmour St Ward 14			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/2911-843PWJ-14.pdf			
152	1 of 1	SW/249.5	76.0 / 0.39	Unico Auto Service 457 Gladstone avenue Ottawa ON K1R 5N7	GEN
Generator No:	ON5620042			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
153	1 of 3	ESE/249.5	72.5 / -3.03	Ashcroft Homes 320 McLeod Street Ottawa ON K2P 1A3	GEN
Generator No:	ON7657748			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
153	2 of 3	ESE/249.5	72.5 / -3.03	1230173 Ontario Inc. 320 McLeod Street Ottawa ON	CA
Certificate #:	6288-642PV2				
Application Year:	2004				
Issue Date:	8/31/2004				
Approval Type:	Municipal and Private Sewage Works				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
153	3 of 3	ESE/249.5	72.5 / -3.03	1230173 Ontario Inc. 320 McLeod Street Ottawa ON K2E 1A9	ECA
Approval No:	6288-642PV2			MOE District:	Ottawa
Approval Date:	2004-08-31			City:	
Status:	Approved			Longitude:	-75.69210000000001
Record Type:	ECA			Latitude:	45.4106
Link Source:	IDS			Geometry X:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SWP Area Name: Rideau Valley Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 320 McLeod Street Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0174-62QH6W-14.pdf					

154	1 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK STREET OTTAWA ON K2P 1X8	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					

154	2 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK STREET OTTAWA ON K2P 1X8	PES
Detail Licence No: 23-01-10066-0 Licence No: 10066 Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: 4 District: 2 County: 15 Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 4 Operator District: 2 Operator County: 15 Op Municipality: Post Office Box: MOE District: SWP Area Name:					

154	3 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK ST OTTAWA ON K2P 1X8	PES
Detail Licence No: Licence No: Status:					
Operator Box: Operator Class: Operator No:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
154	4 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK ST OTTAWA ON K2P 1X8	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
154	5 of 18	NW/249.6	76.9 / 1.36	Parson Refrigeration (1985) Ltd. 296 Bank St. Ottawa ON K2P 1X8	SPL
Ref No: 5430-849QV8 Site No: Incident Dt: Year: Incident Cause: Valve / Fitting Leak Or Failure Incident Event: Contaminant Code: 38 Contaminant Name: REFRIGERANT GAS, N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Air Pollution Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 4/6/2010 Dt Document Closed:					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Reason: Spill Source Type: Site Name: Hartman's Independant Grocer<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Parsons Ref: 235 lbs R507 to Air Contaminant Qty:					
154	6 of 18	NW/249.6	76.9 / 1.36	Bank and Somerset Holdings Limited 296 Bank Street Ottawa ON K2P 1X8	CA
Certificate #: 5155-5W4MG7 Application Year: 2004 Issue Date: 3/1/2004 Approval Type: Municipal and Private Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
154	7 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK ST OTTAWA ON K2P 1X8	PES
Detail Licence No: 23-01-16480-0 Operator Box: Licence No: Operator Class: Status: Operator No: Approval Date: Operator Type: Report Source: Oper Area Code: Licence Type: LIMITED Oper Phone No: Licence Type Code: Operator Ext: Licence Class: Operator Lot: Licence Control: Oper Concession: Latitude: Operator Region: Longitude: Operator District: Lot: Operator County: Concession: Op Municipality: Region: Post Office Box: District: MOE District: County: SWP Area Name: Trade Name: PDF Link:					
154	8 of 18	NW/249.6	76.9 / 1.36	Parson Refrigeration (1985) Ltd. 296 Bank St Ottawa ON	SPL
Ref No: 7666-9ZVTFZ Discharger Report: Site No: NA Material Group: Incident Dt: 8/30/2015 Health/Env Conseq: Year: Client Type: Incident Cause: Sector Type: Unknown / N/A Incident Event: Agency Involved: Contaminant Code: 38 Nearest Watercourse: Contaminant Name: REFRIGERANT GAS, N.O.S. Site Address: 296 Bank St					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
County: Trade Name: PDF Link:				SWP Area Name:	
154	11 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK ST OTTAWA ON K2P1X8	PES
Detail Licence No: Licence No: 16480 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 2348692 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
154	12 of 18	NW/249.6	76.9 / 1.36	Bank and Somerset Holdings Limited 296 Bank Street Ottawa ON K2P 1X8	ECA
Approval No: 5155-5W4MG7 Approval Date: 2004-03-01 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 296 Bank Street Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5932-5SUMTJ-14.pdf		MOE District: Ottawa City: Longitude: -75.6962 Latitude: 45.41505 Geometry X: Geometry Y:			
154	13 of 18	NW/249.6	76.9 / 1.36	Loblaw Companies Limited 296 Bank St. Ottawa ON K2P 1X8	GEN
Generator No: ON9102901 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 445110 SIC Description: SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES		PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:			
Detail(s)					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
154	14 of 18	NW/249.6	76.9 / 1.36	Loblaws Companies Limited 296 Bank St. Ottawa ON K2P 1X8	GEN
Generator No:	ON9102901			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	445110				
SIC Description:	SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
154	15 of 18	NW/249.6	76.9 / 1.36	LOBLAWS INC. 296 Bank St. Ottawa ON K2P 1X8	GEN
Generator No:	ON9102901			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	212 I				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
154	16 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK ST OTTAWA ON K2P1X8	PES
Detail Licence No:				Operator Box:	
Licence No:	10066			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	613
Licence Type:	Retail Vendor Class 03			Oper Phone No:	2348692
Licence Type Code:	21			Operator Ext:	
Licence Class:	03			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

154	17 of 18	NW/249.6	76.9 / 1.36	HARTMAN'S YOUR INDEPENDENT GROCER 296 BANK ST OTTAWA ON K2P1X8	PES
Detail Licence No:	23-01-10066-0			Operator Box:	
Licence No:	10066			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	613
Licence Type:	Limited Vendor			Oper Phone No:	2348692
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	4
Longitude:				Operator District:	2
Lot:				Operator County:	15
Concession:				Op Municipality:	
Region:	4			Post Office Box:	
District:	2			MOE District:	
County:	15			SWP Area Name:	
Trade Name:					
PDF Link:					

154	18 of 18	NW/249.6	76.9 / 1.36	LOBLAWS INC. 296 Bank St. Ottawa ON K2P 1X8	GEN
Generator No:	ON9102901			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
Waste Class:	212 I				
Waste Class Desc:	Aliphatic solvents and residues				

Unplottable Summary

Total: **66** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	MACDONALD DEVELOPMENT CORP.-PLAZA	EASEMENT-BANK STREET	OTTAWA CITY ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	Taggart Residential Developments Ltd.		Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Gilmour Street (O'Connor to Metcalfe Streets)	Ottawa ON	
CA	Taggart Residential Developments Ltd.		Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	Urban Capital (Gladstone) Inc.	Adjacent to Bank Street on the east side between McLeod Street and Gladstone Ave	Ottawa ON	
CA	Taggart Construction Limited	Mobile Facility	Ottawa ON	
CA	Taggart Residential Developments Ltd.		Ottawa ON	
CA	Taggart Residential Developments Ltd.		Ottawa ON	
CA	Taggart Residential Developments Ltd.		Ottawa ON	
CA		Willow, Lebreton, Raymond, Louisa, Bell, Eccles St.; Gladstone Ave.	Ottawa ON	
CA		Waverley Street	Ottawa ON	
CA		Gladstone Avenue	Ottawa ON	
CA		McLeod Street	Ottawa ON	
CA	OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	MACLAREN ST./MCLEOD ST. (CSO)	OTTAWA CITY ON	
CA		Lewis St, MacDonald St, Gilmour St, and Robert St	Ottawa ON	

CA		Waverley Street	Ottawa ON	
CA		Lewis St, MacDonald St, Gilmour St & Robert St	Ottawa ON	
CA		Gladstone Avenue	Ottawa ON	
CA		Waverley Street	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	MACLAREN ST/BANK ST/CARTIER ST	OTTAWA CITY ON	
CA	OTTAWA CITY	MACLAREN ST. COMBINED SEWERS	OTTAWA CITY ON	
CA	OTTAWA CITY	LEWIS STREET	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	GILMOUR STREET	OTTAWA CITY ON	
CA	THE DOUGLAS MACDONALD DEV. CORP.	COMMERCIAL PLAZA BANK STREET	OTTAWA CITY ON	
CA	MACDONALD DEVELOPMENT CORP.	BANK ST.	OTTAWA CITY ON	
CA	Quantum Murray GP Inc.	Mobile Facility	Ottawa ON	
CA	OSSORY CANADA INC.	PRIVATE BLDG. BANK ST.	OTTAWA CITY ON	
CONV	Taggart Construction Limited	Bank Street	South Ottawa ON	
CONV	Taggart Construction Limited		Ottawa ON	
EBR	Tomlinson Environmental Services Ltd.	Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA	ON	
EBR	Tomlinson Environmental Services Ltd.	Mobile Facility Ottawa CITY OF OTTAWA	ON	
EBR	Quantum Murray GP Inc.	Mobile Facility Ottawa CITY OF OTTAWA	ON	
EBR	Taggart Construction Limited	Mobile Facility Ottawa Ontario Ottawa	ON	
ECA	City of Ottawa	McLeod Street	Ottawa ON	K2G 5K7
ECA	Ultramar Ltd.	Part 1, Reference Plan 4R-23561	Ottawa ON	H3A 3L3
ECA	City of Ottawa	Gladstone Ave	Ottawa ON	K2G 6J8
ECA	Taggart Miller Environmental Services Inc.		Ottawa ON	K2P 1P9
ECA	Tomlinson Environmental	Mobile Facility	Ottawa ON	K1G 3N4

Services Ltd.

ECA	City of Ottawa	Waverly St., Elgin St., Gilmour St., And Cartier St.	Ottawa ON	K1P 1J1
ECA	Taggart Commercial Developments Ltd.		Ottawa ON	K2P 1P9
ECA	Taggart Aggregates Ltd.	Mobile Facility	Ottawa ON	K1V 8Y3
ECA	Taggart Miller Environmental Services Inc.		Ottawa ON	K2P 1P9
ECA	City of Ottawa	Florence St (from Kent Street to Bank Street)	Ottawa ON	K2G 6J8
ECA	Quantum Murray GP Inc.	Mobile Facility	Ottawa ON	K2C 0P9
ECA	Taggart Construction Limited	Mobile Facility	Ottawa ON	K1V 8Y3
EHS		Bank St	Ottawa ON	
EHS		Bank St	Ottawa ON	
GEN	Hydro Ottawa Ltd.	Bank St	Ottawa ON	
GEN	SPIC & SPAN-VALETOR-CASH CLEANERS	BILLINGS BRIDGE PLAZA, BANK STREET C/O 1764 WOODWARD DRIVE	OTTAWA ON	K2C 0P8
GEN	Tomlinson Environmental Services	All Catch Basins in the City of Ottawa Serviced by TES-Industrial Waste Division	Ottawa ON	K1N 1J1
GEN	City of Ottawa	Riverside Dr. Westbound 100m East of Bank St. to 100m West of Bank St.	Ottawa ON	K1H 7X5
RST	ULTRAMAR LTÉE	OTTAWA	OTTAWA ON	
SPL	Taggart Aggregates Ltd.		Ottawa ON	
SPL	Taggart Construction Limited		Ottawa ON	
SPL	TRANSPORT TRUCK	BANK ST. BRIDGE MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	
SPL	TAGGART SERVICES	TRAILER IN YARD TRANSPORT TRUCK (CARGO)	OTTAWA CITY ON	
SPL	ESSO PETROLEUM CANADA	BANK STREET SERVICE STATION	OTTAWA CITY ON	
SPL	OTTAWA-CARLETON, R.M. OF	KENT ST REGULATOR TO OTTAWA RIVER ON N.R.C. PROPERTY SANITARY SEWER SYSTEM	OTTAWA CITY ON	
SPL	OC TRANSP	BANK ST. SOUTH MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	

SPL	Tomlinson Environmental Services Ltd.		Ottawa ON	
SPL		Kent Street near Bank Street	Ottawa ON	
WDS	Tomlinson Environmental Services Ltd.	Carp	Ottawa ON	K0A 1L0
WDS	Taggart Miller Environmental Services Inc.		Ottawa ON	K2P 1P9

Unplottable Report

Site: **MACDONALD DEVELOPMENT CORP.-PLAZA**
EASEMENT-BANK STREET OTTAWA CITY ON

Database:
CA

Certificate #: 3-1864-86-
Application Year: 86
Issue Date: 12/19/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **City of Ottawa**
Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 7239-738KJA
Application Year: 2007
Issue Date: 6/18/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Taggart Residential Developments Ltd.**
Ottawa ON

Database:
CA

Certificate #: 7167-6SJU4P
Application Year: 2006
Issue Date: 8/17/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **City of Ottawa**
Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 6651-73WP47
Application Year: 2007

Issue Date: 6/6/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Gilmour Street (O'Connor to Metcalfe Streets) Ottawa ON

Database:
CA

Certificate #: 6597-5PZN2S
Application Year: 2003
Issue Date: 8/8/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Taggart Residential Developments Ltd.
Ottawa ON

Database:
CA

Certificate #: 4595-77ZKND
Application Year: 2007
Issue Date: 10/15/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 3692-6PGP9X
Application Year: 2006
Issue Date: 5/6/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Urban Capital (Gladstone) Inc.*
Adjacent to Bank Street on the east side between McLeod Street and Gladstone Ave Ottawa ON

Database:
CA

Certificate #: 1501-82LQJG
Application Year: 2010
Issue Date: 3/17/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Taggart Construction Limited*
Mobile Facility Ottawa ON

Database:
CA

Certificate #: 0636-7KEL2F
Application Year: 2008
Issue Date: 11/19/2008
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Taggart Residential Developments Ltd.*
Ottawa ON

Database:
CA

Certificate #: 0092-6MUKH2
Application Year: 2006
Issue Date: 3/13/2006
Approval Type: Municipal and Private Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Taggart Residential Developments Ltd.*
Ottawa ON

Database:
CA

Certificate #: 1090-89DRC4
Application Year: 2010
Issue Date: 9/23/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:

Contaminants:
Emission Control:

Site: **Taggart Residential Developments Ltd.**
Ottawa ON

Database:
CA

Certificate #: 1047-6MPLMW
Application Year: 2006
Issue Date: 3/24/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Willow, Lebreton, Raymond, Louisa, Bell, Eccles St.; Gladstone Ave. Ottawa ON**

Database:
CA

Certificate #: 3766-4K2NZ4
Application Year: 00
Issue Date: 5/8/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Construction of Watermains along Willow St. (Preston St. to Bell St.), Gladstone Ave. (approx. 15 m. west of Lebreton St. to Bronson Ave.), Raymond St. (approx. 13 m. east of Lebreton St. to approx. 14 m. west of Lebreton St.), Louisa St. (approx. 13 m. east of Lebreton St. to approx. 13 m. west of Lebreton St.), Bell St. (approx. 17 m. north of Willow St. to approx. 14 m. south of Gladstone Ave.), Eccles St. (approx 19 m. west of Lebreton St. to Bell St.), Bell St. (approx 8 m. north of Eccles St.)
Contaminants:
Emission Control:

Site: **Waverley Street Ottawa ON**

Database:
CA

Certificate #: 0020-4J3R8L
Application Year: 00
Issue Date: 4/6/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Watermains
Contaminants:
Emission Control:

Site: **Gladstone Avenue Ottawa ON**

Database:
CA

Certificate #: 4558-4LXLWW
Application Year: 00
Issue Date: 7/5/00

Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Watermains to be constructed on Gladstone Ave. and Percy St. in the City of Ottawa
Contaminants:
Emission Control:

Site: **McLeod Street Ottawa ON**

Database:
CA

Certificate #: 0461-54ATD3
Application Year: 01
Issue Date: 11/9/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Corporation of the City of Ottawa
Client Address: 101 Centrepointe Drive
Client City: Ottawa
Client Postal Code: K2G 5K7
Project Description: Watermain construction
Contaminants:
Emission Control:

Site: **OTTAWA CITY, DESIGN & CONSTRUCTION DIV.
MACLAREN ST./MCLEOD ST. (CSO) OTTAWA CITY ON**

Database:
CA

Certificate #: 3-0497-99-
Application Year: 99
Issue Date: 6/9/1999
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Lewis St, MacDonald St, Gilmour St, and Robert St Ottawa ON**

Database:
CA

Certificate #: 2865-4X3HKA
Application Year: 01
Issue Date: 5/31/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: This application is for the reconstruction of watermain and appurtenances in Lewis Street, MacDonald Street, Gilmour Street, Waverley Street and Robert Street.
Contaminants:
Emission Control:

Site: Waverley Street Ottawa ON **Database:** CA

Certificate #: 2252-4L5L5A
Application Year: 00
Issue Date: 6/14/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: Combined Sewers
Contaminants:
Emission Control:

Site: Lewis St, MacDonald St, Gilmour St & Robert St Ottawa ON **Database:** CA

Certificate #: 2454-4X3N3J
Application Year: 01
Issue Date: 5/31/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: This application is for the reconstruction of combined sewers in Lewis Street, MacDonald Street, Gilmour Street and Robert Street.
Contaminants:
Emission Control:

Site: Gladstone Avenue Ottawa ON **Database:** CA

Certificate #: 2461-4LXMEM
Application Year: 00
Issue Date: 7/5/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: Construction of Storm and Sanitary sewers on Gladstone Avenue from Bronson Avenue to Bay Street
Contaminants:
Emission Control:

Site: Waverley Street Ottawa ON **Database:** CA

Certificate #: 5545-57HJZ7
Application Year: 02
Issue Date: 2/19/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: City of Ottawa
Client Address: 110 Laurier Avenue West
Client City: City of Ottawa
Client Postal Code: K1P 1J1

Project Description: This application is for the replacement of combined sewers on Waverley Street from Robert Street to Queen Elizabeth Driveway, in the City of Ottawa.

Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
MACLAREN ST/BANK ST/CARTIER ST OTTAWA CITY ON

Database:
CA

Certificate #: 7-0590-97-
Application Year: 97
Issue Date: 7/7/1997
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: OTTAWA CITY
MACLAREN ST. COMBINED SEWERS OTTAWA CITY ON

Database:
CA

Certificate #: 3-0270-97-
Application Year: 97
Issue Date: 5/7/1997
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: OTTAWA CITY
LEWIS STREET OTTAWA CITY ON

Database:
CA

Certificate #: 3-0978-95-
Application Year: 95
Issue Date: 9/18/1995
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
GILMOUR STREET OTTAWA CITY ON

Database:
CA

Certificate #: 7-0854-87-
Application Year: 87
Issue Date: 6/19/1987
Approval Type: Municipal water
Status: Approved

Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: THE DOUGLAS MACDONALD DEV. CORP.
COMMERCIAL PLAZA BANK STREET OTTAWA CITY ON

Database:
CA

Certificate #: 7-1304-86-
Application Year: 86
Issue Date: 10/28/1986
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: MACDONALD DEVELOPMENT CORP.
BANK ST. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1072-88-
Application Year: 88
Issue Date: 9/28/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Quantum Murray GP Inc.
Mobile Facility Ottawa ON

Database:
CA

Certificate #: 7469-7TBQZK
Application Year: 2009
Issue Date: 7/14/2009
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: OSSORY CANADA INC.
PRIVATE BLDG. BANK ST. OTTAWA CITY ON

Database:
CA

Certificate #: 3-0515-87-
Application Year: 87
Issue Date: 4/23/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Taggart Construction Limited*
Bank Street South Ottawa ON

Database:
CONV

File No: 010503

Location:

Crown Brief No:

Region:

Court Location:

Ministry District:

Publication City:

Publication Title:

Act:

Act(s):

First Matter:

Second Matter:

Investigation 1:

Investigation 2:

Penalty Imposed:

Description:

On December 3, 2009, Taggart Construction Limited pleaded guilty to one violation under the Ontario Water Resources Act for failing to comply with a Provincial Officer Order to submit weekly water taking records showing daily water taking volumes. The company was contracted to install municipal services for the Findlay Creek Subdivision located on Bank Street in South Ottawa. A ministry inspection of the construction site in the fall of 2007 revealed concerns with water taking activities and a Provincial Officer Order was issued. One of the requirements of the Order, related to keeping accurate water taking records and submitting them to the ministry, was not complied with. The company was charged following an investigation by the ministry's Investigations and Enforcement Branch and was fined \$5,000 plus victim fine surcharge. The company was given 30 days to pay the fine.

Background:

URL:

Additional Details

Publication Date:

Count: 1

Act: Provincial Officer Order

Regulation:

Section:

Act/Regulation/Section: Provincial Officer Order

Date of Offence:

Date of Conviction:

Date Charged: December 3, 2009

Charge Disposition: fine, victim fine surcharge

Fine: \$5,000

Synopsis:

Site: *Taggart Construction Limited*
Ottawa ON

Database:
CONV

File No: 012802

Location:

Crown Brief No:

Region:

Court Location:

Ministry District:

Publication City:

Publication Title:

Act:

Act(s):

First Matter:

Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description:

Taggart Construction Limited, Paterson Group Inc. and Robert Passmore have been fined \$5,000 each, totalling \$15,000 plus a victim fine surcharge, after pleading guilty on January 15, 2009 to violations under the Ontario Water Resources Act. Taggart Construction Limited and Paterson Group Inc. were convicted of failing to comply with a Provincial Officer Order by taking more than 50,000 litres of water per day, and Mr. Passmore was convicted of giving false or misleading information to the ministry. The parties were given six months to pay the fine. The Court heard that Taggart Construction Limited was contracted by a developer to install municipal services at a subdivision in Ottawa which required dewatering activities. After being issued a Provincial Officer Order to restrict water taking activities to below 50,000 litres per day until a permit had been obtained, Taggart hired Paterson Group Inc. to submit an application for the permit. Taggart then pumped over 50,000 litres of water based on information provided by Paterson Group employee, Mr. Passmore, that the go ahead to pump had been given when a permit had yet to be issued. In an interview with ministry investigators, Mr. Passmore denied giving Taggart verbal approval to pump in excess of 50,000 litres per day. Taggart Construction Limited, Paterson Group Inc. and Mr. Passmore were charged following an investigation by the Ministry of the Environment's Investigations and Enforcement Branch.

Background:
URL:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section:
Act/Regulation/Section: OWRA
Date of Offence:
Date of Conviction:
Date Charged: January 15, 2009
Charge Disposition: fine, victim fine surcharge
Fine: \$5,000
Synopsis:

Site: Tomlinson Environmental Services Ltd.
Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA ON

Database:
EBR

EBR Registry No: 012-5951
Ministry Ref No: 5776-A4DKE9
Notice Type: Instrument Decision
Notice Stage: 828900730
Notice Date: March 07, 2018
Proposal Date: December 03, 2015
Year: 2015
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 970 Moodie Drive, Ottawa Ontario, Canada K2R 1H3
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA

Site: Tomlinson Environmental Services Ltd.
Mobile Facility Ottawa CITY OF OTTAWA ON

Database:
EBR

EBR Registry No: 011-5279
Ministry Ref No: 7519-8P2K34

Decision Posted:
Exception Posted:

Notice Type: Instrument Decision
Notice Stage: 803923223
Notice Date: February 11, 2016
Proposal Date: December 05, 2011
Year: 2011
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5597 Power Road, Ottawa Ontario, Canada K1G 3N4
Comment Period:
URL:

Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Mobile Facility Ottawa CITY OF OTTAWA

Site: **Quantum Murray GP Inc.**
Mobile Facility Ottawa CITY OF OTTAWA ON

Database:
EBR

EBR Registry No: 010-4342
Ministry Ref No: 9537-7FRRHX
Notice Type: Instrument Decision
Notice Stage:
Notice Date: July 20, 2009
Proposal Date: August 12, 2008
Year: 2008
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Quantum Murray GP Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 1749 Woodward Drive , 200, Ottawa Ontario, Canada K2C 0P9
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Mobile Facility Ottawa CITY OF OTTAWA

Site: **Taggart Construction Limited**
Mobile Facility Ottawa Ontario Ottawa ON

Database:
EBR

EBR Registry No: IA07E0165
Ministry Ref No: 8556-6XWUA3
Notice Type: Instrument Decision
Notice Stage: 803008003
Notice Date: December 09, 2008
Proposal Date: January 30, 2007
Year: 2007
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Taggart Construction Limited
Site Address:
Location Other:
Proponent Name:
Proponent Address: 3187 Albion Rd S, Ottawa Ontario, K1V 8Y3
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Mobile Facility Ottawa Ontario Ottawa

Site: *City of Ottawa*
McLeod Street Ottawa ON K2G 5K7

Database:
ECA

Approval No: 0461-54ATD3
Approval Date: 2001-11-09
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal and Private Water Works
Project Type: Municipal and Private Water Works
Address: McLeod Street
Full Address:
Full PDF Link:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Ultramar Ltd.*
Part 1, Reference Plan 4R-23561 Ottawa ON H3A 3L3

Database:
ECA

Approval No: 1928-8W2Q6W
Approval Date: 2012-07-10
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address: Part 1, Reference Plan 4R-23561
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/2244-8RJQ9S-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *City of Ottawa*
Gladstone Ave Ottawa ON K2G 6J8

Database:
ECA

Approval No: 3935-98BQWQ
Approval Date: 2013-08-01
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Gladstone Ave
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1525-95PLKG-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Taggart Miller Environmental Services Inc.*
Ottawa ON K2P 1P9

Database:
ECA

Approval No: 2172-BAGR2C
Approval Date: 2019-10-07
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address:
Full Address:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Tomlinson Environmental Services Ltd.
Mobile Facility Ottawa ON K1G 3N4

Database:
ECA

Approval No: 1685-A6EJ97
Approval Date: 2016-02-03
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7519-8P2K34-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: City of Ottawa
Waverly St., Elgin St., Gilmour St., And Cartier St. Ottawa ON K1P 1J1

Database:
ECA

Approval No: 3773-A6BH8E
Approval Date: 2016-02-11
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Waverly St., Elgin St., Gilmour St., And Cartier St.
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0094-9ZXRAY-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Taggart Commercial Developments Ltd.
Ottawa ON K2P 1P9

Database:
ECA

Approval No: 7279-9A3ND2
Approval Date: 2013-07-31
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8903-99ELG5-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Taggart Aggregates Ltd.
Mobile Facility Ottawa ON K1V 8Y3

Database:
ECA

Approval No: 2795-BB6LGF
Approval Date: 2019-09-03
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1998-B6BKSQ-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Taggart Miller Environmental Services Inc.
Ottawa ON K2P 1P9

Database:
ECA

Approval No: 4742-B3ULFF
Approval Date: 2019-03-07
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9364-AW7KFR-13.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: City of Ottawa
Florence St (from Kent Street to Bank Street) Ottawa ON K2G 6J8

Database:
ECA

Approval No: 7198-B76NXJ
Approval Date: 2018-12-13
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Florence St (from Kent Street to Bank Street)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6425-B6ZKDX-13.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Quantum Murray GP Inc.
Mobile Facility Ottawa ON K2C 0P9

Database:
ECA

Approval No: 7469-7TBQZK
Approval Date: 2009-07-14
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9537-7FRRHX-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Taggart Construction Limited
Mobile Facility Ottawa ON K1V 8Y3

Database:
ECA

Approval No: 0636-7KEL2F
Approval Date: 2008-11-19
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8556-6XWUA3-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Bank St Ottawa ON

Database:
EHS

Order No: 20060427021 **Nearest Intersection:**

Status: C
Report Type: Custom Report
Report Date: 5/5/2006
Date Received: 4/26/2006
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
X: -75.670288
Y: 45.364953

Site: Bank St Ottawa ON

Database:
[EHS](#)

Order No: 20031121005
Status: C
Report Type: Basic Report
Report Date: 11/25/03
Date Received: 11/21/03
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection: See Faxed Map
Municipality:
Client Prov/State: ON
Search Radius (km): 0.50
X: -75.654252
Y: 45.363635

Site: Hydro Ottawa Ltd.
Bank St Ottawa ON

Database:
[GEN](#)

Generator No: ON8798860
Status:
Approval Years: 03,04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Site: SPIC & SPAN-VALETOR-CASH CLEANERS
BILLINGS BRIDGE PLAZA, BANK STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8

Database:
[GEN](#)

Generator No: ON0573413
Status:
Approval Years: 86,87,88
Contam. Facility:
MHSW Facility:
SIC Code: 9721
SIC Description: POWER LAUND./CLEANERS

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: Tomlinson Environmental Services
All Catch Basins in the City of Ottawa Serviced by TES-Industrial Waste Division Ottawa ON K1N 1J1

Database:
[GEN](#)

Generator No: ON6691940
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 562110, 562990
SIC Description: WASTE COLLECTION, ALL OTHER WASTE MANAGEMENT SERVICES

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: City of Ottawa
Riverside Dr. Westbound 100m East of Bank St. to 100m West of Bank St. Ottawa ON K1H 7X5

Database:
GEN

Generator No: ON4685136
Status: Registered
Approval Years: As of Dec 2018
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Site: ULTRAMAR LTÉE
OTTAWA OTTAWA ON

Database:
RST

Headcode: 924800
Headcode Desc: Oils-Fuel
Phone: 6137275200
List Name:
Description:

Site: Taggart Aggregates Ltd.
Ottawa ON

Database:
SPL

Ref No: 6604-BAFN75
Site No: NA
Incident Dt: 3/20/2019
Year:
Incident Cause:
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium:
Receiving Env:
MOE Response: No
Dt MOE Arvl on Scn:
MOE Reported Dt: 3/20/2019
Dt Document Closed: 3/22/2019
Incident Reason:
Site Name: Fernbank Quarry<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Quarry blast causing rattling at residential properties
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq: 0 - No Impact
Client Type: Corporation
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region: Eastern
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: Taggart Construction Limited
Ottawa ON

Database:
SPL

Ref No: 7584-BB3KRQ
Site No: NA
Incident Dt: 4/4/2019
Year:
Incident Cause:
Incident Event:
Contaminant Code:
Contaminant Name:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type: Corporation
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:

Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Eastern
Environment Impact:		Site Municipality:	Ottawa
Nature of Impact:		Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/9/2019	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:		Source Type:	
Site Name:	1896 John Quinn rd, Metcalfe<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Mobile Crusher Relocation - 2019		
Contaminant Qty:			

Site: **TRANSPORT TRUCK** **Database:**
SPL
BANK ST. BRIDGE MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Ref No:	88427	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/13/1993	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20101
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	FIRE DEPT
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/13/1993	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	CORROSION	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	HYDRAULIC OIL LEAK FROM UNIDENTIFIED TRANSPORT TRUCK TO BANK ST. BRIDGE		
Contaminant Qty:			

Site: **TAGGART SERVICES** **Database:**
SPL
TRAILER IN YARD TRANSPORT TRUCK (CARGO) OTTAWA CITY ON

Ref No:	21945	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/13/1989	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	

MOE Reported Dt: 7/13/1989 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: UNKNOWN **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TAGGART SERVICES- 2L JUGSOF HYPOCHLORITE(JAVEX) SLON SPILLED IN TRAILER.
Contaminant Qty:

Site: **ESSO PETROLEUM CANADA**
BANK STREET SERVICE STATION OTTAWA CITY ON

Database:
SPL

Ref No: 147934 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 10/16/1997 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: PIPE/HOSE LEAK **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: NOT ANTICIPATED **Site Municipality:** 20101
Nature of Impact: **Site Lot:**
Receiving Medium: LAND **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 10/16/1997 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: DAMAGE BY MOVING EQUIPMENT **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO SERVICE STATION: 40 L GASOLINE TO GROUND
Contaminant Qty:

Site: **OTTAWA-CARLETON, R.M. OF**
KENT ST REGULATOR TO OTTAWA RIVER ON N.R.C. PROPERTY SANITARY SEWER SYSTEM OTTAWA CITY ON

Database:
SPL

Ref No: 153191 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 3/9/1998 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: PIPE/HOSE LEAK **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: POSSIBLE **Site Municipality:** 20101
Nature of Impact: Soil contamination **Site Lot:**
Receiving Medium: LAND **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 3/10/1998 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: STORM/FLOOD/WIND **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: OTTAWA CARLETON R.M.- LEAK OF RAW UNCHLORINATED SEWAGE, PIPE CRACKED.
Contaminant Qty:

Site: OC TRANSPO
BANK ST. SOUTH MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Database:
SPL

Ref No: 223917
Site No:
Incident Dt: 4/11/2002
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/11/2002
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: SPILL OF DIESEL FUEL TO GRND, CLEAN UP CREW ON THE WAY
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: Tomlinson Environmental Services Ltd.
Ottawa ON

Database:
SPL

Ref No: 0701-9KKJ43
Site No: NA
Incident Dt: 2014/05/29
Year:
Incident Cause: Unknown / N/A
Incident Event:
Contaminant Code: 15
Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Other Impact(s); Soil Contamination
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 2014/05/29
Dt Document Closed: 2014/11/07
Incident Reason: Unknown / N/A
Site Name: 5555 power Road<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Tomlinson Env: 100L oily water to lot, clnd
Contaminant Qty: 100 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Unknown / N/A
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Land Spills
Source Type:

Site: Kent Street near Bank Street Ottawa ON

Database:
SPL

Ref No: 5751-ABLQJZ
Site No: NA
Incident Dt: 2016/07/06
Year:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:

Incident Cause:		Sector Type:	Miscellaneous Communal
Incident Event:	Operator/Human error	Agency Involved:	
Contaminant Code:	99	Nearest Watercourse:	
Contaminant Name:	SAND/GRAVEL	Site Address:	Kent Street near Bank Street
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	Ottawa
Nature of Impact:		Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:	Surface Water	Northing:	5029483
MOE Response:	No	Easting:	445423
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2016/07/06	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Land Spills
Incident Reason:	Maintenance	Source Type:	
Site Name:	CB in Roadway<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Ottawa: 45 kgs Aggregate to CB. Cntd, clnd.		
Contaminant Qty:	45 kg		

Site: Tomlinson Environmental Services Ltd.
Carp Ottawa ON K0A 1L0

Database:
WDS

Approval No:	A461010	Total Area (ha):	
Mob Unit Cert No:		Landfill Cap (m³):	
EBR Registry No:		Transfer Area (ha):	
Status:	Revoked and/or Replaced	Transfer Cap (m³):	
Facility Type:		Transfer Cert No:	
Record Type:	ECA	Inciner. Area (ha):	
Link Source:	IDS	Inciner. Cap (t):	
Project Type:	WASTE DISPOSAL SITES	Process Area (m³):	
Application Status:		Process Cap (m³/d):	
Issue Date:	2011-02-02	Process Vol (m³):	
Input Date:		Process Feed (m³):	
Date Received:		Site Concession:	
Est Closure Date:		Site Region/County:	Mississippi Valley
Mobile Capacity:		SWP Area Name:	Ottawa
Mobile Units:		MOE District:	
Mobile Description:		District Office:	
Prop City:		Latitude:	
Prop Postal:		Longitude:	
Prop Phone:		Geometry X:	
Serial Link:		Geometry Y:	
Approval Type:	ECA-WASTE DISPOSAL SITES		
Proponent:			
Prop Address:			
Proponent County/District:			
Full Address:	Carp		
Site Lot:			
Waste Class Code:			
Waste Class:			
Waste Type:			
Waste Type Other:			
Waste Description:			
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:			
Project Description:			
Municipalities Served:			
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site: Taggart Miller Environmental Services Inc.

Database:
WDS

Ottawa ON K2P 1P9

Approval No: 4538-B8EMLT

Mob Unit Cert No:

EBR Registry No:

Status: Approved

Facility Type:

Record Type: ECA

Link Source: IDS

Project Type: WASTE DISPOSAL SITES

Application Status:

Issue Date: 2019-12-13

Input Date:

Date Received:

Est Closure Date:

Mobile Capacity:

Mobile Units:

Mobile Description:

Prop City:

Prop Postal:

Prop Phone:

Serial Link:

Approval Type: ECA-WASTE DISPOSAL SITES

Proponent:

Prop Address:

Proponent County/District:

Full Address:

Site Lot:

Waste Class Code:

Waste Class:

Waste Type:

Waste Type Other:

Waste Description:

Landfill Monitoring:

Landfill Ctrl Type:

Site Closing Description:

Project Description:

Municipalities Served:

Approval Description:

Other Approvals/Permits:

PDF URL:

<https://www.accessenvironment.ene.gov.on.ca/instruments/1994-AW7JS8-14.pdf>

Total Area (ha):

Landfill Cap (m³):

Transfer Area (ha):

Transfer Cap (m³):

Transfer Cert No:

Inciner. Area (ha):

Inciner. Cap (t):

Process Area (m³):

Process Cap (m³/d):

Process Vol (m³):

Process Feed (m³):

Site Concession:

Site Region/County:

SWP Area Name:

MOE District:

District Office:

Latitude:

Longitude:

Geometry X:

Geometry Y:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jun 30, 2020

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Environment and Climate Change Canada cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Jun 30, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Sep 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Sep 30, 2020

Drill Hole Database:

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019**Delisted Fuel Tanks:**

Provincial

DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020**Environmental Activity and Sector Registry:**

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Sep 30, 2020**Environmental Registry:**

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Sep 30, 2020**Environmental Compliance Approval:**

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Sep 30, 2020**Environmental Effects Monitoring:**

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**

Private

EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jul 31, 2020**Environmental Issues Inventory System:**

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2020

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2020

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2020

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Sep 30, 2020

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Sep 30, 2020

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Sep 30, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Sep 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jun 30, 2020

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Nov 2019

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Sep 30, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

POSITION

Intermediate Environmental Engineer

EDUCATION

Carleton University
M.A.Sc., Environmental Engineering, 2013
B.Eng., Environmental Engineering, 2008

MEMBERSHIPS & AWARDS

Ontario Professional Engineers Association (EIT)
NSERC Industry R&D Scholarship

EXPERIENCE

2018 – Present

Paterson Group Inc.

Consulting Engineers
Geotechnical and Environmental Division
Environmental Engineer

2014 – 2015

Thurber Engineering Limited

Oil Sand Tailings Group
Tailings Engineer

2009 – 2014

Carleton University

Department of Civil & Environmental Engineering
Research Engineer, Research Assistant & Teaching Assistant

2008 – 2009

SLR Consulting Limited

Contaminated Sites
Junior Environmental Engineer

SELECTED LIST OF PROJECTS

Phase I & II Environmental Site Assessments – NRC, Kingston
Remediation – National Capital Region, Saskatchewan
Multi-lift and dry-stacking pilot programs – Northern Alberta
Polymer amended oil sand tailings – Northern Alberta
Hydraulic cut-off wall – Allen, Saskatchewan
Cemented paste backfill systems – Northern Ontario

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Intermediate Environmental Engineer

EDUCATION

Carleton University, B.Eng. 2002
Environmental Engineering

MEMBERSHIPS AND AWARDS

Professional Engineers of Ontario
Ottawa Geotechnical Society

EXPERIENCE

2011-present

Paterson Group Inc.

Consulting Engineers
Geotechnical and Environmental Division
Intermediate Engineer

2009-2010

Department of Indian and Northern Affairs

Contaminated Sites Division
Environment Officer (PC-02)

2003 to 2009

Paterson Group Inc.

Consulting Engineers
Geotechnical and Environmental Division
Intermediate Engineer

2002 to 2003

Dessau Soprin Inc.

Consulting Engineers
Environmental Division
Junior Engineer

SELECT LIST OF PROJECTS

Billings-Hurdman Interconnect Watermain - Ottawa
Telus Building Remediation - Ottawa
Block D Lands Remediation and Redevelopment – Kingston
Gladstone Avenue Reconstruction - Ottawa
Lees Avenue Coal Tar Site - City of Ottawa
Nortel Networks Environmental Monitoring Program
3W Zone Feedermain – Ottawa
Bank Street Reconstruction – Ottawa
Lees Avenue Remediation Program – Ottawa
Colonnade Road North Development – Ottawa
Montreal Road Reconstruction – Ottawa
Designated Substance Surveys – Residential and Commercial Sites - Ottawa
Phase I & II Environmental Site Assessments – Residential, Commercial and Industrial Sites – Ottawa (CSA Z768-01 and O.Reg 269/11)
Brownfields Applications and Records of Site Condition – Residential and Commercial Redevelopment