

### EXISTING TREE LIST


KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS
AN	*	Acer negundo	Manitoba Maple	100-200mm DBH	Poor-Good	To remain
AS	*	Acer saccharinum	Silver Maple	100-250mm DBH	Good	To remain
PD	*	Populus deltoides	Eastern Cottonwood	100-200mm DBH	Good	To remain
RT	*	Rhus typhina	Staghorn Sumac	100-150mm DBH	Good	To remain
PR	*	Prunus sp.	Cherry	100-150mm DBH	Good	To remain
PT	*	Populus tremuloides	Trembling Aspen	100-150mm DBH	Good	To remain
PG	4	Picea glauca	White Spruce	300-500mm DBH	Good	To remain
PA	3	Picea abies	Norway Spruce	400-500mm DBH	Poor-Good	To remain

\*DENOTES NUMEROUS


### PROPOSED PLANT LIST

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS
RM	1	Acer rubrum	Freeman's Maple	60mm ø	B&B	Single leader
SM	2	Acer saccharum	Sugar Maple	60mm ø	B&B	
JL	2	Syringa reticulata	Japanese Tree Lilac	60mm ø	B&B	Single leader
SB	1	Amelanchier canadensis	Serviceberry	60mm ø	B&B	
WS	1	Picea glauca	White Spruce	1.8m ht.	B&B	


- #### GENERAL NOTES:
- It is the responsibility of the appropriate contractor or official to report any errors, omissions or discrepancies on this plan with actual site conditions to the Landscape Architect before proceeding with construction.
  - The contractor is to notify all utility companies and authorities prior to any excavation and ascertain locations of underground services.
  - The contractor is to reinstate all areas and items damaged as a result of construction activity.
  - The contractor is to comply with all pertinent codes and by-laws.
  - The contractor is to maintain a positive surface run-off throughout the entire construction period.
  - The Landscape Architect is not responsible for subsurface conditions.
  - The contractor is to identify all existing trees to remain on site with the Landscape Architect prior to construction.
  - The contractor is to stake the proposed location of all plant material in conjunction with the Landscape Architect prior to excavation.
  - Minimum distances for selected deciduous trees are as follows:
    - Building Foundations 7.5m
    - Sidewalks 1.5m
    - Public Streets 2.5m
    - Underground Infrastructure 2.0m
  - All trees within 1m of underground utility trenches are to be excavated by hand.
  - Remove all protective wrapping from tree trunks after installation.
  - Staking of trees shall only be performed if necessary.
  - Ensure that mulch is pulled back a min. distance of 75mm from base of tree trunk.



2 CONIFEROUS TREE PLANTING  
L.1 SCALE: NTS



3 DECIDUOUS TREE PLANTING  
L.1 SCALE: NTS



4 SHRUB / PERENNIAL PLANTING  
L.1 SCALE: NTS

CLIENT: **CLS ROOFING LTD.**

CONSULTANTS  
ARCHITECTS: **L5 IMPACT DESIGN AND MANAGEMENT**  
90 Holland Avenue, STE 305  
Ottawa ON K1T 0Y1  
Tel: (613) 322-3776

CIVIL ENGINEERS: **D.B. GRAY ENGINEERING INC.**  
700 LONG POINT CIRCLE,  
Ottawa ON K1T 4E9  
Tel: (613) 425-8044

LEGEND

- EXISTING TREE TO REMAIN
- GROUP OF EXISTING TREES TO REMAIN
- PROPOSED DECIDUOUS TREE
- PROPOSED CONIFEROUS TREE
- PROPOSED SEEDED GRASS AREA
- EXISTING LANDSCAPE AREA TO REMAIN UNDISTURBED
- PROPOSED GRAVEL
- PROPOSED TREE PROTECTION FENCE

4				
3				
2	ISSUED FOR DISCUSSION AND REVIEW	03/29/2021	ML	JL
1	ISSUED FOR DISCUSSION AND REVIEW	03/19/2021	ML	JL

No. Issue Date (m/d/yyyy) DR CK

**JAMES B. LENNOX & ASSOCIATES INC. LANDSCAPE ARCHITECTS**  
3333 CARLING AVE. OTTAWA, ONTARIO K2M 5A8  
Tel. (613) 722-5168 Fax. (866) 343-3942

PROJECT  
**CLS ROOFING LTD. OFFICE & WAREHOUSE**  
2167 McGEE SIDE ROAD, OTTAWA ON

DRAWING  
**TREE CONSERVATION REPORT & LANDSCAPE PLAN**

STAMP  
ASSOCIATION OF LANDSCAPE ARCHITECTS OF ONTARIO  
MEMBER  
JAMES B. LENNOX

SCALE  
AS SHOWN

START DATE  
MARCH 2021

PROJECT NO.

PROJECT NORTH

DRAWING NO.  
**L.1**

PLOT SIZE ARCH-D