




OWNER:
 NIVO DEVELOPMENTS INC.
 255 MICHAEL COMPLAND DRIVE
 OTTAWA, ONTARIO, K2M 0M5
 613-224-6200



SECTION

1. STRAW BALES SHALL BE BUTTED AND SHAPED TO CONFORM TO THE SIDES OF THE DITCH TO PREVENT THE FLOW OF WATER UNDER THE NUMBER OF BALES, BARRIERS AND SHALL SUIT SHAPE OF DITCH.
2. STAKES SHALL BE EQUALLY SPACED
3. STAKES SHALL BE IN CONTACT WITH GROUND.
4. CONTACT WITH GROUND.

STRAW BALE FLOW CHECK DAM AS PER OPSD 219.180 N.T.S.



SECTION (FROZEN GROUND)

SILT FENCE BARRIER AS PER OPSD 219.110 (MODIFIED FOR FROZEN GROUND) N.T.S.

DRAWING LEGEND

- CB CATCH BASIN
- MH MANHOLE
- CB/MH CATCH BASIN/MANHOLE
- MH SANITARY MANHOLE
- EXISTING GRADE ELEVATION
- PROPOSED GRADE ELEVATION
- EXISTING SLOPE OF GRADE
- PROPOSED SLOPE OF GRADE
- TOP OF SLOPE
- B.O.S. BOTTOM OF SLOPE
- CENTERLINE OF SWALE
- PROPERTY LINE
- SILT FENCE BARRIER
- 150mm CURB/DEPRESSED CURB
- LIGHT-DUTY PAVEMENT
- HEAVY-DUTY PAVEMENT
- CONCRETE
- LANDSCAPE
- FFL FIRST FLOOR ELEVATION
- TOP OF FOUNDATION
- BFL BASEMENT FLOOR ELEVATION
- USF UNDERSIDE OF FOOTING

KEY PLAN



No.	DATE	REVISION
7	MAR 15-21	RE-ISSUED FOR APPROVAL
6	NOV 16-20	RE-ISSUED FOR APPROVAL
5	JUN 18-20	RE-ISSUED FOR APPROVAL
4	MAY 5-20	ISSUED FOR COORDINATION
3	SEP 27-19	RE-ISSUED FOR APPROVAL
2	AUG 9-19	ISSUED FOR APPROVAL
1	JUN 14-19	PRELIMINARY

D. B. GRAY ENGINEERING INC.
 Surveying Management - Consulting & Design - Storm & Sanitary Sewers - Estimation
 700 Long Point Circle
 Ottawa, Ontario K1G 4G4
 613-425-8044
 dgray@dbgrayengineering.com

Project
PROPOSED RESIDENTIAL DEVELOPMENT
1164-1166 HIGHCROFT DR.
 MANOTICK, ONTARIO

Drawing Title
EROSION & SEDIMENT CONTROL PLAN

Engineer's Seal

 Drawn: D.B.G.
 Hor. Scale: 1:200
 Vert. Scale: As Shown
 Date: JUN 14-19
 Job No.: 180335
 Drawing No.: **C-6** of 14
 NOT VALID UNLESS SIGNED & DATED

REFER TO NOTES & DETAILS ON DRAWINGS C-7 & C-8