








LEES AVENUE




PROPOSED ELEVATION	63.59	63.72	63.93	64.23	64.54	64.84	65.24	65.78	66.07	66.39	66.89	68.89	PROPOSED ELEVATION
TOP OF WM ELEVATION	60.74	60.77	60.95	61.01	61.01	61.06	62.13	62.22	62.39	62.76	62.92	63.17	TOP OF WM ELEVATION
STORM SEWER INVERTS	60.67	60.77	60.95	61.01	61.01	61.06	62.13	62.22	62.39	62.76	62.92	63.17	STORM SEWER INVERTS
SANITARY SEWER INVERTS	60.67	60.77	60.95	61.01	61.01	61.06	62.13	62.22	62.39	62.76	62.92	63.17	SANITARY SEWER INVERTS
EXISTING ELEVATION	60.67	60.77	60.95	61.01	61.01	61.06	62.13	62.22	62.39	62.76	62.92	63.17	EXISTING ELEVATION

CHAINAGE	1+000	1+007.39 CAP	1+007.70 V&B	1+013.92 250x250x20 TEE	1+023.69 11.25° BEND	1+023.69 11.25° BEND	1+035.08 HYD	1+050	777.11.25° BEND	1+075	1+083.50 V&B	1+087.17 11.25° BEND	1+100	1+125	1+129.08 11.25° BEND	1+134.72 HYD	1+150	1+151.82 250x250x20 TEE	1+153.13 V&B	1+154.27 CAP	1+158.51	CHAINAGE
----------	-------	--------------	--------------	-------------------------	----------------------	----------------------	--------------	-------	-----------------	-------	--------------	----------------------	-------	-------	----------------------	--------------	-------	-------------------------	--------------	--------------	----------	----------



CHAPEL STREET



PROPOSED ELEVATION																									68.97	68.94	68.92	68.94	68.95	68.95	68.91	70.02	68.99	70.00	70.01	70.00	PROPOSED ELEVATION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
TOP OF WM ELEVATION	64.79	65.33	65.56	65.74	65.85	65.96	65.98	65.95	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96	65.96