

LE: AREA R-1 (ROOF DRAINS 1 to 7)									
5 YEAR ASE RATE	APPROX. 5-YR PONDING DEPTH	1:100 YEAR RELEASE RATE	APPROX. 100-YR PONDING DEPTH						
32 L/s	9 cm	0.32 L/s	13 cm						
32 L/s	8 cm	0.32 L/s	12 cm						
32 L/s	11 cm	0.32 L/s	15 cm						
32 L/s	11 cm	0.32 L/s	15 cm						
32 L/s	11 cm	0.32 L/s	15 cm						
32 L/s	11 cm	0.32 L/s	15 cm						
32 L/s	10 cm	0.32 L/s	14 cm						

					SCALE	DESIGN	FOR REVIEW ONLY
						DWM	TOT CAME AND
	6	REVISED RETAINING WALL PER STRUCTURAL DESIGN	JAN 24/22	FST	1.250	CHECKED	OPOFESSION
	5	ISSUED FOR TENDER	DEC 14/21	FST	1.250	FST	3
	4	ISSUED FOR SITE PLAN CONTROL R2	DEC 14/21	FST			S ES THAUVETTE
	3	ISSUED FOR PERMIT	DEC 3/21	FST	4.050		100041399
0	2 ISSUED FOR FINAL SITE PLAN APPROVAL		OCT 22/21	FST	0 2 4 6 8 10	8 10 FST	JAN.24, 2022
	1	ISSUED FOR SITE PLAN APPROVAL		FST			
	No.	REVISION	DATE	BY		FST	OF OLO

 $\overline{}$ \sim \frown $\overline{}$ \bigcirc \frown

ယ

121127-GP PLAN #18504