Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Studies

patersongroup

Phase I Environmental Site Assessment

Vacant Property Quinn's Point – Stage 2 Ottawa, Ontario

Prepared For

Minto Communities Inc.

Paterson Group Inc.

Consulting Engineers 154 Colonnade Road South Ottawa (Nepean), Ontario Canada K2E 7J5

Tel: (613) 226-7381 Fax: (613) 226-6344 www.patersongroup.ca February 26, 2018

Report: PE4246-1

TABLE OF CONTENTS

EXEC	CUTIVE SUMMARY	ii				
1.0	INTRODUCTION	1				
2.0	PHASE I PROPERTY INFORMATION					
3.0	SCOPE OF INVESTIGATION					
4.0 RECORDS REVIEW						
	4.1 General	4				
	4.2 Environmental Source Information	4				
	4.3 Physical Setting Sources					
5.0	INTERVIEWS					
6.0	SITE RECONNAISSANCE					
	6.1 General Requirements	9				
	6.2 Specific Observations at Phase I Property	9				
7.0	REVIEW AND EVALUATION OF INFORMATION					
	7.1 Land Use History					
	7.2 Conceptual Site Model	. 12				
8.0	CONCLUSION					
9.0	STATEMENT OF LIMITATIONS 1					
10.0	REFERENCES 1					

List of Figures

Figure 1 - Key Plan Figure 2 - Topographic Map Drawing PE4246-1 - Site Plan Drawing PE4246-2 - Surrounding Land Use Plan

List of Appendices

- Appendix 1 Draft Plan of Subdivision Aerial Photographs Site Photographs
- Appendix 2 MOECC Freedom of Information Search Request MOECC Water Well Records TSSA Request
- Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

A Phase I – Environmental Site Assessment was carried out for a property at the northwest corner of Greenbank Road and Barnsdale Road in the City of Ottawa, Ontario. The purpose of this environmental assessment was to research the past and current use of the subject site and adjacent properties and identify any environmental concerns with the potential to impact the subject property.

Based on a review of historical sources, the subject site has historically consisted of agricultural fields. More recently, the property has been stripped of topsoil and is no longer used for agriculture. No historical potentially contaminating activities (PCAs) were identified on the Phase I property. Surrounding properties have historically been used for agricultural purposes. Lands to the northwest have been quarried for sand and gravel since the 1970s, however they are not considered to pose any risk to the subject site. In a review of the historical sources, no Potentially Contaminating Activities were identified.

Following the historical review, a site visit was conducted. The subject property currently exists as vacant, tree covered land. No environmental concerns were identified on the subject site at the time of the site visit.

The surrounding land use consisted of commercial, residential and vacant properties. No PCAs were identified in the Phase I study area.

Conclusion

Based on the results of this Phase I - Environmental Site Assessment, it is our opinion that a Phase II - Environmental Site Assessment is not required for the property.

1.0 INTRODUCTION

At the request of Minto Communities Inc., Paterson Group (Paterson) conducted a Phase I - Environmental Site Assessment (Phase I ESA) of a property on Greenbank Road and Barnsdale Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject property.

Paterson was engaged to conduct this Phase I ESA by Mr. Hugo Lalonde of Minto Communities Inc. Mr. Lalonde can be reached by telephone at (613) 782-2488.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all of our findings and results of the environmental conditions at this site.

This Phase I ESA report has been prepared in general accordance with the requirements of Ontario Regulation 153/04 as amended by O.Reg. 269/11 (Environmental Protection Act), and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Address:	No municipal address.				
Legal Description:	Part of Lots 6 and 7, Concession 3, Rideau Front, Geographic Township of Nepean, in the City of Ottawa, Ontario.				
Property Identification Number (PIN):	04592-2105				
Location:	The subject site is located to the northwest of the intersection of Greenbank road and Barnsdale Road.				
Latitude and Longitude:	45° 14' 12" N, 75° 43' 44" W				
Site Description:					
Configuration:	Irregular				
Site Area:	67.8 ha (approximate)				
Zoning:	RU – rural countryside zone (east end); MR – mineral aggregate reserve zone (north/central part of site); AG – agricultural zone (small part of western side of site)				
Current Use:	The subject site is vacant, with agricultural fields and some treed areas; some areas have been cleared of vegetation as part of the early stages of development. Construction access roads are present throughout the site, and an office trailer is located on the northeast part of the site.				
Services:	The subject site is situated in a privately serviced area. No utilities are anticipated to be present on the property. The new development to the north is municipally serviced.				

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases and regulatory agencies;
- Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
- Conduct interviews with persons knowledgeable of current and historic operations on the subject property, and if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of Ontario Regulation 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

Based on a review of historically available information, the Phase I property appears to have always been vacant, and historically used for agriculture. The property has never been developed.

National Archives

Fire insurance plans and city directories are not available for the Phase I study area.

Plan of Subdivision

A draft plan of subdivision prepared by Stantec Geomatics Ltd. and dated 2017 was reviewed as a part of this assessment. The plan depicts the subject site in its current configuration.

Previous Engineering Reports

Paterson has conducted several environmental and geotechnical projects in the area and on the subject site. No environmental concerns with respect to the subject site were identified during the review of previous reports completed by Paterson.

4.2 Environmental Source Information

Environment Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on February 22, 2018. The subject site and Phase I study area were not listed in the NPRI database.

PCB Inventory

A search of national PCB waste storage sites was conducted. One PCB waste storage site was identified at 3971 Greenbank Road, to the east of the subject site, across Greenbank Road.

Ontario Ministry of Environment and Climate Change (MOECC) Instruments

A request was submitted to the MOECC Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MOECC issued instruments for the site. At the time of issuing this report, a response from the MOECC had not been received.

MOECC Coal Gasification Plant Inventory

The Ontario Ministry of Environment and Climate Change document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No coal gasification plants were identified in the Phase I study area

MOECC Incident Reports

A request was submitted to the MOECC Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MOECC for the site or adjacent properties. At the time of issuing this report, a response from the MOECC had not been received.

MOECC Waste Management Records

A request was submitted to the MOECC Freedom of Information office for information with respect to waste management records. At the time of issuing this report, a response from the MOECC had not been received.

MOECC Submission

A request was submitted to the MOECC Freedom of Information office for information with respect to reports related to environmental conditions for the property. At the time of issuing this report, a response from the MOECC had not been received.

MOECC Brownfields Environmental Site Registry

A search of the MOECC Brownfields Environmental Site Registry was conducted as part of this assessment for the site, neighbouring properties and the Phase I study area. No Records of Site Condition (RSCs) were filed for the subject site or properties within the Phase I study area.

MOECC Waste Disposal Site Inventory

The Ontario Ministry of Environment and Climate Change document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. No records were listed for the subject site or for properties within the Phase I study area.

Areas of Natural Significance

A search for areas of natural significance and features within the Phase I study area was conducted on the web site of the Ontario Ministry of Natural Resources and Forestry (MNRF) on February 22, 2018. No areas of natural significance were identified on the subject site or within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto was contacted electronically on February 22, 2018 to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. At the time of issuing this report, a response from the TSSA had not been received. Should the response contain pertinent information, Minto Communities will be notified.

City of Ottawa Landfill Document

The document entitled "Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa", was reviewed. No landfill sites were identified within the Phase I study area.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. The review period dates to the first available air photos for the site. Based on the review, the following observations have been made:

- 1959 The subject property is vacant agricultural fields. A barn appears to be present on the south part of the site, to the north of a farmstead addressed 3818 Barnsdale Road. Surrounding properties are agricultural fields and farmsteads, with Greenbank Road visible to the east and Barnsdale Road to the south.
- 1966 No significant changes appear to have been made to the subject site or surrounding properties.
- 1976 (City of Ottawa website) No changes have been made to the subject property. The adjacent lands to the northwest have been developed with an aggregate pit.
- 1984 Some parts of the subject property are tree covered. Some of the surrounding properties are tree covered.
- 1993 No significant changes have been made to the subject property or surrounding lands.
- 2001 No significant changes have been made to the subject property or surrounding lands.
- 2011 (City of Ottawa website) No significant changes have been made to the subject property or lands in the Phase I study area.
- 2017 (City of Ottawa website) Some construction access roads and disturbed areas are present on the east side of the subject property, as well as storage containers and construction equipment. The adjacent lands to the northeast have been developed with residential roadways and dwellings.

Laser copies of selected aerial photographs reviewed are included in Appendix 1.

Topographic Maps

Topographic information was obtained from Natural Resources Canada – The Atlas of Canada website. The topographic maps indicate that the elevation of the subject site is approximately 100 m above sea level. The regional topography in the general area of the site slopes downward to the south and east, towards the Rideau River, and to the north, towards the Jock River. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Physiographic Maps

A Physiographic Map was reviewed from the Natural Resources Canada – The Atlas of Canada website, as a part of this assessment. According to the publication and mapping, the site is situated within the St. Lawrence Lowlands, Till Plains (Drumlinized) physiographic region. According to the mapping description provided: "The lowlands are plain-like areas that were all affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets." The subject site is in the Central St. Lawrence Lowland, "where the land is rarely more than 150 m above sea level, except for the Monteregion Hills, which consist of intrusive igneous rocks.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area of the site consists of dolomite of the Oxford Formation. Overburden consists of nearshore marine sediments along Greenbank Road, till in the central part of the site, glaciofluvial deposits in the northwest, and nearshore marine sediments in the southwest part of the subject property.

Surficial drift thickness is 15 to 25 m over the majority of the property, and 10 to 15 m on the east side, along Greenbank Road.

Water Well Records

A search of the MOECCs web site for all drilled well records within 250 m of the subject site was conducted on February 22, 2018. Based on the search results, no wells are present on the subject site. Eleven (11) water supply well records were identified in the Phase I study area. Some active water supply wells may be present in the Phase I study area.

Water Bodies and Areas of Natural Significance

The Rideau River is the closest water body, at approximately 1.9 km to the east of the subject site. No creeks, streams, lakes or other water bodies were identified in the Phase I study area. No areas of natural significance were identified within the Phase I study area.

5.0 INTERVIEWS

The current Minto project manager for the property, Mr. Hugo Lalonde, was interviewed via email as part of the environmental assessment. According to Mr. Lalonde, the aggregate pit to the northwest of the subject property is owned by Marcel Brazeau Ltd., which has an arrangement with Minto to strip the topsoil from the property to the west of the subject site and keep the top soil. Marcel Brazeau Ltd. also uses the unpaved access roads on the subject property and the property to the west to supply sand and granular material to the surrounding Minto lands under development. Mr. Lalonde did not identify any environmental concerns on the subject property or in the Phase I study area.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The site assessment was conducted on February 22, 2018. Weather conditions were overcast, with a temperature of approximately -5°C. Personnel from the Environmental Department of Paterson Group conducted the site visit. In addition to the site, the uses of neighbouring properties within the Phase I study area were also assessed at the time of the site visit.

6.2 Specific Observations at Phase I Property

Buildings and Structures

The subject site is a vacant lot of land. No buildings or permanent structures exist on the subject property. A site office trailer is present to the south of Guiness Crescent, as well as some storage containers and construction materials related to the Phase I development of Quinn's Point. A depiction of the subject site is shown on Drawing PE4246-1 – Site Plan, in the Figures section of this report.

Site Features

The subject site is not developed with any buildings and exists as vacant land with some trees. The site was snow covered at the time of the site visit. A small area on the property is currently used as a construction staging area for the adjacent residential development to the north. A propane tank storage area is present beside Greenbank Road, to the southeast of the site trailer. Some construction access roads are present throughout the property, alongside scattered topsoil piles and construction equipment.

Underground Utilities

The subject site has no underground utilities.

Waste Materials

Construction materials were present on the subject site at the time of the site visit, including used propane tanks. No hazardous waste materials were identified.

Storage Tanks

Propane fuel tanks were present on the subject site at the time of the site visit. The tanks were properly stored and do not pose a concern to the subject land.

Drains, Pits and Sumps

No drains, pits or sumps were present on the subject site at the time of the site visit.

Unidentified Substances

No unidentified substances were present on the subject site at the time of the site visit.

Hazardous Building Materials

No hazardous building materials were present on the subject site at the time of the site visit.

Phase I Study Area

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site was as follows:

- North Residential development on the east side and aggregate pits on the west side;
- South Barnsdale Road and residential dwellings, followed by residential dwellings and agricultural fields;
- East Greenbank Road (and one residential dwelling at the intersection of Greenbank Road and Barnsdale Road), followed by vacant land, residential dwellings, and Star Group International;
- West Vacant treed land and agricultural fields, followed by Borrisokane Road.

No Potentially Contaminating Activities were identified on the neighbouring properties in the Phase I study area. Property use within the Phase I study area is presented on Drawing PE4246-2 – Surrounding Land Use Plan.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

The subject site appears to have never been developed, was historically agricultural fields, and currently exists as partially treed, vacant land.

Potentially Contaminating Activities (PCAs)

Potentially Contaminating Activities (PCAs) were not identified on the subject site or in the Phase I study area.

Areas of Potential Environmental Concern (APECs)

No Areas of Potential Environmental Concern (APECs) were identified on the subject site.

Contaminants of Potential Concern (CPCs)

No contaminants of concern (CPCs) were identified on the Phase I property.

7.2 Conceptual Site Model

Existing Buildings and Structures

The subject site is a vacant lot of land. No buildings or permanent structures exist on the subject property. One (1) site construction trailer and several storage containers are present in the northeast part of the site.

Geological and Hydrogeological Setting

The subject site is located in an area of dolomite bedrock with nearshore marine sediment overburden in the central and southwest sections of the property, and glaciofluvial deposits in the northwest. Drift thickness is 10 to 25 m. Groundwater flow is expected to flow to the southeast, towards the Rideau River.

Water Bodies

The closest major water body is the Rideau River, located approximately 1.9 km to the east of the site. There are no water bodies on the subject site.

Areas of Natural Significance

No areas of natural significance were identified within the Phase I study area.

Water Wells

A search of the MOECC's web site for all drilled well records within 250 m of the subject site was conducted on February 22, 2018. Based on the search results, no wells are located on the subject site. Eleven (11) well records were identified in the Phase I study area, for water supply wells. New developments to the north of the subject land have received full municipal services.

Neighbouring Land Use

Neighbouring land use in the Phase I study area is currently agricultural and residential, with an aggregate pit to the northwest. The small portion of the bit that abuts the subject property is no longer in use. Based on the nature of the limited activities that have taken place in the aggregate pit adjacent to the northwest corner of the site, the pit is not considered to pose a risk to the subject property. Neighbouring land use does not pose an environmental concern to the subject site.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, no PCAs were identified on the subject site or in the Phase I study area.

Contaminants of Potential Concern

No CPCs were identified on the subject site.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I ESA is considered to be sufficient to conclude that there are no APECs on the subject site. The absence of PCAs was confirmed by a variety of independent sources, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSION

Assessment

A Phase I – Environmental Site Assessment was carried out for a property at the northwest corner of Greenbank Road and Barnsdale Road in the City of Ottawa, Ontario. The purpose of this environmental assessment was to research the past and current use of the subject site and adjacent properties and identify any environmental concerns with the potential to impact the subject property.

Based on a review of historical sources, the subject site has historically consisted of agricultural fields. More recently, the property has been stripped of topsoil and is no longer used for agriculture. No historical potentially contaminating activities (PCAs) were identified on the Phase I property. Surrounding properties have historically been used for agricultural purposes. Lands to the northwest have been quarried for sand and gravel since the 1970s, however they are not considered to pose any risk to the subject site. In a review of the historical sources, no Potentially Contaminating Activities were identified.

Following the historical review, a site visit was conducted. The subject property currently exists as vacant, tree covered land. No environmental concerns were identified on the subject site at the time of the site visit.

The surrounding land use consisted of commercial, residential and vacant properties. No PCAs were identified in the Phase I study area.

Conclusion

Based on the results of this Phase I - Environmental Site Assessment, it is our opinion that a Phase II - Environmental Site Assessment is not required for the property.

9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04 as amended by O.Reg. 269/11, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Minto Communities Inc. Permission and notification from Minto and Paterson will be required to release this report to any other party.

Paterson Group Inc.

Anna Graham, M.E.S.



Mark S. D'Arcy, P.Eng., QP_{ESA}

Report Distribution:

- Minto Communities Inc.
- Paterson Group Inc.



10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library. National Archives. Maps and photographs (Geological Survey of Canada surficial and subsurface). Natural Resources Canada – The Atlas of Canada. Environment Canada, National Pollutant Release Inventory. PCB Waste Storage Site Inventory.

Provincial Records

MOECC Freedom of Information and Privacy Office. MOECC Municipal Coal Gasification Plant Site Inventory, 1991. MOECC document titled "Waste Disposal Site Inventory in Ontario". MOECC Brownfields Environmental Site Registry. Office of Technical Standards and Safety Authority, Fuels Safety Branch. MNRF Areas of Natural Significance. MOECC Water Well Inventory. Chapman, L.J., and Putnam, D.F., 1984: 'The Physiography of Southern

Ontario, Third Edition', Ontario Geological Survey Special Volume 2.

Municipal Records

City of Ottawa Document "Old Landfill Management Strategy, Phase I -Identification of Sites", prepared by Golder Associates, 2004. The City of Ottawa Historical Land Use Inventory. Intera Technologies Limited Report "Mapping and Assessment of Former Industrial Sites, City of Ottawa", 1988. The City of Ottawa eMap website.

Local Information Sources

Previous Engineering Reports. Plan of Survey, prepared by Stantec Geomatics Ltd., dated 2018.

Public Information Sources

Google Earth. Google Maps/Street View.

FIGURES

FIGURE 1 – KEY PLAN


FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE4246-1 – SITE PLAN

DRAWING PE4246-2 – SURROUNDING LAND USE PLAN

patersongroup.

FIGURE 1 KEY PLAN








FIGURE 2 TOPOGRAPHIC MAP

patersongroup -



cad drawings\environmental\pe42xx\pe4246-1 site plan.d



PHASE I ENVIRONMENTAL SITE ASSESSMENT STUDY AREA Barnsdalo


	Y	5	Wales-L
	Scale:	1:7500	Date: 02/2018
	Drawn by:		Report No.:
	Drawn by.	AG	PE4246-1
ONTARIO	Checked by:		Dwg. No.:
		MD	PE4246-2
	Approved by:		
		MSD	Revision No.: 0


APPENDIX 1

DRAFT PLAN OF SUBDIVISION


AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS






patersongroup ____




patersongroup –




patersongroup -



patersongroup -



patersongroup -



patersongroup -

PE4246

Quinn's Point Stage 2, Greenbank Road, Ottawa, ON

February 22, 2018



Photograph 1: View of the south side of the subject property, looking north from Barnsdale Road.



Photograph 2: View of propane tank storage area on the east side of the subject site, near Greenbank Road.

patersongroup

PE4246

Quinn's Point Stage 2, Greenbank Road, Ottawa, ON

February 22, 2018



Photograph 3: View of the central part of the subject property, looking west.



Photograph 4: Construction site office and storage area south of Russet Terrace, looking north.



PE4246

Quinn's Point Stage 2, Greenbank Road, Ottawa, ON

February 22, 2018



Photograph 5: View of the central part of the subject property, looking southwest.



Photograph 6: View of the central part of the subject site, looking south from the construction storage area.

patersongroup -

PE4246

Quinn's Point Stage 2, Greenbank Road, Ottawa, ON

February 22, 2018



Photograph 7: North part of the subject site, looking south from Alex Polowin Avenue.



Photograph 8: North part of the subject site, looking north from Alex Polowin Avenue.

patersongroup -

APPENDIX 2

MOECC FREEDOM OF INFORMATION SEARCH REQUEST

MOECC WATER WELL RECORDS

TSSA REQUEST



Ministry of Environment and Energy

Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on completion and use of this form. Our fax no. is (416) 314-4285.

Requeste	Data	For Ministry Use Only					
Name, Company Name, Mailing Address and Email Address of Requ	ister	FOI Request No.	Date Request Received				
Anna Graham Paterson Group Inc.							
154 Colonnade Road		Fee Paid					
Ottawa, ON K2E 7J5			VISA/MC 🗆 CASH				
Email address: agraham@patersongroup.ca							
Telephone/Fax Nos. Tel. 613-226-7381	Signature/Print /Name of Requester Anna Graham		R 🗆 SWR 🗆 WCR				
Fax 613-226-6344 PE4246		□ SAC □ IEB □ EA	A 🗆 EMR 🗆 SWA				
	Request Parameter	S					
Municipal Address / Lot, Concession, Geographic Township (M	unicipal address essential for cities, towns or regi	ons)					
No municipal address. Part of Lots 6 and 7 PIN: 04592-2105	, Concession 3, Rideau Front, Geograp	hic Township of Nepean. City	of Ottawa, Ontario.				
Present Property Owner(s) and Date(s) of Ownership							
Minto Communities Inc., Minto Greenfield	GP Inc., and Greenfield Limited Partners	ship.					
Previous Property Owner(s) and Date(s) of Ownership							
Present/Previous Tenant(s),(if applicable)							
Search Parameters Specify Year(s) Requested							
Files older than 2 years may require \$60.00 retrieval of							
Environmental concerns (General correspo	ndence, occurrence reports, abatement		all				
Orders			all				
Spills			all				
Investigations/prosecutions > Owner AN	D tenant information must be provided		all				
Waste Generator number/classes			all				
Certi	ficates of Approval ➤ Proponent info	rmation must be provided					
1985 and prior records are searched manually. Certificates of Approval number(s) (if known).	Search fees in excess of \$300.00 could be	e incurred, depending on the type					
		SD	Specify Year(s) Requested				
air - emissions			1986-present				
water - mains, treatment, ground level, standpipes &	elevated storage, pumping stations (local & boost	er)	1986-present				
Sewage - sanitary, storm, treatment, stormwater, lea	chate & leachate treatment & sewage pump statio	ns	1986-present				
waste water - industrial discharges			1986-present				
waste sites - disposal, landfill sites, transfer station	s, processing sites, incinerator sites		1986-present				
waste systems - PCB destruction, mobile waste p	rocessing units, haulers: sewage, non-hazardous	s & hazardous waste	1986-present				
pesticides - licenses	hle to the Minister of Finance, is mand		1986-present				

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.

UTM3 118 2 414121811 15 R 51010191613 Elev. 4 R 013120 Basin 215 111 Rideau Front V County or Territorial District	The Water		BIG 4g GEOL DEPA Mines Recor		Nº 6038
County or Territorial District	-0.0000		p, Village, Town or C Village, Town or C ddress		
(day)	(month)	(year)			-
Pipe and Casing	Record			Pumping Test	
Casing diameter(s)		P	tatic level	26 fts	
Well Log				Water Record	
Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
clay	0	10	87	85	Tresti
Bolding and charrie	10	30			
They Lince stone	30	87			
Address 46.5 July Ottance Licence Number 39.5 I certify that the for statements of fact a Date h/ work 14/55 Fi	Hi Clean hillside?uf! unrg Gr unrg Gr untt? un st	aud z	Lo In diagram below road and lot line N N		

A	110	稽	31649	RUAS	0
UTM 118 z 41431013!		8			= $$
15 12 1.510101912141			ARIO	APR 6 198	
Elev. 14 R 0320			illers Act, 1954 of Mines	RFSOURCES CONSTR	ig R
Basin 12151	Vator-	Wo	ll Reco	rd	
LUIU					1
County or Territorial District	(and lon		nship, Village, Town o	or City	\sim
Con 2 RF Lot 6 Owner Salard N.	/ Nefia	mber (II	Address Acho	Nº 9 Nepe	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Date completed	March (month)	(year)	7		
Pipe and Casing	Record			Pumping Test	
11 **	Acolumna a constant a const		Static lovel	2367	
Casing diameter (s)7 Length (s)			Pumping rate	2301 300 JP1	1
Type of screen			Pumping level	59:	
Length of screen			Duration of test	<u>()</u> () () ()	<u>ک</u>
Well Log				Water Record	
Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
Acad	0	23	165	142	Fresh
Boldera	23	37			
Brokand Shall	37	54			
June Store	54	145	•		
- June look					
					HER.
For what purpose(s) is the water	1 - 1	rl		Location of Well	
Is water clear or cloudy?				low show distances o line. Indicate north	
Is well on upland, in valley, or on				1	
Drilling firm FA Con	te	V			1
Address 1652 Bo	21 Line K?	>		60	
it i	iner				1 ⁸ ° X
Name of Driller	<u>ma A</u>		·····	¥	
Address					MILE J
Licence Number			1 h		IF I
I certify that the statements of fact			N		1
Date fril 1/57 Ja	& 'Corse	te			
/	ignature of License				

 \widehat{f}

-15 1501019.78 QN	(31G-4g	Conour 45 and	X
Basin 25			mission Act, 1957	CARE OF A	1360 Mimission
County or District. 2.986.5. Tox	7	Date co	p, Village, Town or mpleted 14 R, R, # 3	JAN month	
Casing and Screen Record			Pun	nping Test	
Inside diameter of casing. Total length of casing. Type of screen. Length of screen. Depth to top of screen. Diameter of finished hole.	47 FEET NOME NOME NOME	Test-p Pump Durat Water Recon	level umping rate ing level ion of test pumping clear or cloudy at mmended pumping th pumping level o	6 40 F6 5 end of test C rate 6	G.P.M 'ex.R 'ex.R && aR G.P.M
Well Log Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s)	No. of feet water rises	Kind of water (fresh, salty, sulphur)
	-	20	found		
CLAY	0		90	50	FRESN
HARD PAN + BOULDERS	20	41	150-155	135	
LIMESTONE	41	/55			
For what purpose(s) is the water to be used? House Is well on upland, in valley, or on hillside?.	S HOLD		Loca In diagram below road and lot line	Indicate north	
Drilling Firm Mokay GHNE f Address 5^{-1} M $e E WEN AVE$ \overline{OTTAWA} Licence Number 479 Name of Driller $E MOKAY GHNE f$ Address 17 $M e E WEN AVE$ Date $fan M f e WEN AVE$ \overline{OTTAWA} Mokay GHNE f			e diy 3 Lo75	envalt 5° 1.4 eanz cor	1/4 5
Form 5 15M-58-4149					

$\frac{\sqrt{2}}{\text{UTM}} \frac{1}{18} \frac{1}{2} \frac{4}{4} \frac{4}{2} \frac{0}{15} \frac{8}{15} \frac{0}{15} \frac{1}{15} \frac{1}{10} \frac{1}{15} \frac{1}{1$	31G4g		1. 15 N.	6039
Elev. 4 R 0131315 WATER WEL		1	taria (vires	X
Basin 25 County or District draft	ownship, Village, To	wn or City	neye Oct Det Octaw	an 196.5 year)
Casing and Screen Record		Pumping	g Test	
Inside diameter of casing.	Static level	211		
Total length of casing	Test-pumping rat			
Type of screen	Pumping level		li li	
Length of screen	Duration of test pu	umping	/ hr	
Depth to top of screen Diameter of finished hole	Water clear or clo	udy at end of	test 100	G.P.M.
Diameter of finished hole	Recommended pu with pump setting	5 mping rate) feet belo	
Well Log				Record
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
sand	0'	581	67'	fresh
limestone	58'	65		0
gravel	63	(······
		· · · · · · · · · · · · · · · · · · ·		
For what purpose(s) is the water to be used?	~	Location		1/
davry farm	In diagram road and	ot line. Inc	distances of we licate north by	mow.
Is well on upland, in valley, or on hillside?		LO		, ,
Drilling or Boring Firm Captal Matt				
Address /243 Aeron Rd				
Oltawa 733-0600			· Init	
Licence Number 1687				
Name of Driller or Borer & Lrru		.4	15 mil	
Address 1965			>∀	
Date 20 / 6 J Malter Lavanay (Signature of Licensed Drilling or Boring Contractor)				
Form 7 15M-60-4138				12
OWRC COPY			20.9.63	58 20

UTM 1/ 18 12 141412151415 1E	31640	Ĵ	15 NS	6036
5 R 5101019141910 N Ontario Water Reso	ources Commission	Act	5014	
Elev. 4 R 0131315 WATER WEI				
			Nere	°≱,
Basin 25 County or District 1000287000 Con. 3 R.F. Lot 567	Date completed	C	517 month	C (
	Press 1913			year)
Casing and Screen Record		Pumping		
Inside diameter of casing	Static level			
Total length of casing	Test-pumping r		-	G.P.M.
Type of screen	Pumping level	4	2-	
Length of screen	Duration of test	pumping	1HR	
Depth to top of screen	Water clear or c	loudy at end of t	est El	$\Delta r_{\rm c}$
Diameter of finished hole	Recommended	pumping rate	5	G.P.M.
	with pump setti	ing of S	feet below	w ground surface
Well Log			Water	Record
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
BOUIDER CIPY	0	43		
5120	43	75		
600056	25	99		
1 part The	97	d my	105	FREST
For what purpose(s) is the water to be used?		Location	of Well	
For what purpose(s) is the water to be used.	In diagr	am below show	distances of wel	ll from
Is well on upland, in valley, or on hillside?	road and	d lot line. Ind	icate north by	arrow.
Drilling or boring Firm				1 mg
Man = 13 5 tire		.2		f
Address of Inizad		· V	P	
	I A.	.3	CONT	1 (
Licence Number 2157	14		Lo	
Name of Driller or Borer.				
Address				
Date D516				
(Signature of Licensed Drilling or Boring Contractor)				
Form 7 15M-60-4138			an a	1 AV
OWRC COPY			0.59.5	к V (? ²

	he		WA	TE	R \	NI	ELI	_ F	RE	3164 CO	RD
Env ntario	Vironment			151	1837	0	150	800	ŘF		03
OUNTY OR DISTRICT	Z. CHECK 🖄 CORR	TOWNSHIP BOROUGH C		SE		CON.	10 BLOCK, TRAC		$\mathcal{R} \cdot \mathcal{F}$	T	006
	~ ^ ·	lep	ean				Co		DATE COMP		48-53
)X	3136, R	R. H	3; N	epea "S	n, On	t.	DAY	<u>а мо О</u>	17 YR 83
1	M 10		9 1 9 9 1 9 1 1 1 1 1 1 1 1 1 1	4 2	325	4	26				47
	LC	G OF OVERBURDE		ROCK M	ATERIAL				I	DEPTH	H - FEET
ENERAL COLOUR	COMMON MATERIAL	OTHER M	MATERIALS			GENER	AL DESCRIP	108		FROM	01
Brown	Sand	Stones								0	14
Gray	Sand	Gravel &	Boulde	rs						<u>14</u> 49	49 53
Gray	Limestone									49	
				h							
31 201	462812 004	921281113 00	53215								
32									65 -33 DIAME	1 34-38	75 80
41 WA		INSIDE	& OPEN HO	DEPTH			SI OF OPENING				
				DIFIN		ш !				INCHES	FEET
AT - FEET	T FRESH 3 USULPHUR	DIAM MATERIAL INCHES	1HICKNESS UNCHES	FROM	10		RIAL AND TYP	YE.		INCHES DEPTH TO TOP OF SCREEN	41-44 30
0 52 1 ²	FRESH 3 SULPHUR 14 SALTY 4 MINERAL	DIAM MATERIAL INCHES 6610-11 1 X STEEL 6 1 2] GALVANIZE		FROM		HOS MATE			9. CEAL	DEPTH TO TOP OF SCREEN	41-44 30 FEET
10-13 1 1 2 1 15-18 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	FRESH 3 SULPHUR ¹⁴ SALTY 4 MINERAL FRESH 3 SULPHUR ¹⁹ SALTY 4 MINERAL	DIAM MATERIAL INCHES OG 10-11 1 X STEEL	12 12 188	- ГВЭМ О С	10 13-16 049 20-23	G1 DEPTH	PLU SET AT FLET	GGING	& SEAL	ING REC	41-44 30 FEET ORD
10-13 2 1 15-18 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2	FRESH 3 _ SULPHUR 14 SALTY 4 _ MINERAL FRESH 3 _ SULPHUR 19	DIAN MATERIAL 100415 10045 100415 1105 1014 1105 1014 1105 1015 1105 1016 1105 <t< td=""><td>12 12 13 188 E 19 E0</td><td>FROM</td><td>10 13-16 049 20-23</td><td>61 DEPTH FROM</td><td>PLU SET A1 FLEI 10</td><td>GGING</td><td></td><td>ING REC</td><td>41-44 30 FEET</td></t<>	12 12 13 188 E 19 E0	FROM	10 13-16 049 20-23	61 DEPTH FROM	PLU SET A1 FLEI 10	GGING		ING REC	41-44 30 FEET
10-13 1 2 15-18 15-18 1 2 20-23 1 2 25-28 1	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL GRESH 3 SULPHUR	DIAN MATERIAL 10043 MATERIAL 10045 12 11044 12 11045 12 11045 12 11045 12 11045 13 11045 13 11045 10 11045 10 11045 10 11045 10 11045 10 11045 10 11045 10 11045 10	(VCHES 12 12 12 12 12 12 12 12 12 12	- ГВЭМ О С	10 13-16 049 20-23	61 FROM		GGING		ING REC	41-44 30 FEET ORD
10-13 1 1 5 2 1 2 1 15-18 1 20-23 1 2 2 25-28 1 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL FRESH 3 SULPHUR 24 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL SALTY 4 MINERAL	DUAN MATERIAL INCHES 10000011 1 X STERI 2 [] GALVANIZE 2 [] GALVANIZE 3 [] CONCRETE 2 [] GALVANIZE 3 [] CONCRETE		- ГВЭМ О С	10 13-16 13-16 10 20-23 10 53	61 DEPTH FROM	PLU SET A1 - FEE TO D-13 - 1 8-21 - 2	GGING 4-17		ING REC	41-44 30 FEET ORD
10-13 1 1 5 2 1 2 1 15-18 1 20-23 1 2 2 25-28 1 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL \$RESH 3 SULPHUR \$RESH 3 SULPHUR \$RESH 3 SULPHUR \$FRESH 3 SULPHUR \$FRESH 3 SULPHUR \$RESH 3 SULPHUR \$RESH 3 SULPHUR \$RESH 3 SULPHUR \$RESH 3 SULPHUR	DIAN INCHAS	198 198 198 198 198 198 198 198	- ГВЭМ О С	10 13-16 13-16 10 20-23 10 53	G1 DLPTH FROM 10 26	PLU SET A1 - FLE 10 0-03 4-21 2 3	GGING 	TERIAL AND	ING REC	41-44 30 FEET ORD
10-13 1 2 2 1 5 2 1 2 1 15-18 1 2 2 1 20-23 1 1 2 2 1 20-23 1 1 2 2 1 20-23 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL ETHOD 10 PUMPING RATI 2 BAILER 0	DIAN MATERIAL INCHIS MATERIAL INCHIS IS INCHIS INCHIS INCHIS <td< td=""><td>112 1138</td><td>- ГВЭМ О С</td><td>²⁰⁻²³ 53 27-30</td><td>G1 DLPTH FROM 226</td><td>PLU SET AL FLU 10 0-13 1 -21 2 -29 3 -20 -21 -21 -21 -21 -21 -21 -21 -21</td><td>GGING 4-17 2-23 0-33 80 O N O I</td><td>TERIAL AND</td><td></td><td>A1-44 10 FEET</td></td<>	112 1138	- ГВЭМ О С	²⁰⁻²³ 53 27-30	G1 DLPTH FROM 226	PLU SET AL FLU 10 0-13 1 -21 2 -29 3 -20 -21 -21 -21 -21 -21 -21 -21 -21	GGING 4-17 2-23 0-33 80 O N O I	TERIAL AND		A1-44 10 FEET
10-13 1 2 2 1 15-18 1 2 2 1 15-18 2 2 2 2 2 1 20-23 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL FRESH 3 SULPHUR \$ALTY 4 MINERAL \$RESH 3 SULPHUR \$ALTY 4 MINERAL \$SALTY 4 MINERAL \$S	DUM MATERIAL INCHS MATERIAL INCHS MATERIAL INCHS Inchs	12 12 12 12 1 12 1	49 d	²⁰⁻²³ 53 27-30	G1 D107H	PLU SET AL FLU 10 0-13 1 -21 2 -29 3 -20 -21 -21 -21 -21 -21 -21 -21 -21	GGING 4-17 2-23 0-33 80 ONOI	E WEL	ING REC	A1-44 10 FEET
10-13 1 2 5 2 1 5 -1 2 2 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL 17 SALTY 4 MINERAL 18 FRESH 3 SULPHUR 29 SALTY 4 MINERAL 18 SALTY 4 MINERAL 14 SALTY 4 MINERAL 14 SALTY 4 MINERAL 14 SALTY 4 MINERAL 14 BAILER 0 14 14 WATER INFERINCE 15 WATER INFERAL WATER INFERANCE 15 MINUTES 24-24	DIAN MATERIAL INCHIS MATERIAL INCHIS MATERIAL INCHIS MATERIAL INCHIS MATERIAL INCHIS Steric	12 12 12 12 12 12 1	49 0	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	E WEL		A1-44 10 FEET
10-13 1 2 5 2 1 2 1 15-18 1 2 20-23 1 2 25-28 1 2 25-28 1 2 30-33 1 2 30-33 1 2 1 000000000000000000000000000000000	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL 17 SALTY 4 MINERAL 18 FRESH 3 SULPHUR 29 SALTY 4 MINERAL 18 SALTY 4 MINERAL 14 SALTY 4 MINERAL 14 SALTY 4 MINERAL 14 SALTY 4 MINERAL 14 BAILER 0 14 14 WATER INFERINCE 15 WATER INFERAL WATER INFERANCE 15 MINUTES 24-24	DIAN MATERIAL INCHIS MATERIAL INCHIS I STEPAI I I GALVANIZI I GALVANIZI I I I I STEPAI I GALVANIZI I I GALVANIZI I GALVANIZI I I GALVANIZI I GALVANIZI I I GALVANIZI I GALVANIZI I GALVANIZI I GALVA	12 12 12 1.38 1 1.88 1 1.0 6 1.0 6 1.0 7 7.0 10 1.0 11 1.0 12 1.0 13 1.0 14 1.0 17 1.0 18 1.0 18 1.0 18 1.0 18 1.0 19 1.0 19 1.0 10 1.0 10 1.0 110 1.0 110 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 111 1.0 <	49 d	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	E WEL		A1-44 10 FEET
10-13 1 1 5 5 2 1 5 1 5 1 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL CHOD 10 PUMPING RATI 2 BAILER 24 WATER 22-14 15 <minutes< td=""> 22-14 15<minutes< td=""> 22-24 38-41 PUMP INIARE UMP TYPE RECOMENDE</minutes<></minutes<>	DUM MATERIAL INCHES Good INCHES Galvanize INCHES Galvanize INCHES Galvanize INCHES Steel INCHES Steel INCHES Steel INCHES Galvanize INCHES Galvanize INCHES INCONCERLE INCHES INCONCERLE INCHES INCONCERLE INCHES Steel	12 12 12 12 1 12 1	49 d	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 2 5 2 1 5 -18 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR 19 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR BALTY 4 MINERAL CHOO 10 PUMPING RATI 2 BAILER 0 WATER 14 22-24 13 22-24 15 MINUTES 24-1 5 MINUTES 24-24 38-41 PUMPINIARE 6-7M	DIAN INCHES DIAN INCHES DIAN INCHES DIAN INCHES DIAN INCHES DIAN INCHES IN	12 12 12 138 19 100 6 100 6 100 6 100 10 100 10 100 11 100 11 100 12 100 13 100 13 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100	49 d	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 1 5 2 1 2 1 15-18 1 20-23 1 21 20-23 1 2 20-23 1 2 20-23 1 2 20-23 1 2 20-23 1 2 2 20-23 1 2 2 20-23 1 2 2 2 2 20-23 1 2 2 2 2 2 2 2 2 2 2 2 2 2	Image: Sality 4 SULPHUR 4 SALTY 4 MINERAL MATER LIVEL WATER LIVEL MATER LIVEL SWATER I MATER LIVEL SWATER I MATER LIVEL SWATER I JOLPHUNC 22-14 JUMPING SWATER I MATER LIVEL SWATER I JUMPING SWATER I JUMPING SWATER I JUMPING SWATER I JUMPING SWATER I STAT SWATER I <tr< td=""><td>DIAN MATERIAL INCHIS MATERIAL INCHIS STEPL INCHIS STANIAU INCONCOMENT STANIAU INCHIS STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU <</td><td>12 1 12 1 1 1 1 1 1 1 1 1</td><td>49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10</td><td>10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16</td><td>G1 D107H</td><td>PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D</td><td>GGING 4-17 2-23 0-33 80 ONOI</td><td>TERIAL AND WELL OF WELL</td><td></td><td>A1-44 10 FEET</td></tr<>	DIAN MATERIAL INCHIS MATERIAL INCHIS STEPL INCHIS STANIAU INCONCOMENT STANIAU INCHIS STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU INCONCOMENT STANIAU <	12 1 12 1 1 1 1 1 1 1 1 1	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 2 5 2 1 5-18 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR BALLER 0 PUMPING RATI 2 BAILER 0 WATER 22-24 IS MINUTES 24-3 5 MINERAL 11 22-24 IS MINUTES 38-41 PUMPIN INARE UMP FECOMMENDE UMP FUMPIN	DUAN MATERIAL INCHES MATERIAL INCHES STEEL ICONFRETE ICONFRETE	112 12 12 138 13 138 14 14 15 1 16 1 17 10 18 10 19 10 10 10 10 10 11 10 12 10 13 10 13 10 11 RECOVERY 11 10 12 10 13 10 13 10 10 10 11 10 12 10 13 10 14 10 15 10 10 10 11 10 12 10 13 10 14 10 15 10 16 10 17 10 18	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 2 5 2 1 5-18 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL SALTY 4 MINERAL SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL PUMPING 20 WATER SALTY 2 MINERAL Q20 FEU Q20 SUMP INTRE 2 SALTY 9 WATER INTRE 24:10 YPUMPING 20 SETING 3	DIAM MATERIAL DIAM MATERIAL MATERIAL 2 GOUT 1 MATERIAL 2 GAUANIZI 2 MATERIAL 2 MATERIAL 2 GAUANIZI 3 MATERIAL 2 GAUNIZI 2 MATERIAL 2 SO 6 MATERIAL 2	112 12 12 138 13 138 14 14 15 1 16 1 17 10 18 10 19 10 10 10 10 10 11 10 12 10 13 10 13 10 11 RECOVERY 11 10 12 10 13 10 13 10 10 10 11 10 12 10 13 10 14 10 15 10 10 10 11 10 12 10 13 10 14 10 15 10 16 10 17 10 18	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 2 5 2 1 5-18 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL PUMPING 10 PUMPING RATI 2 BAILER Ø WATER LEVEL 22-24 SHUP INTRE 22-24 SHUP INTRE 22-24 UMP INTRE 22-24 J WATER LIVEL 22-3 FET Ø 22-14 UMP INTRE 22-24 UMP INTRE 22-34 O 9 BAULER 9	DUM MATERIAL INCHES MATERIAL INCHES STEPL INCHES STEPL <	112 12 12 138 13 138 14 148 15 14 16 15 17 15 18 15 19 16 10 16 10 17 11 18 12 18 13 16 12 18 11 18 12 10 13 10 13 10 14 10 15 16 12 10 13 10 13 10 14 10 15 10 16 10 17 10 18 10 19 10 10 10 10 10 10 10 10 10 10	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 5 2 1 15-18 2 20-23 1 2 2 20-23 1 2 2 2 2 2 2 2 2 2 2 2 2 2	R FRESH 3 SULPHUR 14 SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL Composition 10 PUMPING RATI 2 BAILER 0 WATER 10 PUMPING RATI 21 BAILER 0 020 FET 0220 11 22-14 IS MINUES 20 FET 0220 11 23-41 PUMPINTAKE 0 PUMPINTAKE PUMPINTAKE 11 20 OBSENVATION WE 20 OBSENVATION WE 31 30 WATER SUPPLY 2 OBSENVATION WE 31 30 WATE	DIAM MATERIAL INCHES MATERIAL INCHES STEEL IC STEEL IC OVER HOLE IC OVER HOLE <td>132 138 12 138 13 138 14 138 15 138 16 16 17 19 10 19 10 19 10 19 10 19 11 10 12 10 13 10 13 10 11 RECOVERY 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 12 10 13 10 14 10 15 10 16 10 17 10 18 10 19 10 10 10 10 10 10<td>49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10</td><td>10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16</td><td>G1 D107H</td><td>PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D</td><td>GGING 4-17 2-23 0-33 80 ONOI</td><td>TERIAL AND WELL OF WELL</td><td></td><td>A1-44 10 FEET</td></td>	132 138 12 138 13 138 14 138 15 138 16 16 17 19 10 19 10 19 10 19 10 19 11 10 12 10 13 10 13 10 11 RECOVERY 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 12 10 13 10 14 10 15 10 16 10 17 10 18 10 19 10 10 10 10 10 10 <td>49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10</td> <td>10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16</td> <td>G1 D107H</td> <td>PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D</td> <td>GGING 4-17 2-23 0-33 80 ONOI</td> <td>TERIAL AND WELL OF WELL</td> <td></td> <td>A1-44 10 FEET</td>	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 5 2 1 15-18 1 2 2 0-23 1 2 2 0-23 1 2 2 0-23 1 2 2 1 2 0-23 1 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1	2 FRESH 3 SULPHUR 14 SALTY 4 MINERAL 1 SALTY 4 MINERAL 1 FRESH 3 SULPHUR 1 SALTY 4 MINERAL 1 FRESH 3 SULPHUR 2 BAILER 0 2 BAILER 0 2 BAILER 0 2 FEET 0 3 TEST HOLE 4 INGCHARION 3 1 3 TEST HOLE 4 INGCHARION 3 1 3 IRECHARGE	DUM MATERIAL MATERIAL MATERIAL MATERIAL Construct MINUTES AS MINU Statial Recomment MATERIAL MATERIAL MATERIAL <td< td=""><td>112 12 12 138 13 13 10 14 10 15 10 15 11 10 12 10 13 10 14 10 15 10 16 10 17 10 18 10 19 10 10 10 10 10 11 10 12 10 11 10 12 10 11 10 10 10 11 10 12 10 12 10 13 10 14 10 15 10 16 10 10 10 11 10 12 10 13 10 14</td><td>49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10</td><td>10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16</td><td>G1 D107H</td><td>PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D</td><td>GGING 4-17 2-23 0-33 80 ONOI</td><td>TERIAL AND WELL OF WELL</td><td></td><td>A1-44 10 FEET</td></td<>	112 12 12 138 13 13 10 14 10 15 10 15 11 10 12 10 13 10 14 10 15 10 16 10 17 10 18 10 19 10 10 10 10 10 11 10 12 10 11 10 12 10 11 10 10 10 11 10 12 10 12 10 13 10 14 10 15 10 16 10 10 10 11 10 12 10 13 10 14	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 2 2 20-23 1 2 2 20-23 1 2 2 20-23 1 2 2 20-23 1 2 2 2 2 2 2-23 1 2 2 2 2 2 2-23 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	31-30 SULPHUR 14 SALTY 4 MINERAL SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL PUMPING 20 WATER PUMPING 21 20 TEST <mole< td=""> 24:3 SHALT PUMPING SHAL PUMPING SHAL PUMPING SHAL PUMPING SHAL PUMPING SHAL 9 SHAL PUMPING <tr< td=""><td>DUM MATERIAL INCHES MATERIAL INCHES STEEL ICONSTRUCT ICONSTRUCT ICONSTR</td><td>132 138 12 138 13 138 14 138 15 138 16 16 17 16 18 16 19 17 10 17 10 18 11 18 12 18 13 18 11 18 11 18 11 18 11 18 11 18 12 18 11 18 11 18 12 18 13 19 13 10 13 10 13 10 13 10 14 10 15 10 16 10 16 10 16 10 17 10 18</td><td>49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10</td><td>10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16</td><td>G1 D107H</td><td>PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D</td><td>GGING 4-17 2-23 0-33 80 ONOI</td><td>TERIAL AND WELL OF WELL</td><td></td><td>A1-44 10 FEET</td></tr<></mole<>	DUM MATERIAL INCHES MATERIAL INCHES STEEL ICONSTRUCT ICONSTRUCT ICONSTR	132 138 12 138 13 138 14 138 15 138 16 16 17 16 18 16 19 17 10 17 10 18 11 18 12 18 13 18 11 18 11 18 11 18 11 18 11 18 12 18 11 18 11 18 12 18 13 19 13 10 13 10 13 10 13 10 14 10 15 10 16 10 16 10 16 10 17 10 18	49 0 7-18 100 5-37 100 100 100 100 100 100 100 100 100 10	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	G1 D107H	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 2 5 2 1 5-18 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	31-30 SULPHUR 14 SALTY 4 MINERAL SALTY 4 MINERAL FRESH 3 SULPHUR SALTY 4 MINERAL PUMPING 20 WATER PUMPING 21 20 TEST <mole< td=""> 24:3 SHALT PUMPING SHAL PUMPING SHAL PUMPING SHAL PUMPING SHAL PUMPING SHAL 9 SHAL PUMPING <tr< td=""><td>DUM MATERIAL INCHES MATERIAL INCHES STEFFL I CONFRETE I STEEL I CONFRETE I CONFRETE</td><td>132 138 12 138 13 138 14 138 15 138 16 16 17 16 18 16 19 17 10 17 10 18 11 18 12 18 13 18 11 18 11 18 11 18 11 18 11 18 12 18 11 18 11 18 12 18 13 19 13 10 13 10 13 10 13 10 14 10 15 10 16 10 16 10 16 10 17 10 18</td><td>49 0 7-18 5-37 5-37 6-49 6-49 6-49 6-49 6-49 6-49 6-49 6-49</td><td>10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16</td><td>CONTRACTOR OF CONTRACTOR OF CO</td><td>PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D</td><td>GGING 4-17 2-23 0-33 80 ONOI</td><td>TERIAL AND WELL OF WELL</td><td></td><td>A1-44 10 FEET</td></tr<></mole<>	DUM MATERIAL INCHES MATERIAL INCHES STEFFL I CONFRETE I STEEL I CONFRETE	132 138 12 138 13 138 14 138 15 138 16 16 17 16 18 16 19 17 10 17 10 18 11 18 12 18 13 18 11 18 11 18 11 18 11 18 11 18 12 18 11 18 11 18 12 18 13 19 13 10 13 10 13 10 13 10 14 10 15 10 16 10 16 10 16 10 17 10 18	49 0 7-18 5-37 5-37 6-49 6-49 6-49 6-49 6-49 6-49 6-49 6-49	10 13-16 13-16 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-12 10-16	CONTRACTOR OF CO	PLU SET A1 - FLE 10 20-13 -21 - 2 -29 - 3 O C ATI OW SHOW D	GGING 4-17 2-23 0-33 80 ONOI	TERIAL AND WELL OF WELL		A1-44 10 FEET
10-13 1 1 5 5 2 1 5 1 5 1 1 2 1 2 1 2 1 2 1 2	Image: SALTY SULPHUR Image: SALTY SALTY MINERAL COM ZUMPHUR SALTY MINERAL COM ZUMPHUR COM ZUMPHUR MINER ZUMPHUR SALTY MINERAL COM ZUMPHUR COM ZUMPHUR SETING ZUMPHUR SETING SETING STAL MATER SUPPLY COM COMESTIC COM COMESTIC STATY CONTARY (GAVEN) SE ATING MOTARY (GAVEN) STAL MATER SUPPLY COMESTIC STOCK MOTARY (CAVEN) SE ATING <td>DUM MATERIAL INCHES MATERIAL INCHES STEEL ICONSTRUCT STEEL ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT <td>112 12 12 138 13 13 14 14 15 1 16 1 17 10 18 10 19 10 10 10 110 10 12 10 12 10 13 10 11 12 11 10 11 10 11 10 12 10 13 10 11 10 12 10 11 10 11 10 12 10 11 10 11 10 12 10 12 10 13 10 14 10 15 10 16 10 10 10 10</td><td>49 7.18 5.37 429 5.37 420 5.37 400 5.37 400 7.18 5.37 400 7.18 5.37 7.18 5.37 7.18</td><td>10 10-16</td><td>CONTRACTOR S</td><td>PLU SET AT FLU DOB 2 20 20 20 20 20 20 20 20 20 20 20 20 20</td><td>GGING 4-17 2-25 0-33 00 0 0 0 0 0 0 0 0 0 0 0 0</td><td>TERIAL AND WELL OF WELL 135'</td><td></td><td>A1-44 10 FEET</td></td>	DUM MATERIAL INCHES MATERIAL INCHES STEEL ICONSTRUCT STEEL ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT <td>112 12 12 138 13 13 14 14 15 1 16 1 17 10 18 10 19 10 10 10 110 10 12 10 12 10 13 10 11 12 11 10 11 10 11 10 12 10 13 10 11 10 12 10 11 10 11 10 12 10 11 10 11 10 12 10 12 10 13 10 14 10 15 10 16 10 10 10 10</td> <td>49 7.18 5.37 429 5.37 420 5.37 400 5.37 400 7.18 5.37 400 7.18 5.37 7.18 5.37 7.18</td> <td>10 10-16</td> <td>CONTRACTOR S</td> <td>PLU SET AT FLU DOB 2 20 20 20 20 20 20 20 20 20 20 20 20 20</td> <td>GGING 4-17 2-25 0-33 00 0 0 0 0 0 0 0 0 0 0 0 0</td> <td>TERIAL AND WELL OF WELL 135'</td> <td></td> <td>A1-44 10 FEET</td>	112 12 12 138 13 13 14 14 15 1 16 1 17 10 18 10 19 10 10 10 110 10 12 10 12 10 13 10 11 12 11 10 11 10 11 10 12 10 13 10 11 10 12 10 11 10 11 10 12 10 11 10 11 10 12 10 12 10 13 10 14 10 15 10 16 10 10 10 10	49 7.18 5.37 429 5.37 420 5.37 400 5.37 400 7.18 5.37 400 7.18 5.37 7.18 5.37 7.18	10 10-16	CONTRACTOR S	PLU SET AT FLU DOB 2 20 20 20 20 20 20 20 20 20 20 20 20 20	GGING 4-17 2-25 0-33 00 0 0 0 0 0 0 0 0 0 0 0 0	TERIAL AND WELL OF WELL 135'		A1-44 10 FEET
10-13 5 2 1 5 2 1 15-18 2 2 2 2 2 2 2 2 2 2 2 2 2	SALTY 4 MINERAL Composition 10 PUMPING RATI 20 recomposition 22-14 SALTY 10 22-14 WATER LEVEL 22-14 11 22-14 22-14 15 MINUTES 21 22-14 12 MATER L 020 rect 22-14 15 MINUTES 23-31 10 11 22-14 12 10 13 11 14 MATER SUPPLY <td>DUM MATERIAL INCHES MATERIAL INCHES STEEL ICONSTRUCT STEEL ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT <td>132 138 12 138 13 138 14 148 15 14 16 15 17 16 18 16 18 16 19 17 10 17 110 18 111 18</td><td>49 0 7.18 5.37 4.00 5.37 4.00 5.37 4.00 0 0 0 0 0 0 0 0 0 0 0 0</td><td>10 10 10-16 1</td><td>CONSTRUCTION</td><td>PLU SET AT FLEE DOB TO CATTI OW SHOW C DICATE NOR CONTRACTOR</td><td>GGING 4-17 2-25 0-33 00 0 0 0 0 0 0 0 0 0 0 0 0</td><td>TERIAL AND WELL OF WELL</td><td></td><td>AI-44 10 FEET</td></td>	DUM MATERIAL INCHES MATERIAL INCHES STEEL ICONSTRUCT STEEL ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT STEEL ICONSTRUCT CONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT ICONSTRUCT <td>132 138 12 138 13 138 14 148 15 14 16 15 17 16 18 16 18 16 19 17 10 17 110 18 111 18</td> <td>49 0 7.18 5.37 4.00 5.37 4.00 5.37 4.00 0 0 0 0 0 0 0 0 0 0 0 0</td> <td>10 10 10-16 1</td> <td>CONSTRUCTION</td> <td>PLU SET AT FLEE DOB TO CATTI OW SHOW C DICATE NOR CONTRACTOR</td> <td>GGING 4-17 2-25 0-33 00 0 0 0 0 0 0 0 0 0 0 0 0</td> <td>TERIAL AND WELL OF WELL</td> <td></td> <td>AI-44 10 FEET</td>	132 138 12 138 13 138 14 148 15 14 16 15 17 16 18 16 18 16 19 17 10 17 110 18 111 18	49 0 7.18 5.37 4.00 5.37 4.00 5.37 4.00 0 0 0 0 0 0 0 0 0 0 0 0	10 10 10-16 1	CONSTRUCTION	PLU SET AT FLEE DOB TO CATTI OW SHOW C DICATE NOR CONTRACTOR	GGING 4-17 2-25 0-33 00 0 0 0 0 0 0 0 0 0 0 0 0	TERIAL AND WELL OF WELL		AI-44 10 FEET
10-13 1 1 5 5 2 1 5 1 5 1 5 1 1 1 1 1 1 1 1 1	SALTY 4 MINERAL 20 FRESH 3 10 PUMPING 24 11 22-7	DIAM MATERIAL INCHES MATERIAL INCHES STEPL INCHES STEPL IC OVER HOL IC	(14CHES 122 12	49 0 7.18 5.37 49 0 7.18 5.37 49 0 7.18 5.37 49 0 0 0 0 0 0 0 0 0 0 0 0 0	10 13-16	CONSTRUCTION	PLU SET AT FLEE DOB TO CATTI OW SHOW C DICATE NOR CONTRACTOR	GGING 4-17 2.25 0-33 80 ON OI ISTANCES TH BY ARF DQ.) F QQ.) F QQ. S9-62 0	TERIAL AND WELL OF WELL 135'		AI-44 10 FEET
10-13 1 1 5 5 2 1 5 5 2 1 5 5 2 1 5 5 2 1 5 5 5 1 5 5 5 5	Image: Sality 4 MINERAL SALTY 4 MINERAL BAILER MATER L WATER LEVEL 22-14 SUMPING 21 O'20 FET O'21 FET O'221 FET O'21	DIAM MATERIAL INCHES MATERIAL INCHES STEPL INCHES STEPL IC OVER HOL IC	132 138 12 138 13 138 14 138 15 138 16 138 17 10 18 11 19 10 10 11 10 11 11	49 7-18 5-37 107 5-49 007 107 107 107 107 107 107 107	10 10 10-16 1	CONSTRUCTION	PLU SET AT FLEE DOB TO CATTI OW SHOW C DICATE NOR CONTRACTOR	GGING 4-17 2.25 0-33 80 ON OI ISTANCES TH BY ARF DQ.) F QQ.) F QQ. S9-62 0	TERIAL AND WELL OF WELL 135'		AI-44 10 FEET

P	Ministry of the		ν	The		Water Res			OF	२८
Ontario	Environment			1527		HUNICIP.		CON.		
COUNTY OR DI	2. СНЕСК 🗵 СОВ	I SPACES PROVIDED RECT BOX WHERE APPLICABLE TOWNSHIP BOROUGH, CI		1527		N BLOCK TRACT.			L. L. L	22 23 7
COUNTY OR DI			pean			3				6
		nle	hill Way,	R.R. #2	Nenean	,Ontario		ATE COMPLETED	8	, <u>93</u>
		SH1		ELEVATION		BASIN CODE				··
	u 10 12	OG OF OVERBURDE	N AND BEDR	S 26 OCK MATEI	30 RIALS (SEE	INSTRUCTIONS				
GENERAL CO	MOST COMMON MATERIAL	OTHER M	ATERIALS		GENE	RAL DESCRIPTIO) N	FR	DEPTH - FI	EET TO
Brown	Clay								0	10
Gray	Clay								10	40
Gray	Sand Gra	vel							40	55
Gray	Limestone								55	73
31					لبلبل	Lull				ЦL
							31-3	3 DIAMETER	1 1 1 1	75 <u>8</u>
41 WATER FOUN		INSIDE		RECORD		EISI OF OPENING OT NO 1			NCHES	FEE
AT - FEET		DIAM MATERIAL INCHES	12	RUM TO		TERIAL AND TYPE		DEPTH OF SCR	TO TOP EEN	41-44 3
65	TRESH SULPHUR	6 1/4 1 STEEL 3. CONCRETE 4 OPEN HOLE	.188	0 6		PLUG	GING	SEALING	RECOR	
20-2		17-18 1 D STEEL	19	20		H SET AT - FEET	1	ERIAL AND TYPE	CEMENT C	GROUT
25-2	Z SALTY 6 GAS	2 GALVANIZED 3 CONCRETE 5 7/8 ⁴ OPEN HOLE 5 7/8 ⁵ APLASTIC		61 7		10-13 14-1	1	ent - Gr		(6)
30-3	Z SALTY 6 GAS	24-25	26	27		0 0		Henry - Gr		(0)
	1 FRESH 3 SULPHUR 34 2 SALTY 6 GAS	3 CONCRETE 4 DOPEN HOLE 5 PLASTIC				26-29 30-33	80			
71	TEST METHOD ¹⁰ PUMPING RA PUMP ² BAILER		5-16 17-18			LOCATIO	NOF	WELL		
STA	TIC WATER LEVEL 25 END OF WATER	t public	DURS MINS			LOW SHOW DIS			ROAD AND	
TEST	PUMPING 19-21 22-24 15 MINUTE: 26-	S 30 MINUTES 45 MINUT	RECOVERY E5 60 MINUTES 32-34 35-37		Hu	4 16			+>	>
S 20	FEET 10 FEET 20F		FEET 29 FEET			7 10				
P P	GPM	FEET	AR 2 2 CLOUDY							
	NDED PUMP TYPE RECOMMEND PUMP SHALLOW DEEP SETTING	50 FEET RATE	5 GPM							
60-53	54 Y					y				
FIN		 ABANDONED. INS ABANDONED PO UNFINISHED 			4	19'3"				
OF W	ELL 4 I RECHARGE WELL	DEWATERING			=					
WAT	PER 3 ☐ IRRIGATION	5 🗌 COMMERCIAL 6 🗍 MUNICIPAL 7 🗍 PUBLIC SUPPLY			J	22'3"				
US		COOLING OR AIR CO	NDITIONING IOT USED		J_H	1005e# 23				
METH					2/		_	_		
0			3		1				1054	~~~
	AIR PERCUSSION		G OTHER	DRILLERS RE	MARKS				1359	
	F WELL CONTRACTOR	LIC	LL CONTRACTOR'S ENCE NUMBER	ATE OF	58	155	8 DATE	SEP 2	1993	63-68 80
	ital Water Supply		1558		INSPECTION	INSPEC	TOR			1_
151	of well technician	L H	CENCE NUMBER	D REMARKS						
	UILET/T. Harrison	SUBMISSION DATE	097/T2251	OFFICE						
1 22	Kanon 1	DAY 30 M	<u>. 8 yr 93</u>	10						

MINISTRY OF THE ENVIRONMENT COPY

FORM NO. 0506 (11/86) FORM 9

Ontario Ministry of Environment and Energy

T

The Ontario Water Resources Act WATER WELL RECORD

-

ounty or District		Te	ownship/Borough/Cit				Con block tract		· ۲
		4	ddress			140 000	Date		a
		تل	Northing		RC Elevat		Basin Code	leted 8 day 9 m	onth¶7ye
2	1 M ≦	12		26	2 3		<u>i i i</u>		1
ieneral colour	Most common material	OG OF OVERE	Other materials		TERIALS (s	1	ons) description	De	pth - feet
		1 au à			0	V	Δ	From	To
Rown	Sandy C	lay e	Boulde	400	p	acked	A	0	30
SROwn	Sand è	GRA	vel-		P	ack -	d	30	171
FREY	Sand e	GRO			P	acke	d	74	84-
DET	Sandy Clay		oulder	H	LED Pa	Pack	-d	84 5	94
FREY	Limestor			1.	m		ARD	94	lir
	Entre Stoy	· · ·			- r v	100 M	FROD	· · /	1
		96	oF 64"	casi					-
		1	Heavy						
	an an an de Manader a Manhaer, et e e e e	1		Cap	- opt				
		4-5	baasa	-	men	+			1
1		Laba ISA				i Harri	SLOPE IN D	ALC: NO DE LA C	
	· • · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , ,	5 (1 (A 1 A 1	1 1 1	111,1			11.111	111)
		ii CAS	ING & OPEN HO	LE RECORD Depth -		Sizes of op (Slot No.)	ening ^{91 33} Dia	65 Imeter 34-38 Leng	75 th
ter found - feet	Kind of water	liam Materi nches	ial thickness inches	From	То	Material and	dhuna	inches Depth at top	1 of correspond
	Salty Balty	T Com	anized **00	0	94文	S	a type	Deptratiop	41-44 feet
	Fresh 3 Sulphur 10 A Minerals Salty 6 Gas	Z Den Plast	hole	942	110	61	PLUGGING & SE	ALING RECOR	
	Fresh 3 Sulphur 24	17-18 1 Steel 2 Galva 5 Conc	anized		21-23		nnular space	Abandonm	
Statute Colore	Fresh 3 Gas	₄ □ Open ₅ □ Plast	hole			From	To Material and t	ype (Cement grout, be	entonite, el
	Salty & O Minerals		anized		27-30	11-21 X	O Cem	ent Gra	ALT
	Fresh 3 Sulphur 34 40 Salty 6 Gas	3 Conc Copen S Plast	hole			26-29	30-33 80		
Pumping test me	ethod so Pumping rate		of pumping			1.00			1
	A Bailer 26 Vater level 25 Water levels durin	GPM	Hours Mins			below show di	ATION OF WELL istances of well fro	om road and lot l	ne.
J9-21	ia or pamping	ng 1 📜 Pumping inutes 45 minut	es 60 minutes	11	Indicate nor	th by arrow.	ale RD		J
35 feet	37 teet 37 teet 3	7 toet 37	Teet 37 100	1		•	0.7	ikm	1
If flowing give rat	te 38-41 Pump intake set at GPM	feet X C	end of test ≉ Clear □ Cloudy	112					9
Recommended p	pump type Recommended	43-45 Recommo	ended 55-49		4	-		5	Fi
Shallow		feet	GPM	J!' J		Tel		í.	REENBOK
Water supp	OF WELL 54 ply 3 Abandoned, inst	ufficient supply 🔹 🗆	Unfinished	ן יור	4	rt i		I	2
2 Observatio	n well G Abandoned, poo 7 Abandoned (Oth	or quality 10 🛛	Replacement well	' L	2	1 . 0:	Hess !		K
Recharge				11	V L	3 .10			P
Domestic Stock	55-56 5 Commercial 6 Municipal	3 D 10 D	Not used Other	'					ľ
 Irrigation Industrial 	 Public supply Cooling & air co 				20	ź			
THOD OF CO				- Kuw	ped	Well	with Ji til clean	etpump	
Cable tool	6 C Air percussion	10	Driving Digging	FOR	4hr	es un	tilchar	e.	
3	verse) > Diamond	п 🗆	Other	11				18070	
me of Well Contra	ictor	Well C	Contractor's Licegce No	Data	58	Contractor	59.42 D	ate received	63-68
	RE WELL DRI		6455	Data source		64			<u>997</u>
			23	Date o	finspection	Ins	pector		
dress	OSGODDE OI	WT KO	A 2WO	ISI		1.			
	B MOORE	Well T	PA2WO Technician's Licence No 0319	ISI					6

2 - MINISTRY OF ENVIRONMENT & ENERGY COPY

						The	<i>Ontario W</i> WATER	ater Reso	urces A ECOR
Print only in spaces provided. Mark correct box with a checkmark,	where applica	ble.	11	15	33597	7	Municipality 10 10	Con. RF	22 2
County or District Ottawa Carl	eton		p/Borough/City	-			Con block trac		Lot 5
21		m	Northing	ich,		RC	Basin Code	npleted 14 ii iii	U3 02 month y
		F OVERBURDEN			ERIALS (see in	nstruction	31 S)		
General colour Most common	material		er materials			General de	escription	D From	epth - feet
Dand CIEV Linger	tona	gravel	, 60	ude	15			81	
gier anne									0 112
			·						
							·····		
									_
32 10 41 WATER RECORD						54 Sizes of ope	ning 31-33 D	65 iameter 34-38	ength 35
Water found at - feet Kind of water	Inside diam inches	Material	Wall thickness inches	Depth - I From	To Name	(Slot No.)		inches	fe
9 5 ¹⁰⁻¹³ 1 Fresh 3 Sulphur 2 54 06 Gas 15-18 1 Eresh 3 Sulphur 1 5-18 1 Eresh 3 Sulphur 1 Eresh 3 Sulphur 3 Sulphur	19	1 Steel 12 2 Galvanized 3 Concrete	100		_	Material and	туре	Depth at t	op of screen 41-44 feet
2 - 50 50 50 50 50 50 50 50 50 50 50 50 50	64	4 Open hole 5 Plastic 1 Steel 1	188	0	<u>70</u> 20-23		UGGING & SE	ALING RECOF	
2 Saity 6 Gas	83	2 Galvanized 3 Concrete 4 Open hole 5 Plastic		08	₹ \$ [F	epth set at - fe rom To	Material and	type (Cement grout	
2 Gas	34 60	1 Steel 26			27-30		<u>ð</u> ben	tonit	3
30-33 1 ☐ Fresh 3 ☐ Sulphur 2 ☐ Salty 6 ☐ Gas	6	3 Concrete 4 C Open hole 5 Plastic		88 1	12	26-29 3	10-33 80		
71 Pumping test method 10 Pumping 1 Pump 2 Bailer	гаte 30 дрм	Duragon of puripi	ng 17-18 Mins				ION OF WELL		
Static level end of pumping 25 Water		45 minutes	Recovery 60 minutes		n diagram belo ndicate north b	ow show di by arrow.	stances of well	from road and	lot line.
39 80 39	1° 39°	$39_{\text{feet}}^{32\cdot34}$	39 ³⁵⁻³⁷						27
If flowing give rate 38-41 Pump inta GPM Recommended pump type Recomme	fee		42 Cloudy 46:49						, .
Shallow Deep pump sett 50-53	^{ing} 80 fee	pump rate 12	Э дрм						
FINAL STATUS OF WELL 54	doned, insufficient s	upply ⁹ 🗌 Unfinishe			0.0.1	- ^		- 1	
² Observation well ⁶ Aband	doned, poor quality doned (Other)	¹⁰ Replaced	ment well		386	s Ba	unada	6 Rad	
VATER USE 55- 1 Commentic 5 Comment	56	*			55'	1.3	Smile		
2 ☐ Stock 6 ☐ Munic 3 ☐ Irrigation 7 ☐ Public	ipal	9 🗌 Not use 10 🗌 Other							
METHOD OF CONSTRUCTION 57							6	entre	nh
1 Cable tool 5 Air per 2 Rotary (conventional) 6 Boring 3 Rotary (reverse) 7 Diamo	nd	 Driving Digging Other 						een ba 248	
4 Rotary (air) 8 Jetting] 							248	3241
Name of Well Contractor	liphol	Well Contractor	's Licence No.	Data source	58 Con	itractor	9 59-62 De	MAR 3 1	2003
RR+1 Richm	and	ont	,		inspection	Inspe			
Spannon +	uncel	Well Technician	2	Remark	S	·		CSS.	F63
Signature of Technician/Contractor		aubmission date	۔ چ٥	INIM				C00.1	L0 0

2 - MINISTRY OF THE ENVIRONMENT COPY

I

0506 (07/00) Front Form 9

How can we help you

Search

<u>contact us Français</u> <u>Popular +</u>

Trending Now

- Ontario Public Service careers
- OSAP: Ontario Student Assistance Program
- Government services
- Outdoors Cards, Licences and Draws
- <u>Renew a licence plate sticker</u>
- <u>Change the address on identification cards</u>
- Driving and Roads

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue.

Recommended for you

How to use a Ministry of the Environment map

Technical documentation: Metadata record

Go Back to Map

Well ID

Well ID Number: 7255477 Well Audit Number: *2202640* Well Tag Number:

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	3900 GREEN BARK ROAD
Township	NEPEAN TOWNSHIP
Lot	007
Concession	RF 03
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	NEPEAN
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 442454.00 Northing: 5009708.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

Conoral Colour	Most Common Material	Othor Matorials	Conoral Description	Depth	Depth
General Colour		Other Waterials	General Description	From	То

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	6 ft	BACKFILL	
6 ft	14 ft	3/8 HOLEPLUG	
0 ft	14 ft	18" DUG WELL ABANDONMENT	-

Method of Construction & Well Use

Method of Construction Well Use

Status of Well

Abandoned-Other

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	
Diameter		110111	10	_

Construction Record - Screen

Outside Diameter Material Depth Depth From To

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 1119

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	

https://www.ontario.ca/environment-and-energy/map-well-records

Map: Well records | Ontario.ca

Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	Y

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	

60

Water Details

60

Water Found at Depth Kind

Hole Diameter

Depth Depth From To Diameter

Audit Number: Z202640

Date Well Completed: October 01, 2015

Date Well Record Received by MOE: January 06, 2016

Updated: February 2, 2018 Rate <u>Rate</u> Share <u>facebook twitter Print</u> Tags

- Environment and energy,
- Drinking water,
- Environment maps,
- Well water



Chris Ballard

Minister of the Environment and Climate Change

Ministry of the Environment and Climate Change

Contact Us

Contact us by phone

Follow Us



Topics

- Arts and culture
- Business and economy
- Driving and roads
- Education and training
- Environment and energy
- <u>Government</u>
- Health and wellness
- Home and community
- Jobs and employment
- Law and safety
- Laws
- Rural and north
- Taxes and benefits
- Travel and recreation

ABOUT ONTARIO

privacy

- accessibility
- terms of use

© Queen's Printer for Ontario, 2012-18

How can we help you

Search

<u>contact us Français</u> <u>Popular +</u>

Trending Now

- Ontario Public Service careers
- OSAP: Ontario Student Assistance Program
- Government services
- Outdoors Cards, Licences and Draws
- <u>Renew a licence plate sticker</u>
- <u>Change the address on identification cards</u>
- Driving and Roads

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue.

Recommended for you

How to use a Ministry of the Environment map

Technical documentation: Metadata record

Go Back to Map

Well ID

Well ID Number: 7244943 Well Audit Number: *Z191499* Well Tag Number:

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	3971 GREENBANK ROAD
Township	NEPEAN TOWNSHIP
Lot	006
Concession	RF 02
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 443039.00 Northing: 5009459.00
Municipal Plan and Sublot Number	
Other	_

Overburden and Bedrock Materials Interval

Conoral Colour	Most Common Material	Othor Matorials	Conoral Description	Depth	Depth
General Colour		Other Waterials	General Description	From	То

Annular Space/Abandonment Sealing Record

Depth	Depth	Type of Sealant Used	Volume
From	To	(Material and Type)	Placed
161 ft	6 ft	3/8 HOLEPLUG	

Method of Construction & Well Use

Method of Construction Well Use

Status of Well

Abandoned-Other

Construction Record - Casing

Inside	Open Hole or material	Depth	Depth
Diameter	Open Hole of material	From	То

Construction Record - Screen

Outside Diameter Material Depth Depth From To

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 1119

Results of Well Yield Testing

After test of well yield, water w	vas
If pumping discontinued, give r	reason
Pump intake set at	
Pumping Rate	
Duration of Pumping	

Map: Well records	Ontario.ca
-------------------	------------

Final water level	
If flowing give rate	
Recommended pump d	epth
Recommended pump ra	ate
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Pocovory Timo(min)	Recovery Water level
	Diaw Down water level	Recovery mile(mil)	Recovery water lever
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth Kind

Hole Diameter

Depth Depth From To Diameter

Audit Number: Z191499

Date Well Completed: June 25, 2015

Date Well Record Received by MOE: July 21, 2015

Updated: February 2, 2018 Rate <u>Rate</u> Share <u>facebook twitter Print</u> Tags

- Environment and energy,
- Drinking water,
 - Environment maps,
 - Well water



Chris Ballard

Minister of the Environment and Climate Change

Ministry of the Environment and Climate Change

Contact Us

Contact us by phone

Follow Us



Topics

- Arts and culture
- Business and economy
- Driving and roads
- Education and training
- Environment and energy
- <u>Government</u>
- Health and wellness
- Home and community
- Jobs and employment
- Law and safety
- Laws
- Rural and north
- Taxes and benefits
- Travel and recreation

ABOUT ONTARIO

privacy

- accessibility
- terms of use

© Queen's Printer for Ontario, 2012-18

Ministry of the Environment and Climate Change	Well Tag No. (Place	Sticker and/or Print Below)		Well Record
Measurements recorded in:	N	A.	Regulation 903 Ontario	Water Resources Act
Well Owner's Information				
First Name AINTO Commu		LSC. E-mail Addres	s	Well Constructed by Well Owner
Mailing Address (Street Number/Name)	Municipality	Province		ne No. (inc. area code)
#200 - 180 Kent Strees Well Location	T LUD	when your	KIPOB6	
Address of Well Location (Street Number/Name)	Township	·A 1 ·	Lot Conces	sion
County/District/Municipality	City/Town/Vįlla	DEAU	Province	Postal Code
UTM Coordinates Zone, Easting , Northing	TON NE	and Sublot Number	Ontario	
NAD 8 3 18 44 2556 50 99		hat 1	7-118	
Overburden and Bedrock Materials/Abandonment Se General Colour Most Common Material				Depth (n(ft))
General Colour Most Common Material		Handa		From To
		102 verenti	ieng	0 8
	·			
* NO MOETAS/NOM	NOEWW	R		
Annular Space Depth Set at (m/ft) Type of Sealant Used	Volume P			
From To (Material and Type)	(m³/ft	3) Clear and sand Clear and sand Other, specify		
AL OL Z COLL		If pumping discontin	Ch+41-	
4. 0 Deckfill			1	1
		Pump intake set at	t (m/fi) 2	2
Method of Construction		Pumping rate (I/mir	n/GPM) 3	3
Cable Tool Diamond Public	Well Use	ot use	4	4
Rotary (Conventional) Jetting Domestic Rotary (Reverse) Driving Livestock		ewatering Duration of pumpir onitoring hrs +	ng min 5	5
Boring Digging Irrigation	Cooling & Air Conditionia		d of pumping (m/ft) 10	10
Air percussion Dither, specify Other, specify	/	If flowing give rate	Umih (GPM) 15	15
Construction Record - Casing	Status of	[Well	20	20
Inside Open Hole OR Material Wall Depth Diameter (Galvanized, Fibreglass, Thickness (cm/in) Concrete, Plastic, Steel) (cm/in) From	(m/ft) Uvater Sup		mp depth (m/ft) 25	25
	Test Hole	Well (I/min / GPM)	mp rate 30	30
	Dewaterin Deservatio	g Well	40	40
	Monitoring		nin / GPM) 50	50
	(Construct		60	60
Construction Record - Screen	Insufficient	t Supply	Map of Well Location	
Outside Material Depth Diameter (Plastic, Galvanized, Steel) Slot No.	(m/fi) Water Qua	ality Please provide a ma	ap below following instructions on th	ie back.
	specify			10
Nei	U CON SH act	cify (D, 0,4KM.	realistave feed
			it c	18
Water Details Water found a Depth Kind of Water: Fresh Untested		Diameter		1 St
(noft) □Gas □Other, specify Water jound at Depth Kind of Water: □Fresh □Untested	From To	(cm/in) /	(#931	57 6
(<i>m/ft</i>) Gas Other, specify			1 4941 JNE	510
Water found at Depth Kind of Water: Fresh Untested			CULCE	12. 18
(m/ft) Gas Other, specify Well Contractor and Well Technician			Guinne Chescer	10
Business Name of Well Contractor	Well Contractor's Lic	ence No.		
HK KOCK DKILLING CO I Byginess Address (Street Number/Name)	Municipality	Comments:		
RR#1 Rice	tmenD			
Province Postal Code Business E-mail Add	ress	Well owner's Date	Rackaco Delivored Mir	nistry Use Only
Bus Telephone No. (inc. area code) Name of Well Technician (L	ast Name, First Name)	package	Audit No	
Well Technician's Licence No. Signature of Technician and/or Con	MCC Kon	delivered	Work Completed	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
ITA Kons	2016 081		1606 09 Received	1 1 1 2016
0506E (2014/11)	Ministry'	s Copy	© Quer	en's Printer for Ontario, 2014

··-''

How can we help you

Search

<u>contact us Français</u> <u>Popular +</u>

Trending Now

- Ontario Public Service careers
- OSAP: Ontario Student Assistance Program
- Government services
- Outdoors Cards, Licences and Draws
- <u>Renew a licence plate sticker</u>
- <u>Change the address on identification cards</u>
- Driving and Roads

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue.

Recommended for you

How to use a Ministry of the Environment map

Technical documentation: Metadata record

Go Back to Map

Well ID

Well ID Number: 7292232 Well Audit Number: *C30080* Well Tag Number: *A200815*

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP
Lot	006
Concession	RF 03
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	-
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 441955.00 Northing: 5009210.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

Ganaral Colour	Most Common Material	Other Materials	Conoral Description	Depth	Depth
General Colour		Other Waterials	General Description	From	То

Annular Space/Abandonment Sealing Record

DepthDepthType of Sealant UsedVolumeFromTo(Material and Type)Placed

Method of Construction & Well Use

Method of Construction Well Use

Status of Well

Construction Record - Casing

Inside Diameter Open Hole or material Depth Depth From To

Construction Record - Screen

Outside Material Depth Depth Diameter From To

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 1844

Results of Well Yield Testing

After test of well yield, water was
If pumping discontinued, give reason
Pump intake set at
Pumping Rate
Duration of Pumping
Final water level
If flowing give rate

https://www.ontario.ca/environment-and-energy/map-well-records

Map: Well records | Ontario.ca

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth Kind

Hole Diameter

Depth Depth From To Diameter

Audit Number: C30080

Date Well Completed: July 21, 2016

Date Well Record Received by MOE: August 09, 2017

Updated: February 2, 2018 Rate <u>Rate</u> Share <u>facebook twitter Print</u> Tags

- Environment and energy,
- <u>Drinking water</u>.
- Environment maps,
- Well water



Chris Ballard

Minister of the Environment and Climate Change

Ministry of the Environment and Climate Change

Contact Us

Contact us by phone

Follow Us

Find us on Facebook



Topics

- <u>Arts and culture</u>
- Business and economy
- Driving and roads
- Education and training
- Environment and energy
- Government
- Health and wellness
- Home and community
- Jobs and employment
- Law and safety
- Laws
- Rural and north
- <u>Taxes and benefits</u>
- Travel and recreation

ABOUT ONTARIO

privacy

- accessibility
- terms of use

© Queen's Printer for Ontario, 2012-18

Anna Graham

From: Sent: To: Subject: Anna Graham February-22-18 10:20 AM 'Public Information Services' Records search request for Barnsdale Road and Greenbank Road, Ottawa

Good morning,

Could you please complete a search of your records for underground/aboveground storage tanks, historical spills or other incidents/infractions for the following addresses for properties located in the City of Ottawa, ON:

3718 Greenbank Road
3971 Greenbank Road
3976 Greenbank Road
3575 Barnsdale Road
3806 Barnsdale Road
3816 Barnsdale Road
3865 Barnsdale Road
3875 Barnsdale Road
3882 Barnsdale Road
3809 Borrisokane Road

Thank you,

Anna Graham, B.Sc., M.E.S. patersongroup solution oriented engineering

154 Colonnade Road South Ottawa, Ontario, K2E 7J5 Tel: (613) 226-7381 Ext. 228 Fax: (613) 226-6344 Email: agraham@patersongroup.ca

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Anna Graham, M.E.S.

patersongroup

Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

POSITION

Environmental Assessor

EDUCATION

McGill University, B.Sc. 2010 Biology and English Literature

Queen's University, M.E.S. 2012 Environmental Studies

EXPERIENCE

2014 to Present Paterson Group Inc. Consulting Engineers Environmental Assessor

2013 to 2014 **Civica Infrastructure Inc.** Municipal Water Resources Engineering - Vaughan Project Support Coordinator, Project Proposal Writer

PROJECTS

Environmental Impact Statements – various, Ottawa Phase I Environmental Site Assessments – various, Ottawa Flood Mapping Project Coordination – Credit Valley Conservation Authority Manhole Survey Tool Design and Data Processing – City of Markham Proposal Preparation – Utilities Kingston Inflow and Infiltration Study, City of Peterborough Drainage Study

Mark S. D'Arcy, P. Eng.

patersongroup

Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

POSITION

Associate and Supervisor of the Environmental Division Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991 Geotechnical / Geological Engineering

MEMBERSHIPS

Ottawa Geotechnical Group Professional Engineers of Ontario

EXPERIENCE

1991 to Present **Paterson Group Inc.** Associate and Senior Environmental/Geotechnical Engineer Environmental and Geotechnical Division Supervisor of the Environmental Division

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island Agricultural Supply Facilities - Eastern Ontario Laboratory Facility – Edmonton (Alberta) Ottawa International Airport - Contaminant Migration Study - Ottawa **Richmond Road Reconstruction - Ottawa** Billings Hurdman Interconnect - Ottawa Bank Street Reconstruction - Ottawa Environmental Review - Various Laboratories across Canada - CFIA Dwyer Hill Training Centre - Ottawa Nortel Networks Environmental Monitoring - Carling Campus - Ottawa Remediation Program - Block D Lands - Kingston Investigation of former landfill sites - City of Ottawa Record of Site Condition for Railway Lands - North Bay Commercial Properties - Guelph and Brampton Brownfields Remediation - Alcan Site - Kingston Montreal Road Reconstruction - Ottawa Appleford Street Residential Development - Ottawa Remediation Program - Ottawa Train Yards Remediation Program - Bayshore and Heron Gate Gladstone Avenue Reconstruction - Ottawa Somerset Avenue West Reconstruction - Ottawa