



March 11, 2022

Taryn Glancy, P.Eng., LEED GA
Brownfields Coordinator
Zibi Project
Windmill Dream Ontario Holding LP
6 Booth St (Albert Island)
Ottawa, ON K1R 6K8

TGlancy@zibi.ca

Project Name:	Site Redevelopment – Zibi Property, West Chaudière (Part of 4 Booth Street), City of Ottawa, ON
EXP Project Number:	OTT-00250193-S0
Subject:	Current Site Environmental Status – Blocks 201 to 205B

EXP Services Inc. (EXP) was retained by Windmill-Dream Ontario Holdings LP to file Record of Site Conditions (RSC) with the Ministry of the Environment, Conservation and Parks (MECP) for a piece of property on West Chaudière Island, referred to as Blocks 201 to 205B, in Ottawa, Ontario. A site plan showing the approximate locations of each Block is provided as Figure 1.

RSC are required because the property was formerly used for industrial purposes (specifically, a pulp and paper mill was in operation on the property) and is now being redeveloped for residential and commercial purposes.

An updated Phase I ESA has been completed for Blocks 204 and 205B. Part of Block 204 (which is indicated as Block 204A on Figure 1) has already been remediated and the RSC for this part of the property will be filed in 2022. The remainder of Block 204 and Block 205B will be remediated in 2023, and an RSC submitted in 2024. Blocks 201 to 203 will be remediated following completion of the work at Blocks 204 and 205.

Soil and Groundwater Sampling

Pre-remediation soil sampling has been completed for the entire site. Pre-remediation groundwater sampling has been completed for Blocks 204 and Block 205B. Post-remediation groundwater sampling has been completed for the part of Block 204 that has been remediated.

Soil and groundwater samples were collected and submitted for laboratory analysis of petroleum hydrocarbons (PHC), volatile organic compounds (VOC), polycyclic aromatic hydrocarbons (PAH), polychlorinated biphenyls (PCB), and metals.

For assessment purposes, EXP selected the Site Condition Standards (SCS), provided in Tables 7 and 9 of the document entitled *Soil, Groundwater and Sediment Standards for use Under Part XV.1 of the Environmental Protection Act*, Ministry of the Environment, Conservation and Parks (MECP), 2011 for a residential/parkland/institutional property use and coarse textured soils. The Table 7 SCS are applicable for properties where the depth to bedrock is less than 2 metres from ground surface, while the Table 9 SCS are applicable for properties that are within 30 metres of a surface water body. Both conditions apply to the subject property, so both sets of SCS apply.

Part of Block 204 (shown as Block 204A on Figure 1)

This part of the property is currently being used as a staging area for the construction of an underground parking garage.

Between March 29 and March 31, 2021, part of Block 204 was remediated by excavating and disposing all soil that was on the property. Crushed stone was used to backfill the remedial excavation. No imported soil fill was brought to this part of the property following remediation activities. Three post-remediation monitoring wells were installed on the site. Two rounds of post-remediation groundwater sampling have been completed and results are provided in Tables 1 to 3.

There were no exceedances of the Table 7 or Table 9 SCS, therefore no additional remediation activities are required. It is anticipated that the RSC for this part of Block 204 will be filed shortly.

Remainder of Block 204 and Block 205B

Pre-remediation soil and groundwater sampling has been completed for the part of Block 204 that has not been remediated and Block 205B. Eight boreholes were installed on the property, all of which were completed as monitoring wells. The depth to bedrock ranged from 1.1 to 3.6 metres below ground surface. Pre-remediation soil and groundwater analytical results are provided in Tables 4 to 9.

After the completion of construction on the adjacent buildings to the east, all soil from this part of the property will be removed and disposed of off-site at a licensed landfill. Following remedial activities, post-remediation monitoring wells will be installed on the RSC property. Two rounds of post-remediation groundwater sampling will be completed, at least 90 days apart. One sample from each monitoring well will be submitted for laboratory analysis of VOC, PHC, PAH, PCB, and metals.

Once the data are received and EXP confirms that there are no exceedances of the Table 7 or Table 9 SCS, which would indicate that no further remediation activities are deemed to be warranted, the Phase II ESA report will be completed. It is anticipated that the RSC for the remainder of Block 204 and Block 205B will be submitted to the MECP in 2024.

Blocks 201, 202, 203


The property is currently used as a parking lot for vehicles associated with construction activities on West Chaudière Island.

Pre-remediation soil sampling has been completed for Blocks 201 to 203. Six boreholes were installed on the property, all of which were completed as monitoring wells. The depth to bedrock ranged from 1.0 to 9.8 metres below ground surface. All surficial soil consisted of sand and gravel fill material.

Remediation activities for Blocks 201 to 203 are anticipated to start in 2024. Pre-remediation soil results are provided in Tables 4 to 6. Pre-remediation groundwater samples will be collected prior to commencing remediation activities.

We trust this status update meets your current needs. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Sincerely,
EXP Services Inc.



Leah Wells, P.Eng.
Environmental Engineer
Earth and Environment



Patricia Stelmack, M.Sc., P.Eng.
Senior Environmental Engineer
Earth and Environment

Attachments:

Appendix A – Figures

Appendix B – Tables

EXP Services Inc.

*Current Site Environmental Status – Blocks 201 to 205B
Site Redevelopment – Zibi Property, West Chaudière Island, City of Ottawa, Ontario
OTT-00250193-S0
March 11, 2022*


Appendix A – Figures



EXP Services Inc.
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada
 www.exp.com



• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
 • INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •



PROJECT No.:	OTT-00250193-S0	DWN.:	JA
SCALE:	AS NOTED	CHKD.:	LW
DATE:	JANUARY 2022	FIG. No.:	1

PROJECT No.:	OTT-00250193-S0	DWN.:	JA
SCALE:	AS NOTED	CHKD.:	LW
DATE:	JANUARY 2022	FIG. No.:	1

Appendix B - Tables

Table 1 - Post -Remediation Analytical Results in Groundwater - PHC and VOC
Block 204A, West Chaudière Island, Ottawa, Ontario
OTT-00250193-P0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	MW21-01	MW21-01	MW21-02	MW21-02	Duplicate (Field Duplicate MW21-02)	MW21-03	MW21-03	D206 (Field Duplicate)	FB23	Field Blank	TB23	Trip Blank
Sampling Date				31-Aug-2021	16-Feb-2022	23-Aug-2021	6-Jan-2022	6-Jan-2022	23-Aug-2021	19-Jan-2022	23-Aug-2021	23-Aug-2021	6-Jan-2022	23-Aug-2021	6-Jan-2022
Screen Depth (mbgs)				3.0 to 6.1	3.0 to 6.1	3.6 to 6.7	3.6 to 6.7	3.6 to 6.7	3.0 to 6.1	3.0 to 6.1	3.0 to 6.1	N/A	N/A	N/A	N/A
Parcel ID		Bold	Dark Orange	2136274-03	2208458-01	2135219-01	2202236-01	2202236-02	2135221-02	2204302-01	2135221-01	2135216-01	2202236-03	2135216-02	2202236-04
Analysis Date				2-Sep-2021	22-Feb-2022	26-Aug-2021	8-Jan-2022	8-Jan-2022	26-Aug-2021	21-Jan-2022	26-Aug-2021	26-Aug-2021	8-Jan-2022	26-Aug-2021	8-Jan-2022
Parcel Certificate of Analysis				2136274	2208458	2135219	2202236	2202236	2135221	2204302	2135221	2135216	2202236	2135216	2202236
Volatile Organic Compounds															
Acetone	ug/L	100000	100000	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Benzene	ug/L	44	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Bromodichloromethane	ug/L	67000	67000	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Bromoform	ug/L	380	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Bromomethane	ug/L	5.6	0.89	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Carbon Tetrachloride	ug/L	0.79	0.2	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
Chlorobenzene	ug/L	500.00	140	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Chloroform	ug/L	2.4	2	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Dibromochloromethane	ug/L	65000	65000	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Dichlorodifluoromethane	ug/L	3500	3500	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
1,2-Dichlorobenzene	ug/L	4600	150	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,3-Dichlorobenzene	ug/L	7600	7600	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,4-Dichlorobenzene	ug/L	8	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1-Dichloroethane	ug/L	320	11	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,2-Dichloroethane	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1-Dichloroethylene	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
cis-1,2-Dichloroethylene	ug/L	1.6	1.6	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
trans-1,2-Dichloroethylene	ug/L	1.6	1.6	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,2-Dichloropropane	ug/L	16	0.58	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
cis-1,3-Dichloropropylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
trans-1,3-Dichloropropylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,3-Dichloropropene, total	ug/L	5.2	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Ethylbenzene	ug/L	1800	54	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Ethylene dibromide (dibromoethane, 1,2-)	ug/L	0.25	0.2	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
Hexane	ug/L	51	5	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Methyl Ethyl Ketone (2-Butanone)	ug/L	470000	21000	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Methyl Isobutyl Ketone	ug/L	140000	5200	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Methyl tert-butyl ether	ug/L	190	15	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Methylene Chloride	ug/L	610	26	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	7.2	ND (5.0)	15.9
Styrene	ug/L	1300	43	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,1,2-Tetrachloroethane	ug/L	3.3	1.1	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,2,2-Tetrachloroethane	ug/L	3.2	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Tetrachloroethylene	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Toluene	ug/L	14000	320	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,1-Trichloroethane	ug/L	640	23	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,2-Trichloroethane	ug/L	4.7	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Trichloroethylene	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Trichlorofluoromethane	ug/L	2000	2000	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Vinyl Chloride	ug/L	0.5	0.50	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
m/p-Xylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
o-Xylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Xylenes, total	ug/L	3300	72	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Petroleum Hydrocarbons															
F1 PHC (C6 - C10) - BTEX*	ug/L	420	420	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
F2 PHC (C10-C16)	ug/L	150	150	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
F3 PHC (C16-C34)	ug/L	500	500	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	N/A	ND (100)
F4 PHC (C34-C50)**	ug/L	500	500	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	N/A	ND (100)

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- * F1 fraction does not include BTEX.
- ** In instances where the PHC F2 to F4 chromatogram did not reach baseline, the F4 fraction result shown is the highest value obtained via the gas chromatograph/flame ionization detection method or the gravimetric method.
- ND Non-detectable results are shown as "ND (RDL)" where RDL
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Indicates groundwater exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
- Indicates groundwater exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use



Table 2 - Post-Remediation Analytical Results in Groundwater - PAH and PCB
 Block 204A, West Chaudière Island, Ottawa, Ontario
 OTT-00250193-P0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	MW21-01	MW21-01	MW21-02	MW21-02	D206 (Field Duplicate MW21-02)	MW21-03	MW21-03	D206 (Field Duplicate MW21-03)	FB23	Trip Blank	Field Blank
Sampling Date		Bold	Dark Orange	14-Sep-2021	16-Feb-2022	23-Aug-2021	12-Jan-2021	12-Jan-2022	23-Aug-2021	19-Jan-2022	23-Aug-2021	23-Aug-2021	15-Dec-2021	12-Jan-2022
Screen Depth (mbgs)				3.0 to 6.1	3.0 to 6.1	3.6 to 6.7	3.6 to 6.7	3.6 to 6.7	3.0 to 6.1	3.0 to 6.1	3.0 to 6.1	N/A	N/A	N/A
Parcel ID				2136274-03	2208458-01	2135219-01	2203311-01	2203311-02	2135221-02	2204302-01	2135221-01	2135216-01	2203309-01	2203309-02
Analysis Date				20-Sep-2021	22-Feb-2022	3-Sep-2021	18-Jan-2022	18-Jan-2022	26-Aug-2021	21-Jan-2021	26-Aug-2021	26-Aug-2021	18-Jan-2021	18-Jan-2021
Parcel Certificate of Analysis				2138370	2208458	2135219	2203311	2203311	2135221	2204302	2135221	2135216	2203309	2203309
Semi-Volatiles														
Acenaphthene	ug/L	600	17	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Acenaphthylene	ug/L	1.4	1	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Anthracene	ug/L	1	1	ND (0.01)	0.01	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)
Benzo[a]anthracene	ug/L	1.8	1.8	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)
Benzo[a]pyrene	ug/L	0.81	0.81	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)
Benzo[b]fluoranthene	ug/L	0.75	0.75	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Benzo[g,h,i]perylene	ug/L	0.2	0.2	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Benzo[k]fluoranthene	ug/L	0.4	0.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Chrysene	ug/L	0.7	0.7	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Dibenzo[a,h]anthracene	ug/L	0.4	0.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Fluoranthene	ug/L	73	44	0.06	0.05	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)
Fluorene	ug/L	290	290	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Indeno[1,2,3-cd]pyrene	ug/L	0.2	0.2	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1-Methylnaphthalene	ug/L	1500	1500	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
2-Methylnaphthalene	ug/L	1500	1500	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Methylnaphthalene (1&2)	ug/L	1500	1500	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)
Naphthalene	ug/L	1400	7	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Phenanthrene	ug/L	380	380	ND (0.05)	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Pyrene	ug/L	5.7	5.7	0.05	0.05	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)
PCBs														
PCBs Total	ug/L	0.2	0.2	ND (0.05)	ND (0.05)	ND (0.10)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	-	ND (0.05)	ND (0.05)	ND (0.05)

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Bold** Indicates groundwater exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
- Dark Orange** Indicates groundwater exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 3 - Post-Remediation Analytical Results in Groundwater - Inorganics
 Block 204A, West Chaudière Island, Ottawa, Ontario
 OTT-00250193-P0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	MW21-01	MW21-01	Duplicate (Duplicate MW21-01)	MW21-02	MW21-02	MW21-03	D206 (Duplicate)	MW21-03	FB23	Field Blank	Trip Blank
Sampling Date				31-Aug-2021	21-Dec-2021	21-Dec-2021	23-Aug-2021	22-Dec-2021	23-Aug-2021	23-Aug-2021	19-Jan-2022	23-Aug-2021	21-Dec-2021	15-Dec-2021
Screen Depth (mbgs)				3.0 to 6.1	3.0 to 6.1	3.0 to 6.1	3.6 to 6.7	3.6 to 6.7	3.0 to 6.1	3.0 to 6.1	3.0 to 6.1	N/A	N/A	N/A
Parcel ID		Bold	Dark Orange	2136274-03	2152337-01	2152337-01	2135219-02	2152337-03	2135221-02	2135221-01	2204302-01	2135216-01	2152337-04	2152337-05
Analysis Date				2-Sep-2021	23-Dec-2021	23-Dec-2021	25-Aug-2021	23-Dec-2021	25-Aug-2021	25-Aug-2021	21-Jan-2021	25-Aug-2021	23-Dec-2021	23-Dec-2021
Parcel Certificate of Analysis				2136274	2152337	2152337	2135219	2152337	2135221	2135221	2204302	2135216	2152337	2152337
Metals														
Antimony	ug/L	16000	16000	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Arsenic	ug/L	1500	1500	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
Barium	ug/L	23000	23000	644	595	615	225	179	210	226	195	ND (1)	ND (1)	ND (1)
Beryllium	ug/L	53	53	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Boron	ug/L	36000	36000	698	747	748	217	222	143	213	94	ND (10)	ND (10)	ND (10)
Cadmium	ug/L	2.1	2.1	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Chromium	ug/L	640	640	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
Chromium (VI)	ug/L	110	110	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
Cobalt	ug/L	52	52	0.9	ND (0.5)	ND (0.5)	1.3	0.5	1.9	1.2	0.6	ND (0.5)	ND (0.5)	ND (0.5)
Copper	ug/L	69	69	2.0	1.2	1.1	ND (0.5)	1.2	0.9	ND (0.5)	ND (0.5)	ND (0.5)	1.7	ND (0.5)
Lead	ug/L	20	20	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	0.1	ND (0.1)
Mercury	ug/L	0.29	0.1	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Molybdenum	ug/L	7300	7300	5.4	3.5	3.5	2.1	4.9	5.0	2.1	1.7	ND (0.5)	ND (0.5)	ND (0.5)
Nickel	ug/L	390	390	4	4	4	3	4	6	3	3	ND (1)	ND (1)	ND (1)
Selenium	ug/L	50	50	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
Silver	ug/L	1.2	1.2	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Sodium	ug/L	1800000	1800000	348000	342000	348000	648000	462000	632000	630000	463000	ND (200)	ND (200)	ND (200)
Thallium	ug/L	400	400	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Uranium	ug/L	330	330	1.0	1.2	1.2	0.3	11.8	9.2	0.3	3.3	ND (0.1)	ND (0.1)	ND (0.1)
Vanadium	ug/L	200	200	ND (0.5)	ND (0.5)	ND (0.5)	0.7	ND (0.5)	1.7	0.7	0.5	ND (0.5)	ND (0.5)	ND (0.5)
Zinc	ug/L	890	890	11	ND (5)	ND (5)	ND (5)	ND (5)	7	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
General Inorganics														
pH	ug/L	6 to 9	6 to 9	-	-	-	-	6.8	-	-	7.6	-	-	-
Cyanide	ug/L	52	52	ND (2)	ND (2)	-	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	-	-

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Bold** Indicates groundwater exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
- Dark Orange** Indicates groundwater exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use



Table 4 - Pre-Remediation Analytical Results in Soil - PHC and VOC
Blocks 201 to 203, 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	Block 205B						
				MW21-101-01	MW21-101-05	MW21-102-SS3	MW21-103-01	MW21-103-04	MW21-104-SS1	MW21-105-SS2
				19-Mar-21	19-Mar-21	16-Dec-21	15-Mar-21	15-Mar-21	14-Dec-21	14-Dec-21
Sampling Date				19-Mar-21	19-Mar-21	16-Dec-21	15-Mar-21	15-Mar-21	14-Dec-21	14-Dec-21
Sample Depth (mbgs)		Bold	Orange	0.6 to 1.2	3.0 to 3.3	1.5 to 2.1	0.6 to 1.2	2.4 to 2.7	0.7 to 1.3	1.5 to 2.1
Volatile Organic Compounds										
Acetone	ug/g dry	0.5	16	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Benzene	ug/g dry	0.02	0.21	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
Bromodichloromethane	ug/g dry	0.05	13	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Bromoform	ug/g dry	0.05	0.27	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Bromomethane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Carbon Tetrachloride	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Chlorobenzene	ug/g dry	0.05	2.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Chloroform	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Dibromochloromethane	ug/g dry	0.05	9.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Dichlorodifluoromethane	ug/g dry	0.05	16	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,2-Dichlorobenzene	ug/g dry	0.05	3.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,3-Dichlorobenzene	ug/g dry	0.05	4.8	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,4-Dichlorobenzene	ug/g dry	0.05	0.083	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1-Dichloroethane	ug/g dry	0.05	3.5	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,2-Dichloroethane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1-Dichloroethylene	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
cis-1,2-Dichloroethylene	ug/g dry	0.05	3.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
trans-1,2-Dichloroethylene	ug/g dry	0.05	0.084	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,2-Dichloropropane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
cis-1,3-Dichloropropylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
trans-1,3-Dichloropropylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,3-Dichloropropene, total	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Ethylbenzene	ug/g dry	0.05	2	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.26
Ethylene dibromide (dibromoethane, 1,2-)	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Hexane	ug/g dry	0.05	2.8	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Methyl Ethyl Ketone (2-Butanone)	ug/g dry	0.5	16	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methyl Isobutyl Ketone	ug/g dry	0.5	1.7	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methyl tert-butyl ether	ug/g dry	0.05	0.75	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Methylene Chloride	ug/g dry	0.05	0.1	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Styrene	ug/g dry	0.05	0.7	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1,1,2-Tetrachloroethane	ug/g dry	0.05	0.058	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1,2,2-Tetrachloroethane	ug/g dry	0.05	0.5	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Tetrachloroethylene	ug/g dry	0.05	0.28	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Toluene	ug/g dry	0.2	2.3	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.08
1,1,1-Trichloroethane	ug/g dry	0.05	0.38	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1,2-Trichloroethane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Trichloroethylene	ug/g dry	0.05	0.061	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Trichlorofluoromethane	ug/g dry	0.25	4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Vinyl Chloride	ug/g dry	0.02	0.02	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
m/p-Xylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.51
o-Xylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.41
Xylenes, total	ug/g dry	0.05	3.1	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.92
Petroleum Hydrocarbons										
F1 PHC (C6 - C10) - BTEX*	ug/g dry	25	55	ND (7)	ND (7)	ND (7)	ND (7)	ND (7)	ND (7)	ND (7)
F2 PHC (C10-C16)	ug/g dry	10	98	ND (4)	ND (4)	298	ND (40)	ND (4)	ND (4)	ND (4)
F3 PHC (C16-C34)	ug/g dry	240	300	75	79	2950	1580	218	149	216
F4 PHC (C34-C50)**	ug/g dry	120	2800	61	40	1090	960	40	173	228

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- * F1 fraction does not include BTEX.
- In instances where the PHC F2 to F4 chromatogram did not reach baseline, the F4 fraction result shown is the highest value obtained via the gas chromatograph/flame ionization detection method or the gravimetric method.
- ** Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting detection limit.
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Indicates soil exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
- Indicates soil exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 4 - Pre-Remediation Analytical Results in Soil - PHC and VOC
Blocks 201 to 203, 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	Block 204B				Blocks 201, 202, 203						
				MW21-106-SS1	MW21-107-G1	D204 (Field Duplicate MW21-107-SS1)	MW21-108-SS1	MW21-111-G1	MW21-112-SS3	MW21-113-SS3	MW21-114-SS3	MW21-115-G1	D201 (Field Duplicate MW21-115-G1)	MW21-116-SS1
Sampling Date				14-Dec-21	13-Dec-21	13-Dec-21	15-Dec-21	13-Dec-21	13-Dec-21	10-Dec-2021	10-Dec-2021	10-Dec-2021	10-Dec-2021	10-Dec-2021
Sample Depth (mbgs)		Bold	Orange	0.7 to 1.1	0.0 to 0.6	0.0 to 0.6	0.7 to 1.3	0.0 to 0.6	2.3 to 2.8	2.3 to 2.6	2.3 to 2.9	0.0 to 0.6	0.0 to 0.6	0.8 to 1.7
Volatile Organic Compounds														
Acetone	ug/g dry	0.5	16	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Benzene	ug/g dry	0.02	0.21	ND (0.02)	0.06	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	0.07
Bromodichloromethane	ug/g dry	0.05	13	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Bromoform	ug/g dry	0.05	0.27	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Bromomethane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Carbon Tetrachloride	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Chlorobenzene	ug/g dry	0.05	2.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Chloroform	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Dibromochloromethane	ug/g dry	0.05	9.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Dichlorodifluoromethane	ug/g dry	0.05	16	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,2-Dichlorobenzene	ug/g dry	0.05	3.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,3-Dichlorobenzene	ug/g dry	0.05	4.8	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,4-Dichlorobenzene	ug/g dry	0.05	0.083	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1-Dichloroethane	ug/g dry	0.05	3.5	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,2-Dichloroethane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1-Dichloroethylene	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
cis-1,2-Dichloroethylene	ug/g dry	0.05	3.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
trans-1,2-Dichloroethylene	ug/g dry	0.05	0.084	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,2-Dichloropropane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
cis-1,3-Dichloropropylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
trans-1,3-Dichloropropylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,3-Dichloropropene, total	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Ethylbenzene	ug/g dry	0.05	2	ND (0.05)	0.12	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.10
Ethylene dibromide (dibromoethane, 1,2-)	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Hexane	ug/g dry	0.05	2.8	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Methyl Ethyl Ketone (2-Butanone)	ug/g dry	0.5	16	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methyl Isobutyl Ketone	ug/g dry	0.5	1.7	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)
Methyl tert-butyl ether	ug/g dry	0.05	0.75	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Methylene Chloride	ug/g dry	0.05	0.1	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Styrene	ug/g dry	0.05	0.7	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1,1,2-Tetrachloroethane	ug/g dry	0.05	0.058	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1,2,2-Tetrachloroethane	ug/g dry	0.05	0.5	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Tetrachloroethylene	ug/g dry	0.05	0.28	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Toluene	ug/g dry	0.2	2.3	ND (0.05)	0.21	0.17	0.09	0.19	ND (0.05)	ND (0.05)	0.22	ND (0.05)	0.08	0.25
1,1,1-Trichloroethane	ug/g dry	0.05	0.38	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
1,1,2-Trichloroethane	ug/g dry	0.05	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Trichloroethylene	ug/g dry	0.05	0.061	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Trichlorofluoromethane	ug/g dry	0.25	4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Vinyl Chloride	ug/g dry	0.02	0.02	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
m/p-Xylene	ug/g dry	NV	NV	ND (0.05)	0.14	0.12	0.07	0.11	ND (0.05)	ND (0.05)	0.15	ND (0.05)	ND (0.05)	0.12
o-Xylene	ug/g dry	NV	NV	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.05	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)
Xylenes, total	ug/g dry	0.05	3.1	ND (0.05)	0.14	0.12	0.07	0.11	ND (0.05)	ND (0.05)	0.15	ND (0.05)	ND (0.05)	0.12
Petroleum Hydrocarbons														
F1 PHC (C6 - C10) - BTEX*	ug/g dry	25	55	ND (7)	ND (7)	ND (7)	ND (7)	ND (7)	ND (7)	ND (7)	9	ND (7)	ND (7)	ND (7)
F2 PHC (C10-C16)	ug/g dry	10	98	5	11	14	ND (4)	16	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
F3 PHC (C16-C34)	ug/g dry	240	300	652	936	1020	225	993	216	ND (8)	70	42	35	132
F4 PHC (C34-C50)**	ug/g dry	120	2800	829	829	1110	108	1600	59	ND (6)	170	36	43	103

NOTES:

- Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 1
- Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 2
- * F1 fraction does not include BTEX.
- In instances where the PHC F2 to F4 chromatogram did not reach baseline, the F4 fraction result shown is the highest value obtained via the gas chromatograph/flame ionization detection method or the gravimetric method.
- **
- ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting detection limit.
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Indicates soil exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
- Indicates soil exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 6 - Pre-Remediation Analytical Results in Soil - Inorganic Parameters
Blocks 201 to 203, 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	Block 205B								
				MW21-101-01	MW21-101-05	MW21-102-G1	MW21-103-01	MW21-103-04	MW21-104-G1	MW21-105-G1	MW21-105-SS3	
				19-Mar-21	19-Mar-21	16-Dec-21	15-Mar-21	15-Mar-21	14-Dec-21	14-Dec-21	14-Dec-21	
Sampling Date												
Sample Depth (mbgs)		Bold	Orange	0.6 to 1.2	3.0 to 3.3	1.5 to 2.1	0.6 to 1.2	2.4 to 2.7	0.0 to 0.6	0.0 to 0.6	2.3 to 2.9	
Metals												
Antimony	ug/g dry	1.3	7.5	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	1.5	ND (1.0)	ND (1.0)	-	
Arsenic	ug/g dry	18	18	3.1	2.7	3.0	5.2	2.7	2.9	2.3	-	
Barium	ug/g dry	220	390	293	161	296	46.7	32.7	152	385	-	
Beryllium	ug/g dry	2.5	4	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	-	
Boron	ug/g dry	36	120	16.3	13.2	16.2	9.8	6.8	12.2	14.1	-	
Cadmium	ug/g dry	1.2	1.2	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	4.0	-	
Chromium (VI)	ug/g dry	0.66	8	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	-	
Chromium	ug/g dry	70	160	18.0	14.1	12.7	11.4	9.1	12.8	10.6	-	
Cobalt	ug/g dry	22	22	4.9	3.8	4.2	6.2	2.9	3.8	4.0	-	
Copper	ug/g dry	92	140	22.9	8.0	21.7	7.7	20.2	15.9	8.4	-	
Lead	ug/g dry	120	120	24.0	16.7	19.5	14.3	66.7	16.2	7.3	-	
Mercury	ug/g dry	0.27	0.27	0.1	ND (0.1)	ND (0.1)	ND (0.1)	0.2	ND (0.1)	ND (0.1)	-	
Molybdenum	ug/g dry	2	6.9	ND (1.0)	ND (1.0)	ND (1.0)	4.3	1.4	ND (1.0)	ND (1.0)	-	
Nickel	ug/g dry	82	100	13.3	10.1	10.4	13.1	10.0	9.8	9.3	-	
Selenium	ug/g dry	1.5	2.4	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	
Silver	ug/g dry	0.5	20	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	-	
Thallium	ug/g dry	1	1	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	
Uranium	ug/g dry	2.5	23	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	
Vanadium	ug/g dry	86	86	14.7	11.7	10.4	12.0	42.5	10.6	10.6	-	
Zinc	ug/g dry	290	340	51.4	25.8	24.5	ND (20.0)	39.4	ND (20.0)	ND (20.0)	-	
General Inorganics												
Cyanide, free	ug/g dry	0.051	0.051	ND (0.03)	ND (0.03)	ND (0.03)	ND (0.03)	ND (0.03)	ND (0.03)	ND (0.03)	-	
pH	Surficial (0 to 1.5 m bgs)	5 to 9	5 to 9	-	-	-	8.50	-	8.22	-	-	
	Subsurface (>1.5 m bgs)	5 to 11	5 to 11	-	10.90	-	-	7.46	-	-	12.26	

NOTES:

1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting detection limit.

NV No Value

N/A Not Applicable

- Parameter not analyzed

m bgs Metres below ground surface

Bold Indicates soil exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use

Orange Indicates soil exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 6 - Pre-Remediation Analytical Results in Soil - Inorganic Parameters
Blocks 201 to 203, 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	Block 204B					Blocks 201, 202, 203								
				MW21-106-G1	MW21-107-G1	D204	MW21-108-G1	MW21-108-SS3	MW21-111-G1	MW21-112-G1	MW21-113-SS3	MW21-113-SS1	MW21-114-G1	MW21-114-SS3	MW21-115-G1	D201 (Field Duplicate MW21-115-G1)	MW21-116-SS1
				14-Dec-21	13-Dec-21	13-Dec-21	15-Dec-21	15-Dec-21	13-Dec-21	14-Dec-21	10-Dec-2021	14-Dec-21	10-Dec-2021	10-Dec-2021	10-Dec-2021	10-Dec-2021	10-Dec-2021
Sample Depth (mbgs)		Bold	Orange	0.0 to 0.6	0.0 to 0.6	0.0 to 0.6	0.0 to 0.6	2.3 to 2.9	0.0 to 0.6	2.3 to 2.8	2.3 to 2.6	0.8 to 1.4	0.0 to 0.6	2.3 to 2.9	0.0 to 0.6	0.0 to 0.6	0.8 to 1.7
Metals																	
Antimony	ug/g dry	1.3	7.5	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	ND (1.0)	ND (1.0)	ND (1.0)	-	-	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Arsenic	ug/g dry	18	18	7.4	7.2	8.4	2.0	-	6.8	4.7	5.9	-	-	6.8	6.0	7.7	9.3
Barium	ug/g dry	220	390	36.1	102	105	604	-	168	149	129	-	-	87.6	153	187	70.1
Beryllium	ug/g dry	2.5	4	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	-	ND (0.5)	0.6	0.9	-	-	ND (0.5)	0.6	0.7	ND (0.5)
Boron	ug/g dry	36	120	7.1	10.9	12.2	17.5	-	10.3	16.5	15.7	-	-	14.2	14.1	15.6	12.9
Cadmium	ug/g dry	1.2	1.2	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	-	ND (0.5)	ND (0.5)	ND (0.5)	-	-	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Chromium (VI)	ug/g dry	0.66	8	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	-	ND (0.2)	ND (0.2)	ND (0.2)	-	-	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
Chromium	ug/g dry	70	160	18.9	18.0	19.9	13.7	-	22	24.1	34.5	-	-	14.1	22.7	27.3	15.4
Cobalt	ug/g dry	22	22	6.2	4.9	5.7	5.3	-	5.2	6.0	9.9	-	-	5.5	9.2	11.1	5.2
Copper	ug/g dry	92	140	8.1	22.4	26.1	9.0	-	23.9	12.0	12.8	-	-	15.6	22.7	27.7	15.3
Lead	ug/g dry	120	120	21.2	41.1	48.0	10.2	-	94.4	18.9	14.3	-	-	42.8	18.3	22.0	25.7
Mercury	ug/g dry	0.27	0.27	ND (0.1)	0.1	0.1	ND (0.1)	-	ND (0.1)	ND (0.1)	ND (0.1)	-	-	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Molybdenum	ug/g dry	2	6.9	4.6	1.6	1.8	ND (1.0)	-	1.9	2.0	1.0	-	-	1.6	ND (1.0)	1.0	2.4
Nickel	ug/g dry	82	100	14.7	15.3	18.6	12.2	-	14.8	19.1	23.6	-	-	17.0	19.8	23.8	14.5
Selenium	ug/g dry	1.5	2.4	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	ND (1.0)	ND (1.0)	ND (1.0)	-	-	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Silver	ug/g dry	0.5	20	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	-	ND (0.3)	ND (0.3)	ND (0.3)	-	-	ND (0.3)	0.3	ND (0.3)	ND (0.3)
Thallium	ug/g dry	1	1	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	ND (1.0)	ND (1.0)	ND (1.0)	-	-	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Uranium	ug/g dry	2.5	23	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	-	ND (1.0)	ND (1.0)	ND (1.0)	-	-	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Vanadium	ug/g dry	86	86	17.2	36.4	42.3	10.3	-	25.8	26.4	26.6	-	-	16.8	24.0	30.7	19.9
Zinc	ug/g dry	290	340	ND (20.0)	26.6	34.6	ND (20.0)	-	30.8	30.0	52.1	-	-	28.0	57.2	64.0	36.9
General Inorganics																	
Cyanide, free	ug/g dry	0.051	0.051	ND (0.03)	ND (0.03)	ND (0.03)	ND (0.03)	-	ND (0.03)	ND (0.03)	-	ND (0.03)	-	ND (0.03)	ND (0.03)	ND (0.03)	ND (0.03)
pH	Surficial (0 to 1.5 m bgs)	5 to 9	5 to 9	-	7.71	-	-	-	7.89	-	-	-	8.35	-	-	-	-
	Subsurface (>1.5 m bgs)	5 to 11	5 to 11	-	-	-	-	8.46	-	-	-	-	-	-	-	-	-

NOTES:

1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting detection limit.

NV No Value

N/A Not Applicable

- Parameter not analyzed

m bgs Metres below ground surface

Indicates soil exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use

Indicates soil exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 5 - Pre-Remediation Analytical Results in Soil - PAH and PCB
Blocks 201 to 203, 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	Block 205B						Block 204B				
				MW21-101-01	MW21-101-05	MW21-102-SS3	MW21-103-01	MW21-103-04	MW21-104-SS1	MW21-105-SS2	MW21-106-SS1	MW21-107-G1	D204 (Field Duplicate MW21-107-G1)	MW21-108-SS1
Sampling Date				19-Mar-21	19-Mar-21	16-Dec-21	15-Mar-21	15-Mar-21	14-Dec-21	14-Dec-21	14-Dec-21	13-Dec-21	13-Dec-21	15-Dec-21
Sample Depth (mbgs)		Bold	Orange	0.6 to 1.2	3.0 to 3.3	1.5 to 2.1	0.6 to 1.2	2.4 to 2.7	0.7 to 1.3	1.5 to 2.1	0.7 to 1.1	0.0 to 0.6	0.0 to 0.6	0.7 to 1.3
Semi-Volatiles														
Acenaphthene	ug/g dry	0.072	7.9	0.40	0.15	59.4	ND (0.04)	0.02	ND (0.40)	10.0	ND (0.40)	ND (0.40)	ND (0.40)	0.57
Acenaphthylene	ug/g dry	0.093	0.15	0.14	0.09	9.01	ND (0.04)	ND (0.02)	ND (0.40)	ND (8.00)	ND (0.40)	ND (0.40)	ND (0.40)	0.58
Anthracene	ug/g dry	0.22	0.67	1.51	0.52	147	ND (0.04)	ND (0.02)	0.64	28.6	ND (0.40)	ND (0.40)	ND (0.40)	2.25
Benzo[a]anthracene	ug/g dry	0.36	0.5	2.79	1.24	158	0.07	0.06	1.06	24.6	ND (0.40)	ND (0.40)	ND (0.40)	4.68
Benzo[a]pyrene	ug/g dry	0.3	0.3	2.58	1.12	126	0.13	0.05	1.13	18.8	ND (0.40)	ND (0.40)	ND (0.40)	5.42
Benzo[b]fluoranthene	ug/g dry	0.47	0.78	2.62	1.15	111	0.18	0.07	1.35	19.8	ND (0.40)	ND (0.40)	ND (0.40)	5.2
Benzo[g,h,i]perylene	ug/g dry	0.68	6.6	1.48	0.61	55.4	0.27	0.05	0.51	ND (8.00)	ND (0.40)	ND (0.40)	ND (0.40)	2.76
Benzo[k]fluoranthene	ug/g dry	0.48	0.78	1.47	0.63	63.4	ND (0.04)	0.02	0.64	9.88	ND (0.40)	ND (0.40)	ND (0.40)	2.88
Chrysene	ug/g dry	2.8	7	2.68	1.28	148	0.17	0.07	1.27	30.0	ND (0.40)	ND (0.40)	ND (0.40)	5.96
Dibenzo[a,h]anthracene	ug/g dry	0.1	0.1	0.39	0.16	18.6	ND (0.04)	ND (0.02)	ND (0.40)	ND (8.00)	ND (0.40)	ND (0.40)	ND (0.40)	0.77
Fluoranthene	ug/g dry	0.69	0.69	6.66	2.26	379	ND (0.04)	0.07	2.83	74.7	ND (0.40)	ND (0.40)	ND (0.40)	13.1
Fluorene	ug/g dry	0.19	62	0.58	0.23	105	ND (0.04)	ND (0.02)	ND (0.40)	24.3	ND (0.40)	ND (0.40)	ND (0.40)	0.89
Indeno[1,2,3-cd]pyrene	ug/g dry	0.23	0.38	1.37	0.56	54.3	0.08	0.02	0.57	8.37	ND (0.40)	ND (0.40)	ND (0.40)	2.75
1-Methylnaphthalene	ug/g dry	0.59	0.99	0.18	0.07	47.0	ND (0.04)	0.52	ND (0.40)	11.4	ND (0.40)	ND (0.40)	ND (0.40)	ND (0.40)
2-Methylnaphthalene	ug/g dry	0.59	0.99	0.23	0.10	79.0	0.05	0.74	ND (0.40)	21.8	ND (0.40)	ND (0.40)	ND (0.40)	ND (0.40)
Methylnaphthalene (1&2)	ug/g dry	0.59	0.99	0.41	0.17	126	0.08	1.26	ND (0.80)	33.2	ND (0.80)	ND (0.80)	ND (0.80)	ND (0.80)
Naphthalene	ug/g dry	0.09	0.6	0.51	0.20	160	0.05	0.57	0.37	69.2	ND (0.20)	ND (0.20)	ND (0.20)	0.44
Phenanthrene	ug/g dry	0.69	6.2	5.72	2.06	500	0.06	0.26	3.33	142	ND (0.40)	ND (0.40)	ND (0.40)	8.51
Pyrene	ug/g dry	1	78	5.17	1.83	279	0.10	0.08	1.63	61.3	ND (0.40)	ND (0.40)	ND (0.40)	10.1
PCBs														
PCBs Total	ug/g dry	0.3	0.35	0.60	0.28	ND (1.00)	ND (0.05)	ND (0.05)	0.56	ND (1.00)	ND (0.05)	0.09	ND (0.05)	0.73

NOTES:

1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting detection limit.

NV No Value

N/A Not Applicable

- Parameter not analyzed

m bgs Metres below ground surface

Orange Indicates soil exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use

Bold Indicates soil exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 5 - Pre-Remediation Analytical Results in Soil - PAH and PCB
Blocks 201 to 203, 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	Blocks 201, 202, 203							
				MW21-111-G1	MW21-112-SS3	MW21-113-SS1	MW21-113-SS3	MW21-114-SS3	MW21-115-G1	D201 (Field Duplicate MW21-115-G1)	MW21-116-SS1
Sampling Date				13-Dec-21	13-Dec-21	14-Dec-21	10-Dec-2021	10-Dec-2021	10-Dec-2021	10-Dec-2021	10-Dec-2021
Sample Depth (mbgs)		Bold	Orange	0.0 to 0.6	2.3 to 2.8	0.8 to 1.4	2.3 to 2.6	2.3 to 2.9	0.0 to 0.6	0.0 to 0.6	0.8 to 1.7
Semi-Volatiles											
Acenaphthene	ug/g dry	0.072	7.9	ND (0.40)	ND (0.02)	-	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
Acenaphthylene	ug/g dry	0.093	0.15	ND (0.40)	ND (0.02)	-	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
Anthracene	ug/g dry	0.22	0.67	ND (0.40)	0.03	-	ND (0.02)	0.03	ND (0.02)	0.02	0.03
Benzo[a]anthracene	ug/g dry	0.36	0.5	ND (0.40)	0.08	-	ND (0.02)	0.06	0.05	0.05	0.08
Benzo[a]pyrene	ug/g dry	0.3	0.3	ND (0.40)	0.09	-	ND (0.02)	0.07	0.05	0.06	0.1
Benzo[b]fluoranthene	ug/g dry	0.47	0.78	ND (0.40)	0.08	-	ND (0.02)	0.08	0.07	0.07	0.12
Benzo[g,h,i]perylene	ug/g dry	0.68	6.6	ND (0.40)	0.07	-	ND (0.02)	0.04	0.05	0.03	0.06
Benzo[k]fluoranthene	ug/g dry	0.48	0.78	ND (0.40)	0.04	-	ND (0.02)	0.04	0.04	0.03	0.06
Chrysene	ug/g dry	2.8	7	ND (0.40)	0.08	-	ND (0.02)	0.06	0.05	0.06	0.09
Dibenzo[a,h]anthracene	ug/g dry	0.1	0.1	ND (0.40)	ND (0.02)	-	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
Fluoranthene	ug/g dry	0.69	0.69	ND (0.40)	0.13	-	ND (0.02)	0.13	0.1	0.1	0.15
Fluorene	ug/g dry	0.19	62	ND (0.40)	ND (0.02)	-	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)	ND (0.02)
Indeno[1,2,3-cd]pyrene	ug/g dry	0.23	0.38	ND (0.40)	0.06	-	ND (0.02)	0.04	0.04	0.04	0.04
1-Methylnaphthalene	ug/g dry	0.59	0.99	ND (0.40)	0.03	-	ND (0.02)	0.04	ND (0.02)	ND (0.02)	0.04
2-Methylnaphthalene	ug/g dry	0.59	0.99	ND (0.40)	0.03	-	ND (0.02)	0.06	ND (0.02)	0.02	0.06
Methylnaphthalene (1&2)	ug/g dry	0.59	0.99	ND (0.80)	0.05	-	ND (0.04)	0.1	ND (0.04)	ND (0.04)	0.1
Naphthalene	ug/g dry	0.09	0.6	ND (0.20)	0.02	-	ND (0.01)	0.03	ND (0.01)	0.01	0.04
Phenanthrene	ug/g dry	0.69	6.2	ND (0.40)	0.04	-	ND (0.02)	0.11	0.08	0.08	0.1
Pyrene	ug/g dry	1	78	ND (0.40)	0.13	-	ND (0.02)	0.12	0.08	0.08	0.18
PCBs											
PCBs Total	ug/g dry	0.3	0.35	0.34	ND (0.05)	ND (0.05)	-	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)

NOTES:

1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting detection limit.

NV No Value

N/A Not Applicable

- Parameter not analyzed

m bgs Metres below ground surface

Orange Indicates soil exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use

Bold Indicates soil exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 7 - Pre-Remediation Analytical Results in Groundwater - PHC and VOC
Blocks 204B and 205B, West Chaudiere Island, Ottawa, Ontario
OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	MW21-101	DUP 101 (Field Duplicate MW21-101)	MW21-103	MW21-106	MW21-108	FIELD BLANK	TRIP BLANK
Sampling Date				16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	23-Jan-2022
Screen Depth (mbgs)				4.1 to 7.1	4.1 to 7.1	3.9 to 6.9	2.1 to 5.2	3.6 to 6.7	N/A	N/A
Parcel ID		Bold	Dark Orange	2208419-04	2208419-07	2208419-03	2208419-05	2208419-02	2208419-08	2208419-09
Analysis Date				18-Feb-2022	18-Feb-2022	18-Feb-2022	18-Feb-2022	18-Feb-2022	18-Feb-2022	18-Feb-2022
Parcel Certificate of Analysis				2208419	2208419	2208419	2208419	2208419	2208419	2208419
Volatile Organic Compounds										
Acetone	ug/L	100000	100000	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Benzene	ug/L	44	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Bromodichloromethane	ug/L	67000	67000	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Bromoform	ug/L	380	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Bromomethane	ug/L	5.6	0.89	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Carbon Tetrachloride	ug/L	0.79	0.2	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
Chlorobenzene	ug/L	500.00	140	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Chloroform	ug/L	2.4	2	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	0.7	ND (0.5)	ND (0.5)
Dibromochloromethane	ug/L	65000	65000	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Dichlorodifluoromethane	ug/L	3500	3500	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
1,2-Dichlorobenzene	ug/L	4600	150	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,3-Dichlorobenzene	ug/L	7600	7600	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,4-Dichlorobenzene	ug/L	8	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1-Dichloroethane	ug/L	320	11	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,2-Dichloroethane	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1-Dichloroethylene	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
cis-1,2-Dichloroethylene	ug/L	1.6	1.6	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
trans-1,2-Dichloroethylene	ug/L	1.6	1.6	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,2-Dichloropropane	ug/L	16	0.58	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
cis-1,3-Dichloropropylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
trans-1,3-Dichloropropylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,3-Dichloropropene, total	ug/L	5.2	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Ethylbenzene	ug/L	1800	54	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Ethylene dibromide (dibromoethane, 1,2-)	ug/L	0.25	0.2	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
Hexane	ug/L	51	5	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Methyl Ethyl Ketone (2-Butanone)	ug/L	470000	21000	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Methyl Isobutyl Ketone	ug/L	140000	5200	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Methyl tert-butyl ether	ug/L	190	15	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)
Methylene Chloride	ug/L	610	26	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)
Styrene	ug/L	1300	43	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,1,2-Tetrachloroethane	ug/L	3.3	1.1	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,2,2-Tetrachloroethane	ug/L	3.2	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Tetrachloroethylene	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Toluene	ug/L	14000	320	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,1-Trichloroethane	ug/L	640	23	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
1,1,2-Trichloroethane	ug/L	4.7	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Trichloroethylene	ug/L	1.6	0.5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Trichlorofluoromethane	ug/L	2000	2000	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)	ND (1.0)
Vinyl Chloride	ug/L	0.5	0.50	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
m/p-Xylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
o-Xylene	ug/L	NV	NV	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Xylenes, total	ug/L	3300	72	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Petroleum Hydrocarbons										
F1 PHC (C6 - C10) - BTEX*	ug/L	420	420	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
F2 PHC (C10-C16)	ug/L	150	150	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
F3 PHC (C16-C34)	ug/L	500	500	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
F4 PHC (C34-C50)**	ug/L	500	500	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)

NOTES:

1	Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
2	Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
*	F1 fraction does not include BTEX.
**	In instances where the PHC F2 to F4 chromatogram did not reach baseline, the F4 fraction result shown is the highest value obtained via the gas chromatograph/flame ionization detection method or the gravimetric method.
ND	Non-detectable results are shown as "ND (RDL)" where RDL
NV	No Value
N/A	Not Applicable
-	Parameter not analyzed
m bgs	Metres below ground surface
	Indicates groundwater exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
	Indicates groundwater exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use

Table 8 - Pre-Remediation Analytical Results in Groundwater - PAH and PCB
 Blocks 204B and 205B, West Chaudiere Island, Ottawa, Ontario
 OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	MW21-101	DUP 101 (Field Duplicate MW21-101)	MW21-103	MW21-106	MW21-108	FIELD BLANK	TRIP BLANK
Sampling Date				16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	23-Jan-2022
Screen Depth (mbgs)				4.1 to 7.1	4.1 to 7.1	3.9 to 6.9	2.1 to 5.2	3.6 to 6.7	N/A	N/A
Parcel ID		Bold	Dark Orange	2208419-04	2208419-07	2208419-03	2208419-05	2208419-02	2208419-08	2208419-09
Analysis Date				22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022
Parcel Certificate of Analysis				2208419	2208419	2208419	2208419	2208419	2208419	2208419
Semi-Volatiles										
Acenaphthene	ug/L	600	17	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.29	ND (0.05)	ND (0.05)
Acenaphthylene	ug/L	1.4	1	ND (0.05)	ND (0.05)	0.18	ND (0.05)	0.07	ND (0.05)	ND (0.05)
Anthracene	ug/L	1	1	ND (0.01)	ND (0.01)	0.25	ND (0.01)	1.01	ND (0.01)	ND (0.01)
Benzo[a]anthracene	ug/L	1.8	1.8	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	1.41	ND (0.01)	ND (0.01)
Benzo[a]pyrene	ug/L	0.81	0.81	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.01)	1.16	ND (0.01)	ND (0.01)
Benzo[b]fluoranthene	ug/L	0.75	0.75	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	1.31	ND (0.05)	ND (0.05)
Benzo[g,h,i]perylene	ug/L	0.2	0.2	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.61	ND (0.05)	ND (0.05)
Benzo[k]fluoranthene	ug/L	0.4	0.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.72	ND (0.05)	ND (0.05)
Chrysene	ug/L	0.7	0.7	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	1.18	ND (0.05)	ND (0.05)
Dibenzo[a,h]anthracene	ug/L	0.4	0.4	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.18	ND (0.05)	ND (0.05)
Fluoranthene	ug/L	73	44	ND (0.01)	ND (0.01)	0.03	ND (0.01)	2.63	ND (0.01)	ND (0.01)
Fluorene	ug/L	290	290	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.46	ND (0.05)	ND (0.05)
Indeno[1,2,3-cd]pyrene	ug/L	0.2	0.2	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.57	ND (0.05)	ND (0.05)
1-Methylnaphthalene	ug/L	1500	1500	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.12	ND (0.05)	ND (0.05)
2-Methylnaphthalene	ug/L	1500	1500	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.14	ND (0.05)	ND (0.05)
Methylnaphthalene (1&2)	ug/L	1500	1500	ND (0.10)	ND (0.10)	ND (0.10)	ND (0.10)	0.26	ND (0.10)	ND (0.10)
Naphthalene	ug/L	1400	7	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	0.19	ND (0.05)	ND (0.05)
Phenanthrene	ug/L	380	380	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	3.21	ND (0.05)	ND (0.05)
Pyrene	ug/L	5.7	5.7	ND (0.01)	ND (0.01)	0.02	ND (0.01)	1.85	ND (0.01)	ND (0.01)
PCBs										
PCBs Total	ug/L	0.2	0.2	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)	ND (0.05)

NOTES:

1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)

ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting

NV No Value

N/A Not Applicable

- Parameter not analyzed

m bgs Metres below ground surface

Bold Indicates groundwater exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use

Dark Orange Indicates groundwater exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use



Table - Pre-Remediation Analytical Results in Groundwater - Inorganics
 Blocks 204B and 205B, West Chaudiere Island, Ottawa, Ontario
 OTT-00250193-S0

Parameter	Units	MECP Table 9 ¹	MECP Table 7 ²	MW21-101	DUP 101 (Field Duplicate MW21-101)	MW21-103	DUP 103 (Field Duplicate of MW21-103)	MW21-106	MW21-108	FIELD BLANK	TRIP BLANK
Sampling Date				16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	16-Feb-2022	23-Jan-2022
Screen Depth (mbgs)				4.1 to 7.1	4.1 to 7.1	3.9 to 6.9	3.9 to 6.9	2.1 to 5.2	3.6 to 6.7	N/A	N/A
Parcel ID		Bold	Dark Orange	2208419-04	2208419-07	2208419-03	2208419-06	2208419-05	2208419-02	2208419-08	2208419-09
Analysis Date				22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	22-Feb-2022	
Parcel Certificate of Analysis				2208419	2208419	2208419	2208419	2208419	2208419	2208419	2208419
Metals											
Mercury	ug/L	0.29	0.1	ND (0.1)	-	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Antimony	ug/L	16000	16000	ND (0.5)	-	0.9	0.8	0.7	ND (0.5)	ND (0.5)	ND (0.5)
Arsenic	ug/L	1500	1500	1	-	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
Barium	ug/L	23000	23000	43	-	75	73	613	131	ND (1)	ND (1)
Beryllium	ug/L	53	53	ND (0.5)	-	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
Boron	ug/L	36000	36000	19	-	66	71	85	81	ND (10)	ND (10)
Cadmium	ug/L	2.1	2.1	ND (0.1)	-	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Chromium	ug/L	640	640	ND (1)	-	11	10	ND (1)	ND (1)	ND (1)	ND (1)
Chromium (VI)	ug/L	110	110	ND (10)	-	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
Cobalt	ug/L	52	52	ND (0.5)	-	4.1	3.9	0.8	2.7	ND (0.5)	ND (0.5)
Copper	ug/L	69	69	0.7	-	15.6	15.5	1.8	10.9	ND (0.5)	ND (0.5)
Lead	ug/L	20	20	ND (0.1)	-	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Molybdenum	ug/L	7300	7300	0.7	-	29.8	30.7	4.7	16.7	ND (0.5)	ND (0.5)
Nickel	ug/L	390	390	ND (1)	-	4	4	6	9	ND (1)	ND (1)
Selenium	ug/L	50	50	ND (1)	-	ND (1)	ND (1)	ND (1)	1	ND (1)	ND (1)
Silver	ug/L	1.2	1.2	ND (0.1)	-	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Thallium	ug/L	400	400	ND (0.1)	-	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)	ND (0.1)
Uranium	ug/L	330	330	0.6	-	0.4	0.4	4.2	2.5	ND (0.1)	ND (0.1)
Vanadium	ug/L	200	200	ND (0.5)	-	1.5	1.5	0.6	ND (0.5)	ND (0.5)	ND (0.5)
Zinc	ug/L	890	890	ND (5)	-	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
General Inorganics											
Cyanide	ug/L	0.051	0.051	ND (2)	-	ND (2)	3	ND (2)	ND (2)	ND (2)	ND (2)
pH	ug/L	NV	NV	8.6	8.6	8.8	-	7.0	7.1	6.8	5.9

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 9 Generic Site Condition Standards for Use within 30 m of a Water Body in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 7 Generic Site Condition Standards for Shallow Soils in a Non-Potable Ground Water Condition for Residential/Parkland/Institutional Property Use (coarse textured soils)
- ND Non-detectable results are shown as "ND (RDL)" where RDL represents the reporting
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Indicates groundwater exceedance of MECP Table 9 SCS for coarse textured soil and residential/parkland/institutional property use
- Indicates groundwater exceedance of MECP Table 7 SCS for coarse textured soil and residential/parkland/institutional property use