



Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.

Legend

- PROPOSED WATERMAIN
PROPOSED VALVE AND VALVE BOX
PROPOSED VALVE CHAMBER
PROPOSED REDUCER
PROPOSED FIRE HYDRANT
PROPOSED SANITARY SEWER
PROPOSED STORM SEWER
PROPOSED CATCHBASIN MANHOLE
PROPOSED CATCHBASIN
EXISTING WATERMAIN
EXISTING VALVE AND VALVE BOX
EXISTING VALVE CHAMBER
EXISTING REDUCER
EXISTING FIRE HYDRANT
EXISTING SANITARY SEWER
EXISTING STORM SEWER
EXISTING CATCHBASIN MANHOLE
EXISTING CATCHBASIN
PROPOSED DEPRESSED CURB LOCATIONS
PROPOSED BARRIER CURB
THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 1.5m. THERMAL INSULATION ON WATERMAIN WHERE COVER IS LESS THAN 2.4m AS PER W22.
WATER METER
REMOTE WATER METER

Notes

- 1. FINAL METER AND REMOTE METER LOCATIONS TO BE CONFIRMED BY MECHANICAL CONSULTANT.
2. THE LOCATION OF UTILITIES IS APPROXIMATE ONLY AND THE EXACT LOCATION SHOULD BE DETERMINED BY CONSULTING THE MUNICIPAL AUTHORITIES AND UTILITY COMPANIES CONCERNED. THE CONTRACTOR SHALL PROVE THE LOCATION OF UTILITIES AND SHALL BE RESPONSIBLE FOR THEIR PROTECTION AND THE IMPLEMENTATION OF ANY NECESSARY PROCEDURES CALLED FOR IN THE APPROPRIATE STANDARD AND REGULATIONS.
3. INTERNAL PLUMBING AND SLUMP PUMPS TO BE DESIGNED BY THE MECHANICAL CONSULTANT.

Table with 4 columns: Revision, Description, Date, and By/Appd.

Table with 4 columns: File Name, Dwn, Chkd, Dgn, Date.

Permit-Seal

Client/Project
BAYVIEW STITTSVILLE INC.

THE LANDING ON MAIN
1364-1370 STITTSVILLE MAIN STREET
STITTSVILLE, ON, CANADA

Title
SITE SERVICING PLAN

Table with 4 columns: Project No., Scale, Drawing No., Sheet, Revision.


SEWER AND WATERMAIN CROSSING TABLE with columns for CROSSING, STM INV, STM OBV, SAN INV, SAN OBV, WTR TOP, WTR BTM.



150mmØ WATERMAIN A table with columns: STATION, FINISHED GRADE, TOP W/M, ITEM.

SCHEDULE OF ROOF RELEASE RATES table with columns: DRAIN TYPE, TRIBUTARY AREA, # OF DRAINS, 100YR HEAD, 100YR RELEASE RATE, 100YR PONDING VOLUME.

ICD TABLE with columns: CATCHBASIN ID, TRIBUTARY AREA ID, ICD TYPE, SYR HEAD, 100YR HEAD, SYR FLOW, 100YR FLOW.



Vertical text on the left side of the drawing, likely a drawing ID or revision history.