



DYMON STORAGE ROOF PLAN

INSTALL A MINIMUM OF 12 SCUPPERS EACH A MINIMUM 700mm WIDE ON ROOF WITH FLOW CONTROL ROOF DRAINS.

THE BOTTOM OF THE SCUPPERS SHALL BE 145mm ABOVE FLOW CONTROL ROOF DRAINS. (REFER TO ARCHITECTURAL)


(UPPER ROOF SCUPPERS ARE IN ADDITION TO THE ABOVE REQUIREMENTS.)




BENNY'S ROOF PLAN

INSTALL A MINIMUM OF 2 SCUPPERS EACH A MINIMUM 600mm WIDE ON ROOF WITH FLOW CONTROL ROOF DRAINS.

THE BOTTOM OF THE SCUPPERS SHALL BE 145mm ABOVE FLOW CONTROL ROOF DRAINS. (REFER TO ARCHITECTURAL)



REFER TO NOTES & DETAILS ON DRAWINGS C-5 & C-7



No.	DATE	ISSUED FOR REVISION
8	JUL 29-22	RE-ISSUED FOR APPROVAL
7	APR 28-22	RE-ISSUED FOR APPROVAL
6	JAN 5-22	ISSUED FOR TENDER
5	DEC 14-21	RE-ISSUED FOR APPROVAL
4	DEC 9-21	ISSUED FOR PERMIT
3	NOV 23-21	ISSUED FOR COORDINATION
2	JAN 8-20	ISSUED FOR APPROVAL
1	DEC 12-19	ISSUED FOR COORDINATION

D. B. GRAY ENGINEERING INC.
 700 Long Point Circle
 Ottawa, Ontario

PROPOSED 6-STORY STORAGE FACILITY & 1-STORY BUILDING 1375 CLYDE AVENUE
 OTTAWA, ONTARIO

DETAILS 1

Engineer's Seal: D.B. GRAY ENGINEERING INC. JUL 29-22

Drawn: D.B.G. Hor. Scale Vert. Scale Date: SEP 17-19 Job No.: 19058

NOT VALID UNLESS SIGNED & DATED

Drawn: C-6 of 8