

## 1:250

NOTES:

UTILITIES;

DO NOT SCALE DRAWINGS;

NOTES ARE APPLICABLE TO ALL DRAWINGS IN THE SET;

Fotenn Consultants Inc. IS NOT RESPONSIBLE FOR ACCURACY OF BASE INFORMATION;

REFER TO CIVIL ENGINEERING DRAWINGS FOR GRADING & SITE SERVICING INFORMATION;

REFER TO ENGINEERING DRAWINGS FOR PROPOSED CAST IN PLACE CONCRETE RETAINING WALLS;

TO THE LANDSCAPE ARCHITECT; THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING EXACT LOCATIONS OF ALL UNDERGROUND SERVICES

AND OBTAINING CLEARANCE FROM ALL APPLICABLE UTILITIES. PROPOSED WORKS FOUND TO BE IN CONFLICT WITH UNDERGROUND SERVICES MAY BE ADJUSTED AT THE DIRECTION OF THE LANDSCAPE ARCHITECT;

THE CONTRACTOR IS RESPONSIBLE FOR CONFIRMING SITE CONDITIONS AND REPORTING ANY DISCREPANCIES

LANDSCAPE ELEMENTS SHOWN ARE SUBJECT TO THE FINAL LOCATION OF UNDERGROUND SERVICES AND

DO NOT INSTALL TREES ON PROPERTY / LOT LINES OR WITHIN DRAINAGE EASEMENTS;

PERFORM WORK IN ACCORDANCE WITH DETAILS AND SPECIFICATIONS;

ALL PLANT MATERIAL SHALL BE No. 1 NURSERY STOCK AND SHALL MEET OR EXCEED THE SPECIFICATION OF

THE Canadian Standards for Nursery Stock, AS PUBLISHED BY THE Canadian Nursery Landscape Association;

SPECIES SUBSTITUTIONS ARE NOT PERMITTED WITHOUT PRIOR WRITTEN APPROVAL OF THE LANDSCAPE ARCHITECT;

ALL UN-PAVED SURFACES TO RECEIVE 150mm DEPTH TOPSOIL & SOD.

CITY OF OTTAWA STANDARDS FOR TREE PLANTING:

MAINTAIN A MINIMUM DISTANCE OF 3.0m FROM ALL HYDRO TRANSFORMERS; MAINTAIN A MINIMUM DISTANCE OF 2.5m FROM FIRE HYDRANTS AND NO PLANTING IN FRONT OF HYDRANTS: MAINTAIN A MINIMUM DISTANCE OF 1.0m FROM ALL UNDERGROUND SERVICES; MAINTAIN A MINIMUM DISTANCE OF 1.0m FROM ALL BELL AND CABLE BOXES;

#### **IMPORTANT NOTICE FOR CONTRACTOR:**

THE CITY OF OTTAWA REQUIRES A Certificate of Completion (F1) Landscape Works TO BE SUBMITTED AND SEALED BY THE LANDSCAPE ARCHITECT. CONTRACTORS ARE RESPONSIBLE FOR FAMILIARIZING THEMSELVES WITH THE REQUIREMENTS OF THIS PROCESS AND PROVIDING SUFFICIENT NOTICE TO THE LANDSCAPE ARCHITECT TO CONDUCT SITE REVIEWS **DURING INSTALLATION** OF TREES. THE 1 YEAR WARRANTY PERIOD SHALL NOT COMMENCE UNTIL THE LANDSCAPE ARCHITECT HAS SUBMITTED THE F1 Certificate.

PRIOR TO INSTALLATION OF TREES, THE DEVELOPER WILL CONTACT THE PLANNING AND GROWTH MANAGEMENT AND FORESTRY SERVICES TO REVIEW THE SPECIES AND LOCATION OF TREES.


PLANTING SCHEDULE				
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE / CONDITION / SPACING
DECIDUO	US TREES			
AF	3	Acer x freemanii	Freeman's Maple	70mm cal. / W.B.
GB	3	Ginkgo biloba	Maidenhair Tree	70mm cal. / W.B.
GT	2	Gleditsia triacanthos var. inermis 'shademaster'	Shademaster Honeylocust	70mm cal. / W.B.
QR	3	Quercus rubra	Red Oak	70mm cal. / W.B.
PERENNI	ALS/GRASS	ES/FERNS		
ca	78	Calamagrostis x acutiflora 'Karl Foerster'	Feather Reed Grass	#3 pot / 70cm o.c.
dc	48	Deschampsia cespitosa 'Goldtau'	Tufted Hair Grass	#2 pot / 50cm o.c.
he	100	Hemerocallis 'Purple D'Oro'	Daylily	#2 pot / 35cm o.c.
ls	36	Liatris spicata 'Floristan White' (Floristan Weiss)	Floristan White Blazing Star	#2 pot / 50cm o.c.
pν	53	Panicum virgatum 'Prairie Fire'	Prairie Fire Switchgrass	#2 pot / 50cm o.c.
ра	49	Perovskia x 'Little Spire'	Russian Sage	#3 pot / 75cm o.c.
sn	24	Salvia nemorosa 'Snow Hill'	Snow Hill Sage	#2 pot / 50cm o.c.
SS	42	Salvia x sylvestris 'May Night'	May Night Sage	#2 pot / 50cm o.c.
		1		




Client / Client











PROPOSED GRADES - REFER TO CIVIL


- REFER TO DETAIL 1-L2




EXISTING GRADES - REFER TO CIVIL

09	re-issued for SPA	2022/08/05
80	issued for tender	2022/02/07
07	issued for internal coordination	2022/02/04
06	issued for internal coordination	2022/02/01
05	re-issued for permit	2021/10/05
04	issued for permit	2021/07/16
03	re-issued for internal coordination	2021/05/13
02	issued for SPA	2020/12/14
01	issued for internal coordination	2020/12/10
00	issued for Client review	2020/11/30

# 396 Cooper Street, Suite 300 Ottawa, ON, CANADA K2P 2H7





project / projet


## **3455 HAWTHORNE ROAD**

drawing / dessin

## LANDSCAPE PLAN


OM / KP	OM	KP
ate NOV. 2020	D07-12-20-	0191
Irawing number / No. d	u dessin	
	L1 o	f 3

drawn / decciné reviewed / evaminé




## MAINTENANCE BUFFER AT BUILDING EDGE

**NEIGHBOUR'S SIDE** OWNER'S SIDE 1. FASTEN WOOD POST WITH CUSTOM FABRICATED BOOT FROM  $\frac{1}{4}$ " THICK TUBULAR STEEL: HSS 6"x6"x $\frac{1}{4}$ " WITH DRAIN HOLES EACH SIDE. WELD  $\frac{1}{4}$ " BOTTOM PLATE AND 2- $\frac{1}{2}$ " DIA. SCHEDULE 40 PIPE. WELDS TO BE CONTINUOUS  $\frac{1}{4}$ " FILLET WELDS. DRILL  $4x\frac{1}{2}$ " HOLES ON EACH SIDE. HOT-DIP GALVANIZE THE ENTIRE ASSEMBLY AFTER FABRICATION. 38 x 140mm CEDAR TOP RAIL ---- 38 x 38mm CEDAR FRAME 2. ALL WOOD TO BE WESTERN RED CEDAR UNLESS OTHERWISE INDICATED. FENCE POSTS SHALL BE CEDAR GRADE NO.1 OR BETTER. SAND SMOOTH ANY ROUGH/SHARP SURFACES OR CRACKED EDGES/CORNERS. (2) 19 x 140mm CEDAR FENCE BOARDS, 3. ALL FASTENING HARDWARE TO BE HOT-DIPPED GALVANIZED, STAINLESS STEEL OR COATED FOR EXTERIOR USE. 4. CONTRACTOR TO PROVIDE SHOP DRAWINGS IN CONFORMANCE TO ONTARIO BUILDING CODE FOR GUARDRAIL REQUIREMENTS AND SEALED BY A P.ENG. 1800mm -(3) 19 x 64mm CEDAR FENCE BOARDS, TYPICAL LICENSED TO PRACTICE IN THE PROVINCE OF ONTARIO FOR APPROVAL PRIOR TO INSTALLATION. 19x38mm CEDAR WOOD TRIM. SECURE TO POST OR BOTTOM AND TOP RAILS WITH 3d 32mm SS RING — 140mm x 140mm (6"x6") CEDAR POST, BEYOND — 38 x 140mm CEDAR BOTTOM RAIL GALVANIZED JOIST HANGER. MECHANICALLY FASTENED TO SEAT BRACKET/POST SEAT BRACKET, BEYOND FINISHED GRADE SECTION THROUGH JOIST HANGER SEAT BRACKET, BEYOND MIN. 850mm -SCHEDULE 40 PIPE PER EACH POST. 19x38mm CEDAR WOOD TRIM USE NON-SHRINK GROUT. SEE PLAN & ELEVATIONS. ■ FRAME FOR FENCE - 50 MAX. ■ PANELS. JOIST HANGER. RETAINING WALL- REFER TO ENGINEERING DWGS SEE PLAN & MECHANICALLY FASTENED TO ELEVATIONS. SEAT BRACKET/POST. CEDAR FENCE BOARD 19X140mm [1x6] CEDAR FENCE BOTTOM RAIL 38X140mm [2x6] - GALVANIZED JOIST 19x38mm CEDAR WOOD TRIM NEIGHBOUR'S SIDE - 140mm x 140mm (6"x6") CEDAR OWNER'S SIDE **APPROVED** By Lily Xu at 1:54 pm, Sep 09, 2022 ---- 38 x 38mm CEDAR FRAME - (2) 19 x 64mm CEDAR VERTICAL SUPPORT CEDAR FENCE BOARDS TYPICAL -- SEAT BRACKET: REFER TO ELEVATION SEE NOTES & CROSS 38 x 140mm CEDAR BOTTOM RAIL **PLAN VIEW** LILY XU, MCIP, RPP MANAGER, DEVELOPMENT REVIEW SOUTH PLANNING, INFRASTRUCTURE & ECONOMIC **DEVELOPMENT DEPARTMENT, CITY OF OTTAWA WOOD PRIVACY FENCE** 







oroduction ou utilisation non autorisée est interdite. NE PAS L'ÉCHELLE DE DES

Client / Client



key plan / plan repère



legend / légende

09	re-issued for SPA	2022/08/05
08	issued for tender	2022/02/07
07	issued for internal coordination	2022/02/04
06	issued for internal coordination	2022/02/01
05	re-issued for permit	2021/10/05
04	issued for permit	2021/07/16
03	re-issued for internal coordination	2021/05/13
02 issued for SPA		2020/12/14
01	issued for internal coordination	2020/12/10
00	issued for Client review	2020/11/30
rev'n	description / la description	yyyy/mm/dd

396 Cooper Street, Suite 300 Ottawa, ON, CANADA K2P 2H7

north / le nord



project / projet


## **3455 HAWTHORNE ROAD**

drawing / dessin


## LANDSCAPE DETAILS

date <b>NOV. 2020</b>	D07-12-20-	0191
OM / KP	OM	KP
designed / conçu	drawn / dessiné	reviewed / examiné

NTS



**BIKE RACK DETAIL** 



PLANTING MEDIUM, BACK FILLED AND HAND-TAMPED -IN LIFTS AS TO AVOID ROOTBALL DISTURBANCE BURLAP FROM TOP AND SIDES OF ROOTBALL UNDISTURBED SUB GRADE -

**DECIDUOUS TREE PLANTING DETAIL** 

MULCH LAYER TO 60mm DEPTH - CLEAR -AWAY FROM BASE OF PLANT

SEE PLANT LIST FOR SPACING  $\neg$ 

ORNAMENTAL GRASS/PERENNIAL PLANTING DETAIL

APPROVED By Lily Xu at 1:55 pm, Sep 09, 2022 LILY XU, MCIP, RPP MANAGER, DEVELOPMENT REVIEW SOUTH PLANNING, INFRASTRUCTURE & ECONOMIC **DEVELOPMENT DEPARTMENT, CITY OF OTTAWA** 

Client / Client



key plan / plan repère

legend / légende

	09	re-issued for SPA	2022/08/05
	80	issued for tender	2022/02/07
	07	issued for internal coordination	2022/02/04
	06	issued for internal coordination	2022/02/01
	05	re-issued for permit	2021/10/05
	04	issued for permit	2021/07/16
	03	re-issued for internal coordination	2021/05/13
	02	issued for SPA	2020/12/14
	01	issued for internal coordination	2020/12/10
	00	issued for Client review	2020/11/30
r	ev'n	description / la description	yyyy/mm/dd

396 Cooper Street, Suite 300 Ottawa, ON, CANADA K2P 2H7 north / le nord

stamp / le cachet

project / projet

## **3455 HAWTHORNE ROAD**

drawing / dessin

## LANDSCAPE DETAILS

designed / conçu OM / KP	drawn / dessiné  OM	reviewed / examiné <b>KP</b>	
date NOV. 2020	D07-12-20-	0191	
drawing number / No. d	u dessin	f 3	<b>#18361</b>