





EXISTING TREE LIST								
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS	OWNERSHIP	
CE	1	Celtis occidentalis	Hackberry	150mm DBH	GOOD	To remain	3440 FRANK KENNEY	
CO	2	Celtis occidentalis	Hackberry	160-170mm DBH	GOOD	To be removed	3440 FRANK KENNEY	
PΙ	2	Picea pungens	Colorado Spruce	150mm DBH	GOOD	To remain	3440 FRANK KENNEY	
PP	6	Picea pungens	Colorado Spruce	150mm DBH	GOOD	To be removed	3440 FRANK KENNEY	
PG	6	Picea glauca	White Spruce	200-430mm DBH	FAIR-GOOD	To be removed	3440 FRANK KENNEY	
PS	*	Pinus strobus	White Pine	250-350mm DBH	DEAD-FAIR	To remain	3406 FRANK KENNEY	
TO	*	Thuja occidentalis	White Cedar	100mm DBH	GOOD	To remain	3440 FRANK KENNEY	




DECIDUOUS TREE PLANTING L.1 SCALE: NTS



CONIFEROUS TREE PLANTING

/ SCALE: NTS



TREE PROTECTION REQUIREMENTS: ROOT ZONE (CRZ = 10X DIAMETER) OF A TREE, TREE PROTECTION FENCING MUST BE INSTALLED SURROUNDING THE CRITICAL ROOT ZONE AND REMAIN IN PLACE UNTIL THE WORK IS COMPLETE. 2. UNLESS PLANS ARE APPROVED BY CITY FORESTRY 2. UNLESS PLANS ARE APPROVED BY CITY FURESTRY
STAFF, FOR WORK WITHIN THE CRZ:
- DO NOT PLACE ANY MATERIAL OR EQUIPMENT
INCLUDING OUTHOUSES;
- DO NOT ATTACH ANY SIGNS, NOTICES OR
POSTERS TO ANY TREE;
- DO NOT RAISE OR LOWER THE EXISTING GRADE;
- TILINGEL OR BODE WHEN DIGGING: - TUNNEL OR BORE WHEN DIGGING; - DO NOT DAMAGE THE ROOT SYSTEM, TRUNK, OR BUNCHES OR ANY TREE; - ENSURE THAT EXHAUST FUMES FROM ALL EQUIPMENT ARE NOT DIRECTED TOWARD ANY TREE CANOPY. - DO NOT EXTEND HARD SURFACE OR SIGNIFICANTLY CHANGE LANDSCAPING

3.TREE PROTECTION FENCING MUST BE AT LEAST 1.2m IN HEIGHT, AND BE CONSTRUCTED OF RIGID OR FRAMED MATERIALS (E.G. MODULOC * STEEL,PLYWOOD HOARDING, OR SNOW FENCE ON A 2"X4" WOOD FRAME) WITH POSTS 2.4m APART, SUCH THAT THE FENCE LOCATION CANNOT BE ALTERED. ALL SUPPORTS AND BRACING MUST BE 91 APED OLITISED OF THE CST. AND BRACING MUST BE PLACED OUTSIDE OF THE CRZ, AND INSTALLATION MUST MINIMISE DAMAGE TO EXISTING ROOTS. (SEE DETAIL)

4. THE LOCATION OF THE TREE PROTECTION FENCING 4. THE LOCATION OF THE TREE PROTECTION FENCING MUST BE DETERMINED BY AN ARBORIST AND DETAILED ON ANY ASSOCIATED PLANS FOR THE SITE. (E.G. TREE CONSERVATION REPORT, TREE DISCLOSURE REPORT, ETC). THE PLAN AND CONSTRUCTED FENCING MUST BE APPROVED BY CITY FORESTRY STAFF PRIOR TO THE COMMENCEMENT OF WORK. 5. IF THE FENCED TREE PROTECTION AREA MUST BE REDUCED TO FACILITATE CONSTRUCTION, MITIGATION

MEASURES MUST BE PRESCRIBED BY AN ARBORIST
AND APPROVED BY CITY FORESTRY STAFF. THESE MAY
INCLUDE THE PLACEMENT OF PLYWOOD, WOOD CHIPS
OR STEEL PLATING OVER THE ROOTS FOR PROTECTION
OR THE PROPER PRUNING AND CARE OF ROOTS
WHERE ENCOUNTERED.

ALL CITY-OWNED TREES ARE PROTECTED UNDER THE MUNICIPAL TREES AND NATURAL AREAS PROTECTION BY-LAW (2006-279). WITHIN THE URBAN AREA, DIAMETER ON LOTS 1 HECTARE IN SIZE OR LESS, AND TREES GREATER THAN 10cm IN DIAMETER ON LOTS GREATER THAN 1 HECTARE, ARE PROTECTED UNDER THE URBAN TREE CONSERVATION BY-LAW (2009-200).

4 TREE PROTECTION FENCE

L.1 SCALE: NTS



CONSULTANTS

ARCHITECTS: J.L.Richards



1. IT IS THE RESPONSIBILITY OF THE APPROPRIATE CONTRACTOR OR OFFICIAL TO REPORT ANY ERRORS, OMISSIONS OR DISCREPANCIES ON THIS PLAN WITH ACTUAL SITE CONDITIONS TO THE LANDSCAPE ARCHITECT BEFORE PROCEEDING WITH

2. THE CONTRACTOR IS TO NOTIFY ALL UTILITY COMPANIES AND AUTHORITIES PRIOR TO ANY EXCAVATION AND ASCERTAIN LOCATIONS OF UNDERGROUND SERVICES. 3. THE CONTRACTOR IS TO REINSTATE ALL AREAS AND ITEMS DAMAGED AS A RESULT

4. THE CONTRACTOR IS TO COMPLY WITH ALL PERTINENT CODES AND BY-LAWS. 5. THE CONTRACTOR IS TO MAINTAIN A POSITIVE SURFACE RUN-OFF THROUGHOUT THI ENTIRE CONSTRUCTION PERIOD. 6. THE LANDSCAPE ARCHITECT IS NOT RESPONSIBLE FOR SUBSURFACE CONDITIONS 7. THE CONTRACTOR IS TO IDENTIFY ALL EXISTING TREES TO REMAIN ON SITE WITH

8. THE CONTRACTOR IS TO STAKE THE PROPOSED LOCATION OF ALL PLANT MATERIAL IN CONJUNCTION WITH THE LANDSCAPE ARCHITECT PRIOR TO EXCAVATION 9. MINIMUM DISTANCES FOR SELECTED DECIDUOUS TREES ARE AS FOLLOWS: BUILDING FOUNDATIONS 7.5M SIDEWALKS 1.5M

PUBLIC STREETS 2.5M UNDERGROUND INFRASTRUCTURE 2.0M

THE LANDSCAPE ARCHITECT PRIOR TO CONSTRUCTION.

10. ALL TREES WITHIN 1M OF UNDERGROUND UTILITY TRENCHES ARE TO BE 11. REMOVE ALL PROTECTIVE WRAPPING FROM TREE TRUNKS AFTER INSTALLATION 12. STAKING OF TREES SHALL ONLY BE PERFORMED IF NECESSARY. 3. ENSURE THAT MULCH IS PULLED BACK A MIN. DISTANCE OF 75MM FROM BASE OF

LEGEND

PROPOSED PEASTONE MULCH

PROPOSED SALT **TOLERANT SEED** MIXTURE OPSS 804

PROPOSED RIPARIAN SEED MIXTURE

PROPOSED **DECIDUOUS TREE**

PROPOSED NATIVE

GRASS SEED MIXTURE

PROPOSED CONIFEROUS TREE

PROPOSED SHRUBS / PROPOSED THREE

XXX RING BIKE RACK GROUP OF EXISTING TREES TO REMAIN

EXISTING TREE TO REMAIN

GROUP OF EXISTING TREES TO BE REMOVED \~~~~

TREE PROTECTION **~~~~~**

REMOVED

EXISTING TREE TO BE


5	REVISED PER NEW SITE PLAN	08/22/2022	ML	١,
4	ISSUED FOR SITE PLAN SUBMISSION	04/06/2022	ML	,
3	ISSUED FOR HONI REVIEW	04/04/2022	ML	,
2	EXISTING TREES ADDED	04/04/2022	ML	,
1	ISSUED FOR JLR REVIEW	03/31/2022	ML	,
No.	Issue	Date	DR	C

JAMES B. LENNOX & ASSOCIATES INC. ARCHITECTS 3332 CARLING AVE. OTTAWA, ONTARIO K2H 5A8 Fax. 1(866) 343-3942

Tel. (613) 722-5168

HONI ORLEANS OPC 3440 FRANK KENNEY ROAD, ORLEANS ON

TREE CONSERVATION REPORT & LANDSCAPE PLAN



PROJECT NORTH

AS SHOWN TART DATE APRIL 2022

PROJECT NO.

SCALE

DRAWING NO.