

Phase One Environmental Site Assessment Proposed Riverside South Catholic Elementary School Brian Good Avenue and Solarium Avenue, Ottawa, Ontario

Client:

Ottawa Catholic School Board 570 West Hunt Club Road Nepean, Ontario K2G 3R4

Type of Document:

Final

Project Name:

Phase One Environmental Site Assessment

Project Number:

OTT-22012013-A0

Prepared By:

Leah Wells, P.Eng.

Reviewed By:

Mark McCalla, P.Geo.

EXP Services Inc. 100-2650 Queensview Drive Ottawa, Ontario K2B 8H6 t: +1.613.688.1899 f: +1.613.225.7337

Date Submitted:

2022-06-10

Legal Notification

This report was prepared by EXP Services Inc. for the account of the Ottawa Catholic School Board.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. EXP Services Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this project.



Table of Contents

Legal Noti	fication	i
List of Figu	ures	v
List of App	pendices	vi
Executive	Summary	. vii
1.0 Introd	uction	
1.1	Objective	1
1.2	Phase One Property Information	
-	of Investigation	
	ds Review	
3.1	Phase One ESA Study Area Determination	
3.2	First Developed Use Determination	3
3.3	Fire Insurance Plans	3
3.4	Chain of Title	3
3.5	Environmental Reports	3
3.6	Environmental Source Information	3
3.6.1	Ontario Ministry of the Environment, Conservation and Parks Records	3
3.6.2	Historical Land Use Inventory	4
3.6.3	Environmental Registry	4
3.6.4	Environmental Access	4
3.6.5	Hazardous Waste Information Network	4
3.6.6	Records of Site Condition	4
3.6.7	Coal Gasification Plants	4
3.6.8	PCB Storage Sites	4
3.6.9	Waste Disposal Sites	5
3.6.10	Street Directories	5
3.7	EcoLog ERIS Database Search	5
3.8	Physical Setting Sources	5
3.8.1	Aerial Photographs	5
3.8.2	Topography, Hydrology, Geology	6
3.8.3	Fill Materials	6
3.8.4	Water Bodies and Areas of Natural Significance	6
3.8.5	Well Records	6



	3.9	Site Operating Records		6
4.0	Intervi	ews	7	
5.0	Site Re	connaissance		
	5.1	General Requirements		8
	5.2	Specific Observations at the Phase One Property		8
	5.2.1	Buildings and Structures		8
	5.2.2	Site Utilities and Services		8
	5.3	Storage Tanks		8
	5.3.1	Underground Storage Tanks		8
	5.3.2	Above Ground Storage Tanks		8
	5.4	Chemical Storage Handling and Floor Condition		8
	5.5	Areas of Stained Soil, Pavement or Stressed Vegetation		8
	5.6	Fill and Debris		9
	5.7	Air Emissions		9
	5.8	Odours		9
	5.9	Noise		9
	5.10	Other Observations		9
	5.11	Special Attention Items, Hazardous Building Materials and Designated Substances		9
	5.12	Abandoned and Existing Wells		9
	5.13	Roads, Parking Facilities and Right of Ways		9
	5.14	Adjacent and Surrounding Properties		9
	5.15	Enhanced Investigation Property	1	0
	5.16	Summary and Written Description of Investigation	1	0
5.0	Review	and Evaluation of Information1	1	
	6.1	Current and Past Uses	1	1
	6.2	Potentially Contaminating Activity	1	1
	6.3	Areas of Potential Environmental Concern	1	1
	6.4	Phase One Conceptual Site Model	1	1
	6.4.1	Buildings and Structures	1	1
	6.4.2	Water Bodies and Groundwater Flow Direction	1	1
	6.4.3	Areas of Natural Significance	1	1
	6.4.4	Water Wells	1	1
	6.4.5	Potentially Contaminating Activity	1	1



6.4.6	Areas of Potential Environmental Concern	11
6.4.7	Underground Utilities	11
6.4.8	Subsurface Stratigraphy	12
6.4.9	Uncertainty Analysis	12
7.0 Conclusi	ons	13
8.0 Referenc	es	14
9.0 Limitatio	n of Liability, Scope of Report, and Third Party Reliance	15
10 0 Signati	ıres	16



List of Figures

Figure 1 – Site Location Plan

Figure 2 – Conceptual Site Model – Phase One Study Area



List of Appendices

Appendix A: Qualifications of Assessors

Appendix B: Survey Plan Appendix C: Figures

Appendix D: Fire Insurance Plans, Title Search, Municipal Records & Provincial Records

Appendix E: EcoLog ERIS Report Appendix F: Aerial Photographs Appendix G: Site Photographs



Executive Summary

EXP Services Inc. (EXP) was retained by the Ottawa Catholic School Board to complete a Phase One Environmental Site Assessment (ESA) for the property located at 4720 Spratt Road in Ottawa, Ontario hereinafter referred to as the 'Phase One property'. At the time of the investigation, the Phase One property was vacant.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

The purpose of this Phase One ESA is to determine if past or present site activities have resulted in actual or potential contamination at the Phase One property. It is understood that the report will be used to support a site plan application with the City of Ottawa.

The most recent use of the property was agricultural. It is proposed that an elementary school be constructed on the vacant property. Therefore, a Record of Site Condition (RSC) is not required because the proposed site use will not be more sensitive than the previous land use.

The Phase One property is located on the northwest corner of Solarium Avenue and Brian Good Avenue and is currently vacant. Stockpiles of soil generated by residential construction in the Phase One study area are present on the site. The Phase One property is roughly rectangular in shape with an area of approximately 2.74 hectares.

The legal description of the Phase One property is Block 214 on Plan 4M-1672, (Subject to an Easement in Gross over Parts 74-75 on 4R-33410), City of Ottawa. The property identification number (PIN) for the site is 04330-3729.

Based on a review of historical aerial photographs, historical maps, fire insurance plans and other records, it appears that the Phase One property has always been vacant. The Phase One property appears to have been used for agricultural purposes until 2017.

There are no waterbodies on the Phase One property. An unnamed tributary to the Rideau River is located approximately 580 m west of the Phase One property and the Rideau River is located approximately 800 m west of the site. The inferred groundwater flow direction is to the west towards the Rideau River.

There are no areas of natural or scientific interest (ANSI) within the Phase One study area.

There are no potable water wells within the Phase One study area.

Any excess fill material removed from the Site will be subject to testing requirements as per Ontario Regulation 406/19.

No potentially contaminating activities (PCA) were identified in the Phase One study area. No areas of potential environmental concern (APEC) were identified on the Phase I property.

The Qualified Person who oversaw this work, Mark McCalla, P.Geo., does not recommend that a Phase Two ESA be conducted as no APECs were identified.

The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

This executive summary is a brief synopsis of the report and should not be read in lieu of reading the report in its entirety.



1.0 Introduction

EXP Services Inc. (EXP) was retained by the Ottawa Catholic School Board to complete a Phase One Environmental Site Assessment (ESA) for the property located at 4720 Spratt Road in Ottawa, Ontario hereinafter referred to as the 'Phase One property'. At the time of the investigation, the Phase One property was vacant.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Section 9 of this report.

Please note that general environmental management and housekeeping practices were reviewed as part of this assessment insofar as they could impact the environmental condition of the property, however, a detailed review of regulatory compliance issues was beyond the scope of our investigation. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions or identify geologic hazards.

1.1 Objective

The purpose of this Phase One ESA is to determine if past or present site activities have resulted in actual or potential contamination at the Phase One property. It is understood that the report will be used to support a site plan application for development of a new elementary school.

The most recent use of the property was agricultural. It is proposed that an elementary school be constructed on the vacant property. Therefore, a Record of Site Condition (RSC) is not required because the proposed site use will not be more sensitive than the previous land use.

EXP personnel who conducted assessment work for this project included Leah Wells, P.Eng. and Mark McCalla, P.Geo. An outline of their qualifications is provided in Appendix A.

1.2 Phase One Property Information

The Phase One property has the municipal address 4720 Spratt Road in Ottawa, Ontario. The Phase One property is located on the northwest corner of Solarium Avenue and Brian Good Avenue and is currently vacant. Stockpiles of soil generated by residential construction in the Phase One study area are present on the Phase One property. The Phase One property is roughly rectangular in shape with an area of approximately 2.74 hectares. A survey plan is provided in Appendix B.

The legal description of the Phase One property is Block 214 on Plan 4M-1672, (Subject to an Easement in Gross over Parts 74-75 on 4R-33410), City of Ottawa. The property identification number (PIN) for the site is 04330-3729.

The approximate Universal Transverse Mercator (UTM) coordinates for the Phase One property are Zone 18, 445664 m E and 5011960 m N. The UTM coordinates are based on measurements from Google Earth Pro, published by the Google Limited Liability Company (LLC). The accuracy of the centroid is estimated to be less than 10 m.

Authorization to proceed with this investigation was provided by Randy Leafloor on behalf of the Ottawa Catholic School Board. Contact information for Mr. Leafloor is 570 West Hunt Club Road, Ottawa, Ontario, K2G 3R4.

The Phase One property site location and site layout are shown on Figure 1 in Appendix C.



2.0 Scope of Investigation

The scope of work for the Phase One ESA consisted of the following activities:

- Reviewing the historical occupancy of the Phase One property through the use of available archived and relevant municipal and business directories, fire insurance plans (FIPs), topographical maps, and aerial photographs;
- Reviewing municipal and provincial records to determine whether activities that have occurred within the Phase
 One study area pose a potential environmental concern to the Phase One property;
- Obtaining an EcoLog Environmental Risk Information Services Ltd. (ERIS) report for the Phase One property and surrounding properties within a 250-metre radius of the Phase One property;
- Reviewing available geological maps, well records and utility maps for the vicinity of the Phase One property;
- Obtaining a search of land title and assessment rolls for the Phase One property;
- Conducting at least one reconnaissance of the Phase One property and surrounding properties within a 250-metre
 radius of the Phase One property in order to identify the presence of actual and/or potential environmental
 contaminants or concerns of significance;
- Conducting interviews with designated representative(s) as a resource for current and historical information;
- Reviewing the current use of the Phase One property and any land use practices that may have impacted its environmental condition;
- Reviewing the current use of the surrounding properties and any land use practices that may have impacted the environmental condition of the Phase One property; and,
- Preparing a report to document the findings.

In completing the scope of work, EXP did not conduct any intrusive investigations, including sampling, analyses, or monitoring. EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or of any of the statements made by others.



3.0 Records Review

3.1 Phase One ESA Study Area Determination

The Phase One study area comprises the Phase One property and surrounding properties wholly or partly within 250 metres of the property boundaries. The 250-metre radius was used to gain an understanding of the current and past uses of surrounding properties to determine whether such uses may have contributed to subsurface environmental impacts at the Phase One property.

According to the City of Ottawa GeoOttawa on-line mapping tool, the Phase One property is zoned for institutional use. The north adjacent property is zoned open space. The remainder of the properties in the Phase One study area are zoned for residential use.

The Phase One study area is shown on Figure 2 in Appendix C.

3.2 First Developed Use Determination

Based on a review of historical aerial photographs, historical maps, fire insurance plans and other records, it appears that the Phase One property has always been vacant. The Phase One property appears to have been used for agricultural purposes until 2017.

3.3 Fire Insurance Plans

No fire insurance plans are available for the Phase One study area.

3.4 Chain of Title

A chain of title was requested from Read Abstracts Limited for the Phase One property. To date the chain of title information has not been received.

3.5 Environmental Reports

There were no previous environmental and/or geotechnical reports pertaining to the Phase One property available for review.

3.6 Environmental Source Information

Information pertaining to the Phase One property was obtained by reviewing documents that are available to the public through municipal and provincial sources. EXP did not identify the need to contact any federal agencies.

Written responses from regulatory agencies and copies of documents obtained via searches are provided in Appendix D.

3.6.1 Ontario Ministry of the Environment, Conservation and Parks Records

On May 13, 2022, records pertaining to the site were requested from the Ministry of the Environment, Conservation and Parks (MECP) through the *Freedom of Information and Protection of Privacy Act* (FOI). To date, no response has been received. If environmentally significant information is obtained from the MECP search, it will be provided as an addendum to this report.



3.6.2 Historical Land Use Inventory

On May 13, 2022, records pertaining to the site were requested from the City of Ottawa for the Historical Land Use Inventory (HLUI) through the *Municipal Freedom of Information and Protection of Privacy Act* (FOI). To date, no response has been received. If environmentally significant information is obtained from the HLUI search, it will be provided as an addendum to this report.

3.6.3 Environmental Registry

On May 20, 2022, the MECP Environmental Registry website was searched for postings in the vicinity of the Phase One property. One record was identified for properties within the Phase One study area:

4775 Spratt Road – Permit to Take Water (PTTW) issued in 2021 for basement excavations and servicing excavations
associated with residential construction in the Phase One study area.

None of the records reviewed pose an environmental concern to the Site.

3.6.4 Environmental Access

On May 20, 2022, the MECP Environmental Access website was searched for postings within the Phase One study area. The following records were found:

- 4720 and 4800 Spratt Road PTTW issued in 2020 for servicing excavation associated with residential construction in the Phase One study area.
- 4775 Spratt Road ECA issued in 2021 for the construction of sanitary and storm sewers associated with new residential development in the Riverside South Development.

All of the records are associated with residential development in the Phase One study area and do not represent an environmental concern to the Phase One property.

3.6.5 Hazardous Waste Information Network

On May 20, 2022, the MECP Hazardous Waste Information Network (HWIN) website was searched for registered waste generators within the Phase One study area. No records were found.

3.6.6 Records of Site Condition

On May 20, 2022, the MECP Brownfields Registry website was searched for postings of Records of Site Condition (RSC) within the Phase One study area. No records were found.

3.6.7 Coal Gasification Plants

Documents entitled *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario* prepared by the MECP and *Inventory of Coal Gasification Plant Waste Sites in Ontario* prepared by Intera Technologies Ltd. were reviewed. There were no coal gasification plants identified within the Phase One study area.

3.6.8 PCB Storage Sites

Documents entitled *National Inventory of PCBs in Use and PCB Wastes in Storage in Canada, 2003 Annual Report* prepared by Environment Canada and *Ontario Inventory of PCB Storage Sites* prepared by the MECP were reviewed. No records pertaining to PCB storage sites were identified within the Phase One study area.



3.6.9 Waste Disposal Sites

Documents entitled *Old Landfill Management Strategy, Phase 1, Identification of Sites, City of Ottawa, Ontario* prepared by Golder Associates Ltd. and *Waste Disposal Site Inventory* prepared by the MECP were reviewed. No former landfills or waste disposal sites were identified within the Phase One study area.

3.6.10 Street Directories

No city directories are available for the Phase One study area.

3.7 EcoLog ERIS Database Search

A search of provincial and federal databases for records pertaining to the Phase One property and properties within the Phase One study area was conducted by EcoLog ERIS. EXP has confirmed neither the completeness nor the accuracy of the records that were provided. A summary of the more significant findings is provided below. A copy of the EcoLog ERIS report is provided in Appendix E.

The following entries from the EcoLog ERIS report were reviewed and summarized below:

- The ECA database identified six records in the Phase One study area, all of which were registered to the Riverside South Development Corp. The records are for municipal and private sewage works associated with new development in the Phase One study area and are not considered a concern to the Phase One property; and
- The Pipeline Incidents database identified three records regarding natural gas pipeline leaks. As natural gas is discharged to the atmosphere, no of these records are considered a concern to the Phase One property.

Based on the review of the ERIS report no PCA were identified.

3.8 Physical Setting Sources

3.8.1 Aerial Photographs

Aerial photographs dated 1976, 1991, 1999, 2005, 2008, 2011, 2017 and 2019 were available for review on the City of Ottawa website. Aerial photographs dated prior to 1976 were not available for review. The following table summarizes the development and land use history of the Phase One property and adjacent properties as depicted on the reviewed aerial photographs. Copies of the aerial photographs are provided in Appendix F.

Year	Details
1976	The Phase One property and surrounding properties in the Phase One study area consist of cultivated agricultural fields.
1991	The Phase One property and study area appear to be similarly developed to the 1976 aerial photograph.
1999	The Phase One property and study area appear to be similarly developed to the 1991 aerial photograph.
2005	The Phase One property and study area appear to be similarly developed to the 1999 aerial photograph. The properties to the north of the Phase One property no longer appear to be active agricultural fields, and multiple trees are now present on these properties.
2008	The Phase One property and study area appear to be similarly developed to the 2005 aerial photograph.
2011	The Phase One property and study area appear to be similarly developed to the 2008 aerial photograph.
2017	The Phase One property and study area appear to be similarly developed to the 2011 aerial photograph.



Year	Details	
2019	The Phase One property is still undeveloped, but no longer used for agricultural purposes. Multiple roads for a new residential development are under construction to the west of the Phase One property.	

Based on the review of the aerial photographs, no PCAs were identified in the Phase One study area.

3.8.2 Topography, Hydrology, Geology

Bedrock and surficial geology were reviewed via the Google Earth applications published by the Ontario Ministry of Energy, Northern Development and Mines. The bedrock geology application is available via www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/bedrock-geology and was last modified on March 19, 2018. The surficial geology application is available via www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/surficial-geology and was last modified on May 23, 2017.

Based on these applications, bedrock in the general area of the Phase One property consists of dolostone and sandstone of the Oxford Formation. Native surficial soil consists of Champlain Sea clay to fine textured glaciomarine deposits. Ground surface is approximately 92 metres above sea level (masl).

3.8.3 Fill Materials

Based on aerial photographs, there does not appear to have been any fill material imported to the Phase One property. There are currently multiple stockpiles of soil on the Phase One property, which were generated during residential construction activities in the Phase One study area.

Any excess fill material removed from the Site will be subject to testing requirements as per Ontario Regulation 406/19.

3.8.4 Water Bodies and Areas of Natural Significance

There are no waterbodies on the Phase One property. An unnamed tributary to the Rideau River is located approximately 580 m west of the Phase One property. The Rideau River is located approximately 800 m west of the Phase One property. The inferred groundwater flow direction is to the west towards the Rideau River.

There are no Area of Natural Significance (ANSI) within the Phase One study area, according to the Ministry of Natural Resources and Forestry Natural Heritage website (www.gisapplication.lrc.gov.on.ca/mamnh/Index.html).

3.8.5 Well Records

The Ontario well records website (www.ontario.ca/environment-and-energy/map-well-records water wells) was accessed. There were no well records within the Phase One study area.

There are no oil, gas, or salt wells within the Phase One study area, according to the Oil, Gas & Salt Resources Library (maps.ogsrlibrary.com/wells/).

3.9 Site Operating Records

No site operating records were available for review.



4.0 Interviews

Interviews were conducted by EXP with the individuals identified to be the most knowledgeable about both the current and historical Phase One property uses. The purpose of interviews is to obtain information to assist in identifying areas of potential environmental concern and identify details of potentially contaminating activities or potential contaminant pathways, in, on or below the Phase One property.

Mr. Randy Leafloor, Project Officer for the Ottawa Catholic School Board, was interviewed via telephone on May 31, 2022.

Mr. Leafloor indicated that the OCSB acquired the Phase One property in April 2022. Stockpiles of soil were deposited on the Phase One over the past two months. The material consists of excess native material from the Phase One study area generated by residential development in the Phase One study area.

The Ottawa Catholic School Board was unaware of any potential environmental concerns regarding the Phase One property.

Responses to other questions were made during site reconnaissance and are discussed in section 5.0.



5.0 Site Reconnaissance

5.1 General Requirements

On May 27, 2022, Ms. Leah Wells, of EXP conducted the site visit. The site visit was conducted in accordance with EXP's internal health and safety protocols and with the Ministry of Labour health and safety regulations. The purpose of the site visit was to assess the current conditions of the Phase One property.

The general environmental management and housekeeping practices at the Phase One property were reviewed as part of this assessment insofar as they could impact the environmental condition of the property; however, a detailed review of regulatory compliance issues was beyond the scope of EXP's investigation.

Observations of the subject property and surrounding properties were made. The site reconnaissance began at approximately 1:00 p.m. and lasted approximately ½ hour. The weather was approximately 18°C and raining. Adjacent properties were observed from within the grounds of the Phase One property, as well as publicly accessible areas. Photographs documenting the site visit are included in Appendix G.

5.2 Specific Observations at the Phase One Property

The Phase One property is covered by stockpiles of excess soil generated during construction activities on the adjacent residential properties.

5.2.1 Buildings and Structures

There are no buildings or structures present on the Phase One property.

5.2.2 Site Utilities and Services

The Phase One property is not currently serviced.

5.3 Storage Tanks

5.3.1 Underground Storage Tanks

No underground storage tanks (USTs) were observed on the Phase One property and there was no evidence of historical UST.

5.3.2 Above Ground Storage Tanks

No above ground storage tanks (ASTs) were observed on the Phase One property.

5.4 Chemical Storage Handling and Floor Condition

No chemicals are stored at the Phase One property.

5.5 Areas of Stained Soil, Pavement or Stressed Vegetation

No areas of significant staining of soil were observed on the Phase One property at the time of EXP's site visit. There was no vegetation present on the Phase One property.



5.6 Fill and Debris

There is a significant quantity of soil stockpiled on the Phase One property. This material consists of excess soil generated during development activities associated with the new residential development in the Phase One study area. These soil stockpiles are not considered a PCA.

5.7 Air Emissions

Regulatory control of air emissions in Ontario is the responsibility of the MECP. According to the Environmental Protection Act (EPA), an ECA (Air) is required for the ongoing operation of any equipment that may discharge a contaminant into the natural environment if the equipment was installed, modified or altered after June 29, 1988.

The Phase One property is undeveloped. No air emissions were identified at the time of the site visit.

5.8 Odours

No strong odours were present during the site visit.

5.9 Noise

No excessive noise was heard during the site visit.

5.10 Other Observations

There were no pits and lagoons, no railways or spurs and no unidentified substances observed on the Phase One property.

5.11 Special Attention Items, Hazardous Building Materials and Designated Substances

The Phase One property has never been developed therefore, there was no evidence of any special attention items, hazardous building materials or designated substances (asbestos, ozone depleting substances, lead, mercury, polychlorinated biphenyls (PCB), urea formaldehyde foam insulation, mould, or other special attention substances).

5.12 Abandoned and Existing Wells

There is no evidence that there are any water wells on the Phase One property.

5.13 Roads, Parking Facilities and Right of Ways

Vehicular access to the Phase One property is provided by from Solarium Avenue or Brian Good Avenue.

5.14 Adjacent and Surrounding Properties

A visual inspection of the adjacent properties and properties within 250 m of the Phase One property was conducted from publicly accessible areas to identify the occupants and document the uses and sources of potential environmental concerns that may impact the Phase One property. Refer to Figure 3 in Appendix C for the adjacent land uses.

The following land uses border the Phase One property:

- North: Future city park under construction, followed by vacant land (future OCDSB site);
- West: Residential;
- East: Residential (under construction); and



• South: Residential.

5.15 Enhanced Investigation Property

Ontario Regulation 153/04 defines an enhanced investigation property as a "property that is used, or has ever been used, in whole or in part for an industrial use or any of the following commercial uses: a garage; a bulk liquid dispensing facility, including a gasoline outlet; or, for the operation of dry-cleaning equipment."

Therefore, in accordance with Regulation 153/04, the property is not considered to be an enhanced investigation property.

5.16 Summary and Written Description of Investigation

Based on the site visit, no potential contaminating activities or areas of potential environmental concern (APEC) were identified.



6.0 Review and Evaluation of Information

6.1 Current and Past Uses

Based on a review of historical aerial photographs, historical maps, fire insurance plans and other records, it appears that the Phase One property has always been vacant. The site appears to have been used for agricultural purposes until 2017.

6.2 Potentially Contaminating Activity

Ontario Regulation (O. Reg.) 153/04 defines a Potential Contaminating Activity (PCA) as one of fifty-nine (59) industrial operations set out in Table 2 of Schedule D that occurs or has occurred in the Phase One study area. No PCAs were identified for the Phase One property and the Phase One study area.

6.3 Areas of Potential Environmental Concern

Ontario Regulation 153/04 defines an APEC as an area on a property where one or more contaminants are potentially present. Based on this Phase One ESA, no APECs were identified.

6.4 Phase One Conceptual Site Model

To develop a conceptual model for the Phase One property, the following physical characteristics and pathways were considered. A conceptual site model (CSM) showing the topography of the site, inferred groundwater flow, general site features, APEC, and PCA is shown in Figure 2.

6.4.1 Buildings and Structures

No buildings or structures are present on the Phase One property.

6.4.2 Water Bodies and Groundwater Flow Direction

There are no waterbodies on the Phase One property. An unnamed tributary to the Rideau River is located approximately 580 m wets of the Phase One property. The Rideau River is located approximately 800 m west of the Phase One property. The inferred groundwater flow direction is to the west towards the Rideau River.

6.4.3 Areas of Natural Significance

There are no ANSI within the Phase One study area.

6.4.4 Water Wells

There are no potable water wells within the Phase One study area.

6.4.5 Potentially Contaminating Activity

No PCAs were identified in the Phase One study area.

6.4.6 Areas of Potential Environmental Concern

No APEC were identified on the Phase One property.

6.4.7 Underground Utilities

The Phase One property is not currently serviced.



6.4.8 Subsurface Stratigraphy

Based on these applications, bedrock in the general area of the Phase One property consists of dolostone and sandstone of the Oxford Formation. Native surficial soil consists of Champlain Sea clay to fine textured glaciomarine deposits. The ground surface is approximately 92 metres above sea level (masl).

6.4.9 Uncertainty Analysis

The CSM is a simplification of reality, which aims to provide a description and assessment of any areas where potentially contaminating activity that occurred within the Phase One study area may have adversely affected the Phase One property. All information collected during this investigation, including records, interviews, and site reconnaissance, has contributed to the formulation of the CSM.

Information was assessed for consistency, however EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or of any of the statements made by others. All reasonable inquiries to obtain accessible information were made, as required by Schedule D, Table 1, Mandatory Requirements for Phase One Environmental Site Assessment Reports. The CSM reflects our best interpretation of the information that was available during this investigation.



7.0 Conclusions

The Qualified Person who oversaw this work, Mark McCalla, P.Geo., does not recommend that a Phase Two ESA be conducted since no APECs were identified. Any excess fill material removed from the Site will be subject to testing requirements as per Ontario Regulation 406/19.

The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.



8.0 References

- City of Ottawa, GeoOttawa online mapping tool, (maps.ottawa.ca/geoottawa).
- Dubreuil, L. and C. Woods, Catalogue of Canadian Fire Insurance Plans, 1875 1975, 2002.
- Environment Canada, National Inventory of PCBs in Use and PCB Wastes in Storage in Canada, 2003 Annual Report, 2004.
- Golder Associates Ltd., Old Landfill Management Strategy, Phase 1, Identification of Sites, City of Ottawa, Ontario, October 2004.
- Intera Technologies Ltd., Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume II, April 1987.
- Natural Resources Canada, The Atlas of Canada Toporama website (atlas.gc.ca/toporama/en/)
- Oil, Gas & Salt Resources Library, website (maps.ogsrlibrary.com/wells).
- Ontario Ministry of Energy, Northern Development and Mines, Bedrock Geology Application
 (www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/bedrock-geology), March 19, 2018.
- Ontario Ministry of Energy, Northern Development and Mines, Surficial Geology Application (www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/surficial-geology), May 23, 2017.
- Ontario Ministry of the Environment, Conservation and Parks, Access Environment website (www.accessenvironment.ene.gov.on.ca).
- Ontario Ministry of the Environment, Conservation and Parks, *Environmental Registry website* (www.ebr.gov.on.ca/ERS-WEB-External).
- Ontario Ministry of the Environment, Conservation and Parks, *Guide for Completing Phase One Environmental Site Assessments under Ontario Regulation 153/04*, June 2011.
- Ontario Ministry of the Environment, Conservation and Parks *Hazardous Waste Information Network website* (www.hwin.ca).
- Ontario Ministry of the Environment, Conservation and Parks, *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*, November 1988.
- Ontario Ministry of the Environment, Conservation and Parks, Ontario Inventory of PCB Storage Sites, October 1995.
- Ontario Ministry of the Environment, Conservation and Parks, *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act*, July 1, 2011.
- Ontario Ministry of the Environment, Conservation and Parks, Records of Site Condition website (www.lrcsde.lrc.gov.on.ca).
- Ontario Ministry of the Environment, Conservation and Parks, Waste Disposal Site Inventory, June 1991.
- Ontario Ministry of the Environment, Conservation and Parks, Water Wells website (www.ontario.ca/environment-and-energy/map-well-records water wells).
- Ontario Ministry of Labour, Occupational Health and Safety Act, R.S.O. 1990.
- Ontario Ministry of Natural Resources and Forestry, Natural Heritage website (www.gisapplication.lrc.gov.on.ca/mamnh/Index.html).



9.0 Limitation of Liability, Scope of Report, and Third Party Reliance

Basis of Report

This report ("Report") is based on site conditions known or inferred by the investigation undertaken as of the date of the Report. Should changes occur which potentially impact the condition of the site the recommendations of EXP may require revaluation. Where special concerns exist, or the Ottawa Catholic School Board ("the Client") has special considerations or requirements, these should be disclosed to EXP to allow for additional or special investigations to be undertaken not otherwise within the scope of investigation conducted for the purpose of the Report.

Reliance on Information Provided

The evaluation and conclusions contained in the Report are based on conditions in evidence at the time of site inspections and information provided to EXP by the Client and others. The Report has been prepared for the specific site, development, building, design or building assessment objectives and purpose as communicated by the Client. EXP has relied in good faith upon such representations, information and instructions and accepts no responsibility for any deficiency, misstatement or inaccuracy contained in the Report as a result of any misstatements, omissions, misrepresentation or fraudulent acts of persons providing information. Unless specifically stated otherwise, the applicability and reliability of the findings, recommendations, suggestions or opinions expressed in the Report are only valid to the extent that there has been no material alteration to or variation from any of the information provided to exp. If new information about the environmental conditions at the Site is found, the information should be provided to EXP so that it can be reviewed and revisions to the conclusions and/or recommendations can be made, if warranted.

Standard of Care

The Report has been prepared in a manner consistent with the degree of care and skill exercised by engineering consultants currently practicing under similar circumstances and locale. No other warranty, expressed or implied, is made. Unless specifically stated otherwise, the Report does not contain environmental consulting advice.

Complete Report

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment form part of the Report. This material includes, but is not limited to, the terms of reference given to EXP by the Client, communications between EXP and the Client, other reports, proposals or documents prepared by EXP for the Client in connection with the site described in the Report. In order to properly understand the suggestions, recommendations and opinions expressed in the Report, reference must be made to the Report in its entirety. EXP is not responsible for use by any party of portions of the Report.

Use of Report

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client. No other party may use or rely upon the Report in whole or in part without the written consent of EXP. Any use of the Report, or any portion of the Report, by a third party are the sole responsibility of such third party. EXP is not responsible for damages suffered by any third party resulting from unauthorised use of the Report.

Report Format

Where EXP has submitted both electronic file and a hard copy of the Report, or any document forming part of the Report, only the signed and sealed hard copy shall be the original documents for record and working purposes. In the event of a dispute or discrepancy, the hard copy shall govern. Electronic files transmitted by EXP utilize specific software and hardware systems. EXP makes no representation about the compatibility of these files with the Client's current or future software and hardware systems. Regardless of format, the documents described herein are EXP's instruments of professional service and shall not be altered without the written consent of EXP.



10.0 Signatures

We trust this report meets your current needs. If you have any questions pertaining to the investigation undertaken by EXP, please do not hesitate to contact the undersigned. The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

Leah Wells, P.Eng. Environmental Engineer Earth and Environment Mark McCalla, P.Geo. Senior Geoscientist Earth and Environment

Ma mydle



EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix A: Qualifications of Assessors



Qualifications of Assessors

EXP provides a full range of environmental services through a full-time Environmental Services Group. EXP's Earth and Environment Group has developed a strong working relationship with clients in both the private and public sectors and has developed a positive relationship with Ontario Ministry of the Environment, Conservation and Parks. Personnel in the numerous branch offices form part of a large network of full-time dedicated environmental professionals in the EXP organization.

Leah Wells, P.Eng., has six years of experience in the environmental consulting field. She has worked on numerous Phase I Environmental Site Assessments (ESA); Phase II ESAs, completing soil and groundwater sampling, soil vapour sampling, assisting in report preparation and data entry and analysis.

Mark McCalla, P.Geo., is a senior Environmental Scientist with EXP who has over 30 years of experience in the environmental consulting field. His technical undertakings have including work in the following fields: Phase I and II Environmental Site Assessments; Site Specific Risk Assessments; Petroleum and chlorinated hydrocarbon contaminated sites; Soil and groundwater remediation technologies; Hydrogeological, Terrain Analysis and Aggregate Assessments; Preparation of Ontario Ministry of Environment Certificate of Approvals and Records of Site Condition. Mr. McCalla is a Qualified Person for completing Phase I and II Environmental Site Assessments as per O.Reg. 153/04.




EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix B: Survey Plan






EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix C: Figures











PROPERTY LINE

PHASE ONE STUDY AREA (250m)



INFERRED GROUNDWATER FLOW DIRECTION



	DESIGN
$\langle D_{i} $	DRAWN
`	DATE MAY

2022

FILE NO OTT-22012013-A0

LW	GEOTECHNICAL INVESTIGATION	
	PROPOSED ELEMENTARY SCHOOL BUILDING	
AS	4720 SPRAT RD., (RIVERSIDE SOUTH) OTTAWA, OI	

DING 1:4,000
WA, ON SKETCH NO

HORIZONTAL

1:4,000

PHASE ONE STUDY AREA

FIG 2

EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix D: Fire Insurance Plans, Title Search, Municipal Records & Provincial Records





May 16, 2022 Via Mail

FOI Manager Freedom of Information & Protection of Privacy Office Ministry of the Environment, Conservation and Parks 12th Floor, 40 St. Clair Avenue West Toronto, Ontario M4V 1M2

Re: OTT-22012013-A0 File Review Request 4200 Spratt Road, Ottawa, Ontario

Dear Sir or Madam:

I am sending a Freedom of Information Request to you for 4200 Spratt Road, Ottawa, Ontario. We are conducting an environmental site assessment and require any environmental concerns.

If possible, we would appreciate receiving the documentation by email (kathy.radisch@exp.com) and by mail. If you have any questions, or require any further information, please do not hesitate to contact the undersigned at 613-688-1891, ext. 63296.

Yours truly,

EXP Services Inc.

Kathy Radisch

Administrative Assistant Earth & Environment

Enclosures: FOI Form

Credit Card Payment Form (\$35)



May 16, 2022 Via email: hlui@ottawa.ca

Planning Division City of Ottawa 110 Laurier Avenue West Ottawa, Ontario

Re: OTT-22012013-A0 Mu

Municipal Information Search Request 4200 Spratt Road, Ottawa, Ontario

To whom it may concern,

Our firm has been retained to conduct a Phase I Environmental Site Assessment for 4200 Spratt Road, Ottawa, Ontario. We require information pertaining to the property.

We request that the City of Ottawa search their files and provide any information pertaining to the environmental condition of these properties and surrounding areas, including any past environmental reports, orders, certificates or approvals.

Please find attached the consent letter from the property owner to release this information for the property in question. A request for information form has been completed to initiate a search on the property.

If you should have any questions, please do not hesitate to contact me.

Yours truly,

EXP Services Inc.

Kathy Radisch Administrative Assistant

Earth & Environment

Attachments: Disclaimer

RFI Form

Consent from Owner

EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix E: EcoLog ERIS Report





Project Property: Phase One ESA

4720 Spratt Road

Manotick ON K4M 0E2

Project No: OTT-22012013-A0_200_I.M.Taki

Report Type: Quote - Custom-Build Your Own Report

Order No: 22051800078 Requested by: exp Services Inc. **Date Completed:** May 24, 2022

Table of Contents

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	8
Map	10
Aerial	11
Topographic Map	12
Detail Report	13
Unplottable Summary	17
Unplottable Report	19
Appendix: Database Descriptions	
Definitions	

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Droposti	Informati	
Property	ıntormatı	on:

Project Property: Phase One ESA

4720 Spratt Road Manotick ON K4M 0E2

Order No: 22051800078

Project No: OTT-22012013-A0_200_I.M.Taki

Order Information:

 Order No:
 22051800078

 Date Requested:
 May 18, 2022

 Requested by:
 exp Services Inc.

Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

ERIS Xplorer <u>ERIS Xplorer</u>

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	0	0
CA	Certificates of Approval	Υ	0	0	0
CDRY	Dry Cleaning Facilities	Υ	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
CHM	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
DTNK	Delisted Fuel Tanks	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Υ	0	0	0
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	0	6	6
EEM	Environmental Effects Monitoring	Υ	0	0	0
EHS	ERIS Historical Searches	Y	0	1	1
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Υ	0	0	0
NPRI	National Pollutant Release Inventory	Υ	0	0	0
OGWE	Oil and Gas Wells	Υ	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Υ	0	0	0
PINC	Pipeline Incidents	Υ	0	3	3
PRT	Private and Retail Fuel Storage Tanks	Υ	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	0	0
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Υ	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Υ	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	0	0
		Total:	0	10	10

Executive Summary: Site Report Summary - Project Property

MapDBCompany/Site NameAddressDir/Dist (m)Elev diffPageKey(m)Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	PINC	ENBRIDGE GAS INC	45 ANDROMEDA RD,,OTTAWA,ON,K4M 0K7,CA ON	WSW/1.7	-2.03	<u>13</u>
<u>2</u>	PINC	ENBRIDGE GAS INC	ZINNIA WAY & NAMU WAY,,OTTAWA,ON, K4M 0E2,CA ON	SW/178.0	-2.03	<u>13</u>
<u>3</u>	EHS		River Rd Earl Armstrong Rd Ottawa ON	NW/192.9	-2.03	<u>14</u>
<u>4</u>	ECA	Riverside South Development Corp.	Stargazer Cres part of 4650 Spratt Road Ottawa ON K1G 2H5	N/215.4	-2.03	<u>14</u>
<u>4</u>	ECA	Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	N/215.4	-2.03	<u>14</u>
<u>4</u>	ECA	Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	N/215.4	-2.03	<u>14</u>
<u>4</u>	ECA	Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	N/215.4	-2.03	<u>15</u>
<u>4</u>	ECA	Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	N/215.4	-2.03	<u>15</u>
<u>4</u> .	ECA	Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	N/215.4	-2.03	<u>15</u>
<u>5</u>	PINC	ENBRIDGE GAS INC	73 HUBBLE HEIGHTS,,OTTAWA,ON,K4M 0K2,CA ON	WNW/240.2	-3.03	<u>16</u>

Executive Summary: Summary By Data Source

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Mar 31, 2022 has found that there are 6 ECA site(s) within approximately 0.25 kilometers of the project property.

Site Riverside South Development Corp.	Address 4650 Spratt Rd Ottawa ON K1G 2H5	<u>Distance (m)</u> 215.4	Map Key 4
Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	215.4	<u>4</u>
Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	215.4	<u>4</u>
Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	215.4	<u>4</u>
Riverside South Development Corp.	Stargazer Cres part of 4650 Spratt Road Ottawa ON K1G 2H5	215.4	<u>4</u>
Riverside South Development Corp.	4650 Spratt Rd Ottawa ON K1G 2H5	215.4	<u>4</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Mar 31, 2022 has found that there are 1 EHS site(s) within approximately 0.25 kilometers of the project property.


<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	River Rd Earl Armstrong Rd	192.9	<u>3</u>

$\underline{\textbf{PINC}} \textbf{ -} \textbf{Pipeline Incidents}$

A search of the PINC database, dated Feb 28, 2021 has found that there are 3 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
ENBRIDGE GAS INC	45 ANDROMEDA RD,,OTTAWA,ON,K4M 0K7,CA ON	1.7	1
ENBRIDGE GAS INC	ZINNIA WAY & NAMU WAY,,OTTAWA,ON, K4M 0E2,CA ON	178.0	<u>2</u>
ENBRIDGE GAS INC	73 HUBBLE HEIGHTS,,OTTAWA,ON,K4M 0K2,CA ON	240.2	<u>5</u>





Aerial Year: 2021

Address: 4720 Spratt Road, Manotick, ON

Source: ESRI World Imagery

Order Number: 22051800078



75°42'W 75°40'30"W 45°16'30"N Sources: Esri, HERE, Garmin, Intermap, increment P Corp. GERCO USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnanc1:24000 esri Japan, METI, Esri Corp. (c) OpenStreetMap contributors, and 305 the GIS User Community

Topographic Map

Address: 4720 Spratt Road, ON

Source: ESRI World Topographic Map

Order Number: 22051800078





Detail Report

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
1	1 of 1	WSW/1.7	91.9 / -2.03	ENBRIDGE GAS INC 45 ANDROMEDA RD,,OTTAWA,ON,K4M 0K7,CA ON	PINC
Incident Id: Incident Re Incident Re Type: Status Code Tank Status Task No: Spills Actio Fuel Type: Fuel Occurre Date of Occ Occurrence Depth: Customer Ad Incident Ad	e: e: e: on Centre: rence Tp: currence: e Start Dt: Acct Name: Idress:	3150178 12/13/2021 FS-Pipeline Incident Pipeline Damage Reason Est ENBRIDGE GAS IN 45 ANDROMEDA R	-	Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:	
Operation 1 Pipeline Tyl Regulator 1 Summary: Reported B Affiliation: Occurrence Damage Re Notes:	pe: Type: By: e Desc:				
2	1 of 1	SW/178.0	91.9/-2.03	ENBRIDGE GAS INC ZINNIA WAY & NAMU WAY,,OTTAWA,ON,K4M 0E2,CA ON	PINC
Incident Id: Incident Re Incident Re Type: Status Cod. Tank Status Task No: Spills Actio Fuel Type: Fuel Occurre Date of Occ Occurrence Depth: Customer A Operation 1 Pipeline Ty, Regulator 1 Summary: Reported B	e: e: e: e: on Centre: rence Tp: currence: e Start Dt: Acct Name: ldress: Type: pe:	3010840 2/3/2021 FS-Pipeline Incident Pipeline Damage Reason Est ENBRIDGE GAS IN ZINNIA WAY & NAM		Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details: NA,ON,K4M 0E2,CA	

Number of Direction/ Elev/Diff Site DΒ Map Key

Affiliation: Occurrence Desc: Damage Reason:

Notes:

3 1 of 1 NW/192.9 91.9 / -2.03 River Rd Earl Armstrong Rd

(m)

Ottawa ON

Order No: 20140829049 Nearest Intersection:

Distance (m)

Status: Municipality: Ottawa Report Type: **Custom Report** Client Prov/State: ON 25-SEP-14 Search Radius (km): Report Date: .25 Date Received: 29-AUG-14 -75.693739 X:

Previous Site Name:

Lot/Building Size: 135 hectares total

Records

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

N/215.4 91.9 / -2.03 Riverside South Development Corp. 4 1 of 6

Y:

Stargazer Cres part of 4650 Spratt Road

45.261415

EHS

ECA

ECA

ECA

Order No: 22051800078

Ottawa ON K1G 2H5

Approval No: 9148-9S4NSH **MOE District:** 2015-01-09 Approval Date: City: Approved Longitude: Status: ECA Record Type: Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Riverside South Development Corp. Address: Stargazer Cres part of 4650 Spratt Road

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0179-9QKL25-14.pdf

PDF Site Location:

2 of 6 N/215.4 91.9 / -2.03 Riverside South Development Corp. 4

4650 Spratt Rd Ottawa ON K1G 2H5

Approval No: 8016-B96U7L **MOE District:** 2019-02-14 Approval Date: City: Revoked and/or Replaced Longitude: Status: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Riverside South Development Corp.

Address: 4650 Spratt Rd

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9998-B6NKHC-14.pdf

PDF Site Location:

3 of 6 N/215.4 91.9 / -2.03 Riverside South Development Corp. 4

4650 Spratt Rd Ottawa ON K1G 2H5

4774-BANLTQ MOE District: Approval No:

Approval Date: 2019-04-05 City: Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Geometry Y:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Riverside South Development Corp.

Address: 4650 Spratt Rd

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2424-BAGRUF-14.pdf

PDF Site Location:

SWP Area Name:

4 4 of 6 N/215.4 91.9 / -2.03 Riverside South Development Corp.

4650 Spratt Rd Ottawa ON K1G 2H5

1408-BEYJM7 **MOE District:** Approval No: Approval Date: 2019-08-16 City: Approved Status: Longitude: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Riverside South Development Corp.

Address: 4650 Spratt Rd

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4333-BENLAV-14.pdf

PDF Site Location:

4 5 of 6 N/215.4 91.9 / -2.03 Riverside South Development Corp.

4650 Spratt Rd Ottawa ON K1G 2H5

Approval No: 6182-BSWLP3 **MOE District:** Approval Date: 2020-08-31 City: Status: Approved Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Riverside South Development Corp.

Address: 4650 Spratt Rd

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6997-BSDRZJ-14.pdf

PDF Site Location:

4 6 of 6 N/215.4 91.9 / -2.03 Riverside South Development Corp.

4650 Spratt Rd Ottawa ON K1G 2H5

Order No: 22051800078

Approval No: 1119-BT4V6S **MOE District:** Approval Date: 2020-09-11 City: Status: Approved Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Riverside South Development Corp. **Business Name:**

Address: 4650 Spratt Rd

Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6770-BSKHAQ-14.pdf PDF Site Location:

5 1 of 1 WNW/240.2 90.9 / -3.03 **ENBRIDGE GAS INC**

Incident Id: Incident No: 2832988 Incident Reported Dt: 4/22/2020

FS-Pipeline Incident Type: Status Code:

Tank Status: Non Mandated

Task No: Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp:

Date of Occurrence: Occurrence Start Dt: Depth:

ENBRIDGE GAS INC **Customer Acct Name:** Incident Address: 73 HUBBLE HEIGHTS,,OTTAWA,ON,K4M 0K2,CA

Operation Type: Pipeline Type:

Regulator Type: Summary: Reported By: Affiliation:

Occurrence Desc: Damage Reason:

Notes:

73 HUBBLE HEIGHTS,,OTTAWA,ON,K4M 0K2,CA

PINC

Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy:

Public Relation: Pipeline System: PSIG:

Attribute Category: Regulator Location: Method Details:

Unplottable Summary

Total: 21 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Riverside South Development Corp.		Ottawa ON	
CA	Riverside South Development Corp.		Ottawa ON	
CA	Riverside South Development Corp.	Geographic Township of Gloucester	Ottawa ON	
CA	Riverside South Development Corp.	Geographic Township of Gloucester	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	LOTS 20-23, CONCESSION 1	OTTAWA CITY ON	
CA	Riverside South Development Corp.		Ottawa ON	
CA	Riverside South Development Corp.	Geographic Township of Gloucester	Ottawa ON	
EBR	Riverside South Development Corporation (RSDC)		ON	
ECA	Riverside South Development Corp.		Ottawa ON	K1G 2H5
RSC		Part Lot 23, Township of Gloucester	Ottawa ON	
RSC		Part Lot 23	Ottawa ON	
RSC		Lots 23 & 24, Con 1,	Gloucester ON	
WWIS		lot 23	ON	
WWIS		con 1	ON	
WWIS		lot 24	ON	
wwis		con 1	ON	
WWIS		lot 24	ON	

WWIS	lot 22	ON
wwis	con 1	ON
wwis	lot 22	ON
WWIS	con 1	ON

Unplottable Report

<u>Site:</u> Riverside South Development Corp.

Ottawa ON

Database:

 Certificate #:
 7653-8EJM3S

 Application Year:
 2011

 Issue Date:
 3/7/2011

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Riverside South Development Corp.

Ottawa ON

Database:

Database:

Database:

Order No: 22051800078

 Certificate #:
 8169-8G5KMV

 Application Year:
 2011

 Issue Date:
 5/5/2011

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Riverside South Development Corp.

Geographic Township of Gloucester Ottawa ON

 Certificate #:
 8040-7NVLD3

 Application Year:
 2009

 Issue Date:
 2/11/2009

Approval Type: Municipal and Private Sewage Works

Status: Revoked and/or Replaced

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Riverside South Development Corp.

Geographic Township of Gloucester Ottawa ON

...

Certificate #: 9979-7PCKHF

2009 Application Year: 3/18/2009 Issue Date:

Municipal and Private Sewage Works Approval Type: Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

R.M. OF OTTAWA-CARLETON Site:

LOTS 20-23, CONCESSION 1 OTTAWA CITY ON

Certificate #: 3-1503-94-Application Year: 94 Issue Date: 12/23/1994 Approval Type: Municipal sewage Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Riverside South Development Corp. Site:

Ottawa ON

7037-6MXLUE Certificate #: Application Year: 2006 Issue Date: 3/18/2006

Municipal and Private Sewage Works Approval Type:

Status:

Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

Site: Riverside South Development Corp.

Geographic Township of Gloucester Ottawa ON

Certificate #: 5641-7FHJMY Application Year: 2008 Issue Date: 6/11/2008

Municipal and Private Sewage Works Approval Type:

Status: Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: **Emission Control:**

Database:

Database: CA

Database: CA

<u>Site:</u> Riverside South Development Corporation (RSDC)

ON

Database:

EBR Registry No:012-7921Decision Posted:Ministry Ref No:MNRF INST 49/16Exception Posted:

Notice Type:Instrument DecisionSection:Notice Stage:Act 1:Notice Date:April 13, 2017Act 2:

Proposal Date: June 14, 2016 Site Location Map:

Year: 2016

Instrument Type: (ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species

Off Instrument Name:

Posted By:

Company Name: Riverside South Development Corporation (RSDC)

Site Address: Location Other: Proponent Name:

Proponent Address: 2193 Arch Street, Ottawa Ontario, Canada K1G 3H5

Comment Period:

URL:

Site Location Details:

Part of Lots 21 - 23, Concession 1 (Rideau Front) of the Geographic Township of Gloucester. RSDC Phase 13 includes approximately 49 hectares located east of Spratt Road and south of Earl Armstrong Road in southeastern Ottawa, Ontario. CITY OF OTTAWA

Site: Riverside South Development Corp.

Ottawa ON K1G 2H5

Database: ECA

Approval No: 0166-ACPSEZ **MOE District:** 2016-08-23 Approval Date: City: Revoked and/or Replaced Longitude: Status: **ECA** Latitude: Record Type: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Riverside South Development Corp.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3244-A6CPHG-14.pdf

PDF Site Location:

<u>Site:</u>
Part Lot 23, Township of Gloucester Ottawa ON

Database: RSC

Order No: 22051800078

 RSC ID:
 Cert Date:

 RA No:
 Cert Prop Use No:

 RSC Type:
 Intended Prop Use:

 Curr Property Use:
 Qual Person Name:

 Ministry District:
 Ottawa
 Stratified (Y/N):

 Filing Date:
 07/05/01
 Audit (Y/N):

Date Ack:Entire Leg Prop. (Y/N):Date Returned:07/23/01Accuracy Estimate:

Restoration Type: Telephone:
Soil Type: Fax:
Criteria: Email:

CPU Issued Sect
1686:

Asmt Roll No: Prop ID No (PIN):

Property Municipal Address:

Mailing Address:

Latitude & Latitude: **UTM Coordinates:** Consultant:

DST Consulting Engineers Inc.

Legal Desc: Measurement Method: Applicable Standards:

RSC PDF:

Site: Part Lot 23 Ottawa ON Database: **RSC**

RSC ID: RA No: RSC Type:

Curr Property Use: Ministry District:

Ottawa Filing Date: 07/05/01 Date Ack: 08/14/01 Date Returned: Restoration Type: Generic Soil Type: Medium/Fine

Res/parkland + Nonpotable Criteria:

CPU Issued Sect

1686:

Asmt Roll No: Prop ID No (PIN):

Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant:

DST Consulting Engineers Inc.

Legal Desc: Measurement Method: Applicable Standards:

RSC PDF:

Ν

Site:

Lots 23 & 24, Con 1, Gloucester ON

Database: **RSC**

RSC ID: RA No: RSC Type: **Curr Property Use:** Ministry District:

Filing Date:

01/26/00 Date Ack: 03/10/00

Date Returned: Restoration Type: Soil Type: Criteria:

CPU Issued Sect

1686:

Asmt Roll No: Prop ID No (PIN):

Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF:

Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N):

Cert Date:

Cert Prop Use No:

Intended Prop Use:

Qual Person Name:

Entire Leg Prop. (Y/N):

Accuracy Estimate: Telephone:

Stratified (Y/N):

Audit (Y/N):

Fax:

Email:

Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone:

Fax: Email:

Site:

lot 23 ON

Database:

Well ID: 1520631

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: NA

Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src: 8/12/1986 Date Received:

Selected Flag: TRUE

Abandonment Rec:

Contractor: 3644 Form Version: 1

Owner: Street Name:

County: **OTTAWA**

Municipality: **GLOUCESTER TOWNSHIP**

023

Site Info: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10042473

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 05-May-1986 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 22051800078

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931045364

Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

931045366 Formation ID:

Layer: 3 2 Color: General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 19.0 Formation End Depth: 63.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931045365

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

 Most Common Material:
 HARDPAN

 Mat2:
 12

STONES

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 15.0
Formation End Depth: 19.0
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961520631Method Construction Code:5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

 Pipe ID:
 10591043

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930074136

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 63.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930074135

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 22.0

 Casing Diameter:
 6.0

 Casing Diameter UOM:
 inch

Casing Depth UOM:

Results of Well Yield Testing

Order No: 22051800078

ft

Pump Test ID: 991520631

Pump Set At:

Static Level:10.0Final Level After Pumping:30.0Recommended Pump Depth:30.0Pumping Rate:20.0

Flowing Rate:

Recommended Pump Rate: 10.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY

Pumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

Pump Test Detail ID: 934387380

 Test Type:

 Test Duration:
 30

 Test Level:
 30.0

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934112517

Test Type:

Test Duration: 15
Test Level: 30.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934648403

Test Type:

 Test Duration:
 45

 Test Level:
 30.0

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934907164

Test Type:

Test Duration: 60
Test Level: 30.0
Test Level UOM: ft

Water Details

 Water ID:
 933477931

 Layer:
 2

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 58.0

 Water Found Depth UOM:
 ft

Water Details

Water ID: 933477930

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 40.0
Water Found Depth UOM: ft

Site:
con 1 ON

Well ID: 1501587 Construction Date:

Primary Water Use: Domestic

Sec. Water Use: 0

Final Well Status: Water Supply

Water Type: Casing Material: Audit No:

Tag: Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src: 1

Date Received: 1/6/1947 Selected Flag: TRUE

Abandonment Rec:

Contractor: 3566 Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: GLOUCESTER TOWNSHIP

Database:

Order No: 22051800078

Site Info: Lot:

Concession: 01 Concession Name: OF

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10023630

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 15-Nov-1946 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 930992252

Layer: 2

Color:

General Color:

Mat1: 17
Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 90.0
Formation End Depth: 167.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na

Formation ID: 930992251

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961501587Method Construction Code:1Method Construction:Cable Tool

Other Method Construction:

Pipe Information

Alt Name:

 Pipe ID:
 10572200

 Casing No:
 1

 Comment:
 1

Construction Record - Casing

Casing ID: 930040106

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:92.0Casing Diameter:5.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930040107

Layer: 2
Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:167.0Casing Diameter:5.0Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991501587

Pump Set At:
Static Level: 10.0
Final Level After Pumping: 30.0
Recommended Pump Depth:

Pumping Rate: 30.0

Flowing Rate:

Recommended Pump Rate:

Levels UOM: ft
Rate UOM: GPM

Water State After Test Code: Water State After Test: **CLEAR** Pumping Test Method: 1 **Pumping Duration HR:** 2 **Pumping Duration MIN:** 0 Flowing: No

Water Details

Water ID: 933454305

Layer: 1 Kind Code:

Kind: **FRESH**

Water Found Depth:

Water Found Depth UOM:

Database: Site: **WWIS** lot 24 ON

Well ID: 1517129

Construction Date: Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material: Audit No:

Tag:

Construction Method:

Elevation (m): Elevation Reliability:

Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10039009

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

14-Jun-1979 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

931034218 Formation ID:

Layer: 1 Color: **GREY** General Color: Mat1:

Data Entry Status:

Data Src:

9/24/1979 Date Received: Selected Flag: TRUE

Abandonment Rec:

3644 Contractor: Form Version:

Owner:

Street Name:

OTTAWA County:

Municipality: **GLOUCESTER TOWNSHIP**

Site Info:

024 Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Elevrc:

18 Zone:

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 22051800078

Location Method:

CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 35.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931034219

Layer: Color: General Color: **GREY** Mat1: 14 Most Common Material: **HARDPAN**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 35.0 45.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931034220

Layer: 3 Color: 2 General Color: **GREY** 15 Mat1:

LIMESTONE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

45.0 Formation Top Depth: Formation End Depth: 60.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

961517129 **Method Construction ID:**

Method Construction Code:

Air Percussion **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 10587579

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930068381

Layer: 1 Material: Open Hole or Material: **STEEL**

Depth From:

46.0 Depth To: 6.0 Casing Diameter: Casing Diameter UOM: inch ft Casing Depth UOM:

Results of Well Yield Testing

Pump Test ID: 991517129

Pump Set At:

Static Level: 15.0 Final Level After Pumping: 40.0 Recommended Pump Depth: 40.0 **Pumping Rate:** 20.0

Flowing Rate:

Recommended Pump Rate: 10.0 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code:

CLOUDY Water State After Test:

Pumping Test Method: **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934644168

Test Type:

45 Test Duration: Test Level: 40.0 Test Level UOM: ft

Draw Down & Recovery

934102664 Pump Test Detail ID:

Test Type:

Test Duration: 15 Test Level: 40.0 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934382665

Test Type:

30 Test Duration: 40.0 Test Level: ft Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 934901649

Test Type:

Test Duration: 60 Test Level: 40.0 Test Level UOM: ft

Water Details

Water ID: 933473551

Layer: 1 Kind Code: **FRESH** Kind: Water Found Depth: 57.0 Water Found Depth UOM:

Site: Database:

OTTAWA

Order No: 22051800078

con 1 ON

Well ID: 1519865 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 9/16/1985 Sec. Water Use: Selected Flag: TRUE

Water Supply Final Well Status: Abandonment Rec: Water Type: Contractor: 1558 Casing Material: Form Version: 1

Audit No: Owner: Tag: Street Name:

Construction Method: County: Elevation (m): Municipality: **GLOUCESTER TOWNSHIP**

Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: 01 Overburden/Bedrock: RF Concession Name:

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10041718 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: Code OB Desc: North83:

Open Hole: Org CS: 9 Cluster Kind: **UTMRC**:

Date Completed: 01-Aug-1985 00:00:00 UTMRC Desc: unknown UTM

Remarks: Location Method: Elevrc Desc: Location Source Date:

Overburden and Bedrock

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

931042998 Formation ID: Layer: 3

2 Color: General Color: **GREY** Mat1:

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 75.0

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931042997

Layer: 2 Color:

General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 81 SANDY Mat2 Desc: Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 5.0 Formation End Depth: 60.0 Formation End Depth UOM:

Overburden and Bedrock Materials Interval

Formation ID: 931042996

Layer: 1 **Color:** 6

General Color: BROWN Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961519865

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10590288

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930072830

Layer: 1 Material: 1

Open Hole or Material: STEEL
Depth From:
Depth To: 62.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930072831

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 75.0
Casing Diameter: 6.0
Casing Diameter UOM: inch

Casing Depth UOM:

Results of Well Yield Testing

Pump Test ID: 991519865

ft

Pump Set At:

Static Level: 25.0 Final Level After Pumping: 30.0 Recommended Pump Depth: 50.0 Pumping Rate: 10.0 Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: Rate UOM: **GPM** Water State After Test Code: Water State After Test: **CLEAR** Pumping Test Method: **Pumping Duration HR:** 0 **Pumping Duration MIN:** No Flowing:

Draw Down & Recovery

 Pump Test Detail ID:
 934109742

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 30.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934384474

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 30.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934895214

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 30.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934655014

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 30.0

 Test Level UOM:
 ft

Water Details

 Water ID:
 933476954

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 70.0

 Water Found Depth UOM:
 ft

<u>Site:</u>

Database:

WWIS

lot 24 ON

Well ID: 1530764

Construction Date: Primary Water Use: Sec. Water Use: Final Well Status:

Water Type: Casing Material:

Audit No: 201707

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10052298

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 17-Jul-1999 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

933115915 Plug ID: Layer: Plug From: 0.0 20.0 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

933115916 Plug ID: Layer: 2 Plug From: 20.0 40.0 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

933115917 Plug ID: 3 Layer: Plug From: 40.0 60.0 Plug To:

Data Entry Status:

Data Src:

9/1/1999 Date Received: Selected Flag: TRUE

Abandonment Rec:

4006 Contractor: Form Version:

Owner: Street Name:

OTTAWA County:

Municipality: **GLOUCESTER TOWNSHIP**

Site Info:

Lot: 024

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Elevrc:

18 Zone:

East83: North83: Org CS:

UTMRC: UTMRC Desc:

unknown UTM

Order No: 22051800078

Location Method: na Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961530764

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

Pipe Information

Pipe ID: 10600868 Casing No:

Comment: Alt Name:

Site: Database: lot 22 ON **WWIS**

Well ID: 1521468

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: 04608

Tag:

Construction Method:

Elevation (m): Elevation Reliability:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Data Entry Status:

Data Src:

7/6/1987 Date Received: TRUE Selected Flag:

Abandonment Rec:

Contractor: 1558 Form Version: 1

Owner: Street Name:

County: **OTTAWA**

Municipality: **GLOUCESTER TOWNSHIP**

18

Order No: 22051800078

Site Info:

Lot: 022

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 10043290

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 30-Apr-1987 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931048158

Layer: 2 Color:

Elevation: Elevrc:

Zone:

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na General Color: **GREY** Mat1: 18

SANDSTONE Most Common Material:

Mat2: 73 Mat2 Desc: **HARD**

Mat3: Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 125.0 Formation End Depth UOM:

Overburden and Bedrock **Materials Interval**

Formation ID: 931048156

Layer: 3 Color: 2 General Color: **GREY** Mat1: 14 Most Common Material: **HARDPAN** Mat2: 13 Mat2 Desc: **BOULDERS** Mat3: 79 **PACKED** Mat3 Desc: Formation Top Depth: 35.0

50.0

ft

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

Materials Interval

931048157 Formation ID:

Layer: Color: 2 General Color: **GREY** 28 Most Common Material: SAND Mat2: **GRAVEL** Mat2 Desc:

Mat3:

Mat3 Desc:

50.0 Formation Top Depth: Formation End Depth: 56.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931048155

Layer: 2 Color: **GREY** General Color: Mat1: 05 CLAY Most Common Material: Mat2: 79 Mat2 Desc: **PACKED**

Mat3: Mat3 Desc:

17.0 Formation Top Depth: 35.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931048154

Layer: 1 **Color:** 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 79

 Mat2 Desc:
 PACKED

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 17.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961521468

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10591860

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930075598

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 125.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930075597

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:59.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991521468

Pump Set At:
Static Level: 15.0
Final Level After Pumping: 35.0
Recommended Pump Depth: 60.0
Pumping Rate: 10.0

Flowing Rate:

Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: GPM

Water State After Test Code:

Water State After Test:

Pumping Test Method:

Pumping Duration HR:

Pumping Duration MIN:

O

Flowing:

No

Draw Down & Recovery

 Pump Test Detail ID:
 934106534

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 35.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934651778

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 35.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934390634

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 35.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934908869

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 35.0

 Test Level UOM:
 ft

Water Details

 Water ID:
 933479044

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 122.0

 Water Found Depth UOM:
 ft

Site:

con 1 ON

Database:

WWIS

Well ID: 1525673 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:10/21/1991Sec. Water Use:Selected Flag:TRUE

Final Well Status: Water Supply

Abandonment Rec:
Water Type: Contractor: 3644

Water Type: Contractor: 3644
Casing Material: Form Version: 1

Audit No: 68558 Owner:
Tag: Street Name:

Construction Method: County: OTTAWA

Elevation (m):Municipality:GLOUCESTER TOWNSHIPElevation Reliability:Site Info:

Lot:

Order No: 22051800078

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Concession: 01 Concession Name: RF

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10047408

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 27-Feb-1991 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931061985

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

 Most Common Material:
 HARDPAN

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 32.0 Formation End Depth: 45.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931061986

 Layer:
 3

Color: 2
General Color: GREY
Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 45.0 Formation End Depth: 103.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931061984

Layer: 1

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 22051800078

Location Method: na

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 32.0
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961525673

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10595978

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930082984

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 103.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930082983

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 49.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991525673

Pump Set At:

Static Level:35.0Final Level After Pumping:55.0Recommended Pump Depth:55.0Pumping Rate:10.0Flowing Rate:10.0

Recommended Pump Rate: 8.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY

Order No: 22051800078

Pumping Test Method: Pumping Duration HR: 1 Pumping Duration MIN: 0 No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934388707

Test Type:

Test Duration: 30 55.0 Test Level: Test Level UOM: ft

Draw Down & Recovery

934105048 Pump Test Detail ID:

Test Type:

Test Duration: 15 55.0 Test Level: Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 934649245

Test Type:

Test Duration: 45 55.0 Test Level: Test Level UOM:

Draw Down & Recovery

934906425 Pump Test Detail ID:

Test Type:

Test Duration: 60 55.0 Test Level: Test Level UOM:

Water Details

Water ID: 933484725

Layer: 2 Kind Code: 1

FRESH Kind: Water Found Depth: 98.0 Water Found Depth UOM: ft

Water Details

933484724 Water ID:

Layer: 1 Kind Code: **FRESH** Kind: Water Found Depth: 70.0

Water Found Depth UOM:

Site:

Database: lot 22 ON

Order No: 22051800078

Well ID: 1527659 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic 2/25/1994 Date Received: Sec. Water Use: Selected Flag: TRUE

Final Well Status: Abandonment Rec: Water Supply

ft

Water Type: Casing Material:

Audit No: 116662

Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Contractor: 1517 Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: GLOUCESTER TOWNSHIP

Site Info:

Lot: 022

Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049286

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 27-Nov-1993 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931067346

Layer: Color: 6 General Color: **BROWN** 28 Mat1: Most Common Material: SAND Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 0.0

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

Materials Interval

Formation ID: 931067347

Layer: 2
Color: 2
General Color: GREY
Mat1: 15

 Most Common Material:
 LIMESTONE

 Mat2:
 26

 Mat2 Desc:
 ROCK

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 24.0

 Formation End Depth:
 75.0

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 22051800078

Location Method: na

24.0

ft

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933112609 Layer: Plug From: 0.0 Plug To: 23.0 Plug Depth UOM:

ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961527659 **Method Construction Code: Method Construction:** Cable Tool

Other Method Construction:

Pipe Information

10597856 Pipe ID: Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 930086095

Layer: Material: Open Hole or Material: STEEL

Depth From:

27.0 Depth To: Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991527659

Pump Set At:

Rate UOM:

Static Level: 22.0 Final Level After Pumping: 30.0 Recommended Pump Depth: 50.0 Pumping Rate: 30.0 Flowing Rate: Recommended Pump Rate: 10.0 Levels UOM: **GPM**

Water State After Test Code:

Water State After Test:

Pumping Test Method: 2 **Pumping Duration HR:** Pumping Duration MIN: 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934904231 Test Type: Draw Down Test Duration: 60 30.0 Test Level: Test Level UOM:

Order No: 22051800078

Draw Down & Recovery

 Pump Test Detail ID:
 934111297

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 25.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934386113

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 28.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934655860

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 30.0

 Test Level UOM:
 ft

Water Details

Water ID: 933487180

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 60.0

 Water Found Depth UOM:
 ft

Site:

con 1 ON

Database:

WWIS

Order No: 22051800078

Well ID: 1529330 Data Entry Status:

Construction Date: Data Src.

 Primary Water Use:
 Commerical
 Date Received:
 2/14/1997

 Sec. Water Use:
 Selected Flag:
 TRUE

Sec. Water Use: Selected Flag: TRUE
Final Well Status: Abandoned-Other Abandonment Rec:

Water Type: Contractor: 6844
Casing Material: Form Version: 1

Audit No: 169507 Owner:
Tag: Street Name:

Construction Method: County: OTTAWA

 Elevation (m):
 Municipality:
 GLOUCESTER TOWNSHIP

 Elevation Reliability:
 Site Info:

Depth to Bedrock:Lot:Well Depth:Concession:01

Well Depth:Concession:01Overburden/Bedrock:Concession Name:OFPump Rate:Easting NAD83:

Static Water Level:
Flowing (Y/N):
Flow Rate:

Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: 10050866 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:

Code OB Desc: Open Hole: Cluster Kind:

06-Dec-1996 00:00:00

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

9

unknown UTM

Order No: 22051800078

Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

931072413 Formation ID:

Layer:

Color:

General Color:

Mat1:

Most Common Material: PREVIOUSLY DUG

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 17.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933114302 Layer: 0.0 Plug From: Plug To: 2.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114303 Layer: 2 2.0 Plug From:

Plug To: 17.0 Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961529330

Method Construction Code: Method Construction: Digging

Other Method Construction:

Pipe Information

10599436 Pipe ID:

Casing No:

Comment: Alt Name:

Construction Record - Casing

erisinfo.com | Environmental Risk Information Services

45

Casing ID: 930088795

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 17.0 Casing Diameter: 36.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326678

Layer:

Slot:

Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch Screen Diameter: 36.0

Water Details

Screen Top Depth:

Water ID: 933489269

Layer: Kind Code: 5

Kind: Not stated Water Found Depth: 6.0 Water Found Depth UOM: ft

Order No: 22051800078

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 22051800078

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2022

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

Order No: 22051800078

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jan 2022

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Apr 30, 2022

<u>Drill Hole Database:</u> Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Mar 31, 2022

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Apr 30, 2022

Environmental Compliance Approval:

Provincial

FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Mar 31, 2022

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches: Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Mar 31, 2022

Environmental Issues Inventory System:

Federal

EIIS

Order No: 22051800078

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC)

under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions: Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2022

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 22051800078

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank: Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Feb 28, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

Order No: 22051800078

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

Order No: 22051800078

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2022

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Apr 30, 2022

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 22051800078

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Mar 31, 2022

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Apr 30, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Apr 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private

SCT

Order No: 22051800078

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power

Provincial

Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Anderson's Storage Tanks:

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Mar 31, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 22051800078

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Order No: 22051800078

EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix F: Aerial Photographs



100-2650 Queensview Drive Ottawa, ON K2B 8H6

www.exp.com

JUNE 2022

FILE NO OTT-22012013-A0

FIG F1

1976 AERIAL PHOTOGRAPH

Filename: E:\OTT\OTT-22012013-A0\60 Execution\65 Drawings\Environmental\22012013-A0_Env_App Last Saved: Jun 1, 2022 9:59 AM Last Plotted: Jun 1, 2022 9:59 AM Plotted by: SeverA



PHASE ONE STUDY AREA (250m)

exp Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6
www.exp.com

DESIGN LW
DRAWN AS
DATE JUNE 2022


FILE NO OTT-22012013-A0 GEOTECHNICAL INVESTIGATION
PROPOSED ELEMENTARY SCHOOL BUILDING
4720 SPRAT RD., (RIVERSIDE SOUTH) OTTAWA, ON

SCALE 1:5,000 SKETCH NO

1991 AERIAL PHOTOGRAPH

FIG F2





1:5,000 HORIZONTAL



L W	GEOTECHNICAL INVESTIGATION
^{4WN} A S	PROPOSED ELEMENTARY SCHOOL BU 4720 SPRAT RD., (RIVERSIDE SOUTH) OT

1:5,000 UILDING TTAWA, ON

SKETCH NO

1999 AERIAL PHOTOGRAPH

FIG F3

exp Services Inc.

www.exp.com

100-2650 Queensview Drive Ottawa, ON K2B 8H6

JUNE 2022

FILE NO OTT-22012013-A0

1:5,000


FIG F4

2005 AERIAL PHOTOGRAPH

me: E:\OIT\OIT-22012013-40\60 Execution\65 Drawings\Environmental\22012013-A0_Env Saved: Jun 1, 2022 9:59 AM Last Plotted: Jun 1, 2022 10:00 AM Plotted by: SeverA







1:5,000




SIGN LW	GEOTECHNICAL INVESTIGATION
4WN	PROPOSED ELEMENTARY SCHOOL BUILDII
AS	4720 SPRAT RD., (RIVERSIDE SOUTH) OTTAWA

A, ON SKETCH NO

1:5,000

2011 AERIAL PHOTOGRAPH

FIG F5







PROPERTY LINE

PHASE ONE STUDY AREA (250m)

exp Services Inc. 100-2650 Queensview Drive Ottawa, ON K2B 8H6 www.exp.com

JUNE 2022 FILE NO OTT-22012013-A0

GEOTECHNICAL INVESTIGATION
PROPOSED ELEMENTARY SCHOOL BUILDING
4720 SPRAT RD., (RIVERSIDE SOUTH) OTTAWA, ON

SKETCH NO 1:5,000

2015 AERIAL PHOTOGRAPH

FIG F6

1:5,000







PROPERTY LINE

PHASE ONE STUDY AREA (250m)

exp Services Inc. 100-2650 Queensview Drive Ottawa, ON K2B 8H6 www.exp.com

JUNE 2022

FILE NO OTT-22012013-A0

GEOTECHNICAL INVESTIGATION
PROPOSED ELEMENTARY SCHOOL BUILDING
4720 SPRAT RD., (RIVERSIDE SOUTH) OTTAWA, ON

1:5,000 SKETCH NO

1:5,000

HORIZONTAL

2019 AERIAL PHOTOGRAPH

FIG F7

EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

Appendix G: Site Photographs



Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 1, 2022



Photograph No. 1

View of the southwest part of the Site looking north.



Photograph No. 2

View of the southeast part of the Site looking northwest.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 1, 2022



Photograph No. 3

View of the east part of the Site looking north.



Photograph No. 4

View of the adjacent residential properties under construction to the east.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 1, 2022



Photograph No. 5

View of the residential properties under construction to the south.



Photograph No. 6

View of the future city park under construction to the north.

EXP Services Inc.

Ottawa Catholic School Board Phase One Environmental Site Assessment Brian Good Avenue and Solarium Avenue, Ottawa, Ontario OTT-22002013-A0 June 10, 2022

