



Phase One Environmental Site Assessment

864 Lady Ellen Place
Ottawa, Ontario

Prepared for:

Access Self Storage Inc.

4305 Fairview Street
Burlington, ON L7L 2A4

January 20, 2022

Pinchin File: 301925



Issued To: Access Self Storage Inc.
Issued On: January 20, 2022
Pinchin File: 301925
Issuing Office: Kanata, ON

Author:

Alex Kelly, B.Sc.
Project Technologist
613.592.3387
akelly@pinchin.com



Reviewer:

Scott Mather, P.Eng., QPESA
Director, Eastern Ontario
613.592.3387
smather@pinchin.com

Reviewer:

Larry Backman, B.Sc.S.
Executive Vice President, National Accounts
613.592.3387
lbackman@pinchin.com



TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	1
2.0	INTRODUCTION.....	3
2.1	Phase One Property Information	3
3.0	SCOPE OF INVESTIGATION.....	4
4.0	RECORDS REVIEW	5
4.1	General	5
4.1.1	Phase One Study Area Determination.....	5
4.1.2	First Developed Use Determination	6
4.1.3	Fire Insurance Plans	6
4.1.4	Environmental Reports	7
4.1.4.1	Previous Environmental Report Summary	11
4.2	Environmental Source Information	11
4.2.1	Environmental Database Search – ERIS.....	11
4.2.1.1	National Pollutant Release Inventory	11
4.2.1.2	Ontario Inventory of PCB Storage Sites	12
4.2.1.3	National PCB Inventory	12
4.2.1.4	Certificates of Approval.....	12
4.2.1.5	Environmental Compliance Approvals, Permits To Take Water and Certificates of Property Use.....	13
4.2.1.6	Inventory of Coal Gasification Plants.....	13
4.2.1.7	Environmental Incidents, Orders, Offences and Spills	14
4.2.1.8	Waste Management Records	14
4.2.1.9	Fuel Storage Tanks	16
4.2.1.10	Notices and Instruments	17
4.2.1.11	Areas of Natural Significance	17
4.2.1.12	Landfill Information	18
4.2.1.13	Other ERIS Databases	18
4.2.2	Ministry of the Environment, Conservation and Parks Freedom of Information Search.....	18
4.2.3	Technical Standards and Safety Authority Search	18
4.2.4	Property Underwriters’ Reports and Plans	19
4.2.5	City Directories.....	19
4.3	Physical Setting Sources	20
4.3.1	Aerial Photographs	20
4.3.2	Topography, Hydrology and Geology	21
4.3.3	Fill Materials	22
4.3.4	Water Bodies, Areas of Natural Significance and Groundwater Information.....	22
4.3.5	Well Records.....	22
4.4	Site Operating Records	23
5.0	INTERVIEWS.....	23
6.0	SITE RECONNAISSANCE	24
6.1	General Requirements	24
6.2	Specific Observations at Phase One Property	25
6.2.1	Description of Buildings and Structures	25
6.2.2	Description of Below-Ground Structures	25
6.2.3	Description of Tanks	25



6.2.4	Potable and Non-Potable Water Sources	25
6.2.5	Description and Location of Underground Utilities.....	25
6.2.6	Details of Heating System.....	26
6.2.7	Details of Cooling System.....	26
6.2.8	Details of Drains, Pits and Sumps	26
6.2.9	Unidentified Substances within Buildings and Structures.....	26
6.2.10	Details of Staining and Corrosion	26
6.2.11	Details of On-Site Wells	26
6.2.12	Details of Sewage Works.....	27
6.2.13	Details of Ground Cover	27
6.2.14	Details of Current or Former Railways.....	27
6.2.15	Areas of Stained Soil, Vegetation and Pavement.....	27
6.2.16	Areas of Stressed Vegetation	27
6.2.17	Areas of Fill and Debris Materials	27
6.2.18	Potentially Contaminating Activities.....	27
6.2.19	Unidentified Substances Outside Buildings and Structures	28
6.2.20	Surrounding Land Uses	28
6.3	Enhanced Investigation Property.....	29
6.4	Written Description of Investigation	29
6.4.1	Phase One Property	29
6.4.2	Phase One Study Area Outside of Phase One Property.....	30
7.0	REVIEW AND EVALUATION OF INFORMATION	33
7.1	Current and Past Uses	33
7.2	Potentially Contaminating Activities.....	33
7.3	Areas of Potential Environmental Concern	35
7.4	Phase One Conceptual Site Model	36
8.0	CONCLUSIONS.....	38
8.1	Signatures.....	39
8.2	Terms and Limitations	39
9.0	REFERENCES.....	40
10.0	APPENDICES	1



APPENDICES

APPENDIX A	Figures
APPENDIX B	Photographs
APPENDIX C	Opta Records
APPENDIX D	ERIS Report
APPENDIX E	MECP FOI Search Request
APPENDIX F	TSSA Search Request
APPENDIX G	Maps

FIGURES

Figure 1	Key Map
Figure 2	Phase One Study Area
Figure 3	Potentially Contaminating Activities
Figure 4	Areas of Potential Environmental Concern



1.0 EXECUTIVE SUMMARY

Pinchin Ltd. (Pinchin) was retained by Access Self Storage Inc. (Client) to complete a Phase One Environmental Site Assessment (Phase One ESA) of the property located at 864 Lady Ellen Place in Ottawa, Ontario (hereafter referred to as the Site or Phase One Property). The Phase One Property is presently developed with a two-storey commercial office building (Site Building).

Pinchin conducted this Phase One ESA in accordance with Part VII and Schedule D of the Province of Ontario's *Environmental Protection Act R.S.O. 1990, c. E.19* and *Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Act*, and last amended by Ontario Regulation 274/20 on July 1, 2020 (O. Reg. 153/04). The purpose of the Phase One ESA was to assess the potential presence of environmental impacts at the Phase One Property due to activities at and near the Phase One Property.

The scope of work for this Phase One ESA was consistent with O. Reg. 153/04 in support of filing a Record of Site Condition (RSC) and was comprised of the following:

- A Records Review: Reviewed available current and historical information sources pertaining to the Phase One Property and Phase One Study Area including the use of, but not limited to aerial photographs, Fire Insurance Plans (FIPs), Property Underwriters' Reports (PURs), Property Underwriters' Plans (PUPs), city directories, wells records, Environmental Risk Information System regulatory search and a regulatory data base search. Regulatory agencies were also contacted to identify if any records of environmental non-compliance or other information associated with the environmental condition of the Phase One Property exists, including searches of Ministry of the Environment, Conservation and Parks (MECP) and Technical Standards and Safety Authority (TSSA) records;
- Interviews: Conducted interviews with a Site Representative (see Section 5.0) to determine if any current or historical operations have caused a concern with respect to the environmental condition of the Phase One Property and the surrounding properties within the Phase One Study Area;
- Site Reconnaissance: Completed a visual assessment of the Phase One Property and the surrounding properties within the Phase One Study Area (from publicly-accessible areas) including any associated buildings and/or facilities for the purpose of identifying the presence of potentially contaminating activities (PCAs);
- Evaluation: Evaluated the information gathered from the records review, interviews and Site reconnaissance;
- Reporting: Prepared a Phase One ESA report; and



- Submission: Submitted the Phase One ESA report to the Client.

The Phase One Property consists of one legal lot situated at the municipal address of 864 Lady Ellen Place, Ottawa, Ontario and is currently owned by Mr. Iqbal Khan. The Phase One Property is located immediately north of Lady Ellen Place, approximately 144 metres (m) northwest of the intersection of Lady Ellen Place and Laperriere Avenue, in Ottawa, Ontario.

To the best of Pinchin's knowledge, the Phase One Property consisted of vacant undeveloped land until the construction of the original portion of the Site Building in approximately 1960. Since construction of the Site Building, the Phase One Property has been utilized solely for commercial office purposes.

It is Pinchin's opinion that the date of the first developed use of the Phase One Property is approximately 1960, with the construction of the original portion of the Site Building on the Phase One Property. The date of the first developed use of the Phase One Property was determined through a review of aerial photographs, PURs, a PUP and FIPs, as well as an interview with the Site Representative. No other historical records were available to Pinchin that provided information for determining the date of first developed use of the Phase One Property.

Based on the findings of this Phase One ESA, Pinchin identified one PCA at the Phase One Property (i.e., on-Site) and 11 PCAs within the Phase One Study Area outside of the Phase One Property (i.e., off-Site). Of the off-Site PCAs, ten are not considered to result in APECs at the Phase One Property given their distance from the Phase One Property, time elapsed and/or the inferred groundwater flow direction. The remaining one off-Site PCA has resulted in a total of one APEC at the Phase One Property. It is Pinchin's opinion that this PCA may have impacted soil and groundwater quality at the Phase One Property and, as such, PCA # 4 has resulted in an APEC at the Phase One Property that warrants further investigation prior to the application of a Site Plan Approval application with the City of Ottawa.

Pinchin recommends that a Phase Two ESA be conducted at the Phase One Property as an "assessment of property conducted in accordance with the regulations by or under the supervision of a qualified person to determine the location and concentration of one or more contaminants in the land or water on, in or under the property". Pinchin concludes that one or more contaminants originating from PCAs located within the Phase One Study Area outside of the Phase One Property may have affected land or water on, in, or under the Phase One Property. Therefore, Pinchin recommends that a Phase Two ESA be conducted prior to the application of a Site Plan Approval application with the City of Ottawa.

It should be noted that the references and sources for the information used in evaluating the Phase One Property are provided in the relevant sections of this report. Specific references are also summarized in Section 9.0.



This Executive Summary is subject to the same standard limitations as contained in the report and must be read in conjunction with the entire report.

This report has been issued without having received a response from the MECP. Once a response from this regulatory body is received, the information will be reviewed by Pinchin and, if there is any information that represents a potential issue of environmental concern, a copy of the response will be forwarded to the Client under separate cover. Our conclusions and recommendations may be amended based on this information.

2.0 INTRODUCTION

A Phase One ESA is defined as a systematic qualitative process to determine whether a particular property is, or may be subject to, actual or potential contamination. Under the Province of Ontario's *Environmental Protection Act R.S.O. 1990, c. E.19* (EPA) and *Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Act*, and last amended by Ontario Regulation 274/20 on July 1, 2020 (O. Reg. 153/04), the purpose of a Phase One ESA is two-fold:

- To obtain and review records that relate to the Phase One Property, and to the current and past uses of and activities at or affecting the Phase One Property, in order to determine if an area of potential environmental concern (APEC) exists and to interpret any APEC; and
- To obtain and review records that relate to properties in the Phase One Study Area, other than the Phase One Property, in order to determine if a potentially contaminating activity (PCA) exists and interpret whether any such PCA results in an APEC at the Phase One Property.

This Phase One ESA was conducted at the request of the Client as a condition for a Site Plan Approval application with the City of Ottawa.

A Phase One ESA does not include sampling or testing of environmental media or building materials. The study period for this assessment was during November 2021 to January 2022, which included the records review, Site reconnaissance, interviews and reporting.

2.1 Phase One Property Information

The Phase One Property consists of one legal lot situated at the municipal address of 864 Lady Ellen Place, Ottawa, Ontario and is currently owned by Mr. Iqbal Khan. The Phase One Property is located immediately north of Lady Ellen Place, approximately 144 metres (m) northwest of the intersection of Lady Ellen Place and Laperriere Avenue, in Ottawa, Ontario, as shown on Figure 1 (all Figures are provided in Appendix A and all appendices are provided in Section 10.0). A plan showing the Phase One Property is provided as Figure 2. PCAs identified within the Phase One Study Area are depicted on



Figure 3. Photographs of the Phase One Property and surrounding properties are presented in Appendix B.

Pertinent details of the Phase One Property are provided in the following table:

Detail	Source / Reference	Information
Legal Description	N/A (legal land survey currently being prepared by Client)	N/A
Municipal Address	Client	864 Lady Ellen Place, Ottawa, Ontario K1Z 5MR
Parcel Identification Number (PIN)	N/A (legal land survey currently being prepared by Client)	N/A
Current Owner	Client	Mr. Iqbal Khan
Current Occupant(s)	J.L. Richards & Associates Limited	Engineers, Architects, Planners
Client	Authorization to Proceed, Limitation of Liability & Terms of Engagement Form	Access Results Management Services Inc.
Client Contact Information	Authorization to Proceed Form for Pinchin Proposal	Manuel Botelho 4305 Fairview Street Burlington, ON L7L 2A4 Phone: 289-288-0295 ext. 27 mbotelho@accessstorage.ca
Site Area	Site Representative	10,422 m ² (2.57 acres)

3.0 SCOPE OF INVESTIGATION

Pinchin conducted this Phase One ESA in accordance with O. Reg. 153/04, in particular Part VII and Schedule D of O. Reg. 153/04. The Phase One ESA scope of work was comprised of the following:

- A Records Review: Reviewed available current and historical information sources pertaining to the Phase One Property and Phase One Study Area including the use of, but not limited to aerial photographs, Fire Insurance Plans (FIPs), Property Underwriters' Reports (PURs), Property Underwriters' Plans (PUPs), city directories, wells records, Environmental Risk Information System (ERIS) regulatory search and a regulatory data base search. Regulatory agencies were also contacted to identify if any records of environmental non-compliance or other information associated with the environmental condition of the Phase One Property exists, including searches of Ministry of the Environment, Conservation and Parks (MECP) and Technical Standards and Safety Authority (TSSA) records;



- Interviews: Conducted interviews with a Site Representative (see Section 5.0) to determine if any current or historical operations have caused a concern with respect to the environmental condition of the Phase One Property and the surrounding properties within the Phase One Study Area;
- Site Reconnaissance: Completed a visual assessment of the Phase One Property and the surrounding properties within the Phase One Study Area (from publicly-accessible areas) including any associated buildings and/or facilities for the purpose of identifying the presence of potentially contaminating activities (PCAs);
- Evaluation: Evaluated the information gathered from the records review, interviews and Site reconnaissance;
- Reporting: Prepared a Phase One ESA report; and
- Submission: Submitted the Phase One ESA report to the Client.

4.0 RECORDS REVIEW

4.1 General

Identified off-Site PCAs described in this and subsequent report Sections are depicted on Figure 3. APECs in the Phase One Study Area are illustrated on Figure 4.

A Phase One ESA does not include sampling or testing of environmental media or building materials. The study period for this assessment was during November 2021 to January 2022, which included the records review, Site reconnaissance, interviews and reporting. A Site reconnaissance was completed on November 29, 2021, by a Pinchin representative under the direct supervision of a Qualified Person (QP). During the Site reconnaissance, Pinchin accessed the interior of the Site Building and all exterior areas of the Phase One Property. Pinchin did not access any areas within the surrounding Phase One Study Area with the exception of publicly-accessible roads and sidewalks. Select photographs taken during the Site reconnaissance of the Phase One Property and the surrounding properties within the Phase One Study Area are presented in Appendix B.

4.1.1 Phase One Study Area Determination

Based on a review of the available historical information and observations made during the Site reconnaissance for the properties greater than 250 m, but less than 1 kilometre (km), from the Phase One Property boundary, Pinchin did not note or observe any significant potentially contaminating properties that should be included as part of this assessment (e.g., landfills, large industrial manufacturers, etc.). As such, the Phase One Study Area consisted of the Phase One Property, as well as all properties situated



wholly, or partly, within 250 m from the nearest point of a boundary of the Phase One Property, in order to meet the minimum requirements set forth in O. Reg. 153/04.

4.1.2 First Developed Use Determination

The first developed land use of the Phase One Property is defined by O. Reg. 153/04 to be the earlier of:

- The first use of a Phase One Property in or after 1875 that resulted in the development of a building or structure on the property; and
- The first potentially contaminating use or activity on the Phase One Property.

A review of the aerial photographs, PURs, a PUP and FIPs, as well as an interview with the Site Representative, indicated that the Phase One Property was developed with the original portion of the Site Building in approximately 1960 with additions construction along the southeast elevation of the Site Building in approximately 1965 and 1970. The 1973 and 1984 PURs, 1984 PUP, 1965 FIPs and 1965 aerial photograph indicated that the original portion of the Site Building was present on the Phase One Property. In addition, The Site Representative noted that the original portion of the Site Building was constructed in approximately 1955 with additions along the southeast elevation of the Site Building in approximately 1965 and 1970; however, based on the historical review, it is Pinchin's opinion that the original portion of the Site Building was constructed in approximately 1960.

The date of the first developed use of the Phase One Property was determined through a review of aerial photographs, as well as the FIPs, PURs and a PUP and an interview with the Site Representative. No other information was reviewed by Pinchin during the records review or obtained during the Site reconnaissance or interviews, which would have resulted in a different interpretation of the date of first developed use of the Phase One Property.

4.1.3 Fire Insurance Plans

Pinchin contacted Opta Information Intelligence (Opta) to obtain copies of FIPs related to the Phase One Property and the Phase One Study Area. Opta provided Pinchin with copies of FIPs dated 1965 for the area including the Phase One Property.

The Opta response and copies of the FIPs are provided in Appendix C.

The following general information, including details regarding the Phase One Property and the Phase One Study Area, was noted in the 1965 FIPs:

- The FIPs covered the Phase One Property and the surrounding properties within a 250 m radius of the Phase One Property;
- The Phase One Property possessed the municipal address of 864 Lady Ellen Place;



- The Phase One Property appeared to be developed with a building of similar size and configuration to the original portion and addition along the southeast elevation of the present-day Site Building, and was utilized for commercial office purposes;
- The adjacent and surrounding properties consisted of residential, commercial and light industrial land uses;
- No operations or items of potential environmental concern were identified within the Phase One Study Area;
- The following PCA located within the Phase One Study Area outside of the Phase One Property was identified that is considered to result in an APEC at the Phase One Property:

- Thomas Supply & Equipment Co. Ltd. was located adjacent to the northeast elevation of the Phase One Property at 1550 Carling Avenue in 1965 and conducted cosmetics manufacturing.

Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does result in an APEC at the Phase One Property

- The following PCAs located within the Phase One Study Area outside of the Phase One Property were identified but are not considered to result in APECs at the Phase One Property:
 - Vail's Clean-O-Mat (i.e., a dry cleaner) was located approximately 75 m northwest of the Phase One Property at 1572 Carling Avenue in 1965;
 - Taggart Service Ltd. was located approximately 188 m southwest of the Phase One Property at 885 Churchill Avenue South in 1965. Underground storage tanks (USTs) were located adjacent to the north elevation of the building on this property; and
 - An RFO was located approximately 230 m northwest of the Phase One Property at 1596 Carling Avenue in 1965. Four USTs were present on the south portion of this property.

Based on the distance between these properties and the Phase One Property, it is Pinchin's opinion that these PCAs do not result in APECs at the Phase One Property.

4.1.4 Environmental Reports

The following previous environmental reports for the Phase One Property provided by the Client were reviewed by Pinchin:



- Report entitled “*Phase One Environmental Site Assessment, 864 Lady Ellen Place, Ottawa, Ontario*”, prepared by Golder Associates Ltd. (Golder) for J.L. Richards & Associates Limited, and dated May 2019 (2019 Golder Phase One ESA Report); and
- Report entitled “*Phase Two Environmental Site Assessment, 864 Lady Ellen Place, Ottawa, Ontario*”, prepared by Golder for J.L. Richards & Associates Limited, and dated December 2019 (2019 Golder Phase Two ESA Report).

Pinchin reviewed the available soil and groundwater sample analytical data provided in the above-referenced reports to assess whether there are any known soil and groundwater impacts at the Phase One Property or on properties within the Phase One Study Area.

Given the available information on the characteristics of the Phase One Property and its land use (i.e., commercial), the applicable Site Condition Standards, as defined by the MECP in the document “*Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*”, dated April 15, 2011, are:

- *Table 3: Full Depth Generic Site Condition Standards in a Non-Potable Groundwater Condition (Table 3 Standards)* for industrial/commercial/community property use (i.e., the proposed future use of the Phase One Property) and coarse-textured soils.

As such, the analytical data provided in the previous reports were compared with the *Table 3 Standards* to assess whether there are any known areas on the Phase One Property or in the Phase One Study Area where soil or groundwater has parameter concentrations exceeding the *Table 3 Standards*.

A summary of the salient information identified in the reports is provided below.

2019 Golder Phase One ESA Report

The Phase One ESA completed by Golder in May 2019 was conducted at the Phase One Property in order to investigate the following PCAs for the Phase One Property and Phase One Study Area:

- Former RFO and automotive repair/servicing facility located approximately 235 m northwest of the Phase One Property at 1575, 1593 and 1599 Carling Avenue. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Former automotive repair/servicing facility with associated USTs located approximately 185 m north of the Phase One Property at 1525 Carling Avenue. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Former RFO located approximately 210 m north of the Phase One Property at 1507 Carling Avenue. Golder indicated that this PCA does not result in an APEC at the Phase One Property;



- Former RFO and automotive repair/servicing facility located approximately 100 m northwest of the Phase One Property at 1596 and 1604 Carling Avenue. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Former dry cleaning facility located approximately 110 m northwest of the Phase One Property at 1568 Carling Avenue. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Former automotive repair/servicing facility with associated ASTs and USTs located approximately 200 m west of the Phase One Property at 885 Churchill Avenue South. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Current automotive repair/servicing facility located approximately 245 m southwest of the Phase One Property at 890-900 Churchill Avenue South. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Current automotive repair/servicing facility located 240 m southwest of the Phase One Property at 891 Bellevue Avenue. Golder indicated that this PCA does not result in an APEC at the Phase One Property;
- Former automotive repair/servicing facility located approximately 200 m southwest of the Phase One Property at 895 Churchill Avenue South. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former and current automotive repair/servicing facility with associated ASTs and USTs located approximately 90 m southwest of the Phase One Property at 1551 Laperriere Avenue. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former and current automotive repair/servicing facility with associated ASTs and USTs located approximately 180 m southwest of the Phase One Property at 920 McBride Street. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former heating oil tank, and former commercial printing operation located approximately 75 m southeast of the Phase One Property at 889 Lady Ellen Place. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Various former activities including cosmetics manufacturing, commercial printing and industrial diesel-powered emergency generator located adjacent to the northeast elevation of the Phase One Property at 1550 Carling Avenue. Golder indicated that this PCA does result in an APEC at the Phase One Property;



- Former and current automotive repair/servicing facility with associated ASTs and USTs located approximately 110 m northeast of the Phase One Property at 1500 Carling Avenue. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former manufacturing including spray booth, welding and lead furnaces located approximately 100 m southwest of the Phase One Property at 1529 Laperriere Avenue. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former warehouse with truck storage at the rear of the building and former commercial printing located approximately 45 m southeast of the Phase One Property at 888 Lady Ellen Place. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former commercial printing and equipment sale located approximately 40 m southeast of the Phase One Property at 881 Lady Ellen Place. Golder indicated that this PCA does result in an APEC at the Phase One Property;
- Former fabricated structural metals products industry located approximately 230 m southwest of the Phase One Property at 1550 Laperriere Avenue. Golder indicated that this PCA does result in an APEC at the Phase One Property; and
- Former truck transport industry and industrial chemical industry located adjacent to the southwest elevation of the Phase One Property at 1519 Laperriere Avenue. Golder indicated that this PCA does result in an APEC at the Phase One Property.

Based on the above-noted PCAs, Golder recommended a Phase Two ESA be conducted at the Phase One Property to investigate potential environmental impacts due to the environmental concerns outlined above.

2019 Golder Phase Two ESA Report

The Phase Two ESA conducted by Golder in December 2019 was conducted at the Phase One Property in order to investigate potential environmental impacts related to the APECs noted in the 2019 Golder Phase One ESA Report. The Phase Two ESA detailed the advancement of three boreholes on the central (19-01), southeast (19-02) and northwest (19-03) portions of the Phase One Property in June 2019. In addition, each borehole was completed as a groundwater monitoring well. A total of four soil samples were collected from the boreholes and four groundwater samples were collected from the groundwater monitoring wells and submitted for laboratory analyses of petroleum hydrocarbons fractions F1 to F4 (PHCs), volatile organic compounds (VOCs), benzene, toluene, ethylbenzene and xylene (BTEX), pH, metals and sodium adsorption ratio (SAR).



Criteria used for the evaluation of soil and groundwater laboratory analysis results were the generic Table 3 Standards.

The results of the laboratory analysis for the four soil samples and four groundwater samples indicated that the concentrations of the parameters tested (PHCs, VOCs, BTEX, pH, metals and SAR) were either non-detect or below the applicable Table 3 Standards; with the exception of an elevated SAR concentration in the soil sample collected from 19-01, and elevated VOC and SAR concentrations in the groundwater sample collected from 19-02. The elevated SAR concentrations are likely due to the application of deicing agents (salt) at the property and surrounding roadways.

Based on the results of the 2019 Golder Phase Two ESA Report, additional subsurface investigations were recommended to define the vertical and horizontal extent of VOC impacts in the southeastern portion of the Phase One Property that were reported to be likely associated with former off-Site commercial printing activities and/or former off-Site cosmetics manufacturing on the properties located adjacent to the northeast elevation and 40 m southeast of the Phase One Property.

4.1.4.1 Previous Environmental Report Summary

Based on Pinchin's review of the above-referenced previous environmental reports, no additional PCAs were identified within the Phase One Study Area that are considered to result in APECs at the Phase One Property.

4.2 Environmental Source Information

Pinchin reviewed the historical use of the Phase One Study Area through the use of publicly available archives and databases, as well as through requesting information from regulatory agencies. The following provides a summary of the information obtained from these sources.

4.2.1 Environmental Database Search – ERIS

Pinchin retained ERIS to search all available federal, provincial and private source databases for information pertaining to the Phase One Study Area. Unless otherwise noted, information obtained from the ERIS database search was reviewed for the entire Phase One Study Area. A copy of the ERIS report is provided in Appendix D and the results of the database search are described in the following sections.

4.2.1.1 National Pollutant Release Inventory

ERIS completed a search of the federal databases for information regarding the National Pollutant Release Inventory (NPRI). This database contains comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances and identifies information such as the approximate location, type and quantity of contaminant, date of release, and media impacted.



Pinchin reviewed the ERIS report for NPRI information and found no records regarding the Phase One Property. Three records were identified for other properties located within the Phase One Study Area. None of the records pertained to releases to soil and water and, as such, it is Pinchin's opinion that the potential for the documented releases to be an environmental concern for the Phase One Property is considered low and are not PCAs for the purpose of this Phase One ESA.

4.2.1.2 Ontario Inventory of PCB Storage Sites

The MECP's Waste Management Branch maintains an inventory of polychlorinated biphenyls (PCBs) storage sites within Ontario. Ontario Regulation 11/82 and Ontario Regulation 347 (O. Reg. 347), made under the EPA, require the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the MECP. This database contains information on waste quantities, major and minor sites storing liquid or solid waste, and a waste storage inventory.

ERIS completed a search of the Ontario Inventory of PCB Storage Sites for information regarding PCB storage and found no information regarding the Phase One Study Area.

4.2.1.3 National PCB Inventory

Environment Canada maintains an inventory of in-use PCB-containing equipment at federal, provincial and private facilities in Canada, and of out-of-service PCB-containing equipment and PCB waste owned by the federal government or federally regulated industries.

ERIS completed a search of the National PCB Inventory and found no information regarding the Phase One Study Area.

4.2.1.4 Certificates of Approval

ERIS completed a search of the MECP database for information regarding Certificates of Approval (Cs-of-A). The MECP maintains a database of approved Cs-of-A for Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. Prior to November 1, 2011, the MECP mandated that any facility that released emissions to the atmosphere, discharged contaminants to ground or surface water, provided potable water supplies, or stored, transported or disposed of waste, must have a C-of-A before it could operate lawfully. The MECP no longer issues Cs-of-A, which were replaced by Environmental Compliance Approvals (ECAs) as of November 1, 2011. O. Reg. 153/04 indicates that information from the C-of-A database only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property.

The ERIS search of the C-of-A database did not identify any Cs-of-A for the Phase One Property; however, ten Cs-of-A were identified for properties adjacent to the Phase One Property. Nine of these Cs-of-A were for air emissions, sewage works and municipal water work.



The following property adjacent to the Phase One Property within the C-of-A Database Review Area was identified as a C-of-A and is a PCA:

- The property located at 1550 Carling Avenue applied for a C-of-A to install a diesel-powered emergency generator on March 6, 2002, and is within the Phase One Study Area. This property is located adjacent to the northeast elevation of the Phase One Property and is situated hydraulically downgradient of the Site relative to the inferred groundwater flow direction. Based on the short duration of the emergency generator, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

4.2.1.5 Environmental Compliance Approvals, Permits To Take Water and Certificates of Property Use

ERIS completed a search of the MECP database for information regarding ECAs, permits including Permits To Take Water (PTTWs) and Certificates of Property Use (CPUs). O. Reg. 153/04 indicates that information from these databases only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property. Details regarding these databases are provided in the ERIS report in Appendix D.

The ERIS search of the ECA database identified one ECA for the Phase One Property and one ECA for properties adjacent to the Phase One Property. All of these ECAs were for air emissions, sewage works and municipal water works and no ECAs were identified for discharge to groundwater, which is considered the primary pathway of concern for contaminant impacts on the Phase One Property. As such, Pinchin does not consider the activities related to ECAs at the Phase One Property and properties adjacent to the Phase One Property to represent PCAs.

4.2.1.6 Inventory of Coal Gasification Plants

ERIS searched the following publications prepared for the MECP by Intera Technologies Inc. for information on industrial sites that formerly operated as coal gasification plants, and industrial sites that produced or used coal tar and other related tars:

- “*Inventory of Coal Gasification Plant Waste Sites in Ontario*”, dated April 1987; and
- “*Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*”, dated November 1988.

The ERIS search yielded no records of former coal gasification plants or the production or use of coal tar and related tars within the Phase One Study Area.



4.2.1.7 Environmental Incidents, Orders, Offences and Spills

ERIS completed a search of the various provincial and federal databases for information regarding environmental incidents, orders, offences and spills. O. Reg. 153/04 indicates that information from these databases only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property. Details regarding the searched databases are provided in the ERIS report in Appendix D.

The ERIS database search revealed no records of environmental incidents, orders, offences or spills for the Phase One Property and properties adjacent to the Phase One Property.

4.2.1.8 Waste Management Records

Waste Generators

ERIS completed a search of the O. Reg. 347 Waste Generators database for information regarding waste generation. O. Reg. 347 defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution, etc. The database search results provide a summary of available waste generation information for the registered sites for all years from 1986 to the present.

O. Reg. 153/04 indicates that information from the Waste Generator database only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property. However, in addition to the Phase One Property and adjacent off-Site properties, Pinchin reviewed the database for waste generators within 50 m transgradient and 100 m upgradient of the Phase One Property with respect to the inferred groundwater flow direction. The area reviewed will be referred to as the Waste Generator Database Review Area.

The ERIS search of the O. Reg. 347 Waste Generators database found the following information regarding the Phase One Property:

- The Phase One Property, Golder Associates Inc., had been registered with the MECP as a generator (Generator # ON9646514) of various hazardous wastes in 2013. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 50 kilograms (kg) of oil skimmings and sludges were generated on the Phase One Property in 2013. Based on the minor quantities of hazardous wastes generated, it is Pinchin's opinion that this historical generation of hazardous waste does not represent a PCA at the Phase One Property.



One other property located within the Waste Generator Database Review Area was listed within the O. Reg. 347 Waste Generators database search results as a waste generator and is considered a PCA.

- Canso Printing Services Ltd., located at 881 Lady Ellen Place, had been registered with the MECP as a generator (Generator #ON1657701) of paint/pigment/coating residues and photoprocessing wastes from 1994 to 1998. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 892 kg of paint/pigment/coating residues and photoprocessing wastes were generated at this property from 1995 to 1998. This property is located approximately 40 m southeast of the Phase One Property and is situated hydraulically transgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on nature of the hazardous wastes (i.e., paint/pigment/coating residues and photoprocessing wastes), as well as the distance between this property and the Phase One Property, it is Pinchin's opinion that the generation of hazardous wastes at this property could result in potential subsurface impacts at the Site; and
- Podium Machine Works Inc., located at 888 Lady Ellen Place, has been registered with the MECP as a generator (Generator # ON6611005) of emulsified oils since 2018. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 8,236 kg of emulsified oils were generated at this property from 2018 to 2020. This property is located 45 m southeast of the Phase One Property and is situated hydraulically transgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this historical generation of hazardous waste does not represent a PCA at the Phase One Property.

Further details regarding the types of waste and timeframe when wastes were generated at this property is provided in the ERIS report in Appendix D.

Waste Receivers

ERIS completed a search of the O. Reg. 347 Waste Receivers database for information regarding waste receivers. O. Reg. 347 defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database contains registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants.



O. Reg. 153/04 indicates that information from the Waste Receivers database only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property. However, in addition to the Phase One Property and adjacent off-Site properties, Pinchin reviewed the database for waste generators within 50 m transgradient and 100 m upgradient of the Phase One Property with respect to the inferred groundwater flow direction. The area reviewed will be referred to as the Waste Receivers Database Review Area.

The ERIS search of the O. Reg. 347 Waste Receivers database found no information regarding the Waste Receivers Database Review Area.

4.2.1.9 Fuel Storage Tanks

ERIS completed a search of various private, provincial and federal databases for information regarding chemical storage tanks, as well as private and retail fuel storage tanks. Details regarding the searched databases are provided in the ERIS report in Appendix D.

The ERIS search of the chemical and fuel storage tank databases found no information regarding the Phase One Property.

The ERIS search of the chemical and fuel storage tank databases identified the following other properties within the Phase One Study Area with records of chemical and/or fuel storage tanks:

- The property located at 1551 Laperriere Avenue was listed in the Fuel Storage Tanks database as a former RFO, which had two 22,700-Litre (L) diesel USTs, one 22,700-L gasoline UST and one 9,092-L gasoline UST. This property is located 155 m southwest of the Phase One Property. Based on the distance between this former RFO and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- The property located at 1500 Carling Avenue was listed in the Fuel Storage Tanks database as a former automotive repair/servicing facility, which had a 13,500-L gasoline UST. This property is located approximately 105 m northeast of the Phase One Property and is situated hydraulically downgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- The property located at 885 Churchill Avenue South was listed in the Private and Retail Fuel Storage Tanks database as a former RFO, which had two USTs of unspecified volumes. This property is located approximately 155 m southwest of the Phase One Property. Based on the distance between this property and the Phase One Property, it is



Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
and

- The property located at 920 McBride Street was listed in the Fuel Storage Tanks database as having two 3,785-L diesel USTs, one 18,100-L diesel UST and one 4,500-L gasoline UST. This property is located approximately 180 m south of the Phase One Property. Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

4.2.1.10 *Notices and Instruments*

ERIS completed a search of the provincial Environmental Registry for records pertaining to proposals, decisions, and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. ERIS also searched the Record of Site Condition database for filed RSCs.

The ERIS database search of the Environmental Registry and Record of Site Condition database indicated the following for the Phase One Study Area:

- No records were found in the Environmental Registry and Record of Site Condition database for the Phase One Property; and
- No records were found in the Environmental Registry and Record of Site Condition database for other properties within the Phase One Study Area except for the following:
 - One database search result comprising of one RSC. None of the search results were related to potential impacts on groundwater quality, which is considered the primary pathway of concern for contaminant migration to the Phase One Property. As such, there is a low potential for the Environmental Registry and Record of Site Condition database search results to be indicative of discharges to the environment that represent an environmental concern to the Phase One Property and the likelihood of potential impacts to the Phase One Property is considered low.

4.2.1.11 *Areas of Natural Significance*

ERIS reviewed available databases and records to assess whether any parks, wetlands, conservation areas, or other areas of natural significance, are located within the Phase One Study Area. The Area of Natural & Scientific Interest map is included in the ERIS report in Appendix D. In addition, Pinchin reviewed information provided on the Ministry of Natural Resources and Forestry's (MNRF) Natural Heritage Information Centre (NHIC) website. No areas of natural significance were identified within the Phase One Study Area from these information sources.



4.2.1.12 Landfill Information

ERIS reviewed available private and provincial databases for records of any current or inactive landfills and waste disposal sites within the Phase One Study Area. Details regarding the searched databases are provided in the ERIS report in Appendix D.

The ERIS search of the landfill and waste disposal sites databases found no information regarding the Phase One Study Area.

4.2.1.13 Other ERIS Databases

The ERIS database search of the Scott's Manufacturing Directory database identified the following additional information for the Phase One Study Area:

- The property located at 1550 Carling Avenue is registered in the Scott's Manufacturing Directory database as a sign manufacturer and is within the Phase One Study Area. This property is located adjacent to the northeast elevation of the Phase One Property and is situated hydraulically downgradient of the Site relative to the inferred groundwater flow direction. Based on the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

4.2.2 Ministry of the Environment, Conservation and Parks Freedom of Information Search

The search was requested on November 24, 2021. At the time of writing this report, no response had been received from the MECP. When a formal response is received, it will be reviewed by Pinchin. If there is any information that represents a potential issue of environmental concern, a copy of the response will be forwarded to the Client under separate cover. Our conclusions and recommendations may be amended based on this information. A copy of the MECP request is provided in Appendix E.

4.2.3 Technical Standards and Safety Authority Search

The TSSA is the regulatory body that governs the safe handling and storage of fuel in Ontario. All storage of gasoline, diesel and fuel oil is subject to the Technical Standards and Safety Act. The Technical Standards and Safety Act and its relevant documents and regulations (e.g., *Liquid Fuels Handling Code*, *Ontario Regulation 213/01 – Fuel Oil*, *Ontario Regulation 217/01 – Liquid Fuels*) require that all fuel storage devices such as aboveground storage tanks (ASTs) and USTs be registered with the TSSA.

Pinchin contacted the TSSA to determine whether any ASTs or USTs are, or were, registered for the Phase One Property. A letter response was issued by the TSSA on December 15, 2021, indicating that following a search of the TSSA files, no outstanding instructions, incident reports, fuel oil spills or contamination records, or records of registered ASTs or USTs were found for the Phase One Property.



4.2.4 *Property Underwriters' Reports and Plans*

PURs provide detailed information on a site-specific basis, including descriptions of building construction, heating sources, production processes, and the presence of any hazardous chemicals or materials which may have been historically stored on the Phase One Property. They also indicate the presence of environmental hazards such as electrical rooms, transformers, boilers and storage tanks. Information provided on PUPs includes the location, capacity, and contents of ASTs, USTs, chemical storage and other forms of environmental hazards.

Pinchin contacted Opta to obtain copies of PURs and PUPs related to the Phase One Property. Opta provided Pinchin with copies of the following (see Appendix C):

- PURs dated 1973 and 1984; and
- A PUP dated 1984.

Based on Pinchin's review of the PURs and PUP, the following was noted:

- The original portion of the Site Building was constructed in approximately 1960 with additions along the southeast elevation of the Site Building in 1965 and 1970;
- Occupants of the Phase One Property conducted office operations; and
- Heating was provided by electrically powered baseboard heaters.

4.2.5 *City Directories*

At the time of writing this report, and due to temporary closures of Public Libraries and the Archives of Canada, select City Directories (i.e., Site listings) were not available for Pinchin's review. This represents a potential data gap in the historical documentation review process.

City directories for the years 1956 to 2010 were previously reviewed by Pinchin at the Library and Archives of Canada in Ottawa, Ontario for the area within 100 m of the Phase One Property (City Directory Search Area). It should be noted that no city directories were available for the City of Ottawa subsequent to 2010.

In general, the city directories indicated that the surrounding area has historically consisted of residential, commercial and light industrial land uses since at least 1956. No PCAs for the Phase One Study Area including the Phase One property were identified.



4.3 Physical Setting Sources

4.3.1 Aerial Photographs

Pinchin reviewed aerial photographs of the Phase One Property and surrounding properties within the Phase One Study Area to assess the potential for historical PCAs. Copies of aerial photographs dated 1933, 1945 and 1982 were obtained from the National Air Photo Library in Ottawa, Ontario and reviewed by Pinchin. In addition, copies of digital aerial photographs dated 1928, 1958, 1965, 1976, 1999, 2002 and 2019 were reviewed on the City of Ottawa e-map website (<https://maps.ottawa.ca/geoOttawa/>) by Pinchin. The 1928 aerial photograph was the earliest available aerial photograph of the Phase One Study Area.

Efforts were made by Pinchin to obtain aerial photographs that:

- Illustrated the period between initial development of the Phase One Property to the present;
- Identified buildings and structures present on the Phase One Property since initial development;
- Identified PCAs within the Phase One Study Area; and
- Identified APECs on the Phase One Property.

It should be noted that accurate details could not be determined from some of the aerial photographs due to the large reference scale and the low resolution of the photographs.

A summary of information obtained with respect to the Phase One Property from a review of the available aerial photography is provided in the following table:

Year of Photograph	Phase One Property
1928-1958.	The Phase One Property appeared to consist of vacant undeveloped land.
1965.	A building that was similar in size and configuration to the original portion and addition along the southeast elevation of the present-day Site Building was evident on-Site.
1976-2019.	A building that was similar in size and configuration to the present-day Site Building was evident on-Site.

Based on the aerial photographs reviewed for the Phase One Property and the surrounding area, it appears that the Phase One Property was developed between 1958 and 1965.

The aerial photograph review did not identify any PCAs on the Phase One Property.



The aerial photograph review identified the following PCAs within the Phase One Study Area, outside of the Phase One Property, that are considered to result in APECs at the Phase One Property:

- A railway line was observed to be oriented in a northeast-southwest direction approximately 30 m northwest of the Site in the 1928 to 1945 aerial photographs. Based on the distance between this railway line and the Site, as well as time elapsed, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property; and
- An RFO was located approximately 230 m northwest of the Phase One Property in the 1958 to 1982 aerial photographs. Based on the distance between this property and the Site, as well as re-development of this property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

4.3.2 *Topography, Hydrology and Geology*

The elevation of the Phase One Property, based on information obtained from the Ontario Base Map series, is approximately 76 m above mean sea level (mamsl). The general topography in the local and surrounding area gradually slopes towards the northeast, whereby the Phase One Property is at a similar elevation to the adjacent/surrounding properties, however, the topography gradually slopes towards the northeast across the Phase One Property. No bedrock outcrops were observed on-Site or in the surrounding area.

A review of the available physiographical data indicates that the Phase One Property and the surrounding properties located within the Phase One Study Area are located within silty sand to approximately 1.52 m below ground surface (mbgs) overlying sand and clay to a depth of 3.05 mbgs and silty sand to a depth of 5.03 mbgs, based on a review of the 2019 Golder Phase Two ESA Report. Bedrock is expected to consist of sedimentary rocks consisting of limestone, dolomite, shale, argillite, sandstone, quartzite, and/or grit. The topography is considered to be mainly flat to rolling low local relief with dry surface water drainage conditions.

Based on general hydrogeological principles and Pinchin's familiarity with subsurface conditions at and near the Phase One Property and the surrounding properties within the Phase One Study Area, the unconfined groundwater beneath the Phase One Property is expected to flow in a northeast direction. The nearest surface water body is the Ottawa, located approximately 2.0 km northwest of the Phase One Property at an elevation of approximately 55 mamsl.

Copies of pertinent maps, illustrating local topographical, hydrogeological and drainage features are provided in Appendix G.



4.3.3 Fill Materials

According to the 2019 Golder Phase Two ESA Report, fill, generally consisting of re-worked native soils, was encountered at depths up to 0.8 mbgs in each of the borehole locations advanced by Golder at the Phase One Property. As such, Pinchin has concluded that fill material is present across the entire Phase One Property outside the footprint of the Site Building.

Given the known presence of fill material at the Phase One Property, potential future development plans should incorporate the appropriate procedures for the characterization of soils that may require off-Site disposal. Further assessment and/or costs may be incurred through re-development of the Phase One Property and/or change in land use scenarios.

4.3.4 Water Bodies, Areas of Natural Significance and Groundwater Information

The nearest surface water body is the Ottawa River, located approximately 2.0 km northwest of the Phase One Property at an elevation of approximately 55 mamsl.

A review of the Area of Natural & Scientific Interest map prepared by ERIS (see Appendix D) and information provided on the MNRF's NHIC website did not identify any provincial parks, wetlands, conservation areas, or other areas of natural significance, within the Phase One Study Area.

A review of the City of Ottawa's GeoOttawa website indicated that the Phase One Study Area is not located within a well head protection area for the protection of groundwater.

The records review did not identify the presence of wells within the Phase One Study Area that supply water for human consumption or for agricultural purposes. Details regarding these wells are provided in the ERIS report in Appendix D.

4.3.5 Well Records

A search of the Water Well Information System database by ERIS identified four water well records for the Phase One Property. A summary of pertinent information included in the ERIS report with respect to these wells is provided in the following table:

MECP Well ID (ERIS ID)	Location	Stratigraphy	Approximate Depth to Bedrock	Approximate Depth to Water Table
7342372	Approximately 20 m southeast of the Site Building on the Phase One Property.	Silty sand (0.31 to 3.66 mbgs) Silt with gravel (3.66 to 4.57 mbgs)	Not encountered (> 4.57 mbgs)	Not encountered (> 4.57 mbgs)
7342364	Approximately 50 m northeast of the Site	Gravel with sand (0 to 0.31 mbgs)	Not encountered (> 3.10 mbgs)	Not encountered (> 3.10 mbgs)



MECP Well ID (ERIS ID)	Location	Stratigraphy	Approximate Depth to Bedrock	Approximate Depth to Water Table
	Building on the Phase One Property.	Silt with sand (0.31 to 2.44 mbgs) Silt with gravel (2.44 to 3.10 mbgs)		
7136553	Approximately 70 m east of the Site Building on the Phase One Property.	Fill with sand (0 to 0.60 mbgs) Silt with clay (0.60 to 1.83 mbgs) Silt with clay (1.83 to 4.27 mbgs)	Not encountered (> 4.27 mbgs)	Not encountered (> 4.27 mbgs)
7342363	Approximately 60 m southeast of the Site Building on the Phase One Property.	Gravel with sand (0 to 0.31 mbgs) Silt with sand (0.31 to 3.35 mbgs) Silt with gravel (3.35 to 5.05 mbgs)	Not encountered (> 5.05 mbgs)	Not encountered (> 5.05 mbgs)

Pinchin concludes that above-noted well records pertain to the on-Site monitoring wells associated with previous on-Site subsurface investigations.

The Water Well Information System database search also identified 72 water well records within the Phase One Study Area outside of the Phase One Property. Details regarding these off-Site wells, including stratigraphic information, depth to bedrock and/or depth to the water table, are provided in the ERIS report included in Appendix D.

4.4 Site Operating Records

The Phase One Property is not an Enhanced Investigation Property (see Section 6.3). As such, Site operating records were not reviewed as part of the Phase One ESA.

5.0 INTERVIEWS

Pinchin interviewed individuals knowledgeable of the Phase One Property and its history to obtain or confirm information regarding the environmental condition of the Phase One Property. The following individuals provided information regarding the history of the Phase One Property and the surrounding properties within the Phase One Study Area to the best of their knowledge:



Person Interviewed	Relationship to Phase One Property	Date and Place of Interview	Interview Method
Mr. Matthew Richards	Facilities Technician for the Phase One Property	November 29, 2021 (Phase One Property)	In-person interview during Site reconnaissance.

Mr. Richards was chosen to be interviewed given that he is most familiar with the recent operational history of the Phase One Property. This individual is hereafter referred to as the “Site Representative”, and accompanied the Pinchin representative (Mr. Alex Kelly) during the Site reconnaissance.

Pinchin compared the information obtained from the interviews with information obtained from the historical records. The information provided by the interviewee was corroborated by the available historical records. As such, Pinchin has no concerns regarding the validity of the information provided by the individual interviewed for the Phase One ESA.

With respect to PCAs and APECs, no additional information was obtained from the interviews other than that documented elsewhere in this report.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

A visual assessment of the Phase One Property and the surrounding properties within the Phase One Study Area was conducted for the purpose of identifying the presence of possible PCAs and associated APECs.

The Site reconnaissance was completed on November 29, 2021, by a Pinchin representative (Mr. Alex Kelly), under the direct supervision of Pinchin’s QP overseeing this project. Mr. Kelly is an Environmental Project Technologist with more than two years of environmental consulting experience. Pinchin visited the Phase One Property and surrounding properties within the Phase One Study Area to document environmental conditions. During the Site reconnaissance, Pinchin viewed all accessible areas within the Phase One Property, and viewed publicly-accessible portions of the adjacent lands for the presence of actual or potential issues of environmental concern.

The Site reconnaissance was conducted between the hours of 9:30 AM to 11:30 AM. During the Site reconnaissance, the ground surface was dry and the weather was sunny, and the ambient temperature was approximately -5° Celsius. The Phase One Property reconnaissance was conducted on foot. During the Site reconnaissance, Pinchin accessed all interior and exterior areas of the Phase One Property. At the time of the Site reconnaissance, the Site Building on the Phase One Property was operating as a



commercial office building. Further details regarding on-Site operations are provided throughout Section 6.2 of this report.

Photographs taken during the Site reconnaissance that illustrate the Phase One Property and Phase One Study Area are provided in Appendix B.

6.2 Specific Observations at Phase One Property

6.2.1 Description of Buildings and Structures

During the Site reconnaissance, Pinchin observed one building/structure on the Phase One Property (i.e., the Site Building, a two-storey commercial office building).

The portion of the Phase One Property outside of the Site Building was comprised primarily of grassed and asphalt-paved areas.

6.2.2 Description of Below-Ground Structures

During the Site reconnaissance, Pinchin did not observe any current below-ground structures on the Phase One Property, with the exception of a single-level basement within the Site Building. The basement consisted of poured concrete structure. Various utilities (i.e., telephone, sanitary sewer, water and electricity) enter the Site Building along Lady Ellen Place.

6.2.3 Description of Tanks

During the Site reconnaissance, Pinchin did not observe any tanks on the Phase One Property for the purpose of either fuel dispensing or storage, or other unidentified substance storage.

6.2.4 Potable and Non-Potable Water Sources

During the Site reconnaissance, Pinchin did not observe potable or non-potable water sources at the Phase One Property. The Phase One Property is serviced by a municipal water supply via underground piping running into the Site Building from beneath Lady Ellen Place.

6.2.5 Description and Location of Underground Utilities

A number of underground utilities were observed at the Phase One Property, including natural gas, telephone and electrical lines, and municipal water, storm and sanitary sewer lines.

The natural gas, telephone, electrical, water and sanitary sewer services enter the Site Building via underground lines. Storm water entering exterior roof drains would likely run overland and discharge into the municipal storm sewer systems along Lady Ellen Place.



6.2.6 Details of Heating System

During the Site reconnaissance, Pinchin observed a natural gas-fired boiler supplying hydronic baseboards, natural gas-fired rooftop heating/ventilation/air-conditioning (HVAC) units and electrically powered baseboard heaters on-Site. No evidence of former oil-fired heating systems (i.e., vent/fill pipes, copper feed lines, etc.) were observed during Pinchin's Site reconnaissance.

6.2.7 Details of Cooling System

During the Site reconnaissance, Pinchin observed natural gas-fired rooftop HVAC units and electrically powered pad-mounted air conditioning units on-Site. No evidence of former oil-fired heating systems (i.e., vent/fill pipes, copper feed lines, etc.) were observed during Pinchin's Site reconnaissance.

6.2.8 Details of Drains, Pits and Sumps

A storm water sump is located in the basement boiler room of the Site Building. No additional pits or sumps were observed at the Phase One Property.

6.2.9 Unidentified Substances within Buildings and Structures

During the Site reconnaissance, Pinchin did not observe any unidentified substances or storage containers holding unidentified substances at the Phase One Property. Small volumes of various cleaning solutions were stored in their original containers throughout the Site Building. No bulk liquid storage was observed on-Site.

6.2.10 Details of Staining and Corrosion

During the Site reconnaissance, Pinchin did not observe any areas of staining or corrosion inside the Site Building.

6.2.11 Details of On-Site Wells

No water supply or groundwater monitoring wells were observed to be on or within the Phase One Property, with the exception of a groundwater monitoring well located east of the Site Building (see Figure 2). The Site Representative did not have any information on the date of installation or construction details of the groundwater monitoring well but a review of the available water well records (see Section 4.3.5) indicates that this water well is likely MECP Well ID 7342372 that was installed in 2019 to a depth of 4.57 mbgs.

As documented in the 2019 Golder Phase Two ESA Reports, on-Site monitoring wells 19-01 to 19-03 were installed in 2019. In addition, the 2019 Golder Phase Two ESA Report noted three additional groundwater monitoring wells located on the north-central (13-02), northeast (18-03) and southwest (13-01) portions of the Phase One Property.



6.2.12 Details of Sewage Works

During the Site reconnaissance, Pinchin did not observe any sewage works or evidence of sewage disposal on the Phase One Property, with the exception of main sanitary sewer pipes that exit the Site Building and connect to the municipal sewer system.

6.2.13 Details of Ground Cover

During the Site reconnaissance, Pinchin visually inspected the Phase One Property ground cover. Any areas of the Phase One Property not covered by a structure are covered by asphalt-pavement and grassed/landscaped areas.

6.2.14 Details of Current or Former Railways

No current or former railway infrastructure was observed on the Phase One Property.

6.2.15 Areas of Stained Soil, Vegetation and Pavement

During the Site reconnaissance, Pinchin did not observe any areas of stained soil, vegetation or pavement on the Phase One Property.

6.2.16 Areas of Stressed Vegetation

During the Site reconnaissance, Pinchin did not observe any areas of stressed vegetation on the Phase One Property.

6.2.17 Areas of Fill and Debris Materials

No obvious areas where fill material or debris have been placed or graded were observed by Pinchin at the Phase One Property.

Regrading and fill placement at the Phase One Property is inferred to have previously occurred during initial development activities to prepare the Site Building location, parking areas and access to the Phase One Property, and to establish drainage patterns. The quality of the fill material used on-Site is unknown. In addition, according to the 2019 Golder Phase Two ESA Report, fill, generally consisting of re-worked native soils, was encountered at depths up to 0.8 mbgs in each of the borehole locations advanced by Golder at the Phase One Property. As such, Pinchin has concluded that fill material is present across the entire Phase One Property outside the footprint of the Site Building.

6.2.18 Potentially Contaminating Activities

A PCA is defined by O. Reg. 153/04 as a “use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One Study Area” including the Phase One Property.



The PCA observed on the Phase One Property during the Site reconnaissance is summarized in Section 7.2.

6.2.19 Unidentified Substances Outside Buildings and Structures

During the Site reconnaissance, Pinchin did not observe any unidentified substances or storage containers holding unidentified substances on the exterior of the Phase One Property.

6.2.20 Surrounding Land Uses

During the Site reconnaissance, Pinchin conducted a visual assessment of publicly-accessible portions of the Phase One Study Area for the presence of PCAs. The properties in the Phase One Study Area have various land uses, including residential, commercial and light industrial. Land use types within the Phase One Study Area are presented on Figure 3.

The following table summarizes the land use on adjacent properties at the time of the Site reconnaissance:

Direction Relative to Phase One Property	Location Relative to Inferred Groundwater Flow Direction	Description of Property Use	Property Use	Potential Contribution to PCA and/or APEC
Northeast	Downgradient	Commercial buildings, residential developments and associated roadways to beyond 200 m from the Phase One Property.	Commercial/ residential	Land uses are considered to represent PCAs.
Southeast	Transgradient	Commercial buildings, light industrial buildings, residential developments and associated roadways to beyond 200 m from the Phase One Property.	Commercial/ Light Industrial/ Residential	Land uses are considered to represent PCAs.
Southwest	Upgradient	Commercial buildings, light industrial buildings and associated roadways to beyond 200 m from the Phase One Property.	Commercial/ Light Industrial	Land uses are not considered to represent PCAs.
Northwest	Transgradient	Highway 17, commercial buildings, residential developments and associated roadways to beyond 200 m from the Phase One Property.	Commercial/ Residential	Land uses are not considered to represent PCAs.

No PCAs were observed at the time of the Site reconnaissance within the rest of the Phase One Study area.



6.3 Enhanced Investigation Property

O. Reg. 153/04 defines an “Enhanced Investigation Property” as a property that is being used or has been used, in whole or in part, in the following manner:

- For an industrial use or;
- For any of the following commercial uses:
 - As a garage;
 - As a bulk liquid dispensing facility, including a gasoline outlet; or
 - For the operation of dry-cleaning equipment.

The findings of this Phase One ESA have not documented any of the above land uses as occurring at the Phase One Property, and the Phase One Property is therefore not an Enhanced Investigation Property.

6.4 Written Description of Investigation

The Phase One ESA completed by Pinchin included investigations of the Phase One Property and the Phase One Study Area outside of the Phase One Property pursuant to Sections 13 and 14 of Schedule D of O. Reg.153/04. The main objective of these investigations was to identify PCAs at the Phase One Property or within the Phase One Study Area outside of the Phase One Property that could have resulted in APECs at the Phase One Property.

6.4.1 Phase One Property

The investigation of the Phase One Property consisted of the following components:

- Review of available historical records, including aerial photographs, FIPs, PURs, PUPs, city directories, wells records, ERIS regulatory search and a regulatory data base search;
- A Site reconnaissance completed on November 29, 2021, by Mr. Alex Kelly of Pinchin that included an assessment of structures at the Phase One Property and the exterior of the Phase One Property;
- Interviews with an individual knowledgeable of the history and operations at the Phase One Property; and
- Review of mapping provided by ERIS and information provided on-line by the MNRF for the presence of areas of natural significance.

Pinchin’s investigation of the Phase One Study Area outside of the Phase One Property identified the following PCAs:



- PCA #1 (Item 55: Transformer Manufacturing, Processing and Use – A hydro vault is located in the basement within the Site Building on the Phase One Property). However, no evidence of spills or historical spills (i.e., staining) was observed in the vicinity of hydro vault and no issues of potential environmental concern (i.e., spills) were noted for this hydro vault within the ERIS report. In addition, any maintenance/environmental issues associated with the transformers would be the responsibility of Hydro Ottawa. As such, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

Pinchin's investigation of the Phase One Property identified one PCA. The description and location of this PCA is summarized in Section 7.2. As per O. Reg. 153/04, PCA # 1 at the Phase One Property is not considered an APEC that will require investigation through the completion of a Phase Two ESA.

Pinchin's investigation did not identify the presence of wells at the Phase One Property that currently supply water for human consumption or for agricultural purposes.

6.4.2 Phase One Study Area Outside of Phase One Property

The investigation of the Phase One Study Area outside of the Phase One Property consisted of the following components:

- Review of available historical records, including FIPs, ERIS regulatory search, city directories, aerial photographs and well records;
- Visual inspection of properties from publicly-accessible areas for evidence of PCAs and water bodies; and
- Review of mapping provided by ERIS and information provided on-line by the MNR for the presence of areas of natural significance.

Pinchin's investigation of the Phase One Study Area outside of the Phase One Property identified the following PCAs:

- PCA # 2 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks – The property located adjacent to the northeast elevation of the Phase One Property applied for a C-of-A to install a diesel-powered emergency generator on March 6, 2002). (Item 13 Cosmetics Manufactory – A former cosmetics manufacturing operation was located adjacent to the northeast elevation of the Phase One Property in the 1965 FIP). In addition, this property is situated hydraulically downgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the short duration of the emergency generator, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;



- PCA # 3 (Item 31 Ink Manufacturing, Processing and Bulk Storage – A sign manufacturing operation, located on the property located approximately 40 m southeast of the Phase One Property, was identified in the Scott’s Manufacturing Directory database in ERIS). Based on the inferred groundwater flow direction, it is Pinchin’s opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 4 (Item 31 Ink Manufacturing, Processing and Bulk Storage – A printing operation, located approximately 40 m southeast of the Phase One Property, was identified in the Scott’s Manufacturing Directory database in ERIS). In addition, this property this property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Based on the above-noted information, it is Pinchin’s opinion that this PCA does result in an APEC at the Phase One Property;
- PCA # 5 (Item 46 Rail Yards, Tracks and Spurs – A railway line was observed to be oriented in a northeast-southwest direction approximately 30 m northwest of the Site in the 1928 to 1945 aerial photographs). Based on the distance between this railway line and the Site, as well as time elapsed, it is Pinchin’s opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 6 (Item 8 Chemical Manufacturing, Processing and Bulk Storage – The property located 45 m southeast of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator). Based on the distance between this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin’s opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 7 (Item 37 Operation of Dry Cleaning Equipment – Vail’s Clean-O-Mat (i.e., a dry cleaner) was located approximately 75 m northwest of the Phase One Property in the 1965 FIP). Based on the distance between this property and the Phase One Property, it is Pinchin’s opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 8 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks and Item 10 Commercial Autobody Shops – A former automotive repair/servicing facility located approximately 105 m northeast of the Phase One Property was listed in the Fuel Storage Tanks database). In addition, this property is situated hydraulically downgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, as well as the inferred



groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;

- PCA # 9 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks – Taggart Service Ltd. (i.e., a former RFO) was located approximately 155 m southwest of the Phase One Property in the 1965 FIP. USTs were located adjacent to the north elevation of the building on this property). (Item 10 Commercial Autobody Shops – An automotive repair/servicing facility (i.e., Otto's Collision Centre) is currently located approximately 155 m southwest of the Phase One Property). In addition, this property was listed in the Private and Retail Fuel Storage Tanks database. Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 10 (Item 10 Commercial Autobody Shops – An automotive repair/servicing facility (i.e., A1 Auto Center) is located approximately 180 m south of the Phase One Property). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 11 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks – A property located approximately 200 m south of the Phase One Property was listed in the Fuel Storage Tanks database). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property; and
- PCA # 12 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks - An RFO was located approximately 230 m northwest of the Phase One Property in the 1958 to 1982 aerial photographs). Based on the distance between this property and the Site, as well as re-development of this property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

No areas of natural significance were identified within the Phase One Study Area outside of the Phase One Property.

The records review did not identify the presence of wells within the Phase One Study Area that supply water for human consumption or for agricultural purposes.

Based on a cursory review of the properties greater than 250 m (i.e., outside of the Phase One Study Area), but less than 1 km, from the Phase One Study Area, Pinchin did not note or observe any significant contaminating properties that should be included as part of this assessment (i.e., landfills, large industrial manufacturers, etc.).



A plan identifying the location of the off-Site PCAs for this Phase One ESA is provided on Figure 3.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

To the best of Pinchin's knowledge, the Phase One Property consisted of vacant undeveloped land until development of the original portion of the Site Building in approximately 1960. Since construction of the Site Building, the Phase One Property has been utilized solely for commercial office purposes.

It is Pinchin's opinion that the date of the first use of the Phase One Property is approximately 1960, with the construction of the original portion of the Site Building on the Phase One Property. The date of the first developed use of the Phase One Property was determined through a review of review aerial photographs, PURs, a PUP and FIPs, as well as an interview with the Site Representative. No other historical records were available to Pinchin that provided information for determining the date of first developed use of the Phase One Property.

7.2 Potentially Contaminating Activities

The following PCA as defined by O. Reg. 153/04 were documented by Pinchin to have occurred on the Phase One Property:

- PCA #1 (Item 55: Transformer Manufacturing, Processing and Use – A hydro vault is located in the basement within the Site Building on the Phase One Property). However, no evidence of spills or historical spills (i.e., staining) was observed in the vicinity of hydro vault and no issues of potential environmental concern (i.e., spills) were noted for this hydro vault within the ERIS report. In addition, any maintenance/environmental issues associated with the transformers would be the responsibility of Hydro Ottawa. As such, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

The following PCAs as defined by O. Reg. 153/04 were documented by Pinchin to have occurred within the Phase One Study Area, outside of the Phase One Property:

- PCA # 2 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks – The property located adjacent to the northeast elevation of the Phase One Property applied for a C-of-A to install a diesel-powered emergency generator on March 6, 2002). (Item 13 Cosmetics Manufactory – A former cosmetics manufacturing operation was located adjacent to the northeast elevation of the Phase One Property in the 1965 FIP). In addition, this property is situated hydraulically downgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the short duration of the



emergency generator, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;

- PCA # 3 (Item 31 Ink Manufacturing, Processing and Bulk Storage – A sign manufacturing operation, located on the property located approximately 40 m southeast of the Phase One Property, was identified in the Scott's Manufacturing Directory database in ERIS). Based on the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 4 (Item 31 Ink Manufacturing, Processing and Bulk Storage – A printing operation, located approximately 40 m southeast of the Phase One Property, was identified in the Scott's Manufacturing Directory database in ERIS). In addition, this property this property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Based on the above-noted information, it is Pinchin's opinion that this PCA does result in an APEC at the Phase One Property;
- PCA # 5 (Item 46 Rail Yards, Tracks and Spurs – A railway line was observed to be oriented in a northeast-southwest direction approximately 30 m northwest of the Site in the 1928 to 1945 aerial photographs). Based on the distance between this railway line and the Site, as well as time elapsed, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 6 (Item 8 Chemical Manufacturing, Processing and Bulk Storage – The property located 45 m southeast of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator). Based on the distance between this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 7 (Item 37 Operation of Dry Cleaning Equipment – Vail's Clean-O-Mat (i.e., a dry cleaner) was located approximately 75 m northwest of the Phase One Property in the 1965 FIP). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 8 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks and Item 10 Commercial Autobody Shops – A former automotive repair/servicing facility located approximately 105 m northeast of the Phase One Property was listed in the Fuel Storage Tanks database). In addition, this property is situated hydraulically downgradient of the



Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;

- PCA # 9 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks – Taggart Service Ltd. (i.e., a former RFO) was located approximately 155 m southwest of the Phase One Property in the 1965 FIP. USTs were located adjacent to the north elevation of the building on this property). (Item 10 Commercial Autobody Shops – An automotive repair/servicing facility (i.e., Otto's Collision Centre) is currently located approximately 155 m southwest of the Phase One Property). In addition, this property was listed in the Private and Retail Fuel Storage Tanks database. Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 10 (Item 10 Commercial Autobody Shops – An automotive repair/servicing facility (i.e., A1 Auto Center) is located approximately 180 m south of the Phase One Property). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property;
- PCA # 11 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks – A property located approximately 200 m south of the Phase One Property was listed in the Fuel Storage Tanks database). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property; and
- PCA # 12 (Item 28 Gasoline and Associated Products Storage in Fixed Tanks - An RFO was located approximately 230 m northwest of the Phase One Property in the 1958 to 1982 aerial photographs). Based on the distance between this property and the Site, as well as re-development of this property, it is Pinchin's opinion that this PCA does not result in an APEC at the Phase One Property.

7.3 Areas of Potential Environmental Concern

The following PCA as defined by O. Reg. 153/04 was documented by Pinchin to have occurred on the Phase One Property and could represent an APEC at the Phase One Property:

- PCA # 4 (Item 31 Ink Manufacturing, Processing and Bulk Storage – A printing operation, located approximately 40 m southeast of the Phase One Property, was identified in the Scott's Manufacturing Directory database in ERIS). In addition, this property this property



is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Based on the above-noted information, it is Pinchin's opinion that this PCA does result in an APEC at the Phase One Property.

7.4 Phase One Conceptual Site Model

A conceptual site model (CSM) has been created to provide a summary of the findings of the Phase One ESA. The Phase One CSM is summarized in Figures 1 through Figure 3, which illustrate the following features within the Phase One Study Area, where present:

- Existing buildings and structures;
- Water bodies located in whole or in part within the Phase One Study Area.;
- Areas of natural significance located in whole or in part within the Phase One Study Area;
- Drinking water wells located at the Phase One Property;
- Land use of adjacent properties;
- Roads within the Phase One Study Area;
- PCAs within the Phase One Study Area, including the locations of tanks; and
- APECs at the Phase One Property.

The following provides a narrative summary of the Phase One CSM:

- The Phase One Property is approximately 2.57 acres (1.04 hectares) in size located immediately north of Lady Ellen Place, approximately 144 m northwest of the intersection of Lady Ellen Place and Laperriere Avenue, in Ottawa, Ontario. The Phase One Property is presently developed with a two-storey commercial office building (Site Building). The Phase One Property has been used for commercial office purposes since the initial development of the original portion of the Site Building in approximately 1960. There is no record of industrial use or of a commercial use (e.g., garage, bulk liquid dispensing facility or dry cleaner) that would require classifying the Phase One Property as an enhanced investigation property;
- The nearest surface water body is the Ottawa River, located approximately 2.0 km northwest of the Phase One Property at an elevation of approximately 55 mamsl;
- No areas of natural significance were identified within the Phase One Study Area;
- No drinking water wells were located on the Phase One Property;



- The adjacent and surrounding properties in the vicinity of the Site consist of residential, commercial and light industrial land uses. The properties surrounding the Phase One Property consist of commercial developments, light industrial developments, residential developments, as well as associated roadways, to beyond 200 m from the Phase One Property;
- One PCA was identified at the Phase One Property (i.e., a hydro vault located in the basement of the Site Building on the Phase One Property); however, based on no evidence of spills or historical spills (i.e., staining) observed in the vicinity of hydro vault, no issues of potential environmental concern (i.e., spills) noted for this hydro vault within the ERIS report and the fact that any maintenance/environmental issues related to the hydro vault would be the responsibility of Hydro Ottawa, it is Pinchin's opinion that this PCA does not result in an APEC for the Phase One Property;
- 11 PCAs were identified within the Phase One Study Area outside of the Phase One Property (i.e., off-Site) (refer to Section 7.2); however, based on the short duration of the emergency generator located on the property adjacent to the northeast elevation of the Phase One Property, the distance between these properties and the Phase One Property and the inferred groundwater flow direction, observations made during Pinchin's Site reconnaissance, it is Pinchin's opinion that these PCAs do not result in APECs for the Phase One Property, with the exception of PCA # 4;
- One PCA (i.e., PCA # 4) was identified within the Phase One Study Area (i.e., a printing operation that was identified within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator located approximately 40 m southeast of the Phase One Property). Based on the nature of operations (i.e., printing operation), as well as the generation of hazardous waste, it is Pinchin's opinion that this PCA does result in an APEC for the Phase One Property. Figure 4 provides a detailed summary of the APEC;
- Underground utilities at the Phase One Property provide potable water, natural gas, electrical, telephone, cable and sewer services to the Site Building. These services enter the Site Building through subsurface conduits, with the exception of a pressurized natural gas line, which connects to meters located along the exterior of the Site Building;
- The Phase One Property and the surrounding properties located within the Phase One Study Area are located within alluvial deposits consisting of silty sand to approximately 1.52 mbgs, sand and clay to a depth of 3.05 mbgs and silty sand to a depth of 5.03 mbgs, based on a review of the 2019 Golder Phase Two ESA Report. Bedrock is



expected to consist of sedimentary rocks consisting of limestone, dolomite, shale, argillite, sandstone, quartzite, and/or grit; and

- The Phase One Property is at a similar elevation to the adjacent/surrounding properties; however, the topography gradually slopes towards the northeast across the Phase One Property.

There were no deviations from the Phase One ESA requirements specified in O. Reg. 153/04 or absence of information that have resulted in uncertainty that would affect the validity of the Phase One CSM.

8.0 CONCLUSIONS

Pinchin conducted this Phase One ESA in accordance with Part VII and Schedule D of O. Reg. 153/04. The purpose of the Phase One ESA was to assess the potential presence of environmental impacts at the Phase One Property due to activities at and near the Phase One Property in support of filing the potential Site Plan Approval application at the Phase One Property.

Based on the findings of this Phase One ESA, Pinchin identified one PCA at the Phase One Property (i.e., on-Site) and 11 PCAs within the Phase One Study Area outside of the Phase One Property (i.e., off-Site). Of the off-Site PCAs, ten are not considered to result in APECs at the Phase One Property given their distance from the Phase One Property, time elapsed and/or the inferred groundwater flow direction. The remaining one off-Site PCA has resulted in a total of one APEC at the Phase One Property. It is Pinchin's opinion that this PCA may have impacted soil and groundwater quality at the Phase One Property and, as such, PCA # 4 has resulted in an APEC at the Phase One Property that warrants further investigation prior to the application of a Site Plan Approval application with the City of Ottawa.

Pinchin recommends that a Phase Two ESA be conducted at the Phase One Property as an "assessment of property conducted in accordance with the regulations by or under the supervision of a qualified person to determine the location and concentration of one or more contaminants in the land or water on, in or under the property". Pinchin concludes that one or more contaminants originating from PCAs located within the Phase One Study Area outside of the Phase One Property may have affected land or water on, in, or under the Phase One Property. Therefore, Pinchin recommends that a Phase Two ESA be conducted prior to the application of a Site Plan Approval application with the City of Ottawa.

It should be noted that the references and sources for the information used in evaluating the Phase One Property are provided in the relevant sections of this report. Specific references are also summarized in Section 9.0.



8.1 Signatures

This Phase One ESA was undertaken under the supervision of Scott Mather, P.Eng, QP_{ESA} in accordance with the requirements of O. Reg. 153/04 to support the future Site Plan Approval application at the Phase One Property. The conclusions and recommendations provided in this report represent the best judgement of the assessor based on the Site conditions observed on November 29, 2021, and a review of available historical information and information obtained from interviews.

This report has been issued without having received a response to the request for information from the MECP. Pinchin reserves the right to amend our conclusions and recommendations based on information obtained from this regulatory agency.

We trust that the information provided in this report meets your current requirements.

8.2 Terms and Limitations

This Phase One ESA was performed in order to identify potential issues of environmental concern associated with the property located at 864 Lady Ellen Place, Ottawa, Ontario (Site), at the time of the Site reconnaissance. This Phase One ESA was performed in general compliance with currently acceptable practices for environmental site investigations, and specific Client requests, as applicable to this Site. This report was prepared for the exclusive use of Access Self Storage Inc. (Client), subject to the terms, conditions and limitations contained within the duly authorized proposal for this project. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, is the sole responsibility of such third parties. Pinchin accepts no responsibility for damages suffered by any third party as a result of decisions made or actions conducted.

If additional parties require reliance on this report, written authorization from Pinchin will be required. Such reliance will only be provided by Pinchin following written authorization from the Client. Pinchin disclaims responsibility of consequential financial effects on transactions or property values, or requirements for follow-up actions and costs. No other warranties are implied or expressed. Pinchin will not provide results or information to any party unless disclosure by Pinchin is required by law.

The information provided in this report is based upon analysis of available documents, records and drawings, and personal interviews. In evaluating the Site, Pinchin has relied in good faith on information provided by other individuals noted in this report. Pinchin has assumed that the information provided is factual and accurate. In addition, the findings in this report are based, to a large degree, upon information provided by the current owner/occupant. Pinchin accepts no responsibility for any deficiency, misstatement or inaccuracy contained in this report as a result of omissions, misinterpretations or fraudulent acts of persons interviewed or contacted, or contained in reports that were reviewed. The scope of work for this Phase One ESA did not include a visual or intrusive investigation for designated



substances (e.g., asbestos, mould, PCB-containing electrical equipment, etc.) and, therefore, these materials may be present at the Site.

Pinchin makes no other representations whatsoever, including those concerning the legal significance of its findings, or as to other legal matters touched on in this report, including, but not limited to, ownership of any property, or the application of any law to the facts set forth herein. With respect to regulatory compliance issues, regulatory statutes are subject to interpretation and these interpretations may change over time.

Ontario Regulation 153/04 does not apply to environmental auditing or environmental management systems. Therefore, with respect to Site operations and conditions, compliance with applicable federal, provincial or municipal acts, regulations, laws and/or statutes was not evaluated as part of the Phase One ESA.

9.0 REFERENCES

The following documents, persons or organizations provided information used in this report:

- Mr. Matthew Richards, Facilities Technician for the Phase One Property since approximately 2018 [Site Representative].
- ERIS reported entitled “864 Lady Ellen Place, Ottawa, Ontario”, and dated November 29, 2021 (ERIS Project # 21112400595).
- Opta Information Intelligence.
- The Atlas of Canada – Surficial Materials:
<http://atlas.nrcan.gc.ca/site/english/maps/environment/land/surficialmaterials/1>
- The Atlas of Canada – Bedrock Geology:
<http://atlas.gc.ca/site/english/maps/archives/3rdedition/environment/land/016?w=4&h=4&l=6&r=4&c=12>.
- Toporama – Topographic Maps:
<http://atlas.gc.ca/site/english/maps/topo/map>.
- Province of Ontario. Environmental Protection Act R.S.O. 1990, c. E.19 and Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Act. Last amended by Ontario Regulation 333/13 on December 13, 2013.
- Canadian Standards Association (CSA) Standard. CSA Z768-01, Phase I Environmental Site Assessment, Canadian Standards Association International, November 2001, reaffirmed in 2012.
- Ministry of the Environment, Conservation and Parks.




- MECP Brownfields Environmental Site Registry.
- National Air Photo Library, Ottawa, Ontario.
- Technical Standards and Safety Authority.
- Intera Technologies Inc. *Inventory of Coal Gasification Plant Waste Sites in Ontario*. April 1987.
- Intera Technologies Inc. *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*. November 1988.
- “Phase One Environmental Site Assessment, 864 Lady Ellen Place, Ottawa, Ontario”, prepared by Golder Associates Ltd. for J.L. Richards & Associates Limited, and dated May 2019.
- “Phase Two Environmental Site Assessment, 864 Lady Ellen Place, Ottawa, Ontario”, prepared by Golder Associates Ltd. for J.L. Richards & Associates Limited, and dated December 2019.

301925 Phase One ESA 864 Lady Ellen Pl Ottawa ON Access

Template: Master Report for RSC Phase One ESA Report, EDR, October 16, 2020

10.0 APPENDICES

APPENDIX A
Figures



LEGEND IS COLOUR DEPENDENT.
NON-COLOUR COPIES MAY ALTER
INTERPRETATION.



PROJECT NAME: **PHASE ONE
ENVIRONMENTAL SITE
ASSESSMENT**

CLIENT NAME:
**ACCESS SELF
STORAGE INC.**

PROJECT LOCATION:
**864 LADY ELLEN PLACE,
OTTAWA, ONTARIO**

FIGURE NAME:
KEY MAP

PROJECT NUMBER:
301925


SCALE:
AS SHOWN


DRAWN BY:
DM

REVIEWED BY:
AK

DATE:
JANUARY 2022

FIGURE NUMBER:
1






LEGEND


- PHASE ONE PROPERTY BOUNDARY
- PHASE ONE STUDY AREA
- ▨ SITE BUILDING
- RES RESIDENTIAL
- COM COMMERCIAL
- INST INSTITUTIONAL
- LI LIGHT INDUSTRIAL
- RESIDENTIAL
- COMMERCIAL
- INSTITUTIONAL
- LIGHT INDUSTRIAL

LEGEND IS COLOUR DEPENDENT.
NON-COLOUR COPIES MAY ALTER
INTERPRETATION.



PROJECT NAME: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT	
CLIENT NAME: ACCESS SELF STORAGE INC.	
PROJECT LOCATION: 864 LADY ELLEN PLACE, OTTAWA, ONTARIO	
FIGURE NAME: PHASE ONE STUDY AREA	
PROJECT NUMBER: 301925	SCALE: AS SHOWN
DRAWN BY: DM	REVIEWED BY: AK
DATE: JANUARY 2022	FIGURE NUMBER: 2





- LEGEND**
- PHASE ONE PROPERTY BOUNDARY
 - - - PHASE ONE STUDY AREA
 - ▨ SITE BUILDING
 - # PCA
 - ⊙ MONITORING WELL

LEGEND IS COLOUR DEPENDENT.
NON-COLOUR COPIES MAY ALTER
INTERPRETATION.




PROJECT NAME:
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT


CLIENT NAME:
ACCESS SELF STORAGE INC.

PROJECT LOCATION:
**864 LADY ELLEN PLACE,
OTTAWA, ONTARIO**

FIGURE NAME:
POTENTIALLY CONTAMINATING ACTIVITIES

PROJECT NUMBER: 301925	SCALE: AS SHOWN
DRAWN BY: DM	REVIEWED BY: AK
DATE: JANUARY 2022	FIGURE NUMBER: 3






- LEGEND**
- PHASE ONE PROPERTY BOUNDARY
 - - - PHASE ONE STUDY AREA
 - ▨ SITE BUILDING
 - - - APEC 1
 - APEC AREA OF POTENTIAL ENVIRONMENTAL CONCERN

LEGEND IS COLOUR DEPENDENT.
NON-COLOUR COPIES MAY ALTER
INTERPRETATION.



PROJECT NAME: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT	
CLIENT NAME: ACCESS SELF STORAGE INC.	
PROJECT LOCATION: 864 LADY ELLEN PLACE, OTTAWA, ONTARIO	
FIGURE NAME: AREA OF POTENTIAL ENVIRONMENTAL CONCERN	
PROJECT NUMBER: 301925	SCALE: AS SHOWN
DRAWN BY: DM	REVIEWED BY: AK
DATE: JANUARY 2022	FIGURE NUMBER: 4



APPENDIX B
Photographs



Photo 1 – Site Building (northwest elevation).



Photo 2 – Site Building (northeast elevation).



Photo 3 – Site Building (southeast elevation).



Photo 4 – Site Building (southwest elevation).



Photo 5 – Property located northwest of the Phase One Property.



Photo 6 – Property located northeast of the Phase One Property.



Photo 7 – Property located southeast of the Phase One Property.




Photo 8 – Property located southwest of the Phase One Property.



Photo 9 – Hydro vault located in the basement within the Site Building on the Phase One Property (PCA #1).

APPENDIX C
Opta Records



enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca

Report Completed By:

Midori

Site Address:

864 Lady Ellen Place, Ottawa, ON

Project No:

21112400595
Opta Order ID:

100636

Requested by:
Eleanor Goolab
ERIS

Date Completed:
12/1/2021 8:31:16 AM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Opta Historical Environmental Services EnviroscanTM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law


This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.


Page	Report Title
6	(1965) Volume: Ottawa Volume 4 Firemap: 408
8	(1965) Volume: Ottawa Volume 4 Firemap: 409
10	(1965) Volume: Ottawa Volume 4 Firemap: 410
12	(1965) Volume: Ottawa Volume 4 Firemap: 424
14	(1965) Volume: Ottawa Volume 4 Firemap: 424
15	(1984) Siteplan Report - 1984 JYMARK LTD - J.L. RICHARDS ET/AL 864 Lady Ellen Place Ottawa ON K1Z5M2 (distance = 0 metres*)
17	(1984) Commercial Property Fire Rating Form Report - 1984 864 Lady Ellen Place Ottawa ON K1Z5M2 (distance = 0 metres*)
20	(1973) Survey for Rating Fire-Resistive Risks Report - 1973 JYMARK LIMITED - OFFICE BUILDING Adjacent 864 Lady Ellen Place Ottawa ON K1Z5M2 (distance = 0 metres*)




This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

FIP Locator Map
The detailed FIP is on the following page









FIP Locator Map
The detailed FIP is on the following page

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Map data © 2022








This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.







This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

FIP Locator Map
The detailed FIP is on the following page



424



SEE SHEET 408




880

888

LADY ELLEN PLACE

CONTINUED FROM BELOW




904

66'



LAPERRIERE AVE.



FIP Locator Map
The detailed FIP is on the following page

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Map data © 2022
N
W E
S

Page: 15

Project Name: 864 Lady Ellen
Place Ottawa ON

Project #: 21112400595
P.O. #: 301925

ENVIROSCAN Report

**Siteplan Report - 1984 JYMARK LTD - J.L.
RICHARDS ET/AL 864 Lady Ellen Place Ottawa ON
K1Z5M2**

Requested by:
Eleanor Goolab

Date Completed: 12/01/2021 08:31:16



OPTA INFORMATION INTELLIGENCE

Siteplan Report - 1984 JYMARK LTD - J.L. RICHARDS ET/AL 864 Lady Ellen Place Ottawa ON K1Z5M2


This document is owned by
Opta Information Intelligence
Inc. and is subject to copyright
protection. Please see the
full Terms and Conditions at
the front of this document.



DIAGRAM

IAO PLAN: Sheet No. 424; Block No. 1719; Plan No. 864; NOP ; Scale: 1cm = 6m
 1cm = 12m

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.



EXPOSURE - (SECTION VIII)

WALL OF BUILDING BEING RATED					BETWEEN BLDGS.		FACING WALL OF EXPOSURE						
Direction	Blnk.	Comb. & Non-Comb	Msnry. Up	Msnry. Sp	Distance	Party Wall	Blnk.	Msnry. Sp	Msnry. Up	Non-Comb.	Comb.	Occ'y Haz.	Length / Height
NORTH			✓										
SOUTH			✓		NO EXPOSURES								
EAST			✓										
WEST			✓										

Requested by: Seun alliance

Sig. Of Insp. [Signature]
 Dt. 11 June 84 / 12 June 84
 (Inspected) (Written Up)

Report Date: May 24
 (Dt. Request Recd. In IAO Service Office)

Revised By: _____
 Dt. _____

Page: 17

Project Name: 864 Lady Ellen
Place Ottawa ON

Project #: 21112400595
P.O. #: 301925

ENVIROSCAN Report

**Commercial Property Fire Rating Form Report -
1984 864 Lady Ellen Place Ottawa ON K1Z5M2**

Requested by:
Eleanor Goolab

Date Completed: 12/01/2021 08:31:16



OPTA INFORMATION INTELLIGENCE

Commercial Property Fire Rating Form Report - 1984 864 Lady Ellen Place Ottawa ON K1Z5M2

This document is owned by
Opta Information Intelligence
Inc. and is subject to copyright
protection. Please see the
full Terms and Conditions at
the front of this document.



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.



COMMERCIAL PROPERTY FIRE RATING FORM

CODING

IND.	TERR.	CONS.	PROT.
651	63	2	2

LOCATION OTTAWA NAME _____ FILE NO. _____

ADDRESS 864 LADY ELLEN PLACE Insp'd. by K HUNT Date 16 JUNE 84
 Rated by C FERRIS Date 13 JUNE 84

BASIC CONSTRUCTION: (SECTION II)

WALLS (ITEMS 210-215)

Construction Class 2 Bldg. Comb. Class 2

WALL AREA	MASONRY		FIRE RES.		NON COMB	COMB	DETAIL OF WALL CONSTRUCTION	% OF WALL PERIM	POINTS	CHARGES
	Wall Type	Wall Thick.	Dam. Type	Fire Res.						
	W-1		D-	HR			<u>RIMCB & HCB</u>	100 % x	-	-
	W-		D-	HR				% x		
	W-		D-	HR				% x		
	W-		D-	HR				% x		
	W-		D-	HR				% x		
Columns in (or adjacent to) non-bearing masonry walls: Unprot. metal <input checked="" type="checkbox"/> Comb. <input type="checkbox"/>								% x	70	70
Panels in masonry or fire resistive walls: Comb. <input type="checkbox"/> Non-comb. <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Slow burning <input type="checkbox"/>								21 % x	20	4
Special Conditions (Describe).....								% x		

FLOOR(S) AND ROOF (ITEMS 220-223)

LEVEL	DIMENSIONS	MAS. or F. R.		NON COMB	COMB	DETAILS OF FLOOR/ROOF MATERIALS	% of Total Floor/Roof Area	POINTS	CHARGES
		Dam. Type	Fire Res.						
Grade - 2nd		D-	HR	<input checked="" type="checkbox"/>		<u>2 1/2 CONC METAL PAN</u>	% x		
		D-	HR				1 % x		
		D-	HR				7 % x	7	140
		D-	HR				% x		
Roof		D-	HR	<input checked="" type="checkbox"/>		<u>2 1/2 CONC METAL PAN</u>	% x		

Total Basic Construction Charges:
 Schedule Base +
 Building Base =

214
150
364
.255

Building Base x .7 Comb. Modifier (ITEM 230) x .001 = BASIC BUILDING RATE.

(carried twd. overleaf) *

SECONDARY CONSTRUCTION: (SECTION III)

Height: (ITEM 300) Nbr. Storeys 2 Bast. Yes Comb. Stories without ground level access. _____

Vertical Openings: (ITEM 310)	Type	Fm	To	Enclosure	Doors	% Chge.
	1st.					
	<u>V4</u>	<u>Basmt</u>	<u>1st</u>			<u>10</u>
		<u>1st</u>	<u>2nd</u>			<u>5</u>

No. of Elevators: Passenger; Freight

Area: (ITEM 320) _____ x _____ x _____ x _____
 Grade Floor Area 1144 m² Total Area 3432 m² Effective Area 1144 m²

Roof Surface: (ITEM 330) Approved Other (Described).....

Combustible Concealed Spaces: (ITEM 340) Roof Space; Percentage of total roof area _____ %
 Ceiling Space; Percentage of total floor area _____ %

Combustible Interior Construction: (ITEM 350)
 Floor Surfacing; Percentage of total floor area _____ %
 Interior Walls or Partitions; Percentage of total exterior wall area _____ %
 Mezzanines or Decks; Percentage of total floor/roof area _____ %

Combustible Interior Finish or Insulation: (ITEM 360)
 Walls: Percentage of total area of exterior walls; Ord. Dam. _____ % Spec. Dam. _____ %
 Roof & Floor(s): Percentage of total area of ceilings; Ord. Dam. _____ % Spec. Dam. _____ %

Combustible Exterior Finish or Attachments: (ITEM 370)

Building Condition: (ITEM 380) Good ; Average ; Poor ;

Built in 1960; Est. Additions Built in; Est. .
 Air Conditioning: 100 % Central Window .
 Basement: Finished ; Partially Finished ; Unfinished .

Total Secondary Construction Charges: 17

St. No. Floor	Floor Area	% of Total Area	Occ'y Item No.	Name and Description of Occupancy and Hazards	Basic Occ'y Charge	Hazard Charges	Sep'd. Occ'y Factor	Total Occ'y Charge	Comb. Cl.	Susc. Cl.	Ind. Code	
Common Hazards Applicable to Building				H.W. GAS PERM ELECTR		1						
264	3732	100	538	OFFICE	-				L2	S2	661	
TOTAL											Building IND. CODE	651

Major Occupancy Charge %
 20% of _____ (next 10 highest additional Total Occupancy Charges) %
 Common Hazards applicable to the Building %
 Net Occupancy Charge %
 L1, L2 Area _____ %
 Net Occupancy Charge x _____ Occ'y Mod. Factor (ITEM 418) %
 * Total Secondary Construction Charge (brought forward from overleaf) + 17 %

IND. CODE	*E.C. EXTRA	
	PERIL	ADD'L RATE

EXPOSURE: (SECTION VIII) Non Chargeable

Facing Wall of Exposure					Facing Wall of Risk			Exposure Distance
Mas. Semi Prot.	Mas. Unprot.	Non Comb.	Comb.	Comb. Class	Comb. & Non Comb.	Masonry Unprot.	Masonry Semi Prot.	

Exposure Charge + _____ %
 Party Wall Charge (ITEM 831) + _____ %
 Communication Charge (ITEM 832) + 100 %

(brought forward from overleaf) BASIC BUILDING RATE .255 x 117 % = UNPROTECTED BLDG. RATE .298

MUNICIPAL PROTECTION: (SECTION IX)
 F.U.S. Prot. Class 3 Revised Prot. Class 4
 Dist. to Hydrants: Str. Non Str. m. Accessibility: Good Poor
 Dist. to Fire Hall: Str. Non Str. km. Congested Area: Yes No
 Unprotected Bldg. Rate x 47 Protection Class Factor = PROTECTED BLDG. RATE .14

BUILDING ADJUSTMENT FACTOR: (SECTION X)
 Protected Bldg. Rate x 95 Building Adjustment Factor = GROSS BLDG. RATE .133

INTERNAL PROTECTION: (SECTION XI)
 Extinguishers Str. _____% Credit W. & C. Str. _____% Credit
 S.P. & H. Str. _____% Credit Automatic Fire Detection System Str. _____% Credit
 Automatic Sprinklers (Describe) % Credit
 Other Auto. Protection (Describe) % Credit
 GROSS BLDG. RATE _____ Less _____% = _____ Less _____% = _____ Less _____% = FINAL BLDG. RATE .133

MF# 064684

CONTENTS RATES (SECTION XII)

Ind. Code	Susc. Class	OCCUPANCY	Susc. Charge	Hazards Adj.	Conts. Adj. Factor	Adj. Conts. Charge	Gross Bldg. Rate	Gross Conts. Rate	Int. Prot. Factor	FINAL CONTS. RATE
661	S2	OFFICE	.04	X	47	.019	.133	.152	X	.152
				X					X	
				X					X	
				X					X	
				X					X	

Survey for Rating Fire-Resistive Risks Report - 1973 JYMARK LIMITED - OFFICE BUILDING Adjacent 864 Lady Ellen Place Ottawa ON K1Z5M2



Canadian Underwriters' Association

SURVEY FOR RATING FIRE-RESISTIVE RISKS

Questions and diagram must be completed and the form signed by the owner, occupant or architect of the building

Location (Town and Street) OTTAWA, ADJ 560 LADY ELLEN AVE Ins. Plan-S 424 B. 1719 No. 201
 Owned by JYMARK LIMITED Occupied by _____
 For a OFFICE BLDG. No. of hands _____
 Is building completely finished and out of workmen's hands? YES

OCCUPANCY

Give occupancy, kind of work, processes, machinery and number of hands on each floor

Basement CAFETERIA + RECREATION ROOM, - ELECTRICAL VAULT - STGE
 1st OFFICES
 2nd OFFICES
 3rd _____
 4th _____
 5th _____
 6th _____

Some notes as 864 freely comm. by "B" door rated together 1/14 3/5/73

CONSTRUCTION OF BUILDING

1. TYPE OF CONSTRUCTION - Floors & Roof Carried on:

- | | | | |
|------------------------------------|-------------------------------------|-----------------------------------|--------------------------|
| (a) Skeleton Steel Framework | <input checked="" type="checkbox"/> | (d) Bearing Walls & Steel Columns | <input type="checkbox"/> |
| (b) Reinforced Concrete, Framework | <input type="checkbox"/> | (e) Steel on Steel Walls & Roof | <input type="checkbox"/> |
| (c) Bearing Walls & Partitions | <input type="checkbox"/> | (f) Other Construction | <input type="checkbox"/> |

(Describe fully)

2. WALLS - State construction of external walls.

If bearing walls give thickness of walls in inches at each floor B/HCB 12"

3. ROOF AND FLOOR - Materials

- | | | | |
|--|--|---|---|
| Roof <input type="checkbox"/> | Floors <input checked="" type="checkbox"/> BT. | (a) Concrete, reinforced - Poured in place | <u>5</u> inches thick |
| Roof <input checked="" type="checkbox"/> | Floors <input checked="" type="checkbox"/> | (b) Concrete, on metal pan - Poured in place | <u>2 1/2</u> inches thick |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (c) Concrete, Precast Units | _____ inches thick (Name of Manufacturer) |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (d) Steel Deck, Construction #1 | <input type="checkbox"/> Otherwise <input type="checkbox"/> |
| | | If Construction #1 State method of attaching insulation to steel deck | |
| | | Mechanical Fasteners | <input type="checkbox"/> Adhesive <input type="checkbox"/> Otherwise <input type="checkbox"/> |
| | | If adhesive state trade name _____ | |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (e) Other Materials - Describe and Show Thickness | _____ |

ROOF AND FLOOR — Method of support

- | | | |
|-------------------------------|---------------------------------|--|
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (a) Unprotected Steel Beams. |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (b) Steel Beams Protected by _____ inches of _____ |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (c) Reinforced Conc. Beams — Poured in place. |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (d) Precast Concrete Structural Units _____ inches thick _____
(Name of Manufacturer) |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (e) Bearing Walls Only. No Supporting Steel. |

If building is composed of more than one type of construction, identify sections of floor involving each type and indicate on plan.

(a) Is there any roof space exceeding 3 feet in height? NO. If so, for what purpose is it used? _____

How is access obtained thereto? _____ If by trap or door, describe type _____

(b) Are all skylights of wired glass in metal frames? _____

(c) Is there any wood in roof, louvres, ventilators or skylights; if so give details _____

(d) Is there a wood roof laid over an incombustible one? _____ If so, how is it supported? _____

(e) If so, what is the maximum and minimum height of this above the incombustible roof? _____

(f) Is the incombustible roof broken by Texas, louvres, ventilator, trapdoor, skylight, stair, elevator, other shafts? _____

Is so, what is the construction of the sides through roof space? _____

Is there any access or opening from these shafts to the roof space? Describe each separately _____

(g) Is there a superstructure, water cooling tower, or Penthouse of any kind on the roof? NO. If so, given dimensions, construction and occupancy _____

How is access obtained? _____

(h) Is there a wood wearing floor? NO. If so, on which storeys? _____

(i) Is it laid directly on incombustible floor or with an airspace? Describe _____

4. STEEL COLUMNS AND BEAMS — Are they fireproofed? NO. If "Yes" state nature and thickness of such protection.

(a) Columns Exp.

(b) Beams ASBESTOS TILES, - SUSPENDED CEILING

FLOOR OPENINGS

5. STAIRWAYS — How many, and state from which floor to which? 1 - 1ST TO 2ND

Is there an enclosure around them? YES If so, describe construction of enclosure, and the doors, and whether doors are self-closing HEAVY WALLS

SIC W/ CLASS "B" DOORS.

6. ELEVATORS — How many, and state from which floor to which? —

Is there an enclosure around them? _____ If so, describe construction of enclosure, and the doors, and whether doors are self-closing _____

7. CHUTES, VENTS, DUMB WAITERS & BELT HOLES & OTHER FLOOR OPENINGS — Give size, construction of enclosure (if any), type of door (if any), and whether self-closing, stating which floors are cut by each —

8. HEATING AND VENTILATING DUCTS — Are there any? YES. (a) Are ducts, which cut through floor, in masonry shafts? YES.

(b) Give construction of shaft METAL (c) State whether separate duct to each floor without communication to other floors SEPARATE.

(d) Do ducts open into roof space? NO.

9. HEIGHT — State number of floors and whether there is a basement 2 STYS + BT.

10. AREA — Give ground floor dimensions 92x63 = 5796 SQ. FT.

11. INTERIOR FINISH -

State separately for each floor, finish and method of attachment to walls and ceiling (If more than one type of finish is present on any one floor, state percentage of each type).

	Bas.	1st	2nd	3rd	4th	5th	6th
(a) Walls	HCIS + CONC.	64P	64P				
(b) Ceilings	CONC PLASTERED	HCIS TILE	HCIS TILE				
(c) Partitions	PHCB	64P	64P				

State extent of any wood partitions, or partitions having wood supports in square feet separately for each floor:-

(d) Is there any other inside or outside combustible finish or trim other than above? Describe fully DOORS TO OFFICES.

12. HEATING - What is the system of heating the building? ELECTRIC Where is heating plant located? ON WALLS UNDER WINDOWS

Is it in fire-resistive room with standard fire door? Are there any stoves; if so, how many and where located

Do any heating devices vent otherwise than to brick or concrete chimney; if so, give details

What fuel is used?

13. ELECTRIC WIRING - All wiring is in Rigid Conduit Otherwise

Are all circuits protected by type "S" temper resisting fuses or non-interchangeable circuit breakers? C.R.

14. POWER - Is any used? YES If so, what kind? ELEC Total Horse Power? OVER 1 HP.

What used for? AIR CONDITIONING

If gasoline engine, state method of ignition, location and capacity of supply, tank, whether feed is pressure or gravity, quantity of gasoline in engine

15. GASOLINE OR BENZINE, OR OTHER OILS - Are any kept? NO If so, what quantity of each?

What used for?

16. COMMUNICATIONS - Does the building communicate with any other building? YES (a) If so, give dimensions, height, construction and occupancy and indicate clearly on diagram SEE DIAGRAM OF NEW ADDITION

(b) If so, are building separated by solid wall? YES (c) If so, are all openings in this wall protected by self-closing U.L. labelled Class A fire doors? NO

(d) If not, describe type of doors on each opening WIRE GLASS "B" DOORS

PUBLIC PROTECTION

17. FIRE DEPARTMENT - Street distance to the nearest fire station

18. HYDRANTS - What is the distance to the nearest two hydrants? 2 x 200' Give size of main 8"

INTERNAL PROTECTION

19. Show number units for each floor:

	Basement	1st	2nd	3rd	4th	5th	6th	7th	8th
Extgrs. 2 1/2 Gal. Class A	-	-	-						
Extgrs Class B & C	-	-	-						
Stand Pipe & Hose	-	-	-						

20. WATCHMAN - Is there a Watchman making rounds of the whole premises, nights, Sundays, holidays, and at all times when plant is not in operation, rounds being made not less than once an hour during the night, i.e. from 6 p.m. to 6 a.m., and every two hours during the day?

(a) Does he use a portable clock, electric detector, or report to central station?

(b) Give name of manufacturer of clock (c) Does it bear approval label of Underwriters' Laboratories

(d) Are the stations sufficient and so located that the Watchman must traverse each flat and every portion be visible to him?

21. AUTOMATIC FIRE DETECTION SYSTEM - If such system is present provide details on questionnaire obtainable from Canadian Underwriters' Association. LOCAL

DIAGRAM

(Note: - A diagram is not required if the Risk and all property within 100 feet is exactly as shown on the insurance plan.)

Show all Buildings within 50 feet of the Risk and describe their occupancy, show also any openings between adjoining Buildings and all exposed Windows.



Show location of Hydrants

Show Frame Buildings with BLACK, Brick Building with RED, Stone or Concrete Buildings with BLUE and Brick Veneered, Brick Nogged or Metal Clad Buildings with DOTTED RED lines for which purpose a red pencil can be used. Be sure to state exact distance between buildings shown.

Please Draw Diagram at a scale of 50 feet = 1 inch (same as the Insurance Plans).

NORTH

WEST



SOUTH

EXPOSURE: Note - These questions must be answered fully.

North	ft. to building built of	5	stories high, occupied as
South	"	OP	" "
East	"	EA	" "
West	"	NE	" "

I hereby state that the above questions are fully and correctly answered, and agree that they shall form the basis of rating to be given by the C.U.A.

DATE April 30, 1913

SIGNATURE *[Signature]*
(State whether Owner, Occupant or Architect)

(APR. 26
Comm. Union)

APPENDIX D
ERIS Report



DATABASE REPORT

Project Property: *864 Lady Ellen Place Ottawa ON
864 Lady Ellen Pl
Ottawa ON K1Z 5M2*

Project No: *301925*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *21112400595*

Requested by: *Pinchin Ltd.*

Date Completed: *November 29, 2021*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	42
Map.....	84
Aerial.....	85
Topographic Map.....	86
Detail Report.....	87
Unplottable Summary.....	448
Unplottable Report.....	450
Appendix: Database Descriptions.....	473
Definitions.....	482

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 864 Lady Ellen Place Ottawa ON
864 Lady Ellen Pl Ottawa ON K1Z 5M2

Project No: 301925

Order Information:

Order No: 21112400595
Date Requested: November 24, 2021
Requested by: Pinchin Ltd.
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Insurance Products Fire Insurance Maps/Inspection Reports/Site Plans
Topographic Map ANSI Map & Ontario Base Map (OBM)

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	20	20
CA	<i>Certificates of Approval</i>	Y	0	10	10
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	13	13
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	2	2
EBR	<i>Environmental Registry</i>	Y	1	4	5
ECA	<i>Environmental Compliance Approval</i>	Y	1	11	12
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	2	52	54
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	9	9
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	4	4
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	1	183	184
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	1	1

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	3	3
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	2	2
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	5	5
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	3	3
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	31	31
SPL	<i>Ontario Spills</i>	Y	0	7	7
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	4	72	76
Total:			9	432	441

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	EHS		864 Lady Ellen Place Ottawa ON K1Z 5M2	SSW/0.0	0.00	<u>87</u>
<u>2</u>	WWIS		864 LADY ELLEN PLACE Ottawa ON <i>Well ID:</i> 7342364	ENE/0.0	0.00	<u>87</u>
<u>3</u>	WWIS		881 LADY ELLEN PLACE Ottawa ON <i>Well ID:</i> 7136553	E/0.0	0.00	<u>90</u>
<u>4</u>	WWIS		864 LADY ELLEN PLACE Ottawa ON <i>Well ID:</i> 7342363	SE/0.0	0.00	<u>93</u>
<u>5</u>	WWIS		864 LADY ELLEN PLACE Ottawa ON <i>Well ID:</i> 7342372	SW/0.0	0.00	<u>96</u>
<u>6</u>	ECA	JLR Developments Ltd.	864 Lady Ellen Pl Ottawa ON K1Z 5M2	ESE/0.0	0.00	<u>99</u>
<u>7</u>	EHS		864 Lady Ellen Pl Ottawa ON K1Z 5M2	WSW/0.0	0.00	<u>99</u>
<u>7</u>	GEN	GOLDER ASSOCIATES INC.	864 LADY ELLEN PLACE OTTAWA ON	WSW/0.0	0.00	<u>100</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
7	EBR	JLR Developments Ltd.	864 Lady Ellen Place Ottawa, ON K1Z 5M2 Canada ON	WSW/0.0	0.00	100

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
8	WWIS		881 LADY ELLEN PLACE Ottawa ON <i>Well ID: 7136554</i>	SSE/10.5	0.00	100
9	EHS		Lady Ellen Place Ottawa ON	E/16.2	0.00	103
10	EHS		880 Lady Ellen Place Ottawa ON K1Z 5L9	S/17.2	0.00	104
10	EHS		880 Lady Ellen Place Ottawa ON K1Z 5L9	S/17.2	0.00	104
11	SCT	CANADIAN BANK NOTE CO LTD.	881 LADY ELLEN PL OTTAWA ON K1Z 5L3	SE/19.5	0.00	104
11	SCT	Canadian Bank Note Company	881 Lady Ellen Pl Ottawa ON K1Z 5L3	SE/19.5	0.00	104
11	GEN	CANSO PRINTING SERVICES LTD.	881 LADY ELLEN PLACE, SUITE 101 OTTAWA ON K1Z 5L3	SE/19.5	0.00	105
11	GEN	CANSO (OUT OF BUS)	881 LADY ELLEN PLACE, SUITE 101 OTTAWA ON K1Z 5L3	SE/19.5	0.00	105
11	EHS		881 Lady Ellen Place Ottawa ON K1Z 5L3	SE/19.5	0.00	105
11	EHS		881 Lady Ellen Place Ottawa ON K1Z 5L3	SE/19.5	0.00	105
12	WWIS		880 LADY ELLEN OTTAWA ON <i>Well ID: 7043268</i>	SSE/23.6	0.00	106
13	WWIS		1550 CARLING AVE. ON	ESE/33.4	0.00	109

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7150372			
14	WWIS		1550 CARLING AVENUE Ottawa ON <i>Well ID:</i> 7147063	ESE/34.2	0.00	111
15	BORE		ON	NE/39.5	0.00	114
16	WWIS		1550 CARLING AVE. OTTAWA ON <i>Well ID:</i> 7150371	ESE/44.6	0.00	115
17	SCT	CREATIVE SIGNS & DESIGNS	1550 CARLING AVE OTTAWA ON K1Z 8S8	ENE/49.5	0.00	118
17	RSC		1550 Carling Avenue Lot 1 North Side of Laperriere Avenue Ottawa ON K1Z 8S8	ENE/49.5	0.00	118
17	RSC		1550 Carling Avenue Lot 1 North Side of Laperriere Avenue Ottawa ON K1Z 8S8	ENE/49.5	0.00	119
17	RSC		1550 Carling Ave. Lot 1, north side of Laperrier Ave Ottawa ON K1Z 8S8	ENE/49.5	0.00	119
17	CA		1550 Carling Avenue Ottawa ON K1Z 8S8	ENE/49.5	0.00	120
17	GEN	H.A.R. ELEVATOR SERVICES INC.	1550 CARLING AVENUE OTTAWA ON K1Z 8S8	ENE/49.5	0.00	120
17	EHS		1550 Carling Ave Ottawa ON K1Z 8S8	ENE/49.5	0.00	120
18	ECA	Nortel Networks Corporation	1550 Carling Avenue Ottawa ON K2E 1B3	ENE/50.5	0.00	120
19	EHS		1550 Carling Ave Ottawa ON K1Z 8S8	E/50.9	0.00	121

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	EHS		1550 Carling Ave Ottawa ON K1Z 8S8	E/50.9	0.00	121
19	EHS		1550 Carling Ave Ottawa ON K1Z 8S8	E/50.9	0.00	121
19	EHS		1550 Carling Ave Ottawa ON K1Z 8S8	E/50.9	0.00	121
20	SCT	LOMOR PRINTERS LTD.	888 LADY ELLEN PLACE OTTAWA ON K1Z 5L5	S/55.6	0.00	121
20	SCT	Lomor Printers Ltd.	888 Lady Ellen Pl Ottawa ON K1Z 5L5	S/55.6	0.00	122
20	GEN	Podium Machine Works Inc.	888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	S/55.6	0.00	122
20	GEN	Podium Machine Works Inc.	888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	S/55.6	0.00	122
20	GEN	Podium Machine Works Inc.	888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	S/55.6	0.00	123
21	SCT	ALAND ENTERPRISES	889 LADY ELLEN PL OTTAWA ON K1Z 5L3	SE/61.4	0.00	123
21	GEN	SNEYD REPRO GRAPHICS	889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	SE/61.4	0.00	123
21	GEN	DOLLCO DIGITAL PRINT LTD.	889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	SE/61.4	0.00	123
21	GEN	DOLLCO (OUT OF BUS)	889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	SE/61.4	0.00	124
21	SCT	Delta Reprographic Inc.	889 Lady Ellen Pl Ottawa ON K1Z 5L3	SE/61.4	0.00	124

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
22	GEN	THOMAS SUPPLY AND EQUIPMENT CORP.	1451 COLDREY AVE. P.O. BOX 8826 OTTAWA ON K1A 0S5	ENE/63.6	0.00	124
22	GEN	REVLON CANADA INC.	1451 COLDREY AVE. OTTAWA ON K1A 0S5	ENE/63.6	0.00	125
22	GEN	TREVOR MAKARA	271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	ENE/63.6	0.00	125
22	GEN	MAKARA OUT OF BUSINESS	271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	ENE/63.6	0.00	125
22	GEN	MAKARA OUT OF BUSINESS 38-533	271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	ENE/63.6	0.00	125
22	GEN	Public Works and Government Services Canada	1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	ENE/63.6	0.00	126
22	GEN	Public Works and Government Services Canada	1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	ENE/63.6	0.00	126
22	GEN	Public Works and Government Services Canada	1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	ENE/63.6	0.00	126
23	WWIS		1550 /1451 CARLING/COLDREY Ottawa ON Well ID: 7147062	ESE/65.3	0.00	127
24	WWIS		ON Well ID: 7338632	ESE/69.9	0.00	130
25	WWIS		1479 LAPIERIERRE ST. OTTAWA ON Well ID: 7154088	ESE/70.5	0.00	130
26	GEN	264482 Ontario Limited	1568 Carling Avenue Ottawa ON K1Z 7M4	WNW/72.1	0.02	134
27	WWIS		1523 LAPERRIERE AVE Ottawa ON Well ID: 7284724	SW/73.1	-0.98	134

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
28	BORE		ON	NNE/74.2	-0.15	137
29	WWIS		1550 CARLING AVE. ON <i>Well ID:</i> 7150370	ESE/75.9	0.00	138
30	EHS		1523 Laperriere Ave Ottawa ON K1Z7T1	SSW/78.0	-0.72	141
31	SPL		1523 Laperriere Ave. Ottawa ON	SSW/78.0	-0.72	141
31	GEN	Metcalfe Realty Company Limited	1523 Laperriere Avenue Ottawa ON K1Z 7T1	SSW/78.0	-0.72	142
32	WWIS		1550 CARLING AVE. ON <i>Well ID:</i> 7150369	ESE/80.1	0.00	142
33	BORE		ON	SE/80.9	0.00	145
34	WWIS		ON <i>Well ID:</i> 1508419	SE/81.1	0.00	146
35	WWIS		904 LADY ELLEN PLACE OTTAWA ON <i>Well ID:</i> 7201038	S/81.4	0.00	149
36	BORE		ON	S/83.1	0.00	151
37	WWIS		ON <i>Well ID:</i> 1508420	S/83.2	0.00	153
38	ECA	City of Ottawa	Churchill Ave Churchill Avenue between Carling Avenue and Highway 417 Ottawa ON K1P 1J1	N/87.8	0.00	155
39	EHS		900 Lady Ellen Place Ottawa ON K1Z 5L5	SSE/88.4	0.00	155

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
40	BORE		ON	N/88.8	0.00	156
41	BORE		ON	NNE/91.5	-0.72	157
42	WWIS		1479 LAPIERRE AVE OTTAWA ON <i>Well ID: 7157811</i>	ESE/91.5	0.00	159
43	EHS		1550 Carling Avenue & 1451 Coldrey Avenue Ottawa ON	ENE/93.8	0.00	162
44	EHS		1479 Laperriere Ave Ottawa ON K1Z7S8	SE/94.6	0.00	162
45	GEN	GAL POWER SYSTEMS INC.	1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	SE/94.6	0.00	162
45	GEN	GAL POWER (OUT OF BUSINESS) 18-356	1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	SE/94.6	0.00	162
45	EHS		1479 Laperriere Avenue Ottawa ON K1Z 7S8	SE/94.6	0.00	163
45	GEN	3972780 Canada Inc.	1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	SE/94.6	0.00	163
45	GEN	3972780 Canada Inc.	1479 Laperriere Ave Ottawa ON K1Z 7S8	SE/94.6	0.00	163
45	GEN	3972780 Canada Inc.	1479 Laperriere Ave Ottawa ON K1Z 7S8	SE/94.6	0.00	163
45	GEN	3972780 Canada Inc.	1479 Laperriere Ave Ottawa ON K1Z 7S8	SE/94.6	0.00	164
46	WWIS		881 LADY ELLEN PLACE Ottawa ON <i>Well ID: 7136552</i>	SE/99.2	0.00	164

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
47	SCT	CANSO PRINTING SERVICES INC.	1463 COLDREY AVE OTTAWA ON K1Z 7P8	ESE/99.3	0.00	167
47	GEN	CARRIER CANADA LTD.	CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	ESE/99.3	0.00	167
47	GEN	CARRIER (OUT OF BUS) 09-363	CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	ESE/99.3	0.00	167
47	GEN	CARRIER CANADA LTD. 09-363	CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	ESE/99.3	0.00	168
47	GEN	CARRIER CANADA (OUT OF BUSINESS)	CENTRAL REGION 1463 COLDREY AVENUE OTTAWA-CARLETON ON K1Z 7P8	ESE/99.3	0.00	168
47	GEN	CANSO PRINTING SERVICES INC.	1463 COLDREY AVENUE OTTAWA ON K1Z 7P8	ESE/99.3	0.00	168
47	GEN	CANSO (OUT OF BUSINESS) INC.	1463 COLDREY AVENUE OTTAWA ON K1Z 7P8	ESE/99.3	0.00	169
48	BORE		ON	N/99.4	0.00	169
49	SCT	Creative Signs & Designs	1485 Laperriere Ave Suite 101 Ottawa ON K1Z 7S8	SE/100.2	0.00	170
49	SCT	Thermal Insulation Assn of Cda	1485 Laperriere Ave Ottawa ON K1Z 7S8	SE/100.2	0.00	171
49	EHS		1485 Laperriere Avenue Ottawa ON K1Z 7S8	SE/100.2	0.00	171
50	GEN	GVT. OF CAN. - MUSEUMS CANADA	BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	S/104.5	0.00	171
50	GEN	GVT. OF CAN. - MUSEUMS CANADA 18-220	BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	S/104.5	0.00	171

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
50	GEN	NATIONAL MUSEUMS OF CAN (OUT OF BUSINESS)	BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	S/104.5	0.00	172
50	EHS		1505 Laperriere Avenue Ottawa ON K1Z 7T1	S/104.5	0.00	172
50	EHS		1505 Laperriere Avenue Ottawa ON K1Z 7T1	S/104.5	0.00	173
50	GEN	Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	S/104.5	0.00	173
50	GEN	1505 Laperriere Avenue Corporation	1505 Laperriere Ave Ottawa ON K1Z 7T1	S/104.5	0.00	173
50	GEN	Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	S/104.5	0.00	173
50	GEN	Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	S/104.5	0.00	174
50	GEN	Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	S/104.5	0.00	174
51	WWIS		1479 LAPIERIERRE ST. OTTAWA ON Well ID: 7154089	SE/106.0	0.00	174
52	EHS		1568 Carling Ave Ottawa ON K1Z7M4	WNW/107.4	0.01	178
52	GEN	264482 Ontario Limited	1568 Carling Avenue Ottawa ON K1Z 7M4	WNW/107.4	0.01	178
53	WWIS		1479 LAPIERE AVE OTTAWA ON Well ID: 7157813	SE/108.5	0.00	178
54	EHS		n/a Ottawa ON	S/111.9	0.00	181

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
55	WWIS		1479 LAPIERRE AVE OTTAWA ON <i>Well ID: 7157812</i>	SE/114.1	0.00	181
56	GEN	264482 ONTARIO LIMITED	1574 CARLING AVENUE (VAIL'S BUILDING) C/O 1801 WOODWARD DRIVE OTTAWA ON K1Z 7M4	WNW/115.0	0.01	184
56	GEN	SPIC & SPAN-VALETOR-CASH CLEANERS	1574 CARLING AVENUE C/O 1764 WOODWARD DRIVE OTTAWA ON K1Z 7M4	WNW/115.0	0.01	185
56	GEN	SPIC & SPAN-VALETOR-CASH CLEANERS 35-136	1574 CARLING AVENUE C/O 1764 WOODWARD DRIVE OTTAWA ON K1Z 7M4	WNW/115.0	0.01	185
56	GEN	CARLING RICHMOND	1574 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/115.0	0.01	185
56	GEN	POWER BIKES & BOARDS	1574 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/115.0	0.01	186
56	GEN	264482 Ontario Ltd	1564-1574 Carling Avenue Ottawa ON K1Z 7M4	WNW/115.0	0.01	186
57	GEN	UNITED ASSOCIATION, LOCAL 71	904 LADY WLLEN PLACE OTTAWA ON K1Z 5L5	SSE/118.3	0.00	186
58	EHS		904 Lady Ellen Place Ottawa ON K1Z 5L5	SSE/118.3	0.00	186
59	WWIS		1474 Coldrey Ave Ottawa ON <i>Well ID: 7354080</i>	E/120.9	0.00	186
60	BORE		ON	E/121.3	0.00	190
61	EHS		1554 Carling Avenue Ottawa ON K1Z 7M4	NW/123.0	0.01	191

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
61	EHS		1554 Carling Avenue Ottawa ON K1Z 7M4	NW/123.0	0.01	191
61	EHS		1554 Carling Avenue Ottawa ON K1Z 7M4	NW/123.0	0.01	191
62	WWIS		1474 COLDREY AVE Ottawa ON <i>Well ID: 7328622</i>	E/123.6	0.00	192
63	CA	CAPITAL DODGE-CHRYSLER LTD.	1554 CARLING AVENUE OTTAWA CITY ON K1Z 7M4	NW/128.7	0.01	194
63	EBR	Capital Dodge-Chrysler Ltd.	1554 CARLING AVENUE, OTTAWA CITY CITY OF OTTAWA ON	NW/128.7	0.01	195
63	EHS		1554 Carling Avenue Ottawa ON K1Z 7M4	NW/128.7	0.01	195
63	EASR	CARLING/QUEENSWAY STORAGE CORPORATION	1554 CARLING AVE OTTAWA ON K1Z 1G3	NW/128.7	0.01	195
63	ECA	Carling/Queensway Self Storage Corporation	1554 Carling Ave Ottawa ON K1H 8K3	NW/128.7	0.01	196
63	EHS		1554 Carling Avenue Ottawa ON K1Z	NW/128.7	0.01	196
63	EHS		1554 Carling Avenue Ottawa ON K1Z 7M4	NW/128.7	0.01	196
63	EHS		1554 Carling Avenue Ottawa ON K1Z 7M4	NW/128.7	0.01	196
64	BORE		ON	N/129.9	0.00	196
65	WWIS		1422 COLDREY AVE. OTTAWA ON <i>Well ID: 7227036</i>	E/130.4	0.00	198

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
66	EHS		1600 Carling Avenue Ottawa ON K1Y 1B2	W/132.6	-0.01	201
66	EHS		1600 Carling Avenue Ottawa ON K1Y 1B2	W/132.6	-0.01	201
66	EHS		1600 Carling Avenue Ottawa ON K1Y 1B2	W/132.6	-0.01	201
66	EHS		1600 Carling Avenue Ottawa ON K1Y 1B2	W/132.6	-0.01	201
66	EHS		1600 Carling Avenue Ottawa ON K1Y 1B2	W/132.6	-0.01	201
67	BORE		ON	N/134.5	0.00	202
68	WWIS		1474 COLDREY AVE Ottawa ON Well ID: 7328619	E/136.6	0.00	203
69	WWIS		1551 LAPERRIER OTTAWA ON Well ID: 7151896	SW/137.6	-0.99	206
70	WWIS		1474 coldrey Ottawa ON Well ID: 7325338	E/138.6	0.00	209
71	WWIS		1474 COLDREY AVE Ottawa ON Well ID: 7328621	E/139.7	0.00	212
72	WWIS		1551 LAPERRIER STREET Ottawa ON Well ID: 7149495	SW/140.1	-0.99	215
73	BORE		ON	N/140.2	-0.69	227
74	WWIS		1474 Coldrey Ave Ottawa ON Well ID: 7354079	E/140.5	0.00	228

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
75	EHS		1551 Laperriere Ave Ottawa ON K1Z 7T1	SW/140.8	-0.99	231
75	FST	BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	SW/140.8	-0.99	231
75	FST	BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	SW/140.8	-0.99	232
75	FST	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	SW/140.8	-0.99	232
75	FST	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	SW/140.8	-0.99	233
76	WWIS		1474 COLDREY AVE Ottawa ON <i>Well ID: 7328620</i>	E/141.5	0.00	233
77	GEN	1427077 Ontario Ltd D Barr Cartage	1519 Laperriere Avenue Ottawa ON K1Z 7T1	S/149.6	0.00	236
77	GEN	1427077 Ontario Ltd D Barr Cartage	1519 Laperriere Avenue Ottawa ON K1Z 7T1	S/149.6	0.00	236
78	WWIS		1523 LAPERRIERE AVE Ottawa ON <i>Well ID: 7284722</i>	SSW/150.4	0.00	237
79	EHS		1474 Coldrey Ave Ottawa ON K1Z7P9	E/150.5	0.00	240
80	EHS		1422 Coldrey Avenue Ottawa ON K1Z 7P9	E/154.3	0.00	240
81	GEN	GBA Inc.	1474 Coldrey Ave Ottawa ON K1Z 7S7	E/155.8	0.00	240
81	GEN	GBA Inc.	1474 Coldrey Ave Ottawa ON K1Z 7S7	E/155.8	0.00	241

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
82	SPL	City of Ottawa	Ebound Carling Ave in front of Campbell's Ford dealership Ottawa ON	NE/157.9	-1.00	241
83	SCT	Corel Corporation	1600 Carling Ave Unit 100 Ottawa ON K1Z 8R7	W/158.5	-0.01	241
83	SCT	Coiel Corporation	1600 Carling Ave Unit 100 Ottawa ON K1Z 8R7	W/158.5	-0.01	242
83	GEN	METROTYPE GRAPHICS LTD.	833 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	W/158.5	-0.01	242
83	GEN	BELL MOBILITY (OUT OF BUSINESS)	1600 CARLING AVENUE SUITE 515 OTTAWA ON K1Z 8R7	W/158.5	-0.01	242
83	GEN	COREL CORPORATION	1600 CARLING AVENUE 1ST FLOOR PREPRESS DEPT. OTTAWA ON K1Z 8R7	W/158.5	-0.01	242
83	GEN	COREL CORPORATION	1600 CARLING AVENUE 1ST FLOOR PREPRESS DEPARTMENT OTTAWA ON K1Z 8R7	W/158.5	-0.01	243
83	GEN	Oxford Properties	1600 Carling Ave. Ottawa ON K1Z 1G3	W/158.5	-0.01	243
83	EHS		1600 Carling Avenue Ottawa ON K1Z 1G3	W/158.5	-0.01	243
83	EHS		1600 Carling Avenue Ottawa ON	W/158.5	-0.01	244
83	EBR	Oxford Properties Group Inc.	1600 Carling Avenue Ottawa Ontario K1Z 8R7 Ottawa ON	W/158.5	-0.01	244
83	SPL	George A Kelson Company Ltd Ottawa Office<UNOFFICIAL>	1600 Carling Avenue Ottawa ON	W/158.5	-0.01	244

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
83	CA	Oxford Properties Group Inc.	1600 Carling Avenue Ottawa ON	W/158.5	-0.01	245
83	PINC		1600 Carling Avenue, Ottawa ON	W/158.5	-0.01	245
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	245
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	246
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	246
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	246
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	247
83	NPRI	OXFORD PROPERTIES GROUP	1600 CARLING Avenue SUITE 100 OTTAWA ON K1Z8R7	W/158.5	-0.01	247
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON	W/158.5	-0.01	248
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON	W/158.5	-0.01	248
83	ECA	Oxford Properties Group Inc.	1600 Carling Avenue Ottawa ON M5H 3P5	W/158.5	-0.01	249
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	249
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	249

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
83	GEN	CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	W/158.5	-0.01	250
83	GEN	CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	W/158.5	-0.01	250
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	250
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	251
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	251
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	251
83	GEN	CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	W/158.5	-0.01	252
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	252
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	252
83	GEN	CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	W/158.5	-0.01	253
83	SPL		1600 Carling Ave Ottawa ON	W/158.5	-0.01	253
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	253
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	254

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
83	GEN	CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	W/158.5	-0.01	254
83	EHS		1600 Carling Avenue Ottawa ON K1Y 1B2	W/158.5	-0.01	255
83	GEN	Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	W/158.5	-0.01	255
83	GEN	Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	W/158.5	-0.01	255
83	GEN	CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	W/158.5	-0.01	255
84	BORE		ON	NNE/161.0	-1.00	256
85	WWIS		1523 LAPERRIERE AVE Ottawa ON Well ID: 7284723	SSW/163.9	-0.01	257
86	SCT	BUNS MASTER BAKERY	1570 CARLING AVE OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	260
86	SCT	MAILCRAFTERS INSERTERS	1570 CARLING AVE OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	261
86	SCT	Carling Bakery	1570 Carling Ave Ottawa ON K1Z 7M4	WNW/167.5	-0.01	261
86	SCT	Hamlet Carling Bakery Ltd.	1570 Carling Ave Ottawa ON K1Z 7M4	WNW/167.5	-0.01	261
86	GEN	SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	261
86	GEN	SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	262

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
86	GEN	SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	262
86	GEN	SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	262
86	GEN	SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	WNW/167.5	-0.01	263
86	GEN	Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON	WNW/167.5	-0.01	263
86	GEN	Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	WNW/167.5	-0.01	263
86	GEN	Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	WNW/167.5	-0.01	263
86	GEN	Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	WNW/167.5	-0.01	264
86	GEN	Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	WNW/167.5	-0.01	264
86	GEN	Thurber Engineering Ltd.	1572 Carling Ave. Ottawa ON K1Z7M4	WNW/167.5	-0.01	264
87	PINC	Pipeline Hit	1512 LAPERRIERE AVENUE,,OTTAWA, ON,K1Z 7S9,CA ON	S/173.4	0.00	265
88	GEN	FIRST CELLULAR	1566 CARLING AVENUE OTTAWA ON K1Z 7N4	WNW/174.5	0.00	265
89	GEN	264482 Ontario Limited	1568 Carling Avenue Ottawa ON K1Z 7M4	WNW/177.0	0.00	265
90	BORE		ON	NNE/177.7	-1.00	266

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
91	GEN	BUDGET CAR AND TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AVENUE OTTAWA ON K1Z 7T1	SW/181.7	-0.99	266
91	GEN	BUDGET CAR AND TRUCK RENTALS OF OTTAWA	1551 Laperriere Ave. Ottawa ON K1Z 7T1	SW/181.7	-0.99	267
91	GEN	BUDGET CAR INC	1551 Laperriere Ave. Ottawa ON K1Z 7T1	SW/181.7	-0.99	267
91	FSTH	BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA ON K1Z 7T1	SW/181.7	-0.99	267
91	FSTH	BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA ON K1Z 7T1	SW/181.7	-0.99	268
91	DTNK	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA ON	SW/181.7	-0.99	268
91	DTNK	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA ON	SW/181.7	-0.99	269
91	DTNK	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA ON	SW/181.7	-0.99	269
91	GEN	BUDGET CAR INC	1551 Laperriere Ave. Ottawa ON K1Z 7T1	SW/181.7	-0.99	270
91	GEN	BUDGET CAR INC	1551 Laperriere Ave. Ottawa ON K1Z 7T1	SW/181.7	-0.99	270
91	DTNK	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	SW/181.7	-0.99	271
91	DTNK	TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	SW/181.7	-0.99	271
92	GEN	M.D. BARR CARTAGE CO. LTD.	920 MCBRIDE STREET OTTAWA ON K1Z 5K1	S/187.5	0.00	271

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
92	GEN	M.D. BARR CARTAGE COMPANY LIMITED	920 MCBRIDE STREET OTTAWA ON K1Z 5K1	S/187.5	0.00	271
93	WWIS		ON Well ID: 1508069	W/192.5	0.01	272
94	BORE		ON	W/192.5	0.01	274
95	BORE		ON	NNE/192.9	-1.00	275
96	SPL	Sukhwinder Singh<UNOFFICIAL>	1532 LaPerriere Ottawa ON K1Z 7T2	SSW/193.9	-0.01	277
96	HINC		1532 LAPIERRIER AVENUE OTTAWA ON	SSW/193.9	-0.01	278
97	SPL		1539 Carling Ave. PARKING LOT<UNOFFICIAL> Ottawa ON	NNW/195.7	0.00	278
98	CA	BCIMC Realty Corporation	1525, 1545, 1565 Carling Avenue Ottawa ON	NW/196.1	0.01	278
99	CA	CAMPBELL FORD SALES LIMITED	1500 CARLING AVENUE OTTAWA CITY ON	NE/197.5	-1.00	279
99	PRT	CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON	NE/197.5	-1.00	279
99	PRT	CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON	NE/197.5	-1.00	279
99	FSTH	CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON K1Z 0A3	NE/197.5	-1.00	279
99	FSTH	CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON K1Z 0A3	NE/197.5	-1.00	280

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
99	DTNK	CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON	NE/197.5	-1.00	280
99	EASR	CAMPBELL FORD SALES LTD	1500 CARLING AVENUE OTTAWA ON K1Y 4K6	NE/197.5	-1.00	281
99	FST	CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA K1Z 4K6 ON CA ON	NE/197.5	-1.00	281
99	EBR	Campbell Ford Sales Ltd.	1500 Carling Avenue Ottawa K1Y 4K6 CITY OF OTTAWA ON	NE/197.5	-1.00	281
99	ECA	Campbell Ford Sales Ltd.	1500 Carling Ave Ottawa ON K1Y 4K6	NE/197.5	-1.00	282
99	GEN	Campbell Ford	1500 Carling Avenue Ottawa - Ottawa - Ottawa ON K1Z 0A3	NE/197.5	-1.00	282
100	PRT	TAGGART SERVICE LTD	885 CHURCHILL AV OTTAWA ON K1Z 5H1	SW/203.8	-1.00	282
100	PRT	BUDGET CAR & TRUCK RENTALS OF OTTAWA	885 CHURCHILL AV OTTAWA ON K1Z 5H1	SW/203.8	-1.00	283
100	GEN	TAGGART SERVICE LIMITED	885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	SW/203.8	-1.00	283
100	GEN	TAGGART SERVICE LIMITED 37-163	885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	SW/203.8	-1.00	283
100	GEN	TAGGART SERVICE LIMITED	885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	SW/203.8	-1.00	283
100	GEN	DAVES PART-MART INC.	895 CHURCHILL AVE. S. OTTAWA ON K1Z 5H1	SW/203.8	-1.00	284

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
100	GEN	DAVES PART-MART INC. 12-326	895 CHURCHILL AVE. S. OTTAWA ON K1Z 5H1	SW/203.8	-1.00	284
100	GEN	DAVES PART-MART INC(OUT OF BUSINESS)	895 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	SW/203.8	-1.00	284
100	GEN	DAVES PART-MART INC(OUT OF BUSINESS)	895 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	SW/203.8	-1.00	285
100	EHS		895 Churchill Avenue South Ottawa ON K1Z 5H1	SW/203.8	-1.00	285
100	CA	Otto's Service Centre Limited	885 Churchill Ave S Ottawa ON	SW/203.8	-1.00	285
101	WWIS		924 MCBRIDE ST lot K con A Ottawa ON <i>Well ID: 7318401</i>	S/205.1	0.69	285
102	EHS		Churchill Ave North And Carling Ave Ottawa ON	W/209.9	0.03	288
103	PRT	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON K1Z 5J9	S/211.0	0.68	288
103	EBR	M. D. Barr Cartage Co. Ltd.	925 McBride Street Ottawa Ontario K1Z 5J9 CITY OF OTTAWA ON	S/211.0	0.68	289
103	GEN	M.D. BARR CARTAGE CO. LIMITED	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	S/211.0	0.68	289
103	GEN	M.D. BARR CARTAGE CO. LIMITED	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	S/211.0	0.68	289
103	GEN	M.D. BARR CARTAGE CO. LIMITED 25-377	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	S/211.0	0.68	290
103	GEN	M.D. BARR (OUT OF BUS)	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	S/211.0	0.68	290

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
103	CA	1427077 Ontario Ltd.	925 McBride Ave. Ottawa ON K1Z 5J9	S/211.0	0.68	290
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON	S/211.0	0.68	291
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON	S/211.0	0.68	291
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON	S/211.0	0.68	292
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	292
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	292
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	293
103	DTNK	MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	293
103	ECA	1427077 Ontario Ltd.	925 McBride Ave. Ottawa ON K1Z 5J9	S/211.0	0.68	293
103	FST	MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	293
103	FST	MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	294
103	FST	MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	S/211.0	0.68	294
103	FST	MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA	S/211.0	0.68	295

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			ON			
104	BORE		ON	NE/212.6	-1.00	295
105	ECA	Otto's Service Centre Limited	885 Churchill Ave S Ottawa ON K1Z 6W7	SW/213.2	0.07	297
106	WWIS		ON <i>Well ID:</i> 1507972	NNW/213.2	0.14	297
106	WWIS		ON <i>Well ID:</i> 1507994	NNW/213.2	0.14	300
107	BORE		ON	NNW/213.4	0.14	303
108	SCT	THOMAS K. WEBSTER (1980) LTD.	924 MCBRIDE ST OTTAWA ON K1Z 5K1	S/214.5	0.00	304
108	EHS		924 McBride Street Ottawa ON K1Z 5K1	S/214.5	0.00	305
109	GEN	OTTAWA, CITY OF 29-595	BLDGS & EQUIP. BR., 1505 CARLING AVE. C/O 111 SUSSEX DRIVE OTTAWA ON K1Z 7L9	N/215.3	0.00	305
109	GEN	OTTAWA, CORPORATION OF THE CITY OF	BUILDINGS AND EQUIPMENT BRANCH 1505 CARLING AVENUE OTTAWA ON K1Z 7L9	N/215.3	0.00	305
109	SCT	Westboro Photonics Inc.	1505 Carling Ave Suite 301 Ottawa ON K1Z 7L9	N/215.3	0.00	305
109	SCT	Lumetrix Corp.	1505 Carling Ave Suite 301 Ottawa ON K1Z 7L9	N/215.3	0.00	306
110	GEN	Tetra Pak Canada Inc.	846 Churchill Ave. N Ottawa ON K1Z 5G8	WSW/215.7	0.03	306

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	WSW/215.7	0.03	306
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	WSW/215.7	0.03	306
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	WSW/215.7	0.03	307
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	WSW/215.7	0.03	307
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	WSW/215.7	0.03	307
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	WSW/215.7	0.03	308
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	WSW/215.7	0.03	308
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	WSW/215.7	0.03	308
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	WSW/215.7	0.03	309
110	GEN	Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	WSW/215.7	0.03	309
111	BORE		ON	SW/217.5	0.08	309
112	WWIS		ON Well ID: 1508037	SW/217.6	0.08	311
113	WWIS		1599 CARLING AVE Ottawa ON	WNW/219.6	1.00	314

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7239655			
114	WWIS		1599 CARLING AVE ON <i>Well ID:</i> 7239611	WNW/223.4	1.00	316
115	WWIS		1599 CARLING AVE. Ottawa ON <i>Well ID:</i> 7225572	W/226.2	0.03	318
116	EHS		884 Churchill Avenue South Ottawa ON K1Z 5H2	SW/226.3	-0.96	321
117	WWIS		1599 CARLING AVE Ottawa ON <i>Well ID:</i> 7239795	WNW/227.9	1.00	321
118	GEN	DOUGLAS J CARDINAL ARCHITECT LTD.	1525 CARLING AVE. SUITE 400 OTTAWA ON K1Z 8R9	NNW/228.2	0.13	323
118	GEN	3M Canada Company	1525 Carling Avenue Suite 100 Ottawa ON K1Z 8R9	NNW/228.2	0.13	323
118	SCT	Cdn Ophthalmological Society	1525 Carling Ave Suite 610 Ottawa ON K1Z 8R9	NNW/228.2	0.13	324
118	GEN	3M Canada Company	1525 Carling Avenue Suite 100 Ottawa ON K1Z 8R9	NNW/228.2	0.13	324
118	GEN	Dr. Peter Brownrigg	608-1525 Carling Avenue Ottawa ON K1Z 8R9	NNW/228.2	0.13	324
118	GEN	Dr. Peter Brownrigg Medicine Corporation	608-1525 Carling Avenue Ottawa ON K1Z 8R9	NNW/228.2	0.13	324
118	NPRI	BENTALL REAL ESTATE SERVICES	1525 Carling Avenue Ottawa ON K1Z8R9	NNW/228.2	0.13	325
118	GEN	Dr. Peter Brownrigg Medicine Corporation	608-1525 Carling Avenue Ottawa ON	NNW/228.2	0.13	326
118	EHS		1525 Carling Ave Ottawa ON K1Z8R9	NNW/228.2	0.13	326

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
118	GEN	Dr. Peter Brownrigg Medicine Professional Corporati	608-1525 Carling Avenue Ottawa ON K1Z8R9	NNW/228.2	0.13	326
118	GEN	Dr. Peter Brownrigg Medicine Professional Corporati	608-1525 Carling Avenue Ottawa ON K1Z8R9	NNW/228.2	0.13	326
118	GEN	Dr. Peter Brownrigg Dr. Peter Brownrigg	608-1525 Carling Avenue Ottawa ON K1Z8R9	NNW/228.2	0.13	327
118	GEN	Dr. Peter Brownrigg Dr. Peter Brownrigg	608-1525 Carling Avenue Ottawa ON K1Z8R9	NNW/228.2	0.13	327
119	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239606	WNW/229.8	1.00	327
120	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239797	WNW/230.4	1.00	329
120	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239798	WNW/230.4	1.00	331
120	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239603	WNW/230.4	1.00	333
120	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239628	WNW/230.4	1.00	336
121	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239607	WNW/230.7	1.00	338
122	WWIS		1599 CARLING AVE OTTAWA ON Well ID: 7180990	WNW/230.7	1.00	340
123	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7239604	WNW/230.9	1.00	343
123	WWIS		1599 CARLING AVE Ottawa ON	WNW/230.9	1.00	345

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7239605			
124	WWIS		ON	SW/231.4	-0.02	347
			Well ID: 7263433			
125	WWIS		1599 CARLING AVE. Ottawa ON	WNW/233.1	1.00	348
			Well ID: 7225495			
126	WWIS		1599 CARLING AVE Ottawa ON	WNW/234.7	1.00	351
			Well ID: 7239796			
127	WWIS		1599 CARLING AVE. OTTAWA ON	WNW/234.9	1.00	353
			Well ID: 7243551			
128	CA	Carling Motors	1622 Carling Avenue Ottawa ON K2A 1C5	W/235.2	0.04	356
128	ECA	Gormark Holdings Limited	1622 Carling Avenue Ottawa ON K2A 1C5	W/235.2	0.04	356
129	EHS		846 Churchill Ave N Ottawa ON K1Z 5G8	WSW/235.9	0.03	356
129	EHS		846 Churchill Ave N Ottawa ON K1Z 5G8	WSW/235.9	0.03	357
130	WWIS		ON	N/236.1	0.00	357
			Well ID: 1507966			
130	WWIS		ON	N/236.1	0.00	359
			Well ID: 1507967			
131	BORE		ON	N/236.2	0.00	363
132	SCT	LANCASTER DATAMARK	1565 CARLING AVE SUITE 506 OTTAWA ON K1Z 8R1	NW/236.7	0.97	364
132	GEN	BADISCHE CANADA LTD.	1565 CARLING AVE. OTTAWA ON K1Z 8R1	NW/236.7	0.97	365

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
132	SCT	Databeacon Inc.	1565 Carling Ave. Suite 300 Ottawa ON K1Z 8R1	NW/236.7	0.97	365
132	SCT	ByteQuest Technologies Inc.	1565 Carling Ave Suite 502 Ottawa ON K1Z 8R1	NW/236.7	0.97	365
132	SCT	Databeacon Inc.	1565 Carling Ave Suite 300 Ottawa ON K1Z 8R1	NW/236.7	0.97	365
132	SCT	Canadian Public Health Assoc	1565 Carling Ave Suite 300 Ottawa ON K1Z 8R1	NW/236.7	0.97	366
132	GEN	The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	NW/236.7	0.97	366
132	GEN	Dr.David Edmison	1565 Carling Ave Ottawa ON	NW/236.7	0.97	366
132	GEN	The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	NW/236.7	0.97	366
132	GEN	The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	NW/236.7	0.97	367
132	NPRI	BENTALL REAL ESTATE SERVICES	1565 Carling Avenue Ottawa ON K1Z8R9	NW/236.7	0.97	367
132	GEN	The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON	NW/236.7	0.97	368
132	ECA	BCIMC Realty Corporation	1525, 1545, 1565 Carling Avenue Ottawa ON M5J 2H7	NW/236.7	0.97	368
132	GEN	Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	NW/236.7	0.97	369
132	GEN	BENTALL KENNEDY	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	NW/236.7	0.97	369

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
132	GEN	BENTALL KENNEDY	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	NW/236.7	0.97	369
132	GEN	BENTALL KENNEDY	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	NW/236.7	0.97	370
132	GEN	QuadReal Property Group LP	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	NW/236.7	0.97	370
132	GEN	Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	NW/236.7	0.97	371
132	GEN	Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	NW/236.7	0.97	371
132	GEN	Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	NW/236.7	0.97	372
133	EHS		1534 Laperriere Ave Ottawa ON K1Z 7T2	S/237.6	0.99	372
134	SCT	Tile Center	834 Churchill Ave N Ottawa ON K1Z 5G8	W/237.7	0.04	372
135	BORE		ON	W/238.1	0.04	372
136	WWIS		ON Well ID: 1508039	W/238.1	0.04	374
137	WWIS		1599 CORLINS AVE Ottawa ON Well ID: 7233791	WNW/239.1	1.00	376
137	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7233802	WNW/239.1	1.00	378
138	SPL	ESSO PETROLEUM CANADA	890 CHURCHILL AVENUE SOUTH STORAGE TANK OTTAWA CITY ON K1Z 5H2	SW/239.4	-0.09	380

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
138	CA	D & R Parker Holdings Ltd.	900 Churchill Avenue South Ottawa ON K1Z 5H2	SW/239.4	-0.09	380
138	ECA	D & R Parker Holdings Ltd.	900 Churchill Avenue South Ottawa ON K1Z 5H2	SW/239.4	-0.09	380
138	GEN	AECON UTILITIES INC.	890 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	SW/239.4	-0.09	381
139	WWIS		ON <i>Well ID: 7166658</i>	WNW/239.6	1.00	381
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	382
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	382
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	382
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	383
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	383
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON	NNE/239.8	-1.00	383
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	384
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	384
140	GEN	City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	384

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
140	GEN	City Of Ottawa Fire Services	1443 Carling Avenue Ottawa ON K1Z 7L9	NNE/239.8	-1.00	385
141	WWIS		1599 CARLING AVE. Ottawa ON <i>Well ID: 7225569</i>	WNW/239.8	1.00	385
142	GEN	Petro-Canada	1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/239.9	0.98	388
142	GEN	petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	WNW/239.9	0.98	389
142	CA	The Canadian Blood Services	1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/239.9	0.98	389
142	GEN	Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/239.9	0.98	389
142	GEN	petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	WNW/239.9	0.98	390
142	GEN	petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	WNW/239.9	0.98	390
142	GEN	Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/239.9	0.98	390
142	GEN	petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	WNW/239.9	0.98	390
142	GEN	Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/239.9	0.98	391
142	GEN	Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/239.9	0.98	391
142	GEN	petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	WNW/239.9	0.98	391

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
142	GEN	petro canada	1575 Carling Ave Ottawa ON	WNW/239.9	0.98	392
142	ECA	The Canadian Blood Services	1575 Carling Avenue Ottawa ON K1G 4J5	WNW/239.9	0.98	392
142	GEN	petro canada	1575 Carling Ave Ottawa ON N4W1L3	WNW/239.9	0.98	392
142	GEN	petro canada	1575 Carling Ave Ottawa ON N4W1L3	WNW/239.9	0.98	393
142	GEN	petro canada	1575 Carling Ave Ottawa ON N4W1L3	WNW/239.9	0.98	393
142	GEN	petro canada	1575 Carling Ave Ottawa ON N4W1L3	WNW/239.9	0.98	393
142	GEN	Suncor Energy Products Partnership	1575 Carling Ave Ottawa ON N4W1L3	WNW/239.9	0.98	394
142	GEN	Suncor Energy Products Partnership	1575 Carling Ave Ottawa ON N4W1L3	WNW/239.9	0.98	394
143	EHS		884 Churchill Ave S Ottawa ON K1Z5H2	SW/241.2	-0.96	394
144	SCT	ALEXANDER METAL PRODUCTS LTD	1550 LAPERRIERE AVE OTTAWA ON K1Z 7T2	SSW/241.8	0.97	394
144	SCT	BRECK-MAR SALES & SERVICE LTD	1550 LAPERRIERE AVE OTTAWA ON K1Z 7T2	SSW/241.8	0.97	395
144	SCT	ALEXANDER METAL PRODUCTS 1965	1550 Laperriere Ave Ottawa ON K1Z 7T2	SSW/241.8	0.97	395
144	SCT	Alexander Metal Products (1965) Limited	1550 Laperriere Ave Ottawa ON K1Z 7T2	SSW/241.8	0.97	395

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
144	GEN	NATIONAL ROOFING INC.	1550 LAPERRIERE AVE. OTTAWA ON K1Z 7T2	SSW/241.8	0.97	396
144	GEN	NATIONAL ROOFING INC. 28-480	1550 LAPERRIERE AVE. OTTAWA ON K1Z 7T2	SSW/241.8	0.97	396
144	GEN	ALEXANDER METAL PRODUCTS LTD.	1550 LAPERRIERE AVENUE OTTAWA ON K1Z 7T2	SSW/241.8	0.97	396
144	GEN	tiree systems	1550 laperriere ottawa ON K1Z 7T2	SSW/241.8	0.97	396
144	EHS		1534-1550 Laperriere Avenue Ottawa ON K1Z 7T2	SSW/241.8	0.97	397
144	EHS		1550 Laperriere Avenue Ottawa ON K1Z 7T2	SSW/241.8	0.97	397
144	SCT	Anixter Canada Inc.	1550 Laperriere Ave Ottawa ON K1Z 7T2	SSW/241.8	0.97	397
145	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7233796	WNW/241.8	1.00	397
146	WWIS		1599 CARLING AVE Ottawa ON Well ID: 7233794	WNW/241.8	1.00	399
147	WWIS		1599 CARLING AVE. OTTAWA ON Well ID: 7243550	WNW/242.2	1.00	401
148	WWIS		1599 CARLING AVE. Ottawa ON Well ID: 7225496	WNW/243.2	1.00	404
149	WWIS		1599 CARLING AVE. Ottawa ON Well ID: 7225573	WNW/244.0	1.00	407
150	WWIS		861 CLYDE AVE. Ottawa ON	WSW/244.2	-0.07	410

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7119479			
151	GEN	AGUDATH ISRAEL CONGREGATION	1400 COLDREY AVENUE OTTAWA ON K1Z 7P9	E/244.3	0.00	430
151	EHS		1400 Coldrey Ottawa ON K1Z 7P9	E/244.3	0.00	430
152	EHS		1575 Carling Avenue Ottawa ON K1Z 7M3	WNW/246.0	0.98	430
153	WWIS		1599 CARLING AVE. OTTAWA ON Well ID: 7243547	WNW/246.4	1.00	430
154	WWIS		1599 CARLING AVE. Ottawa ON Well ID: 7225498	WNW/247.3	1.00	433
155	WWIS		1599 CARLING AVE. Ottawa ON Well ID: 7225568	WNW/247.8	1.00	436
156	WWIS		1599 CARLING AVE. Ottawa ON Well ID: 7225563	WNW/248.1	1.00	439
157	WWIS		lot 31 con 1 ON Well ID: 1503968	N/248.3	0.00	442
158	WWIS		1599 CARLING AVE. Ottawa ON Well ID: 7225562	WNW/248.7	1.00	444

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 20 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	39.5	<u>15</u>
	ON	74.2	<u>28</u>
	ON	80.9	<u>33</u>
	ON	83.1	<u>36</u>
	ON	88.8	<u>40</u>
	ON	91.5	<u>41</u>
	ON	99.4	<u>48</u>
	ON	121.3	<u>60</u>
	ON	129.9	<u>64</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	134.5	<u>67</u>
	ON	140.2	<u>73</u>
	ON	161.0	<u>84</u>
	ON	177.7	<u>90</u>
	ON	192.5	<u>94</u>
	ON	192.9	<u>95</u>
	ON	212.6	<u>104</u>
	ON	213.4	<u>107</u>
	ON	217.5	<u>111</u>
	ON	236.2	<u>131</u>
	ON	238.1	<u>135</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 10 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1550 Carling Avenue Ottawa ON K1Z 8S8	49.5	<u>17</u>
CAPITAL DODGE-CHRYSLER LTD.	1554 CARLING AVENUE OTTAWA CITY ON K1Z 7M4	128.7	<u>63</u>
Oxford Properties Group Inc.	1600 Carling Avenue Ottawa ON	158.5	<u>83</u>
BCIMC Realty Corporation	1525, 1545, 1565 Carling Avenue Ottawa ON	196.1	<u>98</u>
CAMPBELL FORD SALES LIMITED	1500 CARLING AVENUE OTTAWA CITY ON	197.5	<u>99</u>
Otto's Service Centre Limited	885 Churchill Ave S Ottawa ON	203.8	<u>100</u>
1427077 Ontario Ltd.	925 McBride Ave. Ottawa ON K1Z 5J9	211.0	<u>103</u>
Carling Motors	1622 Carling Avenue Ottawa ON K2A 1C5	235.2	<u>128</u>
D & R Parker Holdings Ltd.	900 Churchill Avenue South Ottawa ON K1Z 5H2	239.4	<u>138</u>
The Canadian Blood Services	1575 Carling Avenue Ottawa ON K1Z 7M3	239.9	<u>142</u>

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated May 31, 2021 has found that there are 13 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA ON	181.7	<u>91</u>
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA ON	181.7	<u>91</u>
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA ON	181.7	<u>91</u>
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	181.7	<u>91</u>
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	181.7	<u>91</u>
CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON	197.5	<u>99</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	211.0	<u>103</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON	211.0	<u>103</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON	211.0	<u>103</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	211.0	<u>103</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	211.0	<u>103</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	211.0	103
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON	211.0	103

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Sep 30, 2021 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CARLING/QUEENSWAY STORAGE CORPORATION	1554 CARLING AVE OTTAWA ON K1Z 1G3	128.7	63
CAMPBELL FORD SALES LTD	1500 CARLING AVENUE OTTAWA ON K1Y 4K6	197.5	99

EBR - Environmental Registry

A search of the EBR database, dated 1994- Sep 30, 2021 has found that there are 5 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
JLR Developments Ltd.	864 Lady Ellen Place Ottawa, ON K1Z 5M2 Canada ON	0.0	7
Capital Dodge-Chrysler Ltd.	1554 CARLING AVENUE, OTTAWA CITY CITY OF OTTAWA ON	128.7	63
Oxford Properties Group Inc.	1600 Carling Avenue Ottawa Ontario K1Z 8R7 Ottawa ON	158.5	83
Campbell Ford Sales Ltd.	1500 Carling Avenue Ottawa K1Y 4K6 CITY OF OTTAWA ON	197.5	99

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
M. D. Barr Cartage Co. Ltd.	925 McBride Street Ottawa Ontario K1Z 5J9 CITY OF OTTAWA ON	211.0	103

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Sep 30, 2021 has found that there are 12 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
JLR Developments Ltd.	864 Lady Ellen Pl Ottawa ON K1Z 5M2	0.0	6
Nortel Networks Corporation	1550 Carling Avenue Ottawa ON K2E 1B3	50.5	18
City of Ottawa	Churchill Ave Churchill Avenue between Carling Avenue and Highway 417 Ottawa ON K1P 1J1	87.8	38
Carling/Queensway Self Storage Corporation	1554 Carling Ave Ottawa ON K1H 8K3	128.7	63
Oxford Properties Group Inc.	1600 Carling Avenue Ottawa ON M5H 3P5	158.5	83
Campbell Ford Sales Ltd.	1500 Carling Ave Ottawa ON K1Y 4K6	197.5	99
1427077 Ontario Ltd.	925 McBride Ave. Ottawa ON K1Z 5J9	211.0	103
Otto's Service Centre Limited	885 Churchill Ave S Ottawa ON K1Z 6W7	213.2	105

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Gormark Holdings Limited	1622 Carling Avenue Ottawa ON K2A 1C5	235.2	<u>128</u>
BCIMC Realty Corporation	1525, 1545, 1565 Carling Avenue Ottawa ON M5J 2H7	236.7	<u>132</u>
D & R Parker Holdings Ltd.	900 Churchill Avenue South Ottawa ON K1Z 5H2	239.4	<u>138</u>
The Canadian Blood Services	1575 Carling Avenue Ottawa ON K1G 4J5	239.9	<u>142</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jun 30, 2021 has found that there are 54 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	864 Lady Ellen Place Ottawa ON K1Z 5M2	0.0	<u>1</u>
	864 Lady Ellen Pl Ottawa ON K1Z 5M2	0.0	<u>7</u>
	Lady Ellen Place Ottawa ON	16.2	<u>9</u>
	880 Lady Ellen Place Ottawa ON K1Z 5L9	17.2	<u>10</u>
	880 Lady Ellen Place Ottawa ON K1Z 5L9	17.2	<u>10</u>
	881 Lady Ellen Place Ottawa ON K1Z 5L3	19.5	<u>11</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	881 Lady Ellen Place Ottawa ON K1Z 5L3	19.5	<u>11</u>
	1550 Carling Ave Ottawa ON K1Z 8S8	49.5	<u>17</u>
	1550 Carling Ave Ottawa ON K1Z 8S8	50.9	<u>19</u>
	1550 Carling Ave Ottawa ON K1Z 8S8	50.9	<u>19</u>
	1550 Carling Ave Ottawa ON K1Z 8S8	50.9	<u>19</u>
	1550 Carling Ave Ottawa ON K1Z 8S8	50.9	<u>19</u>
	1523 Laperriere Ave Ottawa ON K1Z7T1	78.0	<u>30</u>
	900 Lady Ellen Place Ottawa ON K1Z 5L5	88.4	<u>39</u>
	1550 Carling Avenue & 1451 Coldrey Avenue Ottawa ON	93.8	<u>43</u>
	1479 Laperriere Ave Ottawa ON K1Z7S8	94.6	<u>44</u>
	1479 Laperriere Avenue Ottawa ON K1Z 7S8	94.6	<u>45</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1485 Laperriere Avenue Ottawa ON K1Z 7S8	100.2	<u>49</u>
	1505 Laperriere Avenue Ottawa ON K1Z 7T1	104.5	<u>50</u>
	1505 Laperriere Avenue Ottawa ON K1Z 7T1	104.5	<u>50</u>
	1568 Carling Ave Ottawa ON K1Z7M4	107.4	<u>52</u>
	n/a Ottawa ON	111.9	<u>54</u>
	904 Lady Ellen Place Ottawa ON K1Z 5L5	118.3	<u>58</u>
	1554 Carling Avenue Ottawa ON K1Z 7M4	123.0	<u>61</u>
	1554 Carling Avenue Ottawa ON K1Z 7M4	123.0	<u>61</u>
	1554 Carling Avenue Ottawa ON K1Z 7M4	123.0	<u>61</u>
	1554 Carling Avenue Ottawa ON K1Z 7M4	128.7	<u>63</u>
	1554 Carling Avenue Ottawa ON K1Z	128.7	<u>63</u>
	1554 Carling Avenue Ottawa ON K1Z 7M4	128.7	<u>63</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1554 Carling Avenue Ottawa ON K1Z 7M4	128.7	<u>63</u>
	1600 Carling Avenue Ottawa ON K1Y 1B2	132.6	<u>66</u>
	1600 Carling Avenue Ottawa ON K1Y 1B2	132.6	<u>66</u>
	1600 Carling Avenue Ottawa ON K1Y 1B2	132.6	<u>66</u>
	1600 Carling Avenue Ottawa ON K1Y 1B2	132.6	<u>66</u>
	1600 Carling Avenue Ottawa ON K1Y 1B2	132.6	<u>66</u>
	1551 Laperriere Ave Ottawa ON K1Z 7T1	140.8	<u>75</u>
	1474 Coldrey Ave Ottawa ON K1Z7P9	150.5	<u>79</u>
	1422 Coldrey Avenue Ottawa ON K1Z 7P9	154.3	<u>80</u>
	1600 Carling Avenue Ottawa ON K1Y 1B2	158.5	<u>83</u>
	1600 Carling Avenue Ottawa ON K1Z 1G3	158.5	<u>83</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1600 Carling Avenue Ottawa ON	158.5	<u>83</u>
	895 Churchill Avenue South Ottawa ON K1Z 5H1	203.8	<u>100</u>
	Churchill Ave North And Carling Ave Ottawa ON	209.9	<u>102</u>
	924 McBride Street Ottawa ON K1Z 5K1	214.5	<u>108</u>
	884 Churchill Avenue South Ottawa ON K1Z 5H2	226.3	<u>116</u>
	1525 Carling Ave Ottawa ON K1Z8R9	228.2	<u>118</u>
	846 Churchill Ave N Ottawa ON K1Z 5G8	235.9	<u>129</u>
	846 Churchill Ave N Ottawa ON K1Z 5G8	235.9	<u>129</u>
	1534 Laperriere Ave Ottawa ON K1Z 7T2	237.6	<u>133</u>
	884 Churchill Ave S Ottawa ON K1Z5H2	241.2	<u>143</u>
	1534-1550 Laperriere Avenue Ottawa ON K1Z 7T2	241.8	<u>144</u>
	1550 Laperriere Avenue Ottawa ON K1Z 7T2	241.8	<u>144</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1400 Coldrey Ottawa ON K1Z 7P9	244.3	151
	1575 Carling Avenue Ottawa ON K1Z 7M3	246.0	152

FST - Fuel Storage Tank

A search of the FST database, dated May 31, 2021 has found that there are 9 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	140.8	75
BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	140.8	75
BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	140.8	75
TAGGART SERVICE LTD	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	140.8	75
CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA K1Z 4K6 ON CA ON	197.5	99
MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	211.0	103
MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	211.0	103

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	211.0	103
MD BARR CARTAGE CO LTD	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	211.0	103

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 4 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA ON K1Z 7T1	181.7	91
BUDGET CAR & TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AV OTTAWA ON K1Z 7T1	181.7	91
CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON K1Z 0A3	197.5	99
CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON K1Z 0A3	197.5	99

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Aug 31, 2021 has found that there are 184 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GOLDER ASSOCIATES INC.	864 LADY ELLEN PLACE OTTAWA ON	0.0	7
CANSO PRINTING SERVICES LTD.	881 LADY ELLEN PLACE, SUITE 101 OTTAWA ON K1Z 5L3	19.5	11

Site	Address	Distance (m)	Map Key
CANSO (OUT OF BUS)	881 LADY ELLEN PLACE, SUITE 101 OTTAWA ON K1Z 5L3	19.5	<u>11</u>
H.A.R. ELEVATOR SERVICES INC.	1550 CARLING AVENUE OTTAWA ON K1Z 8S8	49.5	<u>17</u>
Podium Machine Works Inc.	888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	55.6	<u>20</u>
Podium Machine Works Inc.	888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	55.6	<u>20</u>
Podium Machine Works Inc.	888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	55.6	<u>20</u>
DOLLCO (OUT OF BUS)	889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	61.4	<u>21</u>
SNEYD REPRO GRAPHICS	889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	61.4	<u>21</u>
DOLLCO DIGITAL PRINT LTD.	889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	61.4	<u>21</u>
THOMAS SUPPLY AND EQUIPMENT CORP.	1451 COLDREY AVE. P.O. BOX 8826 OTTAWA ON K1A 0S5	63.6	<u>22</u>
REVLON CANADA INC.	1451 COLDREY AVE. OTTAWA ON K1A 0S5	63.6	<u>22</u>
TREVOR MAKARA	271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	63.6	<u>22</u>
MAKARA OUT OF BUSINESS	271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	63.6	<u>22</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAKARA OUT OF BUSINESS 38-533	271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	63.6	<u>22</u>
Public Works and Government Services Canada	1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	63.6	<u>22</u>
Public Works and Government Services Canada	1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	63.6	<u>22</u>
Public Works and Government Services Canada	1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	63.6	<u>22</u>
264482 Ontario Limited	1568 Carling Avenue Ottawa ON K1Z 7M4	72.1	<u>26</u>
Metcalfe Realty Company Limited	1523 Laperriere Avenue Ottawa ON K1Z 7T1	78.0	<u>31</u>
GAL POWER SYSTEMS INC.	1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	94.6	<u>45</u>
GAL POWER (OUT OF BUSINESS) 18- 356	1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	94.6	<u>45</u>
3972780 Canada Inc.	1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	94.6	<u>45</u>
3972780 Canada Inc.	1479 Laperriere Ave Ottawa ON K1Z 7S8	94.6	<u>45</u>
3972780 Canada Inc.	1479 Laperriere Ave Ottawa ON K1Z 7S8	94.6	<u>45</u>

Site	Address	Distance (m)	Map Key
3972780 Canada Inc.	1479 Laperriere Ave Ottawa ON K1Z 7S8	94.6	45
CARRIER CANADA LTD.	CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	99.3	47
CARRIER (OUT OF BUS) 09-363	CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	99.3	47
CARRIER CANADA LTD. 09-363	CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	99.3	47
CARRIER CANADA (OUT OF BUSINESS)	CENTRAL REGION 1463 COLDREY AVENUE OTTAWA-CARLETON ON K1Z 7P8	99.3	47
CANSO PRINTING SERVICES INC.	1463 COLDREY AVENUE OTTAWA ON K1Z 7P8	99.3	47
CANSO (OUT OF BUSINESS) INC.	1463 COLDREY AVENUE OTTAWA ON K1Z 7P8	99.3	47
GVT. OF CAN. - MUSEUMS CANADA	BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	104.5	50
GVT. OF CAN. - MUSEUMS CANADA 18-220	BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	104.5	50
NATIONAL MUSEUMS OF CAN(OUT OF BUSINESS)	BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	104.5	50
Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	104.5	50
1505 Laperriere Avenue Corporation	1505 Laperriere Ave Ottawa ON K1Z 7T1	104.5	50

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	104.5	<u>50</u>
Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	104.5	<u>50</u>
Saint Elizabeth Health Care	1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	104.5	<u>50</u>
264482 Ontario Limited	1568 Carling Avenue Ottawa ON K1Z 7M4	107.4	<u>52</u>
264482 ONTARIO LIMITED	1574 CARLING AVENUE (VAIL'S BUILDING) C/O 1801 WOODWARD DRIVE OTTAWA ON K1Z 7M4	115.0	<u>56</u>
SPIC & SPAN-VALETOR-CASH CLEANERS	1574 CARLING AVENUE C/O 1764 WOODWARD DRIVE OTTAWA ON K1Z 7M4	115.0	<u>56</u>
SPIC & SPAN-VALETOR-CASH CLEANERS 35-136	1574 CARLING AVENUE C/O 1764 WOODWARD DRIVE OTTAWA ON K1Z 7M4	115.0	<u>56</u>
CARLING RICHMOND	1574 CARLING AVE. OTTAWA ON K1Z 7M4	115.0	<u>56</u>
POWER BIKES & BOARDS	1574 CARLING AVE. OTTAWA ON K1Z 7M4	115.0	<u>56</u>
264482 Ontario Ltd	1564-1574 Carling Avenue Ottawa ON K1Z 7M4	115.0	<u>56</u>
UNITED ASSOCIATION, LOCAL 71	904 LADY WLLLEN PLACE OTTAWA ON K1Z 5L5	118.3	<u>57</u>

Site	Address	Distance (m)	Map Key
1427077 Ontario Ltd D Barr Cartage	1519 Laperriere Avenue Ottawa ON K1Z 7T1	149.6	<u>77</u>
1427077 Ontario Ltd D Barr Cartage	1519 Laperriere Avenue Ottawa ON K1Z 7T1	149.6	<u>77</u>
GBA Inc.	1474 Coldrey Ave Ottawa ON K1Z 7S7	155.8	<u>81</u>
GBA Inc.	1474 Coldrey Ave Ottawa ON K1Z 7S7	155.8	<u>81</u>
METROTYPE GRAPHICS LTD.	833 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	158.5	<u>83</u>
BELL MOBILITY (OUT OF BUSINESS)	1600 CARLING AVENUE SUITE 515 OTTAWA ON K1Z 8R7	158.5	<u>83</u>
COREL CORPORATION	1600 CARLING AVENUE 1ST FLOOR PREPRESS DEPT. OTTAWA ON K1Z 8R7	158.5	<u>83</u>
COREL CORPORATION	1600 CARLING AVENUE 1ST FLOOR PREPRESS DEPARTMENT OTTAWA ON K1Z 8R7	158.5	<u>83</u>
Oxford Properties	1600 Carling Ave. Ottawa ON K1Z 1G3	158.5	<u>83</u>
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	<u>83</u>
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	<u>83</u>
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	<u>83</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	<u>83</u>
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	<u>83</u>
Manulife Financial	1600 Carling Ave Ottawa ON	158.5	<u>83</u>
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON	158.5	<u>83</u>
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	<u>83</u>
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	<u>83</u>
CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	158.5	<u>83</u>
CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	158.5	<u>83</u>
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	<u>83</u>
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	<u>83</u>
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	<u>83</u>

Site	Address	Distance (m)	Map Key
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	83
CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	158.5	83
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	83
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	83
CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	158.5	83
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	83
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	83
CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	158.5	83
Krisalix Enterprises Inc	1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	158.5	83
Manulife Financial	1600 Carling Ave Ottawa ON K1Z1B4	158.5	83
CyberDERM Laboratories Inc	650-1600 Carling Ave Ottawa ON K1Z1G3	158.5	83
SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	167.5	86

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	167.5	<u>86</u>
Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON	167.5	<u>86</u>
Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	167.5	<u>86</u>
Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	167.5	<u>86</u>
Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	167.5	<u>86</u>
Comotech, Controls, Motors, Technology Inc	1570 Carling Ave Ottawa ON K1Z 7M4	167.5	<u>86</u>
Thurber Engineering Ltd.	1572 Carling Ave. Ottawa ON K1Z7M4	167.5	<u>86</u>
SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	167.5	<u>86</u>
SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	167.5	<u>86</u>
SURGENOR NATIONAL LEASING	1572 CARLING AVE. OTTAWA ON K1Z 7M4	167.5	<u>86</u>
FIRST CELLULAR	1566 CARLING AVENUE OTTAWA ON K1Z 7N4	174.5	<u>88</u>

Site	Address	Distance (m)	Map Key
264482 Ontario Limited	1568 Carling Avenue Ottawa ON K1Z 7M4	177.0	<u>89</u>
BUDGET CAR AND TRUCK RENTALS OF OTTAWA	1551 LAPERRIERE AVENUE OTTAWA ON K1Z 7T1	181.7	<u>91</u>
BUDGET CAR AND TRUCK RENTALS OF OTTAWA	1551 Laperriere Ave. Ottawa ON K1Z 7T1	181.7	<u>91</u>
BUDGET CAR INC	1551 Laperriere Ave. Ottawa ON K1Z 7T1	181.7	<u>91</u>
BUDGET CAR INC	1551 Laperriere Ave. Ottawa ON K1Z 7T1	181.7	<u>91</u>
BUDGET CAR INC	1551 Laperriere Ave. Ottawa ON K1Z 7T1	181.7	<u>91</u>
M.D. BARR CARTAGE CO. LTD.	920 MCBRIDE STREET OTTAWA ON K1Z 5K1	187.5	<u>92</u>
M.D. BARR CARTAGE COMPANY LIMITED	920 MCBRIDE STREET OTTAWA ON K1Z 5K1	187.5	<u>92</u>
Campbell Ford	1500 Carling Avenue Ottawa - Ottawa - Ottawa ON K1Z 0A3	197.5	<u>99</u>
TAGGART SERVICE LIMITED	885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	203.8	<u>100</u>
TAGGART SERVICE LIMITED 37-163	885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	203.8	<u>100</u>
TAGGART SERVICE LIMITED	885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	203.8	<u>100</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DAVES PART-MART INC.	895 CHURCHILL AVE. S. OTTAWA ON K1Z 5H1	203.8	100
DAVES PART-MART INC. 12-326	895 CHURCHILL AVE. S. OTTAWA ON K1Z 5H1	203.8	100
DAVES PART-MART INC(OUT OF BUSINESS)	895 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	203.8	100
DAVES PART-MART INC(OUT OF BUSINESS)	895 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	203.8	100
M.D. BARR CARTAGE CO. LIMITED	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	211.0	103
M.D. BARR CARTAGE CO. LIMITED	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	211.0	103
M.D. BARR CARTAGE CO. LIMITED 25-377	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	211.0	103
M.D. BARR (OUT OF BUS)	925 MCBRIDE STREET OTTAWA ON K1Z 5J9	211.0	103
OTTAWA, CITY OF 29-595	BLDGS & EQUIP. BR., 1505 CARLING AVE. C/O 111 SUSSEX DRIVE OTTAWA ON K1Z 7L9	215.3	109
OTTAWA, CORPORATION OF THE CITY OF	BUILDINGS AND EQUIPMENT BRANCH 1505 CARLING AVENUE OTTAWA ON K1Z 7L9	215.3	109
Tetra Pak Canada Inc.	846 Churchill Ave. N Ottawa ON K1Z 5G8	215.7	110

Site	Address	Distance (m)	Map Key
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
Logoplaste Canada Inc	846 Churchill Ave North Ottawa ON K1Z 5G8	215.7	110
DOUGLAS J CARDINAL ARCHITECT LTD.	1525 CARLING AVE. SUITE 400 OTTAWA ON K1Z 8R9	228.2	118
3M Canada Company	1525 Carling Avenue Suite 100 Ottawa ON K1Z 8R9	228.2	118

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
3M Canada Company	1525 Carling Avenue Suite 100 Ottawa ON K1Z 8R9	228.2	118
Dr. Peter Brownrigg	608-1525 Carling Avenue Ottawa ON K1Z 8R9	228.2	118
Dr. Peter Brownrigg Medicine Corporation	608-1525 Carling Avenue Ottawa ON K1Z 8R9	228.2	118
Dr. Peter Brownrigg Medicine Corporation	608-1525 Carling Avenue Ottawa ON	228.2	118
Dr. Peter Brownrigg Medicine Professional Corporati	608-1525 Carling Avenue Ottawa ON K1Z8R9	228.2	118
Dr. Peter Brownrigg Medicine Professional Corporati	608-1525 Carling Avenue Ottawa ON K1Z8R9	228.2	118
Dr. Peter Brownrigg Dr. Peter Brownrigg	608-1525 Carling Avenue Ottawa ON K1Z8R9	228.2	118
Dr. Peter Brownrigg Dr. Peter Brownrigg	608-1525 Carling Avenue Ottawa ON K1Z8R9	228.2	118
Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	236.7	132
BADISCHE CANADA LTD.	1565 CARLING AVE. OTTAWA ON K1Z 8R1	236.7	132
The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	236.7	132

Site	Address	Distance (m)	Map Key
Dr.David Edmison	1565 Carling Ave Ottawa ON	236.7	132
The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	236.7	132
The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	236.7	132
The Retina Centre of Ottawa	1565 Carling Avenue Suite #500 Ottawa ON	236.7	132
Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	236.7	132
BENTALL KENNEDY	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	236.7	132
BENTALL KENNEDY	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	236.7	132
BENTALL KENNEDY	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	236.7	132
QuadReal Property Group LP	1565 CARLING AVENUE OTTAWA ON K1Z 8P9	236.7	132
Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	236.7	132
Focus Eye Centre	1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	236.7	132
AECON UTILITIES INC.	890 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	239.4	138

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
City Of Ottawa Fire Services	1443 Carling Avenue Ottawa ON K1Z 7L9	239.8	140
Petro-Canada	1575 Carling Avenue Ottawa ON K1Z 7M3	239.9	142

Site	Address	Distance (m)	Map Key
petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	239.9	142
Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	239.9	142
petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	239.9	142
petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	239.9	142
Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	239.9	142
petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	239.9	142
Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	239.9	142
Suncor Energy Inc.	1575 Carling Avenue Ottawa ON K1Z 7M3	239.9	142
petro canada	1575 Carling Ave Ottawa ON K1Z 7M3	239.9	142
petro canada	1575 Carling Ave Ottawa ON	239.9	142
petro canada	1575 Carling Ave Ottawa ON N4W1L3	239.9	142
petro canada	1575 Carling Ave Ottawa ON N4W1L3	239.9	142

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
petro canada	1575 Carling Ave Ottawa ON N4W1L3	239.9	142
petro canada	1575 Carling Ave Ottawa ON N4W1L3	239.9	142
Suncor Energy Products Partnership	1575 Carling Ave Ottawa ON N4W1L3	239.9	142
Suncor Energy Products Partnership	1575 Carling Ave Ottawa ON N4W1L3	239.9	142
NATIONAL ROOFING INC.	1550 LAPERRIERE AVE. OTTAWA ON K1Z 7T2	241.8	144
NATIONAL ROOFING INC. 28-480	1550 LAPERRIERE AVE. OTTAWA ON K1Z 7T2	241.8	144
ALEXANDER METAL PRODUCTS LTD.	1550 LAPERRIERE AVENUE OTTAWA ON K1Z 7T2	241.8	144
tiree systems	1550 laperriere ottawa ON K1Z 7T2	241.8	144
AGUDATH ISRAEL CONGREGATION	1400 COLDREY AVENUE OTTAWA ON K1Z 7P9	244.3	151

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 1 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1532 LAPIERRIER AVENUE OTTAWA ON	193.9	96

NPRI - National Pollutant Release Inventory

A search of the NPRI database, dated 1993-May 2017 has found that there are 3 NPRI site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OXFORD PROPERTIES GROUP	1600 CARLING Avenue SUITE 100 OTTAWA ON K1Z8R7	158.5	83
BENTALL REAL ESTATE SERVICES	1525 Carling Avenue Ottawa ON K1Z8R9	228.2	118
BENTALL REAL ESTATE SERVICES	1565 Carling Avenue Ottawa ON K1Z8R9	236.7	132

PINC - Pipeline Incidents

A search of the PINC database, dated May 31, 2021 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1600 Carling Avenue, Ottawa ON	158.5	83
Pipeline Hit	1512 LAPERRIERE AVENUE,,OTTAWA,ON, K1Z 7S9,CA ON	173.4	87

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 5 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON	197.5	99
CAMPBELL FORD SALES LTD	1500 CARLING AV OTTAWA ON	197.5	99
BUDGET CAR & TRUCK RENTALS OF OTTAWA	885 CHURCHILL AV OTTAWA ON K1Z 5H1	203.8	100
TAGGART SERVICE LTD	885 CHURCHILL AV OTTAWA ON K1Z 5H1	203.8	100
MD BARR CARTAGE CO LTD	925 MCBRIDE AV OTTAWA ON K1Z 5J9	211.0	103

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Sep 2021 has found that there are 3 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1550 Carling Avenue Lot 1 North Side of Laperriere Avenue Ottawa ON K1Z 8S8	49.5	17
	1550 Carling Ave. Lot 1, north side of Laperrier Ave Ottawa ON K1Z 8S8	49.5	17
	1550 Carling Avenue Lot 1 North Side of Laperriere Avenue Ottawa ON K1Z 8S8	49.5	17

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 31 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN BANK NOTE CO LTD.	881 LADY ELLEN PL OTTAWA ON K1Z 5L3	19.5	<u>11</u>
Canadian Bank Note Company	881 Lady Ellen Pl Ottawa ON K1Z 5L3	19.5	<u>11</u>
CREATIVE SIGNS & DESIGNS	1550 CARLING AVE OTTAWA ON K1Z 8S8	49.5	<u>17</u>
LOMOR PRINTERS LTD.	888 LADY ELLEN PLACE OTTAWA ON K1Z 5L5	55.6	<u>20</u>
Lomor Printers Ltd.	888 Lady Ellen Pl Ottawa ON K1Z 5L5	55.6	<u>20</u>
Delta Reprographic Inc.	889 Lady Ellen Pl Ottawa ON K1Z 5L3	61.4	<u>21</u>
ALAND ENTERPRISES	889 LADY ELLEN PL OTTAWA ON K1Z 5L3	61.4	<u>21</u>
CANSO PRINTING SERVICES INC.	1463 COLDREY AVE OTTAWA ON K1Z 7P8	99.3	<u>47</u>
Creative Signs & Designs	1485 Laperriere Ave Suite 101 Ottawa ON K1Z 7S8	100.2	<u>49</u>
Thermal Insulation Assn of Cda	1485 Laperriere Ave Ottawa ON K1Z 7S8	100.2	<u>49</u>
Corel Corporation	1600 Carling Ave Unit 100 Ottawa ON K1Z 8R7	158.5	<u>83</u>
Coiel Corporation	1600 Carling Ave Unit 100 Ottawa ON K1Z 8R7	158.5	<u>83</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hamlet Carling Bakery Ltd.	1570 Carling Ave Ottawa ON K1Z 7M4	167.5	<u>86</u>
BUNS MASTER BAKERY	1570 CARLING AVE OTTAWA ON K1Z 7M4	167.5	<u>86</u>
MAILCRAFTERS INSERTERS	1570 CARLING AVE OTTAWA ON K1Z 7M4	167.5	<u>86</u>
Carling Bakery	1570 Carling Ave Ottawa ON K1Z 7M4	167.5	<u>86</u>
THOMAS K. WEBSTER (1980) LTD.	924 MCBRIDE ST OTTAWA ON K1Z 5K1	214.5	<u>108</u>
Westboro Photonics Inc.	1505 Carling Ave Suite 301 Ottawa ON K1Z 7L9	215.3	<u>109</u>
Lumetrix Corp.	1505 Carling Ave Suite 301 Ottawa ON K1Z 7L9	215.3	<u>109</u>
Cdn Ophthalmological Society	1525 Carling Ave Suite 610 Ottawa ON K1Z 8R9	228.2	<u>118</u>
Databeacon Inc.	1565 Carling Ave Suite 300 Ottawa ON K1Z 8R1	236.7	<u>132</u>
ByteQuest Technologies Inc.	1565 Carling Ave Suite 502 Ottawa ON K1Z 8R1	236.7	<u>132</u>
Databeacon Inc.	1565 Carling Ave. Suite 300 Ottawa ON K1Z 8R1	236.7	<u>132</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LANCASTER DATAMARK	1565 CARLING AVE SUITE 506 OTTAWA ON K1Z 8R1	236.7	132
Canadian Public Health Assoc	1565 Carling Ave Suite 300 Ottawa ON K1Z 8R1	236.7	132
Tile Center	834 Churchill Ave N Ottawa ON K1Z 5G8	237.7	134
ALEXANDER METAL PRODUCTS LTD	1550 LAPERRIERE AVE OTTAWA ON K1Z 7T2	241.8	144
BRECK-MAR SALES & SERVICE LTD	1550 LAPERRIERE AVE OTTAWA ON K1Z 7T2	241.8	144
ALEXANDER METAL PRODUCTS 1965	1550 Laperriere Ave Ottawa ON K1Z 7T2	241.8	144
Alexander Metal Products (1965) Limited	1550 Laperriere Ave Ottawa ON K1Z 7T2	241.8	144
Anixter Canada Inc.	1550 Laperriere Ave Ottawa ON K1Z 7T2	241.8	144

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020 has found that there are 7 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1523 Laperriere Ave. Ottawa ON	78.0	31
City of Ottawa	Ebound Carling Ave in front of Campbell's Ford dealership Ottawa ON	157.9	82

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1600 Carling Ave Ottawa ON	158.5	83
George A Kelson Company Ltd Ottawa Office<UNOFFICIAL>	1600 Carling Avenue Ottawa ON	158.5	83
Sukhwinder Singh<UNOFFICIAL>	1532 LaPerriere Ottawa ON K1Z 7T2	193.9	96
	1539 Carling Ave. PARKING LOT<UNOFFICIAL> Ottawa ON	195.7	97
ESSO PETROLEUM CANADA	890 CHURCHILL AVENUE SOUTH STORAGE TANK OTTAWA CITY ON K1Z 5H2	239.4	138

WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2021 has found that there are 76 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	864 LADY ELLEN PLACE Ottawa ON <i>Well ID: 7342364</i>	0.0	2
	881 LADY ELLEN PLACE Ottawa ON <i>Well ID: 7136553</i>	0.0	3
	864 LADY ELLEN PLACE Ottawa ON <i>Well ID: 7342363</i>	0.0	4
	864 LADY ELLEN PLACE Ottawa ON <i>Well ID: 7342372</i>	0.0	5

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	881 LADY ELLEN PLACE Ottawa ON <i>Well ID:</i> 7136554	10.5	<u>8</u>
	880 LADY ELLEN OTTAWA ON <i>Well ID:</i> 7043268	23.6	<u>12</u>
	1550 CARLING AVE. ON <i>Well ID:</i> 7150372	33.4	<u>13</u>
	1550 CARLING AVENUE Ottawa ON <i>Well ID:</i> 7147063	34.2	<u>14</u>
	1550 CARLING AVE. OTTAWA ON <i>Well ID:</i> 7150371	44.6	<u>16</u>
	1550 /1451 CARLING/COLDREY Ottawa ON <i>Well ID:</i> 7147062	65.3	<u>23</u>
	ON <i>Well ID:</i> 7338632	69.9	<u>24</u>
	1479 LAPIERIERRE ST. OTTAWA ON <i>Well ID:</i> 7154088	70.5	<u>25</u>
	1523 LAPERRIERE AVE Ottawa ON <i>Well ID:</i> 7284724	73.1	<u>27</u>
	1550 CARLING AVE. ON <i>Well ID:</i> 7150370	75.9	<u>29</u>
	1550 CARLING AVE. ON <i>Well ID:</i> 7150369	80.1	<u>32</u>
	ON	81.1	<u>34</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1508419		
	904 LADY ELLEN PLACE OTTAWA ON	81.4	<u>35</u>
	<i>Well ID:</i> 7201038		
	ON	83.2	<u>37</u>
	<i>Well ID:</i> 1508420		
	1479 LAPIERRE AVE OTTAWA ON	91.5	<u>42</u>
	<i>Well ID:</i> 7157811		
	881 LADY ELLEN PLACE Ottawa ON	99.2	<u>46</u>
	<i>Well ID:</i> 7136552		
	1479 LAPIERIERRE ST. OTTAWA ON	106.0	<u>51</u>
	<i>Well ID:</i> 7154089		
	1479 LAPIERE AVE OTTAWA ON	108.5	<u>53</u>
	<i>Well ID:</i> 7157813		
	1479 LAPIERRE AVE OTTAWA ON	114.1	<u>55</u>
	<i>Well ID:</i> 7157812		
	1474 Coldrey Ave Ottawa ON	120.9	<u>59</u>
	<i>Well ID:</i> 7354080		
	1474 COLDREY AVE Ottawa ON	123.6	<u>62</u>
	<i>Well ID:</i> 7328622		
	1422 COLDRY AVE. OTTAWA ON	130.4	<u>65</u>
	<i>Well ID:</i> 7227036		
	1474 COLDREY AVE Ottawa ON	136.6	<u>68</u>
	<i>Well ID:</i> 7328619		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1551 LAPERRIER OTTAWA ON <i>Well ID: 7151896</i>	137.6	<u>69</u>
	1474 coldrey Ottawa ON <i>Well ID: 7325338</i>	138.6	<u>70</u>
	1474 COLDREY AVE Ottawa ON <i>Well ID: 7328621</i>	139.7	<u>71</u>
	1551 LAPERRIER STREET Ottawa ON <i>Well ID: 7149495</i>	140.1	<u>72</u>
	1474 Coldrey Ave Ottawa ON <i>Well ID: 7354079</i>	140.5	<u>74</u>
	1474 COLDREY AVE Ottawa ON <i>Well ID: 7328620</i>	141.5	<u>76</u>
	1523 LAPERRIERE AVE Ottawa ON <i>Well ID: 7284722</i>	150.4	<u>78</u>
	1523 LAPERRIERE AVE Ottawa ON <i>Well ID: 7284723</i>	163.9	<u>85</u>
	ON <i>Well ID: 1508069</i>	192.5	<u>93</u>
	924 MCBRIDE ST lot K con A Ottawa ON <i>Well ID: 7318401</i>	205.1	<u>101</u>
	ON <i>Well ID: 1507972</i>	213.2	<u>106</u>
	ON	213.2	<u>106</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1507994		
	ON	217.6	112
	<i>Well ID:</i> 1508037		
	1599 CARLING AVE Ottawa ON	219.6	113
	<i>Well ID:</i> 7239655		
	1599 CARLING AVE ON	223.4	114
	<i>Well ID:</i> 7239611		
	1599 CARLING AVE. Ottawa ON	226.2	115
	<i>Well ID:</i> 7225572		
	1599 CARLING AVE Ottawa ON	227.9	117
	<i>Well ID:</i> 7239795		
	1599 CARLING AVE Ottawa ON	229.8	119
	<i>Well ID:</i> 7239606		
	1599 CARLING AVE Ottawa ON	230.4	120
	<i>Well ID:</i> 7239603		
	1599 CARLING AVE Ottawa ON	230.4	120
	<i>Well ID:</i> 7239628		
	1599 CARLING AVE Ottawa ON	230.4	120
	<i>Well ID:</i> 7239797		
	1599 CARLING AVE Ottawa ON	230.4	120
	<i>Well ID:</i> 7239798		
	1599 CARLING AVE Ottawa ON	230.7	121
	<i>Well ID:</i> 7239607		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1599 CARLING AVE OTTAWA ON <i>Well ID:</i> 7180990	230.7	122
	1599 CARLING AVE Ottawa ON <i>Well ID:</i> 7239604	230.9	123
	1599 CARLING AVE Ottawa ON <i>Well ID:</i> 7239605	230.9	123
	ON <i>Well ID:</i> 7263433	231.4	124
	1599 CARLING AVE. Ottawa ON <i>Well ID:</i> 7225495	233.1	125
	1599 CARLING AVE Ottawa ON <i>Well ID:</i> 7239796	234.7	126
	1599 CARLING AVE. OTTAWA ON <i>Well ID:</i> 7243551	234.9	127
	ON <i>Well ID:</i> 1507966	236.1	130
	ON <i>Well ID:</i> 1507967	236.1	130
	ON <i>Well ID:</i> 1508039	238.1	136
	1599 CORLINS AVE Ottawa ON <i>Well ID:</i> 7233791	239.1	137
	1599 CARLING AVE Ottawa ON	239.1	137

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7233802		
	ON	239.6	139
	<i>Well ID:</i> 7166658		
	1599 CARLING AVE. Ottawa ON	239.8	141
	<i>Well ID:</i> 7225569		
	1599 CARLING AVE Ottawa ON	241.8	145
	<i>Well ID:</i> 7233796		
	1599 CARLING AVE Ottawa ON	241.8	146
	<i>Well ID:</i> 7233794		
	1599 CARLING AVE. OTTAWA ON	242.2	147
	<i>Well ID:</i> 7243550		
	1599 CARLING AVE. Ottawa ON	243.2	148
	<i>Well ID:</i> 7225496		
	1599 CARLING AVE. Ottawa ON	244.0	149
	<i>Well ID:</i> 7225573		
	861 CLYDE AVE. Ottawa ON	244.2	150
	<i>Well ID:</i> 7119479		
	1599 CARLING AVE. OTTAWA ON	246.4	153
	<i>Well ID:</i> 7243547		
	1599 CARLING AVE. Ottawa ON	247.3	154
	<i>Well ID:</i> 7225498		
	1599 CARLING AVE. Ottawa ON	247.8	155
	<i>Well ID:</i> 7225568		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1599 CARLING AVE. Ottawa ON <i>Well ID:</i> 7225563	248.1	156
	lot 31 con 1 ON <i>Well ID:</i> 1503968	248.3	157
	1599 CARLING AVE. Ottawa ON <i>Well ID:</i> 7225562	248.7	158



Map: 0.25 Kilometer Radius

Order Number: 21112400595

Address: 864 Lady Ellen Pl, Ottawa, ON




Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	

75°45'W

45°22'30"N

45°22'30"N



Aerial Year: 2020


Order Number: 21112400595

Address: 864 Lady Ellen Pl, Ottawa, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Topographic Map

Address: 864 Lady Ellen Pl, ON

Source: ESRI World Topographic Map

Order Number: 21112400595



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	SSW/0.0	76.9 / 0.00	864 Lady Ellen Place Ottawa ON K1Z 5M2	EHS
Order No: 20190308001 Status: C Report Type: Custom Report Report Date: 29-MAR-19 Date Received: 08-MAR-19 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.742843 Y: 45.379721			

2	1 of 1	ENE/0.0	76.9 / 0.00	864 LADY ELLEN PLACE Ottawa ON	WWIS
Well ID: 7342364 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z311259 Tag: A269103 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 7/23/2019 Selected Flag: True Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 864 LADY ELLEN PLACE County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2019/06/11
Year Completed: 2019
Depth (m): 3.1
Latitude: 45.3798091225898
Longitude: -75.7426350942577
Path:

Bore Hole Information

Bore Hole ID: 1007678529
DP2BR:
Elevation:
Elevrc:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	18
Code OB:				East83:	441857.00
Code OB Desc:				North83:	5025412.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		11-Jun-2019 00:00:00	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1008208827
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 66
Mat3 Desc: DENSE
Formation Top Depth: 0.3100000023841858
Formation End Depth: 2.440000057220459
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1008208826
Layer: 1
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1008208828
Layer: 3
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 66
Mat3 Desc: DENSE
Formation Top Depth: 2.440000057220459
Formation End Depth: 3.0999999046325684

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation End Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1008209542			
<i>Layer:</i>		3			
<i>Plug From:</i>		1.22000002861023			
<i>Plug To:</i>		3.09999990463257			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1008209541			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		1.22000002861023			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1008209540			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1008210324			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1008208056			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1008210899			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.51999998092651			
<i>Screen End Depth:</i>		3.09999990463257			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03000020980835			
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1008211300			
<i>Pump Set At:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008210020			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.0999999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>3</u>	1 of 1	E/0.0	76.9 / 0.00	881 LADY ELLEN PLACE Ottawa ON	WWIS
Well ID:	7136553			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	12/21/2009
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z93874			Owner:	
Tag:	A085420			Street Name:	881 LADY ELLEN PLACE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7136553.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2009/11/02				
Year Completed:	2009				
Depth (m):	4.27				
Latitude:	45.3797750298763				
Longitude:	-75.7423408789791				
Path:	713\7136553.pdf				

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1002903223			Elevation:	76.839225
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441880.00
Code OB Desc:				North83:	5025408.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02-Nov-2009 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1003093453
Layer: 2
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 05
Mat2 Desc: CLAY
Mat3: 66
Mat3 Desc: DENSE
Formation Top Depth: 0.6000000238418579
Formation End Depth: 1.8300000429153442
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1003093454
Layer: 3
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 05
Mat2 Desc: CLAY
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 1.8300000429153442
Formation End Depth: 4.269999980926514
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1003093452
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 28
Mat2 Desc: SAND
Mat3: 77
Mat3 Desc: LOOSE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.0			
Formation End Depth:		0.6000000238418579			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093456			
Layer:		1			
Plug From:		0			
Plug To:		0.300000011920929			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093457			
Layer:		2			
Plug From:		0.300000011920929			
Plug To:		0.910000026226044			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093458			
Layer:		3			
Plug From:		0.910000026226044			
Plug To:		4.26999998092651			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003093464			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003093451			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003093460			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.22000002861023			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1003093461			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.22000002861023			
Screen End Depth:		4.26999998092651			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		0.368000000715256			
<u>Water Details</u>					
Water ID:		1003093459			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003093455			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		4.269999980926514			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>4</u>	1 of 1	SE/0.0	76.9 / 0.00	864 LADY ELLEN PLACE Ottawa ON	WWIS
Well ID:	7342363			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/23/2019
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z311260			Owner:	
Tag:	A269102			Street Name:	864 LADY ELLEN PLACE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2019/06/11
Year Completed:	2019
Depth (m):	5.03
Latitude:	45.3794770979191
Longitude:	-75.7424774776015

Path:

Bore Hole Information

Bore Hole ID:	1007678526	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441869.00
Code OB Desc:		North83:	5025375.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	11-Jun-2019 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1008208824
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Mat2 Desc:	SILT
Mat3:	66
Mat3 Desc:	DENSE
Formation Top Depth:	0.3100000023841858
Formation End Depth:	3.3499999046325684
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1008208823
Layer:	1
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0.0
Formation End Depth:	0.3100000023841858
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1008208825
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		SILT			
Mat2 Desc:		11			
Mat3:		GRAVEL			
Mat3 Desc:		66			
Formation Top Depth:		DENSE			
Formation End Depth:		3.3499999046325684			
Formation End Depth UOM:		5.03000020980835			
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008209538			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.67999994754791			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008209537			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008209539			
Layer:		3			
Plug From:		1.67999994754791			
Plug To:		5.03000020980835			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008210323			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008208055			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1008210898			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.98000001907349			
Screen End Depth:		5.03000020980835			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen Diameter: 6.03000020980835

Results of Well Yield Testing

Pump Test ID: 1008211299
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: m
 Rate UOM: LPM
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method: 0
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1008210019
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 5.03000020980835
 Hole Depth UOM: m
 Hole Diameter UOM: cm

5	1 of 1	SW/0.0	76.9 / 0.00	864 LADY ELLEN PLACE Ottawa ON	WWIS
-------------------	--------	--------	-------------	-----------------------------------	------

Well ID:	7342372	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	7/23/2019
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z311261	Owner:	
Tag:	A269104	Street Name:	864 LADY ELLEN PLACE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2019/06/11
 Year Completed: 2019
 Depth (m): 4.57

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.3794276097646			
Longitude:		-75.7431665440472			
Path:					

Bore Hole Information

Bore Hole ID:	1007674456	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441815.00
Code OB Desc:		North83:	5025370.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	11-Jun-2019 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1008208852
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Mat2 Desc:	SAND
Mat3:	66
Mat3 Desc:	DENSE
Formation Top Depth:	0.3100000023841858
Formation End Depth:	3.6600000858306885
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1008208853
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	66
Mat3 Desc:	DENSE
Formation Top Depth:	3.6600000858306885
Formation End Depth:	4.570000171661377
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1008208851
Layer:	1
Color:	8

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BLACK			
Mat1:		27			
Most Common Material:		OTHER			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008209565			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008209566			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.22000002861023			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008209567			
Layer:		3			
Plug From:		1.22000002861023			
Plug To:		4.57000017166138			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008210332			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008208064			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1008210907			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.51999998092651			
Screen End Depth:		4.57000017166138			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			

Results of Well Yield Testing

Pump Test ID: 1008211308
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM: LPM
Water State After Test Code:
Water State After Test:
Pumping Test Method: 0
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1008210029
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 4.570000171661377
Hole Depth UOM: m
Hole Diameter UOM: cm

<u>6</u>	1 of 1	ESE/0.0	76.9 / 0.00	JLR Developments Ltd. 864 Lady Ellen PI Ottawa ON K1Z 5M2	ECA
Approval No:	2470-BKWL5Z			MOE District:	
Approval Date:	2020-04-14			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	JLR Developments Ltd.				
Address:	864 Lady Ellen PI				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8474-BE4S33-14.pdf				
PDF Site Location:					

<u>7</u>	1 of 3	WSW/0.0	76.9 / 0.00	864 Lady Ellen PI Ottawa ON K1Z 5M2	EHS
Order No:	20130410034			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	19-APR-13			Search Radius (km):	.25
Date Received:	10-APR-13			X:	0
Previous Site Name:				Y:	0
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>7</u>	2 of 3	WSW/0.0	76.9 / 0.00	GOLDER ASSOCIATES INC. 864 LADY ELLEN PLACE OTTAWA ON	GEN
Generator No:	ON9646514			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	237990				
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION				
Detail(s)					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
<u>7</u>	3 of 3	WSW/0.0	76.9 / 0.00	JLR Developments Ltd. 864 Lady Ellen Place Ottawa, ON K1Z 5M2 Canada ON	EBR
EBR Registry No:	019-1339			Decision Posted:	April 22, 2020
Ministry Ref No:	8474-BE4S33			Exception Posted:	
Notice Type:	Instrument			Section:	Part II.1 (20.3 or 20.5)
Notice Stage:	Decision			Act 1:	Environmental Protection Act, R.S.O. 1990
Notice Date:				Act 2:	Environmental Protection Act
Proposal Date:	February 20, 2020			Site Location Map:	45.379447,-75.743595
Year:	2020				
Instrument Type:	Environmental Compliance Approval (sewage)				
Off Instrument Name:	Environmental Compliance Approval (sewage) (OWRA s.53)				
Posted By:	Ministry of the Environment, Conservation and Parks				
Company Name:					
Site Address:	864 Lady Ellen Place Ottawa, ON K1Z 5M2 Canada				
Location Other:					
Proponent Name:	JLR Developments Ltd.				
Proponent Address:	864 Lady Ellen Place Ottawa, ON K1Z 5M2 Canada				
Comment Period:	February 20, 2020 - April 5, 2020 (45 days) Closed				
URL:	https://ero.ontario.ca/notice/019-1339				
Site Location Details:					
<u>8</u>	1 of 1	SSE/10.5	76.9 / 0.00	881 LADY ELLEN PLACE Ottawa ON	WWIS
Well ID:	7136554			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	12/21/2009

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z102345			Owner:	
Tag:	A067575			Street Name:	881 LADY ELLEN PLACE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7136554.pdf

Additional Detail(s) (Map)

Well Completed Date: 2009/11/02
Year Completed: 2009
Depth (m): 4.88
Latitude: 45.3791710785503
Longitude: -75.7424734722397
Path: 713\7136554.pdf

Bore Hole Information

Bore Hole ID:	1002903226	Elevation:	77.983833
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441869.00
Code OB Desc:		North83:	5025341.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02-Nov-2009 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003093622
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 12
Mat2 Desc: STONES
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 0.6100000143051147
Formation End Depth UOM: m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003093624			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		4.880000114440918			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003093623			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0.6100000143051147			
Formation End Depth:		3.0999999046325684			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093626			
Layer:		1			
Plug From:		0			
Plug To:		1.5			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093627			
Layer:		2			
Plug From:		1.5			
Plug To:		4.88000011444092			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003093633			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1003093621			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003093629			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.83000004291534			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003093630			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.83000004291534			
Screen End Depth:		4.88000011444092			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003093628			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003093625			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		4.880000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

9

1 of 1

E/16.2

76.9 / 0.00

Lady Ellen Place
Ottawa ON

EHS

Order No: 20110928014
 Status: C
 Report Type: Custom Report
 Report Date: 3/21/2012
 Date Received: 9/28/2011
 Previous Site Name:
 Lot/Building Size:
 Additional Info Ordered:

Nearest Intersection:
 Municipality:
 Client Prov/State: ON
 Search Radius (km): 0.25
 X: -75.741645
 Y: 45.379531

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
10	1 of 2	S/17.2	76.9 / 0.00	880 Lady Ellen Place Ottawa ON K1Z 5L9	EHS
Order No:		20070124021		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		CAN - Custom Report		Client Prov/State:	
Report Date:		2/2/2007		Search Radius (km): 0.25	
Date Received:		1/24/2007		X: -75.742846	
Previous Site Name:				Y: 45.378926	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps And /or Site Plans			
10	2 of 2	S/17.2	76.9 / 0.00	880 Lady Ellen Place Ottawa ON K1Z 5L9	EHS
Order No:		20090914050		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		9/21/2009		Search Radius (km): 0.25	
Date Received:		9/14/2009		X: -75.742908	
Previous Site Name:				Y: 45.378915	
Lot/Building Size:					
Additional Info Ordered:					
11	1 of 6	SE/19.5	76.9 / 0.00	CANADIAN BANK NOTE CO LTD. 881 LADY ELLEN PL OTTAWA ON K1Z 5L3	SCT
Established:		0000			
Plant Size (ft²):		0			
Employment:		0			
--Details--					
Description:		Other Printing			
SIC/NAICS Code:		323119			
11	2 of 6	SE/19.5	76.9 / 0.00	Canadian Bank Note Company 881 Lady Ellen Pl Ottawa ON K1Z 5L3	SCT
Established:		1897			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Computer, Computer Peripheral and Pre-Packaged Software Wholesaler-Distributors			
SIC/NAICS Code:		417310			
Description:		Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors			
SIC/NAICS Code:		417320			
Description:		Office and Store Machinery and Equipment Wholesaler-Distributors			
SIC/NAICS Code:		417910			
Description:		Service Establishment Machinery, Equipment and Supplies Wholesaler-Distributors			
SIC/NAICS Code:		417920			
Description:		All Other Wholesaler-Distributors			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		418990			
11	3 of 6	SE/19.5	76.9 / 0.00	CANSO PRINTING SERVICES LTD. 881 LADY ELLEN PLACE, SUITE 101 OTTAWA ON K1Z 5L3	GEN
Generator No:	ON1657701			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2819				
SIC Description:	OTHER COMM. PRINTING				
Detail(s)					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
11	4 of 6	SE/19.5	76.9 / 0.00	CANSO (OUT OF BUS) 881 LADY ELLEN PLACE, SUITE 101 OTTAWA ON K1Z 5L3	GEN
Generator No:	ON1657701			PO Box No:	
Status:				Country:	
Approval Years:	97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2819				
SIC Description:	OTHER COMM. PRINTING				
Detail(s)					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
11	5 of 6	SE/19.5	76.9 / 0.00	881 Lady Ellen Place Ottawa ON K1Z 5L3	EHS
Order No:	20090914010			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	9/18/2009			Search Radius (km):	0.25
Date Received:	9/14/2009			X:	-75.742142
Previous Site Name:				Y:	45.37914
Lot/Building Size:					
Additional Info Ordered:					
11	6 of 6	SE/19.5	76.9 / 0.00	881 Lady Ellen Place Ottawa ON K1Z 5L3	EHS
Order No:	20121029009			Nearest Intersection:	
Status:	C			Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	02-NOV-12			Search Radius (km):	.25
Date Received:	29-OCT-12			X:	-75.742375
Previous Site Name:				Y:	45.379045
Lot/Building Size:					
Additional Info Ordered:					

12	1 of 1	SSE/23.6	76.9 / 0.00	880 LADY ELLEN OTTAWA ON	WWIS
--------------------	--------	----------	-------------	-----------------------------	------

Well ID:	7043268	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	5/7/2007
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7241
Casing Material:		Form Version:	3
Audit No:	Z58158	Owner:	
Tag:	A051839	Street Name:	880 LADY ELLEN
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7043268.pdf

Additional Detail(s) (Map)

Well Completed Date:	2007/02/26
Year Completed:	2007
Depth (m):	4.57
Latitude:	45.379035903954
Longitude:	-75.7424972478086
Path:	704\7043268.pdf

Bore Hole Information

Bore Hole ID:	11765669	Elevation:	78.225296
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:	o	East83:	441867.00
Code OB Desc:	Overburden	North83:	5025326.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	26-Feb-2007 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			933099590		
Layer:			1		
Color:			6		
General Color:			BROWN		
Mat1:			01		
Most Common Material:			FILL		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			1.2200000286102295		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			933099592		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			2.440000057220459		
Formation End Depth:			3.9600000381469727		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			933099591		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			28		
Most Common Material:			SAND		
Mat2:			06		
Mat2 Desc:			SILT		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			1.2200000286102295		
Formation End Depth:			2.440000057220459		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			933099593		
Layer:			4		
Color:			2		
General Color:			GREY		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		3.9600000381469727			
Formation End Depth:		4.570000171661377			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933318176			
Layer:		1			
Plug From:		0			
Plug To:		2.44000005722046			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933318177			
Layer:		2			
Plug From:		2.44000005722046			
Plug To:		4.57000017166138			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		967043268			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11773359			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930898775			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.09999990463257			
Casing Diameter:		3.80999994277954			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933424320			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.09999990463257			
Screen End Depth:		4.57000017166138			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter

Hole ID: 11852120
 Diameter: 8.890000343322754
 Depth From: 0.0
 Depth To: 4.570000171661377
 Hole Depth UOM: m
 Hole Diameter UOM: cm

[13](#) 1 of 1 ESE/33.4 76.9 / 0.00 1550 CARLING AVE. ON WWIS

<p>Well ID: 7150372 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z111713 Tag: A094073 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:</p>	<p>Data Entry Status: Data Src: Date Received: 8/25/2010 Selected Flag: True Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 1550 CARLING AVE. County: OTTAWA Municipality: OTTAWA CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:</p>
---	--

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7157150372.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/08/06
 Year Completed: 2010
 Depth (m): 5.79
 Latitude: 45.3792400564312
 Longitude: -75.7415547591931
 Path: 715\7150372.pdf

Bore Hole Information

<p>Bore Hole ID: 1003307215 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 06-Aug-2010 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:</p>	<p>Elevation: 78.346458 Elevrc: Zone: 18 East83: 441941.00 North83: 5025348.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr</p>
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003324817			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		0.0			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003324818			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003324822			
Layer:		3			
Plug From:		2.44000005722046			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003324821			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.44000005722046			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003324820			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1003324828			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003324816			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003324824			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74000000953674			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003324825			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.74000000953674			
Screen End Depth:		5.78999996185303			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003324823			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003324819			
Diameter:		10.920000076293945			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

14

1 of 1

ESE/34.2

76.9 / 0.00

1550 CARLING AVENUE
Ottawa ON

WWIS

Well ID: 7147063
Construction Date:Data Entry Status:
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/17/2010
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z113139			Owner:	
Tag:	A093995			Street Name:	1550 CARLING AVENUE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7147063.pdf				

Additional Detail(s) (Map)

Well Completed Date: 2010/05/12
Year Completed: 2010
Depth (m): 5.79
Latitude: 45.379276473297
Longitude: -75.7414913729927
Path: 714\7147063.pdf

Bore Hole Information

Bore Hole ID:	1003045192	Elevation:	78.231735
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441946.00
Code OB Desc:		North83:	5025352.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12-May-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1003194575
Layer: 1
Color: 6
General Color: BROWN
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 73
Mat2 Desc: HARD
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0.0
Formation End Depth: 4.570000171661377

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003194576			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		4.570000171661377			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003194579			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.44000005722046			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003194578			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003194580			
Layer:		3			
Plug From:		2.44000005722046			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003194586			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003194574			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1003194582			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74000000953674			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003194583			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.74000000953674			
Screen End Depth:		5.78999996185303			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003194581			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003194577			
Diameter:		10.920000076293945			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

15	1 of 1	NE/39.5	76.9 / 0.00	ON	BORE
Borehole ID:	847709	Inclin FLG:	No		
OGF ID:	215589366	SP Status:	Initial Entry		
Status:	Decommissioned	Surv Elev:	No		
Type:	Borehole	Piezometer:	No		
Use:	Geotechnical/Geological Investigation	Primary Name:			
Completion Date:	28-MAY-1971	Municipality:			
Static Water Level:	0.6	Lot:	LOT I		
Primary Water Use:		Township:	NEPEAN		
Sec. Water Use:		Latitude DD:	45.380481		
Total Depth m:	6	Longitude DD:	-75.741801		
Depth Ref:	Ground Surface	UTM Zone:	18		
Depth Elev:		Easting:	441923		
Drill Method:	Diamond Drill	Northing:	5025486		
Orig Ground Elev m:	77.9	Location Accuracy:			
Elev Reliabil Note:		Accuracy:	Within 50 metres		
DEM Ground Elev m:	76.4				
Concession:	BROKEN FRONT A				

Location D:
Survey D:
Comments:

Borehole Geology Stratum

Geology Stratum ID:	6558636	Mat Consistency:	
Top Depth:	2.9	Material Moisture:	
Bottom Depth:	6	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Bedrock	Geologic Formation:	
Material 2:	Dolomite	Geologic Group:	
Material 3:	Shale	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	DOLOMITE BEDROCK IRREGULAR SHALEY SEAMS GREY SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6558634	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	.3	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Topsoil	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6558635	Mat Consistency:	Very Stiff
Top Depth:	.3	Material Moisture:	
Bottom Depth:	2.9	Material Texture:	
Material Color:	Brown-Grey	Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Clay	Geologic Period:	
Material 4:	Sand - Gravel	Depositional Gen:	
Gsc Material Description:			
Stratum Description:	CLAYEY SILT WITH SOME SAND AND GRAVEL GLACICAL TILL MOTTLED BROWN TO GREY VERY STIFF TO HARD **Note: Many records provided by the department have a truncated [Stratum Description] field.		

16	1 of 1	ESE/44.6	76.9 / 0.00	1550 CARLING AVE. OTTAWA ON	WWIS
--------------------	--------	----------	-------------	--------------------------------	------

Well ID:	7150371	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	8/25/2010
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z111712	Owner:	
Tag:	A094072	Street Name:	1550 CARLING AVE.
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7150371.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/08/06
 Year Completed: 2010
 Depth (m): 5.79
 Latitude: 45.3791868821211
 Longitude: -75.7414263397769
 Path: 715\7150371.pdf

Bore Hole Information

Bore Hole ID:	1003307213	Elevation:	78.447761
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441951.00
Code OB Desc:		North83:	5025342.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06-Aug-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003324804
 Layer: 2
 Color: 2
 General Color: GREY
 Mat1: 06
 Most Common Material: SILT
 Mat2: 11
 Mat2 Desc: GRAVEL
 Mat3: 73
 Mat3 Desc: HARD
 Formation Top Depth: 3.6600000858306885
 Formation End Depth: 5.789999961853027
 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003324803
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 11
 Most Common Material: GRAVEL
 Mat2: 28
 Mat2 Desc: SAND
 Mat3: 73
 Mat3 Desc: HARD
 Formation Top Depth: 0.0
 Formation End Depth: 3.6600000858306885

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation End Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003324807			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		2.44000005722046			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003324806			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003324808			
<i>Layer:</i>		3			
<i>Plug From:</i>		2.44000005722046			
<i>Plug To:</i>		5.78999996185303			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1003324814			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1003324802			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1003324810			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.74000000953674			
<i>Casing Diameter:</i>		4.03000020980835			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1003324811			
<i>Layer:</i>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot: 10 Screen Top Depth: 2.74000000953674 Screen End Depth: 5.78999996185303 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.82000017166138					
<u>Water Details</u>					
Water ID: 1003324809 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1003324805 Diameter: 10.920000076293945 Depth From: 0.0 Depth To: 5.789999961853027 Hole Depth UOM: m Hole Diameter UOM: cm					
17	1 of 7	ENE/49.5	76.9 / 0.00	CREATIVE SIGNS & DESIGNS 1550 CARLING AVE OTTAWA ON K1Z 8S8	SCT
Established: 1990 Plant Size (ft²): 0 Employment: 1					
--Details--					
Description: Sign Manufacturing SIC/NAICS Code: 339950					
17	2 of 7	ENE/49.5	76.9 / 0.00	1550 Carling Avenue Lot 1 North Side of Laperriere Avenue Ottawa ON K1Z 8S8	RSC
RSC ID: RA No: RSC Type: Curr Property Use: Ministry District: Ottawa Filing Date: 07/12/00 Date Ack: 07/26/00 Date Returned: Restoration Type: Generic Soil Type: Coarse Criteria: Ind/Comm + Non-potable CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates:					
Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): N Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Consultant:		Scott Mather Agra Earth and Environmental Ltd.			
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:					
17	3 of 7	ENE/49.5	76.9 / 0.00	1550 Carling Avenue Lot 1 North Side of Laperriere Avenue Ottawa ON K1Z 8S8	RSC
RSC ID:		Cert Date:			
RA No:		Cert Prop Use No:			
RSC Type:		Intended Prop Use:			
Curr Property Use:		Qual Person Name:			
Ministry District: Ottawa		Stratified (Y/N): N			
Filing Date: 07/12/00		Audit (Y/N):			
Date Ack: 07/26/00		Entire Leg Prop. (Y/N):			
Date Returned:		Accuracy Estimate:			
Restoration Type: Generic		Telephone:			
Soil Type: Coarse		Fax:			
Criteria: Ind/Comm + Non-potable		Email:			
CPU Issued Sect 1686:					
Asmt Roll No:					
Prop ID No (PIN):					
Property Municipal Address:					
Mailing Address:					
Latitude & Latitide:					
UTM Coordinates:					
Consultant:		Scott Mather Agra Earth and Environmental Ltd.			
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:					

17	4 of 7	ENE/49.5	76.9 / 0.00	1550 Carling Ave. Lot 1, north side of Laperrier Ave Ottawa ON K1Z 8S8	RSC
RSC ID:		Cert Date:			
RA No:		Cert Prop Use No:			
RSC Type:		Intended Prop Use:			
Curr Property Use:		Qual Person Name:			
Ministry District: Ottawa		Stratified (Y/N):			
Filing Date: 06/28/00		Audit (Y/N):			
Date Ack:		Entire Leg Prop. (Y/N):			
Date Returned: 07/05/00		Accuracy Estimate:			
Restoration Type:		Telephone:			
Soil Type:		Fax:			
Criteria:		Email:			
CPU Issued Sect 1686:					
Asmt Roll No:					
Prop ID No (PIN):					
Property Municipal Address:					
Mailing Address:					
Latitude & Latitide:					
UTM Coordinates:					
Consultant:		AGRA Earth & Environmental Ltd.			
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
17	5 of 7	ENE/49.5	76.9 / 0.00	1550 Carling Avenue Ottawa ON K1Z 8S8	CA
Certificate #:		0323-575T2B			
Application Year:		02			
Issue Date:		3/6/02			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Nortel Networks Corporation			
Client Address:		6 Deakin Street			
Client City:		Ottawa			
Client Postal Code:		K2E 1B3			
Project Description:		This application is for a Certificate of Approval to install an emergency diesel-powered emergency generator and natural gas-fired HVAC units.			
Contaminants:					
Emission Control:					
17	6 of 7	ENE/49.5	76.9 / 0.00	H.A.R. ELEVATOR SERVICES INC. 1550 CARLING AVENUE OTTAWA ON K1Z 8S8	GEN
Generator No:		ON2081700		PO Box No:	
Status:				Country:	
Approval Years:		95,96,97,98,99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		4291			
SIC Description:		ELEVATOR & ESC. WORK			
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
17	7 of 7	ENE/49.5	76.9 / 0.00	1550 Carling Ave Ottawa ON K1Z 8S8	EHS
Order No:		20200515039		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		21-MAY-20		Search Radius (km): .15	
Date Received:		15-MAY-20		X: -75.74135272	
Previous Site Name:				Y: 45.37988902	
Lot/Building Size:					
Additional Info Ordered:					
18	1 of 1	ENE/50.5	76.9 / 0.00	Nortel Networks Corporation 1550 Carling Avenue Ottawa ON K2E 1B3	ECA
Approval No:		0323-575T2B		MOE District: Ottawa	
Approval Date:		2002-03-06		City:	
Status:		Approved		Longitude: -75.74133	
Record Type:		ECA		Latitude: 45.37995	
Link Source:		IDS		Geometry X:	
SWP Area Name:		Rideau Valley		Geometry Y:	
Approval Type:		ECA-AIR			
Project Type:		AIR			
Business Name:		Nortel Networks Corporation			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Address:		1550 Carling Avenue			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/5898-543V26-14.pdf			
PDF Site Location:					
19	1 of 4	E/50.9	76.9 / 0.00	1550 Carling Ave Ottawa ON K1Z 8S8	EHS
Order No:		20200515039		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		21-MAY-20		Search Radius (km): .15	
Date Received:		15-MAY-20		X: -75.74135272	
Previous Site Name:				Y: 45.37988902	
Lot/Building Size:					
Additional Info Ordered:					
19	2 of 4	E/50.9	76.9 / 0.00	1550 Carling Ave Ottawa ON K1Z 8S8	EHS
Order No:		20200515039		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		21-MAY-20		Search Radius (km): .15	
Date Received:		15-MAY-20		X: -75.74135272	
Previous Site Name:				Y: 45.37988902	
Lot/Building Size:					
Additional Info Ordered:					
19	3 of 4	E/50.9	76.9 / 0.00	1550 Carling Ave Ottawa ON K1Z 8S8	EHS
Order No:		20200515039		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		21-MAY-20		Search Radius (km): .15	
Date Received:		15-MAY-20		X: -75.74135272	
Previous Site Name:				Y: 45.37988902	
Lot/Building Size:					
Additional Info Ordered:					
19	4 of 4	E/50.9	76.9 / 0.00	1550 Carling Ave Ottawa ON K1Z 8S8	EHS
Order No:		20200515039		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		21-MAY-20		Search Radius (km): .15	
Date Received:		15-MAY-20		X: -75.74135272	
Previous Site Name:				Y: 45.37988902	
Lot/Building Size:					
Additional Info Ordered:					
20	1 of 5	S/55.6	76.9 / 0.00	LOMOR PRINTERS LTD. 888 LADY ELLEN PLACE OTTAWA ON K1Z 5L5	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established: Plant Size (ft²): Employment:		0000 0 25			
--Details--					
Description:		Quick Printing			
SIC/NAICS Code:		323114			
Description:		Digital Printing			
SIC/NAICS Code:		323115			
Description:		Other Printing			
SIC/NAICS Code:		323119			
20	2 of 5	S/55.6	76.9 / 0.00	Lomor Printers Ltd. 888 Lady Ellen Pl Ottawa ON K1Z 5L5	SCT
Established: Plant Size (ft²): Employment:					
--Details--					
Description:		Quick Printing			
SIC/NAICS Code:		323114			
Description:		Digital Printing			
SIC/NAICS Code:		323115			
Description:		Other Printing			
SIC/NAICS Code:		323119			
20	3 of 5	S/55.6	76.9 / 0.00	Podium Machine Works Inc. 888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON6611005 Registered As of Dec 2018		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
Detail(s)					
Waste Class:		253 L			
Waste Class Desc:		Emulsified oils			
20	4 of 5	S/55.6	76.9 / 0.00	Podium Machine Works Inc. 888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code:		ON6611005 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		253 L			
Waste Class Desc:		Emulsified oils			
20	5 of 5	S/55.6	76.9 / 0.00	Podium Machine Works Inc. 888 Lady Ellen Pl, Unit 4 Ottawa ON K1Z 5L5	GEN
Generator No:		ON6611005		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Aug 2021		Choice of Contact:	
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		253 L			
Waste Class Desc:		Emulsified oils			
21	1 of 5	SE/61.4	76.9 / 0.00	ALAND ENTERPRISES 889 LADY ELLEN PL OTTAWA ON K1Z 5L3	SCT
Established:		1985			
Plant Size (ft²):		0			
Employment:		5			
--Details--					
Description:		ELECTRICAL APPARATUS & CONSTRUCTION MATERIALS			
SIC/NAICS Code:		5063			
21	2 of 5	SE/61.4	76.9 / 0.00	SNEYD REPRO GRAPHICS 889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	GEN
Generator No:		ON1856800		PO Box No:	
Status:		Country:			
Approval Years:		94,95		Choice of Contact:	
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:		2819			
SIC Description:		OTHER COMM. PRINTING			
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
21	3 of 5	SE/61.4	76.9 / 0.00	DOLLCO DIGITAL PRINT LTD. 889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	GEN
Generator No:		ON1856800		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 96 Contam. Facility: MHSW Facility: SIC Code: 2819 SIC Description: OTHER COMM. PRINTING				Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES					
21	4 of 5	SE/61.4	76.9 / 0.00	DOLLCO (OUT OF BUS) 889 LADY ELLEN PLACE OTTAWA ON K1Z 5L3	GEN
Generator No: ON1856800 Status: Approval Years: 97,98 Contam. Facility: MHSW Facility: SIC Code: 2819 SIC Description: OTHER COMM. PRINTING				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES					
21	5 of 5	SE/61.4	76.9 / 0.00	Delta Reprographic Inc. 889 Lady Ellen Pl Ottawa ON K1Z 5L3	SCT
Established: 01-JAN-94 Plant Size (ft²): 12000 Employment:					
<u>--Details--</u>					
Description: Digital Printing SIC/NAICS Code: 323115					
Description: Digital Printing SIC/NAICS Code: 323115					
Description: Other Printing SIC/NAICS Code: 323119					
Description: Sign Manufacturing SIC/NAICS Code: 339950					
Description: Data Processing, Hosting, and Related Services SIC/NAICS Code: 518210					
22	1 of 8	ENE/63.6	76.9 / 0.00	THOMAS SUPPLY AND EQUIPMENT CORP. 1451 COLDREY AVE. P.O. BOX 8826 OTTAWA ON K1A 0S5	GEN
Generator No: ON0171100 Status: Approval Years: 86,87,88,89,90,92,93,94				PO Box No: Country: Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: 0000 SIC Description:		*** NOT DEFINED ***		Co Admin: Phone No Admin:	
22	2 of 8	ENE/63.6	76.9 / 0.00	REVLON CANADA INC. 1451 COLDREY AVE. OTTAWA ON K1A 0S5	GEN
Generator No: ON0217902 Status: Approval Years: 86,87,88,89,90,92,93,94 Contam. Facility: MHSW Facility: SIC Code: 0000 SIC Description:		*** NOT DEFINED ***		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
22	3 of 8	ENE/63.6	76.9 / 0.00	TREVOR MAKARA 271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	GEN
Generator No: ON1056000 Status: Approval Years: 88 Contam. Facility: MHSW Facility: SIC Code: 9949 SIC Description:		OTHER REPAIR SERV.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
22	4 of 8	ENE/63.6	76.9 / 0.00	MAKARA OUT OF BUSINESS 271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	GEN
Generator No: ON1056000 Status: Approval Years: 89,90 Contam. Facility: MHSW Facility: SIC Code: 9949 SIC Description:		OTHER REPAIR SERV.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
22	5 of 8	ENE/63.6	76.9 / 0.00	MAKARA OUT OF BUSINESS 38-533 271-1451 COLDREY AVE. OTTAWA ON K1A 0S5	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Generator No: ON1056000 Status: Approval Years: 92,93,94,95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 9949 SIC Description: OTHER REPAIR SERV.</p> <p>PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:</p>					
22	6 of 8	ENE/63.6	76.9 / 0.00	Public Works and Government Services Canada 1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	GEN
<p>Generator No: ON7619744 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 911910 SIC Description: Other Federal Government Public Administration</p> <p>PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:</p>					
Detail(s)					
Waste Class: 112					
Waste Class Desc: ACID WASTE - HEAVY METALS					
Waste Class: 121					
Waste Class Desc: ALKALINE WASTES - HEAVY METALS					
Waste Class: 146					
Waste Class Desc: OTHER SPECIFIED INORGANICS					
22	7 of 8	ENE/63.6	76.9 / 0.00	Public Works and Government Services Canada 1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	GEN
<p>Generator No: ON7619744 Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 911910 SIC Description: Other Federal Government Public Administration</p> <p>PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:</p>					
Detail(s)					
Waste Class: 121					
Waste Class Desc: ALKALINE WASTES - HEAVY METALS					
Waste Class: 146					
Waste Class Desc: OTHER SPECIFIED INORGANICS					
Waste Class: 112					
Waste Class Desc: ACID WASTE - HEAVY METALS					
22	8 of 8	ENE/63.6	76.9 / 0.00	Public Works and Government Services Canada 1451 COLDREY AVENUE OTTAWA ON K1Z 7P8	GEN
<p>Generator No: ON7619744 Status: Approval Years: 2011 Contam. Facility:</p> <p>PO Box No: Country: Choice of Contact: Co Admin:</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility:				Phone No Admin:	
SIC Code:	911910				
SIC Description:	Other Federal Government Public Administration				
Detail(s)					
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				

23	1 of 1	ESE/65.3	76.9 / 0.00	1550 /1451 CARLING/COLDREY Ottawa ON	WWIS
Well ID:	7147062			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/17/2010
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z113138			Owner:	
Tag:	A093994			Street Name:	1550 /1451 CARLING/COLDREY
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7147062.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/05/12
Year Completed: 2010
Depth (m): 5.79
Latitude: 45.3790257836844
Longitude: -75.7412837378873
Path: 714\7147062.pdf

Bore Hole Information

Bore Hole ID:	1003045190	Elevation:	78.789634
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441962.00
Code OB Desc:		North83:	5025324.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12-May-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1003194561			
<i>Layer:</i>		1			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		10			
<i>Most Common Material:</i>		COARSE SAND			
<i>Mat2:</i>		11			
<i>Mat2 Desc:</i>		GRAVEL			
<i>Mat3:</i>		73			
<i>Mat3 Desc:</i>		HARD			
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		4.269999980926514			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1003194562			
<i>Layer:</i>		2			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		10			
<i>Most Common Material:</i>		COARSE SAND			
<i>Mat2:</i>		11			
<i>Mat2 Desc:</i>		GRAVEL			
<i>Mat3:</i>		73			
<i>Mat3 Desc:</i>		HARD			
<i>Formation Top Depth:</i>		4.269999980926514			
<i>Formation End Depth:</i>		5.789999961853027			
<i>Formation End Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment</i></u>					
<u><i>Sealing Record</i></u>					
<i>Plug ID:</i>		1003194566			
<i>Layer:</i>		3			
<i>Plug From:</i>		2.44000005722046			
<i>Plug To:</i>		5.78999996185303			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment</i></u>					
<u><i>Sealing Record</i></u>					
<i>Plug ID:</i>		1003194565			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.312999993562698			
<i>Plug To:</i>		2.44000005722046			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment</i></u>					
<u><i>Sealing Record</i></u>					
<i>Plug ID:</i>		1003194564			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1003194572			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1003194560			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1003194568			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.74000000953674			
<i>Casing Diameter:</i>		4.03000020980835			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1003194569			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		2.74000000953674			
<i>Screen End Depth:</i>		5.78999996185303			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82000017166138			
<u>Water Details</u>					
<i>Water ID:</i>		1003194567			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1003194563			
<i>Diameter:</i>		10.920000076293945			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		5.789999961853027			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
24	1 of 1	ESE/69.9	76.9 / 0.00	ON	WWIS
Well ID:	7338632			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	7/29/2019
Sec. Water Use:				Selected Flag:	True
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	8
Audit No:	C30148			Owner:	
Tag:	A215031			Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:	2018/07/06				
Year Completed:	2018				
Depth (m):					
Latitude:	45.3789352806016				
Longitude:	-75.7413591894897				
Path:					
Bore Hole Information					
Bore Hole ID:	1007568588			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441956.00
Code OB Desc:				North83:	5025314.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06-Jul-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
25	1 of 1	ESE/70.5	76.9 / 0.00	1479 LAPIERIERRE ST. OTTAWA ON	WWIS
Well ID:	7154088			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/4/2010
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	7
Audit No:	Z113186			Owner:	
Tag:	A104655			Street Name:	1479 LAPIERIERRE ST.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154088.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/10/15
Year Completed: 2010
Depth (m): 6.4
Latitude: 45.3789079472847
Longitude: -75.7414099217492
Path: 715\7154088.pdf

Bore Hole Information

Bore Hole ID:	1003362521	Elevation:	79.065116
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441952.00
Code OB Desc:		North83:	5025311.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	15-Oct-2010 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1003482012
Layer: 3
Color: 6
General Color: BROWN
Mat1: 08
Most Common Material: FINE SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 2.440000057220459
Formation End Depth: 5.789999961853027
Formation End Depth UOM: m

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1003482011			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		2.440000057220459			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003482013			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		5.789999961853027			
Formation End Depth:		6.400000095367432			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003482010			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.9100000262260437			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003482015			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1003482016			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.5			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003482017			
Layer:		3			
Plug From:		1.5			
Plug To:		6.40000009536743			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003482023			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1003482009			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003482019			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.83000004291534			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003482020			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.83000004291534			
Screen End Depth:		6.40000009536743			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003482018			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003482014			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		6.400000095367432			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>26</u>	1 of 1	WNW/72.1	76.9 / 0.02	264482 Ontario Limited 1568 Carling Avenue Ottawa ON K1Z 7M4	GEN
Generator No:	ON3936643			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	243 D				
Waste Class Desc:	PCB				

<u>27</u>	1 of 1	SW/73.1	75.9 / -0.98	1523 LAPERRIERE AVE Ottawa ON	WWIS
Well ID:	7284724			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	4/10/2017
Sec. Water Use:	Monitoring			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z214988			Owner:	
Tag:	A189995			Street Name:	1523 LAPERRIERE AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7284724.pdf				

Additional Detail(s) (Map)

Well Completed Date:	2017/03/17
Year Completed:	2017
Depth (m):	7.62
Latitude:	45.3786820785588
Longitude:	-75.7443062856956
Path:	728\7284724.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

Bore Hole ID:	1006377934	Elevation:	79.208236
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441725.00
Code OB Desc:		North83:	5025288.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	17-Mar-2017 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006639170
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	06
Mat2 Desc:	SILT
Mat3:	74
Mat3 Desc:	LAYERED
Formation Top Depth:	2.740000009536743
Formation End Depth:	7.619999885559082
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006639168
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	60
Mat2 Desc:	CEMENTED
Mat3:	66
Mat3 Desc:	DENSE
Formation Top Depth:	0.0
Formation End Depth:	0.3100000023841858
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006639169
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.740000009536743			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639181			
Layer:		3			
Plug From:		4.26999998092651			
Plug To:		7.61999988555908			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639179			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639180			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		4.26999998092651			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006639178			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006639167			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006639175			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.57000017166138			
Screen End Depth:		7.61999988555908			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 1006639173
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006639171
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 3.3499999046325684
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1006639172
 Diameter: 7.619999885559082
 Depth From: 3.3499999046325684
 Depth To: 7.619999885559082
 Hole Depth UOM: m
 Hole Diameter UOM: cm

28 1 of 1 **NNE/74.2** **76.7 / -0.15** **ON** **BORE**

Borehole ID: 847266
OGF ID: 215588934
Status: Decommissioned
Type: Borehole
Use: Geotechnical/Geological Investigation
Completion Date: NOV-1957
Static Water Level: 1.6
Primary Water Use:
Sec. Water Use:
Total Depth m: 2.6
Depth Ref: Ground Surface
Depth Elev:
Drill Method: Diamond Drill
Orig Ground Elev m: 75.3
Elev Reliabil Note:
DEM Ground Elev m: 79.2
Concession: BROKEN FRONT A
Location D:
Survey D:
Comments:

Inclin FLG: No
SP Status: Initial Entry
Surv Elev: No
Piezometer: No
Primary Name:
Municipality:
Lot: LOT I
Township: NEPEAN
Latitude DD: 45.381314
Longitude DD: -75.74245
UTM Zone: 18
Easting: 441873
Northing: 5025579
Location Accuracy:
Accuracy: Within 10 metres

Borehole Geology Stratum

Geology Stratum ID: 6556415
Top Depth: 1.5
Bottom Depth: 2
Material Color:
Material 1: Sand
Material 2: Clay
Material 3: Silt
Material 4: Gravel

Mat Consistency: Loose
Material Moisture:
Material Texture: Fine
Non Geo Mat Type:
Geologic Formation:
Geologic Group:
Geologic Period:
Depositional Gen:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		LOOSE CLAYEY FINE SAND SILT WITH SOME WELL GRADED SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6556413			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		FILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	6556417			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	3.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		LIMESTONE GRILLED CORE RECOVERY 84% **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	6556416			Mat Consistency:	Dense
Top Depth:	2			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		DENSE TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	6556414			Mat Consistency:	
Top Depth:	.8			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	organic material			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		ORGANIC **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	6556418			Mat Consistency:	
Top Depth:	3.9			Material Moisture:	
Bottom Depth:	5.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		LIMESTONE DRILLED CORE RECOVERY 90% **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					

29

1 of 1

ESE/75.9

76.9 / 0.00

1550 CARLING AVE.
ON

WWIS

Well ID:

7150370

Data Entry Status:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	8/25/2010
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z111692			Owner:	
Tag:	A094071			Street Name:	1550 CARLING AVE.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7150370.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/08/06
Year Completed: 2010
Depth (m): 5.79
Latitude: 45.3790270268544
Longitude: -75.741092168214
Path: 715\7150370.pdf

Bore Hole Information

Bore Hole ID:	1003307211	Elevation:	78.789787
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441977.00
Code OB Desc:		North83:	5025324.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06-Aug-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003324789
Layer: 1
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003324790			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003324794			
Layer:		3			
Plug From:		2.44000005722046			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003324793			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.44000005722046			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003324792			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003324800			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003324788			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 1003324796
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 2.74000000953674
Casing Diameter: 4.03000020980835
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003324797
Layer: 1
Slot: 1.0
Screen Top Depth: 1.39999997615814
Screen End Depth: 5.73999977111816
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.82000017166138

Water Details

Water ID: 1003324795
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1003324791
Diameter: 10.920000076293945
Depth From: 0.0
Depth To: 5.789999961853027
Hole Depth UOM: m
Hole Diameter UOM: cm

30	1 of 1	SSW/78.0	76.2 / -0.72	1523 Laperriere Ave Ottawa ON K1Z7T1	EHS
Order No:	20170203007			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	09-FEB-17			Search Radius (km):	.25
Date Received:	03-FEB-17			X:	-75.743589
Previous Site Name:				Y:	45.378276
Lot/Building Size:					
Additional Info Ordered:					

31	1 of 2	SSW/78.0	76.2 / -0.72	1523 Laperriere Ave. Ottawa ON	SPL
Ref No:	1687-AR5MQ9			Discharger Report:	
Site No:	NA			Material Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flow Rate:
Clear/Cloudy:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7150369.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/08/06
 Year Completed: 2010
 Depth (m): 5.79
 Latitude: 45.3788729397223
 Longitude: -75.741256195896
 Path: 715\7150369.pdf

Bore Hole Information

Bore Hole ID:	1003307209	Elevation:	79.118606
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441964.00
Code OB Desc:		North83:	5025307.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06-Aug-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003324745
 Layer: 2
 Color: 2
 General Color: GREY
 Mat1: 06
 Most Common Material: SILT
 Mat2: 11
 Mat2 Desc: GRAVEL
 Mat3: 73
 Mat3 Desc: HARD
 Formation Top Depth: 3.6600000858306885
 Formation End Depth: 5.789999961853027
 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003324744
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 11
 Most Common Material: GRAVEL
 Mat2: 28
 Mat2 Desc: SAND
 Mat3: 73
 Mat3 Desc: HARD

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		3.6600000858306885			
<i>Formation End Depth UOM:</i>		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003324748			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		2.44000005722046			
<i>Plug Depth UOM:</i>		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003324749			
<i>Layer:</i>		3			
<i>Plug From:</i>		2.44000005722046			
<i>Plug To:</i>		5.78999996185303			
<i>Plug Depth UOM:</i>		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003324747			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
 <u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1003324755			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
 <u>Pipe Information</u>					
<i>Pipe ID:</i>		1003324743			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1003324751			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.74000000953674			
<i>Casing Diameter:</i>		4.03000020980835			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
 <u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1003324752			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.74000000953674			
Screen End Depth:		5.78999996185303			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003324750			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003324746			
Diameter:		10.920000076293945			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[33](#) 1 of 1 SE/80.9 76.9 / 0.00 ON BORE

Borehole ID:	612837	Inclin FLG:	No
OGF ID:	215514143	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:	NOV-1954	Municipality:	
Static Water Level:	12.2	Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.378645
Total Depth m:	18.3	Longitude DD:	-75.741934
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	441911
Drill Method:		Northing:	5025282
Orig Ground Elev m:	79.2	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	79.6		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218392669	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	5.2	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Gsc Material Description:

Stratum Description: CLAY.

Geology Stratum ID:	218392670	Mat Consistency:	Soft
Top Depth:	5.2	Material Moisture:	
Bottom Depth:	18.3	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Limestone	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	

Gsc Material Description:

Stratum Description: LIMESTONE. 0006045120 00175. CLAY. GREY,SOFT. CLAY. LAYERED, WATER STABLE AT 220.0 FE **Note: Many records provided by the department have a truncated [Stratum Description] field.

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 05345 NTS_Sheet:		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

[34](#) 1 of 1 **SE/81.1** **76.9 / 0.00** **ON** **WWIS**

Well ID:	1508419	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	12/13/1954
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1802
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508419.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Well Completed Date: 1954/11/24
Year Completed: 1954
Depth (m): 18.288
Latitude: 45.3786435056098
Longitude: -75.7419339619523
Path: 150\1508419.pdf

Bore Hole Information

Bore Hole ID:	10030453	Elevation:	79.600006
DP2BR:	17.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441910.70
Code OB Desc:	Bedrock	North83:	5025282.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	24-Nov-1954 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931009619
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 17.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931009620
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 17.0
Formation End Depth: 60.0
Formation End Depth UOM: ft

Method of Construction & Well

Use

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		961508419			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10579023			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930053554			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930053555			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		60			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991508419			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:					
Pumping Rate:		7.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933462914			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			

[35](#) 1 of 1 S/81.4 76.9 / 0.00 904 LADY ELLEN PLACE OTTAWA ON [WWIS](#)

Well ID:	7201038	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	4/30/2013
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z167639	Owner:	
Tag:	A145245	Street Name:	904 LADY ELLEN PLACE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7201038.pdf

Additional Detail(s) (Map)

Well Completed Date: 2013/04/04
Year Completed: 2013
Depth (m): 3.048
Latitude: 45.3783952027047
Longitude: -75.74274430696
Path: 720\7201038.pdf

Bore Hole Information

Bore Hole ID:	1004279434	Elevation:	79.639640
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441847.00
Code OB Desc:		North83:	5025255.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	04-Apr-2013 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1004853620
Layer: 2
Color: 6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		5.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004853619			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004853621			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		9.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004853630			
Layer:		2			
Plug From:		4			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004853629			
Layer:		1			
Plug From:		10			
Plug To:		4			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method of Construction & Well Use

Method Construction ID: 1004853628
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1004853618
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004853624
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 5
Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004853625
Layer: 1
Slot: .1
Screen Top Depth: 5
Screen End Depth: 10
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.25

Water Details

Water ID: 1004853623
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004853622
Diameter: 2.25
Depth From: 0.0
Depth To: 10.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Borehole ID:	612830			Inclin FLG:	No
OGF ID:	215514136			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	FEB-1955			Municipality:	
Static Water Level:	12.2			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.378277
Total Depth m:	19.8			Longitude DD:	-75.743079
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441821
Drill Method:				Northing:	5025242
Orig Ground Elev m:	79.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	79.7				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218392655			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL.				
Geology Stratum ID:	218392656			Mat Consistency:	Soft
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	19.8			Material Texture:	
Material Color:	Blue			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. 00065BLUE,STIFF,LAYERED. CLAY. GREY,SOFT. CLAY. LAYERED, WATER STABLE AT 220.0 FE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 05338 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Scale or Resolution: Varies					
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Originators: Geological Survey of Canada					

[37](#) 1 of 1 S/83.2 76.9 / 0.00 ON [WWIS](#)

Well ID:	1508420	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	5/10/1955
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1802
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508420.pdf

Additional Detail(s) (Map)

Well Completed Date: 1955/02/16
Year Completed: 1955
Depth (m): 19.812
Latitude: 45.3782760105563
Longitude: -75.7430786559245
Path: 150\1508420.pdf

Bore Hole Information

Bore Hole ID:	10030454	Elevation:	79.668319
DP2BR:	12.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441820.70
Code OB Desc:	Bedrock	North83:	5025242.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	16-Feb-1955 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931009622
Layer: 2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931009621			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961508420			
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10579024			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930053557			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		65			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930053556			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To: 12					
Casing Diameter: 2					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
Results of Well Yield Testing					
Pump Test ID: 991508420					
Pump Set At:					
Static Level: 5.0					
Final Level After Pumping: 10.0					
Recommended Pump Depth:					
Pumping Rate: 8.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 2					
Pumping Duration MIN: 0					
Flowing: No					
Water Details					
Water ID: 933462915					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 65.0					
Water Found Depth UOM: ft					
38	1 of 1	N/87.8	76.9 / 0.00	City of Ottawa Churchill Ave Churchill Avenue between Carling Avenue and Highway 417 Ottawa ON K1P 1J1	ECA
Approval No: 3711-AB7P4G					
Approval Date: 2016-06-23					
Status: Approved					
Record Type: ECA					
Link Source: IDS					
SWP Area Name:					
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS					
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS					
Business Name: City of Ottawa					
Address: Churchill Ave Churchill Avenue between Carling Avenue and Highway 417					
Full Address:					
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1631-AAZQ7D-14.pdf					
PDF Site Location:					
39	1 of 1	SSE/88.4	76.9 / 0.00	900 Lady Ellen Place Ottawa ON K1Z 5L5	EHS
Order No: 20050622048					
Status: C					
Report Type:					
Report Date: 6/30/2005					
Date Received: 6/22/2005					
Previous Site Name:					
Nearest Intersection:					
Municipality:					
Client Prov/State: ON					
Search Radius (km): 0.25					
X: -75.742267					
Y: 45.378469					

Lot/Building Size:
Additional Info Ordered:

<u>40</u>	1 of 1	N/88.8	76.9 / 0.00	ON	BORE
-----------	--------	--------	-------------	----	------

Borehole ID:	847265	Inclin FLG:	No
OGF ID:	215588933	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	NOV-1957	Municipality:	
Static Water Level:	0.9	Lot:	LOT I
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.381337
Total Depth m:	4.1	Longitude DD:	-75.742987
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	441831
Drill Method:	Diamond Drill	Northing:	5025582
Orig Ground Elev m:	75.2	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	79.9		
Concession:	BROKEN FRONT A		
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	6556408	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	.3	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Topsoil	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6556409	Mat Consistency:	Loose
Top Depth:	.3	Material Moisture:	
Bottom Depth:	.8	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	LOOSE TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6556411	Mat Consistency:	
Top Depth:	1.2	Material Moisture:	
Bottom Depth:	2.6	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Limestone	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	LIMESTONE DRILLED CORE RECOVERY 90% **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	6556410			Mat Consistency:	Dense
Top Depth:	.8			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	Medium
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	MEDIUM DENSE TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6556412			Mat Consistency:	
Top Depth:	2.6			Material Moisture:	
Bottom Depth:	4.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE DRILLED CORE RECOVERY 83% **Note: Many records provided by the department have a truncated [Stratum Description] field.				

41 1 of 1 **NNE/91.5** **76.2 / -0.72** **ON** **BORE**

Borehole ID:	847268			Inclin FLG:	No
OGF ID:	215588936			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	NOV-1957			Municipality:	
Static Water Level:	1.5			Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.381467
Total Depth m:	5.5			Longitude DD:	-75.742325
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441883
Drill Method:	Diamond Drill			Northing:	5025596
Orig Ground Elev m:	75.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	79.8				
Concession:	BROKEN FRONT A				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6556430			Mat Consistency:	
Top Depth:	4.2			Material Moisture:	
Bottom Depth:	5.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE GRILLED CORE RECOVERY 92% **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6556427			Mat Consistency:	Dense
Top Depth:	1.2			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
42	1 of 1	ESE/91.5	76.9 / 0.00	1479 LAPIERRE AVE OTTAWA ON	WWIS
Well ID: 7157811 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z120902 Tag: A104495 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 1/14/2011 Selected Flag: True Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 1479 LAPIERRE AVE County: OTTAWA Municipality: OTTAWA CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7157157811.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2010/12/01 Year Completed: 2010 Depth (m): 6.1 Latitude: 45.3787285161117 Longitude: -75.7413181703729 Path: 715\7157811.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 1003456618 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 01-Dec-2010 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 79.443923 Elevrc: Zone: 18 East83: 441959.00 North83: 5025291.00 Org CS: UTM83 UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1003783350 Layer: 1 Color: 6 General Color: BROWN Mat1: 11					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		GRAVEL			
Mat2 Desc:		28			
Mat3:		SAND			
Mat3 Desc:		85			
Formation Top Depth:		SOFT			
Formation End Depth:		0.0			
Formation End Depth UOM:		0.9100000262260437			
		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003783351			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		4.269999980926514			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003783352			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		4.269999980926514			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003783363			
Layer:		3			
Plug From:		2.74000000953674			
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003783361			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Sealing Record</u>					
Plug ID:		1003783362			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.74000000953674			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003783359			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003783349			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003783355			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003783356			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.09999990463257			
Screen End Depth:		6.09999990463257			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003783354			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003783353			
Diameter:		8.25			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
43	1 of 1	ENE/93.8	76.9 / 0.00	1550 Carling Avenue & 1451 Coldrey Avenue Ottawa ON	EHS
Order No:	20100505005	Nearest Intersection:			
Status:	C	Municipality:			
Report Type:	Custom Report	Client Prov/State:		ON	
Report Date:	5/11/2010	Search Radius (km):		0.25	
Date Received:	5/5/2010	X:		-75.741572	
Previous Site Name:		Y:		45.380223	
Lot/Building Size:					
Additional Info Ordered:					
44	1 of 1	SE/94.6	76.9 / 0.00	1479 Laperriere Ave Ottawa ON K1Z7S8	EHS
Order No:	20180321103	Nearest Intersection:			
Status:	C	Municipality:			
Report Type:	Standard Report	Client Prov/State:		ON	
Report Date:	28-MAR-18	Search Radius (km):		.25	
Date Received:	21-MAR-18	X:		-75.741409	
Previous Site Name:		Y:		45.37867	
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				
45	1 of 7	SE/94.6	76.9 / 0.00	GAL POWER SYSTEMS INC. 1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	GEN
Generator No:	ON1175800	PO Box No:			
Status:		Country:			
Approval Years:	89	Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:	9949				
SIC Description:	OTHER REPAIR SERV.				
Detail(s)					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
45	2 of 7	SE/94.6	76.9 / 0.00	GAL POWER (OUT OF BUSINESS) 18-356 1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	GEN
Generator No:	ON1175800	PO Box No:			
Status:		Country:			
Approval Years:	92,93,94,95,96,97,98	Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:	9949				
SIC Description:	OTHER REPAIR SERV.				
Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
45	3 of 7	SE/94.6	76.9 / 0.00	1479 Laperriere Avenue Ottawa ON K1Z 7S8	EHS
Order No:	20100928017			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	10/5/2010			Search Radius (km):	0.25
Date Received:	9/28/2010			X:	-75.741421
Previous Site Name:				Y:	45.378592
Lot/Building Size:					
Additional Info Ordered:					
45	4 of 7	SE/94.6	76.9 / 0.00	3972780 Canada Inc. 1479 LAPERRIERE AVENUE OTTAWA ON K1Z 7S8	GEN
Generator No:	ON9565073			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2017			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	148 L				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
45	5 of 7	SE/94.6	76.9 / 0.00	3972780 Canada Inc. 1479 Laperriere Ave Ottawa ON K1Z 7S8	GEN
Generator No:	ON6358065			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	241 L				
Waste Class Desc:	Halogenated solvents and residues				
45	6 of 7	SE/94.6	76.9 / 0.00	3972780 Canada Inc. 1479 Laperriere Ave Ottawa ON K1Z 7S8	GEN
Generator No:	ON6358065			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

MHSW Facility:
SIC Code:
SIC Description:

Phone No Admin:

Detail(s)

Waste Class: 241 L
Waste Class Desc: Halogenated solvents and residues

45	7 of 7	SE/94.6	76.9 / 0.00	3972780 Canada Inc. 1479 Laperriere Ave Ottawa ON K1Z 7S8	GEN
--------------------	--------	---------	-------------	---	-----

Generator No:	ON6358065	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Aug 2021	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class: 241 L
Waste Class Desc: Halogenated solvents and residues

46	1 of 1	SE/99.2	76.9 / 0.00	881 LADY ELLEN PLACE Ottawa ON	WWIS
--------------------	--------	---------	-------------	-----------------------------------	------

Well ID:	7136552	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	12/21/2009
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z93875	Owner:	
Tag:	A087275	Street Name:	881 LADY ELLEN PLACE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7136552.pdf

Additional Detail(s) (Map)

Well Completed Date: 2009/11/02
Year Completed: 2009
Depth (m): 3.96
Latitude: 45.37858301466
Longitude: -75.7415461702824
Path: 713\7136552.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1002903220			Elevation:	79.866928
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441941.00
Code OB Desc:				North83:	5025275.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02-Nov-2009 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003093330				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.6100000143051147				
Formation End Depth:	2.440000057220459				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003093329				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				
Most Common Material:	FILL				
Mat2:	12				
Mat2 Desc:	STONES				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	0.6100000143051147				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003093331				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Mat2 Desc:	SAND				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		2.440000057220459			
Formation End Depth:		3.9600000381469727			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093334			
Layer:		2			
Plug From:		0.610000014305115			
Plug To:		3.96000003814697			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003093333			
Layer:		1			
Plug From:		0			
Plug To:		0.610000014305115			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003093340			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003093328			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003093336			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		0.910000026226044			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003093337			
Layer:		1			
Slot:		10			
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.96000003814697			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003093335			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003093332			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		3.9600000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
47	1 of 7	ESE/99.3	76.9 / 0.00	CANSO PRINTING SERVICES INC. 1463 COLDREY AVE OTTAWA ON K1Z 7P8	SCT
Established:		1992			
Plant Size (ft²):		0			
Employment:		16			
--Details--					
Description:		Quick Printing			
SIC/NAICS Code:		323114			
Description:		Digital Printing			
SIC/NAICS Code:		323115			
Description:		Other Printing			
SIC/NAICS Code:		323119			
47	2 of 7	ESE/99.3	76.9 / 0.00	CARRIER CANADA LTD. CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	GEN
Generator No:		ON0051304			
Status:					
Approval Years:		89,90			
Contam. Facility:					
MHSW Facility:					
SIC Code:		9959			
SIC Description:		OTHER SERV. TO BLDG.			
PO Box No:					
Country:					
Choice of Contact:					
Co Admin:					
Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
47	3 of 7	ESE/99.3	76.9 / 0.00	CARRIER (OUT OF BUS) 09-363 CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No:	ON0051304			PO Box No:	
Status:				Country:	
Approval Years:	92,93,95,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9959				
SIC Description:		OTHER SERV. TO BLDG.			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
47	4 of 7	ESE/99.3	76.9 / 0.00	CARRIER CANADA LTD. 09-363 CENTRAL REGION 1463 COLDREY AVE. OTTAWA-CARLETON ON K1Z 7P8	GEN
Generator No:	ON0051304			PO Box No:	
Status:				Country:	
Approval Years:	94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9959				
SIC Description:		OTHER SERV. TO BLDG.			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
47	5 of 7	ESE/99.3	76.9 / 0.00	CARRIER CANADA (OUT OF BUSINESS) CENTRAL REGION 1463 COLDREY AVENUE OTTAWA-CARLETON ON K1Z 7P8	GEN
Generator No:	ON0051304			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9959				
SIC Description:		OTHER SERV. TO BLDG.			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
47	6 of 7	ESE/99.3	76.9 / 0.00	CANSO PRINTING SERVICES INC. 1463 COLDREY AVENUE OTTAWA ON K1Z 7P8	GEN
Generator No:	ON1657702			PO Box No:	
Status:				Country:	
Approval Years:	97,98,99			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2821				
SIC Description:		PLATEMAKING, ETC.			
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
47	7 of 7	ESE/99.3	76.9 / 0.00	CANSO (OUT OF BUSINESS) INC. 1463 COLDREY AVENUE OTTAWA ON K1Z 7P8	GEN
Generator No:	ON1657702			PO Box No:	
Status:				Country:	
Approval Years:	00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2821				
SIC Description:	PLATEMAKING, ETC.				
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		265			
Waste Class Desc:		GRAPHIC ART WASTES			
48	1 of 1	N/99.4	76.9 / 0.00	ON	BORE
Borehole ID:	847267			Inclin FLG:	No
OGF ID:	215588935			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	NOV-1957			Municipality:	
Static Water Level:	0.8			Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.381491
Total Depth m:	4.6			Longitude DD:	-75.742836
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441843
Drill Method:	Diamond Drill			Northing:	5025599
Orig Ground Elev m:	74.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	79.7				
Concession:	BROKEN FRONT A				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6556424			Mat Consistency:	
Top Depth:	2.9			Material Moisture:	
Bottom Depth:	2.9			Material Texture:	
Material Color:				Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Limestone			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		LIMESTONE DRILLED CORE RECOVERY 90% **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6556423 1.2 2.9 Limestone			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		LIMESTONE DRILLED CORE RECOVERY 88% **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6556420 0 .8 organic material			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		ORGANIC **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6556421 .8 .9 Sand Silt			Mat Consistency: Loose Material Moisture: Material Texture: Fine Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		LOOSE FINE SAND AND SILT **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6556422 .9 1.2 Limestone			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		WEATHERED LIMESTONE **Note: Many records provided by the department have a truncated [Stratum Description] field.			

49	1 of 3	SE/100.2	76.9 / 0.00	Creative Signs & Designs 1485 Laperriere Ave Suite 101 Ottawa ON K1Z 7S8	SCT
Established:		01-AUG-90			
Plant Size (ft²):					
Employment:					

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Sign Manufacturing			
SIC/NAICS Code:		339950			
Description:		Sign Manufacturing			
SIC/NAICS Code:		339950			
49	2 of 3	SE/100.2	76.9 / 0.00	Thermal Insulation Assn of Cda 1485 Laperriere Ave Ottawa ON K1Z 7S8	SCT
Established:		01-DEC-65			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Other Membership Organizations			
SIC/NAICS Code:		813990			
49	3 of 3	SE/100.2	76.9 / 0.00	1485 Laperriere Avenue Ottawa ON K1Z 7S8	EHS
Order No:		21060800009		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		11-JUN-21		Search Radius (km): .25	
Date Received:		08-JUN-21		X: -75.7416948	
Previous Site Name:				Y: 45.3785283	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; City Directory			
50	1 of 10	S/104.5	76.9 / 0.00	GVT. OF CAN. - MUSEUMS CANADA BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	GEN
Generator No:		ON0129406		PO Box No:	
Status:					
Approval Years:		86,87,88,89,90			
Contam. Facility:					
MHSW Facility:					
SIC Code:		8551			
SIC Description:		MUSEUMS/ARCHIVES			
Detail(s)					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
50	2 of 10	S/104.5	76.9 / 0.00	GVT. OF CAN. - MUSEUMS CANADA 18-220 BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	GEN
Generator No:		ON0129406		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 92,93,94,95,96,97 Contam. Facility: MHSW Facility: SIC Code: 8551 SIC Description: MUSEUMS/ARCHIVES				Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 148					
Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
Waste Class: 212					
Waste Class Desc: ALIPHATIC SOLVENTS					
Waste Class: 263					
Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
Waste Class: 113					
Waste Class Desc: ACID WASTE - OTHER METALS					
Waste Class: 211					
Waste Class Desc: AROMATIC SOLVENTS					
50	3 of 10	S/104.5	76.9 / 0.00	NATIONAL MUSEUMS OF CAN(O UT OF BUSINESS) BOTANY DIVISION 1505 LA PERRIERE AVENUE OTTAWA ON K1Z 7T1	GEN
Generator No: ON0129406 Status: Approval Years: 98 Contam. Facility: MHSW Facility: SIC Code: 8551 SIC Description: MUSEUMS/ARCHIVES				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: 212					
Waste Class Desc: ALIPHATIC SOLVENTS					
Waste Class: 113					
Waste Class Desc: ACID WASTE - OTHER METALS					
Waste Class: 148					
Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
Waste Class: 211					
Waste Class Desc: AROMATIC SOLVENTS					
Waste Class: 263					
Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
50	4 of 10	S/104.5	76.9 / 0.00	1505 Laperriere Avenue Ottawa ON K1Z 7T1	EHS
Order No: 20060612003 Status: C Report Type: Complete Report Report Date: 6/20/2006 Date Received: 6/12/2006 Previous Site Name:				Nearest Intersection: SW corner of Laperriere and Lady Ellen Place Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.742733 Y: 45.377975	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: 22,900 square feet					
Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
50	5 of 10	S/104.5	76.9 / 0.00	1505 Laperriere Avenue Ottawa ON K1Z 7T1	EHS
Order No:	20110119002	Nearest Intersection:			
Status:	C	Municipality:			
Report Type:	Standard Report	Client Prov/State:		ON	
Report Date:	1/27/2011	Search Radius (km):		0.25	
Date Received:	1/19/2011 8:36:15 AM	X:		-75.742631	
Previous Site Name:		Y:		45.377877	
Lot/Building Size:					
Additional Info Ordered:					
50	6 of 10	S/104.5	76.9 / 0.00	Saint Elizabeth Health Care 1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	GEN
Generator No:	ON7106063	PO Box No:			
Status:		Country:		Canada	
Approval Years:	2016	Choice of Contact:		CO_ADMIN	
Contam. Facility:	No	Co Admin:		Sam Gray	
MHSW Facility:	No	Phone No Admin:		800-263-1857 Ext.	
SIC Code:	621990				
SIC Description:	ALL OTHER AMBULATORY HEALTH CARE SERVICES				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
50	7 of 10	S/104.5	76.9 / 0.00	1505 Laperriere Avenue Corporation 1505 Laperriere Ave Ottawa ON K1Z 7T1	GEN
Generator No:	ON7547482	PO Box No:			
Status:	Registered	Country:		Canada	
Approval Years:	As of Dec 2017	Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
50	8 of 10	S/104.5	76.9 / 0.00	Saint Elizabeth Health Care 1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	GEN
Generator No:	ON7106063	PO Box No:			
Status:	Registered	Country:		Canada	
Approval Years:	As of Dec 2018	Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
<u>50</u>	9 of 10	S/104.5	76.9 / 0.00	Saint Elizabeth Health Care 1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	GEN
Generator No:	ON7106063			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
<u>50</u>	10 of 10	S/104.5	76.9 / 0.00	Saint Elizabeth Health Care 1505 Laperriere Ave. Suite 400 Ottawa ON K1Z 7T1	GEN
Generator No:	ON7106063			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Aug 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
<u>51</u>	1 of 1	SE/106.0	76.9 / 0.00	1479 LAPIERIERRE ST. OTTAWA ON	WWIS
Well ID:	7154089			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/4/2010
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z113171			Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A104656			Street Name:	1479 LAPIERIERRE ST.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154089.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/10/15
Year Completed: 2010
Depth (m): 7.32
Latitude: 45.3785752576876
Longitude: -75.7413544844918
Path: 715\7154089.pdf

Bore Hole Information

Bore Hole ID:	1003362523	Elevation:	79.936553
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441956.00
Code OB Desc:		North83:	5025274.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	15-Oct-2010 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003482028
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 3.3499999046325684
Formation End Depth: 5.179999828338623
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1003482026			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.9100000262260437			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003482027			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		3.3499999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003482029			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		5.179999828338623			
Formation End Depth:		7.320000171661377			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003482033			
Layer:		3			
Plug From:		2.44000005722046			
Plug To:		7.32000017166138			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003482032			
Layer:		2			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		2.44000005722046			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003482031			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1003482039			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		DIRECT PUSH			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1003482025			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1003482035			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.74000000953674			
<i>Casing Diameter:</i>		4.03000020980835			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1003482036			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		2.74000000953674			
<i>Screen End Depth:</i>		7.32000017166138			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82000017166138			
<u>Water Details</u>					
<i>Water ID:</i>		1003482034			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1003482030			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		7.320000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
52	1 of 2	WNW/107.4	76.9 / 0.01	1568 Carling Ave Ottawa ON K1Z7M4	EHS
Order No:	20170707121			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	11-JUL-17			Search Radius (km):	.25
Date Received:	07-JUL-17			X:	-75.745251
Previous Site Name:				Y:	45.380786
Lot/Building Size:					
Additional Info Ordered:					
52	2 of 2	WNW/107.4	76.9 / 0.01	264482 Ontario Limited 1568 Carling Avenue Ottawa ON K1Z 7M4	GEN
Generator No:	ON3936643			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Aug 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	243 D				
Waste Class Desc:	PCB				
53	1 of 1	SE/108.5	76.9 / 0.00	1479 LAPIERE AVE OTTAWA ON	WWIS
Well ID:	7157813			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/14/2011
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z120900			Owner:	
Tag:	A104497			Street Name:	1479 LAPIERE AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7157813.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/12/01
Year Completed: 2010
Depth (m): 5.49
Latitude: 45.3784930089319
Longitude: -75.7415449937424
Path: 715\7157813.pdf

Bore Hole Information

Bore Hole ID:	1003456622	Elevation:	80.213768
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441941.00
Code OB Desc:		North83:	5025265.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	01-Dec-2010 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003783464
Layer: 1
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 0.9100000262260437
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003783465
Layer: 2
Color: 2
General Color: GREY
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.9100000262260437
Formation End Depth: 4.269999980926514

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003783466			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		4.269999980926514			
Formation End Depth:		5.489999771118164			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003783476			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.13000011444092			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003783477			
Layer:		3			
Plug From:		2.13000011444092			
Plug To:		5.48999977111816			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003783475			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003783473			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003783463			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1003783469			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003783470			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.09999990463257			
Screen End Depth:		5.48999977111816			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1003783468			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003783467			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.489999771118164			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

54	1 of 1	S/111.9	76.9 / 0.00	n/a Ottawa ON	EHS
Order No:	20180307077			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	13-MAR-18			Search Radius (km):	.25
Date Received:	07-MAR-18			X:	-75.742765
Previous Site Name:				Y:	45.37809
Lot/Building Size:					
Additional Info Ordered:					

55	1 of 1	SE/114.1	76.9 / 0.00	1479 LAPIERRE AVE OTTAWA ON	WWIS
Well ID:	7157812			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/14/2011

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z120901			Owner:	
Tag:	A104496			Street Name:	1479 LAPIERRE AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7157812.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/12/01
Year Completed: 2010
Depth (m): 6.1
Latitude: 45.3785310008265
Longitude: -75.7412389555765
Path: 715\7157812.pdf

Bore Hole Information

Bore Hole ID:	1003456620	Elevation:	80.050941
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441965.00
Code OB Desc:		North83:	5025269.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	01-Dec-2010 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003783407
Layer: 1
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 0.9100000262260437
Formation End Depth UOM: m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003783409			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		4.269999980926514			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003783408			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		4.269999980926514			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003783419			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.74000000953674			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003783420			
Layer:		3			
Plug From:		2.74000000953674			
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003783418			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method of Construction & Well Use

Method Construction ID: 1003783416
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1003783406
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1003783412
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 3.09999990463257
Casing Diameter: 4.03000020980835
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003783413
Layer: 1
Slot: 10
Screen Top Depth: 3.09999990463257
Screen End Depth: 6.09999990463257
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.82000017166138

Water Details

Water ID: 1003783411
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1003783410
Diameter: 8.25
Depth From: 0.0
Depth To: 6.099999904632568
Hole Depth UOM: m
Hole Diameter UOM: cm

56	1 of 6	WNW/115.0	76.9 / 0.01	264482 ONTARIO LIMITED 1574 CARLING AVENUE (VAIL'S BUILDING) C/O 1801 WOODWARD DRIVE	GEN
--------------------	--------	-----------	-------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K1Z 7M4					
Generator No:	ON0373200			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90,92,93,94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	0000				
SIC Description:	*** NOT DEFINED ***				
56	2 of 6	WNW/115.0	76.9 / 0.01	SPIC & SPAN-VALETOR-CASH CLEANERS 1574 CARLING AVENUE C/O 1764 WOODWARD DRIVE OTTAWA ON K1Z 7M4	GEN
Generator No:	ON0573412			PO Box No:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANERS				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
56	3 of 6	WNW/115.0	76.9 / 0.01	SPIC & SPAN-VALETOR-CASH CLEANERS 35- 136 1574 CARLING AVENUE C/O 1764 WOODWARD DRIVE OTTAWA ON K1Z 7M4	GEN
Generator No:	ON0573412			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANER				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
56	4 of 6	WNW/115.0	76.9 / 0.01	CARLING RICHMOND 1574 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:	ON1288301			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	0000				
SIC Description:	*** NOT DEFINED ***				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
56	5 of 6	WNW/115.0	76.9 / 0.01	POWER BIKES & BOARDS 1574 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:	ON7041306			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	451110				
SIC Description:	Sporting Goods Stores				
56	6 of 6	WNW/115.0	76.9 / 0.01	264482 Ontario Ltd 1564-1574 Carling Avenue Ottawa ON K1Z 7M4	GEN
Generator No:	ON8078801			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2017			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	269 L				
Waste Class Desc:	Organic non-halogenated pesticide and herbicide wastes				
57	1 of 1	SSE/118.3	76.9 / 0.00	UNITED ASSOCIATION, LOCAL 71 904 LADY WLLLEN PLACE OTTAWA ON K1Z 5L5	GEN
Generator No:	ON8592504			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561110				
SIC Description:	Office Administrative Services				
58	1 of 1	SSE/118.3	76.9 / 0.00	904 Lady Ellen Place Ottawa ON K1Z 5L5	EHS
Order No:	20130311033			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	20-MAR-13			Search Radius (km):	.25
Date Received:	11-MAR-13			X:	0
Previous Site Name:				Y:	0
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
59	1 of 1	E/120.9	76.9 / 0.00	1474 Coldrey Ave Ottawa ON	WWIS
Well ID:	7354080			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	2/19/2020
Sec. Water Use:	Monitoring			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type: Casing Material: Audit No: Z324266 Tag: A274792 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Contractor: 7241 Form Version: 7 Owner: Street Name: 1474 Coldrey Ave County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2020/01/27			
Year Completed:		2020			
Depth (m):		5.49			
Latitude:		45.3795632785356			
Longitude:		-75.7402945054762			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1008180884		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 442040.00	
Code OB Desc:				North83: 5025383.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		27-Jan-2020 00:00:00		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008250960			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1008250961		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:			28		
Mat3 Desc:			SAND		
Formation Top Depth:			0.3100000023841858		
Formation End Depth:			2.130000114440918		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1008250963		
Layer:			4		
Color:			2		
General Color:			GREY		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:			66		
Mat3 Desc:			DENSE		
Formation Top Depth:			3.9600000381469727		
Formation End Depth:			5.489999771118164		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1008250962		
Layer:			3		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:			85		
Mat3 Desc:			SOFT		
Formation Top Depth:			2.130000114440918		
Formation End Depth:			3.9600000381469727		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1008251919		
Layer:			1		
Plug From:			0		
Plug To:			0.310000002384186		
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1008251920			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.13000011444092			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008251921			
Layer:		3			
Plug From:		2.13000011444092			
Plug To:		5.48999977111816			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008253185			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008249884			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1008253875			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.44000005722046			
Screen End Depth:		5.48999977111816			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1008254217			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1008252810			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		5.400000095367432			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
60	1 of 1	E/121.3	76.9 / 0.00	ON	BORE
Borehole ID:	612849			Inclin FLG:	No
OGF ID:	215514155			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	1900			Municipality:	
Static Water Level:	6.4			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.379466
Total Depth m:	-999			Longitude DD:	-75.740284
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442041
Drill Method:				Northing:	5025372
Orig Ground Elev m:	75			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	77.7				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218392703			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. FIRM.				
Geology Stratum ID:	218392705			Mat Consistency:	Soft
Top Depth:	4.9			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. 0140Y. SOFT. SAND. WATER STABLE AT 224.9 FEET.BEDROCK. 20.0 FEET.TILL. BE				**Note:
	Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218392704			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	4.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:		SAND.		Geologic Group: Geologic Period: Depositional Gen:	
Source					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 053570 NTS_Sheet: 31G05G Logged by professional. Exact and complete description of material and properties.			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
Source List					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator
61	1 of 3	NW/123.0	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z 7M4	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20200402065 C Standard Express Report 02-APR-20 02-APR-20 			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	 ON .25 -75.7441427 45.3810467
61	2 of 3	NW/123.0	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z 7M4	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20200402065 C Standard Express Report 02-APR-20 02-APR-20 			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	 ON .25 -75.7441427 45.3810467
61	3 of 3	NW/123.0	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z 7M4	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size:	20200402065 C Standard Express Report 02-APR-20 02-APR-20 			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	 ON .25 -75.7441427 45.3810467

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Info Ordered:

62	1 of 1	E/123.6	76.9 / 0.00	1474 COLDREY AVE Ottawa ON	WWIS
--------------------	--------	---------	-------------	-------------------------------	------

Well ID:	7328622	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/19/2018
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z286665	Owner:	
Tag:	A251746	Street Name:	1474 COLDREY AVE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2018/06/18
Year Completed: 2018
Depth (m): 5.64
Latitude: 45.379446519405
Longitude: -75.7402546642783
Path:

Bore Hole Information

Bore Hole ID:	1007379824	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442043.00
Code OB Desc:		North83:	5025370.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-Jun-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1007702049
Layer: 1
Color: 6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007702050			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		3.3499999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007702051			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		3.3499999046325684			
Formation End Depth:		5.639999866485596			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702267			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.28999996185303			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702266			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1007702268
 Layer: 3
 Plug From: 2.28999996185303
 Plug To: 5.6399998664856
 Plug Depth UOM: m

**Method of Construction & Well
Use**

Method Construction ID: 1007702561
 Method Construction Code: 5
 Method Construction: Air Percussion
 Other Method Construction:

Pipe Information

Pipe ID: 1007701873
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Screen

Screen ID: 1007702726
 Layer: 1
 Slot: 10
 Screen Top Depth: 2.58999991416931
 Screen End Depth: 5.6399998664856
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.03000020980835

Hole Diameter

Hole ID: 1007702475
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 5.639999866485596
 Hole Depth UOM: m
 Hole Diameter UOM: cm

63	1 of 8	NW/128.7	76.9 / 0.01	CAPITAL DODGE-CHRYSLER LTD. 1554 CARLING AVENUE OTTAWA CITY ON K1Z 7M4	CA
Certificate #:	8-4120-97-				
Application Year:	97				
Issue Date:	9/5/1997				
Approval Type:	Industrial air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:	WASTE OIL FURNACE MODEL CB-5000				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminants:		Suspended Particulate Matter, Lead, Arsenic, Beryllium, Cadmium, Chromium, Manganese, Nitrogen Oxides, Sulphur Dioxide			
Emission Control:					

63	2 of 8	NW/128.7	76.9 / 0.01	Capital Dodge-Chrysler Ltd. 1554 CARLING AVENUE, OTTAWA CITY CITY OF OTTAWA ON	EBR
EBR Registry No:	IA7E1078			Decision Posted:	
Ministry Ref No:	8412097 19970715			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:				Act 1:	
Notice Date:	September 04, 1997			Act 2:	
Proposal Date:	July 22, 1997			Site Location Map:	
Year:	1997				
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
Off Instrument Name:					
Posted By:					
Company Name:	Capital Dodge-Chrysler Ltd.				
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	1554 Carling Avenue, Ottawa Ontario, K1Z 7M4				
Comment Period:					
URL:					
Site Location Details:					
1554 CARLING AVENUE, OTTAWA CITY CITY OF OTTAWA					

63	3 of 8	NW/128.7	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z 7M4	EHS
Order No:	20060119009			Nearest Intersection:	Highway 417
Status:	C			Municipality:	Ottawa
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	1/27/2006			Search Radius (km):	0.25
Date Received:	1/19/2006			X:	-75.74395
Previous Site Name:				Y:	45.38105
Lot/Building Size:					
Additional Info Ordered:					

63	4 of 8	NW/128.7	76.9 / 0.01	CARLING/QUEENSWAY STORAGE CORPORATION 1554 CARLING AVE OTTAWA ON K1Z 1G3	EASR
Approval No:	R-003-6333285434			SWP Area Name:	
Status:	REGISTERED			MOE District:	
Date:	2013-05-06			Municipality:	OTTAWA
Record Type:	EASR			Latitude:	
Link Source:	MOFA			Longitude:	
Project Type:	Heating System			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:	EASR-Heating System				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6169				
PDF URL:					
PDF Site Location:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
63	5 of 8	NW/128.7	76.9 / 0.01	Carling/Queensway Self Storage Corporation 1554 Carling Ave Ottawa ON K1H 8K3	ECA
<p> Approval No: 0940-98ZSJK Approval Date: 2013-06-27 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-AIR Project Type: AIR Business Name: Carling/Queensway Self Storage Corporation Address: 1554 Carling Ave Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5511-95GQBR-14.pdf PDF Site Location: </p>					
63	6 of 8	NW/128.7	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z	EHS
<p> Order No: 20180806081 Status: C Report Type: Standard Report Report Date: 13-AUG-18 Date Received: 06-AUG-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos Nearest Intersection: Municipality: Client Prov/State: CA Search Radius (km): .25 X: -75.744321 Y: 45.381004 </p>					
63	7 of 8	NW/128.7	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z 7M4	EHS
<p> Order No: 20200402065 Status: C Report Type: Standard Express Report Report Date: 02-APR-20 Date Received: 02-APR-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.7441427 Y: 45.3810467 </p>					
63	8 of 8	NW/128.7	76.9 / 0.01	1554 Carling Avenue Ottawa ON K1Z 7M4	EHS
<p> Order No: 20200402065 Status: C Report Type: Standard Express Report Report Date: 02-APR-20 Date Received: 02-APR-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.7441427 Y: 45.3810467 </p>					
64	1 of 1	N/129.9	76.9 / 0.00	ON	BORE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Borehole ID:	848108			Inclin FLG:	No
OGF ID:	215589756			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1982			Municipality:	
Static Water Level:				Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.381714
Total Depth m:	3.3			Longitude DD:	-75.743094
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441823
Drill Method:	Diamond Drill			Northing:	5025624
Orig Ground Elev m:	23.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	75.9				
Concession:		BROKEN FRONT A			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6559967			Mat Consistency:	Dense
Top Depth:	.5			Material Moisture:	
Bottom Depth:	1.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY SAND WITH GRAVEL & TRACE OF CLAY, DENSE (TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559968			Mat Consistency:	
Top Depth:	1.3			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BOULDERY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559966			Mat Consistency:	
Top Depth:	.1			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	organic material			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BLACK ORGANICS WITH SOME GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559969			Mat Consistency:	
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	3.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		LIMESTONE (95%) GREY WITH RANDOMLY INTERBEDDED SHALE (5%) PARTINGS, BLACK TO DARK GREY, ABOUT 1 TO 3MM THICK **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559965			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			

[65](#) 1 of 1 E/130.4 76.9 / 0.00 1422 COLDRY AVE. OTTAWA ON [WWIS](#)

Well ID:	7227036	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	9/8/2014
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z193887	Owner:	
Tag:	A165643	Street Name:	1422 COLDRY AVE.
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7227036.pdf

Additional Detail(s) (Map)

Well Completed Date: 2014/07/16
Year Completed: 2014
Depth (m): 4.27
Latitude: 45.3797258682807
Longitude: -75.7402072194584
Path: 722\7227036.pdf

Bore Hole Information

Bore Hole ID:	1005119506	Elevation:	76.532882
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442047.00
Code OB Desc:		North83:	5025401.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	16-Jul-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1005331762		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:			85		
Mat3 Desc:			SOFT		
Formation Top Depth:			0.6100000143051147		
Formation End Depth:			3.0999999046325684		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1005331763		
Layer:			3		
Color:			6		
General Color:			BROWN		
Mat1:			34		
Most Common Material:			TILL		
Mat2:			73		
Mat2 Desc:			HARD		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			3.0999999046325684		
Formation End Depth:			4.269999980926514		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1005331761		
Layer:			1		
Color:			6		
General Color:			BROWN		
Mat1:			02		
Most Common Material:			TOPSOIL		
Mat2:			85		
Mat2 Desc:			SOFT		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			0.6100000143051147		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1005331771		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005331773			
<i>Layer:</i>		3			
<i>Plug From:</i>		0.910000026226044			
<i>Plug To:</i>		4.26999998092651			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005331772			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		0.910000026226044			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1005331770			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1005331760			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1005331767			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.22000002861023			
<i>Screen End Depth:</i>		4.26999998092651			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82000017166138			
<u>Water Details</u>					
<i>Water ID:</i>		1005331765			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1005331764			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		4.269999980926514			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
66	1 of 5	W/132.6	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Y 1B2	EHS
Order No:		20200114062		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		17-JAN-20		Search Radius (km): .25	
Date Received:		14-JAN-20		X: -75.7455391	
Previous Site Name:				Y: 45.3798757	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
66	2 of 5	W/132.6	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Y 1B2	EHS
Order No:		20200114062		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		17-JAN-20		Search Radius (km): .25	
Date Received:		14-JAN-20		X: -75.7455391	
Previous Site Name:				Y: 45.3798757	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
66	3 of 5	W/132.6	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Y 1B2	EHS
Order No:		20200114062		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		17-JAN-20		Search Radius (km): .25	
Date Received:		14-JAN-20		X: -75.7455391	
Previous Site Name:				Y: 45.3798757	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
66	4 of 5	W/132.6	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Y 1B2	EHS
Order No:		20200114062		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		17-JAN-20		Search Radius (km): .25	
Date Received:		14-JAN-20		X: -75.7455391	
Previous Site Name:				Y: 45.3798757	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
66	5 of 5	W/132.6	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Y 1B2	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	20200114062			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	17-JAN-20			Search Radius (km):	.25
Date Received:	14-JAN-20			X:	-75.7455391
Previous Site Name:				Y:	45.3798757
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

67 1 of 1 **N/134.5** **76.9 / 0.00** **ON** **BORE**

Borehole ID:	848107			Inclin FLG:	No
OGF ID:	215589755			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1982			Municipality:	
Static Water Level:				Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.381843
Total Depth m:	1.6			Longitude DD:	-75.742674
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441856
Drill Method:	Not known			Northing:	5025638
Orig Ground Elev m:	24.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	78.8				
Concession:	BROKEN FRONT A				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6559962			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	6559964			Mat Consistency:	Dense
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	1.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY SAND WITH GRAVEL, DENSE (TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	6559963			Mat Consistency:	Loose
Top Depth:	.1			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:				Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY SAND, LOOSE TO COMPACT (FILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

68	1 of 1	E/136.6	76.9 / 0.00	1474 COLDREY AVE Ottawa ON	WWIS
Well ID:	7328619			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/19/2018
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z286662			Owner:	
Tag:	A251749			Street Name:	1474 COLDREY AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY (NEPEAN)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2018/06/18
Year Completed:	2018
Depth (m):	5.94
Latitude:	45.3795105993695
Longitude:	-75.7400894579463
Path:	

Bore Hole Information

Bore Hole ID:	1007379752	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442056.00
Code OB Desc:		North83:	5025377.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-Jun-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1007702040			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007702041			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		3.3499999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007702042			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		3.3499999046325684			
Formation End Depth:		5.940000057220459			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007702257			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Plug ID:		1007702259			
Layer:		3			
Plug From:		2.58999991416931			
Plug To:		5.94000005722046			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702258			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.58999991416931			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007702558			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007701870			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1007702723			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.90000009536743			
Screen End Depth:		5.94000005722046			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1007702790			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1007702472			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		5.940000057220459			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

69	1 of 1	SW/137.6	75.9 / -0.99	1551 LAPERRIER OTTAWA ON	WWIS
--------------------	--------	----------	--------------	-----------------------------	------

Well ID:	7151896	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	9/24/2010
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	5
Audit No:	M03212	Owner:	
Tag:	A092476	Street Name:	1551 LAPERRIER
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7151896.pdf

Additional Detail(s) (Map)

Well Completed Date:	2010/08/19
Year Completed:	2010
Depth (m):	5.79
Latitude:	45.3780676258645
Longitude:	-75.7446686170357
Path:	715\7151896.pdf

Bore Hole Information

Bore Hole ID:	1003339572	Elevation:	78.778167
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441696.00
Code OB Desc:		North83:	5025220.00
Open Hole:	No	Org CS:	UTM83
Cluster Kind:		UTMRC:	2
Date Completed:	19-Aug-2010 00:00:00	UTMRC Desc:	margin of error : 3 - 10 m
Remarks:		Location Method:	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1003602361		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			28		
Most Common Material:			SAND		
Mat2:					
Mat2 Desc:					
Mat3:			85		
Mat3 Desc:			SOFT		
Formation Top Depth:			0.6100000143051147		
Formation End Depth:			3.3499999046325684		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1003602362		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			15		
Most Common Material:			LIMESTONE		
Mat2:					
Mat2 Desc:					
Mat3:			73		
Mat3 Desc:			HARD		
Formation Top Depth:			3.3499999046325684		
Formation End Depth:			5.789999961853027		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1003602360		
Layer:			1		
Color:			2		
General Color:			GREY		
Mat1:			11		
Most Common Material:			GRAVEL		
Mat2:			01		
Mat2 Desc:			FILL		
Mat3:			77		
Mat3 Desc:			LOOSE		
Formation Top Depth:			0.0		
Formation End Depth:			0.6100000143051147		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1003602366		
Layer:			2		
Plug From:			2.44000005722046		
Plug To:			5.78999996185303		
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1003602365			
Layer:		1			
Plug From:		0			
Plug To:		2.44000005722046			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003602372			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003602359			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003602367			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.74000000953674			
Casing Diameter:		5.25			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		1003602368			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		2.74000000953674			
Depth To:		5.78999996185303			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003602369			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Hole Diameter</u>					
Hole ID:		1003602363			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.3499999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1003602364			
Diameter:		7.619999885559082			
Depth From:		3.3499999046325684			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

70	1 of 1	E/138.6	76.9 / 0.00	1474 coldrey Ottawa ON	WWIS
Well ID:		7325338		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 12/11/2018	
Sec. Water Use:				Selected Flag: True	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z229563		Owner:	
Tag:		A254626		Street Name: 1474 coldrey	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: OTTAWA CITY	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2018/09/15
Year Completed: 2018
Depth (m): 9.14
Latitude: 45.3795107648783
Longitude: -75.7400639150987
Path:

Bore Hole Information

Bore Hole ID:	1007330685	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442058.00
Code OB Desc:		North83:	5025377.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	15-Sep-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Overburden and Bedrock Materials Interval</i></u>					
<i>Formation ID:</i>		1007704066			
<i>Layer:</i>		2			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>		06			
<i>Mat2 Desc:</i>		SILT			
<i>Mat3:</i>		05			
<i>Mat3 Desc:</i>		CLAY			
<i>Formation Top Depth:</i>		0.3100000023841858			
<i>Formation End Depth:</i>		2.130000114440918			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock Materials Interval</i></u>					
<i>Formation ID:</i>		1007704067			
<i>Layer:</i>		3			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		06			
<i>Most Common Material:</i>		SILT			
<i>Mat2:</i>		05			
<i>Mat2 Desc:</i>		CLAY			
<i>Mat3:</i>		66			
<i>Mat3 Desc:</i>		DENSE			
<i>Formation Top Depth:</i>		2.130000114440918			
<i>Formation End Depth:</i>		5.789999961853027			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock Materials Interval</i></u>					
<i>Formation ID:</i>		1007704068			
<i>Layer:</i>		4			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>		74			
<i>Mat3 Desc:</i>		LAYERED			
<i>Formation Top Depth:</i>		5.789999961853027			
<i>Formation End Depth:</i>		9.140000343322754			
<i>Formation End Depth UOM:</i>		m			
<u><i>Overburden and Bedrock Materials Interval</i></u>					
<i>Formation ID:</i>		1007704065			
<i>Layer:</i>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007704236			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007704238			
Layer:		3			
Plug From:		7.32000017166138			
Plug To:		9.14000034332275			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007704237			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		7.32000017166138			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007704466			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007703922			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1007704617			
Layer:		1			
Slot:		10			
Screen Top Depth:		7.61999988555908			
Screen End Depth:		9.14000034332275			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.03000020980835				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1007704647				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:	LPM				
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1007704403				
Diameter:	7.619999885559082				
Depth From:	6.099999904632568				
Depth To:	9.140000343322754				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Hole Diameter</u>					
Hole ID:	1007704402				
Diameter:	11.470000267028809				
Depth From:	0.0				
Depth To:	6.099999904632568				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

[71](#) 1 of 1 *E/139.7* *76.9 / 0.00* **1474 COLDREY AVE**
Ottawa ON **WWIS**

Well ID:	7328621	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/19/2018
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z286664	Owner:	
Tag:	A251747	Street Name:	1474 COLDREY AVE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map):				Zone: UTM Reliability:	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2018/06/18			
Year Completed:		2018			
Depth (m):		5.64			
Latitude:		45.3794208418868			
Longitude:		-75.7400499694688			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007379810			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442059.00
Code OB Desc:				North83:	5025367.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	18-Jun-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007702047				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	0.3100000023841858				
Formation End Depth:	3.6600000858306885				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007702046				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Mat2 Desc:					
Mat3:	85				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007702048			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		3.66000000858306885			
Formation End Depth:		5.639999866485596			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702265			
Layer:		3			
Plug From:		2.28999996185303			
Plug To:		5.6399998664856			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702264			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.28999996185303			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702263			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007702560			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007701872			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Screen

Screen ID: 1007702725
 Layer: 1
 Slot: 10
 Screen Top Depth: 2.58999991416931
 Screen End Depth: 5.6399998664856
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.03000020980835

Hole Diameter

Hole ID: 1007702474
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 5.639999866485596
 Hole Depth UOM: m
 Hole Diameter UOM: cm

72	1 of 1	SW/140.1	75.9 / -0.99	1551 LAPERRIER STREET Ottawa ON	WWIS
--------------------	--------	----------	--------------	------------------------------------	------

<p>Well ID: 7149495 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Test Hole Water Type: Casing Material: Audit No: M03205 Tag: A092508 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:</p>	<p>Data Entry Status: Data Src: Date Received: 8/5/2010 Selected Flag: True Abandonment Rec: Contractor: 7241 Form Version: 5 Owner: Street Name: 1551 LAPERRIER STREET County: OTTAWA Municipality: OTTAWA CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:</p>
---	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7149495.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/07/13
 Year Completed: 2010
 Depth (m): 9.14
 Latitude: 45.3779862044135
 Longitude: -75.7447314090465
 Path: 714\7149495.pdf

Bore Hole Information

Bore Hole ID: 1004566427 Elevation:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441680.00
Code OB Desc:				North83:	5025229.00
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	4
Date Completed:		13-Jul-2010 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004566431			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004566430			
Method Construction Code:					
Method Construction:					
Other Method Construction:		AIR PERCUSSION			
<u>Pipe Information</u>					
Pipe ID:		1004566432			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004566434			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.04999995231628			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004566433			
Layer:		1			
Slot:					
Screen Top Depth:		3.04999995231628			
Screen End Depth:		6.09999990463257			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Results of Well Yield Testing

Pump Test ID: 1004566435
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1004566429
Diameter: 5.710000038146973
Depth From:
Depth To: 6.099999904632568
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1004566436	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441701.00
Code OB Desc:		North83:	5025233.00
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	13-Jul-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	WWR
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1004566440
Layer:
Plug From:
Plug To:
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1004566439
Method Construction Code:
Method Construction:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:		AIR PERCUSSION			
<u>Pipe Information</u>					
Pipe ID:		1004566441			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004566443			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.04999995231628			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004566442			
Layer:		1			
Slot:					
Screen Top Depth:		3.04999995231628			
Screen End Depth:		6.09999990463257			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004566444			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1004566438			
Diameter:		5.710000038146973			
Depth From:					
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1003269409			Elevation:	78.730514
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441691.00
Code OB Desc:				North83:	5025211.00
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	13-Jul-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004566456				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:	73				
Mat3 Desc:	HARD				
Formation Top Depth:	2.130000114440918				
Formation End Depth:	9.140000343322754				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004566455				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				
Most Common Material:	FILL				
Mat2:					
Mat2 Desc:					
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	2.130000114440918				
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004566459				
Layer:	1				
Plug From:	2				
Plug To:	7.30999994277954				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Sealing Record</u>					
Plug ID:		1004566460			
Layer:		2			
Plug From:		7.30999994277954			
Plug To:		9.14000034332275			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004566465			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004566454			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004566461			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		7.61999988555908			
Casing Diameter:		3.50999999046326			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004566462			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.21000003814697			
<u>Hole Diameter</u>					
Hole ID:		1004566457			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004566458			
Diameter:		5.710000038146973			
Depth From:		2.130000114440918			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth To:</i>		9.140000343322754			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1004566400			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	441686.00
<i>Code OB Desc:</i>				<i>North83:</i>	5025161.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	4
<i>Date Completed:</i>	13-Jul-2010 00:00:00			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	WWR
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>	1004566404				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>	1004566403				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		AIR PERCUSSION			
<u>Pipe Information</u>					
<i>Pipe ID:</i>	1004566405				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	1004566407				
<i>Layer:</i>	1				
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>					
<i>Depth To:</i>	3.04999995231628				
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>	cm				
<i>Casing Depth UOM:</i>	m				
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>	1004566406				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Slot:					
Screen Top Depth:		3.04999995231628			
Screen End Depth:		6.09999990463257			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1004566408				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1004566402				
Diameter:	5.710000038146973				
Depth From:					
Depth To:	6.099999904632568				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1004566418			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441670.00
Code OB Desc:				North83:	5025201.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	4
Date Completed:	13-Jul-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	WWR
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004566422				
Layer:					
Plug From:					
Plug To:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004566421			
Method Construction Code:					
Method Construction:					
Other Method Construction:		AIR PERCUSSION			
<u>Pipe Information</u>					
Pipe ID:		1004566423			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004566425			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.04999995231628			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004566424			
Layer:		1			
Slot:					
Screen Top Depth:		3.04999995231628			
Screen End Depth:		6.09999990463257			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004566426			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1004566420					
Diameter: 5.710000038146973					
Depth From:					
Depth To: 6.099999904632568					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Bore Hole Information</u>					
Bore Hole ID: 1004566445					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind: This is a record from cluster log sheet					
Date Completed: 13-Jul-2010 00:00:00					
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1004566449					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM: m					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1004566448					
Method Construction Code:					
Method Construction:					
Other Method Construction: AIR PERCUSSION					
<u>Pipe Information</u>					
Pipe ID: 1004566450					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1004566452					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 3.04999995231628					
Casing Diameter:					
Casing Diameter UOM: cm					
Casing Depth UOM: m					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Construction Record - Screen

Screen ID: 1004566451
Layer: 1
Slot:
Screen Top Depth: 3.04999995231628
Screen End Depth: 6.09999990463257
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1004566453
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1004566447
Diameter: 5.710000038146973
Depth From:
Depth To: 6.099999904632568
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1004566409	Elevation:
DP2BR:	Elevrc:
Spatial Status:	Zone: 18
Code OB:	East83: 441669.00
Code OB Desc:	North83: 5025178.00
Open Hole:	Org CS: UTM83
Cluster Kind: This is a record from cluster log sheet	UTMRC: 4
Date Completed: 13-Jul-2010 00:00:00	UTMRC Desc: margin of error : 30 m - 100 m
Remarks:	Location Method: WWR
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Annular Space/Abandonment Sealing Record

Plug ID: 1004566413

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM: m					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1004566412					
Method Construction Code:					
Method Construction:					
Other Method Construction: AIR PERCUSSION					
<u>Pipe Information</u>					
Pipe ID: 1004566414					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1004566416					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 3.04999995231628					
Casing Diameter:					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1004566415					
Layer: 1					
Slot:					
Screen Top Depth: 3.04999995231628					
Screen End Depth: 6.09999990463257					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1004566417					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: m					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter					
Hole ID:		1004566411			
Diameter:		5.710000038146973			
Depth From:					
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>73</u>	1 of 1	N/140.2	76.2 / -0.69	ON	BORE
Borehole ID:	848106			Inclin FLG:	No
OGF ID:	215589754			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	07-APR-1982			Municipality:	
Static Water Level:				Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.381908
Total Depth m:	2.7			Longitude DD:	-75.742471
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441872
Drill Method:	Diamond Drill			Northing:	5025645
Orig Ground Elev m:	24.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	80.3				
Concession:		BROKEN FRONT A			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6559961			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE, GREY	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	6559959			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		NO DESCRIPTION	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	6559960			Mat Consistency:	
Top Depth:	1.7			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:				Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Till			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BOLDERY TILL (BOULDERS AT ABOUT 5.5 TO 5.8M AND 7.0 TO 7.4M) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

74	1 of 1	E/140.5	76.9 / 0.00	1474 Coldrey Ave Ottawa ON	WWIS
Well ID:	7354079			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	2/19/2020
Sec. Water Use:	Monitoring			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z308491			Owner:	
Tag:	A269079			Street Name:	1474 Coldrey Ave
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2020/01/27
Year Completed:	2020
Depth (m):	3.9624
Latitude:	45.379474928084
Longitude:	-75.7400379025759
Path:	

Bore Hole Information

Bore Hole ID:	1008180881	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442060.00
Code OB Desc:		North83:	5025373.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	27-Jan-2020 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			1008250956		
Layer:			1		
Color:			2		
General Color:			GREY		
Mat1:			27		
Most Common Material:			OTHER		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:			73		
Mat3 Desc:			HARD		
Formation Top Depth:			0.0		
Formation End Depth:			1.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1008250958		
Layer:			3		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:			11		
Mat3 Desc:			GRAVEL		
Formation Top Depth:			3.0		
Formation End Depth:			8.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1008250957		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			10		
Most Common Material:			COARSE SAND		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:			85		
Mat3 Desc:			SOFT		
Formation Top Depth:			1.0		
Formation End Depth:			3.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1008250959		
Layer:			4		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:			11		
Mat3 Desc:			GRAVEL		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		8.0			
<i>Formation End Depth:</i>		13.0			
<i>Formation End Depth UOM:</i>		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1008251916			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1008251917			
<i>Layer:</i>		2			
<i>Plug From:</i>		1			
<i>Plug To:</i>		2			
<i>Plug Depth UOM:</i>		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1008251918			
<i>Layer:</i>		3			
<i>Plug From:</i>		2			
<i>Plug To:</i>		13			
<i>Plug Depth UOM:</i>		ft			
 <u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1008253184			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
 <u>Pipe Information</u>					
<i>Pipe ID:</i>		1008249883			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1008253874			
<i>Layer:</i>		1			
<i>Slot:</i>					
<i>Screen Top Depth:</i>		3			
<i>Screen End Depth:</i>		13			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		1.6599999666214			
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID: 1008254216					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method: 0					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1008252809					
Diameter: 2.375					
Depth From: 0.0					
Depth To: 13.0					
Hole Depth UOM: ft					
Hole Diameter UOM: Inch					
75	1 of 5	SW/140.8	75.9 / -0.99	1551 Laperriere Ave Ottawa ON K1Z 7T1	EHS
Order No: 20050328086					
Status: C					
Report Type:					
Report Date: 4/6/2005					
Date Received: 3/28/2005					
Previous Site Name:					
Lot/Building Size:					
Additional Info Ordered:					
Nearest Intersection:					
Municipality:					
Client Prov/State: ON					
Search Radius (km): 0.25					
X: -75.744433					
Y: 45.377124					
75	2 of 5	SW/140.8	75.9 / -0.99	BUDGET CAR & TRUCK RENTALS OF OTTAWA 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	FST
Instance No: 10902216					
Status:					
Cont Name:					
Instance Type: FS Liquid Fuel Tank					
Item: FS LIQUID FUEL TANK					
Item Description: FS Liquid Fuel Tank					
Tank Type: Single Wall UST					
Install Date: 10/19/1992					
Install Year: 1993					
Years in Service:					
Model: NULL					
Description:					
Capacity: 22700					
Tank Material: Steel					
Corrosion Protect:					
Overfill Protect:					
Facility Type: FS Liquid Fuel Tank					
Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve					
Facility Location:					
Device Installed Location: 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA					
Manufacturer:					
Serial No:					
Ulc Standard:					
Quantity:					
Unit of Measure:					
Fuel Type: Gasoline					
Fuel Type2: NULL					
Fuel Type3: NULL					
Piping Steel:					
Piping Galvanized:					
Tanks Single Wall St:					
Piping Underground:					
Num Underground:					
Panam Related:					
Panam Venue:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Fuel Storage Tank Details</u>					
Owner Account Name:	BUDGET CAR & TRUCK RENTALS OF OTTAWA				
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name:	BUDGET CAR & TRUCK RENTALS OF OTTAWA				
Item:	FS LIQUID FUEL TANK				

75	3 of 5	SW/140.8	75.9 / -0.99	BUDGET CAR & TRUCK RENTALS OF OTTAWA 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	FST
Instance No:	10902231			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank			Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Diesel
Tank Type:	Single Wall UST			Fuel Type2:	NULL
Install Date:	10/19/1992			Fuel Type3:	NULL
Install Year:	1993			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:	Fuels Safety Private Fuel Outlet - Self Serve				
Facility Location:					
Device Installed Location:	1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA				

<u>Fuel Storage Tank Details</u>					
Owner Account Name:	BUDGET CAR & TRUCK RENTALS OF OTTAWA				
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name:	BUDGET CAR & TRUCK RENTALS OF OTTAWA				
Item:	FS LIQUID FUEL TANK				

75	4 of 5	SW/140.8	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	FST
Instance No:	10902198			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Diesel
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	1/2/1990			Fuel Type3:	NULL
Install Year:	1972			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description: Capacity: 22730 Tank Material: Steel Corrosion Protect: Overfill Protect: Facility Type: FS Liquid Fuel Tank Parent Facility Type: Facility Location: Device Installed Location: 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA					
Piping Underground: Num Underground: Panam Related: Panam Venue:					
<u>Fuel Storage Tank Details</u>					
Owner Account Name: TAGGART SERVICE LTD					
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name: TAGGART SERVICE LTD					
Item: FS LIQUID FUEL TANK					
75	5 of 5	SW/140.8	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	FST
Instance No: 10902183 Status: Cont Name: Instance Type: Item: FS LIQUID FUEL TANK Item Description: FS Liquid Fuel Tank Tank Type: Liquid Fuel Single Wall UST Install Date: 1/2/1990 Install Year: 1970 Years in Service: Model: NULL Description: Capacity: 9092 Tank Material: Steel Corrosion Protect: Overfill Protect: Facility Type: FS Liquid Fuel Tank Parent Facility Type: Facility Location: Device Installed Location: 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA					
Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Gasoline Fuel Type2: NULL Fuel Type3: NULL Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: Num Underground: Panam Related: Panam Venue:					
<u>Fuel Storage Tank Details</u>					
Owner Account Name: TAGGART SERVICE LTD					
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name: TAGGART SERVICE LTD					
Item: FS LIQUID FUEL TANK					
76	1 of 1	E/141.5	76.9 / 0.00	1474 COLDREY AVE Ottawa ON	WWIS
Well ID: 7328620 Construction Date: Primary Water Use: Monitoring and Test Hole					
Data Entry Status: Data Src: Date Received: 11/19/2018					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007702044			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007702043			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702262			
Layer:		3			
Plug From:		2.58999991416931			
Plug To:		5.94000005722046			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702260			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007702261			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.58999991416931			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Method of Construction & Well Use

Method Construction ID: 1007702559
 Method Construction Code: 5
 Method Construction: Air Percussion
 Other Method Construction:

Pipe Information

Pipe ID: 1007701871
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Screen

Screen ID: 1007702724
 Layer: 1
 Slot: 10
 Screen Top Depth: 2.90000009536743
 Screen End Depth: 5.94000005722046
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.05000019073486

Hole Diameter

Hole ID: 1007702473
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 5.940000057220459
 Hole Depth UOM: m
 Hole Diameter UOM: cm

77	1 of 2	S/149.6	76.9 / 0.00	1427077 Ontario Ltd D Barr Cartage 1519 Laperriere Avenue Ottawa ON K1Z 7T1	GEN
--------------------	--------	---------	-------------	---	-----

Generator No:	ON7034878	PO Box No:	
Status:		Country:	
Approval Years:	04,05	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	484210		
SIC Description:	Used Household and Office Goods Moving		

Detail(s)

Waste Class: 252
 Waste Class Desc: WASTE OILS & LUBRICANTS

77	2 of 2	S/149.6	76.9 / 0.00	1427077 Ontario Ltd D Barr Cartage 1519 Laperriere Avenue Ottawa ON K1Z 7T1	GEN
--------------------	--------	---------	-------------	---	-----

Generator No:	ON7034878	PO Box No:	
Status:		Country:	
Approval Years:	2009	Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	484210	Used Household and Office Goods Moving		Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			

78	1 of 1	SSW/150.4	76.9 / 0.00	1523 LAPERRIERE AVE Ottawa ON	WWIS	
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	7284722	Test Hole Monitoring Monitoring and Test Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	4/10/2017 True 7241 7 1523 LAPERRIERE AVE OTTAWA NEPEAN TOWNSHIP	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7284722.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/03/17
Year Completed: 2017
Depth (m): 8.23
Latitude: 45.377626664838
Longitude: -75.7432706721025
Path: 728\7284722.pdf

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1006377928	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	80.446754 18 441805.00 5025170.00 UTM83 4 margin of error : 30 m - 100 m wwr
--	------------	--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006639102			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		60			
Mat2 Desc:		CEMENTED			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006639105			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		5.179999828338623			
Formation End Depth:		8.229999542236328			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006639104			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.130000114440918			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006639103			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.130000114440918			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639114			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		4.86999988555908			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639115			
Layer:		3			
Plug From:		4.96999979019165			
Plug To:		8.22999954223633			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639113			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006639112			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006639101			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006639109			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5.17999982833862			
Screen End Depth:		8.22999954223633			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006639107			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006639106			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		8.229999542236328			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>79</u>	1 of 1	E/150.5	76.9 / 0.00	1474 Coldrey Ave Ottawa ON K1Z7P9	EHS
Order No:	20170530061			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	02-JUN-17			Search Radius (km):	.3
Date Received:	30-MAY-17			X:	-75.740004
Previous Site Name:				Y:	45.379885
Lot/Building Size:					
Additional Info Ordered:					
<u>80</u>	1 of 1	E/154.3	76.9 / 0.00	1422 Coldrey Avenue Ottawa ON K1Z 7P9	EHS
Order No:	20190206036			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	12-FEB-19			Search Radius (km):	.25
Date Received:	06-FEB-19			X:	-75.739961
Previous Site Name:				Y:	45.379903
Lot/Building Size:					
Additional Info Ordered:					
<u>81</u>	1 of 2	E/155.8	76.9 / 0.00	GBA Inc. 1474 Coldrey Ave Ottawa ON K1Z 7S7	GEN
Generator No:	ON6679000			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221 L			
Waste Class Desc:		Light fuels			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
81	2 of 2	E/155.8	76.9 / 0.00	GBA Inc. 1474 Coldrey Ave Ottawa ON K1Z 7S7	GEN
Generator No:	ON6679000			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jan 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	221 L				
Waste Class Desc:	Light fuels				
82	1 of 1	NE/157.9	75.9 / -1.00	City of Ottawa Ebound Carling Ave in front of Campbell's Ford dealership Ottawa ON	SPL
Ref No:	6113-7XUHSY			Discharger Report:	
Site No:				Material Group:	
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Pipe Or Hose Leak			Sector Type:	Motor Vehicle
Incident Event:				Agency Involved:	
Contaminant Code:	27			Nearest Watercourse:	
Contaminant Name:	COOLANT N.O.S.			Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	11/16/2009			Site Map Datum:	
Dt Document Closed:	11/24/2009			SAC Action Class:	Watercourse Spills
Incident Reason:	Other - Reason not otherwise defined			Source Type:	
Site Name:	Ebound Carling Ave in front of Campbell's Ford dealership<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	OC Transpo: 10 L coolant to rd, cb.				
Contaminant Qty:	10 L				
83	1 of 42	W/158.5	76.9 / -0.01	Corel Corporation 1600 Carling Ave Unit 100 Ottawa ON K1Z 8R7	SCT
Established:	01-DEC-85				
Plant Size (ft²):					
Employment:					
--Details--					
Description:	Computer Systems Design and Related Services				
SIC/NAICS Code:	541510				
Description:	Computer Systems Design and Related Services				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		541510			
83	2 of 42	W/158.5	76.9 / -0.01	Coiel Corporation 1600 Carling Ave Unit 100 Ottawa ON K1Z 8R7	SCT
Established:		1983			
Plant Size (ft²):					
Employment:		000			
--Details--					
Description:		Software Publishers			
SIC/NAICS Code:		511210			
Description:		Computer Systems Design and Related Services			
SIC/NAICS Code:		541510			
83	3 of 42	W/158.5	76.9 / -0.01	METROTYPE GRAPHICS LTD. 833 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	GEN
Generator No:		ON0785600		PO Box No:	
Status:				Country:	
Approval Years:		86,87		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		2821			
SIC Description:		PLATEMAKING, ETC.			
Detail(s)					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
83	4 of 42	W/158.5	76.9 / -0.01	BELL MOBILITY (OUT OF BUSINESS) 1600 CARLING AVENUE SUITE 515 OTTAWA ON K1Z 8R7	GEN
Generator No:		ON1347204		PO Box No:	
Status:				Country:	
Approval Years:		93,94,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3351			
SIC Description:		TELECOMMUNICATIONS			
Detail(s)					
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
83	5 of 42	W/158.5	76.9 / -0.01	COREL CORPORATION 1600 CARLING AVENUE 1ST FLOOR PREPRESS DEPT. OTTAWA ON K1Z 8R7	GEN
Generator No:		ON2127800		PO Box No:	
Status:				Country:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: 96,97,98 Contam. Facility: MHSW Facility: SIC Code: 2811 SIC Description: BUSINESS FORMS PRINT.				Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES					
83	6 of 42	W/158.5	76.9 / -0.01	COREL CORPORATION 1600 CARLING AVENUE 1ST FLOOR PREPRESS DEPARTMENT OTTAWA ON K1Z 8R7	GEN
Generator No: ON2127800 Status: Approval Years: 99,00,01 Contam. Facility: MHSW Facility: SIC Code: 2811 SIC Description: BUSINESS FORMS PRINT.				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES					
83	7 of 42	W/158.5	76.9 / -0.01	Oxford Properties 1600 Carling Ave. Ottawa ON K1Z 1G3	GEN
Generator No: ON2991481 Status: Approval Years: 05 Contam. Facility: MHSW Facility: SIC Code: 561799 SIC Description: All Other Services to Buildings and Dwellings				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS					
83	8 of 42	W/158.5	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Z 1G3	EHS
Order No: 20060906009 Status: C Report Type: Complete Report Report Date: 9/14/2006 Date Received: 9/6/2006 Previous Site Name: Lot/Building Size: 1.8 hectares Additional Info Ordered: Fire Insur. Maps And /or Site Plans				Nearest Intersection: Churchill Avenue North Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.746355 Y: 45.38057	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	9 of 42	W/158.5	76.9 / -0.01	1600 Carling Avenue Ottawa ON	EHS
Order No:	20061123020			Nearest Intersection: Carling and Churchill Avenues	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State: ON	
Report Date:	11/29/2006			Search Radius (km): 0.25	
Date Received:	11/23/2006			X: -75.746265	
Previous Site Name:				Y: 45.380289	
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				

83	10 of 42	W/158.5	76.9 / -0.01	Oxford Properties Group Inc. 1600 Carling Avenue Ottawa Ontario K1Z 8R7 Ottawa ON	EBR
EBR Registry No:	IA04E1016			Decision Posted:	
Ministry Ref No:	1086-62NNAB			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:				Act 1:	
Notice Date:	February 09, 2005			Act 2:	
Proposal Date:	July 08, 2004			Site Location Map:	
Year:	2004				
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
Off Instrument Name:					
Posted By:					
Company Name:	Oxford Properties Group Inc.				
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	130 Adelaide Street West, Ste. 1100, Toronto Ontario, M5H 3P5				
Comment Period:					
URL:					
Site Location Details:	1600 Carling Avenue Ottawa Ontario K1Z 8R7 Ottawa				

83	11 of 42	W/158.5	76.9 / -0.01	George A Kelson Company Ltd Ottawa Office<UNOFFICIAL> 1600 Carling Avenue Ottawa ON	SPL
Ref No:	4325-7NZSYL			Discharger Report:	
Site No:				Material Group:	
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Pipe Or Hose Leak			Sector Type: Other	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:	HYDROFLUOROCARBON (HFC)			Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality: Ottawa	
Nature of Impact:	Air Pollution			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MOE Reported Dt: 2/6/2009 Dt Document Closed: Incident Reason: Damage By Moving Equipment - Containers damaged by moving Office Building<UNOFFICIAL> Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Spill of refrigerant 134A to air from chiller unit in Ottawa Contaminant Qty: 64 kg Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type:					
83	12 of 42	W/158.5	76.9 / -0.01	Oxford Properties Group Inc. 1600 Carling Avenue Ottawa ON	CA
Certificate #: 3396-693SDQ Application Year: 2005 Issue Date: 2/2/2005 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
83	13 of 42	W/158.5	76.9 / -0.01	1600 Carling Avenue, Ottawa ON	PINC
Incident ID: 2776156 Incident No: 619516 Incident Reported Dt: Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Tank Status: RC Established Task No: 3397079 Spills Action Centre: Fuel Type: Natural Gas Fuel Occurrence Tp: Pipeline Strike Date of Occurrence: 6/9/2011 0:00 Occurrence Start Dt: 2011/09/12 Depth: 29 Customer Acct Name: Incident Address: Operation Type: Construction Site (pipeline strike) Pipeline Type: Main Distribution Pipeline Regulator Type: Service Regulator (up to 60 psi intake) Summary: 1600 Carling Avenue, Ottawa - 1 1/4" Pipeline Hit Reported By: Stiles, Jeff - Enbridge Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Occurrence Desc: Linestrike - Punctured Main With Metal Stake Damage Reason: Excavation practices not sufficient Notes: Linestrike - Metal Stake Punctured Main Pipe Material: Plastic Fuel Category: Natural Gas Health Impact: No Environment Impact: No Property Damage: Yes Service Interrupt: Yes Enforce Policy: Yes Public Relation: No Pipeline System: Transmission pipeline PSIG: 50 Attribute Category: FS-Perform P-line Inc Invest Regulator Location: Outside Method Details: E-mail					
83	14 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3517180 2010 621110	Offices of Physicians		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				
83	15 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3912487 2011 523990			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				
83	16 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3517180 2011 621110	Offices of Physicians		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				
83	17 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3517180 2012 621110	Offices of Physicians		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	18 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	523990				
SIC Description:	All Other Financial Investment Activities				

83	19 of 42	W/158.5	76.9 / -0.01	OXFORD PROPERTIES GROUP 1600 CARLING Avenue SUITE 100 OTTAWA ON K1Z8R7	NPRI
NPRI ID:	8800000606			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type:	MED
Report Type:				Contact Title:	Mr.
Rpt Type ID:				Contact First Name:	ED
Report Year:	2004			Contact Last Name:	MARTINGANO
Not-Current Rpt?:				Contact Position:	Director, Risk Management
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	1600 CARLING AVENUE, COREL BUILDING			Cont Area Code:	416
Fac Address1:				Contact Tel.:	8683718
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	416
Facility Lat:				Contact Fax:	8680701
Facility Long:				Contact Email:	emartingano@oxfordproperties.com
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	940			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	53				
NAICS 2 Description:	Real Estate and Rental and Leasing				
NAICS Code (4 digit):	5311				
NAICS 4 Description:	Lessors of Real Estate				
NAICS Code (6 digit):	531120				
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)				

Substance Release Report

CAS No: 811-97-2
Report ID:
Rpt Period: 2004
Subst Released: HFC-134a Hydrofluorocarbon
Air:
Water:
Land:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Releases:					
Units:		tonnes			
CAS No:		7446-09-5			
Report ID:					
Rpt Period:		2004			
Subst Released:		Sulphur dioxide			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
CAS No:		11104-93-1			
Report ID:					
Rpt Period:		2004			
Subst Released:		Nitrogen oxides (expressed as NO2)			
Air:					
Water:					
Land:					
Total Releases:					
Units:		tonnes			
<u>83</u>	20 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON	GEN
Generator No:	ON3912487			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	523990				
SIC Description:	ALL OTHER FINANCIAL INVESTMENT ACTIVITIES				
Detail(s)					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
<u>83</u>	21 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON	GEN
Generator No:	ON3517180			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	22 of 42	W/158.5	76.9 / -0.01	Oxford Properties Group Inc. 1600 Carling Avenue Ottawa ON M5H 3P5	ECA
Approval No:	3396-693SDQ			MOE District: Ottawa	
Approval Date:	2005-02-02			City:	
Status:	Approved			Longitude: -75.74585	
Record Type:	ECA			Latitude: 45.379795	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Business Name:	Oxford Properties Group Inc.				
Address:	1600 Carling Avenue				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1086-62NNAB-14.pdf				
PDF Site Location:					

83	23 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:				Country: Canada	
Approval Years:	2016			Choice of Contact: CO_OFFICIAL	
Contam. Facility:	No			Co Admin: Chris Klassen	
MHSW Facility:	No			Phone No Admin: 6132388751 Ext.	
SIC Code:	531310				
SIC Description:	REAL ESTATE PROPERTY MANAGERS				
Detail(s)					
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				

83	24 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:				Country: Canada	
Approval Years:	2015			Choice of Contact: CO_OFFICIAL	
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	531310				
SIC Description:	REAL ESTATE PROPERTY MANAGERS				
Detail(s)					
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
83	25 of 42	W/158.5	76.9 / -0.01	CyberDERM Laboratories Inc 650-1600 Carling Ave Ottawa ON K1Z1G3	GEN
Generator No:	ON8439378			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Mary Kay McClelland
MHSW Facility:	No			Phone No Admin:	613-798-4437 Ext.
SIC Code:	446120				
SIC Description:	COSMETICS, BEAUTY SUPPLIES AND PERFUME STORES				
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
83	26 of 42	W/158.5	76.9 / -0.01	CyberDERM Laboratories Inc 650-1600 Carling Ave Ottawa ON K1Z1G3	GEN
Generator No:	ON8439378			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Mary Kay McClelland
MHSW Facility:	No			Phone No Admin:	613-798-4437 Ext.
SIC Code:	446120				
SIC Description:	COSMETICS, BEAUTY SUPPLIES AND PERFUME STORES				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
83	27 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No:	ON3517180			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Sunny Kim
MHSW Facility:	No			Phone No Admin:	613-722-4436 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:		312			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
83	28 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No:	ON3517180			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Sunny Kim
MHSW Facility:	No			Phone No Admin:	613-722-4436 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
83	29 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	523990				
SIC Description:	ALL OTHER FINANCIAL INVESTMENT ACTIVITIES				
Detail(s)					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
83	30 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No:	ON3517180			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Sunny Kim
MHSW Facility:	No			Phone No Admin:	613-722-4436 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	31 of 42	W/158.5	76.9 / -0.01	CyberDERM Laboratories Inc 650-1600 Carling Ave Ottawa ON K1Z1G3	GEN
Generator No:	ON8439378			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Mary Kay McClelland
MHSW Facility:	No			Phone No Admin:	613-798-4437 Ext.
SIC Code:	446120				
SIC Description:	COSMETICS, BEAUTY SUPPLIES AND PERFUME STORES				
<u>Detail(s)</u>					
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				
83	32 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	121 C				
Waste Class Desc:	Alkaline slutions - containing heavy metals				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
83	33 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No:	ON3517180			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	34 of 42	W/158.5	76.9 / -0.01	CyberDERM Laboratories Inc 650-1600 Carling Ave Ottawa ON K1Z1G3	GEN
Generator No:	ON8439378			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	261 L				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	263 L				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

83	35 of 42	W/158.5	76.9 / -0.01	1600 Carling Ave Ottawa ON	SPL
Ref No:	4225-AT8UBU			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2017/11/18			Health/Env Conseq:	0 - No Impact
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL			Site Address:	1600 Carling Ave
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:	any			Site Postal Code:	
Contaminant UN No 1:	n/a			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing:	5025472.61
MOE Response:	No			Easting:	441549.32
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	GPS
MOE Reported Dt:	2017/11/18			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Primary Assessment of Spills
Incident Reason:	Equipment Failure			Source Type:	Other
Site Name:	Asphalt parking lot<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Industrial Concrete Limited unkn vol hyd oil to ground, contained				
Contaminant Qty:	0 other - see incident description				

83	36 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:	Registered			Country:	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		121 C			
Waste Class Desc:		Alkaline slutions - containing heavy metals			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
83	37 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No: ON3517180 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
83	38 of 42	W/158.5	76.9 / -0.01	CyberDERM Laboratories Inc 650-1600 Carling Ave Ottawa ON K1Z1G3	GEN
Generator No: ON8439378 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
83	39 of 42	W/158.5	76.9 / -0.01	1600 Carling Avenue Ottawa ON K1Y 1B2	EHS
Order No:	20200114062			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	17-JAN-20			Search Radius (km):	.25
Date Received:	14-JAN-20			X:	-75.7455391
Previous Site Name:				Y:	45.3798757
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
83	40 of 42	W/158.5	76.9 / -0.01	Krisalix Enterprises Inc 1600 Carling Avenue, Suite 650 Ottawa ON K1Z 1G3	GEN
Generator No:	ON3517180			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Aug 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
83	41 of 42	W/158.5	76.9 / -0.01	Manulife Financial 1600 Carling Ave Ottawa ON K1Z1B4	GEN
Generator No:	ON3912487			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Aug 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	121 C				
Waste Class Desc:	Alkaline slutions - containing heavy metals				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
83	42 of 42	W/158.5	76.9 / -0.01	CyberDERM Laboratories Inc 650-1600 Carling Ave Ottawa ON K1Z1G3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No:	ON8439378			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jan 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			

<u>84</u>	1 of 1	NNE/161.0	75.9 / -1.00	ON	BORE
Borehole ID:	848105			Inclin FLG:	No
OGF ID:	215589753			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	06-APR-1982			Municipality:	
Static Water Level:				Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.382055
Total Depth m:	4.7			Longitude DD:	-75.741936
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441914
Drill Method:	Diamond Drill			Northing:	5025661
Orig Ground Elev m:	24.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	81.4				
Concession:		BROKEN FRONT A			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6559956			Mat Consistency:	Very Dense
Top Depth:	2.1			Material Moisture:	
Bottom Depth:	3.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt - Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY SAND WITH GRAVEL, TRACE OF CLAY (TILL) VERY DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559958			Mat Consistency:	
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	4.7			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE (80%) GREY, WITH SHALEY (20%) ZONES, RANDOMLY INTERBEDDED, ABOUT 1 TO 5MM THICK **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559954			Mat Consistency:	Compact
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY SAND WITH LAYERS OF SILTY CLAY (FILL) COMPACT TO VERY DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559957			Mat Consistency:	
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Buff			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE, BUFF TO GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559955			Mat Consistency:	
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	organic material			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY SAND WITH BLACK ORGANICS **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[85](#) 1 of 1 SSW/163.9 76.9 / -0.01 1523 LAPERRIERE AVE Ottawa ON WWIS

Well ID:	7284723	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Test Hole	Date Received:	4/10/2017
Sec. Water Use:	Monitoring	Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z214986	Owner:	
Tag:	A199980	Street Name:	1523 LAPERRIERE AVE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7284723.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/03/17
Year Completed: 2017
Depth (m): 7.01
Latitude: 45.3775068309013
Longitude: -75.743703351843
Path: 728\7284723.pdf

Bore Hole Information

Bore Hole ID:	1006377931	Elevation:	80.416687
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441771.00
Code OB Desc:		North83:	5025157.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	17-Mar-2017 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006639150
Layer: 1
Color: 8
General Color: BLACK
Mat1: 11
Most Common Material: GRAVEL
Mat2: 60
Mat2 Desc: CEMENTED
Mat3: 66
Mat3 Desc: DENSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006639151
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 12
Mat2 Desc: STONES
Mat3: 66

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		DENSE			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.130000114440918			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006639153			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		4.880000114440918			
Formation End Depth:		7.010000228881836			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006639152			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.130000114440918			
Formation End Depth:		4.880000114440918			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639161			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639162			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		3.66000008583069			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006639163			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		3.66000008583069			
Plug To:		7.01000022888184			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006639160			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006639149			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006639157			
Layer:		1			
Slot:		20			
Screen Top Depth:		3.96000003814697			
Screen End Depth:		7.01000022888184			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1006639155			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006639154			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		7.010000228881836			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
86	1 of 15	WNW/167.5	76.9 / -0.01	BUNS MASTER BAKERY 1570 CARLING AVE OTTAWA ON K1Z 7M4	SCT
Established:		1979			
Plant Size (ft²):		6000			
Employment:		30			
<u>--Details--</u>					
Description:		BREAD AND OTHER BAKERY PRODUCTS, EXCEPT COOKIES AND CRACKERS			
SIC/NAICS Code:		2051			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		GROCERIES & RELATED PRODUCTS, NOT ELSEWHERE CLASSIFIED			
SIC/NAICS Code:		5149			
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
86	2 of 15	WNW/167.5	76.9 / -0.01	MAILCRAFTERS INSERTERS 1570 CARLING AVE OTTAWA ON K1Z 7M4	SCT
Established:		1978			
Plant Size (ft²):		0			
Employment:		7			
--Details--					
Description:		OFFICE EQUIPMENT			
SIC/NAICS Code:		5044			
Description:		COMPUTERS & COMPUTER PERIPHERAL EQUIPMENT & SOFTWARE			
SIC/NAICS Code:		5045			
86	3 of 15	WNW/167.5	76.9 / -0.01	Carling Bakery 1570 Carling Ave Ottawa ON K1Z 7M4	SCT
Established:		1979			
Plant Size (ft²):		6000			
Employment:					
--Details--					
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
86	4 of 15	WNW/167.5	76.9 / -0.01	Hamlet Carling Bakery Ltd. 1570 Carling Ave Ottawa ON K1Z 7M4	SCT
Established:		01-AUG-79			
Plant Size (ft²):		6000			
Employment:					
--Details--					
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
86	5 of 15	WNW/167.5	76.9 / -0.01	SURGENOR NATIONAL LEASING 1572 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:		ON9048440		PO Box No:	
Status:				Country:	
Approval Years:		07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		532111			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Passenger Car Rental			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
86	6 of 15	WNW/167.5	76.9 / -0.01	SURGENOR NATIONAL LEASING 1572 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:		ON9048440		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		532111			
SIC Description:		Passenger Car Rental			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
86	7 of 15	WNW/167.5	76.9 / -0.01	SURGENOR NATIONAL LEASING 1572 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:		ON9048440		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		532111			
SIC Description:		Passenger Car Rental			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
86	8 of 15	WNW/167.5	76.9 / -0.01	SURGENOR NATIONAL LEASING 1572 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:		ON9048440		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		532111			
SIC Description:		Passenger Car Rental			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	9 of 15	WNW/167.5	76.9 / -0.01	SURGENOR NATIONAL LEASING 1572 CARLING AVE. OTTAWA ON K1Z 7M4	GEN
Generator No:	ON9048440			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	532111				
SIC Description:	Passenger Car Rental				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
86	10 of 15	WNW/167.5	76.9 / -0.01	Comotech, Controls, Motors, Technology Inc 1570 Carling Ave Ottawa ON	GEN
Generator No:	ON7748065			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	238210				
SIC Description:	ELECTRICAL CONTRACTORS, ELECTRICAL CONTRACTORS AND OTHER WIRING				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
86	11 of 15	WNW/167.5	76.9 / -0.01	Comotech, Controls, Motors, Technology Inc 1570 Carling Ave Ottawa ON K1Z 7M4	GEN
Generator No:	ON4381343			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	238210				
SIC Description:	ELECTRICAL CONTRACTORS, ELECTRICAL CONTRACTORS AND OTHER WIRING				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
86	12 of 15	WNW/167.5	76.9 / -0.01	Comotech, Controls, Motors, Technology Inc 1570 Carling Ave Ottawa ON K1Z 7M4	GEN
Generator No:	ON7748065			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Danielle M Robinson
MHSW Facility:	No			Phone No Admin:	6132289480 Ext.
SIC Code:	238210				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		ELECTRICAL CONTRACTORS, ELECTRICAL CONTRACTORS AND OTHER WIRING			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
86	13 of 15	WNW/167.5	76.9 / -0.01	Comotech, Controls, Motors, Technology Inc 1570 Carling Ave Ottawa ON K1Z 7M4	GEN
Generator No:		ON7748065		PO Box No:	
Status:				Country: Canada	
Approval Years:		2014		Choice of Contact: CO_ADMIN	
Contam. Facility:		No		Co Admin: Danielle M Robinson	
MHSW Facility:		No		Phone No Admin: 6132289480 Ext.	
SIC Code:		238210			
SIC Description:		ELECTRICAL CONTRACTORS, ELECTRICAL CONTRACTORS AND OTHER WIRING			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
86	14 of 15	WNW/167.5	76.9 / -0.01	Comotech, Controls, Motors, Technology Inc 1570 Carling Ave Ottawa ON K1Z 7M4	GEN
Generator No:		ON4381343		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Dec 2017		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		213 T			
Waste Class Desc:		Petroleum distillates			
86	15 of 15	WNW/167.5	76.9 / -0.01	Thurber Engineering Ltd. 1572 Carling Ave. Ottawa ON K1Z7M4	GEN
Generator No:		ON4812111		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Jul 2020		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
87	1 of 1	S/173.4	76.9 / 0.00	Pipeline Hit 1512 LAPERRIERE AVENUE,,OTTAWA,ON,K1Z 7S9,CA ON	PINC
Incident ID: Incident No: 931814 Incident Reported Dt: 10/30/2012 Type: FS-Pipeline Incident Status Code: Tank Status: Non Mandated Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: Pipeline Hit Incident Address: 1512 LAPERRIERE AVENUE,,OTTAWA,ON,K1Z 7S9,CA Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:		Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:			
88	1 of 1	WNW/174.5	76.9 / 0.00	FIRST CELLULAR 1566 CARLING AVENUE OTTAWA ON K1Z 7N4	GEN
Generator No: ON2382500 Status: Approval Years: 98,99,00,01 Contam. Facility: MHSW Facility: SIC Code: 4839 SIC Description: OTHER TELECOMMUN.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:			
<u>Detail(s)</u>					
Waste Class: 112					
Waste Class Desc: ACID WASTE - HEAVY METALS					
Waste Class: 121					
Waste Class Desc: ALKALINE WASTES - HEAVY METALS					
89	1 of 1	WNW/177.0	76.9 / 0.00	264482 Ontario Limited 1568 Carling Avenue Ottawa ON K1Z 7M4	GEN
Generator No: ON3936643 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:		PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		243 D			
Waste Class Desc:		PCB			
90	1 of 1	NNE/177.7	75.9 / -1.00	ON	BORE
Borehole ID:	848645	Inclin FLG:	No		
OGF ID:	215590265	SP Status:	Initial Entry		
Status:	Decommissioned	Surv Elev:	No		
Type:	Borehole	Piezometer:	No		
Use:	Geotechnical/Geological Investigation	Primary Name:			
Completion Date:	07-APR-1982	Municipality:			
Static Water Level:		Lot:	LOT I		
Primary Water Use:		Township:	NEPEAN		
Sec. Water Use:		Latitude DD:	45.382147		
Total Depth m:	8.9	Longitude DD:	-75.741631		
Depth Ref:	Ground Surface	UTM Zone:	18		
Depth Elev:		Easting:	441938		
Drill Method:	Power auger	Northing:	5025671		
Orig Ground Elev m:	80	Location Accuracy:			
Elev Reliabil Note:		Accuracy:	Within 10 metres		
DEM Ground Elev m:	80.3				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561709	Mat Consistency:			
Top Depth:	0	Material Moisture:			
Bottom Depth:	8.9	Material Texture:			
Material Color:		Non Geo Mat Type:			
Material 1:	Till	Geologic Formation:			
Material 2:	Boulders	Geologic Group:			
Material 3:		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:	BOULDERY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
91	1 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR AND TRUCK RENTALS OF OTTAWA 1551 LAPERRIERE AVENUE OTTAWA ON K1Z 7T1	GEN
Generator No:	ON0386631	PO Box No:			
Status:		Country:			
Approval Years:	93,94,95,96,97,98,99,00,01	Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code:	9921				
SIC Description:	AUTO./TRUCK RENTAL				
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
91	2 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR AND TRUCK RENTALS OF OTTAWA 1551 Laperriere Ave. Ottawa ON K1Z 7T1	GEN
Generator No:	ON0386631			PO Box No:	
Status:				Country:	
Approval Years:	02,03			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
91	3 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR INC 1551 Laperriere Ave. Ottawa ON K1Z 7T1	GEN
Generator No:	ON0386631			PO Box No:	
Status:				Country:	
Approval Years:	04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	532111				
SIC Description:	Passenger Car Rental				
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
91	4 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR & TRUCK RENTALS OF OTTAWA 1551 LAPERRIERE AV OTTAWA ON K1Z 7T1	FSTH

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
License Issue Date:		10/19/1992			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1993			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1993			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			

91	5 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR & TRUCK RENTALS OF OTTAWA 1551 LAPERRIERE AV OTTAWA ON K1Z 7T1	FSTH
License Issue Date:		10/19/1992			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1993			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1993			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			

91	6 of 12	SW/181.7	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		9219494		Expired Date:	
Status:		EXPIRED		Max Hazard Rank:	
Instance ID:		382107		Facility Location:	
Instance Type:		FS Facility		Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:				Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
		Fuels Safety Private Fuel Outlet - Self Serve EXP Up to Mar 2012			

91	7 of 12	SW/181.7	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA ON	DTNK
--------------------	---------	----------	--------------	--	------

Delisted Expired Fuel Safety Facilities

Instance No: Status: Instance ID: Instance Type: Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:	10902192 EXPIRED 51037 FS Piping	Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
	FS Piping EXP Up to Mar 2012		

91	8 of 12	SW/181.7	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA ON	DTNK
--------------------	---------	----------	--------------	--	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Delisted Expired Fuel Safety Facilities

Instance No:	10902207	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	51426	Facility Location:	
Instance Type:	FS Piping	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Piping		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

91	9 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR INC 1551 Laperriere Ave. Ottawa ON K1Z 7T1	GEN
--------------------	---------	----------	--------------	---	-----

Generator No:	ON0386631	PO Box No:	
Status:		Country:	
Approval Years:	2009	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	532111, 532112, 532120		
SIC Description:	Passenger Car Rental, Passenger Car Leasing, Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing		

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

91	10 of 12	SW/181.7	75.9 / -0.99	BUDGET CAR INC	GEN
--------------------	----------	----------	--------------	----------------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				1551 Laperriere Ave. Ottawa ON K1Z 7T1	
Generator No:	ON0386631			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	532111, 532112, 532120				
SIC Description:	Passenger Car Rental, Passenger Car Leasing, Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing				
Detail(s)					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
91	11 of 12	SW/181.7	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	DTNK
91	12 of 12	SW/181.7	75.9 / -0.99	TAGGART SERVICE LTD 1551 LAPERRIERE AV OTTAWA K1Z 7T1 ON CA ON	DTNK
92	1 of 2	S/187.5	76.9 / 0.00	M.D. BARR CARTAGE CO. LTD. 920 MCBRIDE STREET OTTAWA ON K1Z 5K1	GEN
Generator No:	ON0968201			PO Box No:	
Status:				Country:	
Approval Years:	97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4569				
SIC Description:	OTHER TRUCK./TRANS.				
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
92	2 of 2	S/187.5	76.9 / 0.00	M.D. BARR CARTAGE COMPANY LIMITED 920 MCBRIDE STREET OTTAWA ON K1Z 5K1	GEN
Generator No:	ON0968201			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4569				
SIC Description:		OTHER TRUCK./TRANS.			
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

93	1 of 1	W/192.5	76.9 / 0.01	ON	WWIS
Well ID:	1508069			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Cooling And A/C			Date Received:	5/19/1960
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3504
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508069.pdf

Additional Detail(s) (Map)

Well Completed Date: 1960/04/23
Year Completed: 1960
Depth (m): 64.008
Latitude: 45.3799653006748
Longitude: -75.7462939359758
Path: 150\1508069.pdf

Bore Hole Information

Bore Hole ID:	10030104	Elevation:	77.170700
DP2BR:	3.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441570.70
Code OB Desc:	Bedrock	North83:	5025432.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	23-Apr-1960 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 931008724
Layer: 1
Color:
General Color:
Mat1: 01
Most Common Material: FILL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931008725
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 3.0
Formation End Depth: 210.0
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 961508069
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10578674
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930052865
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		26			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930052866			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		210			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991508069			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		160.0			
Recommended Pump Depth:		160.0			
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933462425			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		210.0			
Water Found Depth UOM:		ft			

94 1 of 1 W/192.5 76.9 / 0.01 ON BORE

Borehole ID:	612857	Inclin FLG:	No
OGF ID:	215514163	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:	APR-1960	Municipality:	
Static Water Level:		Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.379967
Total Depth m:	64	Longitude DD:	-75.746294
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	441571
Drill Method:		Northing:	5025432
Orig Ground Elev m:	79.2	Location Accuracy:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m: 77.2					
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218392737				Mat Consistency:	
Top Depth: 0				Material Moisture:	
Bottom Depth: .9				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1: Fill				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description: FILL.					
Geology Stratum ID: 218392738				Mat Consistency:	Dense
Top Depth: .9				Material Moisture:	
Bottom Depth: 64				Material Texture:	
Material Color: White				Non Geo Mat Type:	
Material 1: Limestone				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description: LIMESTONE. N. LIMESTONE. WHITE. 0010000150TILL. DENSE. TILL. VERY DENSE. IFIED **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<u>Source</u>					
Source Type: Data Survey				Source Appl:	Spatial/Tabular
Source Orig: Geological Survey of Canada				Source Iden:	1
Source Date: 1956-1972				Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Details: File: OTTAWA2.txt RecordID: 05365 NTS_Sheet:					
Confiden 1:					
<u>Source List</u>					
Source Identifier: 1				Horizontal Datum:	NAD27
Source Type: Data Survey				Vertical Datum:	Mean Average Sea Level
Source Date: 1956-1972				Projection Name:	Universal Transverse Mercator
Scale or Resolution: Varies					
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Originators: Geological Survey of Canada					
95	1 of 1	NNE/192.9	75.9 / -1.00	ON	BORE
Borehole ID: 848104				Inclin FLG:	No
OGF ID: 215589752				SP Status:	Initial Entry
Status: Decommissioned				Surv Elev:	No
Type: Borehole				Piezometer:	No
Use: Geotechnical/Geological Investigation				Primary Name:	
Completion Date: 06-APR-1982				Municipality:	
Static Water Level:				Lot:	LOT I

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.382194
Total Depth m:	3.3			Longitude DD:	-75.7413
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441964
Drill Method:	Diamond Drill			Northing:	5025676
Orig Ground Elev m:	23			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	78.3				
Concession:		BROKEN FRONT A			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6559948			Mat Consistency:	
Top Depth:	.1			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	Fill-Misc
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY SAND, SOME GRAVEL, TRACE OF CLAY (FILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Geology Stratum ID:	6559951			Mat Consistency:	
Top Depth:	1			Material Moisture:	
Bottom Depth:	1.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BOULDERY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Geology Stratum ID:	6559949			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	organic material			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		ORG. OF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Geology Stratum ID:	6559953			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	3.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE (95%), GREY AND GREEN; WITH RANDOMLY INTERBEDDED SHALEY (5%) PARTINGS ABOUT 1 TO 3MM THICK **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Geology Stratum ID:	6559950			Mat Consistency:	Very Soft
Top Depth:	.5			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth:	1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY WITH SOME SAND AND TRACE OF GRAVEL, V SOFT TO SOFT **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559952			Mat Consistency:	
Top Depth:	1.6			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE, GREY WITH OCCASIONAL SHALE INTERBEDS **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559947			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
96	1 of 2	SSW/193.9	76.9 / -0.01	Sukhwinder Singh<UNOFFICIAL> 1532 LaPerriere Ottawa ON K1Z 7T2	SPL
Ref No:	8283-79FL68			Discharger Report:	
Site No:				Material Group:	Oil
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Tank (Above Ground) Leak			Sector Type:	Other
Incident Event:				Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	FUEL OIL			Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:	Other Impacts			Site Lot:	
Receiving Medium:	Land			Site Conc:	
Receiving Env:				Northing:	5024706
MOE Response:	Referral to others			Easting:	442382
Dt MOE Arvl on Scn:	11/30/2007			Site Geo Ref Accu:	
MOE Reported Dt:	11/30/2007			Site Map Datum:	
Dt Document Closed:	12/4/2007			SAC Action Class:	
Incident Reason:	Unknown - Reason not determined			Source Type:	
Site Name:	Sukhwinder Singh, operating as A-1 Auto<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA: unknown amt of fuel spilled to home, poss. rd.				
Contaminant Qty:	30 L				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
96	2 of 2	SSW/193.9	76.9 / -0.01	1532 LAPIERRIER AVENUE OTTAWA ON	HINC

External File Num: FS INC 0711-07249
Fuel Occurrence Type: Leak
Date of Occurrence: 11/29/2007
Fuel Type Involved: Fuel Oil
Status Desc: Completed - Causal Analysis(End)
Job Type Desc: Incident/Near-Miss Occurrence (FS)
Oper. Type Involved: Private Dwelling
Service Interruptions: No
Property Damage: Yes
Fuel Life Cycle Stage: Utilization
Root Cause: Root Cause: Equipment/Material/Component:Yes Procedures:No Maintenance:No Design:Yes Training:No Management:No Human Factors:No
Reported Details:
Fuel Category: Liquid Fuel
Occurrence Type: Incident
Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name: Ottawa
Approx. Quant. Rel: 300
Nearby body of water: Unknown
Enter Drainage Syst.: Unknown
Approx. Quant. Unit: Liters
Environmental Impact: Old oil tank failed and released 300 liters onto the basement floor. There is no floor drain which could be found.

97	1 of 1	NNW/195.7	76.9 / 0.00	1539 Carling Ave. PARKING LOT<UNOFFICIAL> Ottawa ON	SPL
--------------------	--------	-----------	-------------	--	-----

Ref No:	5347-6VYNNE	Discharger Report:	
Site No:		Material Group:	Oils
Incident Dt:	11/28/2006	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	Other
Incident Event:		Agency Involved:	
Contaminant Code:	12	Nearest Watercourse:	
Contaminant Name:	GASOLINE	Site Address:	1539 CARLING AVE.
Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:	Water	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/28/2006	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:		Source Type:	
Site Name:	1539 CARLING AVE.		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Unkn Volume Gasoline to Storm Sewer, Cln		
Contaminant Qty:	NOT SPECIFIED NOT SPECIFIED		

98	1 of 1	NW/196.1	76.9 / 0.01	BCIMC Realty Corporation 1525, 1545, 1565 Carling Avenue Ottawa ON	CA
--------------------	--------	----------	-------------	--	----

Certificate #: 9676-6VDN8N
Application Year: 2006
Issue Date: 11/16/2006

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		Air Approved			
99	1 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LIMITED 1500 CARLING AVENUE OTTAWA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-4090-95- 95 6/5/1995 Industrial air Approved			
99	2 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AV OTTAWA ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		10896 private 13638.00 0001002351			
99	3 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AV OTTAWA ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		10896 private 1992-07-31 0.00 0032408002			
99	4 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AV OTTAWA ON K1Z 0A3	FSTH
License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type:		8/1/1991 Licensed August 2007 Private Fuel Outlet Gasoline Station - Self Serve			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Status:		Active			
Year of Installation:		1986			
Corrosion Protection:					
Capacity:		13500			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
99	5 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AV OTTAWA ON K1Z 0A3	FSTH
License Issue Date:		8/1/1991			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1986			
Corrosion Protection:					
Capacity:		13500			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
99	6 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AV OTTAWA ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:	9621494			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	391554			Facility Location:	
Instance Type:	FS Facility			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	
Serial No:				Item:	
ULC Standard:				Piping Steel:	
Quantity:				Piping Galvanized:	
Unit of Measure:				Tank Single Wall St:	
Overfill Prot Type:				Piping Underground:	
Creation Date:				Tank Underground:	
Next Periodic Str DT:				Source:	
TSSA Base Sched Cycle 2:					
TSSAMax Hazard Rank 1:					
TSSA Risk Based Periodic Yn:					
TSSA Volume of Directives:					
TSSA Periodic Exempt:					
TSSA Statutory Interval:					
TSSA Recd Insp Interva:					
TSSA Recd Tolerance:					
TSSA Program Area:					
TSSA Program Area 2:					
Description:		FS Propane Vehicle Conv Centre			
Original Source:		EXP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Record Date:		Up to Mar 2012			
99	7 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AVENUE OTTAWA ON K1Y 4K6	EASR
Approval No:	R-001-3282391986	SWP Area Name:	Rideau Valley		
Status:	REGISTERED	MOE District:	Ottawa		
Date:	2012-11-17	Municipality:	OTTAWA		
Record Type:	EASR	Latitude:	45.381638		
Link Source:	MOFA	Longitude:	-75.74031		
Project Type:	Automotive Refinishing Facility	Geometry X:			
Full Address:		Geometry Y:			
Approval Type:	EASR-Automotive Refinishing Facility				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2602				
PDF URL:					
PDF Site Location:					
99	8 of 11	NE/197.5	75.9 / -1.00	CAMPBELL FORD SALES LTD 1500 CARLING AV OTTAWA K1Z 4K6 ON CA ON	FST
Instance No:	10901799	Manufacturer:			
Status:		Serial No:			
Cont Name:		Ulc Standard:			
Instance Type:	FS Liquid Fuel Tank	Quantity:			
Item:	FS LIQUID FUEL TANK	Unit of Measure:			
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline		
Tank Type:	Single Wall UST	Fuel Type2:	NULL		
Install Date:	12/20/1989	Fuel Type3:	NULL		
Install Year:	1986	Piping Steel:			
Years in Service:		Piping Galvanized:			
Model:	NULL	Tanks Single Wall St:			
Description:		Piping Underground:			
Capacity:	13500	Num Underground:			
Tank Material:	Steel	Panam Related:			
Corrosion Protect:		Panam Venue:			
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:	Fuels Safety Private Fuel Outlet - Self Serve				
Facility Location:					
Device Installed Location:	1500 CARLING AV OTTAWA K1Z 4K6 ON CA				
<u>Fuel Storage Tank Details</u>					
Owner Account Name:	CAMPBELL FORD SALES LTD				
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name:	CAMPBELL FORD SALES LTD				
Item:	FS LIQUID FUEL TANK				
99	9 of 11	NE/197.5	75.9 / -1.00	Campbell Ford Sales Ltd. 1500 Carling Avenue Ottawa K1Y 4K6 CITY OF OTTAWA ON	EBR
EBR Registry No:	012-1562	Decision Posted:			
Ministry Ref No:	0437-9HRNS9	Exception Posted:			
Notice Type:	Instrument Decision	Section:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Notice Stage:				Act 1:	
Notice Date:	June 30, 2015			Act 2:	
Proposal Date:	April 16, 2014			Site Location Map:	
Year:	2014				
Instrument Type:	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				
Off Instrument Name:					
Posted By:					
Company Name:	Campbell Ford Sales Ltd.				
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	1500 Carling avenue, Post Office Box Delivery 3506, Postal Station Postal Station, Ottawa Ontario, Canada K1Y 4K6				
Comment Period:					
URL:					
Site Location Details:					
1500 Carling Avenue Ottawa K1Y 4K6 CITY OF OTTAWA					

99	10 of 11	NE/197.5	75.9 / -1.00	Campbell Ford Sales Ltd. 1500 Carling Ave Ottawa ON K1Y 4K6	ECA
Approval No:	2642-9XTQTT			MOE District:	Ottawa
Approval Date:	2015-06-25			City:	
Status:	Approved			Longitude:	-75.74031
Record Type:	ECA			Latitude:	45.381638
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Business Name:	Campbell Ford Sales Ltd.				
Address:	1500 Carling Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0437-9HRNS9-14.pdf				
PDF Site Location:					

99	11 of 11	NE/197.5	75.9 / -1.00	Campbell Ford 1500 Carling Avenue Ottawa - Ottawa - Ottawa ON K1Z 0A3	GEN
Generator No:	ON6623657			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jan 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	221 L				
Waste Class Desc:	Light fuels				

100	1 of 11	SW/203.8	75.9 / -1.00	TAGGART SERVICE LTD 885 CHURCHILL AV OTTAWA ON K1Z 5H1	PRT
Location ID:	10912				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Type: private Expiry Date: Capacity (L): 31822.00 Licence #: 0001003853					
100	2 of 11	SW/203.8	75.9 / -1.00	BUDGET CAR & TRUCK RENTALS OF OTTAWA 885 CHURCHILL AV OTTAWA ON K1Z 5H1	PRT
Location ID: 10912 Type: retail Expiry Date: Capacity (L): 45400 Licence #: 0076374453					
100	3 of 11	SW/203.8	75.9 / -1.00	TAGGART SERVICE LIMITED 885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	GEN
Generator No: ON0255802 Status: Approval Years: 86,87,88,89,90 Contam. Facility: MHSW Facility: SIC Code: 4561 SIC Description: GEN. FREIGHT TRUCK.				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
100	4 of 11	SW/203.8	75.9 / -1.00	TAGGART SERVICE LIMITED 37-163 885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	GEN
Generator No: ON0255802 Status: Approval Years: 92,93,94,95,96,97 Contam. Facility: MHSW Facility: SIC Code: 4561 SIC Description: GEN. FREIGHT TRUCK.				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
100	5 of 11	SW/203.8	75.9 / -1.00	TAGGART SERVICE LIMITED 885 CHURCHILL AVENUE OTTAWA ON K1Z 5H1	GEN
Generator No: ON0255802 Status: Approval Years: 98 Contam. Facility: MHSW Facility: SIC Code: 4561				PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		GEN. FREIGHT TRUCK.			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
100	6 of 11	SW/203.8	75.9 / -1.00	DAVES PART-MART INC. 895 CHURCHILL AVE. S. OTTAWA ON K1Z 5H1	GEN
Generator No:	ON1032600			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5911				
SIC Description:	AUTOMOBILE WREAKING				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
100	7 of 11	SW/203.8	75.9 / -1.00	DAVES PART-MART INC. 12-326 895 CHURCHILL AVE. S. OTTAWA ON K1Z 5H1	GEN
Generator No:	ON1032600			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5911				
SIC Description:	AUTOMOBILE WREAKING				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
100	8 of 11	SW/203.8	75.9 / -1.00	DAVES PART-MART INC(OUT OF BUSINESS) 895 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	GEN
Generator No:	ON1032600			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5911				
SIC Description:	AUTOMOBILE WREAKING				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
100	9 of 11	SW/203.8	75.9 / -1.00	DAVES PART-MART INC(OUT OF BUSINESS) 895 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	GEN
Generator No:	ON1032600			PO Box No:	
Status:				Country:	
Approval Years:	99			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5911				
SIC Description:	AUTOMOBILE WREAKING				
Detail(s)					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
100	10 of 11	SW/203.8	75.9 / -1.00	895 Churchill Avenue South Ottawa ON K1Z 5H1	EHS
Order No:	20060124008			Nearest Intersection:	Laperriere Avenue
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	1/27/2006			Search Radius (km):	0.25
Date Received:	1/24/2006			X:	-75.745023
Previous Site Name:				Y:	45.377451
Lot/Building Size:					
Additional Info Ordered:					
100	11 of 11	SW/203.8	75.9 / -1.00	Otto's Service Centre Limited 885 Churchill Ave S Ottawa ON	CA
Certificate #:	9469-8MCQK9				
Application Year:	2011				
Issue Date:	10/25/2011				
Approval Type:	Air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
101	1 of 1	S/205.1	77.6 / 0.69	924 MCBRIDE ST lot K con A Ottawa ON	WWIS
Well ID:	7318401			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	8/31/2018
Sec. Water Use:	Monitoring			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z286667			Owner:	
Tag:	A251739			Street Name:	924 MCBRIDE ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	K
Well Depth:		Concession:	A
Overburden/Bedrock:		Concession Name:	OF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2018/06/19
Year Completed: 2018
Depth (m): 6.1
Latitude: 45.3771510471902
Longitude: -75.7430473171913
Path:

Bore Hole Information

Bore Hole ID:	1007283739	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441822.00
Code OB Desc:		North83:	5025117.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	19-Jun-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1007459116
Layer: 1
Color: 8
General Color: BLACK
Mat1: 27
Most Common Material: OTHER
Mat2: 11
Mat2 Desc: GRAVEL
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007459117
Layer: 2
Color: 6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		3.0999999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007459118			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007459128			
Layer:		3			
Plug From:		2.74000000953674			
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007459127			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.74000000953674			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007459126			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007459125			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe Information

Pipe ID: 1007459115
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Screen

Screen ID: 1007459122
 Layer: 1
 Slot: 10
 Screen Top Depth: 3.09999990463257
 Screen End Depth: 6.09999990463257
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.82000017166138

Water Details

Water ID: 1007459120
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007459119
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 6.099999904632568
 Hole Depth UOM: m
 Hole Diameter UOM: cm

102	1 of 1	W/209.9	76.9 / 0.03	Churchill Ave North And Carling Ave Ottawa ON	EHS
Order No:	20151006021			Nearest Intersection:	
Status:	C			Municipality:	City of Ottawa
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	13-OCT-15			Search Radius (km):	.3
Date Received:	06-OCT-15			X:	-75.746494
Previous Site Name:				Y:	45.379411
Lot/Building Size:	1 - 2 acres				
Additional Info Ordered:	City Directory				

103	1 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA ON K1Z 5J9	PRT
Location ID:	10997				
Type:	private				
Expiry Date:					
Capacity (L):	22600.00				
Licence #:	0001011033				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
103	2 of 19	S/211.0	77.6 / 0.68	M. D. Barr Cartage Co. Ltd. 925 McBride Street Ottawa Ontario K1Z 5J9 CITY OF OTTAWA ON	EBR
EBR Registry No: IT00E0003 Ministry Ref No: 99-240 Notice Type: Instrument Decision Notice Stage: Notice Date: February 03, 2000 Proposal Date: January 04, 2000 Year: 2000 Instrument Type: Off Instrument Name: Posted By: Company Name: M. D. Barr Cartage Co. Ltd. Site Address: Location Other: Proponent Name: Proponent Address: 925 McBride Street, Ottawa Ontario, K1Z 5J9 Comment Period: URL:		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:			
Site Location Details:					
925 McBride Street Ottawa Ontario K1Z 5J9 CITY OF OTTAWA					
103	3 of 19	S/211.0	77.6 / 0.68	M.D. BARR CARTAGE CO. LIMITED 925 MCBRIDE STREET OTTAWA ON K1Z 5J9	GEN
Generator No: ON0968200 Status: Approval Years: 86,87,88,89 Contam. Facility: MHSW Facility: SIC Code: 0000 SIC Description: *** NOT DEFINED ***		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:			
Detail(s)					
Waste Class: 213					
Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 252					
Waste Class Desc: WASTE OILS & LUBRICANTS					
103	4 of 19	S/211.0	77.6 / 0.68	M.D. BARR CARTAGE CO. LIMITED 925 MCBRIDE STREET OTTAWA ON K1Z 5J9	GEN
Generator No: ON0968200 Status: Approval Years: 90,92,93,97 Contam. Facility: MHSW Facility: SIC Code: 4569 SIC Description: OTHER TRUCK./TRANS.		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
103	5 of 19	S/211.0	77.6 / 0.68	M.D. BARR CARTAGE CO. LIMITED 25-377 925 MCBRIDE STREET OTTAWA ON K1Z 5J9	GEN
Generator No:	ON0968200			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4569				
SIC Description:	OTHER TRUCK./TRANS.				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
103	6 of 19	S/211.0	77.6 / 0.68	M.D. BARR (OUT OF BUS) 925 MCBRIDE STREET OTTAWA ON K1Z 5J9	GEN
Generator No:	ON0968200			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4569				
SIC Description:	OTHER TRUCK./TRANS.				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
103	7 of 19	S/211.0	77.6 / 0.68	1427077 Ontario Ltd. 925 McBride Ave. Ottawa ON K1Z 5J9	CA
Certificate #:	A860347				
Application Year:	2002				
Issue Date:	6/20/2002				
Approval Type:	Waste Management Systems				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Description:					
Contaminants:					
Emission Control:					

103	8 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA ON	DTNK
---------------------	---------	---------	-------------	---	------

Delisted Expired Fuel Safety Facilities

Instance No:	9245636	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	382637	Facility Location:	
Instance Type:	FS Facility	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	Fuels Safety Private Fuel Outlet - Self Serve		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

103	9 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA ON	DTNK
---------------------	---------	---------	-------------	---	------

Delisted Expired Fuel Safety Facilities

Instance No:	10904400	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	50913	Facility Location:	
Instance Type:	FS Piping	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:				Tank Single Wall St: Piping Underground: Tank Underground: Source:	
		FS Piping			
		EXP			
		Up to Mar 2012			

103	10 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA ON	DTNK
---------------------	----------	---------	-------------	---	------

Delisted Expired Fuel Safety Facilities

Instance No: Status: Instance ID: Instance Type: Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:	10904385 EXPIRED 51652 FS Piping	Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
	FS Piping		
	EXP		
	Up to Mar 2012		

103	11 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	DTNK
---------------------	----------	---------	-------------	---	------

103	12 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD	DTNK
---------------------	----------	---------	-------------	------------------------	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	
103	13 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	DTNK
103	14 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE AV OTTAWA K1Z 5J9 ON CA ON	DTNK
103	15 of 19	S/211.0	77.6 / 0.68	1427077 Ontario Ltd. 925 McBride Ave. Ottawa ON K1Z 5J9	ECA
<p> Approval No: A860347 Approval Date: 2002-06-20 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-WASTE MANAGEMENT SYSTEMS Project Type: WASTE MANAGEMENT SYSTEMS Business Name: 1427077 Ontario Ltd. Address: 925 McBride Ave. Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0832-5ARNMX-14.pdf PDF Site Location: </p> <p> MOE District: Ottawa City: Longitude: -75.74258 Latitude: 45.377182 Geometry X: Geometry Y: </p>					
103	16 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	FST
<p> Instance No: 11599391 Status: Cont Name: Instance Type: Item: FS LIQUID FUEL TANK Item Description: FS Liquid Fuel Tank Tank Type: Liquid Fuel Single Wall AST Install Date: 1/17/2000 Install Year: 1992 Years in Service: Model: NULL Description: Capacity: 3785 Tank Material: Steel Corrosion Protect: Overfill Protect: Facility Type: FS Liquid Fuel Tank Parent Facility Type: Facility Location: Device Installed Location: 925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA </p> <p> Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Diesel Fuel Type2: NULL Fuel Type3: NULL Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: Num Underground: Panam Related: Panam Venue: </p>					
Fuel Storage Tank Details					
Owner Account Name: MD BARR CARTAGE CO LTD					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Liquid Fuel Tank Details

Overfill Protection:
 Owner Account Name: MD BARR CARTAGE CO LTD
 Item: FS LIQUID FUEL TANK

103	17 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	FST
---------------------	----------	---------	-------------	---	-----

Instance No:	11599409	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:		Quantity:	
Item:	FS LIQUID FUEL TANK	Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Diesel
Tank Type:	Liquid Fuel Single Wall AST	Fuel Type2:	NULL
Install Date:	1/17/2000	Fuel Type3:	NULL
Install Year:	1992	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	3785	Num Underground:	
Tank Material:	Steel	Panam Related:	
Corrosion Protect:		Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA		

Fuel Storage Tank Details

Owner Account Name: MD BARR CARTAGE CO LTD

Liquid Fuel Tank Details

Overfill Protection:
 Owner Account Name: MD BARR CARTAGE CO LTD
 Item: FS LIQUID FUEL TANK

103	18 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	FST
---------------------	----------	---------	-------------	---	-----

Instance No:	10904391	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:		Quantity:	
Item:	FS LIQUID FUEL TANK	Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Diesel
Tank Type:	Liquid Fuel Single Wall UST	Fuel Type2:	NULL
Install Date:	1/3/1991	Fuel Type3:	NULL
Install Year:	1990	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	18100	Num Underground:	
Tank Material:	Steel	Panam Related:	
Corrosion Protect:		Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Parent Facility Type:					
Facility Location:					
Device Installed Location:	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA				
Fuel Storage Tank Details					
Owner Account Name:	MD BARR CARTAGE CO LTD				
Liquid Fuel Tank Details					
Overfill Protection:					
Owner Account Name:	MD BARR CARTAGE CO LTD				
Item:	FS LIQUID FUEL TANK				

103	19 of 19	S/211.0	77.6 / 0.68	MD BARR CARTAGE CO LTD 925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA ON	FST
Instance No:	10904376			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	1/3/1991			Fuel Type3:	NULL
Install Year:	1990			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	4500			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	925 MCBRIDE ST OTTAWA K1Z 5J9 ON CA				
Fuel Storage Tank Details					
Owner Account Name:	MD BARR CARTAGE CO LTD				
Liquid Fuel Tank Details					
Overfill Protection:					
Owner Account Name:	MD BARR CARTAGE CO LTD				
Item:	FS LIQUID FUEL TANK				

104	1 of 1	NE/212.6	75.9 / -1.00	ON	BORE
Borehole ID:	848103			Inclin FLG:	No
OGF ID:	215589751			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1982			Municipality:	
Static Water Level:				Lot:	LOT I
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.382313

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Depth m:	3.4			Longitude DD:	-75.741084
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441981
Drill Method:	Diamond Drill			Northing:	5025689
Orig Ground Elev m:	22.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	77.3				
Concession:		BROKEN FRONT A			
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6559944			Mat Consistency:	Dense
Top Depth:	.7			Material Moisture:	
Bottom Depth:	1.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY SAND WITH GRAVEL & TRACE OF CLAY, DENSE TO VERY DENSE (TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559942			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	organic material			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		ORG. OF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559945			Mat Consistency:	
Top Depth:	1.6			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559946			Mat Consistency:	
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	3.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE (95%) GREY WITH RANDOMLY INTERBEDDED SHALEY (5%) PARTINGS, ABOUT 1 TO 3MM THICK **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6559940			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color: Material 1: Topsoil Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6559943 Top Depth: .5 Bottom Depth: .7 Material Color: Material 1: Clay Material 2: Silt Material 3: Sand Material 4: organic material Gsc Material Description: Stratum Description: SILTY CLAY, SOME SAND, TRACE OF ORGANICS, VERY SOFT **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6559941 Top Depth: .1 Bottom Depth: .3 Material Color: Material 1: Sand Material 2: Silt Material 3: Gravel Material 4: Clay Gsc Material Description: Stratum Description: SILTY SAND, SOME GRAVEL, TRACE OF CLAY (FILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.					
105	1 of 1	SW/213.2	76.9 / 0.07	Otto's Service Centre Limited 885 Churchill Ave S Ottawa ON K1Z 6W7	ECA
Approval No: 9469-8MCQK9 Approval Date: 2011-10-25 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Business Name: Otto's Service Centre Limited Address: 885 Churchill Ave S Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6476-8GCJEX-13.pdf PDF Site Location:					
106	1 of 2	NNW/213.2	77.0 / 0.14	ON	WWIS
Well ID: 1507972 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method:					
Data Entry Status: Data Src: 1 Date Received: 1/31/1951 Selected Flag: True Abandonment Rec: Contractor: 3566 Form Version: 1 Owner: Street Name: County: OTTAWA					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507972.pdf

Additional Detail(s) (Map)

Well Completed Date: 1950/12/05
Year Completed: 1950
Depth (m): 17.3736
Latitude: 45.3820487640059
Longitude: -75.744277655922
Path: 150\1507972.pdf

Bore Hole Information

Bore Hole ID:	10030007	Elevation:	76.073669
DP2BR:	5.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441730.70
Code OB Desc:	Bedrock	North83:	5025662.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	05-Dec-1950 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931008506
Layer: 2
Color:
General Color:
Mat1: 26
Most Common Material: ROCK
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 5.0
Formation End Depth: 57.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931008505
Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		961507972			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10578577			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930052670			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		16			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930052671			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		57			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		991507972			
Pump Set At:					
Static Level:		3.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933462288			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		57.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933462286			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933462287			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		50.0			
Water Found Depth UOM:		ft			

[106](#)

2 of 2

NNW/213.2

77.0 / 0.14

ON

WWIS

Well ID:	1507994	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	6/22/1953
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3566
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507994.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Well Completed Date: 1953/04/12
Year Completed: 1953
Depth (m): 20.1168
Latitude: 45.3820487640059
Longitude: -75.744277655922
Path: 150\1507994.pdf

Bore Hole Information

Bore Hole ID:	10030029	Elevation:	76.073669
DP2BR:	7.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441730.70
Code OB Desc:	Bedrock	North83:	5025662.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	12-Apr-1953 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931008555
Layer: 3
Color: 3
General Color: BLUE
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 14.0
Formation End Depth: 66.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931008554
Layer: 2
Color:
General Color:
Mat1: 17
Most Common Material: SHALE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 7.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931008553			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961507994			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10578599			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930052714			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930052715			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		66			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991507994			
Pump Set At:					
Static Level:		7.0			
Final Level After Pumping:		15.0			
Recommended Pump Depth:					
Pumping Rate:		6.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:		6.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Water Details

Water ID: 933462315
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 60.0
Water Found Depth UOM: ft

Water Details

Water ID: 933462314
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 55.0
Water Found Depth UOM: ft

107 1 of 1 **NNW/213.4** **77.0 / 0.14** **ON** **BORE**

Borehole ID:	612882	Inclin FLG:	No
OGF ID:	215514188	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:	APR-1953	Municipality:	
Static Water Level:		Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.38205
Total Depth m:	20.1	Longitude DD:	-75.744278
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	441731
Drill Method:		Northing:	5025662
Orig Ground Elev m:	76.2	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	76.1		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218392837	Mat Consistency:	
Top Depth:	2.1	Material Moisture:	
Bottom Depth:	4.3	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Shale	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:				Depositional Gen:	
Gsc Material Description:		SHALE.			
Stratum Description:					
Geology Stratum ID:	218392838			Mat Consistency:	Soft
Top Depth:	4.3			Material Moisture:	
Bottom Depth:	20.1			Material Texture:	
Material Color:	Blue			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		LIMESTONE. BLUE. 0006000075,VERY SOFT,FISSURED.CLAY. GREY,STIFF. 00000 023 00040 02 **Note:			
Stratum Description:		Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218392836			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Boulders			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SOIL.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Ident:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 05390 NTS_Sheet:				
Confiden 1:					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
108	1 of 2	S/214.5	76.9 / 0.00	THOMAS K. WEBSTER (1980) LTD. 924 MCBRIDE ST OTTAWA ON K1Z 5K1	SCT
Established:	1980				
Plant Size (ft²):	2000				
Employment:	14				
--Details--					
Description:	SHEET METAL WORK				
SIC/NAICS Code:	3444				
Description:	Other Ornamental and Architectural Metal Products Manufacturing				
SIC/NAICS Code:	332329				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Heating Equipment and Commercial Refrigeration Equipment Manufacturing			
SIC/NAICS Code:		333416			
108	2 of 2	S/214.5	76.9 / 0.00	924 McBride Street Ottawa ON K1Z 5K1	EHS
Order No:	20180509086			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	16-MAY-18			Search Radius (km):	.25
Date Received:	09-MAY-18			X:	-75.743115
Previous Site Name:				Y:	45.377058
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
109	1 of 4	N/215.3	76.9 / 0.00	OTTAWA, CITY OF 29-595 BLDGS & EQUIP. BR., 1505 CARLING AVE. C/O 111 SUSSEX DRIVE OTTAWA ON K1Z 7L9	GEN
Generator No:	ON0136217			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	0008				
SIC Description:	EXEMPT				
109	2 of 4	N/215.3	76.9 / 0.00	OTTAWA, CORPORATION OF THE CITY OF BUILDINGS AND EQUIPMENT BRANCH 1505 CARLING AVENUE OTTAWA ON K1Z 7L9	GEN
Generator No:	ON0136217			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8371				
SIC Description:	TRANSPORTATION ADMIN.				
109	3 of 4	N/215.3	76.9 / 0.00	Westboro Photonics Inc. 1505 Carling Ave Suite 301 Ottawa ON K1Z 7L9	SCT
Established:	01-SEP-94				
Plant Size (ft²):	2500				
Employment:					
--Details--					
Description:	Professional Machinery, Equipment and Supplies Wholesaler-Distributors				
SIC/NAICS Code:	417930				
Description:	Industrial Machinery, Equipment and Supplies Wholesaler-Distributors				
SIC/NAICS Code:	417230				
Description:	Professional Machinery, Equipment and Supplies Wholesaler-Distributors				
SIC/NAICS Code:	417930				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
109	4 of 4	N/215.3	76.9 / 0.00	Lumetrix Corp. 1505 Carling Ave Suite 301 Ottawa ON K1Z 7L9	SCT
Established:		01-JUL-94			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Cutlery and Hand Tool Manufacturing			
SIC/NAICS Code:		332210			
110	1 of 11	WSW/215.7	76.9 / 0.03	Tetra Pak Canada Inc. 846 Churchill Ave. N Ottawa ON K1Z 5G8	GEN
Generator No:		ON1972530		PO Box No:	
Status:				Country:	
Approval Years:		05		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326160			
SIC Description:		Plastic Bottle Manufacturing			
Detail(s)					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
110	2 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON K1Z 5G8	GEN
Generator No:		ON7998136		PO Box No:	
Status:				Country:	
Approval Years:		07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326160			
SIC Description:		Plastic Bottle Manufacturing			
Detail(s)					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
110	3 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON	GEN
Generator No:		ON7998136		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		326160			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Plastic Bottle Manufacturing			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
110	4 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	326160				
SIC Description:	Plastic Bottle Manufacturing				
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
110	5 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	326160				
SIC Description:	Plastic Bottle Manufacturing				
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
110	6 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON K1Z 5G8	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	326160				
SIC Description:	Plastic Bottle Manufacturing				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
110	7 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	326160				
SIC Description:	PLASTIC BOTTLE MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
110	8 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON K1Z 5G8	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Mayra Petit
MHSW Facility:	No			Phone No Admin:	613 837 8282 Ext.
SIC Code:	326160				
SIC Description:	PLASTIC BOTTLE MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
110	9 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON K1Z 5G8	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Mayra Petit
MHSW Facility:	No			Phone No Admin:	613 837 8282 Ext.
SIC Code:	326160				
SIC Description:	PLASTIC BOTTLE MANUFACTURING				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
110	10 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON K1Z 5G8	GEN
Generator No:	ON7998136			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Mayra Petit
MHSW Facility:	No			Phone No Admin:	613 837 8282 Ext.
SIC Code:	326160				
SIC Description:	PLASTIC BOTTLE MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
110	11 of 11	WSW/215.7	76.9 / 0.03	Logoplaste Canada Inc 846 Churchill Ave North Ottawa ON K1Z 5G8	GEN
Generator No:	ON7998136			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		232 N			
Waste Class Desc:		Polymeric resins			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
111	1 of 1	SW/217.5	77.0 / 0.08	ON	BORE
Borehole ID:	612818			Inclin FLG:	No
OGF ID:	215514124			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	NOV-1952			Municipality:	
Static Water Level:				Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.377276
Total Depth m:	16.2			Longitude DD:	-75.744854
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441681
Drill Method:				Northing:	5025132
Orig Ground Elev m:	82.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	79.3				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218392614			Mat Consistency:	
Top Depth:	.9			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK.				
Geology Stratum ID:	218392615			Mat Consistency:	Dense
Top Depth:	2.1			Material Moisture:	
Bottom Depth:	16.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. 00030000400VERY SOFT. CLAY. BROWN,GREY,VERY SOFT,FISSURED.UNSPECIFIED. DENSE.				
Geology Stratum ID:	218392613			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Stones			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 05326 NTS_Sheet:		
Confiden 1:			

Source List

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

[112](#) 1 of 1 **SW/217.6** **77.0 / 0.08** **ON** [WWIS](#)

Well ID:	1508037	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	12/12/1952
Sec. Water Use:	Domestic	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3566
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508037.pdf

Additional Detail(s) (Map)

Well Completed Date: 1952/11/06
Year Completed: 1952
Depth (m): 16.1544
Latitude: 45.3772743017974
Longitude: -75.7448536151445
Path: 150\1508037.pdf

Bore Hole Information

Bore Hole ID:	10030072	Elevation:	79.347473
DP2BR:	3.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441680.70
Code OB Desc:	Bedrock	North83:	5025132.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	06-Nov-1952 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931008648			
Layer:		2			
Color:					
General Color:					
Mat1:		26			
Most Common Material:		ROCK			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008649			
Layer:		3			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008647			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961508037			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10578642			
Casing No:		1			
Comment:					

Alt Name:

Construction Record - Casing

Casing ID: 930052800
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 20
 Casing Diameter: 4
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930052801
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 53
 Casing Diameter: 4
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991508037
 Pump Set At:
 Static Level: 7.0
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate: 7.0
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933462373
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 30.0
 Water Found Depth UOM: ft

Water Details

Water ID: 933462375
 Layer: 3
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 53.0
 Water Found Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933462374			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

113	1 of 1	WNW/219.6	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID:	7239655			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/9/2015
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Abandoned-Other			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z203885			Owner:	
Tag:				Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2015/03/13
Year Completed:	2015
Depth (m):	
Latitude:	45.3808572156162
Longitude:	-75.7461741105569
Path:	

Bore Hole Information

Bore Hole ID:	1005321813	Elevation:	77.118263
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441581.00
Code OB Desc:		North83:	5025531.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	13-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005595278			
Layer:		1			
Plug From:		0			
Plug To:		0.910000026226044			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005595279			
Layer:		2			
Plug From:		0.910000026226044			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005595277			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005595270			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005595276			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005595274			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005595273			
Diameter:		5.199999809265137			
Depth From:		1.8300000429153442			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005595272			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

114	1 of 1	WNW/223.4	77.9 / 1.00	1599 CARLING AVE ON	WWIS
Well ID:		7239611		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received: 4/9/2015	
Sec. Water Use:				Selected Flag: True	
Final Well Status:		Abandoned-Other		Abandonment Rec: Yes	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z203886		Owner:	
Tag:				Street Name: 1599 CARLING AVE	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/03/13
Year Completed: 2015
Depth (m):
Latitude: 45.3808387138427
Longitude: -75.7462505039915
Path:

Bore Hole Information

Bore Hole ID:	1005321557	Elevation:	77.146781
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441575.00
Code OB Desc:		North83:	5025529.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	13-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005592331			
Layer:		2			
Plug From:		0.910000026226044			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005592330			
Layer:		1			
Plug From:		0			
Plug To:		0.910000026226044			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005592329			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005592322			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005592328			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005592326			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Hole ID:		1005592325			
Diameter:		5.19999809265137			
Depth From:		1.8300000429153442			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005592324			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					

[115](#) 1 of 1 **W/226.2** **76.9 / 0.03** **1599 CARLING AVE.**
Ottawa ON **WWIS**

Well ID:	7225572	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	8/13/2014
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z188211	Owner:	
Tag:	A164420	Street Name:	1599 CARLING AVE.
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2014/06/20
Year Completed: 2014
Depth (m): 5.18
Latitude: 45.3791081857332
Longitude: -75.7465981384514
Path:

Bore Hole Information

Bore Hole ID:	1005076620	Elevation:	78.230766
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441546.00
Code OB Desc:		North83:	5025337.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	20-Jun-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005278844			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.5199999809265137			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005278843			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005278845			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.5199999809265137			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005278856			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		3			
<i>Plug From:</i>		3.34999990463257			
<i>Plug To:</i>		5.17999982833862			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005278854			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005278855			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		3.34999990463257			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1005278853			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1005278842			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1005278850			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3.66000008583069			
<i>Screen End Depth:</i>		5.17999982833862			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03000020980835			
<u>Water Details</u>					
<i>Water ID:</i>		1005278848			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole ID: 1005278846
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 2.440000057220459
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1005278847
Diameter: 7.619999885559082
Depth From: 2.440000057220459
Depth To: 5.179999828338623
Hole Depth UOM: m
Hole Diameter UOM: cm

116	1 of 1	SW/226.3	75.9 / -0.96	884 Churchill Avenue South Ottawa ON K1Z 5H2	EHS
---------------------	--------	----------	--------------	---	-----

Order No: 20071003005	Nearest Intersection:
Status: C	Municipality:
Report Type: CAN - Custom Report	Client Prov/State:
Report Date: 10/12/2007	Search Radius (km): 0.25
Date Received: 10/3/2007	X: -75.745815
Previous Site Name:	Y: 45.377582
Lot/Building Size:	
Additional Info Ordered: Fire Insur. Maps And /or Site Plans	

117	1 of 1	WNW/227.9	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
---------------------	--------	-----------	-------------	-------------------------------	------

Well ID: 7239795	Data Entry Status:
Construction Date:	Data Src:
Primary Water Use:	Date Received: 4/9/2015
Sec. Water Use:	Selected Flag: True
Final Well Status: Abandoned-Other	Abandonment Rec:
Water Type:	Contractor: 7241
Casing Material:	Form Version: 7
Audit No: Z203871	Owner:
Tag:	Street Name: 1599 CARLING AVE
Construction Method:	County: OTTAWA
Elevation (m):	Municipality: OTTAWA CITY
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot:
Well Depth:	Concession:
Overburden/Bedrock:	Concession Name:
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/03/12
Year Completed: 2015
Depth (m):
Latitude: 45.380883549744
Longitude: -75.7462766394719

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Path:

Bore Hole Information

Bore Hole ID:	1005322582	Elevation:	77.139747
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441573.00
Code OB Desc:		North83:	5025534.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1005576587
Layer:	1
Plug From:	0
Plug To:	1.22000002861023
Plug Depth UOM:	m

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1005576588
Layer:	2
Plug From:	1.22000002861023
Plug To:	5.17999982833862
Plug Depth UOM:	m

**Method of Construction & Well
Use**

Method Construction ID:	1005576586
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1005576579
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Screen

Screen ID:	1005576585
Layer:	
Slot:	
Screen Top Depth:	
Screen End Depth:	
Screen Material:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Water Details

Water ID: 1005576583
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005576581
Diameter: 20.31999969482422
Depth From: 0.0
Depth To: 1.8300000429153442
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1005576582
Diameter: 5.199999809265137
Depth From: 1.8300000429153442
Depth To: 5.179999828338623
Hole Depth UOM: m
Hole Diameter UOM: cm

<u>118</u>	1 of 13	NNW/228.2	77.0 / 0.13	DOUGLAS J CARDINAL ARCHITECT LTD. 1525 CARLING AVE. SUITE 400 OTTAWA ON K1Z 8R9	GEN
----------------------------	---------	------------------	--------------------	--	------------

Generator No: ON1923600 Status: Approval Years: 94,95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 7751 SIC Description: ARCHITECT OFFICES	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:
--	---

Detail(s)

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

<u>118</u>	2 of 13	NNW/228.2	77.0 / 0.13	3M Canada Company 1525 Carling Avenue Suite 100 Ottawa ON K1Z 8R9	GEN
----------------------------	---------	------------------	--------------------	--	------------

Generator No: ON8172092 Status: Approval Years: 06,07,08 Contam. Facility: MHSW Facility: SIC Code: 339990 SIC Description: All Other Miscellaneous Manufacturing	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail(s)					
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
118	3 of 13	NNW/228.2	77.0 / 0.13	Cdn Ophthalmological Society 1525 Carling Ave Suite 610 Ottawa ON K1Z 8R9	SCT
Established:		01-SEP-37			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Professional Organizations			
SIC/NAICS Code:		813920			
118	4 of 13	NNW/228.2	77.0 / 0.13	3M Canada Company 1525 Carling Avenue Suite 100 Ottawa ON K1Z 8R9	GEN
Generator No:		ON8172092		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		339990			
SIC Description:		All Other Miscellaneous Manufacturing			
Detail(s)					
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
118	5 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg 608-1525 Carling Avenue Ottawa ON K1Z 8R9	GEN
Generator No:		ON4452759		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621110			
SIC Description:					
118	6 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg Medicine Corporation 608-1525 Carling Avenue Ottawa ON K1Z 8R9	GEN
Generator No:		ON4452759		PO Box No:	
Status:				Country:	
Approval Years:		2012		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621110			
SIC Description:		Offices of Physicians			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
118	7 of 13	NNW/228.2	77.0 / 0.13	BENTALL REAL ESTATE SERVICES 1525 Carling Avenue Ottawa ON K1Z8R9	NPRI
NPRI ID:	8800001541			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type:	MED
Report Type:				Contact Title:	
Rpt Type ID:				Cont First Name:	
Report Year:	2004			Cont Last Name:	
Not-Current Rpt?:				Contact Position:	
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	CARLING EXECUTIVE PARK - 1525 CARLING AVENUE			Cont Area Code:	
Fac Address1:				Contact Tel.:	
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	
Facility Lat:				Contact Fax:	
Facility Long:				Contact Email:	
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	1			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	53				
NAICS 2 Description:	Real Estate and Rental and Leasing				
NAICS Code (4 digit):	5311				
NAICS 4 Description:	Lessors of Real Estate				
NAICS Code (6 digit):	531120				
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)				

Substance Release Report

CAS No:	11104-93-1
Report ID:	
Rpt Period:	2004
Subst Released:	Nitrogen oxides (expressed as NO2)
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes
CAS No:	811-97-2
Report ID:	
Rpt Period:	2004
Subst Released:	HFC-134a Hydrofluorocarbon
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>CAS No: 7446-09-5 Report ID: Rpt Period: 2004 Subst Released: Sulphur dioxide Air: Water: Land: Total Releases: Units: tonnes</p>					
118	8 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg Medicine Corporation 608-1525 Carling Avenue Ottawa ON	GEN
<p>Generator No: ON4452759 Status: Approval Years: 2013 Contam. Facility: MHSW Facility: SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS</p> <p>PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:</p> <p><u>Detail(s)</u></p> <p>Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES</p>					
118	9 of 13	NNW/228.2	77.0 / 0.13	1525 Carling Ave Ottawa ON K1Z8R9	EHS
<p>Order No: 20160229033 Status: C Report Type: Standard Report Report Date: 04-MAR-16 Date Received: 29-FEB-16 Previous Site Name: Lot/Building Size: Additional Info Ordered: City Directory; Aerial Photos</p> <p>Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.744634 Y: 45.382171</p>					
118	10 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg Medicine Professional Corporati 608-1525 Carling Avenue Ottawa ON K1Z8R9	GEN
<p>Generator No: ON4452759 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS</p> <p>PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:</p> <p><u>Detail(s)</u></p> <p>Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES</p>					
118	11 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg Medicine Professional Corporati	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				608-1525 Carling Avenue Ottawa ON K1Z8R9	
Generator No:	ON4452759			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
118	12 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg Dr. Peter Brownrigg 608-1525 Carling Avenue Ottawa ON K1Z8R9	GEN
Generator No:	ON9292479			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
118	13 of 13	NNW/228.2	77.0 / 0.13	Dr. Peter Brownrigg Dr. Peter Brownrigg 608-1525 Carling Avenue Ottawa ON K1Z8R9	GEN
Generator No:	ON9292479			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Aug 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
119	1 of 1	WNW/229.8	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID:	7239606			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/9/2015
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z203880			Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A108236			Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/03/13
Year Completed: 2015
Depth (m):
Latitude: 45.3809648885662
Longitude: -75.7462266182696
Path:

Bore Hole Information

Bore Hole ID:	1005321542	Elevation:	77.009315
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441577.00
Code OB Desc:		North83:	5025543.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	13-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1005590818
Layer: 2
Plug From: 0.910000026226044
Plug To: 5.17999982833862
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1005590817
Layer: 1
Plug From: 0
Plug To: 0.910000026226044
Plug Depth UOM: m

Method of Construction & Well Use

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1005590816			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005590809			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005590815			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005590813			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005590811			
Diameter:		4.210000038146973			
Depth From:		0.0			
Depth To:		3.6600000858306885			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005590812			
Diameter:		3.450000047683716			
Depth From:		3.6600000858306885			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[120](#)

1 of 4

WNW/230.4

77.9 / 1.00

1599 CARLING AVE
Ottawa ON

WWIS

Well ID: 7239797
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:

Data Entry Status:
Data Src:
Date Received: 4/9/2015
Selected Flag: True
Abandonment Rec:
Contractor: 7241

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	7
Audit No:	Z203875			Owner:	
Tag:				Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:	2015/03/12				
Year Completed:	2015				
Depth (m):					
Latitude:	45.3809104679718				
Longitude:	-75.7462897664359				
Path:					
Bore Hole Information					
Bore Hole ID:	1005322588			Elevation:	77.101173
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441572.00
Code OB Desc:				North83:	5025537.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12-Mar-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Annular Space/Abandonment Sealing Record					
Plug ID:	1005576608				
Layer:	2				
Plug From:	1.22000002861023				
Plug To:	5.48000001907349				
Plug Depth UOM:	m				
Annular Space/Abandonment Sealing Record					
Plug ID:	1005576607				
Layer:	1				
Plug From:	0				
Plug To:	1.22000002861023				
Plug Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005576606			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005576599			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005576605			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005576603			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005576601			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005576602			
Diameter:		5.199999809265137			
Depth From:		1.8300000429153442			
Depth To:		5.480000019073486			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
120	2 of 4	WNW/230.4	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID:	7239798			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/9/2015
Sec. Water Use:				Selected Flag:	True

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Abandoned-Other			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z203874			Owner:	
Tag:				Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/03/12
Year Completed: 2015
Depth (m):
Latitude: 45.3809104679718
Longitude: -75.7462897664359
Path:

Bore Hole Information

Bore Hole ID:	1005322591	Elevation:	77.101173
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441572.00
Code OB Desc:		North83:	5025537.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1005578544
Layer: 1
Plug From: 0
Plug To: 0.910000026226044
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1005578545
Layer: 2
Plug From: 0.910000026226044
Plug To: 5.17999982833862

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005578543			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005578536			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005578542			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005578540			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005578539			
Diameter:		5.199999809265137			
Depth From:		1.8300000429153442			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005578538			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

120

3 of 4

WNW/230.4

77.9 / 1.00

1599 CARLING AVE
Ottawa ON

WWIS

Well ID:

7239603

Data Entry Status:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/9/2015
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z203872			Owner:	
Tag:				Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/03/12
Year Completed: 2015
Depth (m):
Latitude: 45.3809104679718
Longitude: -75.7462897664359
Path:

Bore Hole Information

Bore Hole ID:	1005321533	Elevation:	77.101173
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441572.00
Code OB Desc:		North83:	5025537.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1005590787
Layer: 1
Plug From: 0
Plug To: 0.910000026226044
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1005590788

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Plug From:		0.910000026226044			
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005590786			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005590779			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005590785			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005590783			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005590782			
Diameter:		5.199999809265137			
Depth From:		1.8300000429153442			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005590781			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
120	4 of 4	WNW/230.4	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS

Well ID:	7239628	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	4/9/2015
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z203873	Owner:	
Tag:		Street Name:	1599 CARLING AVE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2015/03/12
Year Completed:	2015
Depth (m):	
Latitude:	45.3809104679718
Longitude:	-75.7462897664359
Path:	

Bore Hole Information

Bore Hole ID:	1005321672	Elevation:	77.101173
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441572.00
Code OB Desc:		North83:	5025537.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12-Mar-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment
Sealing Record

Plug ID:	1005593171
Layer:	2
Plug From:	1.22000002861023
Plug To:	
Plug Depth UOM:	m

Annular Space/Abandonment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Sealing Record</u>					
Plug ID:		1005593170			
Layer:		1			
Plug From:		0			
Plug To:		1.22000002861023			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005593169			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005593162			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005593168			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005593166			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005593165			
Diameter:		5.19999809265137			
Depth From:		1.8300000429153442			
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005593164			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
121	1 of 1	WNW/230.7	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID: 7239607 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z203879 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 4/9/2015 Selected Flag: True Abandonment Rec: Yes Contractor: 7241 Form Version: 7 Owner: Street Name: 1599 CARLING AVE County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2015/03/12 Year Completed: 2015 Depth (m): Latitude: 45.3809648051214 Longitude: -75.7462393900029 Path:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1005321545 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 12-Mar-2015 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 77.008346 Elevrc: Zone: 18 East83: 441576.00 North83: 5025543.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1005590828 Layer: 2 Plug From: 0.910000026226044 Plug To: 5.17999982833862 Plug Depth UOM: m					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005590827			
Layer:		1			
Plug From:		0			
Plug To:		0.910000026226044			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005590826			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005590819			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005590825			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005590823			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005590822			
Diameter:		3.450000047683716			
Depth From:		3.6600000858306885			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005590821			
Diameter:		4.210000038146973			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		3.6600000858306885			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

122	1 of 1	WNW/230.7	77.9 / 1.00	1599 CARLING AVE OTTAWA ON	WWIS
Well ID:		7180990		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Test Hole		Date Received: 5/17/2012	
Sec. Water Use:				Selected Flag: True	
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor: 6964	
Casing Material:				Form Version: 7	
Audit No:		Z134659		Owner:	
Tag:		A108236		Street Name: 1599 CARLING AVE	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2012/01/05
Year Completed:	2012
Depth (m):	5.03
Latitude:	45.3809285525409
Longitude:	-75.746277231544
Path:	

Bore Hole Information

Bore Hole ID:	1003781325	Elevation:	77.061225
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441573.00
Code OB Desc:		North83:	5025539.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05-Jan-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004310049
Layer:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3: 60					
Mat3 Desc: CEMENTED					
Formation Top Depth: 0.8999999761581421					
Formation End Depth: 1.3700000047683716					
Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1004310047					
Layer: 1					
Color:					
General Color:					
Mat1: 11					
Most Common Material: GRAVEL					
Mat2: 01					
Mat2 Desc: FILL					
Mat3:					
Mat3 Desc:					
Formation Top Depth: 0.0					
Formation End Depth: 0.15000000596046448					
Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1004310048					
Layer: 2					
Color: 6					
General Color: BROWN					
Mat1: 28					
Most Common Material: SAND					
Mat2: 01					
Mat2 Desc: FILL					
Mat3:					
Mat3 Desc:					
Formation Top Depth: 0.15000000596046448					
Formation End Depth: 0.8999999761581421					
Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1004310050					
Layer: 4					
Color:					
General Color:					
Mat1: 15					
Most Common Material: LIMESTONE					
Mat2: 26					
Mat2 Desc: ROCK					
Mat3:					
Mat3 Desc:					
Formation Top Depth: 1.3700000047683716					
Formation End Depth: 5.03000020980835					
Formation End Depth UOM: m					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004310059			
Layer:		2			
Plug From:		1.73000001907349			
Plug To:		5.03000020980835			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004310058			
Layer:		1			
Plug From:		0			
Plug To:		1.73000001907349			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004310057			
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004310046			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004310054			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.13000011444092			
Casing Diameter:		3.5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004310055			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.13000011444092			
Screen End Depth:		5.03000020980835			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.09999990463257			
<u>Water Details</u>					
Water ID:		1004310053			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Layer:

Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004310052
Diameter: 5.599999904632568
Depth From: 1.399999976158142
Depth To: 5.03000020980835
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004310051
Diameter: 7.5
Depth From: 0.0
Depth To: 1.399999976158142
Hole Depth UOM: m
Hole Diameter UOM: cm

123	1 of 2	WNW/230.9	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
---------------------	--------	-----------	-------------	-------------------------------	------

<p>Well ID: 7239604 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z203878 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:</p>	<p>Data Entry Status: Data Src: Date Received: 4/9/2015 Selected Flag: True Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 1599 CARLING AVE County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:</p>
---	--

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/03/18
Year Completed: 2015
Depth (m):
Latitude: 45.3809557211157
Longitude: -75.7462520433255
Path:

Bore Hole Information

Bore Hole ID: 1005321536 Elevation: 77.007377

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441575.00
Code OB Desc:				North83:	5025542.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	18-Mar-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005590798			
Layer:		2			
Plug From:		0.910000026226044			
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005590797			
Layer:		1			
Plug From:		0			
Plug To:		0.910000026226044			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1005590796			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005590789			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005590795			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1005590793			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005590791			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005590792			
Diameter:		5.199999809265137			
Depth From:		1.8300000429153442			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

123	2 of 2	WNW/230.9	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
---------------------	--------	-----------	-------------	-------------------------------	------

Well ID:	7239605	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	4/9/2015
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z203877	Owner:	
Tag:		Street Name:	1599 CARLING AVE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2015/03/12
Year Completed:	2015
Depth (m):	
Latitude:	45.3809557211157
Longitude:	-75.7462520433255
Path:	

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1005321539			Elevation:	77.007377
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441575.00
Code OB Desc:				North83:	5025542.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12-Mar-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005590807				
Layer:	1				
Plug From:	0				
Plug To:	0.910000026226044				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005590808				
Layer:	2				
Plug From:	0.910000026226044				
Plug To:	7.5				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1005590806				
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1005590799				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:	1005590805				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1005590803			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005590802			
Diameter:		5.199999809265137			
Depth From:		1.8300000429153442			
Depth To:		7.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005590801			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

124	1 of 1	SW/231.4	76.9 / -0.02	ON	WWIS
---------------------	--------	----------	--------------	----	------

Well ID:	7263433	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	5/24/2016
Sec. Water Use:		Selected Flag:	True
Final Well Status:		Abandonment Rec:	
Water Type:		Contractor:	7328
Casing Material:		Form Version:	8
Audit No:	C26613	Owner:	
Tag:	A153943	Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2016/03/23
Year Completed:	2016
Depth (m):	
Latitude:	45.3771657369377
Longitude:	-75.7449377619746
Path:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006005615			Elevation:	79.498596
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441674.00
Code OB Desc:				North83:	5025120.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	23-Mar-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

125	1 of 1	WNW/233.1	77.9 / 1.00	1599 CARLING AVE. Ottawa ON	WWIS
Well ID:	7225495			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	8/13/2014
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z162972			Owner:	
Tag:	A164366			Street Name:	1599 CARLING AVE.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date: 2014/05/24
Year Completed: 2014
Depth (m): 5.18
Latitude: 45.3810008073588
Longitude: -75.7462398636382
Path:

Bore Hole Information

Bore Hole ID:	1005075740	Elevation:	76.920669
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441576.00
Code OB Desc:		North83:	5025547.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Date Completed: 24-May-2014 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005274884
Layer: 1
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Mat2 Desc:
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005274885
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.3100000023841858
Formation End Depth: 1.5199999809265137
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005274886
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3: 74
Mat3 Desc: LAYERED
Formation Top Depth: 1.5199999809265137
Formation End Depth: 5.179999828338623
Formation End Depth UOM: m

**Annular Space/Abandonment
Sealing Record**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1005274895			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005274896			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005274897			
Layer:		3			
Plug From:		1.83000004291534			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005274894			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005274883			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005274891			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.65000009536743			
Screen End Depth:		5.17999982833862			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005274889			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1005274887			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005274888			
Diameter:		7.619999885559082			
Depth From:		2.130000114440918			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

126	1 of 1	WNW/234.7	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID:	7239796			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/9/2015
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Abandoned-Other			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z203876			Owner:	
Tag:	A164415			Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2015/03/12
Year Completed:	2015
Depth (m):	
Latitude:	45.3809643878757
Longitude:	-75.7463032486688
Path:	

Bore Hole Information

Bore Hole ID:	1005322585	Elevation:	76.999267
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441571.00
Code OB Desc:		North83:	5025543.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	12-Mar-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005576597				
Layer:	1				
Plug From:	0				
Plug To:	0.910000026226044				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005576598				
Layer:	2				
Plug From:	0.910000026226044				
Plug To:	5.17999982833862				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1005576596				
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1005576589				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:	1005576595				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:					
<u>Water Details</u>					
Water ID:	1005576593				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:	1005576591				
Diameter:	20.34000015258789				
Depth From:	0.0				
Depth To:	1.8300000429153442				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Hole Diameter</u>					
Hole ID:	1005576592				
Diameter:	5.19999809265137				
Depth From:	1.8300000429153442				
Depth To:	5.17999828338623				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

127	1 of 1	WNW/234.9	77.9 / 1.00	1599 CARLING AVE. OTTAWA ON	WWIS
Well ID:	7243551		Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:	Monitoring and Test Hole		Date Received: 6/26/2015		
Sec. Water Use:	0		Selected Flag: True		
Final Well Status:	Test Hole		Abandonment Rec:		
Water Type:			Contractor: 7241		
Casing Material:			Form Version: 7		
Audit No:	Z203896		Owner:		
Tag:	A178600		Street Name: 1599 CARLING AVE.		
Construction Method:			County: OTTAWA		
Elevation (m):			Municipality: NEPEAN TOWNSHIP		
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/05/27
Year Completed: 2015
Depth (m): 14.02
Latitude: 45.3810278090367
Longitude: -75.7462402188652
Path:

Bore Hole Information

Bore Hole ID:	1005441402	Elevation:	76.837959
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441576.00
Code OB Desc:		North83:	5025550.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	27-May-2015 00:00:00			Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005616505			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005616507			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		15			
Mat2 Desc:		LIMESTONE			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		14.020000457763672			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005616506			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		3.0999999046325684			
Formation End Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005616517			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		11.8900003433228			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005616516			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005616518			
Layer:		3			
Plug From:		11.8900003433228			
Plug To:		14.0200004577637			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005616515			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005616504			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005616512			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.5			
Screen End Depth:		14.0200004577637			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1005616510			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005616509			
Diameter:		7.630000114440918			
Depth From:		3.3499999046325684			
Depth To:		14.020000457763672			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005616508			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.3499999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
128	1 of 2	W/235.2	76.9 / 0.04	Carling Motors 1622 Carling Avenue Ottawa ON K2A 1C5	CA
Certificate #:		4166-4ULPM9			
Application Year:		01			
Issue Date:		3/19/01			
Approval Type:		Municipal & Private sewage			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Gormark Holdings Limited			
Client Address:		1622 Carling Avenue			
Client City:		Ottawa			
Client Postal Code:		K2A 1C5			
Project Description:		Addition is being made for an existing building. Roof drains have been added for stormwater management and to maintain the site run-off co-efficient.			
Contaminants:					
Emission Control:					
128	2 of 2	W/235.2	76.9 / 0.04	Gormark Holdings Limited 1622 Carling Avenue Ottawa ON K2A 1C5	ECA
Approval No:		4166-4ULPM9		MOE District:	Ottawa
Approval Date:		2001-03-19		City:	
Status:		Approved		Longitude:	-75.74851
Record Type:		ECA		Latitude:	45.37975
Link Source:		IDS		Geometry X:	
SWP Area Name:		Rideau Valley		Geometry Y:	
Approval Type:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
Project Type:		MUNICIPAL AND PRIVATE SEWAGE WORKS			
Business Name:		Gormark Holdings Limited			
Address:		1622 Carling Avenue			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8313-4U4M7D-14.pdf			
PDF Site Location:					
129	1 of 2	WSW/235.9	76.9 / 0.03	846 Churchill Ave N Ottawa ON K1Z 5G8	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	21021700085			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Express Site Report			Client Prov/State:	MD
Report Date:	18-FEB-21			Search Radius (km):	.1
Date Received:	17-FEB-21			X:	-75.7466249
Previous Site Name:				Y:	45.3788953
Lot/Building Size:					
Additional Info Ordered:					

129	2 of 2	WSW/235.9	76.9 / 0.03	846 Churchill Ave N Ottawa ON K1Z 5G8	EHS
Order No:	21021700085			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Express Site Report			Client Prov/State:	MD
Report Date:	18-FEB-21			Search Radius (km):	.1
Date Received:	17-FEB-21			X:	-75.7466249
Previous Site Name:				Y:	45.3788953
Lot/Building Size:					
Additional Info Ordered:					

130	1 of 2	N/236.1	76.9 / 0.00	ON	WWIS
Well ID:	1507966			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/29/1951
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3718
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507966.pdf

Additional Detail(s) (Map)

Well Completed Date: 1950/07/15
Year Completed: 1950
Depth (m): 19.812
Latitude: 45.3826854570839
Longitude: -75.7432641530212
Path: 150\1507966.pdf

Bore Hole Information

Bore Hole ID: 10030001
DP2BR: 6.00
Spatial Status:
Elevation: 76.072731
Elevrc:
Zone: 18

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Code OB:	r			East83:	441810.70
Code OB Desc:	Bedrock			North83:	5025732.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	15-Jul-1950 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 931008489
Layer: 1
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931008490
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 6.0
Formation End Depth: 65.0
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 961507966
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10578571
Casing No: 1
Comment:
Alt Name:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 930052657
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 65
Casing Diameter: 4
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930052656
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 20
Casing Diameter: 4
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991507966
Pump Set At:
Static Level: 7.0
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate: 5.0
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933462279
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 65.0
Water Found Depth UOM: ft

[130](#) 2 of 2 *N/236.1* 76.9 / 0.00 ON [WWIS](#)

Well ID: 1507967	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Commerical	Date Received: 10/25/1950
Sec. Water Use: Domestic	Selected Flag: True
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 3725
Casing Material:	Form Version: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Owner: Street Name: County: OTTAWA Municipality: OTTAWA CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507967.pdf			

Additional Detail(s) (Map)

Well Completed Date: 1950/08/15
Year Completed: 1950
Depth (m): 20.4216
Latitude: 45.3826854570839
Longitude: -75.7432641530212
Path: 150\1507967.pdf

Bore Hole Information

Bore Hole ID:	10030002	Elevation:	76.072731
DP2BR:	27.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441810.70
Code OB Desc:	Bedrock	North83:	5025732.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	15-Aug-1950 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931008493
Layer: 3
Color:
General Color:
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 20.0
Formation End Depth: 27.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931008495			
Layer:		5			
Color:		1			
General Color:		WHITE			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008494			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008491			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008492			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961507967			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10578572			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930052659			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		67			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930052658			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		35			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991507967			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:					
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		20			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933462280			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933462281			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			

<u>131</u>	1 of 1	N/236.2	76.9 / 0.00	ON	BORE
Borehole ID:	612888			Inclin FLG:	No
OGF ID:	215514194			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	AUG-1950			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.382687
Total Depth m:	20.4			Longitude DD:	-75.743264
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441811
Drill Method:				Northing:	5025732
Orig Ground Elev m:	76.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	76.1				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218392856			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND.				
Geology Stratum ID:	218392857			Mat Consistency:	
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	8.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		GRAVEL.			
Geology Stratum ID:	218392855			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SOIL.			
Geology Stratum ID:	218392859			Mat Consistency:	
Top Depth:	15.2			Material Moisture:	
Bottom Depth:	20.4			Material Texture:	
Material Color:	White			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE. WHITE. 0003800065T.BEDROCK. 00000 023 00040 025 00100 034 00000 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218392858			Mat Consistency:	
Top Depth:	8.2			Material Moisture:	
Bottom Depth:	15.2			Material Texture:	
Material Color:	Blue			Non Geo Mat Type:	
Material 1:	Shale			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SHALE. BLUE.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Ident:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 05396 NTS_Sheet:				
Confiden 1:					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
132	1 of 21	NW/236.7	77.8 / 0.97	LANCASTER DATAMARK 1565 CARLING AVE SUITE 506 OTTAWA ON K1Z 8R1	SCT
Established:	1986				
Plant Size (ft²):	7500				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Employment:		8			
--Details--					
Description:		COATED AND LAMINATED PAPER, NOT ELSEWHERE CLASSIFIED			
SIC/NAICS Code:		2672			
Description:		MANIFOLD BUSINESS FORMS			
SIC/NAICS Code:		2761			
132	2 of 21	NW/236.7	77.8 / 0.97	BADISCHE CANADA LTD. 1565 CARLING AVE. OTTAWA ON K1Z 8R1	GEN
Generator No:		ON0071500		PO Box No:	
Status:				Country:	
Approval Years:		86,87,88,89,90,92,93,94		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		0000			
SIC Description:		*** NOT DEFINED ***			
132	3 of 21	NW/236.7	77.8 / 0.97	Databeacon Inc. 1565 Carling Ave. Suite 300 Ottawa ON K1Z 8R1	SCT
Established:		1995			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Software Publishers			
SIC/NAICS Code:		511210			
Description:		Computer Systems Design and Related Services			
SIC/NAICS Code:		541510			
132	4 of 21	NW/236.7	77.8 / 0.97	ByteQuest Technologies Inc. 1565 Carling Ave Suite 502 Ottawa ON K1Z 8R1	SCT
Established:					
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Software Publishers			
SIC/NAICS Code:		511210			
132	5 of 21	NW/236.7	77.8 / 0.97	Databeacon Inc. 1565 Carling Ave Suite 300 Ottawa ON K1Z 8R1	SCT
Established:		1995			
Plant Size (ft²):					
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		Software Publishers			
SIC/NAICS Code:		511210			
Description:		Computer Systems Design and Related Services			
SIC/NAICS Code:		541510			
132	6 of 21	NW/236.7	77.8 / 0.97	Canadian Public Health Assoc 1565 Carling Ave Suite 300 Ottawa ON K1Z 8R1	SCT
Established:		01-DEC-10			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Professional Organizations			
SIC/NAICS Code:		813920			
132	7 of 21	NW/236.7	77.8 / 0.97	The Retina Centre of Ottawa 1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	GEN
Generator No:		ON5734799		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621110			
SIC Description:		Offices of Physicians			
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
132	8 of 21	NW/236.7	77.8 / 0.97	Dr.David Edmison 1565 Carling Ave Ottawa ON	GEN
Generator No:		ON4869065		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621110			
SIC Description:		Offices of Physicians			
132	9 of 21	NW/236.7	77.8 / 0.97	The Retina Centre of Ottawa 1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	GEN
Generator No:		ON5734799		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621110			
SIC Description:		Offices of Physicians			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
132	10 of 21	NW/236.7	77.8 / 0.97	The Retina Centre of Ottawa 1565 Carling Avenue Suite #500 Ottawa ON K1Z 8R1	GEN
Generator No:		ON5734799		PO Box No:	
Status:				Country:	
Approval Years:		2012		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		621110			
SIC Description:		Offices of Physicians			
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
132	11 of 21	NW/236.7	77.8 / 0.97	BENTALL REAL ESTATE SERVICES 1565 Carling Avenue Ottawa ON K1Z8R9	NPRI
NPRI ID:		8800001537		Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type: MED	
Report Type:				Contact Title:	
Rpt Type ID:				Cont First Name:	
Report Year:		2004		Cont Last Name:	
Not-Current Rpt?:				Contact Position:	
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:		CARLING EXECUTIVE PARK - 1565 CARLING AVENUE		Cont Area Code:	
Fac Address1:				Contact Tel.:	
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	
Facility Lat:				Contact Fax:	
Facility Long:				Contact Email:	
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:		1		Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		53			
NAICS 2 Description:		Real Estate and Rental and Leasing			
NAICS Code (4 digit):		5311			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS 4 Description:		Lessors of Real Estate			
NAICS Code (6 digit):		531120			
NAICS 6 Description:		Lessors of Non-Residential Buildings (except Mini-Warehouses)			
<u>Substance Release Report</u>					
CAS No:	811-97-2				
Report ID:					
Rpt Period:	2004				
Subst Released:	HFC-134a Hydrofluorocarbon				
Air:					
Water:					
Land:					
Total Releases:					
Units:	tonnes				
CAS No:	11104-93-1				
Report ID:					
Rpt Period:	2004				
Subst Released:	Nitrogen oxides (expressed as NO2)				
Air:					
Water:					
Land:					
Total Releases:					
Units:	tonnes				
CAS No:	7446-09-5				
Report ID:					
Rpt Period:	2004				
Subst Released:	Sulphur dioxide				
Air:					
Water:					
Land:					
Total Releases:					
Units:	tonnes				

132	12 of 21	NW/236.7	77.8 / 0.97	The Retina Centre of Ottawa 1565 Carling Avenue Suite #500 Ottawa ON	GEN
---------------------	----------	----------	-------------	--	-----

Generator No:	ON5734799	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	621110		
SIC Description:	OFFICES OF PHYSICIANS		

Detail(s)

Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

132	13 of 21	NW/236.7	77.8 / 0.97	BCIMC Realty Corporation 1525, 1545, 1565 Carling Avenue Ottawa ON M5J 2H7	ECA
---------------------	----------	----------	-------------	--	-----

Approval No:	9676-6VDN8N	MOE District:	Ottawa
Approval Date:	2006-11-16	City:	
Status:	Approved	Longitude:	-75.74417
Record Type:	ECA	Latitude:	45.382442
Link Source:	IDS	Geometry X:	
SWP Area Name:	Rideau Valley	Geometry Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:		ECA-AIR AIR BCIMC Realty Corporation 1525, 1545, 1565 Carling Avenue https://www.accessenvironment.ene.gov.on.ca/instruments/3960-6S8KFP-14.pdf			
132	14 of 21	NW/236.7	77.8 / 0.97	Focus Eye Centre 1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON9580949 2016 No No 621990 ALL OTHER AMBULATORY HEALTH CARE SERVICES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL Jennifer Kearns (613)724-3937 Ext.
Detail(s)					
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
Waste Class: Waste Class Desc:		261 PHARMACEUTICALS			
132	15 of 21	NW/236.7	77.8 / 0.97	BENTALL KENNEDY 1565 CARLING AVENUE OTTAWA ON K1Z 8P9	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON5233544 2016 No No 531310 REAL ESTATE PROPERTY MANAGERS		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL
Detail(s)					
Waste Class: Waste Class Desc:		122 ALKALINE WASTES - OTHER METALS			
Waste Class: Waste Class Desc:		263 ORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		212 ALIPHATIC SOLVENTS			
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:		145 PAINT/PIGMENT/COATING RESIDUES			
132	16 of 21	NW/236.7	77.8 / 0.97	BENTALL KENNEDY 1565 CARLING AVENUE OTTAWA ON K1Z 8P9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Generator No: ON5233544
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS
PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS
Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS
Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

[132](#) 17 of 21 **NW/236.7** **77.8 / 0.97** **BENTALL KENNEDY
1565 CARLING AVENUE
OTTAWA ON K1Z 8P9** **GEN**

Generator No: ON5233544
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 531310
SIC Description: REAL ESTATE PROPERTY MANAGERS
PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES
Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS
Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS
Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

[132](#) 18 of 21 **NW/236.7** **77.8 / 0.97** **QuadReal Property Group LP
1565 CARLING AVENUE
OTTAWA ON K1Z 8P9** **GEN**

Generator No: ON5233544
Status: Registered
Approval Years: As of Dec 2018
Contam. Facility:
MHSW Facility:
PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

SIC Code:
SIC Description:

Detail(s)

Waste Class: 122 C
Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 145 I
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 145 L
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 212 L
Waste Class Desc: Aliphatic solvents and residues

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 263 I
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 312 P
Waste Class Desc: Pathological wastes

132	19 of 21	NW/236.7	77.8 / 0.97	Focus Eye Centre 1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	GEN
---------------------	----------	----------	-------------	---	-----

Generator No:	ON9580949	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2018	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Waste Class: 261 P
Waste Class Desc: Pharmaceuticals

Waste Class: 312 P
Waste Class Desc: Pathological wastes

132	20 of 21	NW/236.7	77.8 / 0.97	Focus Eye Centre 1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	GEN
---------------------	----------	----------	-------------	---	-----

Generator No:	ON9580949	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Jul 2020	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		261 P			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
132	21 of 21	NW/236.7	77.8 / 0.97	Focus Eye Centre 1565 Carling Avenue Suite 110 Ottawa ON K1Z8R1	GEN
Generator No:		ON9580949		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Aug 2021		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		261 P			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
133	1 of 1	S/237.6	77.9 / 0.99	1534 Laperriere Ave Ottawa ON K1Z 7T2	EHS
Order No:		20000526009		Nearest Intersection: Clyde Ave and McBride St	
Status:		C		Municipality: Ottawa-Careleton	
Report Type:		Complete Report		Client Prov/State: ON	
Report Date:		5/31/00		Search Radius (km): 0.25	
Date Received:		5/29/00		X: -75.743647	
Previous Site Name:				Y: 45.377285	
Lot/Building Size:					
Additional Info Ordered:					
134	1 of 1	W/237.7	76.9 / 0.04	Tile Center 834 Churchill Ave N Ottawa ON K1Z 5G8	SCT
Established:					
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Other Building Material Dealers			
SIC/NAICS Code:		444190			
135	1 of 1	W/238.1	76.9 / 0.04	ON	BORE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Borehole ID:	612847			Inclin FLG:	No
OGF ID:	215514153			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	APR-1954			Municipality:	
Static Water Level:	10.7			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.379198
Total Depth m:	20.7			Longitude DD:	-75.746795
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	441531
Drill Method:				Northing:	5025347
Orig Ground Elev m:	79.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	78.1				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218392697			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY.				
Geology Stratum ID:	218392698			Mat Consistency:	Soft
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	20.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. 00065E.SOFT. CLAY. SOFT. SAND. WATER STABLE AT 224.9 FEET.BEDROCK. 20.0 FE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 05355 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Scale or Resolution: Varies					
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Originators: Geological Survey of Canada					

136	1 of 1	W/238.1	76.9 / 0.04	ON	WWIS
Well ID: 1508039					
Construction Date:					
Primary Water Use: Domestic					
Sec. Water Use: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src: 1					
Date Received: 9/14/1954					
Selected Flag: True					
Abandonment Rec:					
Contractor: 1802					
Form Version: 1					
Owner:					
Street Name:					
County: OTTAWA					
Municipality: OTTAWA CITY					
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508039.pdf

Additional Detail(s) (Map)

Well Completed Date: 1954/04/26
Year Completed: 1954
Depth (m): 20.7264
Latitude: 45.3791969138868
Longitude: -75.7467947244456
Path: 150\1508039.pdf

Bore Hole Information

Bore Hole ID: 10030074	Elevation: 78.092903
DP2BR: 20.00	Elevrc:
Spatial Status:	Zone: 18
Code OB: r	East83: 441530.70
Code OB Desc: Bedrock	North83: 5025347.00
Open Hole:	Org CS:
Cluster Kind:	UTMRC: 9
Date Completed: 26-Apr-1954 00:00:00	UTMRC Desc: unknown UTM
Remarks:	Location Method: p9
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Overburden and Bedrock

Materials Interval

Formation ID: 931008653
Layer: 2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008652			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961508039			
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10578644			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930052805			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		68			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930052804			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To: 20					
Casing Diameter: 2					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
Results of Well Yield Testing					
Pump Test ID: 991508039					
Pump Set At:					
Static Level: 6.0					
Final Level After Pumping: 25.0					
Recommended Pump Depth:					
Pumping Rate: 7.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 2					
Pumping Duration MIN: 0					
Flowing: No					
Water Details					
Water ID: 933462377					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 65.0					
Water Found Depth UOM: ft					

137	1 of 2	WNW/239.1	77.9 / 1.00	1599 CORLINS AVE Ottawa ON	WWIS
Well ID: 7233791		Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use:		Date Received: 12/15/2014			
Sec. Water Use:		Selected Flag: True			
Final Well Status: Abandoned-Other		Abandonment Rec:			
Water Type:		Contractor: 7241			
Casing Material:		Form Version: 7			
Audit No: Z198287		Owner:			
Tag:		Street Name: 1599 CORLINS AVE			
Construction Method:		County: OTTAWA			
Elevation (m):		Municipality: NEPEAN TOWNSHIP			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:			
Well Depth:		Concession:			
Overburden/Bedrock:		Concession Name:			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		2014/10/28			
Year Completed:		2014			
Depth (m):					
Latitude:		45.3810998969557			
Longitude:		-75.746228394376			
Path:					

Bore Hole Information

Bore Hole ID:	1005259930	Elevation:	76.673431
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441577.00
Code OB Desc:		North83:	5025558.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	28-Oct-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1005424915
Layer:	1
Plug From:	0
Plug To:	4.57000017166138
Plug Depth UOM:	m

**Method of Construction & Well
Use**

Method Construction ID:	1005424914
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	1005424908
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Screen

Screen ID:	1005424913
Layer:	
Slot:	
Screen Top Depth:	
Screen End Depth:	
Screen Material:	
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1005424911			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005424910			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

137	2 of 2	WNW/239.1	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
---------------------	--------	-----------	-------------	-------------------------------	------

Well ID:	7233802	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	12/15/2014
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z198283	Owner:	
Tag:	A108226	Street Name:	1599 CARLING AVE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2014/10/28
Year Completed:	2014
Depth (m):	
Latitude:	45.3810998969557
Longitude:	-75.746228394376
Path:	

Bore Hole Information

Bore Hole ID:	1005259963	Elevation:	76.673431
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441577.00
Code OB Desc:		North83:	5025558.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	28-Oct-2014 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005425415				
Layer:	1				
Plug From:	0				
Plug To:	5.40000009536743				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1005425414				
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1005425408				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:	1005425413				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:					
<u>Water Details</u>					
Water ID:	1005425411				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1005425410				
Diameter:	20.31999969482422				
Depth From:	0.0				
Depth To:	5.400000095367432				
Hole Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		cm			
138	1 of 4	SW/239.4	76.8 / -0.09	ESSO PETROLEUM CANADA 890 CHURCHILL AVENUE SOUTH STORAGE TANK OTTAWA CITY ON K1Z 5H2	SPL
Ref No:	214414			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	10/22/2001			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	ABOVE-GROUND TANK LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	20107
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	Land, Water			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	10/22/2001			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	RESIDENTIAL TANK: 50 L OF FURNACE OIL TO GROUND IN BASEMENT, IN DRAIN.				
Contaminant Qty:					
138	2 of 4	SW/239.4	76.8 / -0.09	D & R Parker Holdings Ltd. 900 Churchill Avenue South Ottawa ON K1Z 5H2	CA
Certificate #:	0067-6NSHHF				
Application Year:	2006				
Issue Date:	4/19/2006				
Approval Type:	Industrial Sewage Works				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
138	3 of 4	SW/239.4	76.8 / -0.09	D & R Parker Holdings Ltd. 900 Churchill Avenue South Ottawa ON K1Z 5H2	ECA
Approval No:	0067-6NSHHF			MOE District:	Ottawa
Approval Date:	2006-04-19			City:	
Status:	Approved			Longitude:	-75.745224
Record Type:	ECA			Latitude:	45.37706
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type:		ECA-INDUSTRIAL SEWAGE WORKS			
Project Type:		INDUSTRIAL SEWAGE WORKS			
Business Name:		D & R Parker Holdings Ltd.			
Address:		900 Churchill Avenue South			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/6083-6MVQD9-14.pdf			
PDF Site Location:					

138	4 of 4	SW/239.4	76.8 / -0.09	AECON UTILITIES INC. 890 CHURCHILL AVENUE SOUTH OTTAWA ON K1Z 5H1	GEN
Generator No:		ON5737993		PO Box No:	
Status:				Country: Canada	
Approval Years:		2015		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		000000			
SIC Description:		000000			
Detail(s)					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

139	1 of 1	WNW/239.6	77.9 / 1.00	ON	WWIS
Well ID:		7166658		Data Entry Status: Yes	
Construction Date:				Data Src:	
Primary Water Use:				Date Received: 8/5/2011	
Sec. Water Use:				Selected Flag: True	
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 5	
Audit No:		M10570		Owner:	
Tag:		A106618		Street Name:	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: OTTAWA CITY	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7166658.pdf			

Additional Detail(s) (Map)

Well Completed Date:	2011/07/06
Year Completed:	2011
Depth (m):	
Latitude:	45.3809638871338
Longitude:	-75.746379879066
Path:	716\7166658.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Bore Hole ID: 1003544786 Elevation: 76.985671 DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83: 441565.00 Code OB Desc: North83: 5025543.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 3 Date Completed: 06-Jul-2011 00:00:00 UTMRC Desc: margin of error : 10 - 30 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:</p>					
140	1 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
<p>Generator No: ON6775750 PO Box No: Status: Country: Approval Years: 06,07,08 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 913140 SIC Description: Municipal Fire-Fighting Services</p>					
<u>Detail(s)</u>					
<p>Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES</p>					
140	2 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
<p>Generator No: ON6775750 PO Box No: Status: Country: Approval Years: 2009 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 913140 SIC Description: Municipal Fire-Fighting Services</p>					
<u>Detail(s)</u>					
<p>Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES</p>					
140	3 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
<p>Generator No: ON6775750 PO Box No: Status: Country: Approval Years: 2010 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 913140 SIC Description: Municipal Fire-Fighting Services</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
140	4 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
Generator No:	ON6775750			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	913140				
SIC Description:	Municipal Fire-Fighting Services				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
140	5 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
Generator No:	ON6775750			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	913140				
SIC Description:	Municipal Fire-Fighting Services				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
140	6 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON	GEN
Generator No:	ON6775750			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	913140				
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
140	7 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
Generator No:	ON6775750			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Peter C Ventura
MHSW Facility:	No			Phone No Admin:	613-580-2424 Ext.29482
SIC Code:	913140				
SIC Description:	913140				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
140	8 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
Generator No:	ON6775750			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Peter C Ventura
MHSW Facility:	No			Phone No Admin:	613-580-2424 Ext.29482
SIC Code:	913140				
SIC Description:	913140				
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
140	9 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
Generator No:	ON6775750			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Peter C Ventura
MHSW Facility:	No			Phone No Admin:	613-580-2424 Ext.29482
SIC Code:	913140				
SIC Description:	913140				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

140	10 of 10	NNE/239.8	75.9 / -1.00	City Of Ottawa Fire Services 1443 Carling Avenue Ottawa ON K1Z 7L9	GEN
Generator No:	ON6775750			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

<u>Detail(s)</u>					
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		213 T			
Waste Class Desc:		Petroleum distillates			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 R			
Waste Class Desc:		Misc. waste organic chemicals			

141	1 of 1	WNW/239.8	77.9 / 1.00	1599 CARLING AVE. Ottawa ON	WWIS
Well ID:	7225569			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	8/13/2014
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z187703			Owner:	
Tag:	A164372			Street Name:	1599 CARLING AVE.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2014/06/24			
Year Completed:		2014			
Depth (m):		5.18			
Latitude:		45.3809276345073			
Longitude:		-75.746417720516			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005076611	Elevation:	77.035751		
DP2BR:		Elevrc:			
Spatial Status:		Zone:	18		
Code OB:		East83:	441562.00		
Code OB Desc:		North83:	5025539.00		
Open Hole:		Org CS:	UTM83		
Cluster Kind:		UTMRC:	4		
Date Completed:	24-Jun-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m		
Remarks:		Location Method:	wwr		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005278759				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	0.3100000023841858				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005278761				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:	74				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		LAYERED			
Formation Top Depth:		1.519999809265137			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005278760			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.519999809265137			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278771			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278772			
Layer:		3			
Plug From:		1.83000004291534			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278770			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005278769			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005278758			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005278766			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.65000009536743			
Screen End Depth:		5.17999982833862			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005278764			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005278762			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005278763			
Diameter:		7.619999885559082			
Depth From:		2.130000114440918			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

142	1 of 19	WNW/239.9	77.9 / 0.98	Petro-Canada 1575 Carling Avenue Ottawa ON K1Z 7M3	GEN
---------------------	---------	-----------	-------------	--	-----

Generator No:	ON2721403	PO Box No:	
Status:		Country:	
Approval Years:	03,04,05,07,08	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	562910		
SIC Description:	Remediation Services		

Detail(s)

Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
142	2 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON K1Z 7M3	GEN
Generator No:	ON3955560			PO Box No:	
Status:				Country:	
Approval Years:	07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
Detail(s)					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
142	3 of 19	WNW/239.9	77.9 / 0.98	The Canadian Blood Services 1575 Carling Avenue Ottawa ON K1Z 7M3	CA
Certificate #:	9714-6HPJQH				
Application Year:	2005				
Issue Date:	10/31/2005				
Approval Type:	Air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
142	4 of 19	WNW/239.9	77.9 / 0.98	Suncor Energy Inc. 1575 Carling Avenue Ottawa ON K1Z 7M3	GEN
Generator No:	ON2721403			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	562910				
SIC Description:	Remediation Services				
Detail(s)					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
142	5 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON K1Z 7M3	GEN
Generator No:	ON3955560			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
142	6 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON K1Z 7M3	GEN
Generator No:	ON3955560			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
142	7 of 19	WNW/239.9	77.9 / 0.98	Suncor Energy Inc. 1575 Carling Avenue Ottawa ON K1Z 7M3	GEN
Generator No:	ON2721403			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	562910				
SIC Description:	Remediation Services				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
142	8 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON K1Z 7M3	GEN
Generator No:	ON3955560			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	447110			Co Admin: Phone No Admin: Gasoline Stations with Convenience Stores	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251			OIL SKIMMINGS & SLUDGES	
142	9 of 19	WNW/239.9	77.9 / 0.98	Suncor Energy Inc. 1575 Carling Avenue Ottawa ON K1Z 7M3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON2721403 2011 562910			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: Remediation Services	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251			OIL SKIMMINGS & SLUDGES	
Waste Class: Waste Class Desc:	221			LIGHT FUELS	
142	10 of 19	WNW/239.9	77.9 / 0.98	Suncor Energy Inc. 1575 Carling Avenue Ottawa ON K1Z 7M3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON2721403 2012 562910			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: Remediation Services	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221			LIGHT FUELS	
Waste Class: Waste Class Desc:	251			OIL SKIMMINGS & SLUDGES	
142	11 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON K1Z 7M3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3955560 2012 447110			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: Gasoline Stations with Convenience Stores	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

[142](#) 12 of 19 **WNW/239.9** **77.9 / 0.98** **petro canada**
1575 Carling Ave
Ottawa ON **GEN**

Generator No:	ON3955560	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	447110		
SIC Description:			

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

[142](#) 13 of 19 **WNW/239.9** **77.9 / 0.98** **The Canadian Blood Services**
1575 Carling Avenue
Ottawa ON K1G 4J5 **ECA**

Approval No:	9714-6HPJQH	MOE District:	Ottawa
Approval Date:	2005-10-31	City:	
Status:	Approved	Longitude:	-75.7462
Record Type:	ECA	Latitude:	45.38136
Link Source:	IDS	Geometry X:	
SWP Area Name:	Rideau Valley	Geometry Y:	
Approval Type:	ECA-AIR		
Project Type:	AIR		
Business Name:	The Canadian Blood Services		
Address:	1575 Carling Avenue		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1678-6FEMUT-14.pdf		
PDF Site Location:			

[142](#) 14 of 19 **WNW/239.9** **77.9 / 0.98** **petro canada**
1575 Carling Ave
Ottawa ON N4W1L3 **GEN**

Generator No:	ON3955560	PO Box No:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_ADMIN
Contam. Facility:	No	Co Admin:	Anita Langley
MHSW Facility:	No	Phone No Admin:	905-794-0168 Ext.23
SIC Code:	447110		
SIC Description:	447110		

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
142	15 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON N4W1L3	GEN
Generator No:	ON3955560			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Anita Langley
MHSW Facility:	No			Phone No Admin:	905-794-0168 Ext.23
SIC Code:	447110				
SIC Description:	447110				
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
142	16 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON N4W1L3	GEN
Generator No:	ON3955560			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Anita Langley
MHSW Facility:	No			Phone No Admin:	905-794-0168 Ext.23
SIC Code:	447110				
SIC Description:	447110				
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
142	17 of 19	WNW/239.9	77.9 / 0.98	petro canada 1575 Carling Ave Ottawa ON N4W1L3	GEN
Generator No:	ON3955560			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221 L			
Waste Class Desc:		Light fuels			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
142	18 of 19	WNW/239.9	77.9 / 0.98	Suncor Energy Products Partnership 1575 Carling Ave Ottawa ON N4W1L3	GEN
Generator No:	ON3955560			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
142	19 of 19	WNW/239.9	77.9 / 0.98	Suncor Energy Products Partnership 1575 Carling Ave Ottawa ON N4W1L3	GEN
Generator No:	ON3955560			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Aug 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
143	1 of 1	SW/241.2	75.9 / -0.96	884 Churchill Ave S Ottawa ON K1Z5H2	EHS
Order No:	20141008005			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	14-OCT-14			Search Radius (km):	.25
Date Received:	08-OCT-14			X:	-75.745817
Previous Site Name:				Y:	45.377568
Lot/Building Size:					
Additional Info Ordered:					
144	1 of 11	SSW/241.8	77.9 / 0.97	ALEXANDER METAL PRODUCTS LTD 1550 LAPERRIERE AVE OTTAWA ON K1Z 7T2	SCT
Established:	1965				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Plant Size (ft²):</i>		0			
<i>Employment:</i>		20			
--Details--					
<i>Description:</i>		SHEET METAL WORK			
<i>SIC/NAICS Code:</i>		3444			
<i>Description:</i>		FABRICATED PLATE WORK (BOILER SHOPS)			
<i>SIC/NAICS Code:</i>		3443			
<i>Description:</i>		FABRICATED STRUCTURAL METAL			
<i>SIC/NAICS Code:</i>		3441			
144	2 of 11	SSW/241.8	77.9 / 0.97	BRECK-MAR SALES & SERVICE LTD 1550 LAPERRIERE AVE OTTAWA ON K1Z 7T2	SCT
<i>Established:</i>		1986			
<i>Plant Size (ft²):</i>		0			
<i>Employment:</i>		12			
--Details--					
<i>Description:</i>		PLUMBING & HEATING EQUIPMENT & SUPPLIES (HYDRONICS)			
<i>SIC/NAICS Code:</i>		5074			
<i>Description:</i>		WARM AIR HEATING & AIR-CONDITIONING EQUIPMENT & SUPPLIES			
<i>SIC/NAICS Code:</i>		5075			
144	3 of 11	SSW/241.8	77.9 / 0.97	ALEXANDER METAL PRODUCTS 1965 1550 Laperriere Ave Ottawa ON K1Z 7T2	SCT
<i>Established:</i>		1965			
<i>Plant Size (ft²):</i>		0			
<i>Employment:</i>		20			
--Details--					
<i>Description:</i>		Other Plate Work and Fabricated Structural Product Manufacturing			
<i>SIC/NAICS Code:</i>		332319			
<i>Description:</i>		Other Ornamental and Architectural Metal Products Manufacturing			
<i>SIC/NAICS Code:</i>		332329			
144	4 of 11	SSW/241.8	77.9 / 0.97	Alexander Metal Products (1965) Limited 1550 Laperriere Ave Ottawa ON K1Z 7T2	SCT
<i>Established:</i>		1965			
<i>Plant Size (ft²):</i>					
<i>Employment:</i>		20			
--Details--					
<i>Description:</i>		All Other Miscellaneous Fabricated Metal Product Manufacturing			
<i>SIC/NAICS Code:</i>		332999			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
144	5 of 11	SSW/241.8	77.9 / 0.97	NATIONAL ROOFING INC. 1550 LAPERRIERE AVE. OTTAWA ON K1Z 7T2	GEN
Generator No:	ON1028800			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4236				
SIC Description:	SHEET METAL & ROOF.				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
144	6 of 11	SSW/241.8	77.9 / 0.97	NATIONAL ROOFING INC. 28-480 1550 LAPERRIERE AVE. OTTAWA ON K1Z 7T2	GEN
Generator No:	ON1028800			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4236				
SIC Description:	SHEET METAL & ROOF.				
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
144	7 of 11	SSW/241.8	77.9 / 0.97	ALEXANDER METAL PRODUCTS LTD. 1550 LAPERRIERE AVENUE OTTAWA ON K1Z 7T2	GEN
Generator No:	ON2459800			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5619				
SIC Description:	COMB. METAL PROD.				
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
144	8 of 11	SSW/241.8	77.9 / 0.97	tiree systems 1550 laperrriere ottawa ON K1Z 7T2	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON1572711 Status: Approval Years: 03,04 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
144	9 of 11	SSW/241.8	77.9 / 0.97	1534-1550 Laperriere Avenue Ottawa ON K1Z 7T2	EHS
Order No: 20060612004 Status: C Report Type: Complete Report Report Date: 6/20/2006 Date Received: 6/12/2006 Previous Site Name: Lot/Building Size: 75,000 square feet Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: between Lapperriere Avenue, Woodward Avenue, McBride Street, and Clyde Avenue Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.74373 Y: 45.376902					
144	10 of 11	SSW/241.8	77.9 / 0.97	1550 Laperriere Avenue Ottawa ON K1Z 7T2	EHS
Order No: 20070321073 Status: C Report Type: CAN - Complete Report Report Date: 3/27/2007 Date Received: 3/21/2007 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): 0.25 X: -75.744036 Y: 45.376892					
144	11 of 11	SSW/241.8	77.9 / 0.97	Anixter Canada Inc. 1550 Laperriere Ave Ottawa ON K1Z 7T2	SCT
Established: Plant Size (ft²): Employment:					
--Details-- Description: Electrical Wiring and Construction Supplies Wholesaler-Distributors SIC/NAICS Code: 416110 Description: Electrical Wiring and Construction Supplies Wholesaler-Distributors SIC/NAICS Code: 416110 Description: Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors SIC/NAICS Code: 417320					
145	1 of 1	WNW/241.8	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID: 7233796 Construction Date: Primary Water Use: Other Sec. Water Use: Final Well Status: Abandoned-Other					
Data Entry Status: Data Src: Date Received: 12/15/2014 Selected Flag: True Abandonment Rec: Yes					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type: Casing Material: Audit No: Z198284 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map): Additional Detail(s) (Map)				Contractor: 7241 Form Version: 7 Owner: Street Name: 1599 CARLING AVE County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
Well Completed Date: 2014/10/28 Year Completed: 2014 Depth (m): Latitude: 45.3811268151879 Longitude: -75.7462415213686 Path:					
Bore Hole Information Bore Hole ID: 1005259945 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 28-Oct-2014 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 76.626686 Elevrc: Zone: 18 East83: 441576.00 North83: 5025561.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
Annular Space/Abandonment Sealing Record Plug ID: 1005425024 Layer: 1 Plug From: 0 Plug To: 3.34999990463257 Plug Depth UOM: m					
Method of Construction & Well Use Method Construction ID: 1005425023 Method Construction Code: 2 Method Construction: Rotary (Convent.) Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1005425016			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005425021			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005425019			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005425018			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

146	1 of 1	WNW/241.8	77.9 / 1.00	1599 CARLING AVE Ottawa ON	WWIS
Well ID:	7233794			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/15/2014
Sec. Water Use:				Selected Flag:	True
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z198288			Owner:	
Tag:	A106619			Street Name:	1599 CARLING AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Additional Detail(s) (Map)

Well Completed Date: 2014/10/28
Year Completed: 2014
Depth (m):
Latitude: 45.3810361419841
Longitude: -75.7463425112687
Path:

Bore Hole Information

Bore Hole ID:	1005259939	Elevation:	76.790367
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441568.00
Code OB Desc:		North83:	5025551.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	28-Oct-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1005424984
Layer: 1
Plug From: 0
Plug To: 4.88000011444092
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1005424983
Method Construction Code:
Method Construction:
Other Method Construction:

Pipe Information

Pipe ID: 1005424976
Casing No: 0
Comment:
Alt Name:

Construction Record - Screen

Screen ID: 1005424982
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005424980			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005424978			
Diameter:		20.520000457763672			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005424979			
Diameter:					
Depth From:		1.8300000429153442			
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
147	1 of 1	WNW/242.2	77.9 / 1.00	1599 CARLING AVE. OTTAWA ON	WWIS
Well ID:		7243550		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 6/26/2015	
Sec. Water Use:		0		Selected Flag: True	
Final Well Status:		Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z203897		Owner:	
Tag:		A178599		Street Name: 1599 CARLING AVE.	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2015/05/27			
Year Completed:		2015			
Depth (m):		14.02			
Latitude:		45.3810995631661			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-75.7462794814305			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005441399			Elevation:	76.672248
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441573.00
Code OB Desc:				North83:	5025558.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	27-May-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005616436				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	0.3100000023841858				
Formation End Depth:	3.0999999046325684				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005616435				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	77				
Mat2 Desc:	LOOSE				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	0.3100000023841858				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005616437				
Layer:	3				
Color:	2				
General Color:	GREY				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Mat1:</i>		17			
<i>Most Common Material:</i>		SHALE			
<i>Mat2:</i>		15			
<i>Mat2 Desc:</i>		LIMESTONE			
<i>Mat3:</i>		74			
<i>Mat3 Desc:</i>		LAYERED			
<i>Formation Top Depth:</i>		3.0999999046325684			
<i>Formation End Depth:</i>		14.020000457763672			
<i>Formation End Depth UOM:</i>		m			
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005616447			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		11.8900003433228			
<i>Plug Depth UOM:</i>		m			
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005616446			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005616448			
<i>Layer:</i>		3			
<i>Plug From:</i>		11.8900003433228			
<i>Plug To:</i>		14.0200004577637			
<i>Plug Depth UOM:</i>		m			
 <u><i>Method of Construction & Well Use</i></u>					
<i>Method Construction ID:</i>		1005616445			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
 <u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>		1005616434			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u><i>Construction Record - Screen</i></u>					
<i>Screen ID:</i>		1005616442			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		12.5			
<i>Screen End Depth:</i>		14.0200004577637			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1005616440			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005616438			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.3499999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005616439			
Diameter:		7.619999885559082			
Depth From:		3.3499999046325684			
Depth To:		14.020000457763672			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

148	1 of 1	WNW/243.2	77.9 / 1.00	1599 CARLING AVE. Ottawa ON	WWIS
Well ID:		7225496		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	
Sec. Water Use:		0		8/13/2014	
Final Well Status:		Monitoring and Test Hole		Selected Flag:	
Water Type:				True	
Casing Material:				Abandonment Rec:	
Audit No:		Z188276		Contractor:	
Tag:		A164374		7241	
Construction Method:				Form Version:	
Elevation (m):				7	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				1599 CARLING AVE.	
Overburden/Bedrock:				County:	
Pump Rate:				OTTAWA	
Static Water Level:				Municipality:	
Flowing (Y/N):				NEPEAN TOWNSHIP	
Flow Rate:				Site Info:	
Clear/Cloudy:				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date: 2014/06/24
Year Completed: 2014
Depth (m): 5.18
Latitude: 45.3809001320121

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-75.7464939955148			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005075760			Elevation:	77.074897
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441556.00
Code OB Desc:				North83:	5025536.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	24-Jun-2014 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005274900				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.3100000023841858				
Formation End Depth:	1.5199999809265137				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005274899				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	0.3100000023841858				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005274901				
Layer:	3				
Color:	2				
General Color:	GREY				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>		74			
<i>Mat3 Desc:</i>		LAYERED			
<i>Formation Top Depth:</i>		1.5199999809265137			
<i>Formation End Depth:</i>		5.179999828338623			
<i>Formation End Depth UOM:</i>		m			
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005274910			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005274912			
<i>Layer:</i>		3			
<i>Plug From:</i>		1.83000004291534			
<i>Plug To:</i>		5.17999982833862			
<i>Plug Depth UOM:</i>		m			
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005274911			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		1.83000004291534			
<i>Plug Depth UOM:</i>		m			
 <u><i>Method of Construction & Well Use</i></u>					
<i>Method Construction ID:</i>		1005274909			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>		DIRECT PUSH			
 <u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>		1005274898			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u><i>Construction Record - Screen</i></u>					
<i>Screen ID:</i>		1005274906			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3.65000009536743			
<i>Screen End Depth:</i>		5.17999982833862			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005274904			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005274903			
Diameter:		7.619999885559082			
Depth From:		2.130000114440918			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005274902			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

149	1 of 1	WNW/244.0	77.9 / 1.00	1599 CARLING AVE. Ottawa ON	WWIS
Well ID:		7225573		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 8/13/2014	
Sec. Water Use:		0		Selected Flag: True	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z188277		Owner:	
Tag:		A164379		Street Name: 1599 CARLING AVE.	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2014/06/23			
Year Completed:		2014			
Depth (m):		8.22			
Latitude:		45.3809000485374			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-75.7465067672328			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005076623			Elevation:	77.065437
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441555.00
Code OB Desc:				North83:	5025536.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	23-Jun-2014 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005278871				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.3100000023841858				
Formation End Depth:	1.5199999809265137				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005278872				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:	74				
Mat3 Desc:	LAYERED				
Formation Top Depth:	1.5199999809265137				
Formation End Depth:	8.220000267028809				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005278870				
Layer:	1				
Color:	2				
General Color:	GREY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278882			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		6.40000009536743			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278883			
Layer:		3			
Plug From:		6.40000009536743			
Plug To:		8.22000026702881			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278881			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005278880			
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005278869			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005278877			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.69999980926514			
Screen End Depth:		8.22000026702881			
Screen Material:		5			
Screen Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005278875			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005278874			
Diameter:		7.619999885559082			
Depth From:		1.8300000429153442			
Depth To:		8.220000267028809			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005278873			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

150	1 of 1	WSW/244.2	76.8 / -0.07	861 CLYDE AVE. Ottawa ON	WWIS
Well ID:	7119479	Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use:	Monitoring	Date Received:	2/23/2009		
Sec. Water Use:		Selected Flag:	True		
Final Well Status:	0	Abandonment Rec:			
Water Type:		Contractor:	7241		
Casing Material:		Form Version:	5		
Audit No:	M00178	Owner:			
Tag:	A080378	Street Name:	861 CLYDE AVE.		
Construction Method:		County:	OTTAWA		
Elevation (m):		Municipality:	OTTAWA CITY		
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:			
Well Depth:		Concession:			
Overburden/Bedrock:		Concession Name:			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date: 2009/01/29
Year Completed: 2009
Depth (m):
Latitude: 45.3767303408883

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-75.7482016455188			
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2009/01/27			
Year Completed:		2009			
Depth (m):					
Latitude:		45.3780187595338			
Longitude:		-75.7480142835211			
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2009/01/27			
Year Completed:		2009			
Depth (m):					
Latitude:		45.3780083368905			
Longitude:		-75.748231272904			
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2009/01/28			
Year Completed:		2009			
Depth (m):					
Latitude:		45.378911675828			
Longitude:		-75.746365649526			
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2009/01/29			
Year Completed:		2009			
Depth (m):					
Latitude:		45.3782362997788			
Longitude:		-75.7464078526387			
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2009/01/27			
Year Completed:		2009			
Depth (m):					
Latitude:		45.3776802497999			
Longitude:		-75.7474733922502			
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date: 2009/01/29					
Year Completed: 2009					
Depth (m): 3.96					
Latitude: 45.3787385782874					
Longitude: -75.7466826803395					
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2009/01/28					
Year Completed: 2009					
Depth (m):					
Latitude: 45.3789919297179					
Longitude: -75.7464816569089					
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2009/01/29					
Year Completed: 2009					
Depth (m):					
Latitude: 45.3779630830922					
Longitude: -75.7482689924973					
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2009/01/28					
Year Completed: 2009					
Depth (m):					
Latitude: 45.3768393514401					
Longitude: -75.7480498203653					
Path:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2009/01/29					
Year Completed: 2009					
Depth (m):					
Latitude: 45.3780906803758					
Longitude: -75.748028004029					
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743570			Elevation:	78.260978
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441417.00
Code OB Desc:				North83:	5025216.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	27-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	WWF
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002743574			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1002743573			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002743575			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743577			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.910000026226044			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743576			
Layer:					
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.96000003814697			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002743578			
Pump Set At:					
Static Level:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:			1002743572		
Diameter:			5.07999923706055		
Depth From:					
Depth To:			3.9600000381469727		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743588			Elevation:	77.639328
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441564.00
Code OB Desc:				North83:	5025315.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	28-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1002743592		
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:			1002743591		
Method Construction Code:					
Method Construction:					
Other Method Construction:			DIRECT PUSH		
<u>Pipe Information</u>					
Pipe ID:			1002743593		
Casing No:			0		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1002743595			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		0.910000026226044			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1002743594			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		0.910000026226044			
<i>Screen End Depth:</i>		2.44000005722046			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1002743596			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1002743590			
<i>Diameter:</i>		5.079999923706055			
<i>Depth From:</i>					
<i>Depth To:</i>		2.440000057220459			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1002743624		<i>Elevation:</i>	81.083076	
<i>DP2BR:</i>			<i>Elevrc:</i>		
<i>Spatial Status:</i>			<i>Zone:</i>	18	
<i>Code OB:</i>			<i>East83:</i>	441418.00	
<i>Code OB Desc:</i>			<i>North83:</i>	5025074.00	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	29-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002743628			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002743627			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002743629			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743631			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.910000026226044			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743630			
Layer:					
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.96000003814697			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID: 1002743632					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1002743626					
Diameter: 5.079999923706055					
Depth From:					
Depth To: 3.9600000381469727					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743552			Elevation:	79.319351
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441476.00
Code OB Desc:				North83:	5025179.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	27-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1002743556					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1002743555					
Method Construction Code:					
Method Construction:					
Other Method Construction:	DIRECT PUSH				
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1002743557			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743559			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.910000026226044			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743558			
Layer:					
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.34999990463257			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002743560			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002743554			
Diameter:		5.079999923706055			
Depth From:					
Depth To:		3.3499999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743561			Elevation:	77.823600
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	18
Code OB:				East83:	441434.00
Code OB Desc:				North83:	5025217.00
Open Hole:				Org CS:	UTM83
Cluster Kind: This is a record from cluster log sheet				UTMRC:	3
Date Completed: 27-Jan-2009 00:00:00				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002743565			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002743564			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002743566			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743568			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.910000026226044			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743567			
Layer:					
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.96000003814697			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1002743569				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1002743563				
Diameter:	5.079999923706055				
Depth From:					
Depth To:	3.9600000381469727				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743606			Elevation:	78.265472
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441414.00
Code OB Desc:				North83:	5025211.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	29-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002743610				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1002743609				
Method Construction Code:					
Method Construction:					
Other Method Construction:	DIRECT PUSH				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe Information

Pipe ID: 1002743611
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1002743613
 Layer:
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From:
 Depth To: 0.910000026226044
 Casing Diameter:
 Casing Diameter UOM:
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002743612
 Layer:
 Slot:
 Screen Top Depth: 0.910000026226044
 Screen End Depth: 3.96000003814697
 Screen Material:
 Screen Depth UOM: m
 Screen Diameter UOM:
 Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002743614
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM:
 Rate UOM:
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1002743608
 Diameter: 5.079999923706055
 Depth From:
 Depth To: 3.9600000381469727
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1002018948			Elevation:	76.809730
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441539.00
Code OB Desc:				North83:	5025296.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	29-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID:	1002743643
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	27
Most Common Material:	OTHER
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	0.10000000149011612
Formation End Depth UOM:	m

Overburden and Bedrock
Materials Interval

Formation ID:	1002743644
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	01
Mat3 Desc:	FILL
Formation Top Depth:	0.10000000149011612
Formation End Depth:	0.9100000262260437
Formation End Depth UOM:	m

Overburden and Bedrock
Materials Interval

Formation ID:	1002743645
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		3.9600000381469727			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002743646			
Layer:		1			
Plug From:		0			
Plug To:		0.910000026226044			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002743647			
Layer:		2			
Plug From:		0.910000026226044			
Plug To:		3.96000003814697			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002743651			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002743642			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743648			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		0.910000026226044			
Casing Diameter:		3.45000004768372			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743649			
Layer:		1			
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.96000003814697			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743597			Elevation:	78.023162
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441555.00
Code OB Desc:				North83:	5025324.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	28-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002743601				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1002743600				
Method Construction Code:					
Method Construction:					
Other Method Construction:	DIRECT PUSH				
<u>Pipe Information</u>					
Pipe ID:	1002743602				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002743604				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	0.910000026226044				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002743603				
Layer:					
Slot:					
Screen Top Depth:	0.910000026226044				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Screen End Depth: 3.96000003814697
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002743605
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002743599
Diameter: 5.079999923706055
Depth From:
Depth To: 3.9600000381469727
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002743579	Elevation:	82.021240
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441430.00
Code OB Desc:		North83:	5025086.00
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	28-Jan-2009 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1002743583
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1002743582			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002743584			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743586			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.910000026226044			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743585			
Layer:					
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		4.57000017166138			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002743587			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002743581			
Diameter:		5.079999923706055			
Depth From:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth To:</i>		4.570000171661377			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1002743633			<i>Elevation:</i>	79.144897
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	441560.00
<i>Code OB Desc:</i>				<i>North83:</i>	5025240.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	29-Jan-2009 00:00:00			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>	1002743637				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>	1002743636				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>	DIRECT PUSH				
<u>Pipe Information</u>					
<i>Pipe ID:</i>	1002743638				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	1002743640				
<i>Layer:</i>					
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>					
<i>Depth To:</i>	0.910000026226044				
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>	m				
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>	1002743639				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Slot:					
Screen Top Depth:			0.910000026226044		
Screen End Depth:			3.96000003814697		
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002743641			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002743635			
Diameter:		5.079999923706055			
Depth From:					
Depth To:		3.9600000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002743615			Elevation:	78.004356
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	441433.00
Code OB Desc:				North83:	5025225.00
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	29-Jan-2009 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002743619			
Layer:					
Plug From:					
Plug To:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Plug Depth UOM:</u>					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002743618			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002743620			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002743622			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.910000026226044			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002743621			
Layer:					
Slot:					
Screen Top Depth:		0.910000026226044			
Screen End Depth:		3.96000003814697			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002743623			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1002743617			
Diameter:		5.079999923706055			
Depth From:					
Depth To:		3.9600000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
151	1 of 2	E/244.3	76.9 / 0.00	AGUDATH ISRAEL CONGREGATION 1400 COLDREY AVENUE OTTAWA ON K1Z 7P9	GEN
Generator No:	ON2054700			PO Box No:	
Status:				Country:	
Approval Years:	95,96,97,98,99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9999				
SIC Description:	OTHER SERVICES				
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
151	2 of 2	E/244.3	76.9 / 0.00	1400 Coldrey Ottawa ON K1Z 7P9	EHS
Order No:	20190306040			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	12-MAR-19			Search Radius (km):	.25
Date Received:	06-MAR-19			X:	-75.739025
Previous Site Name:				Y:	45.380473
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				
152	1 of 1	WNW/246.0	77.9 / 0.98	1575 Carling Avenue Ottawa ON K1Z 7M3	EHS
Order No:	20180416140			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	23-APR-18			Search Radius (km):	.25
Date Received:	16-APR-18			X:	-75.746054
Previous Site Name:				Y:	45.381327
Lot/Building Size:	48351.6 ft2				
Additional Info Ordered:	Title Searches; City Directory				
153	1 of 1	WNW/246.4	77.9 / 1.00	1599 CARLING AVE. OTTAWA ON	WWIS
Well ID:	7243547			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/26/2015
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z203900			Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Tag:	A178599	Street Name:	1599 CARLING AVE.
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/05/28
Year Completed: 2015
Depth (m): 5.49
Latitude: 45.3808817135069
Longitude: -75.7465576171864
Path:

Bore Hole Information

Bore Hole ID:	1005441390	Elevation:	77.098403
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441551.00
Code OB Desc:		North83:	5025534.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	28-May-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1005616152
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.3100000023841858
Formation End Depth: 1.8300000429153442
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1005616151			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005616153			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		15			
Mat2 Desc:		LIMESTONE			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		1.8300000429153442			
Formation End Depth:		5.489999771118164			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005616162			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005616163			
Layer:		2			
Plug From:		0.370000004768372			
Plug To:		2.29999995231628			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005616164			
Layer:		3			
Plug From:		2.29999995231628			
Plug To:		5.48999977111816			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005616161			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005616150			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005616158			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.44000005722046			
Screen End Depth:		5.48999977111816			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005616156			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005616154			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.0999999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005616155			
Diameter:		7.619999885559082			
Depth From:		3.0999999046325684			
Depth To:		5.489999771118164			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[154](#)

1 of 1

WNW/247.3

77.9 / 1.00

1599 CARLING AVE.
Ottawa ON

WWIS

Well ID: 7225498
Construction Date:
Primary Water Use: Monitoring and Test Hole
Sec. Water Use: 0
Final Well Status: Monitoring and Test Hole
Water Type:
Casing Material:
Audit No: Z193085

Data Entry Status:
Data Src:
Date Received: 8/13/2014
Selected Flag: True
Abandonment Rec:
Contractor: 7241
Form Version: 7
Owner:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	A163164			Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1599 CARLING AVE. OTTAWA NEPEAN TOWNSHIP	
PDF URL (Map):						
<u>Additional Detail(s) (Map)</u>						
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:	2014/06/24 2014 45.3808363767773 -75.7466081117066					
<u>Bore Hole Information</u>						
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1005075788 24-Jun-2014 00:00:00			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	77.167617 18 441547.00 5025529.00 UTM83 4 margin of error : 30 m - 100 m wwr	
<u>Annular Space/Abandonment Sealing Record</u>						
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1005274938 3 1.83000004291534 5.17999982833862 m					
<u>Annular Space/Abandonment Sealing Record</u>						
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1005274937 2 0.310000002384186 1.83000004291534 m					
<u>Annular Space/Abandonment Sealing Record</u>						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1005274936			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005274935			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005274926			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005274932			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.65000009536743			
Screen End Depth:		5.17999982833862			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005274930			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005274928			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005274929			
Diameter:		7.619999885559082			
Depth From:		2.130000114440918			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
155	1 of 1	WNW/247.8	77.9 / 1.00	1599 CARLING AVE. Ottawa ON	WWIS
Well ID:		7225568		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 8/13/2014	
Sec. Water Use:		0		Selected Flag: True	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z162973		Owner:	
Tag:		A164365		Street Name: 1599 CARLING AVE.	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:		2014/06/24			
Year Completed:		2014			
Depth (m):		5.18			
Latitude:		45.3811352315896			
Longitude:		-75.7463310421796			
Path:					
Bore Hole Information					
Bore Hole ID:		1005076608		Elevation: 76.593086	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 441569.00	
Code OB Desc:				North83: 5025562.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		24-Jun-2014 00:00:00		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		1005278746			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3: 74					
Mat3 Desc: LAYERED					
Formation Top Depth: 1.5199999809265137					
Formation End Depth: 5.179999828338623					
Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1005278744					
Layer: 1					
Color: 2					
General Color: GREY					
Mat1: 11					
Most Common Material: GRAVEL					
Mat2:					
Mat2 Desc:					
Mat3: 77					
Mat3 Desc: LOOSE					
Formation Top Depth: 0.0					
Formation End Depth: 0.3100000023841858					
Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1005278745					
Layer: 2					
Color: 6					
General Color: BROWN					
Mat1: 28					
Most Common Material: SAND					
Mat2: 11					
Mat2 Desc: GRAVEL					
Mat3: 77					
Mat3 Desc: LOOSE					
Formation Top Depth: 0.3100000023841858					
Formation End Depth: 1.5199999809265137					
Formation End Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1005278755					
Layer: 1					
Plug From: 0					
Plug To: 0.310000002384186					
Plug Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1005278757					
Layer: 3					
Plug From: 1.83000004291534					
Plug To: 5.17999982833862					
Plug Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1005278756			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005278754			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005278743			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005278751			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.65000009536743			
Screen End Depth:		5.17999982833862			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005278749			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005278747			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005278748			
Diameter:		7.619999885559082			
Depth From:		2.130000114440918			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
156	1 of 1	WNW/248.1	77.9 / 1.00	1599 CARLING AVE. Ottawa ON	WWIS
Well ID:		7225563		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 8/13/2014	
Sec. Water Use:		0		Selected Flag: True	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z187701		Owner:	
Tag:		A164373		Street Name: 1599 CARLING AVE.	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:		2014/06/24			
Year Completed:		2014			
Depth (m):		5.18			
Latitude:		45.3809539684145			
Longitude:		-75.746520249669			
Path:					
Bore Hole Information					
Bore Hole ID:		1005076593		Elevation: 76.926162	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 441554.00	
Code OB Desc:				North83: 5025542.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		24-Jun-2014 00:00:00		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		1005278672			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		1.5199999809265137			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005278670			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005278671			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.5199999809265137			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005278683			
Layer:		3			
Plug From:		1.83000004291534			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005278682			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1005278681			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005278680			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005278669			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005278677			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.65000009536743			
Screen End Depth:		5.17999982833862			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1005278675			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005278674			
Diameter:		7.619999885559082			
Depth From:		2.130000114440918			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005278673			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
157	1 of 1	N/248.3	76.9 / 0.00	lot 31 con 1 ON	WWIS

Well ID:	1503968	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	7/16/1951
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3718
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY (NEPEAN)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	031
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	OF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503968.pdf

Additional Detail(s) (Map)

Well Completed Date: 1949/10/03
Year Completed: 1949
Depth (m): 13.716
Latitude: 45.3828687918273
Longitude: -75.7427556250664
Path: 150\1503968.pdf

Bore Hole Information

Bore Hole ID:	10026011	Elevation:	75.780029
DP2BR:	0.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	441850.70
Code OB Desc:	Bedrock	North83:	5025752.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	03-Oct-1949 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 930998051
Layer: 1
Color:
General Color:
Mat1: 17
Most Common Material: SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998052			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961503968			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574581			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044756			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		45			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044755			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		4			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991503968			
Pump Set At:					
Static Level:		6.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933457004			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933457005			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		45.0			
Water Found Depth UOM:		ft			

[158](#)

1 of 1

WNW/248.7

77.9 / 1.00

1599 CARLING AVE.
Ottawa ON

WWIS

Well ID: 7225562
 Construction Date:
 Primary Water Use: Monitoring and Test Hole
 Sec. Water Use: 0
 Final Well Status: Monitoring and Test Hole
 Water Type:
 Casing Material:
 Audit No: Z187700
 Tag: A164367
 Construction Method:
 Elevation (m):
 Elevation Reliability:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:
 Flowing (Y/N):
 Flow Rate:
 Clear/Cloudy:

Data Entry Status:
 Data Src:
 Date Received: 8/13/2014
 Selected Flag: True
 Abandonment Rec:
 Contractor: 7241
 Form Version: 7
 Owner:
 Street Name: 1599 CARLING AVE.
 County: OTTAWA
 Municipality: NEPEAN TOWNSHIP
 Site Info:
 Lot:
 Concession:
 Concession Name:
 Easting NAD83:
 Northing NAD83:
 Zone:
 UTM Reliability:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2014/06/24
Year Completed: 2014
Depth (m): 5.18
Latitude: 45.3810898114973
Longitude: -75.7463943088663
Path:

Bore Hole Information

Bore Hole ID:	1005076590	Elevation:	76.660423
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441564.00
Code OB Desc:		North83:	5025557.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	24-Jun-2014 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1005278636
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3: 74
Mat3 Desc: LAYERED
Formation Top Depth: 1.519999809265137
Formation End Depth: 5.179999828338623
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005278634
Layer: 1
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Mat2 Desc:
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005278635			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.5199999809265137			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278645			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278647			
Layer:		3			
Plug From:		1.83000004291534			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005278646			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005278644			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005278633			
Casing No:		0			
Comment:					
Alt Name:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Construction Record - Screen

Screen ID: 1005278641
Layer: 1
Slot: 10
Screen Top Depth: 3.65000009536743
Screen End Depth: 5.17999982833862
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.03000020980835

Water Details

Water ID: 1005278639
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005278638
Diameter: 7.619999885559082
Depth From: 2.130000114440918
Depth To: 5.179999828338623
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1005278637
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 2.130000114440918
Hole Depth UOM: m
Hole Diameter UOM: cm

Unplottable Summary

Total: **34** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Petro-Canada		Ottawa ON	
CA	Larco Land Corporation	Part of Lot 32, Concession 1, Ottawa Front	Ottawa ON	
CA		Tweedsmuir Avenue	Ottawa ON	
CA	City of Ottawa	Carling Avenue (Road allowance)	Ottawa ON	
CA	Suncor Energy Products Inc.		Ottawa ON	
CA	L.SIPOLINS	SOUTH OF CARLING AVE.	OTTAWA CITY ON	
CA	City of Ottawa	Carling Ave	Ottawa ON	
CA	OTTAWA CITY	CHURCHILL AVE.	OTTAWA CITY ON	
CA	BUDGET CAR & TRUCK RENTALS OTTAWA	LAPERRIERE AVE./SWM	OTTAWA CITY ON	
ECA	Petro-Canada Inc.		Ottawa ON	L6L 6N5
ECA	City of Ottawa	Carling Ave	Ottawa ON	K2G 6J8
ECA	City of Ottawa	Carling Ave	Ottawa ON	K2G 6J8
EHS		Hwy 417	Ottawa ON	
GEN	Ottawa Greenbelt Construction Company Limited	Churchill Ave Reconstruction - Carling to Byron	Ottawa ON	
GEN	R.W Tomlinson	LRT Central Site Hwy 417 Widening	ottawa ON	K1G 3N4
GEN	R.W Tomlinson	LRT Central Site Hwy 417 Widening	ottawa ON	K1G 3N4
SPL	Drain-All Ltd.	Hwy 417 Westbound near Carling off-ramp	Ottawa ON	
SPL	ESSO PETROLEUM CANADA	TRANSPORT TRUCK (CARGO)	OTTAWA CITY ON	

SPL	HOTEL/MOTEL	CARLING AVENUE (N.O.S.)	OTTAWA CITY ON
SPL	ESSO PETROLEUM CANADA	BULK STATION	OTTAWA CITY ON
SPL	OTTAWA TRANSIT	CARLING AVENUE BUS	OTTAWA ON
SPL	TRANSPORT TRUCK	HWY. 417 MOTOR VEHICLE (OPERATING FLUID)	OTTAWA ON
SPL	City of Ottawa	Highway 417	Ottawa ON
SPL	City of Ottawa	Hwy 417 West bound, between the Carling Ave Exit and the Maitland Exit	Ottawa ON
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	ESSO PETROLEUM CANADA	ESSO DISTRIBUTION STATION BULK STATION	OTTAWA CITY ON
SPL	PETRO-CANADA	SERVICE STATION	OTTAWA CITY ON
SPL	TAGGART SERVICES	TRAILER IN YARD TRANSPORT TRUCK (CARGO)	OTTAWA CITY ON
SPL	Nortel Networks<UNOFFICIAL>	Nortel Networks<UNOFFICIAL>	Ottawa ON
WWIS		lot 32	ON
WWIS		lot 31	ON
WWIS		lot 32	ON
WWIS		HWY 417 WEST	Ottawa ON
WWIS		lot 31	ON

Unplottable Report

Site: *Petro-Canada
Ottawa ON*

Database:
CA

Certificate #: 5607-79YMZ8
Application Year: 2008
Issue Date: 2/12/2008
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Larco Land Corporation
Part of Lot 32, Concession 1, Ottawa Front Ottawa ON*

Database:
CA

Certificate #: 6996-5F5HDF
Application Year: 2002
Issue Date: 10/22/2002
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Tweedsmuir Avenue Ottawa ON*

Database:
CA

Certificate #: 2750-4XTGXB
Application Year: 01
Issue Date: 6/20/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: This application is for the construction of watermain and appurtenances on Tweedsmuir Avenue.
Contaminants:
Emission Control:

Site: *City of Ottawa
Carling Avenue (Road allowance) Ottawa ON*

Database:
CA

Certificate #: 3615-6QHRAR

Application Year: 2006
Issue Date: 6/13/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Suncor Energy Products Inc.**
Ottawa ON

Database:
CA

Certificate #: 2751-78XLN5
Application Year: 2007
Issue Date: 11/19/2007
Approval Type: Industrial Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **L.SIPOLINS**
SOUTH OF CARLING AVE. OTTAWA CITY ON

Database:
CA

Certificate #: 7-1008-85-006
Application Year: 85
Issue Date: 11/15/85
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **City of Ottawa**
Carling Ave Ottawa ON

Database:
CA

Certificate #: 2472-8GRQTN
Application Year: 2011
Issue Date: 5/20/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: OTTAWA CITY
CHURCHILL AVE. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1441-92-
Application Year: 92
Issue Date: 10/29/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: BUDGET CAR & TRUCK RENTALS OTTAWA
LAPERRIERE AVE./SWM OTTAWA CITY ON

Database:
CA

Certificate #: 3-1401-92-
Application Year: 92
Issue Date: 10/27/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Petro-Canada Inc.
Ottawa ON L6L 6N5

Database:
ECA

Approval No: 4810-4UMJP8
Approval Date: 2001-03-12
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Business Name: Petro-Canada Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7825-4UCP9D-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: City of Ottawa
Carling Ave Ottawa ON K2G 6J8

Database:
ECA

Approval No: 2472-8GRQTN
Approval Date: 2011-05-20
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Business Name: City of Ottawa
Address: Carling Ave
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5823-8GCKK6-14.pdf>
PDF Site Location:

Site: *City of Ottawa*
Carling Ave Ottawa ON K2G 6J8

Database:
ECA

Approval No: 3723-9ATJC6
Approval Date: 2013-08-30
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Carling Ave
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9325-9AMR2C-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Hwy 417 Ottawa ON*

Database:
EHS

Order No: 20120509053
Status: C
Report Type: Custom Report
Report Date: 5/16/2012
Date Received: 5/9/2012
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
X: -75.670099
Y: 1

Site: *Ottawa Greenbelt Construction Company Limited*
Churchill Ave Reconstruction - Carling to Byron Ottawa ON

Database:
GEN

Generator No: ON4886021
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 237110
SIC Description: WATER AND SEWER LINE AND RELATED STRUCTURES CONSTRUCTION

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: *R.W Tomlinson*
LRT Central Site Hwy 417 Widening ottawa ON K1G 3N4

Database:
GEN

Generator No: ON9834153
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 237310
SIC Description: HIGHWAY, STREET AND BRIDGE CONSTRUCTION

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: mark peralta
Phone No Admin: 6138221867 Ext.

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **R.W Tomlinson**
LRT Central Site Hwy 417 Widening ottawa ON K1G 3N4

Database:
GEN

Generator No: ON9834153
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 237310
SIC Description: HIGHWAY, STREET AND BRIDGE CONSTRUCTION

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: mark peralta
Phone No Admin: 6138221867 Ext.

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **Drain-All Ltd.**
Hwy 417 Westbound near Carling off-ramp Ottawa ON

Database:
SPL

Ref No: 6127-8K6T47
Site No:
Incident Dt: 7/27/2011
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code: 15
Contaminant Name: MOTOR OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/27/2011
Dt Document Closed:
Incident Reason: Equipment/Vehicles
Site Name: Queensway Hwy 417<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: 10 L's of motor oil to Queensway, cleaned
Contaminant Qty: 10 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Motor Vehicle
Agency Involved:
Nearest Watercourse:
Site Address: Hwy 417 Westbound near Carling off-ramp
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Highway Spills (usually highway accidents)
Source Type:

Site: **ESSO PETROLEUM CANADA**
TRANSPORT TRUCK (CARGO) OTTAWA CITY ON

Database:
SPL

Ref No: 59519
Site No:
Incident Dt: 11/7/1991
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/7/1991
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO-3 LITRES DIESEL FUELTO GRND UNDER LOADING RACK,COUPLING NOT CLOSED
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: HOTEL/MOTEL
 CARLING AVENUE (N.O.S.) OTTAWA CITY ON

Database:
 SPL

Ref No: 84065
Site No:
Incident Dt: 4/14/1993
Year:
Incident Cause: UNDERGROUND TANK LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: CONFIRMED
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/14/1993
Dt Document Closed:
Incident Reason: CORROSION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: EMBASSY WEST HOTEL: FUEL-CONTAMINATED SOIL FOUND BY UNDERGROUND TANK
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting: MCCR
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: ESSO PETROLEUM CANADA
 BULK STATION OTTAWA CITY ON

Database:
 SPL

Ref No: 155190
Site No:
Incident Dt: 5/1/1998
Year:
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Event:
Contaminant Code:
Contaminant Name:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:

Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 5/1/1998
Dt Document Closed:
Incident Reason: NEGLIGENCE (APPARENT)
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO-156 L DIESEL TO LOT,LOADING ARM NOT IN TRUCKSCOMPARTMENT,PUMP STARTED.
Contaminant Qty:

Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: OTTAWA TRANSIT
 CARLING AVENUE BUS OTTAWA ON

Database:
 SPL

Ref No: 187680
Site No:
Incident Dt: 9/29/2000
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Water course or lake
Receiving Medium: WATER
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/29/2000
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC TRANSP:DIESEL FUEL LEAK FROM FUEL PUMP/LINE INTO SEWER-WORKS NOTIFIED
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting: PUBLIC WORKS, FIRE DEPARTMENT
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: TRANSPORT TRUCK
 HWY. 417 MOTOR VEHICLE (OPERATING FLUID) OTTAWA ON

Database:
 SPL

Ref No: 191523
Site No:
Incident Dt: 12/4/2000
Year:
Incident Cause: TRUCK/TRAILER OVERTURN
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:

Dt MOE Arvl on Scn:
MOE Reported Dt: 12/4/2000
Dt Document Closed:
Incident Reason: OTHER
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: RSR ENVIRONMENTAL:SPILL OF 50-100 L DIESEL DUE TO ROLLOVER. CONTAINED.
Contaminant Qty:

Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: City of Ottawa
 Highway 417 Ottawa ON

Database:
 SPL

Ref No: 3043-7QMTYH
Site No:
Incident Dt:
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code:
Contaminant Name: ENGINE OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Other Impact(s)
Receiving Medium:
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 3/30/2009
Dt Document Closed:
Incident Reason: Unknown - Reason not determined
Site Name: EB Merge Lane Hwy 417 & Eagleson Road
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC Transpo: 10L engine oil to grnd on Hwy 417
Contaminant Qty: 10 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing: NA
Easting: NA
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Primary Assessment of Incident
Source Type:

Site: City of Ottawa
 Hwy 417 West bound, between the Carling Ave Exit and the Maitland Exit Ottawa ON

Database:
 SPL

Ref No: 5074-6J2RLX
Site No:
Incident Dt: 11/11/2005
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code:
Contaminant Name: ETHYLENE GLYCOL (ANTIFREEZE)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Confirmed
Nature of Impact: Soil Contamination
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/11/2005
Dt Document Closed:
Incident Reason: Unknown - Reason not determined
Site Name: Bus # 6070 antifreeze leak<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC Transpo (Ottawa): 20L antifreeze to grnd, clng

Discharger Report: 0
Material Group: Chemical
Health/Env Conseq:
Client Type:
Sector Type: Other Motor Vehicle
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Land Spills
Source Type:

Contaminant Qty:

Site: ESSO PETROLEUM CANADA
TANK TRUCK (CARGO) OTTAWA CITY ON

Database:
SPL

Ref No: 47843
Site No:
Incident Dt: 3/19/1991
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 3/20/1991
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO HOME COMFORT - TANK TRUCK SPILLED APPROX 1 L.HEATING OIL ON GROUND
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: ESSO PETROLEUM CANADA
ESSO DISTRIBUTION STATION BULK STATION OTTAWA CITY ON

Database:
SPL

Ref No: 46877
Site No:
Incident Dt: 2/21/1991
Year:
Incident Cause: CONTAINER OVERFLOW
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/21/1991
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO DISTRIB. STATION - 50 L FURNACE OIL SPILLED TO LOADING DOCK. OV/FILL.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: PETRO-CANADA
SERVICE STATION OTTAWA CITY ON

Database:
SPL

Ref No: 30833
Discharger Report:

Site No:
Incident Dt: 2/12/1990
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/12/1990
Dt Document Closed:
Incident Reason: CORROSION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: PETRO CANADA SERVICE STN.FURANCE OIL LEAK.
Contaminant Qty:

Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: TAGGART SERVICES
 TRAILER IN YARD TRANSPORT TRUCK (CARGO) OTTAWA CITY ON

Database:
 SPL

Ref No: 21945
Site No:
Incident Dt: 7/13/1989
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/13/1989
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TAGGART SERVICES- 2L JUGSOF HYPOCHLORITE(JAVEX) SLON SPILLED IN TRAILER.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: Nortel Networks<UNOFFICIAL>
 Nortel Networks<UNOFFICIAL> Ottawa ON

Database:
 SPL

Ref No: 4030-6GTJE2
Site No:
Incident Dt: 9/28/2005
Year:
Incident Cause:
Incident Event:
Contaminant Code:
Contaminant Name: HALON (CFC)
Contaminant Limit 1:

Discharger Report: 0
Material Group: Gases/Particulate
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa

Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:		Site Lot:	
Receiving Medium:	Air	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Eastings:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/3/2005	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Spills at Federal Facilities & Spills of National Interest
Incident Reason:		Source Type:	
Site Name:	Nortel Networks<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Spill to Air		
Contaminant Qty:			

Site: lot 32 ON **Database:**
WWIS

Well ID:	1536399	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	6/19/2006
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	6964
Casing Material:		Form Version:	3
Audit No:	Z34812	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	15000
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	032
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Eastings NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11550465	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:	x	East83:	
Code OB Desc:	Unknown type in the lower layers(s)	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	06-May-2006 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock
Materials Interval

Formation ID:	933057971
Layer:	2
Color:	

General Color:

Mat1:

Most Common Material:

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.7699999809265137

Formation End Depth: 4.869999885559082

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933057970

Layer: 1

Color: 2

General Color: GREY

Mat1: 05

Most Common Material: CLAY

Mat2: 84

Mat2 Desc: SILTY

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.7699999809265137

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933293797

Layer: 2

Plug From: 0.5

Plug To: 4.869999885559082

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933293796

Layer: 1

Plug From: 0

Plug To: 0.5

Plug Depth UOM: m

Method of Construction & Well

Use

Method Construction ID: 961536399

Method Construction Code:

Method Construction:

Other Method Construction:

Pipe Information

Pipe ID: 11560072

Casing No: 1

Comment:

Alt Name:

Site:

lot 31 ON

Database:
WWIS

Well ID: 1528149
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: 149112
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 8/30/1994
Selected Flag: True
Abandonment Rec:
Contractor: 6844
Form Version: 1
Owner:
Street Name:
County: OTTAWA
Municipality: OTTAWA CITY
Site Info:
Lot: 031
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049688
DP2BR:
Spatial Status:
Code OB: p
Code OB Desc: Unknown type above a bedrock layer
Open Hole:
Cluster Kind:
Date Completed: 27-Jul-1994 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931068737
Layer: 1
Color: 8
General Color: BLACK
Mat1: 00
Most Common Material: UNKNOWN TYPE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931068739
Layer: 3
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 11

Mat2 Desc: GRAVEL
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 3.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931068740
Layer: 4
Color: 6
General Color: BROWN
Mat1: 08
Most Common Material: FINE SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3:
Mat3 Desc:
Formation Top Depth: 3.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931068738
Layer: 2
Color: 2
General Color: GREY
Mat1: 21
Most Common Material: GRANITE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931068741
Layer: 5
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 74
Mat2 Desc: LAYERED
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 20.0
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933113003
Layer: 1
Plug From: 3
Plug To: 7

Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933113005
Layer: 3
Plug From: 9
Plug To: 20
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933113004
Layer: 2
Plug From: 7
Plug To: 9
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961528149
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 10598258
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930086839
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 20
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326495
Layer: 1
Slot: 010
Screen Top Depth: 10
Screen End Depth: 20
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Site: lot 32 ON

Database:
WWIS

Well ID: 1531568

Data Entry Status:

Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Dewatering
Water Type:
Casing Material:
Audit No: 224542
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Src: 1
Date Received: 11/17/2000
Selected Flag: True
Abandonment Rec:
Contractor: 1414
Form Version: 1
Owner:
Street Name:
County: OTTAWA
Municipality: OTTAWA CITY
Site Info:
Lot: 032
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10053102
DP2BR: 16.00
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 06-Nov-2000 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931078876
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 71
Mat2 Desc: FRACTURED
Mat3:
Mat3 Desc:
Formation Top Depth: 16.0
Formation End Depth: 23.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931078873
Layer: 1
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND

Mat3: 01
Mat3 Desc: FILL
Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931078874
Layer: 2
Color: 6
General Color: BROWN
Mat1: 13
Most Common Material: BOULDERS
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 28
Mat3 Desc: SAND
Formation Top Depth: 3.0
Formation End Depth: 12.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931078875
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 34
Mat3 Desc: TILL
Formation Top Depth: 12.0
Formation End Depth: 16.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933116739
Layer: 1
Plug From: 0
Plug To: 15
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961531568
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 10601672
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930093000
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 10
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930093001
Layer: 3
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter: 8
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930092999
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991531568
Pump Set At:
Static Level: 10.0
Final Level After Pumping: 10.0
Recommended Pump Depth: 20.0
Pumping Rate: 10.0
Flowing Rate:
Recommended Pump Rate: 10.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934915010
Test Type: Recovery
Test Duration: 60
Test Level: 10.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934397184
Test Type: Recovery
Test Duration: 30
Test Level: 10.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934113985
Test Type: Recovery
Test Duration: 15
Test Level: 10.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934658119
Test Type: Recovery
Test Duration: 45
Test Level: 10.0
Test Level UOM: ft

Water Details

Water ID: 933492078
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 22.0
Water Found Depth UOM: ft

Water Details

Water ID: 933492077
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 17.0
Water Found Depth UOM: ft

Site: **HWY 417 WEST Ottawa ON** **Database:**
[WWIS](#)

Well ID:	7290688	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Test Hole	Date Received:	7/19/2017
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7579
Casing Material:		Form Version:	7
Audit No:	Z261473	Owner:	
Tag:	A228339	Street Name:	HWY 417 WEST
Construction Method:		County:	
Elevation (m):		Municipality:	
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID: 1006636095
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 04-Jul-2017 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone:
East83:
North83:
Org CS: UTM83
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1006753722
Layer: 1
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 20.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006753723
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3:
Mat3 Desc:
Formation Top Depth: 20.0
Formation End Depth: 42.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006753724
Layer: 3
Color: 8
General Color: BLACK
Mat1: 17
Most Common Material: SHALE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 42.0

Formation End Depth: 72.5
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006753731
Layer: 1
Plug From: 0
Plug To: 72.5
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 1006753730
Method Construction Code:
Method Construction:
Other Method Construction:

Pipe Information

Pipe ID: 1006753721
Casing No: 0
Comment:
Alt Name:

Construction Record - Screen

Screen ID: 1006753728
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Water Details

Water ID: 1006753726
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006753725
Diameter: 3.630000114440918
Depth From: 0.0
Depth To: 72.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:
lot 31 ON

Database:
WWIS

Well ID: 1534734
Construction Date:
Primary Water Use: Not Used

Data Entry Status:
Data Src: 1
Date Received: 6/10/2004

Sec. Water Use:
Final Well Status: Not A Well
Water Type:
Casing Material:
Audit No: 265833
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Selected Flag: True
Abandonment Rec:
Contractor: 6907
Form Version: 2
Owner:
Street Name:
County: OTTAWA
Municipality: OTTAWA CITY
Site Info:
Lot: 031
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 11097509
DP2BR:
Spatial Status:
Code OB: 0
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 31-May-2004 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 932942463
Layer: 1
Color:
General Color:
Mat1: 24
Most Common Material: PREV. DRILLED
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 40.0
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 961534734
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 11101224
Casing No: 1

Comment:
Alt Name:

Results of Well Yield Testing

Pump Test ID: 991534734
Pump Set At:
Static Level: 8.0
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing: No

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Aug 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jul 2021

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Sep 30, 2021

Drill Hole Database:

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: May 31, 2021

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Sep 30, 2021

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994- Sep 30, 2021

Environmental Compliance Approval:

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Sep 30, 2021

Environmental Effects Monitoring:

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jun 30, 2021

Environmental Issues Inventory System:

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Aug 2021

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Aug 31, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Dec 2020

National Analysis of Trends in Emergencies System (NATES):

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2019

National Defense & Canadian Forces Fuel Tanks:

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2021

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Sep 30, 2021

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Sep 30, 2021

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Sep 30, 2021

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2018

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Sep 2021

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Sep 2020

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2018

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Sep 30, 2021

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX E
MECP FOI Search Request

Ministry of the Environment, Conservation and Parks

Freedom of Information Request for Property Information

Instructions

Use this form to:

- submit and pay for a new FOI request for access to records/information about a property
- pay for a deposit or a final fee on an existing FOI request

Fields marked with an asterisk (*) are mandatory.

Are you: *

- Submitting a new FOI Request for Property Information
- Paying a deposit or final fee for an existing FOI Request for Property Information

Section 1 – Description of Records Requested

Time Period for Records Requested

From (yyyy/mm/dd) *

To (yyyy/mm/dd) *

1900/01/01

2021/12/02

Type of Record(s) *

- All environmental records relating to the identified property/site exclusive of Environmental Approvals and Registrations
- Environmental Approvals and Registrations (e.g. Environmental Compliance Approvals; Certificate of Approval; Renewable Energy Approvals; Environmental Activity and Sector Registry Registrations)

Select only if you are seeking access to an Approval or Registration that is not publicly available or if you are also seeking supporting documents relating to the Approval or Registration.

Operator and vendor Pesticide Licenses from September 4, 2018, final Approvals and Registrations are publicly available on the Access Environment website at:

<https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic&lang=en>.

Records of Site Condition (RSC) records are publicly available on the Brownfields Environmental Site Registry (BSER).

- RSC records between 2004 to June 30, 2011 are available at:
<https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>
- RSC records filed after July 2011 are available at:
https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc_search?request_locale=en

Other Specific Document(s)

Type of Approval/Registration *

- Drinking Water Licenses
- Pesticide Licenses

- Permits to Take Water
- Noise Vibrations Approvals/Registrations
- Air Emissions Approvals/Registrations
 - No Supporting Documents All Supporting Documents Some Supporting Documents
- Water Approvals/Registrations - Ontario Water Resources Commission, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster), mains
 - No Supporting Documents All Supporting Documents Some Supporting Documents
- Sewage – Treatment, Stormwater, Storm, Leachate & Lieachate Treatment & Sewage pump stations, Sanitary
 - No Supporting Documents All Supporting Documents Some Supporting Documents
- Waste Water - Industrial discharge
 - No Supporting Documents All Supporting Documents Some Supporting Documents
- Waste Sites - Disposal, Landfill sites, Transfer stations, Processing sites, Incinerator sites
 - No Supporting Documents All Supporting Documents Some Supporting Documents
- Waste Management Systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, Polychlorinated Biphenyls (PCBs) storage, transfer or destruction, Waste Generator Systems
 - No Supporting Documents All Supporting Documents Some Supporting Documents

Company Name

- Waste Generator Registration - number/class

List any record(s) that should be excluded from the scope of your request (e.g. email correspondences; records originating from your organization/business; records already in your possession, prior year(s) annual reports for approvals)

Please provide any additional relevant information relating to your request. For example, does your request relate to any other ministry business? Please note that this information is being requested only in order to provide contextual information to the Access and Privacy Office and will not in any way affect or expedite the status of any related ministry business identified.

Section 2 – Requester Information

Last Name *

First Name *

Middle Initial

Business/Organization Name (if applicable or indicate "N/A") *

Project/Reference Number (if applicable)

Are you submitting this request on behalf of a client? *

- Yes No

Mailing Address

Unit Number

Street Number *

Street Name *

PO Box

City/Town *

Province *

Postal Code *

Telephone Number *

Email Address *

ext.

Is there an alternate contact (e.g. office admin)? *

Yes No

Section 3 – Current Property Address Information

Is the property a:

Park Lake First Nation Band Wind Farm Federal Land Island Unsurveyed Land

Are you requesting information about multiple addresses? *

Yes No

Property Address

Unit Number

Street Number

Street Name

Full Lot Number

Concession

Geographic Township

City/Town/Village *

Closest Intersection

Section 4 – Previous Property Address Information

Do you want the ministry to search all prior historical addresses for this property/site for the time period of the records requested? *

Yes No

Section 5 – Owner Information

Please provide all present and previous property owner and/or tenant names for the search years requested.

Current Property Owner/Tenant

864 Lady Ellen Place

Ottawa

Owner Name

Date of Ownership (yyyy/mm/dd)

Tenant Name

Section 6 – Supporting Documents

Please upload any documents (e.g. Maps) that are relevant to your FOI request.

The total size of all attachments must not be more than 8 MB.

1. File Name

Total File Size

APPENDIX F
TSSA Search Request



Technical Standards and Safety Authority
 345 Carlingview Drive
 Toronto, Ontario M9W 6N9
 Customer Service: 1.877.682.8772
 Fax: 416.231.4903
 Email: publicinformationsservices@tssa.org
www.tssa.org

Application for Release of Public Information Issued under the Access and Privacy Code

A. REQUESTOR INFORMATION:

Your File/Project/Reference No: _____ Date: _____

Requestor Name :		Organization		For Office Use Only	
Suite/Unit No:	Street No:	Street Name:			Date
City:	Province:	Postal Code:			Account No.
Primary Phone:		Secondary Phone:			SR No.
Email:		Fax:			P.I No:

B. PROGRAM (check ALL that apply)

Boilers & Pressure Vessels Elevating & Amusement Devices Fuels Upholstered and Stuffed Articles

C. DETAILS OF REQUEST (please list in detail the information you require)

D. PLEASE ANSWER ALL THAT APPLY:

Address of Subject Location (one address per form)

Device/equipment Type: _____ Owner: _____

Installation Number: _____

CRN: _____ OIN: _____ Serial #: _____

Victim Name (if applicable): _____

Certificate Holder Name (if applicable): _____ Certificate Holder Date of Birth: _____
(DD-MM-YYYY)

Date /period requested:

From (date): _____ to (date) _____

Most recent record

APPENDIX G
Maps

75°45'30"W

75°45'W

75°44'30"W

75°44'W

75°43'30"W

75°43'W

Source: ANSI (ANSI) March 2017, Ontario Ministry of Natural Resources

★ Site / Boundary 2000m Buffer

45°24'N

45°23'30"N

45°23'N

45°22'30"N

45°22'N

45°23'30"N


45°23'N

45°22'30"N

45°22'N


45°21'30"N

1:22000



Area of Natural & Scientific Interest (ANSI) Order No. 21112400595

+	Spot Height	—	Transportation Structure	—	Contour Line	■	Wooded Area
■	Building Point	—	Utility Line	■	Pit or Quarry	■	Conservation Authority
⊗	Towers	—	Water Structure	■	Waterbody	■	Conservation Area
●	Utility Site Point	—	Drainage Line Feature	■	Wetlands	■	Municipal Park
—	Misc. Line	—	River or Stream	■	Concession	■	Provincial Park
—	Railroads	■	Airports	■	Lots	■	National Park
—	Roads	■	Tanks	■	Municipality	■	Nature Reserve
- - -	Trail	■	Building to Scale	■	Land Ownership	■	ANSI Area



Ontario Base Mapping (OBM) Data

Order No. 21112400595

+ Spot Height (metre)	— Transportation Structure	— Contour Line	Wooded Area
■ Building Point	— Utility Line	▭ Pit or Quarry	▭ Conservation Authority
⚡ Towers	— Water Structure	▭ Waterbody	▭ Conservation Area
● Utility Site Point	— Drainage Line Feature	▭ Wetlands	▭ Municipal Park
— Misc. Line	— River or Stream	▭ Concession	▭ Provincial Park
— Railroads	▭ Airports	▭ Lots	▭ National Park
— Roads	▭ Tanks	▭ Municipality	▭ Nature Reserve
- - - Trail	▭ Building to Scale	▭ Land Ownership	