



1 ELECTRICAL SITE PLAN  
 SP-E1 3/32" = 1' 0"

LIGHTING FIXTURE SCHEDULE						
TYPE	MAKE/MODEL	VOLTAGE	MOUNT	WATTAGE	TEMPERATURE	NOTES
P1	LITHONIA LIGHTING RSX1 LED P2 30K R2	120V	POLE	73	3000K	ALL LIGHTING TO BE TIED INTO COMMON PHOTOCCELL
P2	LITHONIA LIGHTING RSX1 LED P4 30K R4	120V	POLE	133	3000K	
W1	LITHONIA LIGHTING WDGE2 LED P4 30K 70CRI TFM	120V	WALL PACK	47	3000K	

# JRP ENGINEERING

## Professional Engineers

110 Didsbury Rd – Unit M090, Kanata, ON, K2T 0C2  
 Tel: 613-627-2462 Email: Admin@jrpeng.com

An exact copy of all working documents including, without limitations, the original of the present document or plan is kept on file by J.R.P. Engineering. Any modification carried out to this document or plan or to accompanying documents without written authorization by the engineer is prohibited.

Authorized modifications must be signed and sealed by an engineer and this engineer will be completely responsible for these modifications. J.R.P. Engineering is not and will not be responsible for the consequences of these modifications or for modifications carried out without its consent.

No	DESCRIPTION	DATE
0	ISSUED FOR REVIEW	DEC 23 2022

--	--

client:

project:  
**BEKIM CONCRETE  
 WAREHOUSE  
 BUILDING**  
 2885 CARP ROAD  
 OTTAWA, ONTARIO

drawing title:  
**ELECTRICAL  
 SITE LIGHTING PLAN**

scale:	AS NOTED	drawn by:	C.M.
designed by:	C.M.	reviewed by:	M.G.
approved by:	M.G.	date:	DEC 2022

project no.:	100-2207	drawing no.:	SP-E1
revision:	<0>		of 1

- NOT FOR CONSTRUCTION -