



### Submitted to:

Bell & Associates Architecture PO Box 178 (101-3108 Carp Road) Carp, Ontario K0A 1L0

Phase One Environmental Site Assessment 2885 Carp Road Ottawa, Ontario

June 1, 2022

Project: 101688.002

GEMTEC Consulting Engineers and Scientists Limited
32 Steacie Drive
Ottawa, ON, Canada
K2K 2A9

June 1, 2022 File: 101688.002

Bell & Associates Architecture PO Box 178 (101-3108 Carp Road) Carp, Ontario K0A 1L0

Attention: Tim Gilchrist

Re: Phase One Environmental Site Assessment

Proposed Commercial Development 2885 Carp Road, Ottawa, Ontario

Enclosed is GEMTEC's Phase One Environmental Site Assessment report as per the proposals dated April 8<sup>th</sup> 2022. The Phase One ESA was completed in general accordance with Ontario Regulation (O.Reg.) 153/04, as amended and describes the interpreted environmental conditions at the site based on available information and observations at the time the Phase One ESA was completed.

We trust this information is sufficient for your current needs. If you have any questions or require further information, please contact the undersigned.

Connor Shaw, B. Eng Environmental Scientist

Brenda Thom, M.Sc.(Eng.), P.Eng Senior Environmental Engineer

Bonda Ihom

CS/BT

Enclosures

 $N:\Projects\101600\101688.002\PhaseOneESA\_TP01V01\_2022\_4\_12.docx$ 



### **EXECUTIVE SUMMARY**

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Bell and Associates Architecture (Bell & Associates) to complete a Phase One Environmental Site Assessment (ESA) for the proposed commercial development at 2885 Carp Road, in Carp, Ontario (the 'Site'). The location of the Site is shown on Figure A.1, Appendix A.

GEMTEC understands that the Phase One ESA is required to inform the proposed construction works and determine the potential for soil and groundwater contamination within the project limits. As the Site will not be changing to a more sensitive land use, the filing of a Record of Site Condition (RSC), as regulated by Ontario Regulation (O.Reg.) 153/04 under the Environmental Protection Act, is not mandatory. The Phase One ESA was conducted in general accordance with O.Reg. 153/04, as amended to support a site plan control application with the City of Ottawa.

The following areas of potential environmental concern were identified:

# APEC 1 - Fill of Unknown Origin on the Site

Through review of aerial photographs and the site reconnaissance, it was determined that fill of unknown origin was present across the Site, particularly on the southwest portion where a previously identified wetland was filled in between 2014 and 2019. The associated contaminants of potential concern (COPC) are metals and inorganics (M&I), and polycyclic aromatic hydrocarbons (PAHs) in soil. This APEC is present across the Site.

A Phase Two ESA is recommended to be completed for the Site, to investigate soil quality in the vicinity of the identified APEC, and to support the future development and construction planning.



# TABLE OF CONTENTS

	4
1.1 Phase One Property Information	
2.0 SCOPE OF INVESTIGATION	1
2.1 General Objectives	
Records Review  2.3 Interview	
2.4 Site Reconnaissance	
3.0 RECORDS REVIEW	3
3.1 General	3
3.1.1 Previous Environmental Reports	
3.1.2 Phase One Study Area Determination	
3.1.3 Surficial and Bedrock Geology	
3.1.4 Topography and Hydrogeology	
3.1.6 First Developed Use Determination	
3.1.7 Fire Insurance Plans	
3.1.8 City Directories	
3.1.9 Chain of Title	
3.1.10 Environmental Source Information	6
3.2 Regulatory Information	8
3.2.1 Technical Safety and Standards Authority	
3.2.2 City of Ottawa	
3.2.3 Mapping of Federally owned Contaminated Sites	
3.2.4 Ontario Inventory of PCB Storage Sites	
3.2.5 Landfills	9
3.3 Physical Setting Sources	9
3.3.1 Aerial Photographs	
3.3.2 Fill Materials	
3.3.3 Well Records	11
4.0 INTERVIEW	11
5.0 SITE RECONNAISSANCE	12
5.1 General Site Conditions	12
5.2 Site Photographs	12
5.3 Adjacent Lands	
5.4 Site Reconnaissance Limitations	13
5.5 Hazardous Materials	13



5.5.	1 Lead	13
5.5.	2 Mercury	13
	3 Storage Tanks	
	4 Polychlorinated Biphenols (PCBs)	
	5 Asbestos Containing Materials (ACM)	
	6 Urea Formaldehyde Foam Insulation (UFFI)	
	7 Solid Waste Disposal Practices	
	8 Ozone Depleting Substances	
5.5.	9 Radon Gas	14
5.6	Unidentified Substances	15
5.7	Odours	15
5.8	Water, Wastewater and Storm Water	15
5.9	Pits, Ponds and Lagoons	15
5.10	Stained Materials and Stressed Vegetation	15
5.11	Watercourses, Ditches or Standing Water	15
5.12	Issues of Potential Environmental Concern	15
6.0 F	REVIEW AND EVALUATION OF INFORMATION	16
6.1	Current and Past Uses	16
6.2	Potentially Contaminating Activities	16
6.3	Areas of Potential Environmental Concern	
TABLE	6.2: SUMMARY OF AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	20
6.3.	1 APEC 1 – Fill of Unknown Origin on the Site	21
6.4	Phase One Conceptual Site Model	21
6.4.	1 Discussion of Uncertainty	
	CONCLUSIONS AND RECOMMENDATIONS	
	IMITATIONS OF LIABILITY	
8.0 L	IIIIITA TIONS OF LIABILITY	22
	REFERENCES	



### **LIST OF TABLES**

Table 3.1: Summary of ERIS Database Review	7
Table 5.1: Summary of Site Photographs	12
Table 6.1: Summary of PCAs Identified within the Study Area	17
Table 6.2: Summary of Areas of Potential Environmental Concern	20

# **LIST OF APPENDICES**

**Appendix A** Figures

Appendix B Qualifications of Assessors

**Appendix C** City Directory

**Appendix D** Chain of Title Abstract

Appendix E ERIS Report

**Appendix F** Technical Standards & Safety Authority Records

**Appendix G** Aerial Photographs

**Appendix H** Site Photographs



### 1.0 INTRODUCTION

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Bell & Associates Architecture (Bell & Associates) to complete a Phase One Environmental Site Assessment (ESA) for the proposed commercial development at 2885 Carp Road (the 'Site'), in Ottawa, Ontario. The location of the Site is shown on Figure A.1, Appendix A.

GEMTEC understands that the Phase One ESA is required to inform the proposed construction works and determine the potential for soil and groundwater contamination within the project limits. As the Site will not be changing to a more sensitive land use, the filing of a Record of Site Condition (RSC), as regulated by Ontario Regulation (O.Reg.) 153/04 under the Environmental Protection Act, is not mandatory. The Phase One ESA was conducted in general accordance with O.Reg. 153/04 to support a site plan control application with the City of Ottawa.

### 1.1 Phase One Property Information

The Site is currently operated commercially with two structures used as temporary site offices by Bekim Concrete. The majority of the Site consists of gravel fill material, grass, two tire mounted trailers, and two shipping containers. The Site boundary is shown on Figure A.2, Appendix A.

The Site is rectangular in shape and is located on the west side of Carp Road. The Site has an area of approximately 1.21 hectares (2.99 acres). The PIN ID and legal description for the Site are presented below:

 04538-0128 (LT): Part of Lot 9 Concession 3 Huntley Parts 3 & 4, 5R10814; West Carleton; City of Ottawa.

A copy of the title search for the Site can be found in Appendix C.

Based on a cursory review of available information, the Site land use category is presently rural commercial. Property uses in the vicinity of the Site include commercial, community use roadways/pathways, and residential. The location of the Site is shown on Figure A.1, Appendix A.

Authorization to proceed with the Phase One ESA was granted via email by Tim Gilchrist of Bell & Associates Architecture on April 11, 2022.

### 2.0 SCOPE OF INVESTIGATION

# 2.1 General Objectives

The general objectives of the Phase One ESA were to:

- Develop a preliminary determination of the likelihood of contamination in soil or groundwater at the Site; and,
- Determine the need for a Phase Two ESA.



The general objectives were met though the evaluation of the information gathered from the review of records, an interview and a site reconnaissance. Specific objectives for these components and the tasks completed to achieve these objectives are described below.

This Phase One ESA was completed by persons who qualifications are presented in Appendix B.

### 2.2 Records Review

The records review was conducted to obtain and review records related to the Site and the surrounding lands within a 250 m radius (Phase One "Study Area") to identify current and past land uses and activities that may have impacted the soil and groundwater quality on-site. The following available records were reviewed as part of this investigation:

- Bedrock and Overburden Geology Maps Overburden and bedrock geology maps provided by Ontario Basic Mapping, the Ministry of Natural Resources and Forestry, and Environmental Systems Research Institute were reviewed in order to identify the underlying soil deposits and bedrock types.
- Fire Insurance Maps and Reports A search of available fire insurance maps and reports
  was performed for the Site and study area to confirm the development history of the study
  area. This information can be used to assess the historical occupants in the study area,
  the historical presence of storage tanks, and general development.
- City Directories A city directory search was conducted for the Site and adjacent properties using available records, in order to review the past and/ or present use of the Site.
- ERIS Databases The Environmental Risk Information Services (ERIS) searches 73
  public and private information databases to identify potential environmental concerns and
  summarizes the records related to the Site and Study Area in a report. An ERIS report
  was obtained for the Site and the 250-metre study area.
- Review of available information from regulatory agencies (i.e. Technical Standards and Safety Authority (TSSA), and Local Municipal Works or Engineering Department). These sources can provide information regarding the presence of fuel storage tanks, approvals and permits.
- Aerial Photographs Aerial photographs taken at regular intervals were reviewed for the Site and study area. The photographs were reviewed in order to identify potential environmental concerns resulting from historical land uses on the Site and within the study area;
- "Mapping of Federally Owned Contaminated Sites" prepared by Treasury Board of Canada Secretariat was reviewed; and



 "Ontario Inventory of PCB Storage Sites" dated January 1992 and prepared by Ontario Ministry of the Environment (Waste Management Branch) was reviewed.

### 2.3 Interview

The objective of the interview was to assist in the identification of potentially contaminating activities (PCAs) that may have led to areas of potential environmental concern (APECs) at the Site based on knowledge of the interviewee of current and historical activities at the Site or within the study area.

GEMTEC interviewed Afrim Bega, employee of Bekim Concrete. The interview took place on the Site on April 20,2022. Mr. Bega was asked about activities that could have contributed to contamination of soil and groundwater within the study area.

#### 2.4 Site Reconnaissance

The site reconnaissance was conducted to document current on-site conditions and determine if visually apparent PCAs and/ or APECs are present at the Site. The purpose of the site reconnaissance was to determine if APECs exist through observations on current uses and PCAs on, in or under the Site and, as practicable, current uses and activities resulting in PCAs as observed within the Phase One Study Area.

To meet the specific site reconnaissance objectives outlined above, the Site was visually assessed to document current conditions and evaluate the potential for environmental impacts to soil and groundwater. The Site was also inspected to identify if possible preferential pathways such as underground utilities exist on the Site that may affect the fate, transport, and distribution of contaminants within the subsurface. Adjacent properties were assessed from publicly accessible boundaries to evaluate the potential for environmental impacts to the Site.

### 3.0 RECORDS REVIEW

### 3.1 General

### 3.1.1 Previous Environmental Reports

No previous historical environmental reports were provided to GEMEC to review as part of this Phase One ESA.

### 3.1.2 Phase One Study Area Determination

The Site has an area of approximately 1.21 hectares (2.99 acres) and is located on the west side of Carp Road in the west end of Ottawa, Ontario

The Site land use is presently considered rural commercial. Historical use of the Site was considered agricultural.



Based on this information, a study area of 250 metres surrounding the Site is deemed sufficient for the purpose of this Phase One ESA. The location of the Site and the extent of the Phase One ESA study area are provided on the Study Area Plan, Figure A.1, Appendix A. A Detailed Site Plan is provided on Figure A.2, Appendix A.

## 3.1.3 Surficial and Bedrock Geology

Surficial and bedrock geology maps of the Ottawa area were reviewed with Google imagery. Based on the review, overburden in the vicinity of the Site generally consists of coarse textured glaciomarine deposits with sand, gravel, minor silt, and clay with a thickness of approximately 5 to 10 metres (ESRI, 2016). Bedrock is mapped as primarily limestone, dolostone, shale, arkose, and sandstone from the Ottawa and Simcoe Groups of the Shadow Lake Formation (ESRI, 2016).

# 3.1.4 Topography and Hydrogeology

Topographic mapping available through the Ministry of Natural Resources and Forestry was reviewed to determine topographic features in the vicinity of the Site and study area.

The elevation of the Site is between approximately 115 and 120 metres above sea level with a regional sloping topography to the northeast towards the Carp River located, at is closest point, approximately 2.3 kilometer northeast of the northern extent of the Site (MNRF, 2019).

Regional groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. Based on the topography and hydrogeological features, it is anticipated that regional shallow groundwater flow would be to the east.

### 3.1.5 Water Bodies and Areas of Natural Significance

Three small, unnamed ponds were identified within the study area on an Ontario Ministry of Natural Resources and Forestry (MNRF) map. One of the ponds has a small portion overlaying the south portion of the Site; the second is located approximately 63 meters south of the Site, and the third is approximately 200 meters northwest of the Site (Ontario GeoHub, 2021).

Through a review of the Heritage Map website of the Ministry of Natural Resources and Forestry, one endangered species, Loggerhead Strike, was identified in the 1 km grid that the Site occupies. However, the site was a forested portion of land, and the Loggerhead Strike's habitat is grasslands. Therefore, it is unlikely that the development of the Site is removing the habitat of this endangered bird.

An unevaluated wetland was present at the southwest end of the Site. However, upon review of the aerial photographs, this wetland appears to have been filled in sometime between 2018 and 2019. No Areas of Natural Significance were identified on the Site or within the study area.



## 3.1.6 First Developed Use Determination

According to a review of available historical aerial photographs, the Site was first developed for agricultural use sometime prior to 1945.

#### 3.1.7 Fire Insurance Plans

A search for Fire Insurance Plans (FIPs) or Insurance Reports was completed with OPTA Information Intelligence (OPTA) through ERIS. No FIPs or Insurance Reports were found for the study area.

# 3.1.8 City Directories

A search of the City Directories was completed by ERIS for properties in the study area including: 2825, 2848, 2869, 2877, 2878, 2885, and 2900 Carp Road, 500 Osmond Daley Drive, and 350, 370, 390 West Lake Circle. The records were reviewed and the following PCAs were identified:

- PCA 10. Commercial Autobody Shops at 2848 Carp Road:
  - Carp Automotive Repair Service (1996, 1997);
  - o Carp Road Collision Appraisal Centre (1996, 1997, 2006, 2007, 2011);
  - o R & R Auto Ottawa (2006, 2007);
  - o AC Automotive (2011)
- PCA 11. Commercial Trucking and Container Terminals at 2848 Carp Road:
  - U-Haul Co Ltd (2006, 2007);
  - o Import Extra Ltd (2006, 2007, 2011);
- PCA 27. Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles at 2825 Carp Road
  - o George's Marine & Sports (2006, 2007).

A copy of the search results is provided in Appendix C.

### 3.1.9 Chain of Title

A search was requested for the chain of title abstract for the Site. The Parcel Register Abstract for the Site was obtained from ERIS on April 16, 2022. The property was described as PART of LOT 9 CONCESSION 3 HUNTLEY PARTS 3 & 4, 5R10814; West Carlton; City of Ottawa. A copy of the Chain of Title can be found in Appendix D.

The parcel register abstract identified a numbered company transferring the Site to Bekim Holdings Inc. in April 2019; and a charge from Bekim Holdings Inc. to Westboro Management Ltd. and Westboro Mortgage Investment LP in April 2019.



# 3.1.10 Environmental Source Information

# 3.1.10.1 ERIS Database Report

GEMTEC contacted ERIS to conduct a search of 73 public and private information databases for the Site and study area. The complete ERIS report, including a list of the databases searched, is provided in Appendix E. All listings in the ERIS report were reviewed and the relevant highlights pertaining to the Phase One ESA study area are summarized in Table 3.1.



Table 3.1: Summary of ERIS Database Review

Address / Location	PCA#	Distance from Site	Company / Name	Database	Description
2879 Carp Road	28. Gasoline and Associated Products Storage in Fixed Tanks	49 meters east	Ultramar	Retail Fuel Storage Tanks	Two records identifying that the property has a fuel oil tank.
2848 Carp Road	OT 1 – Waste Generator	254 meters southeast	Import Extra Ltd.	Ontario Regulation 347 Waste Generators Summary	Registered as a waste generator of light fuels as of November 2021.
			Unplottable Reco	rds	
Lot 9 Concession 2	OT 2 – Aggregate Source	40 meters northeast	NA	Abandoned Aggregate Inventory	Identified as a rehabilitated pit.
Lot 10 Concession 3	58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Adjacent northwest	NA	Landfill Inventory Management Ontario	Listed as a historical landfill.
Lot 10 Concession 2	OT 3: Spill	40 meters north across	Ontario Hydro	Ontario Spills	Spill of 60 L spill of non-PCB transformer oil to the ground in 1996. Soil contamination was listed as possible.



The unplottable report summary was reviewed to determine if any of the records were located on the Site or within the study area. Many of the entries were only located geographically by concession, lot number, or company. Due to the uncertainty related to the location of the entries, and in most cases could not be confirmed as being present within the study area, many of these activities were not summarized in this report. The records for Concession 2 Lot 9, Concession 2 Lot 10, and Concession 3 Lot 10 summarized in Table 3.1 above, were obtained from the unplottable report summary.

PCAs identified in the review of the database records compiled in the ERIS report include:

- 28. Gasoline and Associated Products Storage in Fixed Tanks A fuel oil tank was recorded at the property of 2879 Carp Road.
- OT 1 A waste generator was identified at 2848 Carp Road, for generating light fuels in November 2021.
- OT 2 A rehabilitated aggregate pit was identified on Concession 2 Lot 9.
- 58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners – Concession 3 Lot 10 was listed as a historical landfill;
- OT 3: Spills Concession 2 Lot 10 was listed as having a 60 L spill of non-PCB transformer oil to the ground.

### 3.2 Regulatory Information

# 3.2.1 Technical Safety and Standards Authority

The TSSA was contacted on March 31st, 2022, to conduct a search of properties in the study area located at 2825 to 2962 Carp Road, 290 to 430 West Lake Circle, 500 to 548 Osmond Daley Drive, and 101 Arbourbrook Boulevard.

The TSSA response indicated no records of elevating devices, boilers/pressure vessels, or fuel storage tanks. A copy of the search request and the response from the TSSA is provided in Appendix F.

### 3.2.2 City of Ottawa

A request was made to the City of Ottawa for a search of the Historical Land Use Inventory (HLUI) database on April 18, 2022. The search provides information with respect to properties located within the study area which are considered to have a potential for environmental impacts. A response to the HLUI request has not yet been received from the City of Ottawa. If the City's response identifies records with respect to the Site which indicate areas of potential environmental concern, the client will be notified, and an update will be provided.



## 3.2.3 Mapping of Federally owned Contaminated Sites

A Government of Canada, Treasury Board of Canada Secretariat, interactive map illustrating a database of over 4,000 federally owned contaminated sites was reviewed. The database did not identify any federally owned contaminated sites within the study area (TBCS, 2021).

# 3.2.4 Ontario Inventory of PCB Storage Sites

The Waste Management Branch of the Ministry of the Environment, Conservation and Parks (MECP) published a report entitled "Ontario Inventory of PCB Storage sites in October 1991" in January 1992. The publication includes information of PCB storage sites collected under O.Reg. 11/82 through MECP district and regional offices. The database did not identify any PCB storage sites within the study area.

### 3.2.5 Landfills

A Government of Ontario map and website for large landfill sites and small landfill sites was reviewed. The database did not identify any historical or current landfills in the study area (Large landfill sites map, 2021; Small landfill sites list, 2021).

## 3.3 Physical Setting Sources

## 3.3.1 Aerial Photographs

Aerial photographs available from the National Air Photo Library (NAPL) were reviewed for 1945, 1955, 1963 and copies are provided in Appendix G. Photographs from 1976, 1991, 1999, 2008, 2014, 2019, and 2021 provided by Google Earth and geoOttawa (Google Earth, 2018; geoOttawa, 2020) were reviewed as part of the investigation but are not reproduced within this report due to copyright limitations. Aerial photographs were reviewed to evaluate development progress and potential environmental liabilities, associated with the Site and surrounding lands. A summary of the aerial photograph information is provided in Table 3.2.

**Table 3.2: Summary of Aerial Photograph Review** 

Date	Source	Observations				
1945	NAPL	<ul> <li>The Site appears to be agricultural land.</li> <li>Carp Road is visible adjacent to the northeast of the Site.</li> <li>The small lake identified on the MNRF map is visible on a portion of the Site and southeast of the Site;</li> <li>The study area appears to be developed as community use roadways and agricultural land with potential residential and farming structures to the south, east, and north of the Site.</li> <li>Wooded areas are visible south of the Site in the study area.</li> </ul>				
1955	NAPL	<ul> <li>No significant changes to the Site from the 1945 aerial photograph.</li> </ul>				
1963	NAPL	<ul> <li>A driveway adjacent to the southeast boundary of the Site is visible.</li> <li>The southwest portion of the Site no longer appears to be used as agricultural field. This portion of the Site appears to have been stripped of vegetation</li> </ul>				



Date	Source	Observations
		leaving a depression, along with the land adjacent to the southeast in the study area.
		<ul> <li>The second small lake identified on the MNRF map, approximately 60 m southeast of the Site, is visible southeast of the Site in the study area.</li> </ul>
		<ul> <li>A roadway adjacent to the northwest portion of the Site is visible leading to worked soil on a formerly agricultural property.</li> </ul>
1976	geoOttawa	<ul> <li>The third lake identified on the MNRF is visible west of the Site in the study area. It appears that the lake was constructed as part of a quarry operation surrounding the lake.</li> </ul>
		<ul> <li>The Site appears to be used for agricultural/forestry purposes as a tree plantation is visible on the northeast portion of the Site.</li> </ul>
1991	geoOttawa	<ul> <li>The lake in the southwest portion of the Site has been extended to the northwest.</li> </ul>
		<ul> <li>The land adjacent to the northwest is occupied by a large quarry operation with a lake at the center, larger than the lake visible in the 1976 aerial photograph.</li> </ul>
1999	gooOttowo	<ul> <li>Additional commercial developments are visible in the southeast portion of study area, on both sides of Carp Road.</li> </ul>
1999	geoOttawa	<ul> <li>The quarry visible in the 1976 and 1991 aerial photographs appears to be no longer be operational, with the area vegetated around the large lake.</li> </ul>
2008	geoOttawa	<ul> <li>The Site is covered in vegetation.</li> <li>Community use roadways for a residential development are visible surrounding the former quarry operation located northwest of the Site. The lake present to the northwest has been reshaped, and fill piles are visible to the northeast of that lake.</li> </ul>
		<ul> <li>Additional commercial developments are visible in the south portion of the study area on the south side of Carp Road.</li> </ul>
		<ul> <li>Stockpiles of material are visible along the southwest boundary of the Site, on the adjacent property.</li> </ul>
2014	gooOttowo	<ul> <li>Multiple residential developments visible surrounding the lake and former quarry operation in the northwest portion of the study area.</li> </ul>
2014	geoOttawa	<ul> <li>Additional community use roadways visible to the southwest of the Site for residential properties present to the southwest.</li> </ul>
2019	geoOttawa	<ul> <li>Vegetation on the west portion of the Site has been cleared and 2 to 3 structures are visible in the center of the Site. The small lake on the southwest portion of the Site, and the portion of the lake to the southeast of the Site, have been filled in. Stockpiles are visible on the southwest portion of the adjacent property to the southeast.</li> </ul>
		<ul> <li>Additional residential developments are visible to the northwest and southwest of the Site in the study area.</li> </ul>
		<ul> <li>Additional commercial developments visible to the east and northeast of the Site in the study area.</li> </ul>
2021	Google Earth	<ul> <li>The trees on the northeast portion of the Site have been removed The central portion of the Site appears to have 2 buildings with storage containers and a concrete pad with potentially ASTs on it.</li> <li>No significant changes to the study area.</li> </ul>
		,



PCAs identified during the aerial photograph review include:

- 30. Importation of Fill Material of Unknown Quality
  - Fill material of unknown quality was brought to the Site between 2014 and 2019 to fill the southwest portion of the Site.
- Other 2
  - A quarry operation was visible adjacent to the northwest of the Site as recent as 1991.
- 40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing,
   Processing, Bulk Storage and Large-Scale Applications
  - The Site was used historically for agricultural purposes.

#### 3.3.2 Fill Materials

Fill material of unknown origin was identified across the Site and is recognized as a potential source of contamination, PCA #30: Importation of Fill Material of Unknown Quality, in accordance with O.Reg. 153/04.

#### 3.3.3 Well Records

Water well records were reviewed from the MECP for the Site and study area. A total of 68 water wells were identified within the study area. A summary of the approximate location of the water wells can be found in Figure A.3.

### 4.0 INTERVIEW

An interview was carried over the phone with Afrim Bega of Bekim Concrete on April 20, 2022. Mr. Bega is employed by Bekim Concrete and has been familiar with the Site for approximately 4 years. The following relevant information concerning potentially contaminating activities and areas of potential environmental concern were noted:

- Mr. Bega indicated that the Site is currently used for a site office for Bekim Concrete.
- Mr. Bega noted that there are two ASTs on the Site (1 for gasoline and 1 for diesel).
- Mr. Bega indicated the presence of one domestic well on the Site.
- Mr. Bega indicated that a temporary wastewater holding tank is present on the Site.
- Mr. Bega noted that the two site trailers on the Site were temporary structures.

Based on information provided in the interview, the following PCAs were identified:

- 28. Gasoline and Associated Products Storage in Fixed Tanks;
  - Two aboveground storage tanks were observed on the Site.



### 5.0 SITE RECONNAISSANCE

#### 5.1 General Site Conditions

A GEMTEC representative, Mohit Bhargav, visited the Site and conducted the site reconnaissance on April 22<sup>nd</sup>, 2022, between the hours of 2:30 PM and 3:15 PM. The study area was assessed in a systematic manner by walking the project extents and recording visual and olfactory observations. The weather at the time of the site reconnaissance was sunny and the air temperature was approximately 8°C.

# 5.2 Site Photographs

Photographs of the Site were taken during the course of the site reconnaissance to document the general condition of the Site. Selected relevant photographs are presented in Appendix H. A discussion of the photographs is provided in Table 5.1.

Table 5.1: Summary of Site Photographs

Photograph Number	Compass Orientation	Description
Photograph 1	Southwest	View of the Site along the northwest property boundary from Carp Road.
Photograph 2	Southwest	View across the northeast portion of the Site.
Photograph 3	Northeast	View of the Site looking northeast from the southwest boundary.
Photograph 4	Northeast	Fill material present on the southwest portion of the Site.
Photograph 5	North	Two aboveground storage tanks along the southeast property boundary of Site.
Photograph 6	East	View of the fueling area, no staining observed.

# 5.3 Adjacent Lands

Adjacent properties were viewed from the Site and publicly accessible boundaries to assess the potential for current land uses in the vicinity to adversely impact the Site. The following adjacent properties were observed:

North: Residential development;

South: Commercial storage yard on the southwest portion, residential on the northeast portion;

East: Community use roadway (Carp Road) followed by commercial and agricultural use; and,

West: Residential development.

### 5.4 Site Reconnaissance Limitations

The structures onsite were not accessible due to concern with COVID-19.

### 5.5 Hazardous Materials

### 5.5.1 Lead

Under the federal Hazardous Products Act, the lead content in interior paint was limited to 0.5% by weight in 1976. After 1980, lead was not used in interior paints; however, exterior paints may have still contained lead. All consumer paints produced and imported into Canada were virtually lead-free as of 1992.

Based on the age of the buildings, no lead based paints are anticipated at the Site. Further, no lead based paint was observed during the site reconnaissance.

### 5.5.2 Mercury

Mercury is commonly found in thermostats and electrical switches, as well as mercury vapour-containing fluorescent light bulbs.

Mercury was not observed at the time of site reconnaissance; however, access into the buildings was not provided.

# 5.5.3 Storage Tanks

Two aboveground storage tanks (ASTs) were identified on the Site – one 4,550 L tank for gasoline and one 1,550 L tank for diesel. Both tanks were installed less than one year ago and are rented from MacEwan Petroleum. There were no signs of staining on the tanks due to overfilling, nor on the concrete pad underneath the tanks due to leaks. However, the concrete pad on which the tanks were stationed did not have secondary containment.

### 5.5.4 Polychlorinated Biphenols (PCBs)

From the 1930s to the 1970s, PCBs were used to make coolants and lubricants for certain kinds of electrical equipment, including transformers and capacitors, and were widely used in a number of industrial materials including sealing and caulking compounds, inks, and paint additives. PCBs are an environmental concern as they do not readily degrade and have been identified to bio-accumulate. In Canada, the Federal Environmental Contaminants Act (1976) prohibited the use of PCBs in heat transfer and electrical equipment installed after September 1, 1977, and in transformers and capacitors installed after July 1, 1980. In addition, the storage and disposal of PCB waste materials is regulated.

Pole mounted transformers were identified along Carp Road in the study area. All transformers appeared to be in good condition with no observed staining to indicate leakage.



## 5.5.5 Asbestos Containing Materials (ACM)

Asbestos has been used in many products in buildings and continues to be used in some building products today. Two categories of asbestos were used in building construction (i) non-friable asbestos-containing materials (ACMs), and (ii) friable ACMs. Products that contain non-friable (hard or non-crumbly) asbestos include floor tiles, cement sheeting and pipes, motor vehicle brakes, and roofing materials. The use of these products has declined significantly since the 1970s; however, these products are still legal and are still used in Canada today. Friable asbestos materials can be crumbled, pulverized, or reduced to powder by hand pressure. Due to the softer nature of these products, the fibres can more readily be released to the air where they can be inhaled. Most friable products were withdrawn from the Canadian market in the 1970s, production of friable products ceased, and they were commercially unavailable by 1982. However, it was not until 1985 that provincial regulatory bodies enforced a complete ban on friable asbestos products. Common friable products included sprayed fireproofing, sprayed acoustic or decorative finishes, and thermal insulation on piping or mechanical systems.

No ACMs were observed at the time of site reconnaissance.

### 5.5.6 Urea Formaldehyde Foam Insulation (UFFI)

UFFI became an insulation product for existing houses in Canada in the 1970s; however, it was banned in Canada in 1980 under the Hazardous Products Act. UFFI can begin to deteriorate if exposed to water and moisture, and its degradation can result in formaldehyde gas emissions.

No UFFI was observed at the time of site reconnaissance.

### 5.5.7 Solid Waste Disposal Practices

The Site has weekly municipal waste management collection that is available within the study area.

### 5.5.8 Ozone Depleting Substances

In 1998, the Federal government filed the Ozone-Depleting Substances Regulations. The Regulations reflect Canada's commitment to meet its requirements under the Montreal Protocol on Substances that Deplete the Ozone Layer. The Montreal Protocol is an international agreement signed by over 180 countries to control the production and exchange of certain ozone-depleting substances. The Regulations are intended to further reduce emissions of ozone-depleting substances and were amended in 2001, 2002, and 2004.

No ozone depleting substances were identified during the site reconnaissance.

# 5.5.9 Radon Gas

Radon is a colourless, tasteless radioactive gas with a very short half-life of 3.8 days. The health risk potential of radon is associated with its rate of accumulation within confined areas, particularly



confined areas near or in the ground, such as basements, where vapours can readily transfer to indoor air from the ground through foundation cracks or other pathways. Large, adequately ventilated rooms generally present limited risk for radon exposure.

The Site is in a guarded radon zone, meaning there is not high potential for radon to be present within Site. However, it should be noted that actual radon concentrations can only be determined using Long-term Measurement techniques, as described within Health Canada's 'Guide for Radon Measurements in Public Buildings' document (Health Canada, 2016).

#### 5.6 Unidentified Substances

No unidentified substances were identified at the time of the site reconnaissance.

### 5.7 Odours

No significant odours were identified in and around the Site at the time of site reconnaissance.

# 5.8 Water, Wastewater and Storm Water

No wastewater or stormwater systems were identified at the time of the site reconnaissance.

One domestic well was observed on the Site, along the northwest property boundary, located west of the on-site office building.

# 5.9 Pits, Ponds and Lagoons

No ponds, pits, or lagoons were observed on the Site at the time of the site reconnaissance.

# 5.10 Stained Materials and Stressed Vegetation

No stained materials or stressed vegetation were observed at the time of the site reconnaissance.

# 5.11 Watercourses, Ditches or Standing Water

No watercourses, ditches or standing water were observed during site reconnaissance.

# 5.12 Issues of Potential Environmental Concern

Two PCAs identified during the site reconnaissance within the study area included:

- 28. Gasoline and Associated Products Storage in Fixed Tanks
  - Two aboveground storage tanks were observed on the Site.
- 30: Importation of Fill Material of Unknown Quality
  - o Fill material was observed across the Site.



# 6.0 REVIEW AND EVALUATION OF INFORMATION

### 6.1 Current and Past Uses

The Site is currently rural commercial land and covered with gravel fill, grass, and a few temporary structures including an office building and a garage building. Past uses of the Site appear to be for agricultural purposes. The Site is owned by Bekim Holdings Inc.

# 6.2 Potentially Contaminating Activities

The Phase One ESA identified 10 PCAs on the Site and within the study area, which are summarized in Table 6.1 and identified on Figure A.1 within Appendix A.



Table 6.1: Summary of PCAs Identified within the Study Area

Address of PCA	PCA Identifier	Llaccrintian		Data Source	PCA Resulted in APEC Rational
	30		Fill material of unknown quality was observed across the Site.	Site Recon	Yes Based on the fill material being located on the Site.
Site	40	On site	The Site was used for agricultural purposes as recently as 1955.	Aerials	No Based on the length of time since application and unlikely persistence in the soil.
	28	Off site	Two aboveground storage tanks were observed on the Site – one gasoline and one diesel.	Site Recon	No Based on the age of the tanks, lack of staining on the tanks, no stains on the concrete pad nor on the gravel in the fueling area.
Lot 9 Concession 2	OT2	40 meters northeast	Listed as a rehabilitated pit.	ERIS	No Based on the aerial photos, no aggregate pit was present on the lot and concession identified.
2879 Carp Road	28	49 meters east	Listed as having a fuel oil tank on the property	ERIS	No Based on anticipated groundwater flow direction.
Lot 10 Concession 3	58	Adjacent northwest	Listed as a historical landfill.	ERIS	No Based on the uncertainty of the actual location of the landfill and no evidence of a landfill in the aerial photographs
	OT 2	Adjacent northwest	A quarry operation was noted on the property as recent as 1991.	Aerials	No Based on the proximity to Site and type of activity.
Lot 10 Concession 2	OT 3	40 meters north	Listed as having a 60 L spill of non-PCB transformer oil to the ground in 1996. Soil contamination was listed as possible.	ERIS	No Based on distance uncertainty of spill location and anticipated groundwater flow direction.



Address of PCA	PCA Identifier	Distance From Site	Description	Data Source	PCA Resulted in APEC Rational
2848 Carp Road	11, 10 OT 1	254 meters southeast	Listed as having multiple automotive garages and commercial trucking companies.  Listed as being a waste generator of light fuels in 2021.	City Directory	No Based on the distance from the Site and anticipated groundwater flow direction.
2825 Carp Road	37	252 meters southeast	Listed as George's Marine & Sports	City Directory	No Based on the distance from the Site and anticipated groundwater flow direction.

### Notes:

ERIS – ERIS Database Report Site Recon – Site Reconnaissance Aerials – Aerial Photographs

10.	Commercial Autobody Shops
11.	Commercial Trucking and Container Terminals
28.	Gasoline and Associated Products Storage in Fixed Tanks
30.	Importation of Fill Material of Unknown Quality
37.	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
40.	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
58.	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners.
OT 1	Registered Waste Generator
OT 2.	Aggregate Source
OT 3	Spill



# 6.3 Areas of Potential Environmental Concern

GEMTEC identified one APEC at the Site resulting from the on-site PCA with a potential to result in contamination to soil on the Site. The identified APEC is summarized in Table 6.2 below and Figure A.3 in Appendix A.



Table 6.2: Summary of Areas of Potential Environmental Concern

PCA Identifier	Description	Area of the APEC	Media Impacted	COPCs
wetland was filled between 2014 and 2019 according to aeri		Across the Site.	Soil	M&I PAHs
M&I: Metals	and Inorganics			
PAHs: Polyc	cyclic Aromatic Hydrocarbons			
30. In	nportation of Fill Material of Unknown Quality			
	30  M&I: Metals PAHs: Polyo	Fill material of unknown origin was noted across the Site, 30 particularly the southwest portion where a previously identified wetland was filled between 2014 and 2019 according to aerial photographs.  M&I: Metals and Inorganics PAHs: Polycyclic Aromatic Hydrocarbons	Fill material of unknown origin was noted across the Site, 30 particularly the southwest portion where a previously identified wetland was filled between 2014 and 2019 according to aerial photographs.  M&I: Metals and Inorganics PAHs: Polycyclic Aromatic Hydrocarbons  Area of the APEC  Across the Site.	Fill material of unknown origin was noted across the Site, 30 particularly the southwest portion where a previously identified wetland was filled between 2014 and 2019 according to aerial photographs.  M&I: Metals and Inorganics PAHs: Polycyclic Aromatic Hydrocarbons  Area of the APEC Impacted  Across the Site.  Soil



A summary and description of the identified APEC and pertinent contaminants of potential concern (COPCs) is provided in Section 6.3.1.

# 6.3.1 APEC 1 – Fill of Unknown Origin on the Site

Through review of aerial photographs and the site reconnaissance, it was determined that fill of unknown origin was present across the Site, particularly on the southwest portion where a previously identified wetland was filled in between 2014 and 2019. The associated contaminants of potential concern (COPC) are metals and inorganics (M&I), and polycyclic aromatic hydrocarbons (PAHs) in soil. This APEC is present across the Site.

## 6.4 Phase One Conceptual Site Model

Based on the historical review, interview, and site reconnaissance, GEMTEC concludes that there is potential for soil contamination at the Site. Information presented in this report that contributes to the development of the conceptual site model (CSM) is presented as applicable in Figures A.1 through A.3 in Appendix A, and is summarized as follows:

- A total of 64 water wells were identified within the study area.
- The Site is serviced by the municipality for electricity. Water is provided by a domestic well
  and a temporary wastewater holding tank is present on the Site.
- Surficial and bedrock geology maps of the Ottawa area were reviewed. Based on the
  review, overburden in the vicinity of the Site generally consists of coarse textured
  glaciomarine deposits with sand, gravel, minor silt and clay with a thickness of between
  approximately 5 to 10 metres (ESRI, 2016). Bedrock is mapped as primarily limestone,
  dolostone, shale, arkose, and sandstone from the Ottawa and Simcoe Groups of the
  Shadow Lake Formation (ESRI, 2016).
- Ground cover on the Site consists of grass and gravel fill material. Two tire mounted site trailers are also present.
- The Carp River located at is closest point, approximately 2.3 kilometre northeast of the Site. Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. Based on the topography and hydrogeological features, it is anticipated that local shallow groundwater flow direction is to the east.
- Three small, unnamed ponds are present within the study area. From review of historical aerial photographs, the ponds appear to be man made.
- Based on the review of records, and the site reconnaissance completed as part of the Phase One ESA, GEMTEC identified 10 PCAs for the study area resulting in one APEC for the Site

Information considered for the development of this CSM was gathered from numerous sources (i.e. aerial photographs, city directories, environmental database searches, physical setting



sources, an interview, and site reconnaissance) which reduces the potential for not identifying a former property use or PCA.

# **6.4.1 Discussion of Uncertainty**

There is uncertainty with the Phase One Conceptual Site Model associated with using well record data, topographic and geology maps from external sources. Moreover, information regarding the use of chemicals on the aerial photographs where agricultural lands were identified is unknown, and the location of the historical landfill could not be confirmed. Information based on these sources may have changed since publishing due to construction, seasonal variations, or other factors.

### 7.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the review of records, and site reconnaissance, potential environmental concerns are present at the Site resulting from historical and /or current activities. The PCAs resulted in the identification of one APEC on the Site as follows:

APEC 1 – Fill of Unknown Origin on the Site

A Phase Two ESA is recommended to be completed for the Site, to investigate soil quality in the vicinity of the identified APEC, and to support the proposed development and construction planning.

### 8.0 LIMITATIONS OF LIABILITY

This Phase One ESA was carried out in general accordance with O.Reg. 153/04, as amended. The results of this Phase One ESA should in no way be construed as a warranty that the Site is free from any and all contaminants other than those noted in this report, nor that all compliance issues have been addressed.

This report was prepared for the exclusive use of Bell and Associates Architecture and is based on data and information collected during the Phase One ESA of the property conducted by GEMTEC Consulting Engineers and Scientists Limited at the time of the investigation. This report may not be relied upon by any other person or entity without the express written consent of GEMTEC Consulting Engineers and Scientists Limited, and Bell and Associates Architecture. In evaluating this site, GEMTEC Consulting Engineers and Scientists Limited has relied in good faith on information provided by others. We accept no responsibility for any deficiencies or inaccuracies in this report as a result of omissions, misinterpretations, or fraudulent acts of others.

The assessment of environmental conditions and possible site hazards presented has been made using the available historical and technical data collected and provided by others. The conclusions provided herein represent the best judgment of GEMTEC Consulting Engineers and Scientists



Limited based on current environmental standards. Due to the nature of the investigation and the limited data available, we cannot warrant against undiscovered environmental liabilities.

The scope of the Phase One ESA is sufficient to identify existing and/or potential environmental liabilities that are obvious from visual examination of surface features and from available sources of information. This level of work is a method of risk reduction, not risk elimination. No building materials, water, liquid, gas, products or chemical sampling and/or testing on or in the vicinity of the Site was carried out as part of this assessment. The Phase One ESA does not include a program of intrusive observation/testing. These activities would be carried out as part of a Phase Two ESA. This environmental assessment included only a cursory overview of the neighbouring land uses from public right of ways and from the Site and does not constitute a complete assessment of the adjacent sites.



### 9.0 REFERENCES

Environmental Systems Research Institute (ESRI). 2011. ArcGIS Desktop: Release 10. Redlands, CA: Environmental Systems Research Institute.

ERIS Database Report, April 14, 2022. 2885 Carp Road, Carp ON K0A 1L0. P101688.002. Order No 22033100122.

Geography Network Canada (GNC). October 2004. Ontario Basic Mapping Accessed: November 2021.

Google Earth 6.0. Map, Buildings data layer. Accessed: May 2022.

Large landfill sites map. October 18, 2021. Government of Ontario: Environment and Energy. Accessed May 2022

Ontario Geological Survey, 2010. Surficial geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release – Data 128 – Revised.

Ontario Ministry of the Environment. 2014. Ontario Regulation 153/04, Made under the Environmental Protection Act, Part XV.1 – Records of Site Condition.

Ontario Ministry of the Environment (Waste Management Branch). January 1992. Ontario Inventory of PCB Storage Sites October 1991.

Ontario Ministry of the Environment, Conservation and Parks (MECP). Map: Well Records. Updated January 2020. Accessed May 2022.

Ontario Ministry of Natural Resources. 2014. Make a natural heritage area map - Topography. Accessed: May 2022.

Radon Environmental Management Corporation (REMC). 2013. Radon Potential Map – Ontario. Accessed: May 2022.

Service Ontario, Land Registry Office. November 18, 2021. Parcel register (Abbreviated) for Property Identifier.

Small landfill sites list. October 18, 2021. Government of Ontario: Environment and Energy. Accessed May 2022

Treasury Board of Canada Secretariat (TBCS). Mapping of Federally Contaminated Sites Accessed: May 2022.

Wetland. November 5, 2021. Ontario Ministry of Natural Resources and Forestry: GeoHub. Accessed May 2022.



# 10.0 CLOSURE

We trust this report provides sufficient information for your present purposes. If you have any questions concerning this report, please do not hesitate to contact our office.


Sincerely,


Connor Shaw, B. Eng. Environmental Scientist


Coul Sten


Brenda Thom, M.Sc.(Eng.), P.Eng. Senior Environmental Engineer

Benda Thom
















613.836.1422

### **QUALIFICATION OF ASSESSORS**


Connor Shaw, B.Eng.Sc - Environmental Scientist

The primary assessor for this Phase I Environmental Site Assessment (ESA) was Mr. Connor Shaw. Mr. Shaw has a formal education, which includes a Bachelor of Engineering Science with a major in Biochemical and Environmental Engineering. This formal education has provided him with the knowledge and expertise to identify sources of environmental concern and evaluate their potential to cause environmental contamination.

Brenda Thom, M.Sc.(Eng.), P.Eng. – Environmental Engineer

The Phase I ESA was carried out under the supervision of Ms. Brenda Thom, M.Sc.(Eng.), P.Eng., a registered Professional Engineer in the Province of Ontario, and a Qualified Person ESA (QP<sub>ESA</sub>) under Ontario Regulation (O.Reg.) 153/04 and 406/19. Ms. Thom has over 12 years of experience in the completion of Environmental Site Assessments to meet Phase I and II ESAs completed in accordance with the CSA Group Standards and Phase One and Two ESAs completed in accordance with O.Reg. 153/04.





**Project Property:** 2885 Carp Road, Carp, ON

Report Type: City Directory
Order No: 22041200122

**Information Source:** Vernon's Ottawa and Area, Ontario City Directory (LAC)

**Date Completed:** 28/04/2022V

## **City Directory Information Source**

Vernon's Ottawa and Area, Ontario City Directory

PROJECT NUMBER: 22041200122	
Site Address:	2885 Carp Road, Carp, ON
Year: 2011	
Site Listing:	-Address Not Listed
Adjacent Properties:	
2825 Carp Road	-George's Marine & Sports
2848 Carp Road	-Import Extra LTD
	-AC Automotive -Carp Road Collision
2869 Carp Road	-Address Not Listed
2877 Carp Road	-Residential (1 Tenant)
2878 Carp Road	-Address Not Listed
2900 Carp Road	-Address Not Listed



-Street Not Listed
-Address Not Listed
-Address Not Listed
-Address Not Listed

DD01505 41114 4D5D 22244222422	
PROJECT NUMBER: 22041200122	
Site Address:	2005 Carn Dood Carn ON
Site Address:	2885 Carp Road, Carp, ON
Year: 2006/07	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Aujacent Properties.	
2825 Carp Road	-George's Marine & Sports
2040 Carra Daniel	D 0 D A. to Ottown
2848 Carp Road	-R & R Auto Ottawa
	-Import Extra LTD
	Import Extra E15
	-U-Haul Co LTD
	-Carp Road Collision
	Lundana A Q I
	-Juratovac A & J



2869 Carp Road	-Address Not Listed				
2877 Carp Road	-Address Not Listed				
2878 Carp Road	-Address Not Listed				
2900 Carp Road	-Address Not Listed				
500 Osmond Daley Drive	-Street Not Listed				
350 West Lake Circle	-Street Not Listed				
370 West Lake Circle	-Street Not Listed				
390 West Lake Circle	-Street Not Listed				
PROJECT NUMBER: 22041200122					
Site Address:	2885 Carp Road, Carp, ON				
Year: 2001/02					
Site Listing:	-Address Not Listed				



Adjacent Properties:

2825 Carp Road	-Address Not Listed
2848 Carp Road	-Address Not Listed
2869 Carp Road	-Address Not Listed
2877 Carp Road	-Residential (1 Tenant)
2878 Carp Road	-Address Not Listed
2900 Carp Road	-Address Not Listed
500 Osmond Daley Drive	-Street Not Listed
350 West Lake Circle	-Street Not Listed
370 West Lake Circle	-Street Not Listed
390 West Lake Circle	-Street Not Listed
L	1
PROJECT NUMBER: 22041200122	
Site Address:	2885 Carp Road, Carp, ON



Year: 1996/97

Site Listing:	-Address Not Listed
Adjacent Properties:	
2825 Carp Road	-Address Not Listed
·	
2848 Carp Road	-Residential (1 Tenant)
	-Carp Road Collision Appraisal Centre
	-Carp Automotive Repair Service
2869 Carp Road	-Address Not Listed
2877 Carp Road	-Residential (2 Tenants)
2878 Carp Road	-Address Not Listed
2900 Carp Road	-Address Not Listed
500 Osmond Daley Drive	-Street Not Listed
350 West Lake Circle	-Street Not Listed
370 West Lake Circle	-Street Not Listed



390 West Lake Circle	-Street Not Listed

PROJECT NUMBER: 22041200122	
Site Address:	2885 Carp Road, Carp, ON
Year: 1992	
Site Listing:	-Address Not Listed
Adjacent Properties:	
2025 Corn Bood	-Address Not Listed
2825 Carp Road	-Address Not Listed
2848 Carp Road	-Residential (1 Tenant)
2869 Carp Road	-Address Not Listed
2877 Carp Road	-Residential (1 Tenant)
2878 Carp Road	-Address Not Listed
2900 Carp Road	-Address Not Listed
500 Osmond Daley Drive	-Street Not Listed




350 West Lake Circle	-Street Not Listed
370 West Lake Circle	-Street Not Listed
390 West Lake Circle	-Street Not Listed

## \*\*Carp, Ontario is listed within the city directory archives from 1992-2011.\*\*

- -All listings for businesses were listed as they are in the city directory.
- -Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory.







REGISTRY OFFICE #4

04538-0128 (LT)

PAGE 1 OF 1 PREPARED FOR EEGOOLAB ON 2022/04/16 AT 10:06:31

PIN CREATION DATE:

1999/11/19

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION:

PT LT 9 CON 3 HUNTLEY PTS 3 & 4, 5R10814; WEST CARLETON; CITY OF OTTAWA

PROPERTY REMARKS:

ESTATE/QUALIFIER:

OWNERS' NAMES

RE-ENTRY FROM 04538-0292

FEE SIMPLE

LT CONVERSION QUALIFIED


<u>CAPACITY</u> <u>SHARE</u>


BEKIM HOLDINGS INC.

ROWN

RECENTLY:

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM		PARTIES TO	CERT/ CHKD
**EFFECTIVI	2000/07/29	THE NOTATION OF THE	BLOCK IMPLEMENTATION DAY	TE" OF 1997/03/17 ON THIS PIN**			
**WAS REPLA	ACED WITH THE	"PIN CREATION DATE"	OF 1999/11/19**				
** PRINTOU!	I INCLUDES ALI	L DOCUMENT TYPES (DEI	LETED INSTRUMENTS NOT IN	CLUDED) **			
**SUBJECT,	ON FIRST REG	STRATION UNDER THE I	LAND TITLES ACT, TO:				
**	SUBSECTION 44	(1) OF THE LAND TITI	LES ACT, EXCEPT PARAGRAPI	H 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES	*		
**	AND ESCHEATS	OR FORFEITURE TO THE	E CROWN.				
**	THE RIGHTS OF	7 ANY PERSON WHO WOUL	LD, BUT FOR THE LAND TIT	LES ACT, BE ENTITLED TO THE LAND OR ANY PART OF			
**	IT THROUGH LE	ENGTH OF ADVERSE POSS	SESSION, PRESCRIPTION, M.	ISDESCRIPTION OR BOUNDARIES SETTLED BY			
**	CONVENTION.						
**	ANY LEASE TO	WHICH THE SUBSECTION	V 70(2) OF THE REGISTRY A	ACT APPLIES.			
**DATE OF (	ONVERSION TO	LAND TITLES: 1999/11	1/22 **				
HU12337	1966/05/04	BYLAW					С
5R2408	1976/02/24	PLAN REFERENCE					С
NS47378Z RE	1979/03/19 MARKS: SEE LT	REST COV APL ANNEX 458517					С
5R10814	1987/05/04	PLAN REFERENCE					С
OC2092531	2019/04/17		\$400,000 4206	991 CANADA INC.		BEKIM HOLDINGS INC.	С
RE	MARKS: PLANNI	NG ACT STATEMENTS.					
oc2092532	2019/04/17	CHARGE	\$587,100 BEKI	M HOLDINGS INC.		WESTBORO MANAGEMENT LTD. WESTBORO MORTGAGE INVESTMENT LP.	С







**Project Property:** P101688.002

2885 Carp Road

Carp ON K0A 1L0

**Project No:** P101688.002

**Report Type:** Quote - Custom-Build Your Own Report

**Order No:** 22033100122

GEMTEC Consulting Engineers and Requested by:

Scientists Limited (Ontario)

April 14, 2022 **Date Completed:** 

## **Table of Contents**

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	8
Executive Summary: Summary By Data Source	
Map	16
Aerial	
Topographic Map	18
Detail Report	19
Unplottable Summary	171
Unplottable Report	172
Appendix: Database Descriptions	179
Definitions	188

#### Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# **Executive Summary**

<b>5</b>		
Property	Information:	

Project Property: P101688.002

2885 Carp Road Carp ON K0A 1L0

**Project No:** *P101688.002* 

**Order Information:** 

 Order No:
 22033100122

 Date Requested:
 March 31, 2022

Requested by: GEMTEC Consulting Engineers and Scientists Limited (Ontario)

Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

# Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Υ	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	2	2
CA	Certificates of Approval	Υ	0	0	0
CDRY	Dry Cleaning Facilities	Υ	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
CHM	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
DTNK	Delisted Fuel Tanks	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	1	1
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	8	2	10
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Υ	0	0	0
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	1	1
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Υ	0	0	0
NPRI	National Pollutant Release Inventory	Υ	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Υ	0	0	0
PES	Pesticide Register	Υ	0	0	0
PINC	Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	2	2
SCT	Scott's Manufacturing Directory	Υ	0	0	0
SPL	Ontario Spills	Υ	0	0	0
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Υ	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Υ	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Υ	0	0	0
WWIS	Water Well Information System	Y	1	26	27
	- -	Total:	9	35	44

# Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	EHS		2885 Carp Road Ottawa ON Carp ON K0A 1L0	W/0.0	0.00	<u>19</u>
<u>2</u> ·	WWIS		2885 CARP ROAD lot 9 con 3 CARP ON Well ID: 7364123	W/0.0	0.01	<u>19</u>
3	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>25</u>
3	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>26</u>
3	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>26</u>
3	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>26</u>
<u>3</u>	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>26</u>
<u>3</u>	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>27</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>3</u>	EHS		2885 Carp Road Carp ON K0A 1L0	NE/0.0	-0.69	<u>27</u>

# Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>4</u>	wwis		WEST LAKE ESTATES LOT 13 lot 10 con 3 CARP ON <i>Well ID</i> : 7156127	W/44.0	0.98	<u>27</u>
<u>5</u>	wwis		WEST LAKE ESTATES LOT 12 lot 10 con 3 CARP ON <i>Well ID</i> : 7156126	W/47.4	1.00	<u>32</u>
<u>6</u>	RST	ULTRAMAR	2879 HIGHWAY 44 CARP CARP ON	E/49.3	-1.00	<u>39</u>
<u>6</u>	RST	ULTRAMAR	2879 HIGHWAY 44 CARP OTTAWA ON	E/49.3	-1.00	<u>39</u>
<u>7</u>	WWIS		2900 CARP ROAD lot 10 con 2 CARP ON <i>Well ID</i> : 7228811	NNE/49.4	-1.00	<u>39</u>
<u>8</u>	WWIS		12 WEST LAKE ESTATES lot 10 con 3 CARP ON  Well ID: 7166860	WNW/66.4	0.99	<u>46</u>
9_	wwis		MCGEE SIDE ROAD lot 10 con 3 CARP ON  Well ID: 7040818	SW/87.6	1.06	<u>47</u>
<u>10</u>	WWIS		500 OSMOND DALEY DR lot 9 con 3 Ottawa ON Well ID: 7317920	SW/88.1	1.06	<u>52</u>
<u>11</u>	ECA	Argcorp Holdings Inc.	2900 Carp Rd Ottawa ON K0A 1L0	NE/90.7	-1.00	<u>55</u>
12	wwis		WEST LAKE ESTATES LOT 13 lot 10 con 3 CARP ON <i>Well ID</i> : 7151491	W/93.3	1.17	<u>55</u>
<u>13</u>	WWIS		LOT 2 OSMOND DAILY DR. CARP ON Well ID: 7218704	SW/95.0	1.01	<u>57</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>14</u>	WWIS		500 OSMOND DALEY DR lot 9 con 3 Ottawa ON	WSW/97.6	1.12	<u>62</u>
			<b>Well ID:</b> 7317919			
<u>15</u>	WWIS		2878 CARP RD OTTAWA ON	E/104.5	-1.00	<u>69</u>
			<b>Well ID:</b> 7264607			
<u>16</u>	WWIS		410 WEST LAKE CIRCLE lot 10 con 3 CARP ON	W/112.4	1.22	<u>76</u>
			<b>Well ID:</b> 7162186			
<u>17</u>	WWIS		lot 10 con 2 ON	NE/113.2	-1.00	<u>84</u>
			<b>Well ID:</b> 1516528			
<u>18</u>	BORE		ON	N/143.5	0.00	<u>87</u>
<u>19</u>	WWIS		3 WEST LAKE SOUTH CARP ON	SSW/145.5	0.00	<u>88</u>
			<b>Well ID:</b> 7254250			
<u>20</u>	WWIS		30 WEST LAKE ESTATES CARP ON	WNW/146.1	1.09	95
			<b>Well ID:</b> 7156079			
<u>21</u>	WWIS		350 WEST LAKE CIRCLE lot 10 con 3 CARP ON	NW/150.8	1.00	102
			<b>Well ID:</b> 7151411			
<u>22</u>	EHS		2878 Carp Rd Ottawa ON K0A1L0	ENE/151.9	-1.04	108
<u>23</u>	WWIS		lot 9 con 3 ON	ESE/158.0	-1.00	<u>109</u>
			Well ID: 1503122			
<u>24</u>	WWIS		517 OSMOND DALEY DRIVE LOT 22 lot 9 con 3 CARP ON Well ID: 7299401	SW/166.0	0.13	<u>111</u>
<u>25</u>	EHS		2900 Carp Rd Ottawa ON K0A1L0	NE/173.6	-0.92	118
<u>26</u>	WWIS		MCGEE SIDE ROAD lot 10 con 3 CARP ON	WSW/174.4	1.30	<u>118</u>
			<b>Well ID:</b> 1536342			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	WWIS		2914 CARP ROAD lot 10 con 2 OTTAWA ON	ENE/183.2	-1.00	124
			<b>Well ID:</b> 7042385			
<u>28</u>	WWIS		330 WEST LANKE CIRCLE lot 10 con 3 CARP ON	NNW/197.9	-0.01	<u>131</u>
			<b>Well ID:</b> 7181766			
<u>29</u>	WWIS		lot 9 con 3 ON	ESE/203.1	-1.31	<u>137</u>
			<b>Well ID:</b> 1514027			
<u>30</u>	BORE		ON	SSE/210.1	-1.00	<u>141</u>
31	WWIS		LOT 4 WEST LAKE SOUTH CARP ON	SSW/218.0	-0.02	142
			<b>Well ID:</b> 7199589			
<u>31</u>	WWIS		524 OSMOND DALEY DRIVE LOT 4 CARP ON	SSW/218.0	-0.02	148
			<b>Well ID:</b> 7287149			
<u>32</u>	wwis		LOT 29N WEST LAKE ESTATES CARP ON	WNW/223.0	1.24	<u>150</u>
			<b>Well ID:</b> 7171005			
<u>33</u>	WWIS		2876 CARP RD lot 9 con 2 CARP ON	ENE/226.7	-1.98	<u>156</u>
			<b>Well ID:</b> 7244461			
<u>34</u>	wwis		OSMOND DALEY DRIVE LOT 4 CARP ON	SSW/229.4	-0.02	<u>162</u>
			<b>Well ID:</b> 7287146			
<u>35</u>	PINC		310 West Lake Circle, Ottawa ON	NW/237.2	1.05	<u>170</u>
<u>36</u>	GEN	Import Extra Ltd.	2848 Carp Road Carp ON K0A 1L0	ESE/242.9	-2.00	<u>170</u>

# Executive Summary: Summary By Data Source

## **BORE** - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
	ON	143.5	<u>18</u>
	ON	210.1	<u>30</u>

## **ECA** - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Feb 28, 2022 has found that there are 1 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Argcorp Holdings Inc.	2900 Carp Rd Ottawa ON K0A 1L0	90.7	<u>11</u>

## **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 10 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	2885 Carp Road Ottawa ON Carp ON K0A 1L0	0.0	1
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>
	2885 Carp Road Carp ON K0A 1L0	0.0	<u>3</u>
	2878 Carp Rd Ottawa ON K0A1L0	151.9	<u>22</u>
	2900 Carp Rd Ottawa ON K0A1L0	173.6	<u>25</u>

## **GEN** - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 1 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Import Extra Ltd.	2848 Carp Road	242.9	<u>36</u>

## **PINC** - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	310 West Lake Circle, Ottawa ON	237.2	<u>35</u>

## **RST** - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Sep 30, 2021 has found that there are 2 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
ULTRAMAR	2879 HIGHWAY 44 CARP CARP ON	49.3	<u>6</u>
ULTRAMAR	2879 HIGHWAY 44 CARP OTTAWA ON	49.3	<u>6</u>

## **WWIS** - Water Well Information System

A search of the WWIS database, dated Sep 30, 2021 has found that there are 27 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	Address	Distance (m)	Map Key
	2885 CARP ROAD lot 9 con 3 CARP ON	0.0	<u>2</u>
	<b>Well ID:</b> 7364123		
	WEST LAKE ESTATES LOT 13 lot 10 con 3 CARP ON	44.0	<u>4</u>
	Well ID: 7156127		
	WEST LAKE ESTATES LOT 12 lot 10 con 3 CARP ON	47.4	<u>5</u>
	<b>Well ID:</b> 7156126		
	2900 CARP ROAD lot 10 con 2 CARP ON	49.4	<u>7</u>
	<b>Well ID:</b> 7228811		
	12 WEST LAKE ESTATES lot 10 con 3 CARP ON	66.4	<u>8</u>
	<b>Well ID:</b> 7166860		

_	• •
•	ıtΔ
·	ILC


Address MCGEE SIDE ROAD lot 10 con 3	Distance (m) 87.6	Map Key 9
CARP ON <b>Well ID:</b> 7040818		
500 OSMOND DALEY DR lot 9 con 3 Ottawa ON	88.1	<u>10</u>
<b>Well ID:</b> 7317920		
WEST LAKE ESTATES LOT 13 lot 10 con 3 CARP ON	93.3	<u>12</u>
<b>Well ID:</b> 7151491		
LOT 2 OSMOND DAILY DR. CARP ON	95.0	<u>13</u>
<b>Well ID:</b> 7218704		
500 OSMOND DALEY DR lot 9 con 3 Ottawa ON	97.6	<u>14</u>
<b>Well ID:</b> 7317919		
2878 CARP RD OTTAWA ON	104.5	<u>15</u>
<b>Well ID:</b> 7264607		
410 WEST LAKE CIRCLE lot 10 con 3 CARP ON	112.4	<u>16</u>
<b>Well ID:</b> 7162186		
lot 10 con 2 ON	113.2	<u>17</u>
<b>Well ID:</b> 1516528		
3 WEST LAKE SOUTH CARP ON	145.5	<u>19</u>
<b>Well ID:</b> 7254250		
30 WEST LAKE ESTATES CARP ON	146.1	<u>20</u>
<b>Well ID:</b> 7156079		
350 WEST LAKE CIRCLE lot 10 con 3 CARP ON	150.8	<u>21</u>
<b>Well ID:</b> 7151411		
lot 9 con 3 ON	158.0	<u>23</u>

Address Well ID: 1503122	Distance (m)	<u>Map Key</u>
517 OSMOND DALEY DRIVE LOT 22 lot 9 con 3 CARP ON Well ID: 7299401	166.0	<u>24</u>
MCGEE SIDE ROAD lot 10 con 3 CARP ON Well ID: 1536342	174.4	<u>26</u>
76.72. 16666 12		
2914 CARP ROAD lot 10 con 2 OTTAWA ON	183.2	<u>27</u>
<b>Well ID:</b> 7042385		
330 WEST LANKE CIRCLE lot 10 con 3 CARP ON	197.9	<u>28</u>
<b>Well ID:</b> 7181766		
lot 9 con 3 ON	203.1	<u>29</u>
<b>Well ID:</b> 1514027		
LOT 4 WEST LAKE SOUTH CARP ON	218.0	<u>31</u>
<b>Well ID:</b> 7199589		
524 OSMOND DALEY DRIVE LOT 4 CARP ON	218.0	<u>31</u>
<b>Well ID:</b> 7287149		
LOT 29N WEST LAKE ESTATES CARP ON	223.0	<u>32</u>
<b>Well ID:</b> 7171005		
2876 CARP RD lot 9 con 2 CARP ON	226.7	<u>33</u>
<b>Well ID:</b> 7244461		
OSMOND DALEY DRIVE LOT 4 CARP ON	229.4	<u>34</u>

Order No: 22033100122

Well ID: 7287146

<u>Site</u>




Aerial Year: 2021

Address: 2885 Carp Road, Carp, ON

Source: ESRI World Imagery

Order Number: 22033100122





# **Topographic Map**

Address: 2885 Carp Road, ON

Source: ESRI World Topographic Map

Order Number: 22033100122







# **Detail Report**

	Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
1	1 of 1		W/0.0	117.9 / 0.00	2885 Carp Road Ottav Carp ON K0A 1L0	va ON	EHS
Order No:		20190301	036		Nearest Intersection:		
Status:		С			Municipality:		
Report Type:	•	Custom R	eport		Client Prov/State:	ON	
Report Date:		07-MAR-1	9		Search Radius (km):	.25	
Date Receive	ed:	01-MAR-1	9		<b>X</b> :	-75.993224	
Previous Site					Y:	45.308782	
Lot/Building							
Additional Inf	o Ordered	:	Fire Insur. Maps and	d/or Site Plans			
<u>2</u>	1 of 1		W/0.0	117.9 / 0.01	2885 CARP ROAD lot CARP ON	9 con 3	wwis
Well ID:		7364123			Data Entry Status:		
Construction	Date:	7504125			Data Src:		
Primary Wate		Domestic			Date Received:	8/6/2020	
Sec. Water U		20000			Selected Flag:	TRUE	
Final Well Sta		Water Sup	ylq		Abandonment Rec:		
Water Type:			1 7		Contractor:	7681	
Casing Mater	rial:				Form Version:	7	
Audit No:		Z316883			Owner:		
Tag:		A295355			Street Name:	2885 CARP ROAD	
Construction Method:	1				County:	OTTAWA	
Elevation (m)	) <i>:</i>				Municipality:	HUNTLEY TOWNSHIP	
Elevation Rel	liability:				Site Info:		
Depth to Bed	lrock:				Lot:	009	
Well Depth:					Concession:	03	
Overburden/L	Bedrock:				Concession Name:	CON	
Pump Rate:	_				Easting NAD83:		
Static Water I					Northing NAD83:		
Flowing (Y/N)	):				Zone:		
Flow Rate: Clear/Cloudy	<i>':</i>				UTM Reliability:		
Bore Hole Info	ormation						
Bore Hole ID:	:	10084156	11		Elevation:		
DP2BR:					Elevrc:		
Spatial Status	s:				Zone:	18	
Code OB:					East83:	422101.00	
Code OB Des	sc:				North83:	5017719.00	
Open Hole: Cluster Kind:					Org CS:	UTM83	
Cluster Kind: Date Comple		25_ lun 20	20 00:00:00		UTMRC: UTMRC Desc:	4 margin of error : 30 m - 100 m	
Date Complet Remarks:	ieu.	20-Jun-20	20 00.00.00		Location Method:	wwr	
Remarks: Elevrc Desc:					Location Method.	VV VV I	
ocation Soul	rce Date						
	Location S	Source:					

Order No: 22033100122

Improvement Location Method: Source Revision Comment:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

### Supplier Comment:

#### Overburden and Bedrock

Materials Interval

**Formation ID:** 1008688161

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 46
Mat2 Desc: QUARTZ

Mat3:

Mat3 Desc:

Formation Top Depth: 17.0
Formation End Depth: 202.0
Formation End Depth UOM: ft

### Overburden and Bedrock

Materials Interval

**Formation ID:** 1008688160

Layer: 1

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 13

 Mat3 Desc:
 BOULDERS

Formation Top Depth: 0.0
Formation End Depth: 17.0
Formation End Depth UOM: ft

## Annular Space/Abandonment

Sealing Record

**Plug ID:** 1008688197

 Layer:
 2

 Plug From:
 13.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

## Annular Space/Abandonment

Sealing Record

**Plug ID:** 1008688196

 Layer:
 1

 Plug From:
 23.0

 Plug To:
 13.0

 Plug Depth UOM:
 ft

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 1008688195

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

### Pipe Information

**Pipe ID:** 1008688158

Casing No:

Comment: Alt Name:

#### **Construction Record - Casing**

**Casing ID:** 1008688166

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

 Depth From:
 23.0

 Depth To:
 202.0

 Casing Diameter:
 6.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

## **Construction Record - Casing**

Casing ID: 1008688165

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 -2.0

 Depth To:
 23.0

 Casing Diameter:
 6.25

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

### **Construction Record - Screen**

**Screen ID:** 1008688167

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

#### Results of Well Yield Testing

 Pump Test ID:
 1008688159

 Pump Set At:
 180.0

**Static Level:** 12.666999816894531

Final Level After Pumping: 15.5
Recommended Pump Depth: 100.0
Pumping Rate: 20.0
Flowing Rate:

Recommended Pump Rate:

Levels UOM:ftRate UOM:GPMWater State After Test Code:0

Water State After Test:
Pumping Test Method:
Pumping Duration HR:
1
Pumping Duration MIN:
0

Flowing:

Order No: 22033100122

20.0

**Draw Down & Recovery** 

Pump Test Detail ID:1008688186Test Type:Draw Down

Test Duration: 30

*Test Level:* 15.600000381469727

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1008688190Test Type:Draw Down

Test Duration: 50

*Test Level:* 15.600000381469727

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1008688192Test Type:Draw Down

Test Duration: 60

**Test Level:** 15.600000381469727

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1008688177
Test Type: Recovery

Test Duration:

*Test Level:* 12.800000190734863

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1008688179Test Type:Recovery

Test Duration: 10

*Test Level:* 12.800000190734863

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1008688183
Test Type: Recovery

Test Duration: 20

**Test Level:** 12.800000190734863

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1008688169
Test Type: Recovery

Test Duration:

**Test Level:** 13.899999618530273

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1008688173

Test Type: Recovery 3

Test Duration:

12.800000190734863 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

1008688191 Pump Test Detail ID: Test Type: Recovery Test Duration: 50

12.800000190734863 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1008688193 Test Type: Recovery Test Duration: 60

Test Level: 12.800000190734863

Test Level UOM: ft

#### **Draw Down & Recovery**

1008688172 Pump Test Detail ID: Test Type: Draw Down Test Duration: 3 Test Level: 15.5 Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID: 1008688181 Test Type: Recovery

Test Duration: 15

Test Level: 12.800000190734863

Test Level UOM: ft

# **Draw Down & Recovery**

1008688182 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 20

Test Level: 15.600000381469727

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1008688188 Draw Down Test Type:

Test Duration: 40

Test Level: 15.600000381469727

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1008688189 Test Type: Recovery

Test Duration: 40

Test Level: 12.800000190734863

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1008688168Test Type:Draw Down

Test Duration: 1

**Test Level:** 15.300000190734863

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1008688170Test Type:Draw Down

Test Duration: 2

**Test Level:** 15.399999618530273

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1008688174Test Type:Draw Down

 Test Duration:
 4

 Test Level:
 15.5

 Test Level UOM:
 ft

**Draw Down & Recovery** 

Pump Test Detail ID:1008688175Test Type:Recovery

Test Duration: 4

**Test Level:** 12.800000190734863

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1008688178Test Type:Draw Down

Test Duration: 10

**Test Level:** 15.600000381469727

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1008688184Test Type:Draw Down

Test Duration: 25

**Test Level:** 15.600000381469727

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1008688185
Test Type: Recovery

**Test Duration:** 25

**Test Level:** 12.800000190734863

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1008688171 Test Type: Recovery

Test Duration: 2

12.800000190734863 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1008688176 Test Type: Draw Down

Test Duration: 5 Test Level: 15.5 Test Level UOM: ft

### **Draw Down & Recovery**

1008688180 Pump Test Detail ID: Draw Down Test Type:

Test Duration: 15

15.600000381469727 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1008688187 Recovery Test Type:

Test Duration: 30

Test Level: 12.800000190734863

Test Level UOM: ft

#### Water Details

Water ID: 1008688164

Layer: Kind Code: 8

Kind: Untested Water Found Depth: 177.0 Water Found Depth UOM:

## Hole Diameter

Hole ID: 1008688162 Diameter: 9.75 Depth From: 0.0 Depth To: 23.0 Hole Depth UOM: Hole Diameter UOM: inch

#### **Hole Diameter**

Hole ID: 1008688163 Diameter: 6.0 Depth From: 23.0 202.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

3 1 of 7 NE/0.0 117.2 / -0.69 2885 Carp Road **EHS** Carp ON KOA 1L0

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Order No: Status: Report Type Report Date Date Receive Previous Sit Lot/Building Additional In	: ed: e Name: s Size:	20200107041 C Standard Report 10-JAN-20 07-JAN-20 City Directory; Aeri	al Photos	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.992395 45.3095058	
3	2 of 7	NE/0.0	117.2 / -0.69	2885 Carp Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: e Name: s Size:	20200107041 C Standard Report 10-JAN-20 07-JAN-20	al Photos	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.992395 45.3095058	
<u>3</u>	3 of 7	NE/0.0	117.2 / -0.69	2885 Carp Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Pate Receive Previous Sit Lot/Building Additional In	: ed: e Name: s Size:	20200107041 C Standard Report 10-JAN-20 07-JAN-20 City Directory; Aeri	al Photos	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.992395 45.3095058	
<u>3</u>	4 of 7	NE/0.0	117.2 / -0.69	2885 Carp Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: e Name: s Size:	20200107041 C Standard Report 10-JAN-20 07-JAN-20	al Photos	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.992395 45.3095058	
<u>3</u>	5 of 7	NE/0.0	117.2 / -0.69	2885 Carp Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: e Name: s Size:	20200107041 C Standard Report 10-JAN-20 07-JAN-20	al Photos	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.992395 45.3095058	

117.2 / -0.69

6 of 7

Status: С

Report Type: Standard Report 10-JAN-20 Report Date: Date Received: 07-JAN-20

Previous Site Name: Lot/Building Size:

3

Order No:

Additional Info Ordered: City Directory; Aerial Photos

20200107041

NE/0.0

2885 Carp Road Carp ON KOA 1L0

Nearest Intersection: Municipality:

Client Prov/State: ON Search Radius (km): .25

-75.992395 X: Y: 45.3095058 **EHS** 

Order No: 22033100122

3 7 of 7 NE/0.0 117.2 / -0.69 2885 Carp Road **EHS** Carp ON KOA 1L0

Order No: 20200107041 Status: С Standard Report Report Type:

Report Date: 10-JAN-20 07-JAN-20 Date Received:

Previous Site Name: Lot/Building Size:

Additional Info Ordered: City Directory; Aerial Photos Nearest Intersection: Municipality: Client Prov/State:

Search Radius (km): .25 -75.992395 X: Y: 45.3095058

ON

1 of 1 W/44.0 118.9 / 0.98 WEST LAKE ESTATES LOT 13 lot 10 con 3 4 **WWIS** 

Well ID: 7156127

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Z115624 A102392 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: **CARP ON** 

Data Entry Status:

Data Src:

Date Received: 12/9/2010 Selected Flag: TRUE

Abandonment Rec:

Contractor: 1558 Form Version:

Owner: Street Name: WEST LAKE ESTATES LOT 13

County: **OTTAWA HUNTLEY TOWNSHIP** 

Municipality: Site Info:

010 Lot: Concession: 03 Concession Name: CON

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/715\7156127.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/09/29 2010 Year Completed: Depth (m): 74.67

45.3089266300038 Latitude: Longitude: -75.9943158876976 Path: 715\7156127.pdf

Elevation:

18 422055.00

5017750.00

margin of error: 10 - 30 m

Order No: 22033100122

UTM83

wwr

Elevrc:

East83:

North83:

Org CS:

**UTMRC**:

**UTMRC Desc:** 

Location Method:

Zone:

**Bore Hole Information** 

1003434950 Bore Hole ID:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 29-Sep-2010 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** 

Overburden and Bedrock

**Materials Interval** 

Formation ID: 1003733401

Layer: 6 Color: General Color: **BROWN** Mat1: 11 **GRAVEL** Most Common Material: Mat2: 13

Mat2 Desc: **BOULDERS** Mat3: 79 PACKED Mat3 Desc: Formation Top Depth: 0.0

Formation End Depth: 10.050000190734863

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1003733402

Layer: 2 2 Color: General Color: **GREY** 

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

10.050000190734863 Formation Top Depth: 74.66999816894531 Formation End Depth:

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003733429

Layer:

Plug From: 13.100000381469727

Plug To: 0.0 Plug Depth UOM: m

Method of Construction & Well

erisinfo.com | Environmental Risk Information Services

<u>Use</u>

Method Construction ID: 1003733427

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

**Pipe ID:** 1003733399

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003733406

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 -0.44999998807907104

 Depth To:
 13.10000381469727

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

**Construction Record - Screen** 

**Screen ID:** 1003733407

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

**Pump Test ID:** 1003733400

Pump Set At:

 Static Level:
 5.019999980926514

 Final Level After Pumping:
 9.119999885559082

 Recommended Pump Depth:
 30.469999313354492

 Pumping Rate:
 40.95000076293945

 Flowing Rate:
 40.95000076293945

**Recommended Pump Rate:** 40.95000076293945

Levels UOM:mRate UOM:LPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:0Pumping Duration HR:1

Pumping Duration MIN: Flowing:

**Draw Down & Recovery** 

Pump Test Detail ID:1003733409Test Type:RecoveryTest Duration:1

**Test Level:** 7.070000171661377

Test Level UOM: m

# Draw Down & Recovery

Pump Test Detail ID:1003733419Test Type:Draw Down

Test Duration: 15

**Test Level:** 9.0600004196167

Test Level UOM:

#### **Draw Down & Recovery**

Pump Test Detail ID:1003733422Test Type:Draw Down

Test Duration: 30

**Test Level:** 9.15999984741211

Test Level UOM: m

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1003733410

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 6.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1003733411Test Type:Draw Down

Test Duration: 3

**Test Level:** 7.440000057220459

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003733418Test Type:Recovery

Test Duration: 10

**Test Level:** 5.019999980926514

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003733421Test Type:Draw Down

Test Duration: 25

**Test Level:** 9.130000114440918

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1003733414
Test Type: Recovery

Test Duration: 4

**Test Level:** 5.599999904632568

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003733415Test Type:Draw Down

 Test Duration:
 5

 Test Level:
 8.0

 Test Level UOM:
 m

**Draw Down & Recovery** 

Pump Test Detail ID:1003733424Test Type:Draw DownTest Duration:50

Test Level: 9.130000114440918

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1003733425Test Type:Draw Down

Test Duration: 60

**Test Level:** 9.119999885559082

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003733413Test Type:Draw Down

Test Duration: 4

**Test Level:** 7.699999809265137

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1003733420Test Type:Draw Down

Test Duration: 20

**Test Level:** 9.100000381469727

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003733408Test Type:Draw Down

Test Duration:

**Test Level:** 6.21999979019165

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003733412Test Type:Recovery

Test Duration: 3

**Test Level:** 5.940000057220459

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003733416Test Type:Recovery

Test Duration: 5

Test Level: 5.050000190734863

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733417 Test Type: Draw Down

Test Duration: 10

Test Level: 8.729999542236328

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733423 Test Type: Draw Down

Test Duration: 40

9.130000114440918 Test Level:

Test Level UOM: m

Water Details

Water ID: 1003733405

Layer: Kind Code: 8

Kind: Untested

Water Found Depth: 72.2300033569336

Water Found Depth UOM:

Hole Diameter

Hole ID: 1003733403

Diameter: 15.859999656677246

Depth From: 0.0

Depth To: 13.100000381469727

Hole Depth UOM: Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1003733404

15.229999542236328 Diameter: Depth From: 13.100000381469727 Depth To: 74.66999816894531

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1 W/47.4 118.9 / 1.00 WEST LAKE ESTATES LOT 12 lot 10 con 3 5 **WWIS CARP ON** 

Abandonment Rec:

Contractor:

Owner:

Form Version:

Street Name:

1558

WEST LAKE ESTATES LOT 12

Order No: 22033100122

Well ID: 7156126 Data Entry Status: Construction Date: Data Src:

12/9/2010 Primary Water Use: Domestic Date Received: Sec. Water Use: Selected Flag: TRUE

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Z115622

A102341 Tag:

Construction Method: County: **OTTAWA** 

**HUNTLEY TOWNSHIP** Municipality: Elevation (m):

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Elevation Reliability:

Site Info: Depth to Bedrock: 010 Lot: Well Depth: Concession: 03 Overburden/Bedrock: CON Concession Name:

Pump Rate: Easting NAD83: Northing NAD83: Static Water Level: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/715\7156126.pdf PDF URL (Map):

#### Additional Detail(s) (Map)

Well Completed Date: 2010/09/23 Year Completed: 2010 Depth (m): 67.96

45.3087342962884 Latitude: -75.9946952227198 Longitude: Path: 715\7156126.pdf

## **Bore Hole Information**

1003434948 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 422025.00 Code OB Desc: North83: 5017729.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: Date Completed: 23-Sep-2010 00:00:00 **UTMRC Desc:** margin of error: 10 - 30 m

**Location Method:** Remarks: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

## Overburden and Bedrock

**Materials Interval** 

Formation ID: 1003733339

Layer: 4 2 Color: General Color: **GREY** Mat1: 15

LIMESTONE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.489999771118164 Formation End Depth: 67.95999908447266

Formation End Depth UOM:

Overburden and Bedrock

**Materials Interval** 

Formation ID: 1003733336

Layer: 6 Color:

General Color: **BROWN** Mat1: 28 SAND Most Common Material: Mat2: 02 Mat2 Desc: **TOPSOIL** Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 0.0

Formation End Depth: 3.6500000953674316

Formation End Depth UOM: m

## Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1003733337

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

 Mat3:
 13

 Mat3 Desc:
 BOULDERS

Mat3 Desc:BOULDERSFormation Top Depth:3.6500000953674316

Formation End Depth: 8.220000267028809

Formation End Depth UOM: m

## Overburden and Bedrock

Materials Interval

Formation ID: 1003733338

Layer: Color: 6 General Color: **BROWN** Mat1: 28 SAND Most Common Material: Mat2: 12 Mat2 Desc: **STONES** Mat3: 79 **PACKED** Mat3 Desc:

 Formation Top Depth:
 8.220000267028809

 Formation End Depth:
 12.489999771118164

Formation End Depth UOM: m

### Annular Space/Abandonment

Sealing Record

**Plug ID:** 1003733370

Layer:

**Plug From:** 15.539999961853027

Plug To: 0.0
Plug Depth UOM: m

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003733368

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

**Pipe Information** 

Alt Name:

1003733334 Pipe ID:

Casing No: Comment:

Construction Record - Casing

Casing ID: 1003733345

Layer: 1 Material: Open Hole or Material: STEEL

Depth From: -0.44999998807907104 Depth To: 15.539999961853027 Casing Diameter: 15.859999656677246

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003733346

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

1003733335 Pump Test ID:

Pump Set At: 30.469999313354492 Static Level: 5.420000076293945 Final Level After Pumping: 5.699999809265137 Recommended Pump Depth: 22.850000381469727

45.5

Pumping Rate:

Flowing Rate:

Recommended Pump Rate: 45.5 Levels UOM: m Rate UOM: LPM Water State After Test Code: 1 Water State After Test: **CLEAR** 

Pumping Test Method: 0 **Pumping Duration HR:** 2 **Pumping Duration MIN:** 

Flowing:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733348 Test Type: Recovery

Test Duration:

Test Level: 5.449999809265137

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733365 Draw Down Test Type:

Test Duration: 50

**Test Level:** 5.690000057220459

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003733366Test Type:Draw Down

Test Duration: 60

**Test Level:** 5.699999809265137

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003733354
Test Type: Recovery

Test Duration: 4

**Test Level:** 5.429999828338623

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1003733359Test Type:Draw Down

Test Duration: 15

**Test Level:** 5.690000057220459

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID:1003733352Test Type:Recovery

Test Duration: 3

**Test Level:** 5.440000057220459

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003733364Test Type:Draw Down

Test Duration: 40

**Test Level:** 5.71999979019165

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1003733357Test Type:Draw Down

Test Duration: 10

**Test Level:** 5.690000057220459

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003733349Test Type:Draw Down

Test Duration: 2

**Test Level:** 5.690000057220459

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733351 Test Type: Draw Down

Test Duration:

5.690000057220459 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733363 Test Type: Draw Down

Test Duration: 30

5.710000038146973 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

1003733347 Pump Test Detail ID: Test Type: Draw Down

Test Duration:

5.679999828338623 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733360 Test Type: Recovery Test Duration: 15

Test Level: 5.420000076293945

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733362 Test Type: Draw Down

Test Duration: 25

Test Level: 5.710000038146973

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733350 Test Type: Recovery

Test Duration:

Test Level: 5.440000057220459

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733356 Test Type: Recovery

Test Duration:

5.429999828338623 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003733358

Test Type: Recovery

Test Duration: 10

5.429999828338623 Test Level:

Test Level UOM: m

### **Draw Down & Recovery**

1003733361 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 20

5.690000057220459 Test Level:

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID: 1003733353 Draw Down Test Type:

Test Duration:

Test Level: 5.690000057220459

Test Level UOM: m

#### **Draw Down & Recovery**

1003733355 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 5

Test Level: 5.690000057220459

Test Level UOM: m

#### Water Details

Water ID: 1003733344

Layer: 2 Kind Code: 8

Untested Kind:

Water Found Depth: 66.73999786376953

Water Found Depth UOM: m

## Water Details

Water ID: 1003733343

Layer: 1 Kind Code:

8

Kind: Untested

Water Found Depth: 20.110000610351562

Water Found Depth UOM:

## Hole Diameter

1003733342 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

### Hole Diameter

Hole ID: 1003733340

15.859999656677246 Diameter:

Map Key	Numbe Record		Elev/Diff (m)	Site		DB
Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		0.0 15.5399999618530 m cm	027			
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1003733341 15.229999542236: 15.539999961853( 67.959999084472) m cm	027			
<u>6</u>	1 of 2	E/49.3	116.9/-1.00	ULTRAMAR 2879 HIGHWAY 44 C CARP ON	CARP	RST
Headcode: Headcode De Phone: List Name: Description:	esc:	00924800 FUEL OIL 6138393200				
<u>6</u>	2 of 2	E/49.3	116.9/-1.00	ULTRAMAR 2879 HIGHWAY 44 C OTTAWA ON	CARP	RST
Headcode: Headcode De Phone: List Name: Description:	esc:	00924800 FUEL OIL 6137275200				
7	1 of 1	NNE/49.4	116.9/-1.00	2900 CARP ROAD IO CARP ON	ot 10 con 2	wwis
Well ID: Construction Primary Wate Sec. Water U Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rep Depth to Bed Well Depth: Overburden/I Pump Rate: Static Water Flowing (Y/N) Flow Rate: Clear/Cloudy	er Use: lse: lse: lse: lse: latus: lial: liability: lrock: Bedrock: Level:	7228811 Commerical Water Supply Z190180 A142292		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/3/2014 TRUE 4875 7 2900 CARP ROAD OTTAWA HUNTLEY TOWNSHIP 010 02 CON	
PDF URL (Ma		https://d2khazk8e8	3rdv.cloudfront.ne	t/moe mapping/downloads	s/2Water/Wells_pdfs/722\7228811.	odf

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Zone:

East83:

18 422200.00

5017868.00

margin of error: 30 m - 100 m

Order No: 22033100122

UTM83

Additional Detail(s) (Map)

2014/07/16 Well Completed Date: 2014 Year Completed: Depth (m): 58

45.3100047268003 Latitude:

Longitude: -75.9924849907262 Path: 722\7228811.pdf

**Bore Hole Information** 

1005148527 Bore Hole ID: Elevation: Elevrc:

DP2BR: Spatial Status: Code OB: Code OB Desc:

North83: Open Hole: Org CS: Cluster Kind: UTMRC:

UTMRC Desc: Date Completed: 16-Jul-2014 00:00:00

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005377576

Layer: Color: 6 **BROWN** General Color: Mat1: 28 SAND Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.5199999809265137

Formation End Depth UOM:

Overburden and Bedrock

**Materials Interval** 

Formation ID: 1005377577

2 Layer: Color: 2 General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE

Mat2: 17 SHALE Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 1.5199999809265137

Formation End Depth: 58.0 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1005377611

Layer: 1 0.0

**Plug To:** 9.149999618530273

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005377610

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

**Pipe ID:** 1005377574

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005377581

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 -0.6399999856948853

 Depth To:
 9.149999618530273

 Casing Diameter:
 15.880000114440918

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

**Screen ID:** 1005377582

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

**Pump Test ID:** 1005377575

Pump Set At: 30.5

 Static Level:
 3.490000009536743

 Final Level After Pumping:
 13.079999923706055

 Recommended Pump Depth:
 42.70000076293945

20.0

Pumping Rate:

Flowing Rate:
Recommended Pump Rate:

Levels UOM:

Rate UOM:

State UOM:

M

LPM

Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0

Pumping Duration HR:

**Pumping Duration MIN:** 

Flowing:

### **Draw Down & Recovery**

Pump Test Detail ID: 1005377584
Test Type: Recovery

Test Duration:

**Test Level:** 12.210000038146973

1

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005377595Test Type:Draw Down

Test Duration: 15

**Test Level:** 9.210000038146973

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005377600Test Type:Recovery

Test Duration: 25

**Test Level:** 4.059999942779541

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1005377603Test Type:Draw Down

Test Duration: 40

**Test Level:** 12.229999542236328

Test Level UOM: m

## Draw Down & Recovery

Pump Test Detail ID:1005377585Test Type:Draw Down

Test Duration: 2

**Test Level:** 4.949999809265137

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1005377597Test Type:Draw Down

Test Duration: 20

**Test Level:** 10.800000190734863

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1005377604
Test Type: Recovery

Test Duration: 40

**Test Level:** 3.7799999713897705

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1005377606
Test Type: Recovery

Test Duration: 50

**Test Level:** 3.7300000190734863

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1005377588Test Type:Recovery

Test Duration: 3

**Test Level:** 10.630000114440918

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1005377594
Test Type: Recovery

Test Duration: 10

**Test Level:** 6.940000057220459

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1005377601Test Type:Draw Down

Test Duration: 30

**Test Level:** 11.350000381469727

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1005377605Test Type:Draw Down

Test Duration: 50

**Test Level:** 12.6899995803833

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1005377592 Test Type: Recovery

**Test Duration:** 5

**Test Level:** 9.34000015258789

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1005377583Test Type:Draw Down

Test Duration: 1

**Test Level:** 4.519999980926514

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1005377587

Draw Down Test Type:

Test Duration: 3

5.579999923706055 Test Level:

Test Level UOM: m

#### **Draw Down & Recovery**

1005377590 Pump Test Detail ID: Test Type: Recovery

Test Duration:

9.930000305175781 Test Level:

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID: 1005377598 Recovery Test Type: Test Duration: 20

Test Level: 4.550000190734863

Test Level UOM: m

#### **Draw Down & Recovery**

1005377599 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 25

Test Level: 10.789999961853027

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005377607 Test Type: Draw Down

Test Duration: 60

Test Level: 13.079999923706055

Test Level UOM: m

### **Draw Down & Recovery**

1005377608 Pump Test Detail ID: Test Type: Recovery

Test Duration: 60

Test Level: 3.6700000762939453

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1005377586 Test Type: Recovery

Test Duration: 2

Test Level: 11.420000076293945

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005377593 Test Type: Draw Down

Test Duration: 10

Test Level: 8.020000457763672

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID: 1005377596
Test Type: Recovery

Test Duration: 15

*Test Level:* 5.400000095367432

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1005377602Test Type:Recovery

Test Duration: 30

**Test Level:** 3.880000114440918

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005377591Test Type:Draw Down

Test Duration: 5

**Test Level:** 6.400000095367432

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005377589Test Type:Draw Down

Test Duration: 4

**Test Level:** 5.949999809265137

Test Level UOM: m

## Water Details

*Water ID:* 1005377580

Layer: 1 Kind Code: 8

Kind: Untested

Water Found Depth: 54.29999923706055

Water Found Depth UOM:

### Hole Diameter

**Hole ID:** 1005377578

**Diameter:** 24.700000762939453

**Depth From:** 0.0

**Depth To:** 9.149999618530273

Hole Depth UOM: m Hole Diameter UOM: cm

## Hole Diameter

**Hole ID:** 1005377579

 Diameter:
 15.239999771118164

 Depth From:
 9.149999618530273

Depth To: 58.0
Hole Depth UOM: m
Hole Diameter UOM: cm

8 1 of 1 WNW/66.4 118.9 / 0.99 12 WEST LAKE ESTATES lot 10 con 3 CARP ON

5 . 5 . 6 . .

CON

**WWIS** 

Order No: 22033100122

Well ID: 7166860 Data Entry Status: Construction Date: Data Src:

Primary Water Use:Date Received:8/5/2011Sec. Water Use:Selected Flag:TRUEFinal Well Status:Abandoned-SupplyAbandonment Rec:YesWater Type:Contractor:1558

Casing Material:Form Version:Audit No:Z115668Owner:

Tag: Street Name: 12 WEST LAKE ESTATES

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 HUNTLEY TOWNSHIP

 Elevation Reliability:
 Site Info:

 Depth to Bedrock:
 Lot:
 010

 Well Depth:
 Concession:
 03

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:Flow Rate:UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/716\7166860.pdf

### Additional Detail(s) (Map)

Well Completed Date: 2010/11/22 Year Completed: 2010

Depth (m):

Clear/Cloudy:

 Latitude:
 45.3093154100397

 Longitude:
 -75.9941185781285

 Path:
 716\7166860.pdf

#### **Bore Hole Information**

 Bore Hole ID:
 1003546713
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 422071.00

 Code OB Desc:
 North83:
 5017793.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

 Date Completed:
 22-Nov-2010 00:00:00
 UTMRC Desc:
 margin of error : 10 - 30 m

 Remarks:
 Location Method:
 wwr

Remarks: Location
Elevro Desc:
Location Source Date:

Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

# Annular Space/Abandonment

Sealing Record

**Plug ID:** 1003903939

Layer:

**Plug From:** 37.47999954223633

Plug To: 0.0
Plug Depth UOM: m

Site DΒ Map Key Number of Direction/ Elev/Diff Records Distance (m) (m)

Method of Construction & Well

<u>Use</u>

**Method Construction ID: Method Construction Code: Method Construction:** Other Method Construction: 1003903938

Pipe Information

Pipe ID: 1003903932

Casing No: Comment: Alt Name:

Construction Record - Casing

1003903936 Casing ID:

Layer: Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter: Casing Diameter UOM: cm Casing Depth UOM: m

**Construction Record - Screen** 

Screen ID: 1003903937

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1003903935

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

**Hole Diameter** 

Hole ID: 1003903934

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1

118.9 / 1.06 MCGEE SIDE ROAD lot 10 con 3

**CARP ON** 

**WWIS** 

Order No: 22033100122

SW/87.6

9

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

7040818 Well ID:

Construction Date:

Primary Water Use: Not Used

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z55593 A043542 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

Date Received: 2/12/2007 Selected Flag: TRUE

Abandonment Rec:

Contractor: 1119 Form Version:

Owner:

Street Name: MCGEE SIDE ROAD

**OTTAWA** 

County: Municipality: **HUNTLEY TOWNSHIP** 

Site Info:

010 Lot: Concession: 03 Concession Name: CON

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/704\7040818.pdf

## Additional Detail(s) (Map)

2006/12/11 Well Completed Date: Year Completed: 2006 Depth (m): 24.38

Latitude: 45.3075905084204 Longitude: -75.9947645102925 704\7040818.pdf Path:

## **Bore Hole Information**

Bore Hole ID: 11763375

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Dec-2006 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** 

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 933091880

Layer: 2 Color: 2 General Color: **GREY** Mat1: LIMESTONE

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc: Elevation: Elevrc:

18 Zone:

East83: 422018.00 North83: 5017602.00 Org CS: UTM83 UTMRC:

**UTMRC Desc:** margin of error: 10 - 30 m

Order No: 22033100122

Location Method:

Formation Top Depth: 15.850000381469727 Formation End Depth: 24.3799991607666

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

**Formation ID:** 933091879

Layer: Color:

General Color:

Mat1:

Most Common Material:SANDMat2:11Mat2 Desc:GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 15.850000381469727

28

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 933314017

Layer:

 Plug From:
 18.59000015258789

 Plug To:
 15.539999961853027

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 933314018

Layer: 2

**Plug From:** 15.539999961853027

Plug To: 0.0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID:967040818Method Construction Code:5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

**Pipe ID:** 11771065

Casing No:

Comment: Alt Name:

**Construction Record - Casing** 

**Casing ID:** 930895896

Layer: 1
Material: 1

Open Hole or Material:STEELDepth From:0.0

 Depth To:
 19.200000762939453

 Casing Diameter:
 15.880000114440918

Casing Diameter UOM: cm
Casing Depth UOM: m

#### **Construction Record - Casing**

**Casing ID:** 930895897

Layer: 2 Material: 4

 Open Hole or Material:
 OPEN HOLE

 Depth From:
 18.59000015258789

 Depth To:
 24.3799991607666

Casing Diameter:

Casing Diameter UOM: cm
Casing Depth UOM: m

#### Results of Well Yield Testing

**Pump Test ID:** 11777348

 Pump Set At:
 15.239999771118164

 Static Level:
 4.559999942779541

 Final Level After Pumping:
 4.670000076293945

 Recommended Pump Depth:
 15.239999771118164

Pumping Rate: 91.0

Flowing Rate:

Recommended Pump Rate: 91.0

Levels UOM: m

Rate UOM: LPM

Water State After Test Code: 2

Water State After Test: CLOUDY

Pumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0

Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID:11817396Test Type:Draw Down

Test Duration:

**Test Level:** 4.570000171661377

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID:11817407Test Type:Draw Down

Test Duration: 40

**Test Level:** 4.670000076293945

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:11817399Test Type:Draw Down

Test Duration:

**Test Level:** 4.590000152587891

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID: 11817406
Test Type: Draw Down

Test Duration: 30

**Test Level:** 4.670000076293945

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11817398Test Type:Draw Down

Test Duration:

**Test Level:** 4.579999923706055

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11817401Test Type:Draw Down

Test Duration:

**Test Level:** 4.610000133514404

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11817404Test Type:Draw Down

Test Duration: 20

**Test Level:** 4.659999847412109

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11817405Test Type:Draw Down

Test Duration: 25

**Test Level:** 4.659999847412109

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11817403Test Type:Draw Down

**Test Duration:** 15

**Test Level:** 4.650000095367432

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11817400Test Type:Draw Down

Test Duration:

**Test Level:** 4.599999904632568

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 11817402 Test Type: Draw Down

Test Duration:

**Test Level:** 4.630000114440918

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11817409
Test Type: Draw Down

Test Duration: 60

**Test Level:** 4.670000076293945

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 11817397
Test Type: Recovery

Test Duration: 1

**Test Level:** 4.559999942779541

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11817408Test Type:Draw Down

Test Duration: 50

**Test Level:** 4.670000076293945

Test Level UOM: m

Water Details

*Water ID:* 934084111

Layer: 2

Kind Code:

Kind:

Water Found Depth: 22.25
Water Found Depth UOM: m

Water Details

*Water ID:* 934084110

Layer: 1

Kind Code:

Kind:

Water Found Depth: 20.1200008392334

Water Found Depth UOM: m

Hole Diameter

**Hole ID:** 11849428

**Diameter:** 15.069999694824219

**Depth From:** 0.0

**Depth To:** 24.3799991607666

Hole Depth UOM: m
Hole Diameter UOM: cm

10 1 of 1 SW/88.1 118.9 / 1.06 500 OSMOND DALEY DR lot 9 con 3

Ottawa ON

Order No: 22033100122

Well ID: 7317920 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Not Used Date Received: 8/27/2018

Sec. Water Use: Final Well Status:

Test Hole

Z292742

Water Type:

Casing Material:

Audit No:

Tag: Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Selected Flag: TRUE
Abandonment Rec: Yes
Contractor: 4879
Form Version: 7

Owner:

Street Name: 500 OSMOND DALEY DR

County: OTTAWA

Municipality: HUNTLEY TOWNSHIP

Site Info: Lot:

 Lot:
 009

 Concession:
 03

 Concession Name:
 CON

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/731\7317920.pdf

## Additional Detail(s) (Map)

Well Completed Date: 2018/07/07 Year Completed: 2018

Depth (m):

 Latitude:
 45.3075726193512

 Longitude:
 -75.9947514410202

 Path:
 731\7317920.pdf

#### **Bore Hole Information**

**Bore Hole ID:** 1007278771

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

**Date Completed:** 07-Jul-2018 00:00:00

Remarks: Elevrc Desc:

Elevre Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

## Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1007456135

Layer: Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: Formation End Depth:

Formation End Depth UOM:

Elevation: Elevrc:

**Zone:** 18

 East83:
 422019.00

 North83:
 5017600.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22033100122

Location Method: wwr

ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1007456143

 Layer:
 2

 Plug From:
 21.0

 Plug To:
 74.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1007456142

 Layer:
 1

 Plug From:
 11.0

 Plug To:
 21.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1007456141Method Construction Code:BMethod Construction:Other Method

Other Method Construction: DRILLED

Pipe Information

**Pipe ID:** 1007456134

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

**Casing ID:** 1007456138

Layer: 1
Material: 1

Open Hole or Material:STEELDepth From:11.0Depth To:65.0Casing Diameter:6.25Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

**Screen ID:** 1007456139

Layer: Slot:

Screen Top Depth:

Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

1007456137 Water ID:

Layer: Kind Code: Kind:

Water Found Depth: ft Water Found Depth UOM:

**Hole Diameter** 

Hole ID: 1007456136

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

> 1 of 1 NE/90.7 116.9 / -1.00 Argcorp Holdings Inc. 11

2900 Carp Rd Ottawa ON K0A 1L0

MOE District:

**ECA** 

Order No: 22033100122

Approval No: 6525-AUUUKS Approval Date: 2018-01-25 Approved Status: ECA Record Type: Link Source: IDS

City: Longitude: Latitude: Geometry X: Geometry Y:

Approval Type: ECA-INDUSTRIAL SEWAGE WORKS INDUSTRIAL SEWAGE WORKS Project Type:

Argcorp Holdings Inc. **Business Name:** Address: 2900 Carp Rd

Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7968-APDJK9-14.pdf

PDF Site Location:

Casing Material:

Audit No:

SWP Area Name:

12 1 of 1 W/93.3 119.0 / 1.17 WEST LAKE ESTATES LOT 13 lot 10 con 3 **WWIS** 

**CARP ON** 

Well ID: 7151491 Data Entry Status:

Construction Date: Data Src: Primary Water Use: Date Received:

9/17/2010 Sec. Water Use: Selected Flag: TRUE Final Well Status: Abandoned-Other Abandonment Rec: Yes Water Type:

Contractor: 1558 Form Version: 7 Z115575 Owner:

WEST LAKE ESTATES LOT 13 Tag: Street Name:

Construction Method: **OTTAWA** County:

Elevation (m): Municipality: **HUNTLEY TOWNSHIP** Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 010 Well Depth: Concession: 03

Overburden/Bedrock: CON Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

 $https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/715\1491.pdf$ PDF URL (Map):

Additional Detail(s) (Map)

Clear/Cloudy:

> Zone: East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18

421966.00

UTM83

5017719.00

margin of error : 30 m - 100 m

Order No: 22033100122

Well Completed Date: 2010/07/19 Year Completed: 2010

Depth (m):

45.3086377387941

Latitude: Longitude: -75.9954461720321 715\7151491.pdf Path:

#### **Bore Hole Information**

Bore Hole ID: 1003337441 Elevation: DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 19-Jul-2010 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

### Annular Space/Abandonment

Sealing Record

Plug ID: 1003447650

Layer:

18.59000015258789 Plug From:

Plug To: 0.0 Plug Depth UOM:

### Method of Construction & Well

<u>Use</u>

**Method Construction ID:** 1003447654

**Method Construction Code:** Method Construction: Other Method Construction:

#### Pipe Information

Pipe ID: 1003447647

Casing No:

Comment: Alt Name:

## **Construction Record - Casing**

Casing ID: 1003447652

Layer: Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter:

Casing Diameter UOM: cm Casing Depth UOM: m

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Record - Screen

1003447653 Screen ID:

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1003447651

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

1003447649 Hole ID:

SW/95.0

118.9 / 1.01

Diameter: Depth From: Depth To:

13

Hole Depth UOM: m Hole Diameter UOM: cm

7218704 Well ID: **Construction Date:** Primary Water Use: Domestic Sec. Water Use:

1 of 1

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z172495

Tag: A123465 **Construction Method:** Elevation (m):

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Elevation Reliability:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2013/09/19 Year Completed: 2013 Depth (m): 21.94

45.3072870604126 Latitude:

LOT 2 OSMOND DAILY DR. **CARP ON** 

Data Src: 3/31/2014 Date Received: Selected Flag: TRUE

Abandonment Rec:

Data Entry Status:

Contractor: 1558 Form Version:

Owner:

Street Name: LOT 2 OSMOND DAILY DR. **WWIS** 

County: **OTTAWA** Municipality: **HUNTLEY TOWNSHIP** 

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

Longitude: -75.9944658077727

Path:

**Bore Hole Information** 

Bore Hole ID: 1004728074 Elevation:

DP2BR: Elevrc: Spatial Status: 18 Zone: Code OB: East83: 422041.00 Code OB Desc: North83: 5017568.00 UTM83 Open Hole: Org CS:

Cluster Kind: UTMRC: 19-Sep-2013 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment: Supplier Comment:** 

Overburden and Bedrock

**Materials Interval** 

Formation ID: 1005112122

2 Layer: Color: 2 **GREY** General Color: Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc:

79 Mat3: Mat3 Desc:

**PACKED** Formation Top Depth:

5.480000019073486 11.579999923706055 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

**Materials Interval** 

Formation ID: 1005112121

Layer: 6 Color: General Color: **BROWN** Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth:

Formation End Depth: 5.480000019073486

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005112123

Layer: 3 Color: General Color: **GREY** 

**Mat1:** 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 11.579999923706055

 Formation End Depth:
 21.940000534057617

Formation End Depth UOM: m

## Annular Space/Abandonment

Sealing Record

**Plug ID:** 1005112146

Layer:

**Plug From:** 14.619999885559082

Plug To: 0.0
Plug Depth UOM: m

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005112145

Method Construction Code:

Method Construction:Rotary (Convent.)Other Method Construction:AIR PERCUSSION

## Pipe Information

**Pipe ID:** 1005112119

Casing No: (Comment: Alt Name:

# Construction Record - Casing

**Casing ID:** 1005112127

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 0.7599999904632568

 Depth To:
 14.61999885559082

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

#### Construction Record - Screen

**Screen ID:** 1005112128

Layer: Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:

Screen Diameter UOM:

cm

Screen Diameter:

# Results of Well Yield Testing

**Pump Test ID:** 1005112120

 Pump Set At:
 15.229999542236328

 Static Level:
 4.800000190734863

Final Level After Pumping: 5.0

**Recommended Pump Depth:** 15.229999542236328 **Pumping Rate:** 54.599998474121094

Flowing Rate:

Recommended Pump Rate: 45.5
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR

Water State After Test: CL
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing: No

## **Draw Down & Recovery**

Pump Test Detail ID:1005112134Test Type:Draw Down

Test Duration:

**Test Level:** 4.840000152587891

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1005112135Test Type:Draw Down

Test Duration:

**Test Level:** 4.849999904632568

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1005112129Test Type:Draw Down

Test Duration: 1

**Test Level:** 4.809999942779541

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005112132Test Type:Recovery

Test Duration: 2

**Test Level:** 4.800000190734863

Test Level UOM: m

# **Draw Down & Recovery**

Pump Test Detail ID:1005112139Test Type:Draw Down

Test Duration: 25

**Test Level:** 4.909999847412109

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1005112140Test Type:Draw DownTest Duration:30

**Test Level:** 4.920000076293945

Test Level UOM: m

# Draw Down & Recovery

Pump Test Detail ID: 1005112141
Test Type: Draw Down

Test Duration: 40

**Test Level:** 4.940000057220459

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005112142
Test Type: Draw Down

Test Duration: 50

**Test Level:** 4.96999979019165

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1005112136Test Type:Draw Down

Test Duration: 10

**Test Level:** 4.869999885559082

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005112137Test Type:Draw Down

**Test Duration:** 15

**Test Level:** 4.889999866485596

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005112130
Test Type: Recovery

Test Duration:

**Test Level:** 4.829999923706055

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1005112143Test Type:Draw Down

 Test Duration:
 60

 Test Level:
 5.0

 Test Level UOM:
 m

## **Draw Down & Recovery**

Pump Test Detail ID:1005112131Test Type:Draw Down

Test Duration: 2

**Test Level:** 4.820000171661377

Test Level UOM: m

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

**Draw Down & Recovery** 

Pump Test Detail ID: 1005112133 Test Type: Draw Down

Test Duration:

4.829999923706055 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

1005112138 Pump Test Detail ID: Draw Down Test Type:

Test Duration: 20

Test Level: 4.900000095367432

Test Level UOM:

Water Details

Water ID: 1005112126

Layer: Kind Code: 8

Kind: Untested

Water Found Depth: 20.719999313354492

Water Found Depth UOM:

**Hole Diameter** 

Hole ID: 1005112125

15.229999542236328 Diameter: Depth From: 14.619999885559082 Depth To: 21.940000534057617

Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1005112124

Diameter: 15.859999656677246

Depth From: 0.0

14.619999885559082 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

14 1 of 1 WSW/97.6 119.0 / 1.12 500 OSMOND DALEY DR lot 9 con 3 **WWIS** Ottawa ON

Well ID: 7317919

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z292740 A228029 Tag:

**Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Data Entry Status:

Data Src:

Date Received: 8/27/2018 Selected Flag: TRUE

Abandonment Rec:

Contractor: 4879 Form Version: 7

Owner:

Street Name: 500 OSMOND DALEY DR County: **OTTAWA** 

Municipality: **HUNTLEY TOWNSHIP** 

Site Info:

009 Lot: Concession: 03 Concession Name: CON

Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/731\7317919.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2018/07/07

 Year Completed:
 2018

 Depth (m):
 57.912

 Latitude:
 45.3077226206909

 Longitude:
 -75.9950984870985

 Path:
 731\7317919.pdf

**Bore Hole Information** 

Bore Hole ID: 1007278768 Elevation: DP2BR: Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 421992.00

 Code OB Desc:
 North83:
 5017617.00

 Open Hole:
 Org CS:
 UTM83

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 07-Jul-2018 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

 Remarks:
 Location Method:
 wwr

Order No: 22033100122

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 1007949737

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc:

*Mat3*: 09

Mat3 Desc: MEDIUM SAND

Formation Top Depth: 6.0
Formation End Depth: 14.5
Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1007949738

**Layer:** 3 **Color:** 6

**General Color:** BROWN **Mat1:** 09

Most Common Material: MEDIUM SAND

**Mat2:** 29

Mat2 Desc: FINE GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 14.5
Formation End Depth: 27.5
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 1007949736

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:FINE SANDFormation Top Depth:0.0Formation End Depth:6.0Formation End Depth UOM:ft

80

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1007949740

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 59.5 Formation End Depth: 190.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 1007949739

4 Layer: Color: General Color: **GREY** Mat1: 28 SAND Most Common Material: Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 27.5 Formation End Depth: 59.5 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1007950897

Layer: 1

Plug From: 0.0 Plug To: 69.5 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1007952050 **Method Construction ID:** 2

**Method Construction Code:** 

**Method Construction:** Rotary (Convent.)

Other Method Construction:

Method of Construction & Well

<u>Use</u>

**Method Construction ID:** 1007952051 5

**Method Construction Code:** 

Air Percussion

**Method Construction:** Other Method Construction:

Pipe Information

Pipe ID: 1007948613

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007952475

Layer: 1 Material:

Open Hole or Material: STEEL Depth From: -5.0 Depth To: 69.5 Casing Diameter: 6.25 Casing Diameter UOM: Inch

Casing Depth UOM:

Results of Well Yield Testing

Pump Test ID: 1007953517 Pump Set At: 180.0

Static Level: 12.199999809265137

Final Level After Pumping: 32.75 Recommended Pump Depth: 180.0 13.0 Pumping Rate:

Flowing Rate:

Recommended Pump Rate: 15.0

Levels UOM: ft **GPM** Rate UOM:

Water State After Test Code: 3

Water State After Test: **OTHER** 

Pumping Test Method: 0 **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: No

**Draw Down & Recovery** 

Pump Test Detail ID: 1007956295

Draw Down Test Type:

Test Duration: 15

31.700000762939453 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

1007956297 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 25

32.29999923706055 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

1007956300 Pump Test Detail ID: Draw Down Test Type:

50 Test Duration:

32.68000030517578 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

1007956309 Pump Test Detail ID: Test Type: Recovery Test Duration: 20

Test Level: 12.350000381469727

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1007956291 Test Type: Draw Down

Test Duration: 3

Test Level: 24.200000762939453

Test Level UOM: ft

# **Draw Down & Recovery**

1007956292 Pump Test Detail ID: Test Type: Draw Down Test Duration: 4 Test Level: 26.0

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1007956293 Draw Down Test Type: Test Duration: 5

Test Level: 27.25 Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1007956302 Test Type: Recovery

Test Duration:

Test Level: 23.799999237060547

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1007956313
Test Type: Recovery

Test Duration: 50

*Test Level:* 12.210000038146973

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1007956314
Test Type: Recovery

Test Duration: 60

**Test Level:** 12.199999809265137

Test Level UOM: ft

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1007956303

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 20.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1007956310
Test Type: Recovery

Test Duration: 25

**Test Level:** 12.300000190734863

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1007956294Test Type:Draw Down

Test Duration: 10

**Test Level:** 30.600000381469727

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1007956299Test Type:Draw Down

Test Duration: 40

**Test Level:** 32.599998474121094

Test Level UOM: ft

# **Draw Down & Recovery**

 Pump Test Detail ID:
 1007956301

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 32.75

 Test Level UOM:
 ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1007956307
Test Type: Recovery

Test Duration: 10

**Test Level:** 12.649999618530273

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1007956311Test Type:RecoveryTest Duration:30

*Test Level:* 12.279999732971191

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1007956308Test Type:RecoveryTest Duration:15

**Test Level:** 12.399999618530273

Test Level UOM: ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1007956289

 Test Type:
 Draw Down

 Test Duration:
 1

 Test Level:
 18.25

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1007956290

 Test Type:
 Draw Down

 Test Duration:
 2

 Test Level:
 21.75

 Test Level UOM:
 ft

## **Draw Down & Recovery**

Pump Test Detail ID:1007956298Test Type:Draw Down

Test Duration: 30

**Test Level:** 32.400001525878906

Test Level UOM: ft

# Draw Down & Recovery

Pump Test Detail ID: 1007956304
Test Type: Recovery

Test Duration: 3

**Test Level:** 16.799999237060547

Test Level UOM: ft

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1007956312

 Test Type:
 Recovery

 Test Duration:
 40

 Test Level:
 12.25

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1007956296Test Type:Draw Down

Test Duration: 20

**Test Level:** 32.099998474121094

ft

Test Level UOM: ft

**Draw Down & Recovery** 

 Pump Test Detail ID:
 1007956305

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 15.0

 Test Level UOM:
 ft

**Draw Down & Recovery** 

Pump Test Detail ID:1007956306Test Type:Recovery

**Test Duration:** 5

**Test Level:** 13.850000381469727

Test Level UOM: ft

Water Details

*Water ID:* 1007953127

Layer: 1 Kind Code: 8

Kind: Untested
Water Found Depth: 178.0
Water Found Depth UOM: ft

**Hole Diameter** 

15

 Hole ID:
 1007951511

 Diameter:
 6.0

 Depth From:
 69.5

 Depth To:
 190.0

Hole Depth UOM: ft
Hole Diameter UOM: Inch

Well ID: 7264607 Construction Date:

1 of 1

Primary Water Use: Commerical
Sec. Water Use:
Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Z223087

Tag: A195947 Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: 2878 CARP RD OTTAWA ON

Data Entry Status:

Data Src:
Date Received: 6/13/2016
Selected Flag: TRUE

Abandonment Rec:

Contractor: 4879
Form Version: 7

Owner:

116.9 / -1.00

Street Name: 2878 CARP RD
County: OTTAWA
Municipality: HUNTLEY TOWNSHIP

Municipality: Site Info: Lot:

Concession:

Sion.

**WWIS** 

Order No: 22033100122

E/104.5

Northing NAD83:

Order No: 22033100122

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/726\7264607.pdf

Additional Detail(s) (Map)

Static Water Level:

 Well Completed Date:
 2016/05/12

 Year Completed:
 2016

 Depth (m):
 54.2544

 Latitude:
 45.308959216212

 Longitude:
 -75.990566001301

 Path:
 726\7264607.pdf

**Bore Hole Information** 

 Bore Hole ID:
 1006043318
 Elevation:

 DP2BR:
 Elevrc:

 DPZBR.
 EleVIC.

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 422349.00

 Code OB Desc:
 North83:
 5017750.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

**Date Completed:** 12-May-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: www

Elevrc Desc: Location Source Date:

Improvement Location Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1006099592

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 8.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 1006099595

Layer: 4

Color: General Color:

Mess.

Mat1:

Most Common Material:

*Mat2:* 18

Mat2 Desc: SANDSTONE

Mat3: 74
Mat3 Desc: LAYERED

Formation Top Depth:

Formation End Depth: 178.0 ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1006099594

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 17.0

Formation End Depth:
Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1006099593

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc:

*Mat3:* 31

Mat3 Desc: COARSE GRAVEL

Formation Top Depth: 8.0
Formation End Depth: 17.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1006099629

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 30.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1006099628Method Construction Code:5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

**Pipe ID:** 1006099590

Casing No: 0

Comment: Alt Name:

## **Construction Record - Casing**

Casing ID: 1006099600

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0.0

 Depth To:
 30.0

 Casing Diameter:
 6.25

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

#### Construction Record - Screen

**Screen ID:** 1006099601

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: It Screen Diameter UOM: inch

Screen Diameter:

#### Results of Well Yield Testing

 Pump Test ID:
 1006099591

 Pump Set At:
 175.0

**Static Level:** 5.570000171661377

Final Level After Pumping: 41.5
Recommended Pump Depth: 150.0
Pumping Rate: 4.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft

Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 0
Water State After Test:

Pumping Test Method:0Pumping Duration HR:8Pumping Duration MIN:0Flowing:No

# **Draw Down & Recovery**

Pump Test Detail ID:1006099604Test Type:Draw Down

Test Duration: 2

**Test Level:** 13.770000457763672

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1006099609
Test Type: Recovery

Test Duration: 4

Test Level: 28.93000030517578

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099624Test Type:Draw Down

Test Duration: 50

**Test Level:** 25.290000915527344

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099603Test Type:Recovery

Test Duration: 1

**Test Level:** 36.7400016784668

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1006099608Test Type:Draw Down

Test Duration: 4

**Test Level:** 15.680000305175781

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099616Test Type:Draw Down

Test Duration: 20

**Test Level:** 22.170000076293945

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099620Test Type:Draw Down

Test Duration: 30

**Test Level:** 23.780000686645508

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099625Test Type:Recovery

Test Duration: 50

**Test Level:** 7.769999980926514

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1006099612
Test Type: Draw Down

Test Duration: 10

**Test Level:** 19.350000381469727

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1006099617Test Type:RecoveryTest Duration:20

**Test Level:** 9.770000457763672

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1006099615Test Type:RecoveryTest Duration:15

*Test Level:* 12.529999732971191

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1006099621Test Type:RecoveryTest Duration:30

**Test Level:** 8.329999923706055

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1006099622Test Type:Draw Down

Test Duration: 40

**Test Level:** 24.6299991607666

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1006099626Test Type:Draw Down

Test Duration: 60

**Test Level:** 25.290000915527344

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1006099610Test Type:Draw Down

Test Duration: 5

*Test Level:* 16.530000686645508

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1006099611Test Type:Recovery

**Test Duration:** 5

**Test Level:** 26.899999618530273

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1006099623Test Type:Recovery

Test Duration: 40

**Test Level:** 7.96999979019165

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1006099602Test Type:Draw Down

Test Duration: 1

**Test Level:** 12.399999618530273

ft

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099606Test Type:Draw Down

Test Duration: 3

*Test Level:* 14.960000038146973

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1006099607
Test Type: Recovery

Test Duration: 3

Test Level: 31.690000534057617

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099613Test Type:Recovery

Test Duration: 10

**Test Level:** 18.399999618530273

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1006099614Test Type:Draw Down

Test Duration: 15

Test Level: 21.030000686645508

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1006099618Test Type:Draw Down

Test Duration: 25

**Test Level:** 23.09000015258789

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1006099619
Test Type: Recovery

Test Duration: 25

**Test Level:** 8.59000015258789

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1006099605 Test Type: Recovery

Test Duration: 2

Test Level: 34.08000183105469

Test Level UOM:

Water Details

Water ID: 1006099598

2 Layer: Kind Code: Kind: Untested Water Found Depth: 116.0 Water Found Depth UOM:

Water Details

Water ID: 1006099599

Layer: 3 Kind Code: 8 Kind: Untested Water Found Depth: 172.0 Water Found Depth UOM: ft

Water Details

Water ID: 1006099597

Layer: 1 Kind Code: 8 Kind: Untested Water Found Depth: 78.0 Water Found Depth UOM:

Hole Diameter

Hole ID: 1006099596 Diameter: 6.0 30.0 Depth From:

Depth To: 178.0 Hole Depth UOM: ft Hole Diameter UOM: inch

16 1 of 1 W/112.4 119.1 / 1.22 410 WEST LAKE CIRCLE lot 10 con 3 **WWIS CARP ON** 

Well ID: 7162186

Construction Date: Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Z119810

A113312 Tag: **Construction Method:** 

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate:

Data Entry Status:

Data Src:

Date Received: 4/26/2011 Selected Flag: TRUE

Abandonment Rec:

Contractor: 1119 Form Version: 7

Owner:

Street Name: 410 WEST LAKE CIRCLE

County: **OTTAWA** 

Municipality: **HUNTLEY TOWNSHIP** 

Site Info:

010 Lot: Concession: 03 Concession Name: CON

Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/716\7162186.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2011/03/17

 Year Completed:
 2011

 Depth (m):
 54.864

 Latitude:
 45.3085182916525

 Longitude:
 -75.9957247252729

 Path:
 716\7162186.pdf

**Bore Hole Information** 

 Bore Hole ID:
 1003502540
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 421944.00

 Code OB Desc:
 North83:
 5017706.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 17-Mar-2011 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Order No: 22033100122

Remarks: Location Method: 9

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 1003885037

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 173.0 Formation End Depth: 180.0 Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

Formation ID: 1003885036

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 138.0 Formation End Depth: 173.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 1003885034

Layer:

Color: General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: 13
Mat3 Desc: BOULDERS

Formation Top Depth: 0.0
Formation End Depth: 56.0
Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1003885035

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 138.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1003885072

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 56.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1003885073

 Layer:
 2

 Plug From:
 56.0

 Plug To:
 66.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003885071

**Method Construction Code:** 

**Method Construction:** Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1003885032

Casing No:

Comment: Alt Name:

**Construction Record - Casing** 

1003885042 Casing ID:

Layer: 2

Material:

Open Hole or Material: **OPEN HOLE** Depth From: 66.0 Depth To: 180.0 Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

1003885041 Casing ID:

Layer: Material: STEEL Open Hole or Material: Depth From: -2.0 66.0 Depth To: Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1003885043

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

1003885033 Pump Test ID:

Pump Set At: 170.0

Static Level: 13.300000190734863 Final Level After Pumping: 78.30000305175781

Recommended Pump Depth: Pumping Rate: 10.0 Flowing Rate: Recommended Pump Rate: 10.0 Levels UOM: **GPM** Rate UOM: Water State After Test Code: 0

Water State After Test: 0 Pumping Test Method:

Order No: 22033100122

120.0

Pumping Duration HR: **Pumping Duration MIN:** 0

Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003885056 Test Type: Draw Down

Test Duration: 15

Test Level: 58.900001525878906

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003885066 Test Type: Draw Down

Test Duration: 50

76.4000015258789 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003885051 Test Type: Recovery

Test Duration:

45.20000076293945 Test Level:

Test Level UOM: ft

## **Draw Down & Recovery**

1003885045 Pump Test Detail ID: Test Type: Recovery

Test Duration:

68.19999694824219 Test Level:

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1003885054 Test Type: Draw Down

Test Duration: 10

Test Level: 47.900001525878906

Test Level UOM:

## **Draw Down & Recovery**

1003885068 Pump Test Detail ID: Test Type: Draw Down

60 Test Duration:

Test Level: 78.30000305175781

Test Level UOM:

## **Draw Down & Recovery**

1003885050 Pump Test Detail ID: Test Type: Draw Down

Test Duration:

Test Level: 35.79999923706055

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1003885065Test Type:Recovery

Test Duration: 40

**Test Level:** 13.300000190734863

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1003885044Test Type:Draw Down

Test Duration: 1

**Test Level:** 22.700000762939453

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1003885052Test Type:Draw Down

Test Duration:

**Test Level:** 42.20000076293945

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1003885062Test Type:Draw Down

Test Duration: 30

*Test Level:* 71.69999694824219

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID:1003885047Test Type:Recovery

Test Duration:

**Test Level:** 60.79999923706055

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1003885049
Test Type: Recovery

Test Duration:

**Test Level:** 52.400001525878906

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1003885053
Test Type: Recovery

Test Duration: 5

**Test Level:** 38.599998474121094

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1003885055

Test Type: Recovery

Test Duration: 10

**Test Level:** 20.899999618530273

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1003885057Test Type:RecoveryTest Duration:15

**Test Level:** 13.300000190734863

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1003885060Test Type:Draw Down

Test Duration: 25

**Test Level:** 68.69999694824219

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003885063
Test Type: Recovery

Test Duration: 30

**Test Level:** 13.300000190734863

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1003885064Test Type:Draw Down

Test Duration: 40

**Test Level:** 74.80000305175781

Test Level UOM: ft

# Draw Down & Recovery

Pump Test Detail ID:1003885046Test Type:Draw Down

Test Duration: 2

**Test Level:** 27.799999237060547

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1003885048Test Type:Draw Down

Test Duration: 3

**Test Level:** 31.399999618530273

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1003885061Test Type:Recovery

Test Duration: 25

*Test Level:* 13.300000190734863

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1003885069Test Type:Recovery

Test Duration: 60

*Test Level:* 13.300000190734863

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1003885058Test Type:Draw Down

Test Duration: 20

**Test Level:** 65.0999984741211

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1003885059Test Type:Recovery

Test Duration: 20

**Test Level:** 13.300000190734863

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1003885067Test Type:Recovery

Test Duration: 50

**Test Level:** 13.300000190734863

Test Level UOM: ft

## Water Details

Water ID: 1003885040

Layer: 2
Kind Code: 8
Kind: Untested
Water Found Ponth: 173.0

Water Found Depth: 173.0 Water Found Depth UOM: ft

## Water Details

*Water ID:* 1003885039

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 138.0

 Water Found Depth UOM:
 ft

## Hole Diameter

**Hole ID:** 1003885038

 Diameter:
 6.0

 Depth From:
 0.0

 Depth To:
 180.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

17 1 of 1 NE/113.2 116.9/-1.00 lot 10 con 2 WWIS

*Well ID:* 1516528

Construction Date:
Primary Water Use: Domestic

Sec. Water Use: 0
Final Well Status: Water Supply

Water Type: Casing Material: Audit No:

Tag: Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 7/10/1978
Selected Flag: TRUE
Abandonment Rec:

Contractor: 1558 Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: HUNTLEY TOWNSHIP

Site Info:

 Lot:
 010

 Concession:
 02

 Concession Name:
 CON

Easting NAD83: Northing NAD83: Zone: UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/151\1516528.pdf

## Additional Detail(s) (Map)

 Well Completed Date:
 1978/06/20

 Year Completed:
 1978

 Depth (m):
 72.2376

 Latitude:
 45.3104963272199

 Longitude:
 -75.9918493428892

 Path:
 151\1516528.pdf

#### **Bore Hole Information**

**Bore Hole ID:** 10038439

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

**Date Completed:** 20-Jun-1978 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

 Formation ID:
 931032410

 Layer:
 3

 Color:
 8

 General Color:
 BLACK

 Mat1:
 15

Most Common Material: LIMESTONE

Elevation: Elevrc:

 Zone:
 18

 East83:
 422250.50

 North83:
 5017922.00

Org CS:

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22033100122

Location Method: p4

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 179.0 Formation End Depth: 237.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931032408 Layer: Color: 6 **BROWN** General Color: 28 Mat1: Most Common Material: SAND Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 13 **BOULDERS** Mat3 Desc: Formation Top Depth: 0.0

14.0

ft

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

**Materials Interval** 

 Formation ID:
 931032409

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 85 Mat2 Desc: SOFT

Mat3:

Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 179.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961516528Method Construction Code:5Method Construction:Air Percussion

Other Method Construction:

Pipe Information

 Pipe ID:
 10587009

 Casing No:
 1

 Comment:
 1

Alt Name:

**Construction Record - Casing** 

 Casing ID:
 930067551

 Layer:
 2

 Material:
 4

Open Hole or Material:

Depth From:

Depth To: 237.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

**OPEN HOLE** 

#### Construction Record - Casing

**Casing ID:** 930067550

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:22.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

# Results of Well Yield Testing

**Pump Test ID:** 991516528

Pump Set At:

25.0 Static Level: Final Level After Pumping: 85.0 Recommended Pump Depth: 85.0 Pumping Rate: 10.0 Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: **GPM** Rate UOM: Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: **Pumping Duration HR:** 1 0 **Pumping Duration MIN:** No Flowing:

## **Draw Down & Recovery**

 Pump Test Detail ID:
 934641968

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 85.0

 Test Level UOM:
 ft

## **Draw Down & Recovery**

 Pump Test Detail ID:
 934101163

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 85.0

 Test Level UOM:
 ft

## **Draw Down & Recovery**

 Pump Test Detail ID:
 934899453

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 85.0

 Test Level UOM:
 ft

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

**Draw Down & Recovery** 

Pump Test Detail ID: 934380877 Test Type: Draw Down Test Duration: 30 85.0 Test Level: Test Level UOM: ft

Water Details

Water ID: 933472850 Layer: Kind Code: **FRESH** Kind: Water Found Depth: 235.0 Water Found Depth UOM: ft

N/143.5 18 1 of 1 117.9 / 0.00 **BORE** ON

Borehole ID: 609693 OGF ID: 215511309 SP Status: Initial Entry

Status:

Type: **Borehole** 

Use: Completion Date: Static Water Level:

4.9 Primary Water Use:

Sec. Water Use:

-999 Total Depth m:

Depth Ref: **Ground Surface** 

Depth Elev: Drill Method:

Orig Ground Elev m: 118

Elev Reliabil Note:

**DEM Ground Elev m:** 117 Concession:

Location D: Survey D: Comments:

Inclin FLG: No

Surv Elev: No Piezometer: No

Primary Name: Municipality:

Lot:

Township: Latitude DD:

45.310664 Longitude DD: -75.993383 UTM Zone: 18 Easting: 422131 Northing: 5017942

Location Accuracy:

Accuracy: Not Applicable

**Borehole Geology Stratum** 

218383852 Mat Consistency: Geology Stratum ID: Top Depth: Material Moisture: 1.2 **Bottom Depth:** Material Texture: Material Color: Non Geo Mat Type: Material 1: Clay Geologic Formation: Geologic Group:

Material 2: Material 3:

Material 4: Gsc Material Description:

Stratum Description: CLAY.

Geology Stratum ID: 218383853

Top Depth: 1.2 **Bottom Depth:** 

Material Color: **Bedrock** Material 1: Material 2: Limestone

Material 3: Material 4:

Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:

Geologic Period:

Depositional Gen:

Elev/Diff Site DΒ Map Key Number of Direction/ (m)

Records Distance (m)

Gsc Material Description: Stratum Description: BEDROCK, LIMESTONE. WATER STABLE AT 374.0 FEET.4TY = 4700. BEDROCK. SEISMIC VELOCITY =

\*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Source** 

Source Type: Data Survey Source Appl: Spatial/Tabular

Geological Survey of Canada Source Orig: Source Iden: Source Date: 1956-1972 Scale or Res: Varies Confidence: M Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 022010 NTS\_Sheet: 31G05D Source Details:

Reliable information but incomplete. Confiden 1:

Source List

Source Identifier: Horizontal Datum: NAD27

Data Survey Source Type: Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

19 1 of 1 SSW/145.5 117.9 / 0.00 3 WEST LAKE SOUTH **WWIS CARP ON** 

Well ID: 7254250 Data Entry Status:

Construction Date: Data Src:

12/16/2015 Domestic Primary Water Use: Date Received: Sec. Water Use: Selected Flag: TRUE

Final Well Status: Water Supply Abandonment Rec:

Water Type: 1558 Contractor: Casing Material: Form Version:

Audit No: Z188450 Owner: A165150 3 WEST LAKE SOUTH Street Name: Tag:

**Construction Method:** County: **OTTAWA HUNTLEY TOWNSHIP** Municipality: Elevation (m):

Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/725\7254250.pdf PDF URL (Map):

Order No: 22033100122

Additional Detail(s) (Map)

2015/10/08 Well Completed Date: Year Completed: 2015 Depth (m): 29.56

45.306688163018 Latitude: -75.9939833574688 Longitude: 725\7254250.pdf Path:

**Bore Hole Information** 

Bore Hole ID: 1005837009 Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18

422078.00

UTM83

5017501.00

margin of error: 30 m - 100 m

Order No: 22033100122

Zone:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

**Date Completed:** 08-Oct-2015 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock

#### **Materials Interval**

**Formation ID:** 1005856966

Layer: Color: 6 General Color: **BROWN** Mat1: 02 **TOPSOIL** Most Common Material: Mat2: SANDY Mat2 Desc: Mat3: 79 Mat3 Desc: **PACKED** 

 Formation Top Depth:
 1.519999809265137

 Formation End Depth:
 4.869999885559082

Formation End Depth UOM: m

## Overburden and Bedrock

## **Materials Interval**

**Formation ID:** 1005856967

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 34

 Most Common Material:
 TILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 4.869999885559082

 Formation End Depth:
 9.140000343322754

Formation End Depth UOM: m

## <u>Overburden and Bedrock</u> <u>Materials Interval</u>

**Formation ID:** 1005856965

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

 Most Common Material:
 LIMESTONE

 Mat2:
 02

 Mat2 Desc:
 TOPSOIL

 Mat3:
 01

 Mat3 Desc:
 FILL

 Formation Top Depth:
 0.0

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

Formation End Depth: 1.5199999809265137

Formation End Depth UOM:

Overburden and Bedrock **Materials Interval** 

Formation ID: 1005856968

Layer: Color: 2 General Color: **GREY** 15 Mat1:

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc: **FRACTURED** 

Mat3:

Mat3 Desc: LAYERED

Formation Top Depth: 9.140000343322754 29.559999465942383 Formation End Depth:

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

1005857004 Plug ID:

Layer:

Plug From: 13.100000381469727

Plug To: 0.0 Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

1005857003 **Method Construction ID: Method Construction Code:** 

5

**Method Construction:** Air Percussion Other Method Construction: **ROTARY MUD** 

Pipe Information

Pipe ID: 1005856963

Casing No:

Comment: Alt Name:

**Construction Record - Casing** 

1005856973 Casing ID:

Layer: Material:

Open Hole or Material: **OPEN HOLE** 

Depth From: 0.0

Depth To: 13.100000381469727 Casing Diameter: 27.1299991607666

Casing Diameter UOM: cm Casing Depth UOM: m

**Construction Record - Casing** 

1005856974 Casing ID:

Layer: 2 Material:

Open Hole or Material: STEEL

 Depth From:
 0.44999998807907104

 Depth To:
 13.100000381469727

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm Casing Depth UOM: m

#### Construction Record - Screen

**Screen ID:** 1005856975

Layer: Slot: Screen Top Depth:

Screen End Depth:
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

## Results of Well Yield Testing

**Pump Test ID:** 1005856964

**Pump Set At:** 15.229999542236328

Static Level: 4.5

 Final Level After Pumping:
 4.539999961853027

 Recommended Pump Depth:
 15.229999542236328

 Pumping Rate:
 54.599998474121094

Flowing Rate:

Recommended Pump Rate: 45.5
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

# Flowing:

 Pump Test Detail ID:
 1005856979

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 4.5

 Test Level UOM:
 m

## **Draw Down & Recovery**

**Draw Down & Recovery** 

Pump Test Detail ID:1005856984Test Type:Draw Down

Test Duration: 5

**Test Level:** 4.53000020980835

Test Level UOM:

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856995

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856999

 Test Type:
 Recovery

 Test Duration:
 50

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005856980Test Type:Draw Down

Test Duration:

**Test Level:** 4.519999980926514

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1005856982Test Type:Draw Down

Test Duration:

**Test Level:** 4.53000020980835

Test Level UOM:

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856983

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005856988Test Type:Draw Down

Test Duration: 15

**Test Level:** 4.539999961853027

Test Level UOM: m

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856981

 Test Type:
 Recovery

 Test Duration:
 3

 Test Level:
 4.5

 Test Level UOM:
 m

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856987

 Test Type:
 Recovery

 Test Duration:
 10

 Test Level:
 4.5

 Test Level UOM:
 m

## **Draw Down & Recovery**

Pump Test Detail ID: 1005856993

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005856996Test Type:Draw Down

Test Duration: 40

**Test Level:** 4.550000190734863

Test Level UOM: m

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856997

 Test Type:
 Recovery

 Test Duration:
 40

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856977

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005856998Test Type:Draw Down

Test Duration: 50

**Test Level:** 4.550000190734863

Test Level UOM: m

# Draw Down & Recovery

Pump Test Detail ID:1005856994Test Type:Draw Down

Test Duration: 30

**Test Level:** 4.550000190734863

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1005856978Test Type:Draw Down

Test Duration: 2

**Test Level:** 4.510000228881836

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005856992Test Type:Draw Down

Test Duration: 25

**Test Level:** 4.539999961853027

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1005857000Test Type:Draw Down

Test Duration: 60

*Test Level:* 4.539999961853027

Test Level UOM: m

### **Draw Down & Recovery**

 Pump Test Detail ID:
 1005857001

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856985

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 4.5

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1005856986Test Type:Draw Down

Test Duration: 10

**Test Level:** 4.539999961853027

Test Level UOM: m

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856989

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 4.5

 Test Level UOM:
 m

### **Draw Down & Recovery**

Pump Test Detail ID:1005856990Test Type:Draw Down

Test Duration: 20

**Test Level:** 4.539999961853027

Test Level UOM: m

# **Draw Down & Recovery**

Pump Test Detail ID:1005856976Test Type:Draw Down

 Test Duration:
 1

 Test Level:
 4.5

 Test Level UOM:
 m

### **Draw Down & Recovery**

 Pump Test Detail ID:
 1005856991

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 4.5

 Test Level UOM:
 m

Water Details

Water ID: 1005856971

Layer: 1
Kind Code: 8
Kind: Untested

Water Found Depth: 18.280000686645508

Water Found Depth UOM: m

Water Details

*Water ID:* 1005856972

Layer: 2
Kind Code: 8
Kind: Untested

*Water Found Depth:* 27.43000030517578

Water Found Depth UOM: m

**Hole Diameter** 

**Hole ID:** 1005856969

**Diameter:** 15.859999656677246

**Depth From:** 0.0

**Depth To:** 13.100000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

**Hole ID:** 1005856970

 Diameter:
 15.069999694824219

 Depth From:
 13.10000381469727

 Depth To:
 29.559999465942383

Hole Depth UOM: m
Hole Diameter UOM: cm

20 1 of 1 WNW/146.1 119.0 / 1.09 30 WEST LAKE ESTATES CARP ON WWIS

Order No: 22033100122

Well ID: 7156079 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:12/9/2010Sec. Water Use:Selected Flag:TRUE

Final Well Status:Water SupplyAbandonment Rec:YesWater Type:Contractor:1558Casing Material:Form Version:7

 Audit No:
 Z115651
 Owner:

 Tag:
 A102382
 Street Name:
 30 WEST LAKE ESTATES

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 HUNTLEY TOWNSHIP

 Elevation Reliability:
 Site Info:

 Depth to Bedrock:
 Lot:

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy: PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/715\7156079.pdf

Order No: 22033100122

#### Additional Detail(s) (Map)

Well Completed Date: 2010/11/10 Year Completed: 2010 Depth (m): 83.2

Latitude: 45.3096669710872 -75.9950942421058 Longitude: Path: 715\7156079.pdf

### **Bore Hole Information**

Bore Hole ID: 1003434853 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 421995.00 Code OB Desc: North83: 5017833.00 Open Hole: Org CS: UTM83 UTMRC: Cluster Kind: 3

Date Completed: 10-Nov-2010 00:00:00 **UTMRC Desc:** margin of error: 10 - 30 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

### Overburden and Bedrock

**Materials Interval** 

Formation ID: 1003728027

Layer: 6 Color: General Color: **BROWN** Mat1: 02 Most Common Material: **TOPSOIL** Mat2: 13 **BOULDERS** Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 7.309999942779541

Formation End Depth UOM:

### Overburden and Bedrock

**Materials Interval** 

1003728028 Formation ID:

Layer: 2 Color: **GREY** General Color: Mat1: 15

LIMESTONE Most Common Material:

Mat2

Mat2 Desc: **DARK-COLOURED** 

Mat3:

Mat3 Desc:

 Formation Top Depth:
 7.309999942779541

 Formation End Depth:
 83.19999694824219

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1003728063

Layer:

**Plug From:** 10.359999656677246

Plug To: 0.0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003728061

Method Construction Code: 2

Method Construction:Rotary (Convent.)Other Method Construction:AIR PERCUSSION

Pipe Information

 Pipe ID:
 1003728025

 Casing No:
 0

Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1003728033

Layer: 1
Material: 1

Open Hole or Material: STEEL

 Depth From:
 -0.44999998807907104

 Depth To:
 10.359999656677246

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

**Screen ID:** 1003728034

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

**Pump Test ID:** 1003728026

 Pump Set At:
 45.709999084472656

 Static Level:
 4.139999866485596

Final Level After Pumping: 41.0

**Recommended Pump Depth:** 45.709999084472656 **Pumping Rate:** 36.400001525878906

Flowing Rate:

**Recommended Pump Rate:** 36.400001525878906

Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID:1003728035Test Type:Draw Down

Test Duration:

**Test Level:** 6.400000095367432

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID:1003728039Test Type:Recovery

Test Duration:

**Test Level:** 36.16999816894531

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID: 1003728051
Test Type: Recovery

Test Duration: 25

Test Level: 16.260000228881836

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003728053Test Type:RecoveryTest Duration:30

lest Duration: 30

**Test Level:** 12.460000038146973

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID:1003728036Test Type:Recovery

Test Duration:

**Test Level:** 38.650001525878906

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1003728040Test Type:Draw Down

Test Duration:

**Test Level:** 10.420000076293945

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1003728046Test Type:Draw Down

Test Duration: 15

**Test Level:** 20.079999923706055

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003728056Test Type:Draw Down

Test Duration: 50

**Test Level:** 36.77000045776367

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003728037Test Type:Draw Down

Test Duration:

**Test Level:** 8.529999732971191

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003728044Test Type:Draw DownTest Duration:10

Test Level: 10.5
Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003728054Test Type:Draw Down

Test Duration: 40

**Test Level:** 32.95000076293945

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003728043
Test Type: Recovery

**Test Duration:** 5

**Test Level:** 33.150001525878906

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1003728045
Test Type: Recovery

Test Duration: 10

**Test Level:** 26.600000381469727

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003728047Test Type:RecoveryTest Duration:15

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

20.489999771118164 Test Level:

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID: 1003728057 Test Type: Recovery Test Duration: 50

Test Level: 6.429999828338623

Test Level UOM:

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003728042 Test Type: Draw Down

Test Duration: 5

12.399999618530273 Test Level:

Test Level UOM: m

### **Draw Down & Recovery**

1003728059 Pump Test Detail ID: Test Type: Recovery

Test Duration: 60

Test Level: 4.400000095367432

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003728058 Test Type: Draw Down Test Duration: 60 Test Level: 41.0 Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003728048 Test Type: Draw Down

Test Duration: 20

Test Level: 22.200000762939453

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1003728049 Test Type: Recovery

Test Duration: 20

17.299999237060547 Test Level:

Test Level UOM: m

## **Draw Down & Recovery**

1003728050 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 25

25.1299991607666 Test Level:

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1003728052
Test Type: Draw Down

Test Duration: 30

**Test Level:** 28.850000381469727

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1003728038Test Type:Recovery

Test Duration: 2

**Test Level:** 37.599998474121094

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1003728041
Test Type: Recovery

Test Duration: 4

**Test Level:** 34.599998474121094

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1003728055Test Type:RecoveryTest Duration:40

**Test Level:** 9.9099984741211

Test Level UOM: m

Water Details

*Water ID:* 1003728031

Layer: 1
Kind Code: 8

Kind: Untested

*Water Found Depth:* 33.52000045776367

Water Found Depth UOM:

Water Details

*Water ID*: 1003728032

 Layer:
 2

 Kind Code:
 8

 Kind:
 Untested

Water Found Depth: 79.23999786376953

Water Found Depth UOM: m

**Hole Diameter** 

Hole ID: 1003728030

 Diameter:
 15.390000343322754

 Depth From:
 10.359999656677246

 Depth To:
 83.19999694824219

Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Map Key Number of Direction/ Elev/Diff Site DΒ

Diameter: 15.859999656677246

Depth From: 0.0

Hole ID:

Records

Depth To: 10.359999656677246

Hole Depth UOM: m Hole Diameter UOM: cm

> NW/150.8 118.9 / 1.00 350 WEST LAKE CIRCLE lot 10 con 3 1 of 1 21 **WWIS** CARP ON

> > Data Src:

Well ID: 7151411 Data Entry Status:

Distance (m)

1003728029

Construction Date:

Primary Water Use: Date Received: 9/17/2010 Domestic Sec. Water Use: Selected Flag: TRUE Final Well Status:

(m)

Water Supply Abandonment Rec: Water Type: Contractor:

1119 Casing Material: Form Version: Audit No: Z110663 Owner:

Tag: A105394 Street Name: 350 WEST LAKE CIRCLE **Construction Method: OTTAWA** County:

Elevation (m): Municipality: **HUNTLEY TOWNSHIP** Elevation Reliability: Site Info: Depth to Bedrock: Lot: 010

03 Well Depth: Concession: Overburden/Bedrock: Concession Name: CON

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/715\7151411.pdf

### Additional Detail(s) (Map)

Well Completed Date: 2010/08/26 Year Completed: 2010 Depth (m): 36.576

45.3100405296391 Latitude: Longitude: -75.9945777466422 Path: 715\7151411.pdf

## **Bore Hole Information**

Bore Hole ID: 1003337281 Elevation:

DP2BR: Elevrc: 18 Spatial Status: Zone: East83: 422036.00 Code OB:

Code OB Desc: North83: 5017874.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: 26-Aug-2010 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22033100122

Location Method: Remarks:

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

### Overburden and Bedrock

Materials Interval

**Formation ID:** 1003428893

Layer:

Color: General Color:

Mat1: 28
Most Common Material: SAND
Mat2: 05

 Mat2 Desc:
 CLAY

 Mat3:
 11

 Mat3 Desc:
 GRAVEL

 Formation Top Depth:
 0.0

 Formation End Depth:
 15.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1003428894

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 15.0
Formation End Depth: 120.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1003428897

 Layer:
 1

 Plug From:
 28.0

 Plug To:
 18.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1003428898

 Layer:
 2

 Plug From:
 18.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1003428930Method Construction Code:5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

**Pipe ID:** 1003428891

Casing No: 0

Comment: Alt Name:

## **Construction Record - Casing**

Casing ID: 1003428900

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 -2.0

 Depth To:
 28.0

 Casing Diameter:
 6.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

### **Construction Record - Casing**

Casing ID: 1003428901

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

 Depth From:
 28.0

 Depth To:
 120.0

 Casing Diameter:
 5.9375

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

#### Construction Record - Screen

**Screen ID:** 1003428902

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

### Results of Well Yield Testing

**Pump Test ID:** 1003428892

**Pump Set At:** 115.0

 Static Level:
 16.170000076293945

 Final Level After Pumping:
 111.80000305175781

Recommended Pump Depth: 100.0 Pumping Rate: 20.0

Flowing Rate:

Recommended Pump Rate: 20.0 Levels UOM: ft

Rate UOM: GPM Water State After Test Code: 0

Water State After Test:

Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing: No

## **Draw Down & Recovery**

Pump Test Detail ID: 1003428904

Recovery Test Type: Test Duration: 84.0 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

1003428907 Pump Test Detail ID: Test Type: Draw Down Test Duration:

39.25 Test Level: Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID: 1003428917 Draw Down Test Type: 20 Test Duration: Test Level: 78.0 Test Level UOM: ft

#### **Draw Down & Recovery**

1003428920 Pump Test Detail ID: Test Type: Recovery Test Duration: 25

Test Level: 19.579999923706055

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003428924 Test Type: Recovery 40

Test Duration:

Test Level: 16.170000076293945

Test Level UOM: ft

# **Draw Down & Recovery**

1003428918 Pump Test Detail ID: Test Type: Recovery

Test Duration: 20

Test Level: 21.579999923706055

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1003428905 Test Type: Draw Down

Test Duration: 2

Test Level: 33.33000183105469

Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID: 1003428908 Test Type: Recovery

Test Duration: 3

Test Level: 62.41999816894531

Test Level UOM:

### **Draw Down & Recovery**

1003428909 Pump Test Detail ID: Test Type: Draw Down Test Duration: 4 Test Level: 44.0 ft Test Level UOM:

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003428910 Test Type: Recovery Test Duration: Test Level: 55.0 Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1003428914 Test Type: Recovery Test Duration: 10

Test Level: 32.41999816894531

Test Level UOM: ft

#### **Draw Down & Recovery**

1003428915 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 15

69.33000183105469 Test Level:

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1003428921 Draw Down Test Type: Test Duration:

Test Level: 91.41999816894531

ft Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID: 1003428928 Recovery Test Type: Test Duration:

16.170000076293945 Test Level:

Test Level UOM: ft

# **Draw Down & Recovery**

Pump Test Detail ID: 1003428906 Test Type: Recovery

2 Test Duration:

Test Level: 72.16999816894531

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID:1003428919Test Type:Draw Down

Test Duration: 25

*Test Level:* 86.16999816894531

Test Level UOM: ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1003428925

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 107.25

 Test Level UOM:
 ft

### **Draw Down & Recovery**

Pump Test Detail ID:1003428903Test Type:Draw Down

Test Duration:

**Test Level:** 25.420000076293945

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1003428922Test Type:RecoveryTest Duration:30

**Test Level:** 18.079999923706055

Test Level UOM: ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1003428916

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 25.25

 Test Level UOM:
 ft

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1003428923

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 101.25

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 1003428912

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 48.75

 Test Level UOM:
 ft

### **Draw Down & Recovery**

Pump Test Detail ID:1003428913Test Type:Draw Down

Test Duration: 10

**Test Level:** 61.41999816894531

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1003428926Test Type:Recovery

Test Duration: 50

Test Level: 16.170000076293945

ft

Test Level UOM: ft

**Draw Down & Recovery** 

 Pump Test Detail ID:
 1003428911

 Test Type:
 Draw Down

 Test Duration:
 5

 Test Level:
 48.0

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1003428927Test Type:Draw Down

Test Duration: 60

**Test Level:** 111.66999816894531

Test Level UOM: ft

Water Details

*Water ID:* 1003428899

Layer: 1 Kind Code: 8

Kind: Untested Water Found Depth: 112.0 Water Found Depth UOM: ft

**Hole Diameter** 

Hole ID: 1003428895

 Diameter:
 6.0

 Depth From:
 0.0

 Depth To:
 28.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1003428896

 Diameter:
 5.9375

 Depth From:
 28.0

 Depth To:
 120.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

22 1 of 1 ENE/151.9 116.8 / -1.04 2878 Carp Rd Ottawa ON K0A1L0

Nearest Intersection:

**Order No:** 20151015009

 Status:
 C
 Municipality:

 Report Type:
 RSC Report (Urban)
 Client Prov/State:
 ON

 Report Date:
 21-OCT-15
 Search Radius (km):
 .3

Number of Direction/ Elev/Diff Site DΒ Map Key

> Records Distance (m) (m)

15-OCT-15 -75.990144 Date Received: X: Previous Site Name: Vacant Y: 45.309755

Lot/Building Size: Additional Info Ordered:

23 1 of 1 ESE/158.0 116.9 / -1.00 lot 9 con 3 **WWIS** 

Well ID: 1503122 Data Entry Status:

Construction Date: Data Src:

5/25/1961 Primary Water Use: Domestic Date Received: Sec. Water Use: TRUE Selected Flag:

Final Well Status: Water Supply Abandonment Rec:

4824 Water Type: Contractor: Casing Material: Form Version: 1 Audit No:

Owner: Street Name: Tag:

**Construction Method:** County: **OTTAWA** 

**HUNTLEY TOWNSHIP** Elevation (m): Municipality: Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 009 Well Depth: Concession: 03

Overburden/Bedrock: Concession Name: CON Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/150\1503122.pdf PDF URL (Map):

#### Additional Detail(s) (Map)

Well Completed Date: 1961/03/25 1961 Year Completed: 24.9936 Depth (m):

Latitude: 45.3076207398288 Longitude: -75.991287657184 Path: 150\1503122.pdf

### **Bore Hole Information**

Bore Hole ID: 10025165 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

Code OB: East83: 422290.60 Code OB Desc: 5017602.00 North83:

Org CS: Open Hole: Cluster Kind: UTMRC:

Date Completed: 25-Mar-1961 00:00:00 **UTMRC Desc:** margin of error: 100 m - 300 m

Order No: 22033100122

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** 

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 930996059

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 38.0 Formation End Depth: 82.0 Formation End Depth UOM: ft

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 930996058

 Layer:
 1

 Color:
 7

 General Color:
 RED

 Mat1:
 09

Most Common Material: MEDIUM SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 38.0 Formation End Depth UOM: ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961503122

Method Construction Code: 1

Method Construction: Cable Tool

Other Method Construction:

## Pipe Information

Alt Name:

**Pipe ID:** 10573735

Casing No: Comment:

## Construction Record - Casing

**Casing ID:** 930043097

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:38.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### Construction Record - Casing

 Casing ID:
 930043098

 Layer:
 2

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Material:

Open Hole or Material: **OPEN HOLE** 

Depth From: Depth To: Casing Diameter: Casing Diameter UOM:

82.0 4.0 inch

Casing Depth UOM: ft

Results of Well Yield Testing

991503122 Pump Test ID:

Pump Set At:

Static Level: 15.0 Final Level After Pumping: 20.0 Recommended Pump Depth: 15.0 Pumping Rate: 5.0 Flowing Rate:

Recommended Pump Rate:

5.0 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: Water State After Test: **CLEAR** 

Pumping Test Method: 0 **Pumping Duration HR: Pumping Duration MIN:** 30 Flowing: No

Water Details

933455977 Water ID:

Layer: 1 Kind Code: Kind: **FRESH** 

Water Found Depth: 82.0 Water Found Depth UOM: ft

24 1 of 1 SW/166.0 118.0 / 0.13 517 OSMOND DALEY DRIVE LOT 22 lot 9 con 3 **CARP ON** 

Well ID: 7299401

**Construction Date:** Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z256763 A200006 Tag:

**Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 11/17/2017 Selected Flag: **TRUE** 

Abandonment Rec:

Contractor: 1558 Form Version:

Owner:

517 OSMOND DALEY DRIVE LOT 22 Street Name:

**WWIS** 

Order No: 22033100122

**OTTAWA** County: **HUNTLEY TOWNSHIP** 

Municipality:

Site Info:

009 Lot: Concession: 03 Concession Name: CON

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/729\7299401.pdf

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18

3

421983.00

UTM83

5017524.00

margin of error: 10 - 30 m

Order No: 22033100122

Additional Detail(s) (Map)

 Well Completed Date:
 2017/09/11

 Year Completed:
 2017

 Depth (m):
 106.67

 Latitude:
 45.3068846129515

 Longitude:
 -75.9951986290275

 Path:
 729√7299401.pdf

**Bore Hole Information** 

 Bore Hole ID:
 1006803933
 Elevation:

 DP2BR:
 Elevrc:

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

**Date Completed:** 11-Sep-2017 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 1007037981

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 11.880000114440918

 Formation End Depth:
 106.66999816894531

Formation End Depth UOM: m

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1007037979

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

 Formation Top Depth:
 1.8200000524520874

 Formation End Depth:
 4.570000171661377

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

**Formation ID:** 1007037980

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 34

 Most Common Material:
 TILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 4.570000171661377

 Formation End Depth:
 11.880000114440918

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

**Formation ID:** 1007037978

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.8200000524520874

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1007038015

Layer: 1

**Plug From:** 14.930000305175781

Plug To: 0.0
Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007038014

Method Construction Code: 2

Method Construction:Rotary (Convent.)Other Method Construction:AIR PERCUSSION

Pipe Information

**Pipe ID:** 1007037976

Casing No:

Comment: Alt Name:

**Construction Record - Casing** 

**Casing ID:** 1007037986

Layer: 2 Material: 1

Open Hole or Material: STEEL

 Depth From:
 -0.44999998807907104

 Depth To:
 14.93000305175781

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

#### Construction Record - Casing

Casing ID: 1007037985

Layer: 1
Material: 4

Open Hole or Material: OPEN HOLE

Depth From: 0.0

 Depth To:
 14.930000305175781

 Casing Diameter:
 27.1299991607666

Casing Diameter UOM: cm
Casing Depth UOM: m

### **Construction Record - Screen**

**Screen ID:** 1007037987

Layer: Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:

m

Screen Diameter:

### Results of Well Yield Testing

**Pump Test ID:** 1007037977

 Pump Set At:
 76.19000244140625

 Static Level:
 4.090000152587891

 Final Level After Pumping:
 31.200000762939453

 Recommended Pump Depth:
 76.19000244140625

 Pumping Rate:
 36.400001525878906

Flowing Rate:

**Recommended Pump Rate:** 36.400001525878906

Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing:

### **Draw Down & Recovery**

Pump Test Detail ID:1007037991Test Type:Recovery

Test Duration: 2

**Test Level:** 28.1299991607666

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1007038012
Test Type: Recovery

Test Duration: 60

**Test Level:** 4.079999923706055

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1007037995Test Type:Recovery

Test Duration: 4

**Test Level:** 25.639999389648438

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1007038004Test Type:Draw Down

Test Duration: 25

**Test Level:** 17.420000076293945

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1007038010
Test Type: Recovery

Test Duration: 50

**Test Level:** 4.099999904632568

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:1007038006Test Type:Draw Down

Test Duration: 30

**Test Level:** 19.299999237060547

Test Level UOM: m

## **Draw Down & Recovery**

 Pump Test Detail ID:
 1007037993

 Test Type:
 Recovery

 Test Duration:
 3

 Test Level:
 26.75

 Test Level UOM:
 m

## **Draw Down & Recovery**

Pump Test Detail ID:1007037998Test Type:Draw Down

Test Duration: 10

**Test Level:** 11.399999618530273

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1007037990Test Type:Draw Down

Test Duration: 2

*Test Level:* 6.400000095367432

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1007037996 Test Type: Draw Down

Test Duration:

8.699999809265137 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1007037994 Test Type: Draw Down

Test Duration:

7.980000019073486 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

1007037999 Pump Test Detail ID: Test Type: Recovery

Test Duration: 10

18.579999923706055 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1007038001 Test Type: Recovery Test Duration: 15

Test Level: 13.850000381469727

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1007038002 Test Type: Draw Down

Test Duration: 20

Test Level: 16.260000228881836

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1007038007 Test Type: Recovery Test Duration: 30

Test Level:

4.989999771118164 Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1007038008 Test Type: Recovery Test Duration: 40

4.139999866485596 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1007037989

Test Type: Recovery

Test Duration:

**Test Level:** 29.56999969482422

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1007037992Test Type:Draw Down

Test Duration:

**Test Level:** 7.420000076293945

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID: 1007037997
Test Type: Recovery

Test Duration: 5

**Test Level:** 24.579999923706055

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1007038005
Test Type: Recovery

Test Duration: 25

**Test Level:** 7.21999979019165

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1007038011Test Type:Draw Down

Test Duration: 60

**Test Level:** 31.200000762939453

Test Level UOM: m

## Draw Down & Recovery

Pump Test Detail ID:1007037988Test Type:Draw Down

Test Duration:

**Test Level:** 5.400000095367432

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1007038000Test Type:Draw Down

Test Duration: 15

**Test Level:** 14.050000190734863

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID: 1007038003
Test Type: Recovery

Test Duration: 20

*Test Level:* 9.199999809265137

Test Level UOM: m

Map Key Number of Direction/ Elev/Diff Site DB

Records

**Draw Down & Recovery** 

Pump Test Detail ID:1007038009Test Type:Draw Down

Test Duration: 50

**Test Level:** 26.299999237060547

Distance (m)

(m)

Test Level UOM: m

Water Details

Water ID: 1007037984

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM:

Hole Diameter

**Hole ID:** 1007037983

 Diameter:
 15.550000190734863

 Depth From:
 14.930000305175781

 Depth To:
 106.66999816894531

Hole Depth UOM: m
Hole Diameter UOM: cm

**Hole Diameter** 

Hole ID: 1007037982

**Diameter:** 15.859999656677246

**Depth From:** 0.0

**Depth To:** 14.930000305175781

Hole Depth UOM: m
Hole Diameter UOM: cm

25 1 of 1 NE/173.6 117.0 / -0.92 2900 Carp Rd Ottawa ON K0A1L0

*Order No:* 20140616005

Status: C

Report Type: Standard Report Report Date: 24-JUN-14
Date Received: 16-JUN-14

Previous Site Name: Lot/Building Size:

**Construction Date:** 

Primary Water Use:

Sec. Water Use:

Water Type:

Audit No:

Tag:

Final Well Status:

Casing Material:

Additional Info Ordered: City Directory

1536342

Not Used

Test Hole

Z39913

A023024

Search Radius (km): .34

Nearest Intersection:

Client Prov/State:

Municipality:

**X:** -75.991246 **Y:** 45.310884

ON

**WWIS** 

Order No: 22033100122

26 1 of 1 WSW/174.4 119.2 / 1.30 MCGEE SIDE ROAD lot 10 con 3

CARP ON

Data Entry Status:

Data Src:

Date Received: 5/9/2006 Selected Flag: TRUE

Abandonment Rec:

Contractor: 1119 Form Version: 3

Owner:

Street Name: MCGEE SIDE ROAD

Well ID:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Method: OTTAWA County:

Elevation (m): Municipality: **HUNTLEY TOWNSHIP** 

Elevation Reliability: Site Info: Depth to Bedrock: Lot: 010

Well Depth: Concession: 03 Overburden/Bedrock: CON Concession Name:

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/153\1536342.pdf PDF URL (Map):

### Additional Detail(s) (Map)

Well Completed Date: 2006/03/10 2006 Year Completed: Depth (m): 24.38

Latitude: 45.3076675014068 Longitude: -75.9962583517053 Path: 153\1536342.pdf

#### **Bore Hole Information**

Bore Hole ID: Elevation: 11550408 DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 421901.00 Code OB Desc: North83: 5017612.00 UTM83 Open Hole: Org CS:

Cluster Kind: UTMRC: Date Completed: 10-Mar-2006 00:00:00 **UTMRC Desc:** margin of error: 10 - 30 m

Order No: 22033100122

Location Method: Remarks: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

## Overburden and Bedrock

Materials Interval

933056418 Formation ID:

Layer:

Color:

General Color:

28 Mat1: SAND Most Common Material: Mat2: 05 CLAY Mat2 Desc: Mat3: 11 **GRAVEL** Mat3 Desc:

Formation Top Depth: Formation End Depth: 12.800000190734863

0.0

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

933056419 Formation ID:

Layer: 2 Color: 2 **GREY** General Color: Mat1: 46 Most Common Material: QUARTZ Mat2: 15

Mat2 Desc: LIMESTONE

Mat3:

Mat3 Desc:

Formation Top Depth: 12.800000190734863 24.3799991607666 Formation End Depth:

Formation End Depth UOM:

### Annular Space/Abandonment

Sealing Record

Plug ID: 933295043

Layer:

Plug From: 15.850000381469727 Plug To: 12.800000190734863

Plug Depth UOM:

## Annular Space/Abandonment

Sealing Record

Plug ID: 933295044

2 Layer:

Plug From: 12.800000190734863

Plug To: 0.0 Plug Depth UOM: m

### Method of Construction & Well

Use

**Method Construction ID:** 961536342 **Method Construction Code:** 5 Air Percussion Method Construction:

**Other Method Construction:** 

Pipe Information

Pipe ID: 11560015 Casing No:

Comment: Alt Name:

#### Construction Record - Casing

930880640 Casing ID:

Layer: 2 Material:

Open Hole or Material: **OPEN HOLE** 

Depth From: 15.850000381469727 Depth To: 24.3799991607666

Casing Diameter: Casing Diameter UOM: cm Casing Depth UOM: m

# **Construction Record - Casing**

Casing ID: 930880639

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 0.0

 Depth To:
 16.459999084472656

Casing Diameter: 15.880000114440918
Casing Diameter UOM: cm
Casing Depth UOM: m

Results of Well Yield Testing

**Pump Test ID:** 11569444

 Pump Set At:
 21.329999923706055

 Static Level:
 3.0799999237060547

 Final Level After Pumping:
 19.290000915527344

 Recommended Pump Depth:
 21.329999923706055

Pumping Rate: 68.25

Flowing Rate:

Recommended Pump Rate: 68.25
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 2
Water State After Test: CLOUDY

Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0

Flowing:

**Draw Down & Recovery** 

Pump Test Detail ID:11631292Test Type:Recovery

Test Duration:

**Test Level:** 8.640000343322754

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11631283Test Type:Draw Down

Test Duration:

**Test Level:** 6.340000152587891

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 11631284
Test Type: Recovery

Test Duration:

**Test Level:** 14.3100004196167

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:11631285Test Type:Draw Down

Test Duration:

**Test Level:** 8.300000190734863

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 11631293 Test Type: Draw Down Test Duration: 10 Test Level: 16.25 Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 11631294 Recovery Test Type: Test Duration: 10

4.920000076293945 Test Level:

Test Level UOM: m

#### **Draw Down & Recovery**

11631299 Pump Test Detail ID: Draw Down Test Type:

Test Duration: 25

19.15999984741211 Test Level:

Test Level UOM: m

### **Draw Down & Recovery**

11631301 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 30

19.190000534057617 Test Level:

Test Level UOM: m

# **Draw Down & Recovery**

Pump Test Detail ID: 11631290 Test Type: Recovery Test Duration:

Test Level: 9.550000190734863

Test Level UOM:

### **Draw Down & Recovery**

11631305 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 60

Test Level: 19.290000915527344

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 11631298 Test Type: Recovery

Test Duration: 20

3.380000114440918 Test Level:

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID: 11631304 Test Type: Draw Down

Test Duration:

**Test Level:** 19.270000457763672

Test Level UOM: m

# Draw Down & Recovery

Pump Test Detail ID:11631291Test Type:Draw Down

Test Duration: 5

**Test Level:** 12.239999771118164

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID: 11631295
Test Type: Draw Down

**Test Duration:** 15

**Test Level:** 18.479999542236328

Test Level UOM: m

### **Draw Down & Recovery**

Pump Test Detail ID:11631300Test Type:Recovery

Test Duration: 25

**Test Level:** 3.109999895095825

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:11631303Test Type:Draw Down

Test Duration: 40

**Test Level:** 19.219999313354492

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:11631287Test Type:Draw Down

Test Duration: 3

**Test Level:** 9.789999961853027

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:11631289Test Type:Draw Down

Test Duration:

**Test Level:** 11.050000190734863

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:11631302Test Type:RecoveryTest Duration:30

**Test Level:** 3.0899999141693115

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 11631286 Recovery Test Type:

Test Duration:

12.460000038146973 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 11631288 Recovery Test Type:

Test Duration: 3

Test Level: 10.699999809265137

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 11631296 Test Type: Recovery Test Duration: 15

3.819999933242798 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 11631297 Test Type: Draw Down

Test Duration: 20

Test Level: 19.100000381469727

Test Level UOM:

Water Details

Water ID: 934075089

Layer:

Kind Code: Kind:

22.25 Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 11681108

Diameter: 15.229999542236328

Depth From: 0.0

24.3799991607666 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1

Well ID: 7042385

116.9/-1.00

ENE/183.2

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

**27** 

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z42180 Data Entry Status: Data Src:

OTTAWA ON

4/4/2007 Date Received:

2914 CARP ROAD lot 10 con 2

**WWIS** 

Order No: 22033100122

Selected Flag: TRUE

Abandonment Rec:

Contractor: 6574 Form Version: 3

Owner:

erisinfo.com | Environmental Risk Information Services

124

A045206 2914 CARP ROAD Street Name:

Tag: **Construction Method:** County: **OTTAWA HUNTLEY TOWNSHIP** Elevation (m): Municipality:

Elevation Reliability: Site Info: Depth to Bedrock: Lot: 010

Well Depth: 02 Concession: Overburden/Bedrock: Concession Name: CON

Easting NAD83: Pump Rate: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: UTM Reliability: Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/704\7042385.pdf

### Additional Detail(s) (Map)

2007/01/28 Well Completed Date: Year Completed: 2007 Depth (m): 12.1

45.3103746638511 Latitude: -75.9903100056476 Longitude: Path: 704\7042385.pdf

#### **Bore Hole Information**

Bore Hole ID: 11764880 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83: 422371.00 5017907.00 Code OB Desc: North83: Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: UTMRC Desc: Date Completed: 28-Jan-2007 00:00:00 margin of error: 10 - 30 m

Location Method: Remarks: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

### Overburden and Bedrock

Materials Interval

933096749 Formation ID:

Layer:

Color: General Color:

Mat1:

Most Common Material: Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 5.0

12.100000381469727 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

**Formation ID:** 933096747

Layer: 2 2 Color: General Color: **GREY** Mat1: 17 SHALE Most Common Material: Mat2: 05 Mat2 Desc: CLAY Mat3: 74 Mat3 Desc: **LAYERED** Formation Top Depth: 1.0 Formation End Depth: 3.0 Formation End Depth UOM: m

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 933096748

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

 Most Common Material:
 HARDPAN

 Mat2:
 13

**BOULDERS** 

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 3.0 Formation End Depth: 5.0 Formation End Depth UOM: m

# Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 933096746

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: m

### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933316714

 Layer:
 1

 Plug From:
 0.0

 7.0
 7.0

Plug To: 7.0
Plug Depth UOM: m

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 967042385

Method Construction Code: 5

**Method Construction:** 

Air Percussion

Other Method Construction:

### Pipe Information

 Pipe ID:
 11772600

 Casing No:
 1

Comment: Alt Name:

## Construction Record - Casing

 Casing ID:
 930897688

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0.0

 Depth To:
 7.0

 Casing Diameter:
 15.0

 Casing Diameter UOM:
 cm

#### Results of Well Yield Testing

Casing Depth UOM:

 Pump Test ID:
 11777923

 Pump Set At:
 11.0

 Static Level:
 5.119999885559082

 Final Level After Pumping:
 5.800000190734863

m

**Recommended Pump Depth:** 10.0 **Pumping Rate:** 130.0

Flowing Rate:

Recommended Pump Rate:

Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0

Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID:11800776Test Type:Recovery

Test Duration: 3

**Test Level:** 0.1599999964237213

Test Level UOM: m

# Draw Down & Recovery

Pump Test Detail ID:11800784Test Type:Draw Down

Test Duration: 20

**Test Level:** 5.800000190734863

Test Level UOM: m

# **Draw Down & Recovery**

Pump Test Detail ID: 11800791
Test Type: Recovery

Test Duration: 60

**Test Level:** 0.12999999523162842

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800773Test Type:Draw Down

Test Duration: 2

**Test Level:** 5.800000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800777Test Type:Draw Down

Test Duration: 4

**Test Level:** 5.800000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 11800782
Test Type: Recovery

Test Duration: 10

**Test Level:** 0.15000000596046448

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800785Test Type:Draw Down

Test Duration: 25

**Test Level:** 5.800000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800786Test Type:Draw Down

Test Duration: 30

**Test Level:** 5.820000171661377

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800775Test Type:Draw Down

Test Duration: 3

**Test Level:** 5.800000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 11800778
Test Type: Recovery

Test Duration: 4

**Test Level:** 0.1599999964237213

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11800783Test Type:Draw Down

Test Duration: 15

*Test Level:* 5.800000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800788Test Type:Draw Down

Test Duration: 40

**Test Level:** 5.820000171661377

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11800789Test Type:Draw Down

Test Duration: 50

**Test Level:** 5.820000171661377

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11800790Test Type:Draw Down

Test Duration: 60

**Test Level:** 5.829999923706055

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:11800772Test Type:Recovery

Test Duration:

**Test Level:** 5.170000076293945

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:11800774Test Type:Recovery

Test Duration:

**Test Level:** 5.159999847412109

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11800779Test Type:Draw Down

Test Duration:

**Test Level:** 5.800000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 11800771

Draw Down Test Type:

Test Duration:

5.800000190734863 Test Level:

Test Level UOM: m

#### **Draw Down & Recovery**

11800787 Pump Test Detail ID: Test Type: Recovery Test Duration:

0.14000000059604645 Test Level:

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 11800780 Recovery Test Type:

Test Duration: 5

Test Level: 0.1599999964237213

Test Level UOM: m

#### **Draw Down & Recovery**

11800781 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 10

5.800000190734863 Test Level:

Test Level UOM: m

#### Water Details

Water ID: 934085091 Layer: Kind Code:

**FRESH** Kind: Water Found Depth: 11.5 Water Found Depth UOM: m

## Water Details

Water ID: 934085090

Layer: Kind Code:

Kind: **FRESH** 

Water Found Depth: 9.800000190734863

Water Found Depth UOM:

# Hole Diameter

Hole ID: 11851153

Diameter: 15.699999809265137

Depth From: 7.0

Depth To: 12.100000381469727

Hole Depth UOM: m Hole Diameter UOM: cm

## Hole Diameter

Hole ID: 11851152 25.0 Diameter:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 0.0 Depth From: Depth To: 7.0

Hole Depth UOM: m Hole Diameter UOM: cm

> 1 of 1 NNW/197.9 117.9 / -0.01 330 WEST LANKE CIRCLE lot 10 con 3 28

**CARP ON** 

Well ID: 7181766

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z149061 Tag: A117487

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 5/29/2012 Selected Flag: TRUE

Abandonment Rec:

Contractor: 4875 Form Version:

Owner:

Street Name: 330 WEST LANKE CIRCLE County:

**OTTAWA** 

**WWIS** 

Municipality: **HUNTLEY TOWNSHIP** 

Site Info:

010 I of Concession: 03 CON Concession Name:

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/718\7181766.pdf PDF URL (Map):

#### Additional Detail(s) (Map)

2012/05/07 Well Completed Date: Year Completed: 2012 63.14 Depth (m):

Latitude: 45.3107446459553 Longitude: -75.9943476785438 Path: 718\7181766.pdf

### **Bore Hole Information**

Bore Hole ID: 1003810074 DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 07-May-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1004326136 Elevation:

Zone: 18

East83: 422055.00 North83: 5017952.00 UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 10 - 30 m

Order No: 22033100122

Location Method: digit

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 17
Mat2 Desc: SHALE

Mat3: Mat3 Desc:

Mat3 Desc:

 Formation Top Depth:
 4.880000114440918

 Formation End Depth:
 63.13999938964844

Formation End Depth UOM: m

## Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1004326135

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 01

Mat3 Desc:FILLFormation Top Depth:0.0

Formation End Depth: 4.880000114440918

Formation End Depth UOM: m

#### Annular Space/Abandonment

Sealing Record

**Plug ID:** 1004326172

Layer: 1
Plug From: 0.0

**Plug To:** 8.239999771118164

Plug Depth UOM: m

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004326171

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

# Pipe Information

**Pipe ID:** 1004326133

Casing No: 0

Comment: Alt Name:

## Construction Record - Casing

**Casing ID:** 1004326142

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 -0.6000000238418579

 Depth To:
 8.239999771118164

**Casing Diameter:** 15.880000114440918

Casing Diameter UOM: cm
Casing Depth UOM: m

#### **Construction Record - Screen**

**Screen ID:** 1004326143

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM:

Screen Diameter:

m cm

## Results of Well Yield Testing

 Pump Test ID:
 1004326134

 Pump Set At:
 42.70000076293945

 Static Level:
 5.510000228881836

Final Level After Pumping: 20.0
Recommended Pump Depth: 49.0
Pumping Rate: 32.0

Flowing Rate:

Recommended Pump Rate: 32.0
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1

Pumping Duration MIN:

Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID: 1004326155
Test Type: Recovery
Test Duration: 10

Test Level: 10.260000228881836

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004326165Test Type:RecoveryTest Duration:40

**Test Level:** 5.809999942779541

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004326144Test Type:Draw Down

Test Duration: 1

**Test Level:** 6.889999866485596

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326148Test Type:Draw Down

Test Duration: 3

**Test Level:** 8.930000305175781

Test Level UOM:

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326166Test Type:Draw Down

Test Duration: 50

**Test Level:** 21.010000228881836

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004326167Test Type:RecoveryTest Duration:50

*Test Level:* 5.760000228881836

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326169Test Type:RecoveryTest Duration:60

**Test Level:** 5.730000019073486

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326145Test Type:Recovery

Test Duration:

**Test Level:** 18.479999542236328

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1004326147
Test Type: Recovery

Test Duration: 2

**Test Level:** 17.459999084472656

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004326150Test Type:Draw Down

Test Duration: 4

**Test Level:** 8.819999694824219

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326162Test Type:Draw Down

Test Duration: 30

**Test Level:** 18.389999389648438

Test Level UOM:

m

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 1004326164

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 19.5

 Test Level UOM:
 m

## **Draw Down & Recovery**

Pump Test Detail ID: 1004326149
Test Type: Recovery

Test Duration: 3

**Test Level:** 16.31999969482422

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326154Test Type:Draw Down

Test Duration: 10

**Test Level:** 13.550000190734863

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004326156Test Type:Draw Down

Test Duration: 15

**Test Level:** 15.470000267028809

Test Level UOM: m

# Draw Down & Recovery

Pump Test Detail ID:1004326158Test Type:Draw Down

Test Duration: 20

**Test Level:** 16.8799991607666

Test Level UOM:

### **Draw Down & Recovery**

Pump Test Detail ID:1004326146Test Type:Draw Down

Test Duration: 2

**Test Level:** 7.960000038146973

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1004326161Test Type:RecoveryTest Duration:25

lest Duration: 25

**Test Level:** 6.230000019073486

Test Level UOM:

# Draw Down & Recovery

Pump Test Detail ID: 1004326168 Test Type: Draw Down

Test Duration: 60

Test Level: 20.399999618530273

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1004326159 Recovery Test Type: Test Duration: 20

6.650000095367432 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

1004326160 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 25

17.850000381469727 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

1004326163 Pump Test Detail ID: Test Type: Recovery Test Duration: 30

5.980000019073486 Test Level: m

Test Level UOM:

**Draw Down & Recovery** 

1004326151 Pump Test Detail ID: Test Type: Recovery

Test Duration:

Test Level: 15.270000457763672

Test Level UOM:

**Draw Down & Recovery** 

1004326152 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 5

Test Level: 10.630000114440918

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1004326153 Test Type: Recovery

Test Duration: 5

14.239999771118164 Test Level:

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1004326157 Test Type: Recovery Test Duration:

7.099999904632568 Test Level:

Test Level UOM: m

Water Details

Water ID: 1004326140

Layer: 2 Kind Code: 8 Kind: Untested Water Found Depth: 26.0 Water Found Depth UOM: m

Water Details

Water ID: 1004326141

Layer: 3 Kind Code: 8

Kind: Untested

Water Found Depth: 54.400001525878906

Water Found Depth UOM:

Water Details

Water ID: 1004326139

Layer: Kind Code: 8

Kind: Untested

Water Found Depth: 15.800000190734863

Water Found Depth UOM:

**Hole Diameter** 

Hole ID: 1004326137

15.239999771118164 Diameter: Depth From: 8.239999771118164 Depth To: 59.470001220703125

Hole Depth UOM: m Hole Diameter UOM: cm

**Hole Diameter** 

Hole ID: 1004326138

Diameter: 14.609999656677246 Depth From: 59.470001220703125 Depth To: 63.13999938964844

Hole Depth UOM: Hole Diameter UOM: cm

1 of 1

29 ON

lot 9 con 3

**WWIS** 

Order No: 22033100122

116.6 / -1.31

1514027 Well ID: Data Entry Status:

ESE/203.1

Construction Date: Data Src:

5/27/1974 Primary Water Use: Domestic Date Received: Sec. Water Use: Selected Flag: TRUE

Final Well Status: Water Supply Abandonment Rec: Water Type: 3658 Contractor: Casing Material: Form Version: 1

Audit No: Owner: Street Name: Tag:

Construction Method: **OTTAWA** County:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

**HUNTLEY TOWNSHIP** 

Elevation (m): Municipality: Elevation Reliability: Site Info:

009 Depth to Bedrock: Lot: 03 Well Depth: Concession: Overburden/Bedrock: Concession Name: CON

Easting NAD83: Pump Rate: Static Water Level: Northing NAD83: Zone:

Flowing (Y/N): Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/151\1514027.pdf

### Additional Detail(s) (Map)

Well Completed Date: 1974/02/07 1974 Year Completed: Depth (m): 23.7744

45.3076193750702 Latitude: Longitude: -75.9904074450349 151\1514027.pdf Path:

#### **Bore Hole Information**

Bore Hole ID: 10036009 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18

Code OB: East83: 422359.60 Code OB Desc: North83: 5017601.00 Open Hole: Org CS:

Cluster Kind: UTMRC:

Date Completed: 07-Feb-1974 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22033100122

Remarks: Location Method: Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Method: Source Revision Comment: Supplier Comment:

### Overburden and Bedrock

## Materials Interval

931025128 Formation ID:

2 Layer: Color: General Color: **GREY** Mat1: **GRAVEL** Most Common Material: Mat2: 13 Mat2 Desc: **BOULDERS** Mat3: 79

Mat3 Desc: **PACKED** Formation Top Depth: 8.0 Formation End Depth: 28.0 Formation End Depth UOM: ft

# Overburden and Bedrock

**Materials Interval** 

Formation ID: 931025127

Layer:

Color: 6
General Color: BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 77

 Mat2 Desc:
 LOOSE

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 8.0 Formation End Depth UOM: ft

## Overburden and Bedrock

Materials Interval

**Formation ID:** 931025129

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:73Mat2 Desc:HARD

Mat3: Mat3 Desc:

Formation Top Depth: 28.0 Formation End Depth: 78.0 Formation End Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID: 961514027

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

## Pipe Information

Alt Name:

**Pipe ID:** 10584579

Casing No: 1 Comment:

### **Construction Record - Casing**

**Casing ID:** 930063612

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:30.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

## Construction Record - Casing

**Casing ID:** 930063613

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From: Depth To: 78.0 Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft

#### Results of Well Yield Testing

Pump Test ID: 991514027

Pump Set At:

6.0 Static Level: Final Level After Pumping: 20.0 Recommended Pump Depth: 35.0 Pumping Rate: 30.0

Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 1 Water State After Test: **CLEAR** Pumping Test Method: **Pumping Duration HR:** 2 **Pumping Duration MIN:** 0 No Flowing:

#### **Draw Down & Recovery**

934381282 Pump Test Detail ID: Test Type: Draw Down Test Duration: 30 20.0 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934899745 Test Type: Draw Down Test Duration: 60 20.0 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

934641857 Pump Test Detail ID: Test Type: Draw Down Test Duration: 45 20.0 Test Level: Test Level UOM:

## **Draw Down & Recovery**

934099790 Pump Test Detail ID: Draw Down Test Type: Test Duration: 15 20.0 Test Level: Test Level UOM:

## Water Details

Water ID: 933469802 Layer:

Number of Elev/Diff Site DΒ Map Key Direction/

> Records Distance (m) (m)

Kind Code: **FRESH** Kind: Water Found Depth: 76.0 Water Found Depth UOM: ft

**30** 1 of 1 SSE/210.1 116.9 / -1.00 **BORE** ON

Borehole ID: 609682 Inclin FLG: No

OGF ID: SP Status: 215511298

Initial Entry Status: Surv Elev: No

Type: Borehole Piezometer: No

Primary Name: Use: Completion Date: Municipality: Static Water Level: Lot:

Primary Water Use: Township: Sec. Water Use: Latitude DD:

45.306626 -999 Total Depth m: Longitude DD: -75.991909 Depth Ref: **Ground Surface** UTM Zone: 18

Depth Elev: Easting: 422241 5017492 Drill Method: Northing:

Orig Ground Elev m: 118 Location Accuracy:

Elev Reliabil Note: Not Applicable Accuracy: DEM Ground Elev m: 116

Concession: Location D: Survey D: Comments:

**Borehole Geology Stratum** 

Geology Stratum ID: 218383819 Mat Consistency: Top Depth: 11.6 Material Moisture: Bottom Depth: Material Texture:

Material Color: Black Non Geo Mat Type: Bedrock Material 1: Geologic Formation: Material 2: Limestone Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

BEDROCK, LIMESTONE. BLACK. LIMESTONE. GREY. 00075ITY = 5000. BEDROCK. SEISMIC VELOCITY = Stratum Description:

\*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 22033100122

218383818 Geology Stratum ID: Mat Consistency: Top Depth: 0 Material Moisture: **Bottom Depth:** 11.6 Material Texture: Material Color: Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Geologic Group:

Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: SAND.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden: 1

Source Date: 1956-1972 Scale or Res: Varies Confidence: Μ Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA1.txt RecordID: 021900 NTS\_Sheet: 31G05D Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Source List

Confiden 1:

Source Identifier: 1 Horizontal Datum: NAD27

Reliable information but incomplete.

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

31 1 of 2 SSW/218.0 117.9 / -0.02 LOT 4 WEST LAKE SOUTH CARP ON WWIS

Well ID: 7199589 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:3/28/2013Sec. Water Use:Selected Flag:TRUE

Final Well Status: Water Supply Abandonment Rec:

Water Type:Contractor:1558Casing Material:Form Version:7

Audit No: Z139874 Owner:

Tag: A123352 Street Name: LOT 4 WEST LAKE SOUTH

Construction Method: County: OTTAWA

Elevation (m): Municipality: HUNTLEY TOWNSHIP Elevation Reliability: Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Flowing (Y/N): Zone:
Flow Rate: UTM Reliability:

Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/719\7199589.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2012/12/13

 Year Completed:
 2012

 Depth (m):
 15.23

 Latitude:
 45.306072715432

 Longitude:
 -75.9943680367299

 Path:
 719\7199589.pdf

**Bore Hole Information** 

Bore Hole ID: 1004269688 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 422047.00

 Code OB Desc:
 North83:
 5017433.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

**Date Completed:** 13-Dec-2012 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Order No: 22033100122

Remarks: Location Method: www

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

### Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 1004973932

 Layer:
 2

 Color:
 6

General Color: BROWN Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 1.519999809265137

 Formation End Depth:
 4.260000228881836

Formation End Depth UOM: m

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1004973934

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

**Mat3:** 74

Mat3 Desc: LAYERED

 Formation Top Depth:
 10.050000190734863

 Formation End Depth:
 15.229999542236328

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

**Formation ID:** 1004973931

| Layer: 1 | 1 | Color: 6 | General Color: BROWN | Mat1: 02 | Most Common Material: TOPSOIL

 Mat2:
 12

 Mat2 Desc:
 STONES

 Mat3:
 01

 Mat3 Desc:
 FILL

 Formation Top Depth:
 0.0

Formation End Depth: 1.5199999809265137

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

**Formation ID:** 1004973933

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 4.260000228881836

 Formation End Depth:
 10.050000190734863

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1004973961

Layer:

**Plug From:** 13.100000381469727

Plug To: 0.0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004973960

Method Construction Code:

Method Construction:Rotary (Convent.)Other Method Construction:AIR PERCUSSION

Pipe Information

**Pipe ID:** 1004973929

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004973938

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 1.059999942779541

 Depth To:
 13.10000381469727

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

**Construction Record - Screen** 

**Screen ID:** 1004973939

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

**Pump Test ID:** 1004973930

 Pump Set At:
 13.710000038146973

 Static Level:
 5.289999961853027

 Final Level After Pumping:
 6.28000020980835

 Recommended Pump Depth:
 12.1899995803833

Pumping Rate: 45.5

Flowing Rate:

Recommended Pump Rate: 45.5

Levels UOM: m
Rate UOM: LPM

Water State After Test Code: 1

Water State After Test: CLEAR

Pumping Test Method: 0

Pumping Duration HR: 1

Pumping Duration MIN:

Flowing: No

## **Draw Down & Recovery**

Pump Test Detail ID:1004973942Test Type:Draw Down

Test Duration: 2

**Test Level:** 6.159999847412109

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004973948Test Type:Draw Down

Test Duration: 5

**Test Level:** 6.199999809265137

Test Level UOM: m

### **Draw Down & Recovery**

 Pump Test Detail ID:
 1004973950

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 6.25

 Test Level UOM:
 m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004973954Test Type:Draw Down

Test Duration: 25

Test Level: 6.269999980926514

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004973955Test Type:Draw Down

Test Duration: 30

**Test Level:** 6.269999980926514

Test Level UOM: m

## Draw Down & Recovery

Pump Test Detail ID:1004973949Test Type:Recovery

Test Duration: 5

**Test Level:** 5.300000190734863

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973953Test Type:Draw Down

Test Duration: 20

*Test Level:* 6.260000228881836

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973945Test Type:Recovery

Test Duration: 3

**Test Level:** 5.340000152587891

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973947Test Type:Recovery

Test Duration: 4

**Test Level:** 5.329999923706055

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973941Test Type:Recovery

Test Duration: 1

**Test Level:** 5.389999866485596

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973944Test Type:Draw Down

Test Duration:

**Test Level:** 6.179999828338623

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973946Test Type:Draw Down

Test Duration: 4

**Test Level:** 6.190000057220459

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1004973952
Test Type: Draw Down

Test Duration: 15

Test Level: 6.260000228881836

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004973958Test Type:Draw Down

Test Duration: 60

**Test Level:** 6.28000020980835

Test Level UOM:

#### **Draw Down & Recovery**

Pump Test Detail ID:1004973940Test Type:Draw Down

Test Duration:

*Test Level:* 6.130000114440918

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004973951Test Type:RecoveryTest Duration:10

*Test Level:* 5.289999961853027

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004973957Test Type:Draw Down

Test Duration: 50

**Test Level:** 6.28000020980835

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004973943Test Type:Recovery

Test Duration: 2

**Test Level:** 5.360000133514404

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004973956Test Type:Draw Down

Test Duration: 40

**Test Level:** 6.269999980926514

Test Level UOM: m

## Water Details

 Water ID:
 1004973937

 Layer:
 1

Kind Code: 8

Kind: Untested

Water Found Depth: 14.020000457763672

Water Found Depth UOM: m

#### **Hole Diameter**

**Hole ID:** 1004973936

 Diameter:
 15.229999542236328

 Depth From:
 13.100000381469727

Map Key Number of Direction/ Elev/Diff Site DB

**Depth To:** 15.229999542236328

Hole Depth UOM: m
Hole Diameter UOM: cm

Records

Hole Diameter

Hole ID: 1004973935

**Diameter:** 15.859999656677246

Depth From: 0.0

**Depth To:** 13.100000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

31 2 of 2 SSW/218.0 117.9 / -0.02 524 OSMOND DALEY DRIVE LOT 4 WWIS

7

Order No: 22033100122

Well ID: 7287149 Data Entry Status:

Distance (m)

Construction Date: Data Src:

Primary Water Use:Date Received:5/25/2017Sec. Water Use:Selected Flag:TRUEFinal Well Status:Abandoned-QualityAbandonment Rec:YesWater Type:Contractor:1558

Water Type: Contractor: Casing Material: Form Version:

 Audit No:
 Z226816
 Owner:

 Tag:
 A123352
 Street Name:
 524 OSMOND DALEY DRIVE LOT 4

Construction Method: County: OTTAWA

Elevation (m):

Elevation Reliability:

Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Ste Inio.

Lot:

Concession:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Flowing (Y/N): Zone:
Flow Rate: UTM Reliability:

Flow Rate: Clear/Cloudy:

Additional Detail(s) (Map)

Well Completed Date: 2016/08/05 Year Completed: 2016

Depth (m):

 Latitude:
 45.306072715432

 Longitude:
 -75.9943680367299

 Path:
 728\7287149.pdf

**Bore Hole Information** 

Bore Hole ID: 1006477573 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 18

Spatial Status: 5-102: 422047

 Code OB:
 East83:
 422047.00

 Code OB Desc:
 North83:
 5017433.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

**Date Completed:** 05-Aug-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: wwn
Elevro Desc:

Location Source Date:

Improvement Location Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 1006752599

Layer: Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth:
Formation End Depth:
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1006752605

Layer: 1

**Plug From:** 15.229999542236328

Plug To: 0.0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006752604

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

**Pipe ID:** 1006752598

Casing No: 0

Comment: Alt Name:

**Construction Record - Casing** 

Casing ID: 1006752602

Layer: Material:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

**Screen ID:** 1006752603

Layer:

Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

m Screen Diameter UOM: cm

Screen Diameter:

Water Details

1006752601 Water ID:

Layer: Kind Code: Kind.

Water Found Depth:

Water Found Depth UOM: m

**Hole Diameter** 

Hole ID: 1006752600

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

WNW/223.0 119.1 / 1.24 **LOT 29N WEST LAKE ESTATES 32** 1 of 1 **WWIS CARP ON** 

Well ID: 7171005

**Construction Date:** 

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Z115728 Tag: A102485

**Construction Method:** Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Data Entry Status:

Data Src:

Date Received: 11/2/2011 TRUE Selected Flag:

Abandonment Rec: Contractor:

1558 Form Version: 7

Owner:

Street Name: LOT 29N WEST LAKE ESTATES

Order No: 22033100122

County: **OTTAWA** 

Municipality: **HUNTLEY TOWNSHIP** 

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/717\7171005.pdf

Additional Detail(s) (Map)

Well Completed Date: 2011/06/17 Year Completed: 2011 Depth (m): 83.2

Latitude: 45.3102107507434 -75.9957033342428 Longitude: Path: 717\7171005.pdf

**Bore Hole Information** 

Elevation:

18

421948.00 5017894.00

margin of error: 10 - 30 m

Order No: 22033100122

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

**Bore Hole ID:** 1003595073

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

**Date Completed:** 17-Jun-2011 00:00:00

Remarks: Elevrc Desc:

Cluster Kind:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

## Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1004011344

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 02

 Most Common Material:
 TOPSOIL

 Mat2:
 13

Mat2 Desc: BOULDERS

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 5.480000019073486

Formation End Depth UOM: m

## Overburden and Bedrock

Materials Interval

**Formation ID:** 1004011345

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3: 27 Mat3 Desc: OTHER

 Formation Top Depth:
 5.480000019073486

 Formation End Depth:
 83.19999694824219

Formation End Depth UOM: m

# Annular Space/Abandonment

Sealing Record

**Plug ID:** 1004011374

Layer: 1

**Plug From:** 8.529999732971191

Plug To: 0.0 Plug Depth UOM: m

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004011373

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

**Pipe ID:** 1004011342

Casing No:

Comment: Alt Name:

Construction Record - Casing

**Casing ID:** 1004011350

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 -0.44999998807907104

 Depth To:
 8.529999732971191

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

**Screen ID:** 1004011351

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1004011343

 Pump Set At:
 76.19000244140625

 Static Level:
 3.6500000953674316

 Final Level After Pumping:
 6.789999961853027

 Recommended Pump Depth:
 22.850000381469727

45.5

Pumping Rate: Flowing Rate:

Recommended Pump Rate: 45.5

Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1

Water State After Test: CLEAR
Pumping Test Method: 0

Pumping Duration HR: 1

Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

**Draw Down & Recovery** 

Pump Test Detail ID:1004011356Test Type:Draw Down

Test Duration: 3

**Test Level:** 5.380000114440918

Test Level UOM:

m

**Draw Down & Recovery** 

Pump Test Detail ID:1004011371Test Type:Draw Down

Test Duration: 60

**Test Level:** 6.789999961853027

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1004011361
Test Type: Recovery

**Test Duration:** 5

**Test Level:** 3.819999933242798

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004011368Test Type:Draw Down

Test Duration: 30

**Test Level:** 6.420000076293945

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1004011357Test Type:Recovery

Test Duration: 3

**Test Level:** 3.9800000190734863

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004011358Test Type:Draw Down

Test Duration: 4

**Test Level:** 5.559999942779541

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1004011360Test Type:Draw Down

Test Duration: 5

**Test Level:** 5.679999828338623

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004011369Test Type:Draw Down

Test Duration: 40

**Test Level:** 6.760000228881836

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1004011370
Test Type: Draw Down

Test Duration: 50

**Test Level:** 6.78000020980835

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004011359Test Type:Recovery

Test Duration:

**Test Level:** 3.869999885559082

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004011363Test Type:RecoveryTest Duration:10

**Test Level:** 3.759999990463257

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID:1004011367Test Type:Draw Down

Test Duration: 25

**Test Level:** 6.03000020980835

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004011354Test Type:Draw Down

Test Duration:

**Test Level:** 5.130000114440918

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1004011362Test Type:Draw Down

Test Duration: 10

**Test Level:** 5.960000038146973

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1004011364Test Type:Draw Down

Test Duration: 15

**Test Level:** 6.019999980926514

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID:1004011366Test Type:RecoveryTest Duration:20

Test Level: 3.680000066757202

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1004011352Test Type:Draw Down

Test Duration:

**Test Level:** 4.739999771118164

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1004011353
Test Type: Recovery

Test Duration: 1

**Test Level:** 5.039999961853027

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID: 1004011355
Test Type: Recovery
Test Duration: 2

 Test Duration:
 2

 Test Level:
 4.289999961853027

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID:1004011365Test Type:Recovery

Test Duration: 15

**Test Level:** 3.7100000381469727

Test Level UOM: m

#### Water Details

*Water ID:* 1004011348

Layer: 1 Kind Code: 8

Kind: Untested

*Water Found Depth:* 57.900001525878906

Water Found Depth UOM:

## Water Details

*Water ID:* 1004011349

 Layer:
 2

 Kind Code:
 8

Kind: Untested

Water Found Depth: 82.29000091552734

Water Found Depth UOM: m

#### **Hole Diameter**

**Hole ID:** 1004011347

 Diameter:
 15.229999542236328

 Depth From:
 8.529999732971191

 Depth To:
 83.19999694824219

Hole Depth UOM: m

Hole Diameter UOM:

**Hole Diameter** 

**Hole ID:** 1004011346

**Diameter:** 15.859999656677246

cm

Depth From: 0.0

**Depth To:** 8.529999732971191

Hole Depth UOM: m
Hole Diameter UOM: cm

33 1 of 1 ENE/226.7 115.9 / -1.98 2876 CARP RD lot 9 con 2 WWIS

Well ID: 7244461
Construction Date:
Primary Water Use: Domestic

Primary Water Use: Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

 Audit No:
 Z199160

 Tag:
 A162823

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2015/06/04

 Year Completed:
 2015

 Depth (m):
 60.96

 Latitude:
 45.3099878348674

 Longitude:
 -75.9892444472388

Path:

**Bore Hole Information** 

**Bore Hole ID:** 1005476375 **DP2BR:** 

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

**Date Completed:** 04-Jun-2015 00:00:00

Remarks: Elevrc Desc:

156

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Data Entry Status:

Data Src:

Date Received: 7/14/2015

Selected Flag: TRUE

Abandonment Rec:

Contractor: 2558 Form Version: 7

Owner:

Street Name: 2876 CARP RD County: OTTAWA

Municipality: HUNTLEY TOWNSHIP

18

422454.00

5017863.00

margin of error: 30 m - 100 m

Order No: 22033100122

UTM83

wwr

Site Info:

 Lot:
 009

 Concession:
 02

 Concession Name:
 CON

Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

**UTMRC Desc:** 

Location Method:

Zone:

UTM Reliability:

erisinfo.com | Environmental Risk Information Services

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 1005653334

Layer:

Color: General Color:

General Color:

**Mat1:** 14

Most Common Material: HARDPAN 05 Mat2: Mat2 Desc: CLAY Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 0.0 Formation End Depth: 22.0 Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 1005653335

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 22.0
Formation End Depth: 200.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1005653370

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 44.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

**Plug ID:** 1005653371

Layer: 2

Plug From: Plug To:

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005653369

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

## Pipe Information

**Pipe ID:** 1005653332

Casing No: Comment:

Alt Name:

#### **Construction Record - Casing**

**Casing ID:** 1005653340

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0.0

 Depth To:
 44.0

 Casing Diameter:
 6.0

 Casing Diameter UOM:
 inch

## **Construction Record - Screen**

**Screen ID:** 1005653341

ft

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Casing Depth UOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

## Results of Well Yield Testing

 Pump Test ID:
 1005653333

 Pump Set At:
 150.0

Static Level:

Final Level After Pumping: 9.0
Recommended Pump Depth: 180.0
Pumping Rate: 5.0

Flowing Rate:

Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY

Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing: No

## **Draw Down & Recovery**

Pump Test Detail ID:1005653347Test Type:Recovery

Test Duration:

**Test Level:** 79.38999938964844

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1005653349

Test Type: Recovery

Test Duration:

74.80000305175781 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

1005653350 Pump Test Detail ID: Test Type: Draw Down

Test Duration:

33.630001068115234 Test Level:

Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID: 1005653357 Test Type: Recovery Test Duration: 20

34.060001373291016 Test Level:

Test Level UOM: ft

#### **Draw Down & Recovery**

1005653367 Pump Test Detail ID: Test Type: Recovery Test Duration: 60

Test Level: 17.030000686645508

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005653348 Test Type: Draw Down

Test Duration:

Test Level: 31.489999771118164

Test Level UOM: ft

# **Draw Down & Recovery**

1005653351 Pump Test Detail ID: Test Type: Recovery

Test Duration:

Test Level: 70.54000091552734

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID: 1005653360 Draw Down Test Type:

Test Duration: 30

Test Level: 69.29000091552734

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005653345 Test Type: Recovery

Test Duration: 2

Test Level: 83.52999877929688

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1005653359Test Type:Recovery

Test Duration: 25

**Test Level:** 29.200000762939453

Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID:1005653354Test Type:Draw Down

Test Duration: 15

**Test Level:** 48.22999954223633

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1005653358Test Type:Draw Down

Test Duration: 25

**Test Level:** 61.189998626708984

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 1005653365
Test Type: Recovery

Test Duration: 50

**Test Level:** 18.540000915527344

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653366Test Type:Draw Down

Test Duration: 60

**Test Level:** 93.33999633789062

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653342Test Type:Draw Down

Test Duration:

**Test Level:** 25.399999618530273

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653355Test Type:RecoveryTest Duration:15

**Test Level:** 41.08000183105469

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653353Test Type:RecoveryTest Duration:10

**Test Level:** 52.43000030517578

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1005653364Test Type:Draw Down

Test Duration: 50

**Test Level:** 84.37999725341797

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653343Test Type:Recovery

Test Duration:

**Test Level:** 89.56999969482422

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1005653344Test Type:Draw Down

Test Duration: 2

**Test Level:** 26.739999771118164

Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID:1005653346Test Type:Draw Down

Test Duration: 3

**Test Level:** 29.200000762939453

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653352Test Type:Draw Down

Test Duration: 10

*Test Level:* 41.88999938964844

Test Level UOM: ft

## **Draw Down & Recovery**

Pump Test Detail ID:1005653356Test Type:Draw Down

Test Duration: 20

**Test Level:** 55.45000076293945

Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID:1005653361Test Type:Recovery

Test Duration: 30

**Test Level:** 25.719999313354492

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1005653362Test Type:Draw Down

Test Duration: 40

*Test Level:* 75.69000244140625

ft

Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 1005653363
Test Type: Recovery

Test Duration: 40

*Test Level:* 21.1299991607666

Test Level UOM: ft

Water Details

*Water ID:* 1005653338

Layer: 2 Kind Code: 8

Kind: Untested
Water Found Depth: 165.0
Water Found Depth UOM: ft

Water Details

Water ID: 1005653337

Layer: 1 Kind Code: 8

Kind: Untested
Water Found Depth: 50.0
Water Found Depth UOM: ft

Water Details

Water ID: 1005653339

 Layer:
 3

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 185.0

Water Found Depth UOM:

Hole Diameter

**Hole ID:** 1005653336

**Diameter:** 25.399999618530273

ft

Depth From:0.0Depth To:44.0Hole Depth UOM:ftHole Diameter UOM:inch

34 1 of 1 SSW/229.4 117.9 / -0.02 OSMOND DALEY DRIVE LOT 4

CARP ON

Well ID: 7287146 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 5/25/2017

**WWIS** 

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

**Audit No:** Z226815 **Tag:** A165102

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Selected Flag:

Abandonment Rec:

Contractor: 1558 Form Version: 7

Owner:

Street Name: OSMOND DALEY DRIVE LOT 4

TRUE

County: OTTAWA

Municipality: HUNTLEY TOWNSHIP

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/728\728\7287146.pdf

## Additional Detail(s) (Map)

 Well Completed Date:
 2016/08/03

 Year Completed:
 2016

 Depth (m):
 83.2

 Latitude:
 45.3059480467011

 Longitude:
 -75.9942127851794

 Path:
 728\7287146.pdf

#### **Bore Hole Information**

**Bore Hole ID:** 1006477512

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

**Date Completed:** 03-Aug-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

## Overburden and Bedrock

#### **Materials Interval**

**Formation ID:** 1006752473

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

 Most Common Material:
 LIMESTONE

 Mat2:
 74

 Mat2 Desc:
 LAYERED

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 17.3700008392334

 Formation End Depth:
 83.19999694824219

Formation End Depth UOM: m

Elevation: Elevrc:

**Zone:** 18

 East83:
 422059.00

 North83:
 5017419.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22033100122

Location Method: wwr

DB Map Key Number of Direction/ Elev/Diff Site

Records

Distance (m)

(m)

Overburden and Bedrock **Materials Interval** 

Formation ID: 1006752470

Layer: Color: 6

**BROWN** General Color: Mat1: 02 Most Common Material: **TOPSOIL** Mat2: 12 Mat2 Desc: **STONES** Mat3: 79 Mat3 Desc: **PACKED** 

Formation Top Depth: Formation End Depth: 4.869999885559082

Formation End Depth UOM:

#### Overburden and Bedrock **Materials Interval**

1006752472 Formation ID:

Layer: 3 Color: 2 General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE Mat2: 74 Mat2 Desc: LAYERED Mat3:

**FRACTURED** Mat3 Desc: Formation Top Depth: 11.579999923706055 Formation End Depth: 17.3700008392334

Formation End Depth UOM:

#### Overburden and Bedrock

**Materials Interval** 

1006752471 Formation ID:

Layer: 2 2 Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 12 Mat2 Desc: **STONES** Mat3: 77 Mat3 Desc: LOOSE

Formation Top Depth: 4.869999885559082 11.579999923706055 Formation End Depth:

Formation End Depth UOM:

## Annular Space/Abandonment

Sealing Record

Plug ID: 1006752509

Layer:

Plug From: 17.3700008392334

Plug To: 0.0 Plug Depth UOM: m

### Method of Construction & Well

<u>Use</u>

1006752508 **Method Construction ID:** 

Method Construction Code:

**Method Construction:** Air Percussion **ROTARY MUD** Other Method Construction:

Pipe Information

Pipe ID: 1006752468

Casing No:

Comment: Alt Name:

Construction Record - Casing

1006752479 Casing ID:

Layer: 2 Material: Open Hole or Material: STEEL

0.44999998807907104 Depth From: 17.3700008392334 Depth To: Casing Diameter: 15.859999656677246

Casing Diameter UOM: cm Casing Depth UOM: m

**Construction Record - Casing** 

1006752478 Casing ID:

Layer:

Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter: 27.1299991607666

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1006752480

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

1006752469 Pump Test ID:

Pump Set At: 45.709999084472656 Static Level: 4.900000095367432 Final Level After Pumping: 10.300000190734863 39.619998931884766 Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate: 45.5 Levels UOM: m LPM Rate UOM:

Order No: 22033100122

45.5

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Water State After Test Code: 1
Water State After Test: 0

Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID:1006752481Test Type:Draw Down

Test Duration: 1
Test Level: 6.5
Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1006752489Test Type:Draw Down

Test Duration:

**Test Level:** 8.699999809265137

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1006752493
Test Type: Draw Down
Test Duration: 15

 Test Duration:
 15

 Test Level:
 10.0

 Test Level UOM:
 m

## **Draw Down & Recovery**

Pump Test Detail ID:1006752497Test Type:Draw Down

Test Duration: 25

**Test Level:** 10.199999809265137

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID:1006752505Test Type:Draw Down

Test Duration: 60

Test Level: 10.300000190734863

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1006752483Test Type:Draw Down

Test Duration: 2

**Test Level:** 7.400000095367432

Test Level UOM:

## **Draw Down & Recovery**

Pump Test Detail ID:1006752490Test Type:RecoveryTest Duration:5

Order No: 22033100122

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

5.710000038146973 Test Level:

Test Level UOM: m

## Draw Down & Recovery

Pump Test Detail ID: 1006752501 Test Type: Draw Down

Test Duration: 40

Test Level: 10.300000190734863

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1006752488 Test Type: Recovery

Test Duration:

6.039999961853027 Test Level:

Test Level UOM:

## **Draw Down & Recovery**

1006752487 Pump Test Detail ID: Test Type: Draw Down 4

Test Duration:

Test Level: 8.300000190734863

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1006752498 Test Type: Recovery Test Duration: 25 Test Level: 5.0 Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1006752485 Test Type: Draw Down

Test Duration: 3

Test Level: 7.949999809265137

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1006752486 Test Type: Recovery

Test Duration:

6.550000190734863 Test Level:

Test Level UOM: m

## **Draw Down & Recovery**

1006752495 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 20

10.140000343322754 Test Level:

Test Level UOM: m

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

**Draw Down & Recovery** 

1006752499 Pump Test Detail ID: Draw Down Test Type: Test Duration: 30 10.25 Test Level: Test Level UOM: m

**Draw Down & Recovery** 

1006752504 Pump Test Detail ID: Recovery Test Type: Test Duration: 50

Test Level: 4.900000095367432

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1006752484 Test Type: Recovery

Test Duration: 2

7.300000190734863 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1006752494 Test Type: Recovery Test Duration: 15

Test Level: 5.03000020980835

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1006752506 Test Type: Recovery Test Duration: 60

Test Level: 4.900000095367432

Test Level UOM:

**Draw Down & Recovery** 

Pump Test Detail ID: 1006752496 Test Type: Recovery Test Duration: 20

5.010000228881836 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1006752500 Test Type: Recovery Test Duration:

4.980000019073486 Test Level:

Test Level UOM: m

**Draw Down & Recovery** 

Pump Test Detail ID: 1006752503 Draw Down Test Type:

Order No: 22033100122

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

50 Test Duration:

Test Level: 10.300000190734863

Test Level UOM: m

## **Draw Down & Recovery**

Pump Test Detail ID: 1006752482 Test Type: Recovery

Test Duration: 1

Test Level: 8.529999732971191

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1006752492 Test Type: Recovery 10

Test Duration:

5.139999866485596 Test Level:

Test Level UOM: m

#### **Draw Down & Recovery**

Pump Test Detail ID: 1006752491 Test Type: Draw Down Test Duration: 10 9.75 Test Level: Test Level UOM: m

## **Draw Down & Recovery**

1006752502 Pump Test Detail ID: Test Type: Recovery

Test Duration: 40

4.940000057220459 Test Level:

Test Level UOM: m

#### Water Details

Water ID: 1006752477

Layer: 2 Kind Code: 8

Kind: Untested

Water Found Depth: 41.13999938964844

Water Found Depth UOM: m

## Water Details

Water ID: 1006752476

Layer: 1 Kind Code: 8 Kind: Untested Water Found Depth: 32.0 Water Found Depth UOM: m

#### **Hole Diameter**

Hole ID: 1006752474 Diameter: 15.859999656677246

Depth From: 0.0

17.3700008392334 Depth To:

Order No: 22033100122

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Hole Depth UOM: m Hole Diameter UOM: cm

**Hole Diameter** 

Hole ID: 1006752475

Diameter: 15.229999542236328 17.3700008392334 Depth From: Depth To: 83.19999694824219

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1 NW/237.2 118.9 / 1.05 310 West Lake Circle, Ottawa 35 **PINC** 

Environment Impact:

Carp ON K0A 1L0

Choice of Contact:

Phone No Admin:

Contam. Facility:

MHSW Facility:

Co Admin:

Natural Gas

E-mail

Order No: 22033100122

Incident Id: Pipe Material:

785980 Incident No: Fuel Category: Health Impact:

Incident Reported Dt: FS-Pipeline Incident

Type:

Pipeline Damage Reason Est Yes Status Code: Property Damage: Tank Status: RC Established Service Interrupt: Task No: 3780967 Enforce Policy: Yes

Spills Action Centre: Public Relation:

Pipeline System: Fuel Type: Fuel Occurrence Tp: PSIG:

Date of Occurrence: Attribute Category: FS-Perform P-line Inc Invest

Occurrence Start Dt: 2012/04/02 Regulator Location:

Depth: Method Details: **Customer Acct Name:** Incident Address: Operation Type:

Pipeline Type: Regulator Type: 310 West Lake Circle, Ottawa - 1/2" Pipeline Hit Summary:

Reported By: Jeff.Stiles@enbridge.com

Affiliation:

Occurrence Desc:

Damage Reason: No notification made to the one call center

Notes:

**36** 1 of 1 ESE/242.9 115.9 / -2.00 Import Extra Ltd. GEN 2848 Carp Road

Generator No: ON9950274 Status: Registered

SIC Code:

SIC Description: Approval Years: As of Nov 2021

PO Box No:

Country: Canada

Waste Class: 221 L

Waste Class Desc: Light fuels

Detail(s)

# Unplottable Summary

Total: 15 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 9 Con 2	West Carleton ON	
CA	Morgan's Grant Subdivision Phase 6, 7 & 8	Lot 10, Concession 3	Ottawa ON	
CA	WEST CARLETON TOWNSHIP	RR#5 (CARP RD.) S-WATER MGT.	WEST CARLETON TWP. ON	
CA	WEST CARLETON TOWNSHIP	R.R.#5(CARP RD.),S-WATER MGT.	WEST CARLETON TWP. ON	
CA	Morgan's Grant Subdivision Phase 6, 7 & 8	Lot 10, Concession 3	Ottawa ON	
CA		Lot 10 and 11, Concession 2	Ottawa ON	
CA	Morgan's Grant Subdivision Phase 9	Lot 10, Concession 3	Ottawa ON	
CA	Morgan's Grant Subdivision Phase 9	Lot 10, Concession 3	Ottawa ON	
ECA	City of Ottawa	Lot 10, Concession 2	Ottawa ON	K1P 1J1
LIMO		Lot 10 Concession 3 Ottawa	ON	
RST	ULTRAMAR LTÉE	OTTAWA	OTTAWA ON	
SPL	TRANSPORT TRUCK	CARP RD. TRANSPORT TRUCK (CARGO)	WEST CARLETON TOWNSHIP ON	
SPL	ONTARIO HYDRO	LOT 10, CONC 2 TRANSFORMER	WEST CARLETON TOWNSHIP ON	
SPL	UNKNOWN	VILLAGE OF CARP CARP ROAD	WEST CARLETON TOWNSHIP ON	
WWIS		lot 10	ON	

Order No: 22033100122

## Unplottable Report

Site: Database: **AAGR** Lot 9 Con 2 West Carleton ON

Type: Ottawa-Carleton Region/County: Township: West Carleton

Concession: 2 Lot: 9

Size (ha): Landuse:

rehabilitated Comments:

Site: Morgan's Grant Subdivision Phase 6, 7 & 8 Database: CA Lot 10, Concession 3 Ottawa ON

Certificate #: 8414-53CPMC

Application Year: 01 10/11/01 Issue Date:

Approval Type: Municipal & Private water

Status: Approved

Application Type: New Certificate of Approval Client Name: Minto Developments Inc.

Client Address: 427 Laurier Avenue West, Suite 300

RR#5 (CARP RD.) S-WATER MGT. WEST CARLETON TWP. ON

Cancelled

Client City: Ottawa Client Postal Code: K1R 7Y2

Project Description: Construction of Watermains for Residential Development in Morgan's Grant Subdivision Phase 6, 7 & 8.

Contaminants: **Emission Control:** 

Site: WEST CARLETON TOWNSHIP Database:

CA

Order No: 22033100122

3-0439-93-Certificate #: Application Year: 93 6/1/1993 Issue Date: Approval Type: Municipal sewage

Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

**Emission Control:** 

**WEST CARLETON TOWNSHIP** Database: Site: R.R.#5(CARP RD.),S-WATER MGT. WEST CARLETON TWP. ON

Certificate #: 3-0439-93-

Application Year: 93 7/5/1993 Issue Date: Approval Type: Municipal sewage

Status: Approved

Application Type:

Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Morgan's Grant Subdivision Phase 6, 7 & 8 Lot 10, Concession 3 Ottawa ON Database: CA

Certificate #: 8761-53CPYZ

Application Year: 01
Issue Date: 10/11/01

Application Type: New Certificate of Approval Client Name: New Certificate of Approval Minto Developments Inc.

Client Address: 427 Laurier Avenue West, Suite 300

Client City: Ottawa Client Postal Code: K1R 7Y2

Project Description: Construction of Storm and Sanitary Sewers for Residential Development Morgan's Grant Subdivision Phase 6, 7, &

8

Contaminants: Emission Control:

Site:

Database:

Lot 10 and 11, Concession 2 Ottawa ON

Certificate #: 2621-4WHPVP Application Year: 01

Issue Date: 5/14/01

Approval Type: Municipal & Private water

Status: Approved

Application Type: New Certificate of Approval Client Name: Monarch Construction Limited

Client Address: 3584 Jockvale Road

Client City: Nepean Client Postal Code: K2C 3H2

**Project Description:** Watermain Construction

Contaminants: Emission Control:

Database:

<u>Site:</u> Morgan's Grant Subdivision Phase 9 Lot 10, Concession 3 Ottawa ON

Certificate #: 1411-4UMSZM

Application Year: 01
Issue Date: 3/10/01

Approval Type: Municipal & Private water

Status: Approved

Application Type:New Certificate of ApprovalClient Name:Minto Developments Inc.

Client Address: 427 Laurier Avenue West, Suite 300

Client City: Ottawa
Client Postal Code: K1R 7Y2

Project Description: Installation of watermains on Klondike Road, Piekoff Crescent, Wallsend Avenue and Rayburn Street.

Contaminants: Emission Control:

Morgan's Grant Subdivision Phase 9

Lot 10, Concession 3 Ottawa ON

Database:

CA

Order No: 22033100122

Site:

Certificate #: 0828-4UMQX6

Application Year:01Issue Date:3/10/01

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval Client Name: Minto Developments Inc.

Client Address: 427 Laurier Avenue West, Suite 300

Client City: Ottawa
Client Postal Code: K1R 7Y2

Project Description: Installation of storm and sanitary sewers in Morgan's Grant Subdivision Phase 9, on Klondike Road, Piekoff

Crescent, Wallsend Avenue and Rayburn Street.

Contaminants: Emission Control:

Site: City of Ottawa Database: Lot 10, Concession 2 Ottawa ON K1P 1J1 ECA

Approval No: 5280-96KNG8 **MOE District:** Approval Date: 2013-04-30 City: Approved Status: Longitude: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa
Address: Lot 10, Concession 2

Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0810-8ZFJSZ-14.pdf

PDF Site Location:

Site:

Lot 10 Concession 3 Ottawa ON

Database:
LIMO

Data Source:

Order No: 22033100122

ECA/Instrument No: X9015 Natural Attenuation:

Oper Status 2016: Historic Liners:

C of A Issue Date: Cover Material: C of A Issued to: Leachate Off-Site: Lndfl Gas Mgmt (P): Leachate On Site: Lndfl Gas Mgmt (F): Reg Coll Lndfll Gas: Lndfl Gas Mgmt (E): Lndfll Gas Coll: Total Waste Rec: Lndfl Gas Mgmt Sys: Landfill Gas Mntr: TWR Methodology: Leachate Coll Sys: TWR Unit: ERC Est Vol (m3): Tot Aprv Cap Unit: **ERC Volume Unit:** Financial Assurance: ERC Dt Last Det: Last Report Year:

Landfill Type:MOE Region:Source File Type:Historic and Closed LandfillsMOE District:

Fill Rate: Site County: Fill Rate Unit: Lot: Tot Fill Area (ha): Concession: Tot Site Area (ha): Latitude: Longitude: Footprint: Easting: Tot Apprv Cap (m3): Contam Atten Zone: Northing: **Grndwtr Mntr:** UTM Zone:

Surf Wtr Mntr: Air Emis Monitor: Approved Waste Type: Client Site Name: ERC Methodology:

Site Name:

Site Location Details: Lot 10 Concession 3

Service Area: Page URL:

**ULTRAMAR LTÉE** Site:

OTTAWA OTTAWA ON

Database: **RST** 

Headcode: 924800 Headcode Desc: Oils-Fuel Phone: 6137275200

List Name: Description:

Site: TRANSPORT TRUCK

CARP RD. TRANSPORT TRUCK (CARGO) WEST CARLETON TOWNSHIP ON

Database: SPL

67418 Ref No: Discharger Report: Site No: Material Group: Health/Env Conseq:

Incident Dt: 2/26/1992 Year-

Incident Cause: OTHER TRANSPORTATION ACCIDENT Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region: Environment Impact: **CONFIRMED** Site Municipality:

Nature of Impact: Soil Contamination Site Lot: LAND Receiving Medium: Site Conc:

Receiving Env: Northing: MOE Response: Easting: Dt MOE Arvl on Scn:

Site Geo Ref Accu: MOE Reported Dt: 2/26/1992 Site Map Datum: **Dt Document Closed:** SAC Action Class: Incident Reason: **EQUIPMENT FAILURE** Source Type:

Site Name: Site County/District: Site Geo Ref Meth:

LAIDLAW ENVIRONMENTAL: 315 L ANTIFREEZE TO GRND FROM TRANSPORT TRUCK. Incident Summary:

Client Type:

20613

20613

Contaminant Qty:

Site: **ONTARIO HYDRO** 

LOT 10, CONC 2 TRANSFORMER WEST CARLETON TOWNSHIP ON

Database: SPL

Order No: 22033100122

129593 Ref No: Discharger Report: Material Group: Site No: Incident Dt: 7/23/1996 Health/Env Conseq: Year. Client Type:

Incident Cause: COOLING SYSTEM LEAK Sector Type: Incident Event: Agency Involved: Nearest Watercourse: Contaminant Code: Contaminant Name: Site Address: Site District Office: Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region: **POSSIBLE** Environment Impact: Site Municipality:

Soil contamination Nature of Impact: Site Lot: LAND Site Conc: Receiving Medium: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 7/23/1996 Site Map Datum: **Dt Document Closed:** SAC Action Class:

Incident Reason: STORM/FLOOD/WIND Source Type:

Site Name:

Site County/District: Site Geo Ref Meth: Incident Summary:

ONTARIO HYDRO:60L NON-PCBTRANSFORMER OIL TO GROUND.

Site: **UNKNOWN** 

Contaminant Qty:

VILLAGE OF CARP CARP ROAD WEST CARLETON TOWNSHIP ON

Database: SPL

Ref No: 106528 Site No:

Incident Dt: 10/18/1994 Year:

Incident Cause: **UNKNOWN** Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1:

Contam Limit Freq 1: Contaminant UN No 1: Environment Impact:

**CONFIRMED** Nature of Impact: Multi Media Pollution Receiving Medium: LAND

Receiving Env: MOE Response:

Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason:

Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary:

Contaminant Qty:

10/18/1994

**UNKNOWN** 

HYDROCARBONS SEEPING FROMGROUND INTO DITCH

Database: **WWIS** 

Order No: 22033100122

9/29/2005

TRUE

20613

Well ID: 1535825

lot 10 ON

Construction Date: Primary Water Use: Sec. Water Use:

Final Well Status: Water Type: Casing Material:

Audit No: Z17653 Tag:

**Construction Method:** 

Site:

Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

**Bore Hole Information** 

Clear/Cloudy:

Data Entry Status:

Data Src: Date Received:

Discharger Report:

Health/Env Conseq:

Agency Involved:

Site Postal Code: Site Region:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Nearest Watercourse:

Material Group:

Client Type:

Sector Type:

Site Address: Site District Office:

Site Lot:

Site Conc:

Northing: Easting:

Selected Flag: Abandonment Rec:

Contractor: 6907 Form Version: 3 Owner:

Street Name:

County: **OTTAWA** Municipality: **OTTAWA CITY** Site Info:

Lot: 010

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

11316364

Bore Hole ID: Elevation: DP2BR: Elevrc: Spatial Status: Zone:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed:

22-Sep-2005 00:00:00

East83:

North83: Org CS:

UTMRC:

**UTMRC Desc:** 

Location Method:

na

Order No: 22033100122

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 932997254

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 19.0 Formation End Depth: 77.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 932997253

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 19.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961535825

Method Construction Code:

Method Construction: Other Method

Other Method Construction:

Pipe Information

**Pipe ID:** 11331219

Casing No:

Comment: Alt Name:

Results of Well Yield Testing

**Pump Test ID:** 11345704

Pump Set At: 75.0

Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate: Levels UOM: ft Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

## Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

#### Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

Government Publication Date: Sept 2002\*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

#### **Abandoned Mine Information System:**

Provincial

**AMIS** 

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

## Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

#### Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

## Automobile Wrecking & Supplies:

Private

**AUWR** 

Order No: 22033100122

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

**Borehole:** Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

CA Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011\*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

#### **Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

#### **Compressed Natural Gas Stations:**

Private CN

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

#### **Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

Order No: 22033100122

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

Government Publication Date: Apr 1987 and Nov 1988\*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jan 2022

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Mar 31, 2022

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

#### **Environmental Activity and Sector Registry:**

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Feb 28, 2022

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Mar 31, 2022

## **Environmental Compliance Approval:**

Provincial FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Feb 28, 2022

#### **Environmental Effects Monitoring:**

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007\*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021

#### **Environmental Issues Inventory System:**

Federal

EIIS

Order No: 22033100122

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001\*

#### **Emergency Management Historical Event:**

Provincial EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

#### **Environmental Penalty Annual Report:**

Provincial

**EPAR** 

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

#### List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007\*

#### Contaminated Sites on Federal Land:

Federal

ECS.

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

#### Fisheries & Oceans Fuel Tanks:

Federal

**FOFT** 

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

## Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 22033100122

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010\*

#### Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

#### **Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009\*

#### Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003\*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

#### **Landfill Inventory Management Ontario:**

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

**Canadian Mine Locations:** 

Private

MINE

Order No: 22033100122

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009\*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

#### National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994\*

#### Non-Compliance Reports:

Provincial

**NCPL** 

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

#### National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001\*

#### National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

#### National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007\*

#### National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

## National Energy Board Wells:

Federal

NEBP

Order No: 22033100122

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003\*

#### National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003\*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008\*

#### National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2022

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

## **Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Feb 28, 2022

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

## Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 22033100122

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- 28 Feb 2022

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

#### Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996\*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Mar 31, 2022

#### Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Feb 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

#### Scott's Manufacturing Directory:

Private

SCT

Order No: 22033100122

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011\*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

#### Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Private Anderson's Storage Tanks: **TANK** 

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953\*

#### Transport Canada Fuel Storage Tanks:

Federal **TCFT** 

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

#### Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Provincial

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

#### Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Feb 28, 2022

#### Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH** 

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990\*

#### Water Well Information System:

Provincial

**WWIS** 

Order No: 22033100122

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

## **Definitions**

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Order No: 22033100122



## RE: 2885 Carp Road TSSA Search

Public Information Services <publicinformationservices@tssa.org>

Thu 3/31/2022 1:09 PM

To: Connor Shaw <connor.shaw@gemtec.ca>

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

Hello.

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any elevating devices at the subject address(es).
- We confirm that there are no records in our database of any **boilers/pressure vessels** at the subject address(es).
- We confirm that there are no records in our database of any <u>fuel storage tanks</u> at the subject address(es).

For copies of documents, please complete the Release of Public Information form, found at <a href="https://www.tssa.org/en/about-tssa/resources/Release-of-Records-form--Jan-2018Final.pdf">https://www.tssa.org/en/about-tssa/resources/Release-of-Records-form--Jan-2018Final.pdf</a> and email the completed form to <a href="publicinformationservices@tssa.org">publicinformationservices@tssa.org</a> along with the appropriate fee. TSSA's fee schedule can be found at: <a href="https://www.tssa.org/en/about-tssa/resources/Documents/Public-Information-Fee-Schedule\_Jan\_2018.pdf">https://www.tssa.org/en/about-tssa/resources/Documents/Public-Information-Fee-Schedule\_Jan\_2018.pdf</a>. Fees are payable with a credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

**Sherees** 

## **Public Information Agent**



Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org

www.tssa.org



From: Connor Shaw <connor.shaw@gemtec.ca>

Sent: March 31, 2022 11:01 AM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: 2885 Carp Road TSSA Search

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

I would like to know if there are any underground fuel storage tanks, aboveground fuel storage tanks, hoists or elevators for the properties located at:

2825-2962 Carp Road 290-430 West Lake Cir 500-548 Osmond Daley Drive 101 Arbourbrook Boulevard

All properties are located in Carp, Ontario.


Thanks,


**Connor Shaw** 

Connor Shaw, B.Eng **Environmental Scientist** Ottawa, ON mobile 613-585-3121

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

CAUTION: This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.





Project Property: P101688.002

2885 Carp Road

Carp ON K0A 1L0

**Project No:** 

Requested By: GEMTEC Consulting Engineers and Scientists Limited (Ontario)

**Order No:** 22041200122 **Date Completed:** April 12, 2022

Decade	Year	Image Scale	Source
1930	Not Available		
1940	1945	15000	NAPL
1950	1955	35000	NAPL
1960	1963	12000	NAPL

Aerial Maps included in this report are produced by the sources listed above and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property. No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using aerial photos listed in above sources. The maps contained in this report does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

## **Environmental Risk Information Services**

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com



Year: 1945 Source: NAPL Map Scale: 1: 10000

Comments:





Year: 1955 Source: NAPL Map Scale: 1: 10000

Comments:





Year: 1963 Source: NAPL Map Scale: 1: 10000

Comments:







Photograph 1 – View of the Site from Carp Road, looking southwest along the northwest property boundary.



Photograph 3 – View of the Site looking northeast from the southwest boundary.



Photograph 2 – View across the northeast portion of the Site looking southwest.



Photograph 4 – Fill material present on the southwest portion of the Site.



Phase One Environmental Site
Assessment

Carp, Ontario

Assessment 2885 Carp Road Appendix H

File No.

101688.002

Site Photographs



Photograph 5 – Two aboveground storage tanks along the southeast property boundary of Site.



Photograph 6 – Potable well located west of the on-site office building near the northwest property boundary.





civil

geotechnical

environmental

field services

materials testing

civil

géotechnique

environnementale

surveillance de chantier

service de laboratoire des matériaux

