englobe



April 29, 2022

WestUrban Developments Ltd. 111-2036 Island Hwy S Campbell River, BC, V9W 0E8 Attention: Cameron Salisbury

Subject: Phase One Environmental Site Assessment Update - Wateridge Village Block 11 Parcel 1

Englobe reference: 02203079.001

Englobe Corporation (Englobe), previously DST Consulting Engineers Inc. (DST) was retained by WestUrban Developments Ltd. (Client) to conduct a Phase One Environmental Site Assessment (ESA) Update for Parcel 1 of Block 11, part of Wateridge Village, located at the former CFB Rockcliffe, in Ottawa, Ontario (Site). Please refer to Figures 1 through 3 in Attachment A for the Site Location Maps and Site Plan. The Site is located on the northern portion of the municipal address, 1050 Tawadina Road. Ottawa, ON.

1 Purpose

This Phase One ESA Update letter was completed in accordance with Ontario Regulation (O. Reg.) 153/04 (as amended), in support of a City of Ottawa Site Control Plan Application. This Site Control Plan Application is required as WestUrban Developments Ltd. is proposing to develop the Site with two, six-storey residential structures. The purpose of this assessment is to evaluate potential environmental concerns on Site, and to assesses the potential for the Site to be impacted by the activities on surrounding properties. This assessment is an update only, from the date of completion of the last Phase One ESA Update (DST, 2019) referenced in Record of Site Condition (RSC) package no. 226470 to present date. RSC package no. 226470 and the last completed Phase One ESA Update (DST, 2019) both encompassed the entire RSC property, whereas this Phase One ESA Update only pertains to Parcel 1 of Block 11 as outlined above which falls within the RSC property boundaries. Please see Figure 2 in Attachment A for a visual representation of this.

2 Site Description

The Site was acquired by WestUrban Developments Ltd. from Canada Lands Corporation on March 31, 2022. The Site encompasses one (1) irregularly shaped parcel of land (Parcel 1 of Block 11) and covers an area of approximately 7188 m². The Site is currently undeveloped with any structures. Nearby newly constructed roads (Tawadina Road, Codd's Road, Bareille-Snow Street, and Michael Stoqua Street) were observed during the Site Reconnaissance.

3 Phase One Study Area

The Phase One Study Area encompasses all properties wholly or partially within 250 m of the Site boundaries. Information regarding the Phase One Study Area was compiled through a records review and Site Reconnaissance. A brief summary of the surrounding property descriptions can be found below in Table 1.

Table 1. Summary of Surrounding Property Descriptions.

Direction	Property Description
North	Tawadina Road and vacant land devoid of any structures.
East	Michael Stoqua Street followed by newly constructed residential dwellings.
South	Vacant land followed by Hemlock Road and land currently under development. To the
	Southeast, newly constructed residential dwellings can be seen.
West	Bareille-Snow Street followed by vacant land devoid of any structures and Codd's Road.

4 Interview

Englobe conducted an interview with the current Site Representative, Cameron Salisbury, via email on April 5, 2022. Information gathered, has been incorporated throughout this letter. No issues of environmental concern were identified on Site or within the Phase One Study Area from the interview.

5 Site Reconnaissance

The Site Reconnaissance was conducted by Englobe on April 19, 2022. Weather conditions were overcast with mixed precipitation and temperature of 1°C. The Site was observed to be vacant land with granular, rock, soil, or grass cover, devoid of any structures. Some inert construction and demolition (C & D) materials (such as concrete, brick and rebar) were observed. Newly constructed roadways in the surrounding areas were observed. To the East and Southeast of the Site, newly constructed residential dwellings were observed. No issues of environmental concern were identified on Site or within the Phase One Study Area from the Site Reconnaissance. Please see Attachment B for photographs from the Site Reconnaissance.

6 Review of Previous Environmental Reports

Based on a review of the previous environmental reports, no new environmental concerns were noted since the last Phase One ESA Update letter (DST, 2019), as referenced in RSC no. 226470 which was filed on January 30, 2020 in the Environmental Site Registry. A list of all previous environmental reports are included in the RSC no. 226470 package. This includes the 2015 Phase One ESA and 2019 Phase One ESA Update completed by DST.

7 Records Review

As part of the Records Review, Englobe reviewed available aerial photographs from October 21, 2019 (date of last completed records search) to present and retained Environmental Risk Information Service (ERIS) to search for available records from various federal, provincial, and private agencies/databases. Requests for information were submitted to the Ontario Ministry of the Environment, Conservation, and Parks (MECP) and Environment and Climate Change Canada (ECCC). Responses from the MECP and ECCC were not

received as of the issuance date of this letter. If any responses do affect the conclusions of this report, an addendum to the letter will be issued by Englobe. A copy of the ERIS database report can be found in Attachment C.

7.1 Aerial Photograph Review

Available aerial photographs sourced from Google Earth and GeoOttawa for the years 2019, 2021 and 2022 were reviewed by Englobe. There were no available aerial photographs from the year 2020 to review. Development of the surrounding residential dwellings to the East, and Southeast of the site was observed, as well as the development of the property southwest of the Site, 681 Mikinak Road. No environmental concerns were identified from a review of the aerial photographs.

7.2 Records Review

No new records of environmental concern were noted.

8 Conclusion

Based on the environmental records review, Site reconnaissance and interview, no areas of potential environmental concern were identified on the Site, since the last completed Phase One ESA Update (DST, 2019) as referenced in the RSC package no. 226470. Therefore, based on the results of this Phase One ESA Update, no further environmental investigation is required at the Site at this time. Any excess soils and/or inert C & D materials identified must be handled in accordance with O.Reg. 406/19 (as amended) during the development of the Site.

9 Closure

We trust that the information herein meets your present requirements. The full statement of limitations associated with this letter can be found in Attachment D. Should you have any questions, please do not hesitate to contact the undersigned at your convenience.

Yours very truly,

Englobe Corp.

Colette Robitaille

Environmental Technician

Andrew Naoum, P. Eng.

Director of Operations, Engineering

Encl.: Cameron Salisbury

ATTACHMENTS

Attachment A Figures

Attachment B Site Reconnaissance Photographs

Attachment C ERIS Database Report
Attachment D Statement of Limitations

10 References

DST Consulting Engineers Inc., 2015. Phase One Environmental Site Assessment, Former CFB Rockcliffe, Ottawa, Ontario.

DST Consulting Engineers Inc., 2019. Phase One Environmental Site Assessment Update, RSC 7-2, Wateridge Development, Ottawa, Ontario.

ERIS Database Report, 2022. Wateridge Village - Blocks 11 & 12, Ottawa, ON K1K 4E4.

geoOttawa, City of Ottawa, © Teranet Enterprises Inc., 2021. Available from: http://maps.ottawa.ca/geoOttawa [Accessed April 2022].

Revisions and publications log

REVISION No.	DATE	DESCRIPTION
00	April 29, 2022	Final

Distribution

Property and Confidentiality

"This report can only be used for the purposes stated therein. Any use of the report must take into consideration the object and scope of the mandate by virtue of which the report was prepared, as well as the limitations and conditions specified therein and the state of scientific knowledge at the time the report was prepared. Englobe Corp. provides no warranty and makes no representations other than those expressly contained in the report.

This document is the work product of Englobe Corp. Any reproduction, distribution or adaptation, partial or total, is strictly forbidden without the prior written authorization of Englobe Corp. and its Client. For greater certainty, use of any and all extracts from the report is strictly forbidden without the written authorization of Englobe Corp. and its Client, given that the report must be read and considered in its entirety.

No information contained in this report can be used by any third party without the prior written authorization of Englobe Corp. and its Client. Englobe Corp. disclaims any responsibility or liability for any unauthorized reproduction, distribution, adaptation or use of the report.

If tests have been carried out, the results of these tests are valid only for the sample described in this report.

Englobe Corp.'s subcontractors who have carried out on-site or laboratory work are duly assessed according to the purchase procedure of our quality system. For further information, please contact your project manager."

Attachment A Figures



englobe


Site Location Map

April 28, 2022 @ Time: 2:22:02 PM by Christopher Mitchell

1:50,000



Approval



Attachment B Site Reconnaissance Photographs



englobe



Photograph 1: View of Block 11 Parcel 1 facing south.



Photograph 2: View of Block 11 Parcel 1 facing southwest.

Attachment C ERIS Database Report



englobe



Project Property: Wateridge Village

Wateridge Village - Blocks 11 & 12

Ottawa ON K1K 4E4

Project No: crobitaille@englobecorp.com;

crobitaille@dstgroup.c

Report Type: Quote - Custom-Build Your Own Report

Order No: 22040701122
Requested by: EnGlobe Corp.
Date Completed: April 11, 2022

Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	13
Map	21
Aerial	22
Topographic Map	23
Detail Report	24
Unplottable Summary	114
Unplottable Report	
Appendix: Database Descriptions	124
Definitions	133

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

_			
$\nu r \cap$	norti	, Int∩	rmation:
	DCI L	, ,,,,	iiiiauoii.

Project Property: Wateridge Village

Wateridge Village - Blocks 11 & 12 Ottawa ON K1K 4E4

Order No: 22040701122

Project No: crobitaille@englobecorp.com;crobitaille@dstgroup.c

Order Information:

Order No:22040701122Date Requested:April 7, 2022Requested by:EnGlobe Corp.

Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

ERIS Xplorer <u>ERIS Xplorer</u>

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Υ	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Υ	0	0	0
CA	Certificates of Approval	Υ	0	0	0
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
DTNK	Delisted Fuel Tanks	Υ	0	11	11
EASR	Environmental Activity and Sector Registry	Υ	0	2	2
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	9	9
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Υ	0	0	0
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	3	3
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	5	5
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	2	2
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Υ	0	0	0
INC	Fuel Oil Spills and Leaks	Υ	0	0	0
LIMO	Landfill Inventory Management Ontario	Υ	0	0	0
MINE	Canadian Mine Locations	Υ	0	0	0
MNR	Mineral Occurrences	Υ	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Υ	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Υ	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Υ	0	0	0
NEBP	National Energy Board Wells	Υ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Υ	0	0	0
NPCB	National PCB Inventory	Υ	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Υ	0	0	0
ORD	Orders	Υ	0	0	0
PAP	Canadian Pulp and Paper	Υ	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Υ	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Υ	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Υ	0	1	1
PTTW	Permit to Take Water	Υ	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Υ	0	2	2
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Υ	0	0	0
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR WDS	Variances for Abandonment of Underground Storage Tanks Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE CA Inventory Waste Disposal Sites - MOE 1991 Historical Approval	Y	0	0	0
	Inventory				
WWIS	Water Well Information System	Y	0	28	28
		Total:	0	65	65

Executive Summary: Site Report Summary - Project Property

MapDBCompany/Site NameAddressDir/Dist (m)Elev diffPageKey(m)Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)		Page Number
1	WWIS		Hemlock Drv Ottawa ON Well ID: 7353633	WNW/4.3	1.69	<u>24</u>
2	RSC	CANADA LANDS COMPANY CLC LIMITED	1076-1335 HEMLOCK ROAD, OTTAWA, ON K1K 4Z3 Ottawa ON	WSW/28.9	-2.03	<u>25</u>
<u>3</u>	wwis		197 VIA VENUS PVT Ottawa ON Well ID: 7169959	SE/31.6	-0.61	<u>26</u>
<u>4</u> .	EHS		RSC 7 - Former CFB Rockcliffe Ottawa ON K1K	E/41.8	1.69	<u>29</u>
<u>5</u>	EHS		Codd's Road Ottawa ON	SW/43.9	-3.37	<u>29</u>
<u>5</u>	EHS		355 St Laurent Blvd Ottawa ON K1K2Z7	SW/43.9	-3.37	<u>30</u>
<u>5</u> .	EHS		355 St Laurent Blvd Ottawa ON K1K 2Z7	SW/43.9	-3.37	<u>30</u>
<u>6</u>	wwis		Water Ridge Subdivision Ottawa ON Well ID: 7348316	SE/46.2	-0.85	<u>30</u>
<u>7</u> '	wwis		Water Ridge Subdivision Ottawa ON Well ID: 7348317	SSE/52.4	-0.85	<u>33</u>
<u>8</u>	wwis		ROCKCLIFFE ON Well ID: 7292671	SE/57.2	-0.85	<u>36</u>
<u>9</u>	wwis		BISHOP AVE. AT VIAVENUS AVE. AREA NOW DEMOLISHED Ottawa ON Well ID: 7174554	SSE/57.2	-1.61	<u>39</u>
<u>10</u>	wwis		CFB ROCKCLIFFE lot 4 con 1 OTTAWA ON	ESE/61.2	1.69	<u>42</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1535672			
<u>11</u>	ECA	Mattamy (Rockcliffe) Inc.	1400 Hemlock Rd Ottawa ON K2K 2M5	ESE/65.8	1.69	<u>45</u>
<u>12</u>	wwis		FORMER CFB ROCKCLIFFE Ottawa ON Well ID: 7277334	NW/75.1	1.00	<u>45</u>
<u>13</u>	PRT	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON K1K 0N2	SSE/79.1	-1.42	<u>49</u>
<u>13</u>	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON K1K 0N2	SSE/79.1	-1.42	<u>49</u>
<u>13</u>	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	SSE/79.1	-1.42	<u>49</u>
13	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	SSE/79.1	-1.42	<u>50</u>
<u>13</u>	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	SSE/79.1	-1.42	<u>51</u>
13	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	SSE/79.1	-1.42	<u>51</u>
13	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	SSE/79.1	-1.42	<u>52</u>
13	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>53</u>
<u>13</u>	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>53</u>
13	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>54</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>13</u>	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>54</u>
<u>13</u>	DTNK	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>55</u>
<u>13</u>	EHS		715 Mikinak Road Ottawa ON K1K 2G8	SSE/79.1	-1.42	<u>56</u>
13	FST	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>56</u>
<u>13</u>	FST	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>56</u>
<u>13</u>	FST	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>57</u>
<u>13</u>	FST	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>57</u>
<u>13</u>	FST	CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	SSE/79.1	-1.42	<u>58</u>
<u>13</u>	EHS		715 Mikinak Road Ottawa ON K1K 2G8	SSE/79.1	-1.42	<u>58</u>
<u>13</u>	EHS		715 Mikinak Road Ottawa ON K1K 2G8	SSE/79.1	-1.42	<u>59</u>
<u>13</u>	EHS		715 Mikinak Road Ottawa ON K1K 2G8	SSE/79.1	-1.42	<u>59</u>
<u>13</u>	EHS		715 Mikinak Road Ottawa ON K1K 2G8	SSE/79.1	-1.42	<u>59</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>14</u>	FCS	Central Heating Plant in Rockcliffe - Disposed to NCC	Ottawa ON	WSW/89.2	-4.31	<u>59</u>
<u>14</u>	FCS	CFSU(O) Rockcliffe PMQ Trailer Storage Compound	Ottawa ON	WSW/89.2	-4.31	<u>66</u>
<u>15</u>	wwis		lot 23 con 1 ON Well ID: 7365245	SSE/105.8	-2.00	<u>70</u>
<u>16</u>	wwis		lot 23 con 1 ON Well ID: 7365246	SSE/106.0	-0.31	<u>71</u>
<u>16</u>	wwis		lot 23 con 1 ON Well ID: 7365247	SSE/106.0	-0.31	<u>71</u>
<u>17</u> .	wwis		ON Well ID: 7365252	SSE/125.6	-1.36	<u>72</u>
<u>18</u>	wwis		ON Well ID: 7365253	SSE/126.4	-1.36	<u>73</u>
<u>19</u>	wwis		ON <i>Well ID</i> : 7365251	SSE/130.6	-1.36	<u>73</u>
<u>20</u>	wwis		lot 23 con 1 ON Well ID: 7365250	SSE/131.8	-2.00	<u>74</u>
<u>21</u>	RSC	CANADA LANDS COMPANY CLC LIMITED	715 MIKINAK ROAD, OTTAWA, ON K1K 3X7 Ottawa ON	SSE/134.4	-1.37	<u>75</u>
22	wwis		lot 23 con 1 ON <i>Well ID</i> : 7365248	SSE/134.6	-1.37	<u>76</u>
<u>23</u>	wwis		ON Well ID: 7365249	SSE/134.7	-1.37	<u>76</u>
<u>24</u>	EASR	OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	ON	ENE/138.3	2.67	<u>77</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>25</u>	EASR	MATTAMY (JOCK RIVER) LIMITED	681 Mikinak RD Ottawa ON K1K 2G8	SSW/140.5	-4.41	<u>77</u>
<u>26</u>	wwis		ON <i>Well ID:</i> 7374310	NE/169.4	-1.66	<u>78</u>
<u>27</u>	GEN	Department of National Defence	196 Via Venus Ottawa ON	E/181.0	4.01	<u>78</u>
<u>28</u>	WWIS		FORMER CFB ROCKLIFFE Ottawa ON Well ID: 7277333	W/182.6	-2.95	<u>79</u>
<u>29</u>	GEN	DEPT. OF NATIONAL DEFENCE	CFSU OTTAWA NORTH - ROCKCLIFFE SITE BUILDING 164 - CODDS ROAD & VIA VENUS OTTAWA ON K1A 0K8	SW/187.9	-6.31	<u>82</u>
<u>30</u>	FCS	Former B164/79 and via Venus	Ottawa ON	E/194.9	3.76	<u>83</u>
<u>31</u>	ECA	Mattamy (Rockcliffe) Inc.	775 Mikinak Rd Ottawa ON K2K 2M5	ESE/213.8	2.66	<u>86</u>
<u>32</u>	WWIS		ON Well ID: 7334282	W/222.7	-6.23	<u>87</u>
<u>33</u>	wwis		VENUS & COBBS ROAD Ottawa ON Well ID: 7227810	SW/236.5	-7.16	<u>87</u>
<u>34</u>	WWIS		VENUS & COBBS ROAD Ottawa ON Well ID: 7227814	SW/237.8	-7.16	<u>90</u>
<u>35</u>	wwis		FORMER CFB ROCKLIFFE Ottawa ON Well ID: 7277332	W/239.6	-6.23	<u>94</u>
<u>36</u>	wwis		VENUS & COBBS ROAD Ottawa ON Well ID: 7227813	SW/240.3	-7.16	<u>98</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>37</u>	WWIS		VENDS & COBBS ROAD Ottawa ON	SW/242.2	-7.16	<u>101</u>
			Well ID: 7227808			
38	WWIS		VENUS & COBBS ROAD Ottawa ON	SW/246.8	-7.39	<u>104</u>
			Well ID: 7227809			
<u>39</u>	WWIS		VUNUS & COBBLE ROAD Ottawa ON	SW/248.4	-7.39	<u>107</u>
			Well ID: 7227811			
<u>40</u>	WWIS		VENUS & COBBLE ROAD Ottawa ON	SW/249.3	-7.39	<u>110</u>
			Well ID: 7227812			

Executive Summary: Summary By Data Source

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Feb 28, 2022 has found that there are 11 DTNK site(s) within approximately 0.25 kilometers of the project property.

Site CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	Address 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	<u>Distance (m)</u> 79.1	<u>Map Key</u> <u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON K1K 0N2	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	79.1	<u>13</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON	79.1	<u>13</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Feb 28, 2022 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	ON	138.3	<u>24</u>
MATTAMY (JOCK RIVER) LIMITED	681 Mikinak RD Ottawa ON K1K 2G8	140.5	<u>25</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Feb 28, 2022 has found that there are 2 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Mattamy (Rockcliffe) Inc.	1400 Hemlock Rd Ottawa ON K2K 2M5	65.8	<u>11</u>
Mattamy (Rockcliffe) Inc.	775 Mikinak Rd Ottawa ON K2K 2M5	213.8	<u>31</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 9 EHS site(s) within approximately 0.25 kilometers of the project property.

Site	Address RSC 7 - Former CFB Rockcliffe Ottawa ON K1K	Distance (m) 41.8	Map Key 4
	355 St Laurent Blvd Ottawa ON K1K 2Z7	43.9	<u>5</u>
	355 St Laurent Blvd Ottawa ON K1K2Z7	43.9	<u>5</u>
	Codd's Road Ottawa ON	43.9	<u>5</u>
	715 Mikinak Road Ottawa ON K1K 2G8	79.1	<u>13</u>
	715 Mikinak Road Ottawa ON K1K 2G8	79.1	<u>13</u>
	715 Mikinak Road Ottawa ON K1K 2G8	79.1	<u>13</u>
	715 Mikinak Road Ottawa ON K1K 2G8	79.1	<u>13</u>
	715 Mikinak Road Ottawa ON K1K 2G8	79.1	<u>13</u>

FCS - Contaminated Sites on Federal Land

A search of the FCS database, dated Jun 2000-Nov 2021 has found that there are 3 FCS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CFSU(O) Rockcliffe PMQ Trailer		89.2	14
Storage Compound	Ottawa ON		_

Site	<u>Address</u>	Distance (m)	Map Key
Central Heating Plant in Rockcliffe - Disposed to NCC	Ottawa ON	89.2	<u>14</u>
Former B164/79 and via Venus	Ottawa ON	194.9	<u>30</u>

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2022 has found that there are 5 FST site(s) within approximately 0.25 kilometers of the project property.

Site CANADIAN FORCES EXCHANGE C F	Address 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA	Distance (m)	Map Key
B OTTAWA NORTH	ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA K1K 0N2 ON CA ON	79.1	<u>13</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 2 GEN site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	<u>Map Key</u>
Department of National Defence	196 Via Venus Ottawa ON	181.0	<u>27</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
DEPT. OF NATIONAL DEFENCE	CFSU OTTAWA NORTH - ROCKCLIFFE SITE BUILDING 164 - CODDS ROAD & VIA VENUS OTTAWA ON K1A 0K8	187.9	<u>29</u>

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH	77 VIA VENUS ST OTTAWA ON K1K 0N2	79.1	<u>13</u>

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Feb 2022 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
CANADA LANDS COMPANY CLC LIMITED	1076-1335 HEMLOCK ROAD, OTTAWA, ON K1K 4Z3 Ottawa ON	28.9	<u>2</u>
CANADA LANDS COMPANY CLC LIMITED	715 MIKINAK ROAD, OTTAWA, ON K1K 3X7 Ottawa ON	134.4	<u>21</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Sep 30, 2021 has found that there are 28 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	Hemlock Drv Ottawa ON	4.3	<u>1</u>
	Well ID: 7353633		
	197 VIA VENUS PVT Ottawa ON	31.6	<u>3</u>


Site	Address Well ID: 7169959	Distance (m)	<u>Map Key</u>
	Water Ridge Subdivision Ottawa ON Well ID: 7348316	46.2	<u>6</u>
	Water Ridge Subdivision Ottawa ON Well ID: 7348317	52.4	7
	ROCKCLIFFE ON Well ID: 7292671	57.2	<u>8</u>
	BISHOP AVE. AT VIAVENUS AVE. AREA NOW DEMOLISHED	57.2	<u>9</u>

Ottawa ON		<u>•</u>
Well ID: 7348316		
Water Ridge Subdivision Ottawa ON	52.4	7
Well ID: 7348317		
ROCKCLIFFE ON	57.2	<u>8</u>
Well ID: 7292671		
BISHOP AVE. AT VIAVENUS AVE. AREA NOW DEMOLISHED Ottawa ON Well ID: 7174554	57.2	9
Well ID. 1 114554		
CFB ROCKCLIFFE lot 4 con 1 OTTAWA ON	61.2	<u>10</u>
Well ID: 1535672		
FORMER CFB ROCKCLIFFE Ottawa ON	75.1	<u>12</u>
Well ID: 7277334		
Well ID. 1211334		
lot 23 con 1 ON	105.8	<u>15</u>
lot 23 con 1 ON	105.8	<u>15</u>
lot 23 con 1	105.8	<u>15</u>
lot 23 con 1 ON	105.8	<u>15</u>
lot 23 con 1 ON <i>Well ID:</i> 7365245 lot 23 con 1		_
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON		_
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON		_
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1	106.0	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON	106.0	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON Well ID: 7365247	106.0	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON	106.0	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON Well ID: 7365247	106.0	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON Well ID: 7365247	106.0 106.0 125.6	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON Well ID: 7365247 ON Well ID: 7365252	106.0	<u>16</u>
lot 23 con 1 ON Well ID: 7365245 lot 23 con 1 ON Well ID: 7365246 lot 23 con 1 ON Well ID: 7365247	106.0 106.0 125.6	<u>16</u> <u>17</u>

<u>Site</u>	<u>Address</u>	Distance (r
		130.6

<u>Address</u>	Distance (m)	<u>Map Key</u>
ON	130.6	<u>19</u>
Well ID: 7365251		
lot 23 con 1 ON	131.8	<u>20</u>
Well ID: 7365250		
lot 23 con 1 ON	134.6	<u>22</u>
Well ID: 7365248		
ON	134.7	<u>23</u>
Well ID: 7365249		
ON	169.4	<u>26</u>
ON		
Well ID: 7374310		
FORMER CFB ROCKLIFFE Ottawa ON	182.6	<u>28</u>
Well ID: 7277333		
ON	222.7	<u>32</u>
Well ID: 7334282		
VENUS & COBBS ROAD Ottawa ON	236.5	<u>33</u>
Well ID: 7227810		
Well ID. 1221010		
VENUS & COBBS ROAD Ottawa ON	237.8	<u>34</u>
Well ID: 7227814		
FORMER CFB ROCKLIFFE Ottawa ON	239.6	<u>35</u>
Well ID: 7277332		
VENUS & COBBS ROAD Ottawa ON	240.3	<u>36</u>
Well ID: 7227813		
VENDS & COBBS ROAD Ottawa ON	242.2	<u>37</u>

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	Well ID: 7227808		
	VENUS & COBBS ROAD Ottawa ON	246.8	<u>38</u>
	Well ID: 7227809		
	VUNUS & COBBLE ROAD Ottawa ON	248.4	<u>39</u>
	Well ID: 7227811		
	VENUS & COBBLE ROAD Ottawa ON	249.3	<u>40</u>
	Well ID: 7227812		



Aerial Year: 2021

Address: Wateridge Village - Blocks 11 & 12, Ottawa, ON

ERIS 📚

Order Number: 22040701122

Topographic Map

Address: Wateridge Village - Blocks 11 & 12, ON

Source: ESRI World Topographic Map

Order Number: 22040701122



Detail Report

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

89.9 / 1.69

Well ID: 7353633

1 of 1

Construction Date: Primary Water Use: Sec. Water Use: Final Well Status:

1

Final Well Status: Abandoned-Other

WNW/4.3

Water Type: Casing Material:

Audit No: Z287961

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: Year Completed: Depth (m):

 Latitude:
 45.4544471387431

 Longitude:
 -75.6336635993745

Path:

Bore Hole Information

Bore Hole ID: 1008156914

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed:
Remarks:
Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Ottawa ON

Data Entry Status:

Hemlock Drv

Data Src:

 Date Received:
 2/18/2020

 Selected Flag:
 TRUE

 Abandonment Rec:
 Yes

 Contractor:
 7543

 Form Version:
 7

Owner:

Street Name: Hemlock Drv
County: OTTAWA
Municipality: OTTAWA CITY
Site Info:

WWIS

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation: Elevro:

Zone: 18
East83: 450454.00
North83: 5033631.00
Org CS: UTM83

UTMRC: 5

UTMRC Desc: margin of error : 100 m - 300 m

Order No: 22040701122

Location Method: wwr

Sealing Record

Plug ID: 1008353171

Layer:

Plug From: Plug To:

Plug Depth UOM:

Pipe Information

1008352635 Pipe ID:

Casing No:

Comment: Alt Name:

Results of Well Yield Testing

1008353927 Pump Test ID:

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method:

Pumping Duration HR: Pumping Duration MIN:

Flowing:

1 of 1 WSW/28.9 86.2 / -2.03 2

0

CANADA LANDS COMPANY CLC LIMITED 1076-1335 HEMLOCK ROAD, OTTAWA, ON K1K

Residential

GEORGE THOMAS

RSC

Order No: 22040701122

4Z3 Ottawa ON

Cert Prop Use No:

Intended Prop Use:

Qual Person Name:

Entire Leg Prop. (Y/N):

Accuracy Estimate:

Stratified (Y/N):

Audit (Y/N):

Telephone:

Fax:

Email:

Cert Date:

RSC ID: 226470

RA No:

RSC Type: Phase 1 and 2 RSC

Curr Property Use: Industrial

Ottawa District Office Ministry District:

Filing Date: 2020/01/30

Date Ack: Date Returned: Restoration Type: Soil Type: Criteria:

CPU Issued Sect

1686:

Asmt Roll No:

04273-0611 (LT), Prop ID No (PIN):

04273-0590 (LT)

Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

04273-0619 (LT),

04273-0618 (LT),

1076-1335 HEMLOCK ROAD, OTTAWA, ON K1K 4Z3

erisinfo.com | Environmental Risk Information Services

Site DΒ Map Key Number of Direction/ Elev/Diff Records Distance (m) (m)

Measurement Method:

Applicable Standards:

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123459&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Supporting Documents Document Heading: **Document Name:** 2 - Lawyers Letter.PDF

Document Type: Lawyer's letter consisting of a legal description of the property

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123458&fileName=2+-

+Lawyers+Letter.PDF

Document Heading: Supporting Documents PhaseTwo.pdf Document Name:

Document Type: Phase 2 Conceptual Site Model

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? **Document Link:**

attachmentId=123874&fileName=PhaseTwo.pdf

Document Heading: Supporting Documents 4- Survey.pdf Document Name:

Document Type: A Current plan of Survey

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123460&fileName=4-

+Survey.pdf

Document Heading: Supporting Documents 5 - No Objection Statement.pdf **Document Name:**

Document Type: A copy of No Objection Statement from municipality

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123462&fileName=5+-Document Link:

+No+Objection+Statement.pdf

Document Heading: Supporting Documents

Document Name: 7 - Current and Past Use Table.pdf Table of Current and Past Property Use Document Type:

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123466&fileName=7+-

+Current+and+Past+Use+Table.pdf

Document Heading: Supporting Documents **Document Name:** 6 - APEC Table.pdf

Document Type: Area(s) of Potential Environmental Concern

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123467&fileName=6+-Document Link:

+APEC+Table.pdf

Document Heading: Supporting Documents **Document Name:** 1 - Certificate of Status.PDF Certificate of Status Document Type:

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123464&fileName=1+-

+Certificate+of+Status.PDF

Supporting Documents Document Heading: **Document Name:** 3 - Instrument of Grant.PDF

Document Type: Copy of any deed(s), transfer(s) or other document(s)

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=123465&fileName=3+-

+Instrument+of+Grant.PDF

1 of 1 SE/31.6 87.6 / -0.61 197 VIA VENUS PVT 3 **WWIS** Ottawa ON

Order No: 22040701122

7169959 Well ID: Data Entry Status: Construction Date:

Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 10/12/2011 TRUE Sec. Water Use: 0 Selected Flag:

Final Well Status: Test Hole Abandonment Rec: 7241 Water Type: Contractor:

Casing Material: Form Version: 7 Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m)

Owner:

Street Name:

Audit No: Z134403 A106720 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Lot: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

County: **OTTAWA OTTAWA CITY** Municipality: Site Info: Concession:

197 VIA VENUS PVT

Order No: 22040701122

Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7169959.pdf

Additional Detail(s) (Map)

Flow Rate:

Clear/Cloudy:

Well Completed Date: 2011/09/22 Year Completed: 2011 Depth (m): 9.14

Latitude: 45.4528472120568 Longitude: -75.6316250122776 716\7169959.pdf Path:

Bore Hole Information

Bore Hole ID: 1003579056 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 450612.00 Code OB: East83: 5033452.00 Code OB Desc: North83: Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

margin of error: 10 - 30 m Date Completed: 22-Sep-2011 00:00:00 UTMRC Desc:

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004001823

Layer: 2 Color: **GREY** General Color: Mat1:

LIMESTONE Most Common Material:

Mat2:

Mat2 Desc: Mat3: 73

Mat3 Desc: **HARD**

4.570000171661377 Formation Top Depth: Formation End Depth: 9.140000343322754

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Formation ID: 1004001822

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 13

 Mat2 Desc:
 BOULDERS

Mat2 Desc:BOULDEMat3:28Mat3 Desc:SANDFormation Top Depth:0.0

Formation End Depth: 4.570000171661377

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004001833

Layer: 3

 Plug From:
 7.320000171661377

 Plug To:
 9.140000343322754

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004001831

Layer: 1
Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004001832

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 7.320000171661377

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004001830

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1004001821

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004001826

Layer: 1

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Material: 5

Open Hole or Material:PLASTICDepth From:-2.0

 Depth To:
 7.619999885559082

 Casing Diameter:
 5.199999809265137

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004001827

Layer: 1 **Slot:** 10

 Screen Top Depth:
 7.619999885559082

 Screen End Depth:
 9.140000343322754

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.03000020980835

Water Details

Water ID: 1004001825

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004001824

Diameter: 11.430000305175781

Depth From: 0.0

Depth To: 9.140000343322754

Hole Depth UOM: m
Hole Diameter UOM: cm

4 1 of 1 E/41.8 89.9 / 1.69 RSC 7 - Former CFB Rockcliffe Ottawa ON K1K

 Order No:
 20191016103

 Status:
 C

 Record Types
 RSC Report One

Report Type: RSC Report - Quote

Report Date: 21-OCT-19
Date Received: 16-OCT-19

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:
Municipality:
Client Prov/State:
Search Radius (km):
3
75 6303

Nearest Intersection:

Search Radius (km):

Client Prov/State:

Municipality:

X: -75.630352 **Y:** 45.453478

Ottawa

-75.633319

Order No: 22040701122

45.45276

ON

.3

5 1 of 3 SW/43.9 84.8 / -3.37 Codd's Road Ottawa ON

X:

Order No: 20131223029

Status: C

Report Type: RSC Report (Urban)
Report Date: 07-JAN-14
Date Received: 23-DEC-13

Previous Site Name:

Lot/Building Size: 1,450,000 square meters

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

5 2 of 3 SW/43.9 84.8 / -3.37 355 St Laurent Blvd Ottawa ON K1K2Z7

ON

45.45276

11/27/2019

Order No: 22040701122

Order No: 20160920022 Nearest Intersection:

Status:CMunicipality:Report Type:RSC Report - QuoteClient Prov/State:

 Report Date:
 26-SEP-16
 Search Radius (km):
 .25

 Date Received:
 20-SEP-16
 X:
 -75.633319

 Previous Site Name:
 Y:
 45.45276

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Title Searches

5 3 of 3 SW/43.9 84.8 / -3.37 355 St Laurent Blvd Ottawa ON K1K 2Z7

Order No: 20180501091 Nearest Intersection:

 Status:
 C
 Municipality:

 Report Type:
 RSC Report - Quote
 Client Prov/State:
 Ol

 Report Type:
 RSC Report - Quote
 Client Prov/State:
 ON

 Report Date:
 08-MAY-18
 Search Radius (km):
 .3

 Date Received:
 01-MAY-18
 X:
 -75.633319

Date Received: 01-MAY-18 X:
Previous Site Name: Y:
Lot/Building Size:
Additional Info Ordered:

6 1 of 1 SE/46.2 87.3 / -0.85 Water Ridge Subdivision WWIS

Well ID: 7348316 Data Entry Status:

Construction Date:

Primary Water Use: Monitoring and Test Hole Date Received:

Sec. Water Use:Selected Flag:TRUEFinal Well Status:Monitoring and Test HoleAbandonment Rec:Water Type:Contractor:7241

Water Type: Contractor: 724
Casing Material: Form Version: 7

 Audit No:
 Z219594
 Owner:

 Tag:
 A280247
 Street Name:
 Water Ridge Subdivision

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 OTTAWA CITY

 Elevation Reliability:
 Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Flowing (Y/N):

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map):

Well Completed Date: 2019/10/22

Additional Detail(s) (Map)

 Year Completed:
 2019

 Depth (m):
 13

 Latitude:
 45.4527134747731

 Longitude:
 -75.6313933170971

Longitude: -75.6313933170971 **Path:**

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Bore Hole Information

Bore Hole ID: 1007730614

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 22-Oct-2019 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1007906468 Formation ID:

Layer: Color: 6 General Color:

BROWN Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 2.0 Formation End Depth: 5.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

1007906467 Formation ID:

Layer: Color: 6 General Color: **BROWN** Mat1: **FILL** Most Common Material: Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007906469

Layer: 3 Color: 2 **GREY** General Color: 05 Mat1. Most Common Material: CLAY Mat2: 06

Elevation: Elevrc:

Zone: 18

East83: 450630.00 North83: 5033437.00 UTM83 Org CS:

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Location Method: wwr Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

 Mat2 Desc:
 SILT

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 5.0

 Formation End Depth:
 13.0

 Formation End Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007907680

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 13.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007907679

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007908747

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1007904793

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007909337

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 -3.0

 Depth To:
 3.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Screen

Screen ID: 1007909735

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 3.0

 Screen End Depth:
 13.0

 Screen Material:
 5

 Screen Depth UOM:
 m

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Screen Diameter UOM: cm

Screen Diameter: 2.0999999046325684

Results of Well Yield Testing

Pump Test ID: 1007910412

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m
Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:

Hole Diameter

 Hole ID:
 1007908347

 Diameter:
 4.5

 Depth From:
 0.0

 Depth To:
 13.0

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

7 1 of 1 SSE/52.4 87.3 / -0.85

Well ID: 7348317
Construction Date:

Monitoring and Test Hole

0

Primary Water Use: Monitoring and Test Hole Sec. Water Use:

Final Well Status: Water Type:

Casing Material:

 Audit No:
 Z219593

 Tag:
 A281739

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2019/10/23

 Year Completed:
 2019

 Depth (m):
 14

Water Ridge Subdivision
Ottawa ON
WWIS

Data Entry Status:

Data Src:

Date Received:11/27/2019Selected Flag:TRUE

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: Water Ridge Subdivision

County: OTTAWA
Municipality: OTTAWA CITY
Site Info:

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

18

450620.00

5033431.00

Order No: 22040701122

UTM83

Latitude: 45.4526587638222 Longitude: -75.6315205966137

Path:

Bore Hole Information

Bore Hole ID: 1007730617 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: Code OB: East83: Code OB Desc: North83: Open Hole: Org CS: Cluster Kind: **UTMRC**:

Date Completed: 23-Oct-2019 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007906471

Layer: Color: 6

General Color: **BROWN** Mat1: 05 CLAY Most Common Material: Mat2: 06 SILT Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 5.0 Formation End Depth: 8.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007906470

Layer: Color: 6 General Color: **BROWN** Mat1: 01 Most Common Material: **FILL** Mat2: **GRAVEL** Mat2 Desc: Mat3: LOOSE Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 5.0

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1007906472

Layer: 3 2 Color:

m

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

GREY General Color: Mat1: 05 CLAY Most Common Material: 06 Mat2: Mat2 Desc: SILT Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 8.0 Formation End Depth: 14.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007907681

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 14.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007907682

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007908748

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1007904794

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1007909338

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:-3.0Depth To:4.0Casing Diameter:2.0Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1007909736

Layer: 1 **Slot:** 10

4.0 Screen Top Depth: Screen End Depth: 14.0 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM:

2.0999999046325684 Screen Diameter:

0

Results of Well Yield Testing

Pump Test ID: 1007910413

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method: **Pumping Duration HR: Pumping Duration MIN:**

Flowing:

Hole Diameter

Hole ID: 1007908348 Diameter: 4.5 Depth From: 0.0 Depth To: 14.0 Hole Depth UOM: m Hole Diameter UOM: cm

87.3 / -0.85 8 1 of 1 SE/57.2 **WWIS ROCKCLIFFE ON**

7292671 Well ID:

Primary Water Use: Monitoring Sec. Water Use:

Public Final Well Status: Replacement Well

Water Type: Casing Material:

Construction Date:

Audit No: Z217815

Tag: Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src:

Date Received: 8/17/2017 Selected Flag: TRUE

Abandonment Rec:

7543 Contractor: Form Version:

Owner: Street Name:

OTTAWA County: **GLOUCESTER TOWNSHIP**

Order No: 22040701122

Municipality: Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7292671.pdf

Additional Detail(s) (Map)

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Well Completed Date: 2017/06/30 Year Completed: 2017 4.96824 Depth (m):

Latitude: 45.4526144674782 -75.6313922122901 Longitude: Path: 729\7292671.pdf

Bore Hole Information

1006711537 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 450630.00 5033426.00 Code OB Desc: North83: UTM83 Open Hole: Org CS: Cluster Kind: **UTMRC**:

30-Jun-2017 00:00:00 UTMRC Desc: margin of error: 300 m - 1 km Date Completed:

Location Method: Remarks: Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

1006832379 Formation ID:

Layer:

Color: General Color:

Mat1: 05 CLAY

Most Common Material: Mat2:

Mat2 Desc: Mat3: 73 HARD Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM:

Overburden and Bedrock **Materials Interval**

Formation ID: 1006832380

ft

Layer:

Color:

General Color:

Mat1: **GRAVEL** Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth:

Formation End Depth: 16.299999237060547

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Order No: 22040701122

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Plug ID: 1006832388

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 5.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006832387

Method Construction Code:

Method Construction:Other MethodOther Method Construction:AUGER

Pipe Information

Pipe ID: 1006832378

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006832383

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 -3.0

Depth To: 6.300000190734863

Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006832384

Layer: 1 **Slot:** 10

 Screen Top Depth:
 6.300000190734863

 Screen End Depth:
 16.299999237060547

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:2.5

Water Details

Water ID: 1006832382

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006832381

 Diameter:
 10.0

 Depth From:
 0.0

Depth To: 16.299999237060547

Hole Depth UOM: ft Hole Diameter UOM: inch

9 1 of 1 SSE/57.2 86.6 / -1.61 BISHOP AVE. AT VIAVENUS AVE. AREA NOW **WWIS DEMOLISHED**

Well ID: 7174554 Data Entry Status:

Construction Date:

Test Hole Primary Water Use:

Sec. Water Use:

Final Well Status: Abandoned Monitoring and Test Hole

Water Type:

Casing Material:

Z134641 Audit No:

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2011/11/11 Year Completed: 2011

Depth (m): 4.57

Latitude: 45.4526203563976 Longitude: -75.6319549937464

Path:

Bore Hole Information

1003629406 Bore Hole ID: DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Nov-2011 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004043067 Ottawa ON

Data Src: Date Received: 1/6/2012

Selected Flag: TRUE Abandonment Rec: Yes 6964 Contractor: Form Version:

Owner:

BISHOP AVE. AT VIAVENUS AVE. AREA Street Name:

NOW DEMOLISHED

OTTAWA County: Municipality: **OTTAWA CITY** Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 18

East83: 450586.00 North83: 5033427.00 UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 10 - 30 m

Order No: 22040701122

Location Method: wwr

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

3 Layer: Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY 84 Mat2: Mat2 Desc: SILTY

Mat3: Mat3 Desc:

Formation Top Depth:

0.7599999904632568 4.110000133514404 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004043065

Layer: Color: 8 General Color: **BLACK**

Mat1: Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

0.019999999552965164 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1004043068 Formation ID:

Layer: Color: 6 **BROWN** General Color: Mat1: 28 SAND Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 4.110000133514404 Formation End Depth: 4.570000171661377

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004043066

2 Layer: Color: General Color: **BROWN** Mat1: 01 **FILL** Most Common Material: Mat2: 05 Mat2 Desc: CLAY Mat3: 84 Mat3 Desc: SILTY

Formation Top Depth: 0.019999999552965164 Formation End Depth: 0.7599999904632568

Formation End Depth UOM:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

Plug ID: 1004043075

Layer: 1

Plug From: 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004043076

Layer: 2

 Plug From:
 0.30000001192092896

 Plug To:
 4.570000171661377

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID:1004043074Method Construction Code:BMethod Construction:Other MethodOther Method Construction:HS AUGER

Pipe Information

Pipe ID: 1004043064

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004043071

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

 Depth To:
 1.600000023841858

 Casing Diameter:
 5.19999809265137

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004043072

Layer: 1

Slot:

 Screen Top Depth:
 1.600000023841858

 Screen End Depth:
 4.570000171661377

Screen Material:5Screen Depth UOM:mScreen Diameter UOM:cmScreen Diameter:6.0

Water Details

Order No: 22040701122

Number of Direction/ Elev/Diff Site DΒ Map Key

1004043070 Water ID:

Layer:

Records

Kind Code: Kind:

Water Found Depth: 1.5700000524520874

Water Found Depth UOM:

Hole Diameter

Hole ID: 1004043069 22.0 Diameter: Depth From: 0.0

4.570000171661377 Depth To:

Hole Depth UOM: m Hole Diameter UOM:

CFB ROCKCLIFFE lot 4 con 1 1 of 1 ESE/61.2 89.9 / 1.69 10 **WWIS** OTTAWA ON

Well ID: 1535672 Data Entry Status:

Distance (m)

(m)

Construction Date: Data Src:

Primary Water Use: Not Used Date Received: 7/25/2005 TRUE Sec. Water Use: Selected Flag: Final Well Status: Test Hole Abandonment Rec:

Water Type: Contractor: 6894

Casing Material: Form Version: 3 Audit No: Z19290 Owner:

CFB ROCKCLIFFE A019088 Street Name: Tag: **Construction Method:** County: **OTTAWA** Elevation (m): Municipality: **OTTAWA CITY** Elevation Reliability: Site Info:

Depth to Bedrock: 004 Lot: Well Depth: 01

Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: UTM Reliability:

Flow Rate: Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1535672.pdf PDF URL (Map):

Additional Detail(s) (Map)

2004/11/11 Well Completed Date: 2004 Year Completed: Depth (m): 3.7

45.4532967202759 Latitude: -75.6300953325647 Longitude: 153\1535672.pdf Path:

Bore Hole Information

11316211 Bore Hole ID: Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

18 450732.00 Code OB: East83: Code OB Desc: North83: 5033501.00 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC**:

11-Nov-2004 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Order No: 22040701122

Remarks: Location Method: Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

 Formation ID:
 932996920

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 28

 Mat3 Desc:
 SAND

Formation Top Depth: 1.100000023841858

Formation End Depth: 2.5
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 932996921

Layer: 3 Color: **BROWN** General Color: Mat1: 28 SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 05 CLAY Mat3 Desc:

 Formation Top Depth:
 2.5

 Formation End Depth:
 3.700000047683716

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932996919

Layer: 1 **Color:** 6

General Color: BROWN

Mat1: 01

Most Common Material: FILL

Mat2: 28

Mat2 Desc: SAND

Mat3: 11

Mat3 Desc: GRAVEL

Formation Top Depth: 0.0

Formation End Depth: 1.100000023841858

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933273461

Order No: 22040701122

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Layer:

 Plug From:
 0.800000011920929

 Plug To:
 1.100000023841858

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961535672

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 11331066

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930855583

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

 Depth To:
 1.100000023841858

 Casing Diameter:
 4.699999809265137

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 933413756

Layer: 1 **Slot:** 10

 Screen Top Depth:
 1.100000023841858

 Screen End Depth:
 3.700000047683716

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 5.0

Results of Well Yield Testing

Pump Test ID: 991535672

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Recommended Pump Depth Pumping Rate:

Flowing Rate:

Recommended Pump Rate: Levels UOM:

Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 3
Water State After Test: OTHER

Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing: No

Order No: 22040701122

Records

934062626

Layer: Kind Code:

FRESH Kind:

3.200000047683716 Water Found Depth:

Water Found Depth UOM:

Hole Diameter

Water Details Water ID:

Hole ID: 11533754 Diameter: 20.0 Depth From: 0.0

3.700000047683716 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1 ESE/65.8 89.9 / 1.69 Mattamy (Rockcliffe) Inc. 11 **ECA** 1400 Hemlock Rd

Ottawa ON K2K 2M5

Order No: 22040701122

Approval No: 0894-C4XQFJ **MOE District:** Ottawa

Approval Date: 2021-07-22 City: Approved Longitude: -75.63309 Status: Record Type: **ECA** Latitude: 45.449361 Link Source: IDS Geometry X: -8419437.0659 SWP Area Name: Rideau Valley Geometry Y: 5692543.7815999985

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: Mattamy (Rockcliffe) Inc. 1400 Hemlock Rd Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3805-C4PPGP-14.pdf

PDF Site Location:

FORMER CFB ROCKCLIFFE 12 1 of 1 NW/75.1 89.2 / 1.00 **WWIS**

Ottawa ON

Well ID: 7277334 Data Entry Status: Construction Date: Data Src:

Primary Water Use: Other Date Received: 12/19/2016 Sec. Water Use: Selected Flag: TRUE

Final Well Status: **Observation Wells** Abandonment Rec: Water Type: Contractor: 4877

Casing Material: Form Version:

Audit No: Z243028 Owner:

FORMER CFB ROCKCLIFFE Tag: A217988 Street Name:

Construction Method: **OTTAWA** County: Elevation (m): Municipality: **GLOUCESTER TOWNSHIP**

Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession:

Concession Name: Overburden/Bedrock: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: UTM Reliability: Flow Rate: Clear/Cloudy:

PDF URL (Map):

Map Key Number of Direction/ Elev/Diff (m)

Records

Distance (m)

Site

DB

Order No: 22040701122

Additional Detail(s) (Map)

Well Completed Date: 2016/11/19 Year Completed: 2016 Depth (m): 12.192

Latitude: 45.4550856176815 -75.6337730666672 Longitude:

Path:

Bore Hole Information

Bore Hole ID: 1006310731 Elevrc:

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 19-Nov-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006502545 Formation ID:

Layer: Color: 6 General Color: **BROWN** Mat1: 05 Most Common Material: CLAY Mat2: 12 **STONES** Mat2 Desc: Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 5.0

Formation End Depth: 7.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006502547

Layer: 4 2 Color: General Color: **GREY** Mat1: 15 LIMESTONE

Most Common Material: Mat2:

Mat2 Desc:

85 Mat3: Mat3 Desc: SOFT Formation Top Depth: 38.0 Formation End Depth: 40.0 Formation End Depth UOM: ft

Elevation:

Zone: 18

450446.00 East83: 5033702.00 North83: UTM83 Org CS:

UTMRC: **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: wwr Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Overburden and Bedrock

Materials Interval

Formation ID: 1006502546

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

 Most Common Material:
 LIMESTONE

 Mat2:
 16

 Mat2 Desc:
 DOLOMITE

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 7.0

 Formation End Depth:
 38.0

ft

79

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1006502544

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:PACKEDFormation Top Depth:0.0Formation End Depth:5.0Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006502557

 Layer:
 1

 Plug From:
 7.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006502556

Method Construction Code:

Method Construction: Rotary (Convent.)
Other Method Construction: AIR PERCUSSION

Pipe Information

Pipe ID: 1006502543

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006502551

Layer: 1

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Material:

Open Hole or Material: **OPEN HOLE**

0.0 Depth From: Depth To: 7.0 Casing Diameter: 12.0 Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Casing

Casing ID: 1006502553

Layer: Material:

OPEN HOLE Open Hole or Material:

Depth From: Depth To: 40.0 Casing Diameter: 10.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

1006502552 Casing ID:

Layer: 2 Material: Open Hole or Material: STEEL

Depth From: 0.0 Depth To: 7.0 Casing Diameter: 10.75 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006502554

Layer:

Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006502550

Layer: Kind Code: Kind:

Water Found Depth: ft

Water Found Depth UOM:

Hole Diameter

Hole ID: 1006502548 Diameter: 12.0 Depth From: 0.0 7.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Order No: 22040701122

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) **Hole Diameter** Hole ID: 1006502549 Diameter: 10.0 Depth From: 7.0 40.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch 1 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA 13 **PRT NORTH** 77 VIA VENUS ST OTTAWA ON K1K 0N2 Location ID: 11131 Type: retail Expiry Date: 1992-10-31 Capacity (L): 0 Licence #: 0012161001 2 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA 13 **DTNK NORTH** 77 VIA VENUS ST OTTAWA ON K1K 0N2 **Delisted Expired Fuel Safety Facilities** Instance No: 9466243 Expired Date: 9/16/1992 Max Hazard Rank: Status: **EXPIRED** Facility Location: Instance ID: Instance Type: FS Facility Facility Type: Instance Creation Dt: Fuel Type 2: Fuel Type 3: Instance Install Dt: Item Description: Panam Related: Manufacturer: Panam Venue Nm: Model: External Identifier: Serial No: Item: **ULC Standard:** Piping Steel: Quantity: Piping Galvanized: Unit of Measure: Tank Single Wall St: Overfill Prot Type: Piping Underground: Tank Underground: Creation Date: Next Periodic Str DT: Source: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn:

Description:
Original Source: EXP

3 of 22

TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:

Record Date: Up to May 2013

CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH

DTNK

Order No: 22040701122

86.8 / -1.42

SSE/79.1

13

Records

Distance (m) (m)

77 VIA VENUS ST OTTAWA ON

Delisted Expired Fuel Safety

Facilities

Instance No: 10907762 Status: **EXPIRED** Instance ID: 51028 Instance Type: FS Piping

Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: **ULC Standard:** Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance:

TSSA Program Area: TSSA Program Area 2:

Description: FS Piping Original Source: **EXP**

Record Date: Up to Mar 2012

Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item:

Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground:

Source:

CANADIAN FORCES EXCHANGE C F B OTTAWA **NORTH**

77 VIA VENUS ST OTTAWA ON

Delisted Expired Fuel Safety

Facilities

13

10907699 Instance No: **EXPIRED** Status: Instance ID: 51563 Instance Type: FS Piping

4 of 22

Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: **ULC Standard:** Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2:

Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item:

Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground:

Source:

SSE/79.1

86.8 / -1.42

DTNK

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area:

TSSA Program Area 2:
Description: FS Piping
Original Source: EXP

Record Date: Up to Mar 2012

13 5 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA

NORTH 77 VIA VENUS ST OTTAWA ON

Expired Date:

Fuel Type 2: Fuel Type 3:

Piping Steel: Piping Galvanized:

Source:

Item:

Panam Related:

Panam Venue Nm:

External Identifier:

Tank Single Wall St: Piping Underground:

Tank Underground:

Max Hazard Rank:

Facility Location: Facility Type: **DTNK**

DTNK

Order No: 22040701122

Delisted Expired Fuel Safety

Facilities

 Instance No:
 10907729

 Status:
 EXPIRED

 Instance ID:
 51629

 Instance Type:
 FS Piping

 Instance Creation Dt:

Instance Install Dt: Item Description: Manufacturer: Model: Serial No: **ULC Standard:** Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area:

TSSA Program Area 2:
Description: FS Piping
Original Source: EXP

Record Date: Up to Mar 2012

13 6 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA

NORTH 77 VIA VENUS ST OTTAWA ON

Delisted Expired Fuel Safety

<u>Facilities</u>

Instance No:10907714Expired Date:Status:EXPIREDMax Hazard Rank:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Instance ID: 51902
Instance Type: FS Piping

Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: **ULC Standard:** Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area:

Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:

Tank Underground:

Facility Location:

Source:

TSSA Program Area 2:
Description: FS Piping
Original Source: EXP

Record Date: Up to Mar 2012

13 7 of 22 SSE/79.1 86.8 / -1.42

CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH

77 VIA VENUS ST OTTAWA ON

Delisted Expired Fuel Safety

<u>Facilities</u>

Instance No: 10907744
Status: EXPIRED
Instance ID: 52799
Instance Type: FS Piping
Instance Creation Dt:

Instance Install Dt: Item Description: Manufacturer: Model: Serial No: **ULC Standard:** Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance:

FS Piping

Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:

Item: Pipin

Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground:

Source:

Description:

TSSA Program Area: TSSA Program Area 2: **DTNK**

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) EXP Original Source: Record Date: Up to Mar 2012 13 8 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA **DTNK NORTH**

<u>Delisted Expired Fuel Safety</u> <u>Facilities</u>

Instance No: 10907753
Status: EXPIRED

Instance ID: Instance Type:

Instance Creation Dt: 9/15/1992 Instance Install Dt: 9/15/1992

Item Description: FS Liquid Fuel Tank
Manufacturer: NULL

Model:NULLSerial No:NULLULC Standard:NULLQuantity:1Unit of Measure:EAOverfill Prot Type:NULL

Creation Date: 7/5/2009 1:22:05 AM

Next Periodic Str DT: NULL

TSSA Base Sched Cycle 2: **NULL** TSSAMax Hazard Rank 1: **NULL** TSSA Risk Based Periodic Yn: NULL TSSA Volume of Directives: **NULL** TSSA Periodic Exempt: NULL TSSA Statutory Interval: **NULL** TSSA Recd Insp Interva: **NULL** TSSA Recd Tolerance: NULL TSSA Program Area: **NULL** TSSA Program Area 2: NULL

Description: UNDERGROUND TANK

Original Source: EXP

9 of 22

Record Date: 31-JUL-2020

Expired Date:

ON

Max Hazard Rank: NULL

Facility Location: 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

Facility Type: FS LIQUID FUEL TANK

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

Fuel Type 2: NULL
Fuel Type 3: NULL
Panam Related: NULL
Panam Venue Nm: NULL
External Identifier: NULL

Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:

Source: FS Liquid Fuel Tank

Delisted Expired Fuel Safety

Instance No: 10907738
Status: EXPIRED

Instance ID: Instance Type:

13

Facilities

Instance Creation Dt: 9/15/1992
Instance Install Dt: 9/15/1992
Item Description: FS Liquid Fuel Tank

Manufacturer: NULL Model: NULL Social No.

Serial No: NULL
ULC Standard: NULL
Quantity: 1

Max Hazard Rank: NULL

Facility Location: 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

DTNK

Order No: 22040701122

Facility Type: FS LIQUID FUEL TANK

CANADIAN FORCES EXCHANGE C F B OTTAWA

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

Fuel Type 2: NULL
Fuel Type 3: NULL
Panam Related: NULL
Panam Venue Nm: NULL
External Identifier: NULL

Item: Piping Steel: Piping Galvanized:

NORTH

Expired Date:

ON

SSE/79.1

86.8 / -1.42

Tank Single Wall St:

Tank Underground:

Source:

Piping Underground:

Unit of Measure: EΑ Overfill Prot Type: NULL

7/5/2009 1:22:05 AM Creation Date:

Next Periodic Str DT: NULL

TSSA Base Sched Cycle 2: **NULL NULL** TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: **NULL** TSSA Volume of Directives: NULL TSSA Periodic Exempt: **NULL** TSSA Statutory Interval: **NULL** TSSA Recd Insp Interva: NULL TSSA Recd Tolerance: **NULL** TSSA Program Area: NULL TSSA Program Area 2: NULL

Description: UNDERGROUND TANK

Original Source: FXP

Record Date: 31-JUL-2020

13 10 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA

NORTH

Expired Date:

Facility Type:

Fuel Type 2:

Fuel Type 3:

Piping Steel:

Item:

Source:

Panam Related:

Panam Venue Nm:

External Identifier:

Piping Galvanized:

Tank Single Wall St:

Tank Underground:

Piping Underground:

Max Hazard Rank:

Facility Location:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

NULL

NULL

NULL

NULL

NULL

NULL

FS LIQUID FUEL TANK

FS Liquid Fuel Tank

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

FS Liquid Fuel Tank

ON

Delisted Expired Fuel Safety

Facilities

Instance No: 10907690 **EXPIRED** Status:

Instance ID:

Instance Type:

Instance Creation Dt: 9/15/1992 Instance Install Dt: 9/15/1992

Item Description: FS Liquid Fuel Tank Manufacturer: NULL

NULL Model: Serial No: **NULL ULC Standard:** NULL Quantity: 1 Unit of Measure: EΑ Overfill Prot Type: NULL

Creation Date: 7/5/2009 1:22:07 AM

Next Periodic Str DT: NULL

TSSA Base Sched Cycle 2: NULL TSSAMax Hazard Rank 1: **NULL** TSSA Risk Based Periodic Yn: NULL TSSA Volume of Directives: **NULL** TSSA Periodic Exempt: NULL TSSA Statutory Interval: **NULL** TSSA Recd Insp Interva: **NULL** TSSA Recd Tolerance: **NULL** TSSA Program Area: **NULL** TSSA Program Area 2: NULL

UNDERGROUND TANK Description:

Original Source: **EXP**

11 of 22

Record Date: 31-JUL-2020

> CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

DTNK

SSE/79.1

86.8 / -1.42

DTNK

Order No: 22040701122

erisinfo.com | Environmental Risk Information Services

54

13

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Delisted Expired Fuel Safety

Facilities

Instance No: 10907705

Status: **EXPIRED**

Instance ID:

Instance Type:

Instance Creation Dt: 9/15/1992 Instance Install Dt: 9/15/1992 FS Liquid Fuel Tank

Item Description: Manufacturer: NULL Model: NULL

NULL Serial No: **ULC Standard:** NULL Quantity: Unit of Measure: FΑ NULL Overfill Prot Type:

Creation Date: 7/5/2009 1:22:08 AM

Next Periodic Str DT: NULL

TSSA Base Sched Cycle 2: **NULL** TSSAMax Hazard Rank 1: NULL TSSA Risk Based Periodic Yn: **NULL** TSSA Volume of Directives: NULL TSSA Periodic Exempt: NULL TSSA Statutory Interval: **NULL NULL** TSSA Recd Insp Interva: TSSA Recd Tolerance: **NULL** TSSA Program Area: **NULL**

TSSA Program Area 2: NULL UNDERGROUND TANK Description:

Original Source:

31-JUL-2020 Record Date:

> 12 of 22 SSE/79.1 86.8 / -1.42

EXP

CANADIAN FORCES EXCHANGE C F B OTTAWA

NORTH

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

ON

Delisted Expired Fuel Safety

Facilities

13

10907720 Instance No: Status: **EXPIRED**

Instance ID:

Instance Type: Instance Creation Dt: 9/15/1992 9/15/1992 Instance Install Dt:

FS Liquid Fuel Tank Item Description:

Manufacturer: NULL **NULL** Model: Serial No: NULL **ULC Standard:** NULL Quantity: 1 Unit of Measure: EΑ Overfill Prot Type: **NULL**

Creation Date: 7/5/2009 1:22:11 AM

Next Periodic Str DT: NULL

TSSA Base Sched Cycle 2: NULL TSSAMax Hazard Rank 1: **NULL** TSSA Risk Based Periodic Yn: NULL TSSA Volume of Directives: **NULL** TSSA Periodic Exempt: NULL TSSA Statutory Interval: NULL Expired Date:

Max Hazard Rank:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA Facility Location:

Facility Type: FS LIQUID FUEL TANK

Fuel Type 2: NULL Fuel Type 3: NULL Panam Related: NULL Panam Venue Nm: NULL External Identifier: NULL

Item:

Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground:

FS Liquid Fuel Tank Source:

Expired Date:

Max Hazard Rank: NULL

Facility Location: 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

DTNK

Order No: 22040701122

Facility Type: FS LIQUID FUEL TANK

Fuel Type 2: NULL Fuel Type 3: NULL Panam Related: **NULL** Panam Venue Nm: NULL External Identifier: **NULL**

Item:

Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground:

Source: FS Liquid Fuel Tank

NULL TSSA Recd Insp Interva: TSSA Recd Tolerance: **NULL** TSSA Program Area: NULL TSSA Program Area 2: **NULL**

Description: UNDERGROUND TANK

Original Source: FXP

Record Date: 31-JUL-2020

86.8 / -1.42 13 of 22 SSE/79.1 715 Mikinak Road 13 **EHS** Ottawa ON K1K 2G8

X:

Y:

Order No: 20200526045 Nearest Intersection: Municipality:

Status: C

Report Type: Standard Report 29-MAY-20 Report Date: 26-MAY-20 Date Received:

Previous Site Name: Department of National Defence including a

former CANEX/Shell

Lot/Building Size: Additional Info Ordered:

> 13 14 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA

NORTH

Piping Steel:

Piping Galvanized: Tanks Single Wall St:

No Underground:

Panam Related: Panam Venue:

Piping Underground:

Client Prov/State:

Search Radius (km):

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

ON

.25

-75.6315269

45.4524193

FST

Order No: 22040701122

Instance No: 10907705 Manufacturer: Status: Serial No: Cont Name:

Ulc Standard: Instance Type: Quantity: Unit of Measure: Item:

Item Description: FS Liquid Fuel Tank Fuel Type: Gasoline Liquid Fuel Single Wall UST NULL Tank Type: Fuel Type2: Fuel Type3: **NULL**

Install Date: 9/15/1992 Install Year: 1974 Years in Service:

NULL Model: Description:

22730 Capacity: Tank Material: Steel Corrosion Protect: Internally Lined

Overfill Protect:

Facility Type: FS Liquid Fuel Tank

Parent Facility Type:

Facility Location:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA Device Installed Location:

Liquid Fuel Tank Details

Overfill Protection:

CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH **Owner Account Name:**

Item: **FS LIQUID FUEL TANK**

15 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA 13 **FST**

NORTH

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

ON

Instance No: 10907738 Manufacturer: Status: Serial No:

Ulc Standard: Cont Name: Instance Type: Quantity:

> Piping Steel: Piping Galvanized:

Tanks Single Wall St: Piping Underground:

No Underground:

Panam Related:

Panam Venue:

Item: Unit of Measure:

Fuel Type: Item Description: FS Liquid Fuel Tank Gasoline Liquid Fuel Single Wall UST Fuel Type2: NULL Tank Type: Fuel Type3: NULL

Install Date: 9/15/1992 Install Year: 1974

Years in Service:

Model: **NULL** Description:

22730 Capacity: Tank Material: Steel **Corrosion Protect:** Internally Lined

Overfill Protect:

FS Liquid Fuel Tank Facility Type:

Parent Facility Type: Facility Location:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA Device Installed Location:

Liquid Fuel Tank Details

Overfill Protection:

CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH Owner Account Name:

FS LIQUID FUEL TANK Item:

13 16 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA **FST**

NORTH

Piping Steel:

Piping Galvanized:

No Underground:

Panam Related:

Panam Venue:

Tanks Single Wall St:

Piping Underground:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

ON

Instance No: 10907720 Manufacturer: Status: Serial No:

Cont Name: Ulc Standard: Quantity: Instance Type: Unit of Measure: Item:

Item Description: FS Liquid Fuel Tank Fuel Type: Gasoline Tank Type: Liquid Fuel Single Wall UST Fuel Type2: NULL Install Date: 9/15/1992 NULL Fuel Type3:

Install Year: 1974

Years in Service: Model:

NULL Description:

22730 Capacity: Tank Material: Steel Internally Lined **Corrosion Protect:**

Overfill Protect:

Facility Type: FS Liquid Fuel Tank

Parent Facility Type: Facility Location:

Device Installed Location: 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

Liquid Fuel Tank Details

Overfill Protection:

Owner Account Name: CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH

FS LIQUID FUEL TANK Item:

13 17 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA

NORTH

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

FST

Order No: 22040701122

ON

10907690 Instance No: Manufacturer: Serial No:

Status: Cont Name: Ulc Standard:

Quantity:

Unit of Measure:

Piping Steel:

Piping Galvanized:

No Underground:

Panam Related:

Panam Venue:

Tanks Single Wall St:

Piping Underground:

Instance Type:

Item:

Item Description: FS Liquid Fuel Tank Fuel Type: Liquid Fuel Single Wall UST Fuel Type2: Tank Type: Install Date: 9/15/1992 Fuel Type3:

Install Year: Years in Service:

NULL Model: Description:

Capacity: 22730 Tank Material: Steel **Corrosion Protect:** Internally Lined

Overfill Protect:

Facility Type: FS Liquid Fuel Tank

1974

Parent Facility Type:

Facility Location:

Device Installed Location: 77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

Liquid Fuel Tank Details

Overfill Protection:

CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH Owner Account Name:

Item: FS LIQUID FUEL TANK

18 of 22 SSE/79.1 86.8 / -1.42 CANADIAN FORCES EXCHANGE C F B OTTAWA 13

NORTH

Manufacturer:

Ulc Standard: Quantity:

Unit of Measure:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA

Gasoline

NULL

NULL

FST

Order No: 22040701122

Gasoline

NULL

NULL

Serial No:

Fuel Type:

Fuel Type2:

Fuel Type3:

Piping Steel:

Piping Galvanized:

No Underground: Panam Related:

Panam Venue:

Tanks Single Wall St: Piping Underground:

Instance No: 10907753 Status:

Cont Name: Instance Type: Item:

Item Description: FS Liquid Fuel Tank Liquid Fuel Single Wall UST Tank Type:

Install Date: 9/15/1992 Install Year: 1974 Years in Service:

Model: NULL

Description: Capacity: 22730 Tank Material: Steel **Corrosion Protect:** Internally Lined

Overfill Protect:

FS Liquid Fuel Tank Facility Type:

Parent Facility Type: Facility Location:

77 VIA VENUS ST OTTAWA K1K 0N2 ON CA Device Installed Location:

Liquid Fuel Tank Details

Overfill Protection:

Owner Account Name: CANADIAN FORCES EXCHANGE C F B OTTAWA NORTH

FS LIQUID FUEL TANK Item:

19 of 22 SSE/79.1 86.8 / -1.42 715 Mikinak Road 13 **EHS** Ottawa ON K1K 2G8

20200526045 Order No: Nearest Intersection:

С Municipality: Status:

Report Type: Standard Report Client Prov/State: ON Report Date: 29-MAY-20 Search Radius (km): .25

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) Date Received: 26-MAY-20 X: -75.6315269 Previous Site Name: Department of National Defence including a Y: 45.4524193 former CANEX/Shell Lot/Building Size: Additional Info Ordered: 13 20 of 22 SSE/79.1 86.8 / -1.42 715 Mikinak Road **EHS** Ottawa ON K1K 2G8 Order No: 20200526045 Nearest Intersection: Status: C Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 29-MAY-20 Search Radius (km): .25 26-MAY-20 -75.6315269 Date Received: X: Previous Site Name: Department of National Defence including a Y: 45.4524193 former CANEX/Shell Lot/Building Size: Additional Info Ordered: 21 of 22 SSE/79.1 86.8 / -1.42 715 Mikinak Road 13 **EHS** Ottawa ON K1K 2G8 Order No: 20200526045 Nearest Intersection: Status: C Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 29-MAY-20 Search Radius (km): .25 26-MAY-20 -75.6315269 Date Received: X: Previous Site Name: Department of National Defence including a Y: 45.4524193 former CANEX/Shell Lot/Building Size: Additional Info Ordered: 22 of 22 SSE/79.1 86.8 / -1.42 715 Mikinak Road 13 **EHS** Ottawa ON K1K 2G8 Order No: 20200526045 Nearest Intersection: Status: С Municipality: Standard Report Client Prov/State: ON Report Type: Report Date: 29-MAY-20 Search Radius (km): .25 26-MAY-20 -75.6315269 Date Received: X: Previous Site Name: Department of National Defence including a Y: 45.4524193 former CANEX/Shell Lot/Building Size: Additional Info Ordered: 14 1 of 2 WSW/89.2 83.9 / -4.31 Central Heating Plant in Rockcliffe - Disposed to **FCS** NCC Ottawa ON SGC: 3506008

Order No: 22040701122

 SGC:
 3506008

 Site ID:
 08636001

 Departmental ID:
 0358-C001

 Depart Code:
 DND

 Class Type:
 3

Class: Low Priority for Action

Site Name:Central Heating Plant in Rockcliffe - Disposed to NCCSite Name (FR):Installation de chauffage central Rockcliffe, Transfert CCN

Site Status: Closed

Site Status Desc: Confirmatory sampling completed. No further action required.

Site Status (FR): Fermé

Description (FR): Échantillonnage de confirmation terminé. Aucune autre mesure nécessaire.

Involv Code:

Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1

 Latitude:
 45.453000

 Longitude:
 -75.634600

Location:

Protected Data: 0 FED: 078

Fed Electoral District: Ottawa--Vanier
Fed Electoral District (FR): Ottawa--Vanier

Metro:

Nearest Pop. Area:

Highest Step Cmpltd: 9

Site Deleted Flag:

 Created:
 2005-07-28T11:34:00

 Modified:
 2017-05-09T09:28:00

Property No.:

Est m³ Contmnted: 270 Est Ha Contmnted: 0 Est Tons Contamin: 0 Est Population at 1 Km: 2,473 139,535 Est Population at 5 Km: Est Population at 10 Km: 499,097 Est Population at 25 Km: 1,129,055 Est Population at 50 Km: 1,416,069

Reporting Org:

Reporting Org (FR):

Reason for Involv: Federal activities
Reason for Involv (FR): Activités fédérales

Liable Third Party:

Class (FR): Priorité d'intervention faible

Action Plan: Action Plan (FR):

Site Mgmnt Strategy: Other

Minimap URL: http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=08636001

Additional Info: Additional Info (FR):

Management

Management Code: 9
Management Type (EN): Other

Management Type (FR): Autre type de gestion

Contamination

Contaminant: PAHs (polycyclic aromatic hydrocarbon)

Contamination (FR): HAP (hydrocarbures aromatiques polycycliques)

Medium Code:5Medium:SoilMedium (FR):Sol

Contaminant: PHCs (petroleum hydrocarbons)
Contamination (FR): HCP (hydrocarbures pétroliers)

Medium Code:5Medium:SoilMedium (FR):Sol

Contaminant:BTEXs (benzene, toluene, ethylbenzene, and xylene)Contamination (FR):BTEX (benzène, toluène, éthylbenzène, xylène)

Medium Code:5Medium:SoilMedium (FR):Sol

Annual Data

Fiscal Year: 2008-2009
Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created: Modified: NCSCS Year:

Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0

Total Asmt Expenditure:\$35,000.00Total Remediation Expenditure:\$35,000.00Total Care/Maint Expenditure:\$0.00Total Mntring Expenditure:\$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: DND

Reporting Organization (EN): National Defence Reporting Organization (FR): Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:

Planned Compl Date Step8: Planned Compl Date Step9:

Created: Modified: NCSCS Year:

Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Care/Mi Total Mntring Ttl Expenditu FCSAP Asmt FCSAP Reme FCSAP Care/	xpenditure: iation Expenditure: aint Expenditur: y Expenditure: ure Reduc Liabil: Expenditure: ed Expenditure: (Maint Expenditure: ung Expenditure:	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00			
Annual Data					
	ganization (EN): ganization (FR): 'ear:	2013-2014 DND National Defence Défence nationale			
Step Name (F Highest Step Highest Step Planned Con Planned Con	FR): Completed: Completed Desc: ppl Date Step7: ppl Date Step8: ppl Date Step9:	09			
Closed: Actual Cubic Actual Hectal Actual Tons Total Asmt E Total Remedi Total Care/Mi Total Mntring Ttl Expenditu FCSAP Asmt FCSAP Care/	Metres Rem: res Rem: Remediated:	No 0 0 0 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00			
Annual Data					
	ganization (EN): ganization (FR): 'ear: EN):	2014-2015 DND National Defence Défence nationale			
Highest Step Highest Step Planned Con Planned Con		09			

Modified: NCSCS Year:

Closed: Yes Actual Cubic Metres Rem: 0 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00 Ttl Expenditure Reduc Liabil: FCSAP Asmt Expenditure: \$0.00 \$0.00 FCSAP Remed Expenditure: FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2010-2011
Reporting Organization: DND

Reporting Organization (EN): National Defence Reporting Organization (FR): Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created:
Modified:
NCSCS Year:
Closed:

Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0
Total Asmt Expenditure: \$0.00
Total Remediation Expenditure: \$0.00
Total Care/Maint Expenditur: \$0.00
Total Mntring Expenditure: \$0.00

Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: \$0.00
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2011-2012
Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 09
Highest Step Completed Desc:

Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9:

Created:
Modified:
NCSCS Year:

Closed: No Actual Cubic Metres Rem: 615.35 Actual Hectares Rem: 0 Actual Tons Remediated: 0 \$0.00 Total Asmt Expenditure: Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00 Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2007-2008
Reporting Organization: DND

Reporting Organization (EN):
Reporting Organization (FR):
National Defence
Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:

Planned Compl Date Step9: Created: Modified: NCSCS Year:

Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0

Total Asmt Expenditure:\$35,000.00Total Remediation Expenditure:\$35,000.00Total Care/Maint Expenditure:\$0.00Total Mntring Expenditure:\$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2006-2007
Reporting Organization: DND

Reporting Organization (EN): National Defence Reporting Organization (FR): Défence nationale

Class Type:

Class (EN): Class (FR): CCME Flag: CCME NCS Year:

Step Name (EN): Step Name (FR):

Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created: Modified: NCSCS Year: Closed:

No Actual Cubic Metres Rem: 615 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00 Ttl Expenditure Reduc Liabil: FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 \$0.00 FCSAP Care/Maint Expenditur: FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2005-2006 Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

09

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed:
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created: Modified: NCSCS Year: Closed:

Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0
Total Asmt Expenditure: \$0.00
Total Remediation Expenditure: \$0.00
Total Care/Maint Expenditure: \$0.00
Total Mntring Expenditure: \$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2012-2013

Reporting Organization: DND

Reporting Organization (EN):
Reporting Organization (FR):
National Defence
Defence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 09
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created: Modified: NCSCS Year:

No Closed: Actual Cubic Metres Rem: 0 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 \$0.00 Total Remediation Expenditure: Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

14 2 of 2 WSW/89.2 83.9 / -4.31 CFSU(O) Rockcliffe PMQ Trailer Storage Compound

Ottawa ON

Order No: 22040701122

 SGC:
 3506008

 Site ID:
 08636002

 Departmental ID:
 0358-C002

 Depart Code:
 DND

 Class Type:
 N

Class: Not a Priority for Action

Site Name: CFSU(O) Rockcliffe PMQ Trailer Storage Compound
Site Name (FR): USFC(O) Rockcliffe LF Installation entrepos véhic. récréatif

Site Status: Closed

Site Status Desc: Detailed testing completed. No further action required.

Site Status (FR): Fermé

Description (FR): Analyse détaillée terminée. Aucune autre mesure nécessaire.

Involv Code:

Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1

Letitudo: 45.4520

Latitude: 45.453000 **Longitude:** -75.634600

Location:

Protected Data: 0 FED: 078

Fed Electoral District: Ottawa--Vanier
Fed Electoral District (FR): Ottawa--Vanier

Metro:

Nearest Pop. Area: Highest Step Cmpltd: 9

Site Deleted Flag:

 Created:
 2005-07-28T11:34:00

 Modified:
 2017-05-09T09:28:00

Property No.:

Est m³ Contmnted: 1,360 0 Est Ha Contmnted: Est Tons Contamin: 0 2,473 Est Population at 1 Km: Est Population at 5 Km: 139.535 Est Population at 10 Km: 499,097 Est Population at 25 Km: 1,129,055 Est Population at 50 Km: 1,416,069

Reporting Org: Reporting Org (FR):

Reason for Involv: Federal activities
Reason for Involv (FR): Activités fédérales

Liable Third Party:

Class (FR): Priorité d'intervention nulle

Action Plan: Action Plan (FR):

Site Mgmnt Strategy: Care and Maintenance

Minimap URL: http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=08636002

Additional Info: Additional Info (FR):

Management

Management Code: 6

Management Type (EN):Care and MaintenanceManagement Type (FR):Soin et entretien

Contamination

Contaminant: Metal, metalloid, and organometallic Contamination (FR): Métaux, métalloïdes, et organométalliques

 Medium Code:
 5

 Medium:
 Soil

 Medium (FR):
 Sol

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:

Planned Compl Date Step8: Planned Compl Date Step9:

Created: Modified: NCSCS Year:

 Closed:
 Yes

 Actual Cubic Metres Rem:
 0

 Actual Hectares Rem:
 0

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Care/M: Total Mntring Ttl Expenditu FCSAP Asmt FCSAP Reme FCSAP Care/		0 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00			
Annual Data					
	ganization (EN): ganization (FR): 'ear: EN):	2007-2008 DND National Defence Défence nationale			
Highest Step Highest Step Planned Con Planned Con		07			
NCSCS Year: Closed: Actual Cubic Actual Hectal Actual Tons I Total Asmt E Total Remedit Total Care/Mi Total Mntring Ttl Expenditu FCSAP Asmt FCSAP Care/	Metres Rem: res Rem: Remediated:	Yes 0 0 0 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00			
Annual Data					
	ganization (EN): ganization (FR): 'ear: EN):	2008-2009 DND National Defence Défence nationale			
Highest Step Highest Step Planned Con Planned Con		07			

Order No: 22040701122

Created: Modified: NCSCS Year:

Closed: Yes Actual Cubic Metres Rem: 0 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 \$0.00 Total Mntring Expenditure: Ttl Expenditure Reduc Liabil: \$0.00 FCSAP Asmt Expenditure: FCSAP Remed Expenditure: \$0.00 FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2006-2007
Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created: Modified: NCSCS Year:

No Closed: Actual Cubic Metres Rem: 0 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00 Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2005-2006
Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN):

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Step Name (FR):

Highest Step Completed: 09 Highest Step Completed Desc: Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9:

Created: Modified: NCSCS Year: Closed:

No Actual Cubic Metres Rem: 0 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 \$0.00 FCSAP Care/Maint Expenditur: FCSAP Mntring Expenditure: \$0.00

15 1 of 1 SSE/105.8 86.2 / -2.00 lot 23 con 1 **WWIS** ON

Well ID: 7365245 Data Entry Status: Yes

Construction Date: Data Src: Primary Water Use: Date Received: 8/14/2020 Sec. Water Use: Selected Flag: TRUE Final Well Status: Abandonment Rec: Water Type: Contractor: 7241

Casing Material: Form Version: 7 Z338382 Audit No: Owner:

Street Name: Tag: **Construction Method:** County:

OTTAWA Elevation (m): Municipality: **GLOUCESTER TOWNSHIP** Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 023 Well Depth: Concession: 01

Overburden/Bedrock: OF Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Bore Hole Information

Improvement Location Source: Improvement Location Method:

Clear/Cloudy:

Bore Hole ID: 1008444888 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 450606.00 Code OB: East83: Code OB Desc: North83: 5033378.00 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC**:

Date Completed: 25-Jun-2020 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22040701122

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Source Revision Comment: Supplier Comment:

1 of 2 SSE/106.0 87.9 / -0.31 lot 23 con 1 16 **WWIS** ON

7365246 Well ID: Data Entry Status: Yes Construction Date: Data Src:

Primary Water Use: Date Received: 8/14/2020 Sec. Water Use: TRUE Selected Flag: Final Well Status: Abandonment Rec:

Water Type: Contractor: 7241 Casing Material: Form Version:

Audit No: Z338384 Owner: Street Name: Tag:

Construction Method: County: **OTTAWA GLOUCESTER TOWNSHIP** Elevation (m): Municipality: Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 023 Well Depth: Concession: 01 Overburden/Bedrock: Concession Name: OF

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: UTM Reliability: Flow Rate:

Bore Hole Information

Clear/Cloudy:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

2 of 2

Bore Hole ID: 1008444891 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 450638.00 Code OB Desc: North83: 5033377.00 Open Hole: Org CS: UTM83 UTMRC: Cluster Kind:

Date Completed: 25-Jun-2020 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: Remarks:

Elevrc Desc: Location Source Date:

SSE/106.0

Supplier Comment: 87.9 / -0.31

WWIS ON

lot 23 con 1

Order No: 22040701122

Well ID: 7365247 Data Entry Status: Yes **Construction Date:** Data Src:

Primary Water Use: 8/14/2020 Date Received: Sec. Water Use: Selected Flag: TRUE Final Well Status: Abandonment Rec:

Water Type: Contractor: 7241 Casing Material: Form Version:

Audit No: Z338385 Owner: Tag: Street Name: **Construction Method: OTTAWA**

County: Elevation (m): Municipality: **GLOUCESTER TOWNSHIP**

Elevation Reliability: Site Info: Depth to Bedrock: Lot: 023

Well Depth: Concession: 01 Overburden/Bedrock: Concession Name: OF

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

16

Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1008444894

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 25-Jun-2020 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation:

Elevrc: Zone: 18

 East83:
 450638.00

 North83:
 5033377.00

 Org CS:
 UTM83

 UTMRC:
 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

<u>17</u>

1 of 1 SSE/125.6 86.8 / -1.36

ON

WWIS

Order No: 22040701122

Well ID: 7365252

Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material:

 Audit No:
 Z338383

 Tag:
 A282323

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status: Yes

 Data Src:
 8/14/2020

 Date Received:
 8/14/2020

 Selected Flag:
 TRUE

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner: Street Name:

County: OTTAWA

Municipality: GLOUCESTER TOWNSHIP Site Info:

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1008443958

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 25-Jun-2020 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc:

Zone: 18
East83: 450614.00
North83: 5033358.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

18 1 of 1 SSE/126.4 86.8 / -1.36 WWIS

Well ID: 7365253 Data Entry Status: Yes

Construction Date:

Primary Water Use:

Sec. Water Use:

Selected Flag:

TRUE

Abandonment Pec:

Final Well Status:

Water Type:

Abandonment Rec:
Contractor: 7241

Casing Material:Form Version:7Audit No:Z338390Owner:

Tag: A282322 Street Name:
Construction Method: County: OTTAWA

 Elevation (m):
 Municipality:
 GLOUCESTER TOWNSHIP

 Elevation Reliability:
 Site Info:

 Depth to Bedrock:
 Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83:

Contession Name:

Pump Rate: NAD83:

Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Improvement Location Source: Improvement Location Method: Source Revision Comment:

1 of 1

 Bore Hole ID:
 1008443961
 Elevation:

 DP2BR:
 Elevrc:

 DF2BR:
 Elevto:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 450619.00

 Code OB Desc:
 North83:
 5033357.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 25-Jun-2020 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:
Location Source Date:

Supplier Comment:

WWIS

Order No: 22040701122

ON

7365351

Pata Entry Status: Voc

86.8 / -1.36

 Well ID:
 7365251
 Data Entry Status:
 Yes

 Construction Date:
 Data Src:
 Primary Water Use:
 B/14/2020

Frimary Water Use: 8/14/2020
Sec. Water Use: Selected Flag: TRUE
Final Well Status: Abandonment Rec:
Water Type: Contractor: 7241

Casing Material: Form Version: 7
Audit No: Z338389

Contractor: 7247

Audit No: Owner:

Tag:A282321Street Name:Construction Method:County:OTTAWA

 Elevation (m):
 Municipality:
 GLOUCESTER TOWNSHIP

 Elevation Reliability:
 Site Info:

 Part to Bedrook:
 Let:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Concession:

Concession Name:

Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:

SSE/130.6

19

Flowing (Y/N):

Flow Rate: Clear/Cloudy: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1008443955

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 25-Jun-2020 00:00:00

SSE/131.8

86.2 / -2.00

Remarks: Elevrc Desc:

20

Well ID:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc:

Zone: 18

 East83:
 450614.00

 North83:
 5033353.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

7365250

1 of 1

Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material:

Audit No: Z338388

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: lot 23 con 1 ON

Data Entry Status: Yes

Data Src:
Date Received: 8/14/2020
Selected Flag: TRUE

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner: Street Name:

County: OTTAWA

Municipality: GLOUCESTER TOWNSHIP

WWIS

Order No: 22040701122

Site Info:

 Lot:
 023

 Concession:
 01

 Concession Name:
 OF

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1008445860

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 25-Jun-2020 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc:

 Zone:
 18

 East83:
 450604.00

 North83:
 5033352.00

 Org CS:
 UTM83

 UTMRC:
 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

Map Key Number of Direction/ Elev/Diff Site DB

(m)

86.8 / -1.37

Records Distance (m)

SSE/134.4

CANADA LANDS COMPANY CLC LIMITED

715 MIKINAK ROAD, OTTAWA, ON K1K 3X7

Residential

GEORGE THOMAS

RSC

Order No: 22040701122

Ottawa ON

Cert Prop Use No:

Intended Prop Use:

Qual Person Name:

Entire Leg Prop. (Y/N):

Accuracy Estimate: Telephone:

Stratified (Y/N):

Audit (Y/N):

Fax: Email:

Cert Date:

RSC ID: 226318

1 of 1

RA No:
RSC Type: Phase 1 and 2 RSC

Curr Property Use: Industrial

Ministry District: Ottawa District Office

Filing Date: 2020/01/07

Date Ack:
Date Returned:

Date Returned: Restoration Type: Soil Type:

Criteria: CPU Issued Sect 1686:

21

Asmt Roll No:

Prop ID No (PIN): 04273-0612 (LT)

Property Municipal Address: 715 MIKINAK ROAD, OTTAWA, ON K1K 3X7

Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=121128&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Supporting Documents

Document Name: PhaseTwo.pdf

Document Type: Phase 2 Conceptual Site Model

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=122941&fileName=PhaseTwo.pdf

Document Heading:Supporting DocumentsDocument Name:3 - Instrument of Grant.PDF

Document Type: Copy of any deed(s), transfer(s) or other document(s)

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=121126&fileName=3+-

+Instrument+of+Grant.PDF

Document Heading:Supporting DocumentsDocument Name:1 - Certificate of Status.pdf

Document Type: Certificate of Status

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=121131&fileName=1+-

+Certificate+of+Status.pdf

Document Heading: Supporting Documents **Document Name:** 4 - Survey.pdf

Document Type: A Current plan of Survey

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=121123&fileName=4+-

+Survey.pdf

Document Heading: Supporting Documents

Document Name:7 - Current and Past Use Table.pdfDocument Type:Table of Current and Past Property Use

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=121127&fileName=7+-

+Current+and+Past+Use+Table.pdf

Document Heading: Supporting Documents

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Document Name: APECTable.pdf **Document Type:** Area(s) of Potential Environmental Concern https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link: attachmentId=122942&fileName=APECTable.pdf

Document Heading: Supporting Documents
Document Name: 2 - Lawyers Letter.PDF

Document Type: Lawyer's letter consisting of a legal description of the property

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=121132&fileName=2+-

+Lawyers+Letter.PDF

22 1 of 1 SSE/134.6 86.8/-1.37 lot 23 con 1 WWIS

Well ID:7365248Data Entry Status:YesConstruction Date:Data Src:Primary Water Use:Date Received:8/14/2020Sec. Water Use:Selected Flag:TRUEFinal Well Status:Abandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Audit No: Z338386 Owner:
Tag: Street Name:

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 GLOUCESTER TOWNSHIP

 Elevation Reliability:
 Site Info:

 Depth to Bedrock:
 Lot:
 023

 Well Depth:
 Concession:
 01

 Overburden/Bedrock:
 Concession Name:
 OF

Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:
Flowing (Y/N): Zone:

Flow Pate: Zone

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Improvement Location Method: Source Revision Comment: Supplier Comment:

Bore Hole ID: 1008444897 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83: 450613.00 Code OB Desc: 5033349.00 North83: Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC**:

Date Completed: 25-Jun-2020 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: www.

Location Source Date:
Improvement Location Source:

23 1 of 1 SSE/134.7 86.8 / -1.37

ON

Order No: 22040701122

Well ID: 7365249 Data Entry Status: Yes

Construction Date:Data Src:Primary Water Use:Date Received:8/14/2020Sec. Water Use:Selected Flag:TRUEFinal Well Status:Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

 Audit No:
 Z338387
 Owner:

 Tag:
 Street Name:

Construction Method: County: OTTAWA

Elevation (m):Municipality:GLOUCESTER TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Flowing (Y/N):

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 1008444900 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 450608.00

 Code OB Desc:
 North83:
 5033349.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 25-Jun-2020 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevro Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

24 1 of 1 ENE/138.3 90.9 / 2.67 OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED

ON

Approval No: R-009-9110607360 MOE District: Ottawa

 Status:
 REGISTERED
 Municipality:

 Date:
 2018-09-28
 Latitude:
 45.45444444

 Record Type:
 EASR
 Longitude:
 -75.62916667

Link Source:MOFAGeometry X:Project Type:Water Taking - Construction DewateringGeometry Y:

Full Address:

Approval Type: EASR-Water Taking - Construction Dewatering

SWP Area Name: Rideau Valley

PDF URL:

PDF Site Location:

25 1 of 1 SSW/140.5 83.8 / -4.41 MATTAMY (JOCK RIVER) LIMITED EASR

681 Mikinak RD

Ottawa ON K1K 2G8

Order No: 22040701122

Approval No: R-009-2112511249 **MOE District:** Ottawa Status: REGISTERED Municipality: Ottawa Date: 2020-09-11 Latitude: 45.45222222 -75.63305556 **EASR** Record Type: Longitude:

Link Source: MOFA Geometry X: Project Type: Water Taking - Construction Dewatering Geometry Y:

Full Address:

Approval Type: EASR-Water Taking - Construction Dewatering

SWP Area Name: Rideau Valley

PDF URL:

PDF Site Location:

26 1 of 1 NE/169.4 86.5/-1.66 WWIS

Well ID: 7374310 Data Entry Status: Yes

 Construction Date:
 Data Src:

 Primary Water Use:
 Date Received:
 12/4/2020

 Sec. Water Use:
 Selected Flag:
 TRUE

 Final Well Status:
 Abandonment Rec:

 Water Type:
 Contractor:
 1844

Casing Material: Form Version: 8
Audit No: C50202 Owner:

 Tag:
 A290329
 Street Name:

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 GLOUCESTER TOWNSHIP

 Elevation Reliability:
 Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Easting NAD83:

Concession Name:

Easting NAD83:

Static Water Level:

Flowing (Y/N):

Northing NAD83:
Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Source Revision Comment: Supplier Comment:

Bore Hole ID: 1008520568 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 450733.00

 Code OB Desc:
 North83:
 5033777.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 16-Jun-2020 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Date Completed:16-Jun-2020 00:00:00UTMRC Desc:marRemarks:Location Method:wwr

Elevrc Desc:

Location Source Date:
Improvement Location Source:
Improvement Location Method:

27 1 of 1 E/181.0 92.2 / 4.01 Department of National Defence 196 Via Venus GEN

Order No: 22040701122

Ottawa ON

Generator No: ON4331835 Status:

SIC Code: 447110 Co Admin: SIC Description: Gasoline Stations with Convenience Stores Choice of Contact:

Approval Years: 06 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility:

Detail(s)

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Map Key Number of Direction/ Elev/Diff Site DΒ

Records Distance (m) (m)

85.2 / -2.95

Well ID: 7277333

1 of 1

Construction Date: Primary Water Use:

28

Sec. Water Use: Other

Final Well Status: **Observation Wells**

W/182.6

Water Type: Casing Material:

Audit No: Z243027 A217987 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

2016/11/19 Well Completed Date: Year Completed: 2016 Depth (m): 12.192

45.4538928816781 Latitude: -75.6362152483482 Longitude:

Path:

Bore Hole Information

Bore Hole ID: 1006310728

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 19-Nov-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006502486

Layer: 1 Color: 2 General Color: **GREY** Mat1. 11 Most Common Material: **GRAVEL**

Mat2:

FORMER CFB ROCKLIFFE Ottawa ON

Data Entry Status:

Data Src: Date Received: 12/19/2016 TRUE Selected Flag: Abandonment Rec:

4877 Contractor: Form Version: 7

Owner:

FORMER CFB ROCKLIFFE Street Name:

GLOUCESTER TOWNSHIP

WWIS

County: **OTTAWA**

Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83:

Northing NAD83: Zone: UTM Reliability:

Elevation: Elevrc:

18 Zone: 450254.00 East83: North83: 5033571.00 Org CS: UTM83

UTMRC: margin of error: 30 m - 100 m **UTMRC Desc:**

Order No: 22040701122

Location Method:

erisinfo.com | Environmental Risk Information Services

Mat2 Desc:

 Mat3:
 79

 Mat3 Desc:
 PACKED

 Formation Top Depth:
 0.0

 Formation End Depth:
 0.5

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006502487

Layer: Color: 6 **BROWN** General Color: Mat1: 05 CLAY Most Common Material: Mat2: 12 Mat2 Desc: **STONES** Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 0.5 Formation End Depth: 2.5

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1006502488

ft

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3:73Mat3 Desc:HARDFormation Top Depth:2.5Formation End Depth:40.0Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006502498

 Layer:
 1

 Plug From:
 4.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006502497

Method Construction Code: 2

Method Construction:Rotary (Convent.)Other Method Construction:AIR PERCUSSION

Pipe Information

Pipe ID: 1006502485

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006502493

 Layer:
 2

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0.0

 Depth To:
 4.0

 Casing Diameter:
 10.75

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Casing

Casing ID: 1006502492

Layer: 1
Material: 4

Open Hole or Material: OPEN HOLE

Depth From: 0.0
Depth To: 4.0
Casing Diameter: 12.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 1006502494

Layer: 3 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:4.0Depth To:40.0Casing Diameter:10.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006502495

Layer: Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
inch

Screen Diameter:

Water Details

Water ID: 1006502491

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006502489

 Diameter:
 12.0

 Depth From:
 0.0

 Depth To:
 4.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1006502490

 Diameter:
 10.0

 Depth From:
 4.0

 Depth To:
 40.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

29 1 of 1 SW/187.9 81.9 / -6.31 DEPT. OF NATIONAL DEFENCE

CFSU OTTAWA NORTH - ROCKCLIFFE SITE BUILDING 164 - CODDS ROAD & VIA VENUS **GEN**

Order No: 22040701122

OTTAWA ON K1A 0K8

Generator No: ON0046539 SIC Code: 8111

SIC Description: DEFENCE SERVICES

Approval Years: 98,99,00

PO Box No: Country:

Co Admin:

NCE SERVICES Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Detail(s)

Waste Class: 265

Waste Class Desc: GRAPHIC ART WASTES

Waste Class: 269

Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 121

Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 135

Waste Class Desc: REACTIVE ANION WASTES

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 147

Waste Class Desc: CHEMICAL FERTILIZER WASTES

Map Key Number of Direction/ Elev/Diff Site DB

Waste Class: 148

Records

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Distance (m)

Waste Class: 211

Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 243
Waste Class Desc: PCB'S

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

30 1 of 1 E/194.9 91.9 / 3.76 Former B164/79 and via Venus FCS

Ottawa ON

 SGC:
 3506008

 Site ID:
 00024806

 Departmental ID:
 0358-C003

 Depart Code:
 DND

 Class Type:
 N

Class: Not a Priority for Action
Site Name: Former B164/79 and via Venus
Site Name (FR): Ancien B164/79 et via Venus

Site Status: Closed

Site Status Desc: Confirmatory sampling completed. No further action required.

Site Status (FR): Fermé

Description (FR): Échantillonnage de confirmation terminé. Aucune autre mesure nécessaire.

Involv Code:
Census Division:
Municipality:
Census Sub Class:
1
Latitudo:
15 45 45320

Latitude: 45.453207
Longitude: -75.628381

Location:

Protected Data: 0 FED: 078

Fed Electoral District: Ottawa--Vanier
Fed Electoral District (FR): Ottawa--Vanier

Metro:

Nearest Pop. Area:

Highest Step Cmpltd:

Site Deleted Flag:

 Created:
 2013-05-01T10:22:00

 Modified:
 2018-05-01T16:46:00

Property No.:

Est m³ Contmnted: 0 Est Ha Contmnted: 0 Est Tons Contamin: 0 Est Population at 1 Km: 2,971 Est Population at 5 Km: 127,019 Est Population at 10 Km: 494,322 Est Population at 25 Km: 1,119,894 Est Population at 50 Km: 1,415,883

Reporting Org:

Reporting Org (FR):

Reason for Involv: Federal activities
Reason for Involv (FR): Activités fédérales

Liable Third Party:

Class (FR): Priorité d'intervention nulle

Action Plan: Plan April 2015 (KS) Site closed - no further action required.

Action Plan (FR): Plan avril 2015 (KS) Le site fermé. Aucune action additionnelle requise.

Site Mgmnt Strategy:

Minimap URL: http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024806

Additional Info: Additional Info (FR):

Contamination

Contaminant: PHCs (petroleum hydrocarbons)
Contamination (FR): HCP (hydrocarbures pétroliers)

Medium Code:5Medium:SoilMedium (FR):Sol

Annual Data

Fiscal Year: 2014-2015
Reporting Organization: DND

Reporting Organization (EN): National Defence Reporting Organization (FR): Défence nationale

Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):

Highest Step Completed: 09
Highest Step Completed Desc:

Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9:

Total Mntring Expenditure:

Created: Modified: NCSCS Year: Closed:

Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0
Total Asmt Expenditure: \$351.38
Total Remediation Expenditure: \$0.00

Order No: 22040701122

\$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$56,554.70
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2015-2016
Reporting Organization: DND

Reporting Organization (EN): National Defence Reporting Organization (FR): Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 09
Highest Step Completed Desc:
Planned Compl Date Step7:

Planned Compl Date Step8: Planned Compl Date Step9:

Created: Modified: NCSCS Year:

Closed: Yes Actual Cubic Metres Rem: 0 Actual Hectares Rem: 0 Actual Tons Remediated: 0 Total Asmt Expenditure: \$0.00 Total Remediation Expenditure: \$0.00 Total Care/Maint Expenditur: \$0.00 Total Mntring Expenditure: \$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2013-2014
Reporting Organization: DND

Reporting Organization (EN): National Defence **Reporting Organization (FR):** Défence nationale

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Highest Step Completed: 09
Highest Step Completed Desc:

Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9:

Created: Modified: NCSCS Year:

Closed: No Actual Cubic Metres Rem: 0

Actual Hectares Rem: 0
Actual Tons Remediated: 0

Total Asmt Expenditure: \$697,341.37
Total Remediation Expenditure: \$697,341.37
Total Care/Maint Expenditur: \$0.00
Total Mntring Expenditure: \$0.00

Ttl Expenditure Reduc Liabil:

FCSAP Asmt Expenditure: \$0.00 FCSAP Remed Expenditure: \$0.00 FCSAP Care/Maint Expenditur: \$0.00 FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2012-2013
Reporting Organization: DND

Reporting Organization (EN):
Reporting Organization (FR):
National Defence
Défence nationale

01

Nο

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (FR): Step Name (FR):

Highest Step Completed:
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:

Created: Modified: NCSCS Year: Closed:

Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0
Total Asmt Expenditure: \$0.00
Total Remediation Expenditure: \$0.00
Total Care/Maint Expenditure: \$0.00
Total Mntring Expenditure: \$0.00
Ttl Expenditure Redu Liabil:

FCSAP Asmt Expenditure: \$0.00
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

31 1 of 1 ESE/213.8 90.8 / 2.66 Mattamy (Rockcliffe) Inc.

775 Mikinak Rd Ottawa ON K2K 2M5 **ECA**

Order No: 22040701122

Approval No: 2876-B9XV29 **MOE District:** Approval Date: 2019-04-15 City: Longitude: Approved Status: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Mattamy (Rockcliffe) Inc.

Address: 775 Mikinak Rd Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4701-B4BPH2-14.pdf

PDF Site Location:

Map Key Number of Direction/ Elev/Diff Site DΒ

Records Distance (m) (m)

1 of 1 W/222.7 82.0 / -6.23 **32 WWIS** ON

7334282 Well ID: Data Entry Status: Yes

Construction Date: Data Src: 6/4/2019 Primary Water Use: Date Received: Sec. Water Use: Selected Flag: TRUE Final Well Status: Abandonment Rec: Water Type: Contractor: 1844

Casing Material: Form Version: 8 Audit No: C40390 Owner:

A200771 Street Name: Tag: Construction Method: **OTTAWA** County: Elevation (m): Municipality: **OTTAWA CITY** Elevation Reliability: Site Info:

Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

PDF URL (Map):

Clear/Cloudy:

Additional Detail(s) (Map)

Well Completed Date: 2018/11/19 Year Completed: 2018

Depth (m):

Latitude: 45.4542142685978 Longitude: -75.6366920683564

Path:

Bore Hole Information

Bore Hole ID: 1007467963 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 450217.00 Code OB: East83: Code OB Desc: North83: 5033607.00 UTM83 Open Hole: Org CS: Cluster Kind: UTMRC:

19-Nov-2018 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

33 1 of 1 SW/236.5 81.0 / -7.16 **VENUS & COBBS ROAD WWIS** Ottawa ON

Order No: 22040701122

7227810 Well ID: Data Entry Status:

Construction Date: Data Src:

9/22/2014 Primary Water Use: Monitoring and Test Hole Date Received: Sec. Water Use: Selected Flag: TRUE

Final Well Status: Abandonment Rec: Monitoring and Test Hole

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Type: Casing Material:

Z193859 Audit No: A165754 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

2014/08/11 Well Completed Date: 2014 Year Completed: Depth (m): 4.57

45.451495613644 Latitude: Longitude: -75.6351268283888

Path:

Bore Hole Information

Bore Hole ID: 1005130824

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Aug-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1005394682 Formation ID:

Layer: Color: **GREY** General Color: 05 Mat1: Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: SOFT

Formation Top Depth: 0.6100000143051147

Formation End Depth: 1.5 Formation End Depth UOM: m

Contractor: 7241 Form Version:

Owner:

VENUS & COBBS ROAD Street Name:

County: **OTTAWA**

GLOUCESTER TOWNSHIP Municipality:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 18 450337.00 East83: 5033304.00 North83: Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22040701122

Location Method:

Overburden and Bedrock

Materials Interval

1005394681 Formation ID:

Layer: 8 Color: General Color: **BLACK** Mat1:

Most Common Material: **GRAVEL**

Mat2:

Mat2 Desc:

Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 0.0

Formation End Depth: 0.6100000143051147

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1005394683 Formation ID:

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material:

Mat2:

Mat2 Desc: Mat3:

85 Mat3 Desc: **SOFT** Formation Top Depth: 1.5

Formation End Depth: 4.570000171661377

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394691

Layer: 1

Plug From: 0.0

0.3100000023841858 Plug To:

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394693

Layer:

1.2200000286102295 Plug From: 4.570000171661377 Plug To:

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394692

Layer:

Plug From: 0.3100000023841858 1.2200000286102295 Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

1005394690 **Method Construction ID:**

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005394680

Casing No:

Comment: Alt Name:

Construction Record - Casing

1005394686 Casing ID:

Layer: Material: **PLASTIC** Open Hole or Material: 0.0 Depth From: Depth To: 1.5

Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1005394687 Screen ID:

Layer: 10 Slot: Screen Top Depth: 1.5

4.570000171661377 Screen End Depth:

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 4.849999904632568

Water Details

Water ID: 1005394685

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005394684

Diameter: 8.25 Depth From: 0.0

Depth To: 4.570000171661377

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1

81.0/-7.16 Ottawa ON

VENUS & COBBS ROAD

WWIS

Order No: 22040701122

Well ID: 7227814 Data Entry Status:

Construction Date: Data Src:

SW/237.8

34

Primary Water Use: Monitoring and Test Hole

Sec. Water Use: 0

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Audit No: Z193863

Tag: A165750

Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2014/08/11

 Year Completed:
 2014

 Depth (m):
 4.57

Latitude: 45.4514598243231 **Longitude:** -75.6350880604802

Path:

Bore Hole Information

Bore Hole ID: 1005130912

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Aug-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005395092

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2:

Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 0.0

Formation End Depth: 0.6100000143051147

Date Received: Selected Flag:

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: VENUS & COBBS ROAD

9/22/2014

TRUE

County: OTTAWA
Municipality: OTTAWA CITY
Site Info:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 18

 East83:
 450340.00

 North83:
 5033300.00

 Org CS:
 UTM83

UTMRC:

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22040701122

Location Method: wwr

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005395095

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT

Formation Top Depth: 4.570000171661377

Formation End Depth:

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005395093

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 0.6100000143051147

 Formation End Depth:
 3.2200000286102295

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005395094

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 3.2200000286102295

 Formation End Depth:
 4.570000171661377

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395104

Layer:

 Plug From:
 0.3100000023841858

 Plug To:
 1.2200000286102295

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395103

Layer: 1 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395105

Layer: 3

 Plug From:
 1.2200000286102295

 Plug To:
 4.570000171661377

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005395102

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005395091

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005395098

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 1.5

Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005395099

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 1.5

Screen End Depth: 4.570000171661377

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.820000171661377

Water Details

Water ID: 1005395097

Layer:

Kind Code:

Kind: Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

1005395096 Hole ID: Diameter: 8.25 Depth From: 0.0

4.570000171661377 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

35 1 of 1 W/239.6 82.0 / -6.23 FORMER CFB ROCKLIFFE **WWIS**

Well ID: 7277332

Construction Date:

Primary Water Use: Other

Sec. Water Use:

Final Well Status: **Observation Wells**

Water Type: Casing Material:

Audit No: Z243026 A217986 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/11/19 Year Completed: 2016 Depth (m): 12.192

Latitude: 45.4543031343618 -75.6368976983716 Longitude:

Path:

Bore Hole Information

1006310725 Bore Hole ID: DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 19-Nov-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Ottawa ON

Data Src:

Data Entry Status:

12/19/2016 Date Received: Selected Flag: TRUE Abandonment Rec: Yes 4877 Contractor: Form Version:

Owner: Street Name:

FORMER CFB ROCKLIFFE County:

Municipality: **GLOUCESTER TOWNSHIP** Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 18 East83: 450201.00

North83: 5033617.00 UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22040701122

Location Method:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006502455

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

Mat3: 7

Mat3 Desc: FRACTURED

Formation Top Depth: 8.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006502453

Layer: Color: 8 General Color: **BLACK** Mat1: 05 CLAY Most Common Material: Mat2: 12 **STONES** Mat2 Desc: Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 2.0 Formation End Depth: 6.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006502456

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 15.0

 Formation End Depth:
 40.0

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006502452

Layer: 1 Color: 6

General Color: BROWN Mat1: 01

Most Common Material: FILL

Mat2: Mat2 Desc:

 Mat3:
 79

 Mat3 Desc:
 PACKED

 Formation Top Depth:
 0.0

 Formation End Depth:
 2.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006502454

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

Mat3: 71

Mat3 Desc: FRACTURED

Formation Top Depth: 6.0 Formation End Depth: 8.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006502466

 Layer:
 1

 Plug From:
 8.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006502465

Method Construction Code: 2

Method Construction: Rotary (Convent.)
Other Method Construction: AIR PERCUSSION

Pipe Information

Pipe ID: 1006502451

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006502461

 Layer:
 2

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0.0

 Depth To:
 8.0

 Casing Diameter:
 10.75

 Casing Diameter UOM:
 inch

Casing Depth UOM:

Construction Record - Casing

Casing ID: 1006502460

ft

Layer:

Material:

OPEN HOLE Open Hole or Material:

Depth From: 0.0 Depth To: 8.0 Casing Diameter: 12.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

1006502462 Casing ID:

Layer: 3 Material:

OPEN HOLE Open Hole or Material:

8.0 Depth From: 40.0 Depth To: Casing Diameter: 10.0 Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Screen

1006502463 Screen ID:

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

1006502459 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole Diameter

Hole ID: 1006502458 Diameter: 10.0 8.0 Depth From: Depth To: 40.0 Hole Depth UOM: ft inch

Hole Diameter UOM:

Hole ID:

1006502457 Diameter: 12.0 Depth From: 0.0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

8.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

> **VENUS & COBBS ROAD** 36 1 of 1 SW/240.3 81.0 / -7.16 **WWIS** Ottawa ON

Well ID: 7227813

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Z193858 Audit No: A165751 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2014/08/11 Year Completed: 2014 Depth (m): 4.57

45.4514595399025 Latitude: Longitude: -75.6351392122155

Path:

Bore Hole Information

Bore Hole ID: 1005130909

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

11-Aug-2014 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1005395057 Formation ID:

Layer: 3 Data Entry Status:

Data Src:

Date Received: 9/22/2014 Selected Flag: TRUE

Abandonment Rec:

Contractor: 7241 Form Version:

Owner:

Street Name: **VENUS & COBBS ROAD** County:

OTTAWA

GLOUCESTER TOWNSHIP Municipality: Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

18 Zone:

450336.00 East83: North83: 5033300.00 Org CS: UTM83 UTMRC:

margin of error: 30 m - 100 m **UTMRC Desc:**

Order No: 22040701122

Location Method:

Color: 6 General Color: **BROWN** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT

Formation Top Depth: 3.2200000286102295 Formation End Depth: 4.570000171661377

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005395056

Layer: 2 Color: 6 **BROWN** General Color:

FILL Most Common Material: Mat2: 28 SAND Mat2 Desc: 85 Mat3: Mat3 Desc: SOFT

Formation Top Depth: 0.6100000143051147 3.2200000286102295 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1005395055 Formation ID:

Layer: Color: General Color: **BLACK** Mat1: 11 Most Common Material: **GRAVEL**

Mat2:

Mat2 Desc: 85 Mat3: Mat3 Desc: SOFT

Formation Top Depth:

Formation End Depth: 0.6100000143051147 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

1005395066 Plug ID:

Layer:

Plug From: 0.3100000023841858 Plug To: 1.2200000286102295

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

1005395067 Plug ID: 3

Layer:

Plug From: 1.2200000286102295 4.570000171661377 Plug To:

Plug Depth UOM:

...9 _ 0,0...

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395065

Layer: 1

Plug From: 0.0

Plug To: 0.3100000023841858

m

Plug Depth UOM: m

Method of Construction & Well

Use

Method Construction ID: 1005395064

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005395054

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005395060

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0

 Depth To:
 1.5

 Casing Diameter:
 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005395061

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 1.5

Screen End Depth: 4.570000171661377

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.820000171661377

Water Details

Water ID: 1005395059

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

 Hole ID:
 1005395058

 Diameter:
 8.25

 Depth From:
 0.0

Depth To: 4.570000171661377

Hole Depth UOM: m
Hole Diameter UOM: cm

37 1 of 1 SW/242.2 81.0 / -7.16 VENDS & COBBS ROAD Ottawa ON

Well ID: 7227808

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

 Audit No:
 Z193862

 Tag:
 A165756

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2014/08/11

 Year Completed:
 2014

 Depth (m):
 4.57

Latitude: 45.4514593265719 **Longitude:** -75.6351775760165

Path:

Bore Hole Information

Bore Hole ID: 1005130818

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Aug-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Data Entry Status:

Data Src:

Date Received: 9/22/2014
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7241

Contractor: 724
Form Version: 7
Owner:

Street Name: VENDS & COBBS ROAD

County: OTTAWA

Municipality: GLOUCESTER TOWNSHIP

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 18

East83: 450333.00
North83: 5033300.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22040701122

Location Method: www

Materials Interval

Formation ID: 1005394111

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 1.5

Formation End Depth: 4.570000171661377

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005394109

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 0.0

Formation End Depth: 0.6100000143051147

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005394110

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT

Formation Top Depth: 0.6100000143051147

Formation End Depth: 1.5
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394120

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 1.2200000286102295

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394119

Layer: 1
Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394121

Layer: 3

 Plug From:
 1.2200000286102295

 Plug To:
 4.570000171661377

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005394118

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005394108

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005394114

Layer:

Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:1.5

Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005394115

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 1.5

Screen End Depth: 4.570000171661377

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.820000171661377

Water Details

Water ID: 1005394113

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole Diameter

 Hole ID:
 1005394112

 Diameter:
 8.25

Depth From: 0.0

Depth To: 4.570000171661377

m

Hole Depth UOM: m
Hole Diameter UOM: cm

38 1 of 1 SW/246.8 80.8 / -7.39 VENUS & COBBS ROAD Ottawa ON

Well ID: 7227809 Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Audit No: Z193861

Tag: A165755

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:
Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:2014/08/11Year Completed:2014

 Depth (m):
 4.57

 Latitude:
 45.4515212643328

Longitude: Path:

Bore Hole Information

Bore Hole ID: 1005130821

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Aug-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Data Entry Status:

Data Src:

Date Received: 9/22/2014 **Selected Flag:** TRUE

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: VENUS & COBBS ROAD

County: OTTAWA

Municipality: GLOUCESTER TOWNSHIP
Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 18

 East83:
 450318.00

 North83:
 5033307.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22040701122

Location Method: wwr

-75.6353701024733

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005394124

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: 28 Mat2: Mat2 Desc: SAND Mat3: 85 SOFT Mat3 Desc:

Formation Top Depth: 0.6100000143051147

Formation End Depth: 1.5
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005394125

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 1.5

Formation End Depth: 4.570000171661377

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005394123

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2:

Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 0.0

Formation End Depth: 0.6100000143051147

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394134

Layer:

 Plug From:
 0.3100000023841858

 Plug To:
 1.2200000286102295

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394135

Layer: 3

 Plug From:
 1.2200000286102295

 Plug To:
 4.570000171661377

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394133

Layer: 1 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005394132

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005394122

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005394128

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 1.5

Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005394129

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 1.5

Screen End Depth: 4.570000171661377

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.820000171661377

Water Details

Water ID: 1005394127

Layer:

Kind Code:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Kind:

1005394126 Hole ID: Diameter: 8.25 Depth From: 0.0

4.570000171661377 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

SW/248.4 **VUNUS & COBBLE ROAD 39** 1 of 1 80.8 / -7.39 **WWIS** Ottawa ON

Well ID: 7227811

Construction Date:

Monitoring and Test Hole Primary Water Use:

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Audit No: Z193860 A165753 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2014/08/11 Year Completed: 2014 Depth (m): 4.57

Latitude: 45.4514943334917 -75.6353570113355 Longitude:

Path:

Bore Hole Information

1005130827 Bore Hole ID: DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Aug-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Data Src:

9/22/2014 Date Received: TRUE Selected Flag:

Abandonment Rec:

Data Entry Status:

7241 Contractor: Form Version:

Owner: Street Name:

VUNUS & COBBLE ROAD County: **OTTAWA**

GLOUCESTER TOWNSHIP Municipality:

Site Info: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

Zone:

UTM Reliability:

UTMRC Desc: margin of error: 30 m - 100 m Location Method:

18

450319.00

5033304.00 UTM83

Order No: 22040701122

erisinfo.com | Environmental Risk Information Services

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1005394826

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.6100000143051147

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005394827

Layer: 2 **Color:** 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

 Formation Top Depth:
 0.6100000143051147

 Formation End Depth:
 3.2200000286102295

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005394828

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 3.2200000286102295

 Formation End Depth:
 4.570000171661377

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394836

Plug To: 0.3100000023841858

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394838

Layer:

 Plug From:
 1.2200000286102295

 Plug To:
 4.570000171661377

3

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005394837

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 1.2200000286102295

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005394835

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005394825

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005394831

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:1.5

Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005394832

Layer: 1 10

 Screen Top Depth:
 1.5

 Screen End Depth:
 4.570000171661377

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.820000171661377

Water Details

Water ID: 1005394830

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

 Hole ID:
 1005394829

 Diameter:
 8.25

 Depth From:
 0.0

Depth To: 4.570000171661377

Hole Depth UOM: m Hole Diameter UOM: cm

40 1 of 1 SW/249.3 80.8 / -7.39 VENUS & COBBLE ROAD WWIS

Well ID: 7227812

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use: 0

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Audit No: Z193857 **Tag:** A165752

Tag: Construction Method: Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:
PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2014/08/11

 Year Completed:
 2014

 Depth (m):
 4.57

Latitude: 45.4514585442498 **Longitude:** -75.6353182432831

Path:

Bore Hole Information

Bore Hole ID: 1005130830

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind: Elevation:

Elevrc: Zone:

 Zone:
 18

 East83:
 450322.00

 North83:
 5033300.00

 Org CS:
 UTM83

Order No: 22040701122

UTMRC: 4

Data Src:
Date Received: 9/22/2014

Data Entry Status:

Selected Flag: TRUE
Abandonment Rec:
Contractor: 7241
Form Version: 7

Form Version: 7
Owner:

Street Name: VENUS & COBBLE ROAD

County: OTTAWA
Municipality: OTTAWA CITY
Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

UTMRC Desc:

Location Method:

margin of error: 30 m - 100 m

Order No: 22040701122

Date Completed: 11-Aug-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

1005395018 Formation ID:

Layer: Color:

BROWN General Color: Mat1: 01 **FILL** Most Common Material: Mat2: 28 Mat2 Desc: SAND 85 Mat3:

Mat3 Desc: SOFT Formation Top Depth: 0.6100000143051147 3.6600000858306885 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005395017

Layer: Color: 8 General Color: **BLACK** Mat1: 11 Most Common Material: **GRAVEL**

Mat2:

Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 0.0

Formation End Depth: 0.6100000143051147

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005395019

Layer: 3 2 Color: **GREY** General Color: Mat1: 05 CLAY Most Common Material:

Mat2:

Mat2 Desc: Mat3: 85

Mat3 Desc: SOFT 3.6600000858306885 Formation Top Depth:

Formation End Depth: 4.570000171661377

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395027

Layer: 1 0.0

Plug To: 0.3100000023841858

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395029

Layer:

 Plug From:
 1.2200000286102295

 Plug To:
 4.570000171661377

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005395028

Layer: 2

 Plug From:
 0.310000023841858

 Plug To:
 1.220000286102295

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005395026

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005395016

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005395022

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 1.5

Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005395023

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 1.5

Screen End Depth: 4.570000171661377

Screen Material: 5
Screen Depth UOM: m

Number of Direction/ Elev/Diff Site DB Map Key Records Distance (m)

Screen Diameter UOM:

cm

Screen Diameter: 4.820000171661377

Water Details

1005395021 Water ID:

Layer: Kind Code: Kind:

Water Found Depth: m

Water Found Depth UOM:

Hole Diameter

Hole ID: 1005395020 Diameter: 8.25 Depth From: 0.0

4.570000171661377 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Unplottable Summary

Total: 23 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Canada Lands Company CLC Limited		Ottawa ON	
CA	CRAFTSMAN DEVELOPMENTS LTD.	BURMA RD.	OTTAWA CITY ON	
CA	ROCKWELL INVESTMENTS LTD.	HEMLOCK RD.	OTTAWA CITY ON	
CA	Taggart Investments Inc.	Part of Lot 23, Concession 1, formerly Geographic Townsip of Cumberland	Ottawa ON	
CA	CITY OF OTTAWA N.P. HSG. CORP.LOTS 22&23	POLARIS AVE/VIA VENUS/ROTHBURY	OTTAWA CITY ON	
ECA	The Eastern Canadian District of the Christian and Missionary Alliance in Canada	Codd's Rd	Ottawa ON	K1K 2G8
ECA	Canada Lands Company CLC Limited		Ottawa ON	K1P 5L4
ECA	Canada Lands Company CLC Limited		Ottawa ON	K1P 5L4
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	Canada Lands Company	Codd's Road	Ottawa ON	K1K 2G7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	GVT. OF CAN NATIONAL DEFENCE	CE PRODUCTION BUILDING 164 CODDS ROAD & VIA VENUS	OTTAWA ON	K1A 0K8
GEN	NATIONAL ARCHIVES OF CANADA	CODD'S ROAD C.F.B. OTTAWA NORTH	OTTAWA ON	K1A 0N3

GEN	LIBRARY AND ARCHIVES CANADA	CODD'S ROAD C.F.B. OTTAWA NORTH	OTTAWA ON
GEN	Library and Archives Canada	Codd's Road C.F.B. Ottawa North	Ottawa ON
GEN	Canada Lands Company	Codd's Road	Ottawa ON
LIMO		Lot 23 Concession 1 ON OTTAWA RIVER NEPEAN Ottawa	ON
RSC		Part Lot 23, Township of Gloucester	Ottawa ON
RSC		Part Lot 23	Ottawa ON
SPL	Public Works and Government Service Canada (PWGSC)		Ottawa ON

Unplottable Report

Site: Canada Lands Company CLC Limited

Ottawa ON

Database:

 Certificate #:
 4783-5JNRC5

 Application Year:
 2003

 Issue Date:
 2/13/2003

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: CRAFTSMAN DEVELOPMENTS LTD.

BURMA RD. OTTAWA CITY ON

Database:

 Certificate #:
 3-2226-88

 Application Year:
 88

 Issue Date:
 11/28/1988

 Approval Type:
 Municipal sewage

 Status:
 Approved

Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

<u>Site:</u> ROCKWELL INVESTMENTS LTD. HEMLOCK RD. OTTAWA CITY ON Database:

Certificate #: 7-1283-86Application Year: 86
Issue Date: 11/4/1986
Approval Type: Municipal water

Status:
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:

Emission Control:

Site: Taggart Investments Inc.

Part of Lot 23, Concession 1, formerly Geographic Townsip of Cumberland Ottawa ON

Database:

CA

Order No: 22040701122

Certificate #: 5894-6G6MVY

Approved

 Application Year:
 2005

 Issue Date:
 9/26/2005

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Site:

Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

CITY OF OTTAWA N.P. HSG.CORP.LOTS 22&23

POLARIS AVE/VIA VENUS/ROTHBURY OTTAWA CITY ON

Certificate #: 3-0844-91Application Year: 91
Issue Date: 6/14/1991
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

<u>Site:</u> The Eastern Canadian District of the Christian and Missionary Alliance in Canada

Codd's Rd Ottawa ON K1K 2G8

0481-98ERUM Approval No: **MOE District:** Approval Date: 2013-06-24 City: Status: Approved Lonaitude: Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: The Eastern Canadian District of the Christian and Missionary Alliance in Canada

Address: Codd's Rd

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3933-97GQTH-14.pdf

PDF Site Location:

Site: Canada Lands Company CLC Limited

Ottawa ON K1P 5L4

Approval No: 0824-A8CR5H **MOE District:** 2016-04-12 Approval Date: City: Approved Longitude: Status: **ECA** Record Type: Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Canada Lands Company CLC Limited

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3815-A72KG2-14.pdf

PDF Site Location:

Database:

Database:

ECA

Database: ECA

Site: Canada Lands Company CLC Limited

Ottawa ON K1P 5L4

Database: **ECA**

Eric Sly

Nο

No

CO OFFICIAL

Andrew Naoum

CO_OFFICIAL

No

No

613-748-1415 Ext.275

613-748-1415 Ext.244

Approval No: 6929-A7MRBC **MOE District:** Approval Date: 2016-03-03 City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: Canada Lands Company CLC Limited

Address: Full Address: Full PDF Link:

https://www.accessenvironment.ene.gov.on.ca/instruments/3139-A7HSPY-14.pdf

Status:

Status:

Co Admin:

Choice of Contact:

Phone No Admin:

Contam. Facility:

MHSW Facility:

Co Admin:

Choice of Contact:

Phone No Admin:

Contam. Facility:

MHSW Facility:

PDF Site Location:

Site: Canada Lands Company CLC Limited

Codd's Road Ottawa ON K1K 2G7

Generator No: ON8567328 911910 SIC Code: 911910 SIC Description: Approval Years: 2015

PO Box No: Country: Canada

Detail(s)

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 243 Waste Class Desc: **PCBS**

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Canada Lands Company CLC Limited Site:

Codd's Road Ottawa ON K1K 2G7

Generator No: ON8567328 911910 SIC Code: 911910 SIC Description: 2016 Approval Years:

PO Box No:

Country: Canada

Detail(s)

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 243 **PCBS** Waste Class Desc:

Waste Class:

OIL SKIMMINGS & SLUDGES Waste Class Desc:

Site: Canada Lands Company

Order No: 22040701122

erisinfo.com | Environmental Risk Information Services

118

Database:

GEN

Database:

GEN

Database:

Database:

Database:

GEN

Order No: 22040701122

Codd's Road Ottawa ON K1K 2G7

ON8567328 Generator No: SIC Code: 911910 SIC Description: 911910 2014

Approval Years: PO Box No:

Canada Country:

Status:

Co Admin: Eric Sly CO_OFFICIAL Choice of Contact: Phone No Admin: 613-748-1415 Ext.244

Registered

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 243 Waste Class Desc: **PCBS**

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Site: Canada Lands Company CLC Limited

Codd's Road Ottawa ON K1K 2G7

Generator No: SIC Code:

SIC Description:

Approval Years: PO Box No:

As of Dec 2018

Country: Canada

ON8567328 Status:

> Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Site:

221 L Waste Class: Waste Class Desc: Light fuels

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

Codd's Road Ottawa ON K1K 2G7

Generator No: ON8567328

Canada Lands Company CLC Limited

SIC Code:

SIC Description:

Approval Years: PO Box No:

As of Nov 2021

Country:

Canada

Status: Registered

Co Admin: Choice of Contact: Phone No Admin:

Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 221 L Waste Class Desc: Light fuels

Site: Canada Lands Company CLC Limited Database:

Codd's Road Ottawa ON K1K 2G7

Generator No: SIC Code:

SIC Description:

Approval Years: PO Box No:

ON8567328

As of Jul 2020

Canada

Registered

Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Country:

Detail(s)

Waste Class: 221 L Waste Class Desc: Light fuels

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Site: GVT. OF CAN. - NATIONAL DEFENCE

CE PRODUCTION BUILDING 164 CODDS ROAD & VIA VENUS OTTAWA ON K1A 0K8

Database:

Order No: 22040701122

Generator No: ON0046539 SIC Code: 8111 SIC Description:

DEFENCE SERVICES

Approval Years:

PO Box No:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Co Admin:

Detail(s)

Country:

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class:

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class:

Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class:

ALKALINE WASTES - OTHER METALS Waste Class Desc:

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 243 PCB'S Waste Class Desc:

Waste Class: 251

OIL SKIMMINGS & SLUDGES Waste Class Desc:

Waste Class:

WASTE OILS & LUBRICANTS Waste Class Desc:

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class:

NON-HALOGENATED PESTICIDES Waste Class Desc:

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES Waste Class: 331

WASTE COMPRESSED GASES Waste Class Desc:

NATIONAL ARCHIVES OF CANADA Site:

CODD'S ROAD C.F.B. OTTAWA NORTH OTTAWA ON K1A 0N3

Database: **GEN**

Generator No: SIC Code:

ON0757004

02,03,04

Status: Co Admin:

SIC Description:

Approval Years: PO Box No: Country:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

LIBRARY AND ARCHIVES CANADA Site:

CODD'S ROAD C.F.B. OTTAWA NORTH OTTAWA ON

Database: **GEN**

Generator No: SIC Code:

ON0757004

06

Status: Co Admin:

SIC Description: Approval Years: PO Box No:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Country: Detail(s)

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

Library and Archives Canada Site:

Codd's Road C.F.B. Ottawa North Ottawa ON

Database: **GEN**

Generator No: SIC Code:

ON3964387

911311

2011

Status: Co Admin:

SIC Description: Approval Years: PO Box No:

Country:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Canada Lands Company Site:

Codd's Road Ottawa ON

Database: GEN

Generator No: SIC Code:

ON8567328 911910

2013

Status: Co Admin:

SIC Description:

Choice of Contact:

Approval Years: PO Box No: Country:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 146

OTHER SPECIFIED INORGANICS Waste Class Desc:

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class: 243 **PCBS** Waste Class Desc:

Site:

Database:

Order No: 22040701122

Lot 23 Concession 1 ON OTTAWA RIVER NEPEAN Ottawa

ECA/Instrument No: X1007 Natural Attenuation:

Historic Oper Status 2016: Liners: C of A Issue Date: C of A Issued to: Lndfl Gas Mgmt (P): Lndfl Gas Mgmt (F): Lndfl Gas Mgmt (E): **Lndfl Gas Mgmt Sys:** Landfill Gas Mntr: Leachate Coll Sys: ERC Est Vol (m3): **ERC Volume Unit:** ERC Dt Last Det:

Landfill Type: Source File Type:

Fill Rate: Fill Rate Unit:

Tot Fill Area (ha): Tot Site Area (ha): Footprint:

Tot Apprv Cap (m3): Contam Atten Zone: **Grndwtr Mntr:** Surf Wtr Mntr: Air Emis Monitor: Approved Waste Type: Client Site Name: ERC Methodology:

Site Location Details:

Service Area: Page URL:

Site Name:

Cover Material: Leachate Off-Site: Leachate On Site: Req Coll Lndfll Gas: Lndfll Gas Coll: Total Waste Rec: TWR Methodology: TWR Unit:

Tot Aprv Cap Unit: Financial Assurance: Last Report Year: MOE Region: **MOE District:** Site County: Lot: Concession:

Latitude: Longitude: Easting: Northina: UTM Zone: Data Source:

Lot 23 Concession 1 ON OTTAWA RIVER NEPEAN

Ottawa

Historic and Closed Landfills

Site: Part Lot 23, Township of Gloucester Ottawa ON

RSC ID: RA No: RSC Type: **Curr Property Use:**

Ministry District: Ottawa Filing Date: 07/05/01

Date Ack:

07/23/01 Date Returned:

Restoration Type: Soil Type: Criteria: **CPU Issued Sect**

1686:

Asmt Roll No: Prop ID No (PIN):

Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:**

Consultant: DST Consulting Engineers Inc.

Legal Desc: Measurement Method:

Applicable Standards:

RSC PDF:

Cert Date:

Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N):

Entire Leg Prop. (Y/N): Accuracy Estimate:

Telephone: Fax: Email:

Site: Database: Part Lot 23 Ottawa ON

RSC ID: Cert Date: RA No:

Cert Prop Use No: RSC Type: Intended Prop Use:

erisinfo.com | Environmental Risk Information Services

RSC

Database:

RSC

122

Curr Property Use:

Ministry District: Ottawa 07/05/01 Filing Date: 08/14/01 Date Ack:

Date Returned:

Restoration Type: Generic Medium/Fine Soil Type:

Res/parkland + Nonpotable Criteria:

CPU Issued Sect

1686:

Asmt Roll No: Prop ID No (PIN):

Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant:

DST Consulting Engineers Inc.

Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF:

Site:

Public Works and Government Service Canada (PWGSC) Database: SPL Ottawa ON

Discharger Report:

Material Group:

Qual Person Name:

Entire Leg Prop. (Y/N):

Accuracy Estimate:

Ν

Order No: 22040701122

Stratified (Y/N):

Audit (Y/N):

Telephone:

Fax:

Email:

Ref No: 3671-966N37

Site No: Incident Dt: 21-MAR-13

Health/Env Conseq: Year: Client Type:

Incident Cause: Collision/Accident Sector Type: Structure

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: MAGNESIUM CHLORIDE Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region: Not Anticipated

Environment Impact: Site Municipality: Ottawa

Nature of Impact: Surface Water Pollution Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: Referral to others Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

26-MAR-13 Site Map Datum: MOE Reported Dt: Dt Document Closed: SAC Action Class:

Watercourse Spills Incident Reason: **Road Conditions** Source Type:

Site Name: MacDonald Cartier Bridge<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

MacDonald Cartier Bridge: Incident Summary:

270 kg Contaminant Qty:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 22040701122

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNC

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

Order No: 22040701122

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jan 2022

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Mar 31, 2022

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Feb 28, 2022

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Mar 31, 2022

Environmental Compliance Approval:

Provincial FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Feb 28, 2022

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021

Environmental Issues Inventory System:

Federal

EIIS

Order No: 22040701122

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

ECS.

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 22040701122

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

Order No: 22040701122

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

Order No: 22040701122

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2022

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Feb 28, 2022

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 22040701122

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- 28 Feb 2022

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Mar 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Feb 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private

SCT

Order No: 22040701122

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power

Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Private Anderson's Storage Tanks: **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Provincial

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Feb 28, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH**

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 22040701122

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Attachment D Statement of Limitations



englobe

Statement of Limitations

This report (hereinafter, the "Report") was prepared by Englobe Corp. (herein the "Company") and is provided for the sole exclusive use and benefit of WestUrban Developments Ltd. (the "Client"). Ownership in and copyright for the contents of the Report belong to the Company.

No other person is authorized to rely on, use, copy, duplicate, reproduce, or disseminate this Report, in whole or in part and for any reason whatsoever, without the express prior written consent of the Company. Any person using this Report, other than the person(s) to whom it is directly addressed, does so entirely at its own risk. The Company assumes no responsibility or liability in connection with decisions made or actions taken based on the Report, or the observations and/or comments contained within the Report. Others with interest in the site and/or subject matter of this Report should undertake their own investigations and studies to determine how or if they or their plans could be affected.

This Report should be considered in its entirety; selecting specific portions of the Report may result in the misinterpretation of the content.

The work performed by the Company was carried out in accordance with the terms and conditions specified in the Professional Services Agreement between the Company and the Client, in accordance with currently accepted engineering standards and practices and in a manner consistent with the level of skill, care and competence ordinarily exercised by members of the same profession currently practicing under similar conditions and like circumstances in the same jurisdiction in which the services were provided. Standards, guidelines, and practices may change over time; those which were applied to produce this Report may be obsolete or unacceptable at a later date.

The findings, recommendations, suggestions, or opinions expressed in this Report reflect the Company's best professional judgement based on observations and/or information reasonably available at the time the work was performed, as appropriate for the scope, work schedule and budgetary constraints established by the Client. No other warranty or representation, expressed or implied, is included in this Report including, but not limited to, that the Report deals with all issues potentially applicable to the site and/or that the Report deals with any and all of the important features of the Site, except as expressly provided in the scope of work.

This report has been prepared for the specific site, development, building, design or building assessment objectives and/or purposes that were described to the Company by the Client. The applicability and reliability of the content of this Report, subject to the limitations provided herein, are only valid to the extent that there has been no material alteration or variation thereto, and the Company expressly disclaims any obligation to update the Report. However, the Company reserves the right to amend or supplement this Report based on additional information, documentation or evidence made available to it.

The Company makes no representation concerning the legal significance of its findings, nor as to the present or future value of the property, or its fitness for a particular purpose and hereby disclaims any responsibility or liability for consequential financial effects on transactions or property values, or requirements for follow-up actions and costs.

Since the passage of time, natural occurrences, and direct or indirect human intervention may affect the views, conclusions, and recommendations (if any) provided in the Report, it is intended for immediate use.

This Statement of Limitations forms an integral part of the Report.

In preparing this Report, the Company has relied in good faith on information provided by others and has assumed that such information is factual, accurate, and complete. The Company accepts no responsibility

or liability for any deficiency, misstatement, or inaccuracy in this Report resulting from the information provided, concealed, or not fully disclosed by those individuals.

The conclusions presented herein are based on information gathered from a limited historical review of readily available geological, historical, and regulatory information and a field inspection program. Sampling and analysis of soil, ground water, or any other material was not carried out as part of this assessment. Consequently, the presence and/or extent of any adverse environmental impact cannot be verified. The potential for environmental liability and/or environmental impact is an opinion that has been arrived at within the scope of this assessment.