

**TREES TO BE PRESERVED (35 TOTAL)**

| GENERAL INFORMATION  |                               | SIZE                   |                     | HEALTH & CONDITION |                 |                 | RECOMMENDATIONS |   |   |   |                         |                         |
|--|-------------------------------|------------------------|---------------------|--------------------|-----------------|-----------------|-----------------|---|---|---|-------------------------|-------------------------|
| ID #   | BOTANICAL NAME<br>COMMON NAME | LOCATION/<br>OWNERSHIP | DBH (cm)            | CMPTY RADIIUS (m)  | DOWNY CONDITION | STRUCTURAL FORM | COMMENTS        | EXPECTED CONSTRUCTION IMPACT (CR2 = critical root zone) | PRESERVE OR REMOVE  | NOTES<br>IMPACT MITIGATION<br>CONSENT REQUIREMENTS      |                         |                         |
| <b>TREES WITHIN PRIVATE PROPERTY ADJACENT TO SUBJECT SITE (10)</b> |                               |                        |                     |                    |                 |                 |                 |   |   |   |                         |                         |
| 204  | Ulmus spp                     | Elm                    | 171 Old Montreal Rd | 25                 | 3               | 5               | good            | low crown   | none  | preserve  | none                    |                         |
| 202  | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 14                 | 2               | 5               | good            | low branched  | none  | preserve  | none                    |                         |
| 205  | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 12                 | 2               | 5               | fair            | low branched  | none  | preserve  | none                    |                         |
| 21   | Quercus macrocarpa            | Bar Oak                | 888 LaTapiache St   | 8-20               | 5               | 5               | fair            | Multistem 5, dense crown                                | approx. 20% of critical root zone expected to be removed  | preserve  | tree protection barrier |                         |
| 59   | Quercus macrocarpa            | Bar Oak                | 895 Old Montreal Rd | 21                 | 3               | 4               | fair            | good  | low branched  | preserve  | tree protection barrier |                         |
| 84   | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 42                 | 5               | 5               | fair            | epicormic growth  | approx. 5% of critical root zone expected to be removed   | preserve  | tree protection barrier |                         |
| 85   | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 48                 | 7               | 5               | poor            | codominant leaders, trunk cavity at line leader         | less than 5% of critical root zone expected to be removed | preserve  | tree protection barrier |                         |
| 86   | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 8                  | 3               | 5               | fair            | good  | low branched  | preserve  | tree protection barrier |                         |
| 89   | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 28                 | 6               | 5               | fair            | good  | unbranched crown  | approx. 5% of critical root zone expected to be removed | preserve                | tree protection barrier |
| 92   | Quercus macrocarpa            | Bar Oak                | 171 Old Montreal Rd | 22                 | 4               | 5               | good            | suppressed  | approx. 5% of critical root zone expected to be removed   | preserve  | tree protection barrier |                         |

**MUNICIPAL TREES (25)**

|     |                     |             |                                |    |      |   |      |   |  |          |          |                       |
|-----|---------------------|-------------|--------------------------------|----|------|---|------|---|--|----------|----------|-----------------------|
| 204 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 5  | 1    | 2 | poor | blvd, significant trunk damage and decay              | none   | preserve | none     |                       |
| 205 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 8  | 1.5  | 5 | good | good  | blvd, suckering from base, low crown   | none     | preserve | none                  |
| 206 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 5  | 1.25 | 5 | good | good  | blvd, low crown  | none     | preserve | none                  |
| 207 | Celtis occidentalis | Hackberry   | City ROW - Famille Laporte Ave | 5  | 1.25 | 5 | good | good  | blvd, full form  | none     | preserve | tree protection fence |
| 21  | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 7  | 1    | 3 | poor | blvd, dead leader, entire 'crown' is epicormic growth | none   | preserve | none     |                       |
| 202 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 6  | 1    | 4 | fair | fair  | blvd, basal damage, dead wood  | none     | preserve | none                  |
| 203 | Celtis occidentalis | Hackberry   | City ROW - Famille Laporte Ave | 8  | 1    | 5 | good | good  | blvd, basal damage   | none     | preserve | none                  |
| 204 | Acer saccharum      | Sugar Maple | City ROW - Famille Laporte Ave | 3  | 0.5  | 5 | fair | fair  | blvd, basal damage, early leaf damage  | none     | preserve | none                  |
| 205 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 7  | 1.25 | 5 | good | good  | blvd, unbranched crown   | none     | preserve | none                  |
| 206 | Acer saccharum      | Sugar Maple | City ROW - Famille Laporte Ave | 4  | 0.75 | 5 | fair | good  | blvd, narrow form  | none     | preserve | none                  |
| 207 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 9  | 1.25 | 5 | fair | fair  | blvd, suckering from base, sealing vertical trunk wound                              | none     | preserve | none                  |
| 208 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 4  | 0.5  | 5 | fair | fair  | blvd, trunk wounds   | none     | preserve | none                  |
| 209 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 9  | 1.5  | 5 | fair | fair  | blvd, significant suckering from base  | none     | preserve | none                  |
| 210 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 8  | 2    | 5 | fair | fair  | blvd, minor basal damage, 3 leaders  | none     | preserve | none                  |
| 211 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 8  | 2.25 | 5 | fair | fair  | blvd, suckering from base, basal wound, diminished leader                            | none     | preserve | none                  |
| 212 | Acer saccharum      | Sugar Maple | City ROW - Famille Laporte Ave | 6  | 1.5  | 5 | good | good  | blvd, basal wound  | none     | preserve | none                  |
| 213 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 6  | 1.25 | 5 | good | good  | blvd, full form  | none     | preserve | none                  |
| 214 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 7  | 1    | 1 | poor | poor  | blvd, central leader dead and gone, all remaining living stems are suckers from base | none     | preserve | none                  |
| 216 | Acer saccharum      | Sugar Maple | City ROW - Famille Laporte Ave | 7  | 1.25 | 5 | good | good  | blvd, full form  | none     | preserve | none                  |
| 217 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 9  | 1.5  | 5 | good | good  | blvd, basal wound, sealed vertical wounds  | none     | preserve | none                  |
| 218 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 7  | 1.5  | 5 | fair | good  | blvd, minor basal wound  | none     | preserve | none                  |
| 219 | Celtis occidentalis | Hackberry   | City ROW - Famille Laporte Ave | 10 | 1.5  | 5 | fair | good  | blvd, full form  | none     | preserve | none                  |
| 210 | Acer rubrum         | Red Maple   | City ROW - Famille Laporte Ave | 10 | 2    | 5 | fair | good  | blvd, minor suckering from base, diminished leader                                   | none     | preserve | none                  |
| 211 | Quercus rubra       | Red Oak     | City ROW - Famille Laporte Ave | 7  | 2    | 5 | fair | good  | blvd, curved leader  | none     | preserve | none                  |
| 212 | Acer saccharum      | Sugar Maple | City ROW - Famille Laporte Ave | 7  | 1.5  | 5 | good | good  | blvd, minor trunk wounds   | none     | preserve | none                  |

REFER TO TREE CONSERVATION REPORT FOR ADDITIONAL INFORMATION AND DETAIL ABOUT THE INVENTORY AND ASSESSMENT PROCESS

**TREES TO BE REMOVED (100 TOTAL)**

| GENERAL INFORMATION                   |                               | SIZE                   |              | HEALTH & CONDITION |                 |                 | RECOMMENDATIONS |   |   |  |  |        |      |
|---------------------------------------|-------------------------------|------------------------|--------------|--------------------|-----------------|-----------------|-----------------|---|---|--|--|--------|------|
| ID #                                  | BOTANICAL NAME<br>COMMON NAME | LOCATION/<br>OWNERSHIP | DBH (cm)     | CMPTY RADIIUS (m)  | DOWNY CONDITION | STRUCTURAL FORM | COMMENTS        | EXPECTED CONSTRUCTION IMPACT (CR2 = critical root zone) | PRESERVE OR REMOVE  | NOTES<br>IMPACT MITIGATION<br>CONSENT REQUIREMENTS |  |        |      |
| <b>TREES WITHIN SUBJECT SITE (90)</b> |                               |                        |              |                    |                 |                 |                 |   |   |  |  |        |      |
| 1                                     | Quercus macrocarpa            | Bar Oak                | Subject site | 10                 | 2               | 5               | fair            | good  | conflict with proposed site plan and grading                            | remove   | none   |        |      |
| 2                                     | Quercus macrocarpa            | Bar Oak                | Subject site | 20                 | 8               | 4               | 5               | fair  | Multistem 2, primary union just above grade                             | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 3                                     | Quercus macrocarpa            | Bar Oak                | Subject site | 15                 | 4               | 5               | fair            | good  | conflict with proposed site plan and grading                            | remove   | none   |        |      |
| 4/5/6                                 | Quercus macrocarpa            | Bar Oak                | Subject site | 25, 20, 15         | 5               | 5               | fair            | good  | Multistem 4, primary union at grade                                     | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 7                                     | Quercus macrocarpa            | Bar Oak                | Subject site | 23                 | 10              | 4               | 5               | fair  | good  | Multistem 2, primary union just above grade        | conflict with proposed site plan and grading | remove | none |
| 8                                     | Quercus macrocarpa            | Bar Oak                | Subject site | 15                 | 2               | 5               | fair            | good  | conflict with proposed site plan and grading                            | remove   | none   |        |      |
| 9                                     | Quercus macrocarpa            | Bar Oak                | Subject site | 28, 20, 14         | 6               | 5               | fair            | fair  | Multistem 3, included bank at primary union                             | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 10                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 20, 20             | 4               | 5               | fair            | fair  | Multistem 2, included bank at primary union                             | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 11                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 29                 | 4               | 5               | fair            | fair  | codominant leaders with included bank, primary union at 1.5m from grade | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 12                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 29                 | 4               | 5               | fair            | fair  | codominant leaders with included bank, primary union at 1.5m from grade | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 13                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 25, 21             | 6               | 5               | fair            | fair  | Multistem 2, included bank at primary union, low branched               | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 14                                    | Ulmus spp                     | Elm                    | Subject site | 22                 | 3               | 5               | fair            | good  | conflict with proposed site plan and grading                            | remove   | none   |        |      |
| 15                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 12                 | 3               | 4               | poor            | Multistem 2, basal rot                                  | conflict with proposed site plan and grading                            | remove   | none   |        |      |
| 16                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 19                 | 6               | 5               | fair            | good  | unbranched crown  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 17                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 25, 12, 9          | 5               | 5               | fair            | fair  | Multistem 5, included bank at primary union                             | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 18                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 25, 9              | 3               | 5               | fair            | fair  | Multistem 2, low branched   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 20                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 15                 | 2               | 4               | fair            | fair  | low branched, dead wood   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 22                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 16                 | 3               | 5               | fair            | good  | unbranched crown, suppressed  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 23                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 7                  | 1.5             | 5               | fair            | good  | unbranched crown, suppressed  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 24                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 14                 | 2               | 5               | fair            | fair  | codominant leaders  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 25                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 8                  | 4               | 5               | fair            | good  | unbranched crown  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 26                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 10                 | 4               | 5               | fair            | fair  | unbranched crown, bent leader   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 27                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 8                  | 2               | 5               | fair            | good  | suppressed  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 28                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 9                  | 3               | 5               | fair            | good  | brush-piled against trunk   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 29                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 21                 | 8               | 6               | 5               | fair  | fair  | Multistem 2, included bank at primary union        | conflict with proposed site plan and grading | remove | none |
| 30                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 14                 | 3               | 5               | fair            | good  | unbranched crown  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 31                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 8                  | 3               | 5               | fair            | good  | curved leader   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 32                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 9                  | 2               | 5               | fair            | good  | suppressed  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 33                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 10                 | 2               | 5               | fair            | good  | fixed at base with tree #34   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 34                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 14                 | 2.5             | 5               | fair            | good  | fixed at base with tree #33   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 35                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 16                 | 3               | 5               | fair            | good  | unbranched crown  | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 36/37                                 | Quercus macrocarpa            | Bar Oak                | Subject site | 23, 25             | 5               | 5               | fair            | fair  | Multistem 2, primary union just above grade                             | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 38                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 17, 6              | 4               | 5               | fair            | fair  | Multistem 2, unbranched crown   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 39                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 8                  | 4               | 5               | fair            | fair  | low large scaffold branch   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 40                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 10                 | 4               | 5               | fair            | fair  | diminished leader   | conflict with proposed site plan and grading       | remove                                       | none   |      |
| 41                                    | Quercus macrocarpa            | Bar Oak                | Subject site | 21, 9              | 5               | 5               | fair            | fair  | Multistem 2, suppressed   | conflict with proposed site plan and grading       | remove                                       | none   |      |

| GENERAL INFORMATION |                               | SIZE                   |              | HEALTH & CONDITION        |                 |                 | RECOMMENDATIONS |   |   |  |        |      |
|---------------------|-------------------------------|------------------------|--------------|---------------------------|-----------------|-----------------|-----------------|---|---|--|--------|------|
| ID #                | BOTANICAL NAME<br>COMMON NAME | LOCATION/<br>OWNERSHIP | DBH (cm)     | CMPTY RADIIUS (m)         | DOWNY CONDITION | STRUCTURAL FORM | COMMENTS        | EXPECTED CONSTRUCTION IMPACT (CR2 = critical root zone) | PRESERVE OR REMOVE  | NOTES<br>IMPACT MITIGATION<br>CONSENT REQUIREMENTS |        |      |
| 42                  | Ulmus spp                     | Elm                    | Subject site | 20                        | 2.5             | 5               | fair            | good  | conflict with proposed site plan and grading  | remove   | none   |      |
| 43                  | Quercus macrocarpa            | Bar Oak                | Subject site | 10                        | 3               | 5               | fair            | good  | suppressed  | conflict with proposed site plan and grading       | remove | none |
| 44/45               | Quercus macrocarpa            | Bar Oak                | Subject site | 12, 12                    | 3               | 5               | fair            | good  | Multistem 2, primary union at grade   | conflict with proposed site plan and grading       | remove | none |
| 46                  | Tilia americana               | Basswood               | Subject site | 21, 12, 9, 5              | 4               | 5               | fair            | fair  | Multistem 4, primary union at grade, minor sap sucker trunk damage  | conflict with proposed site plan and grading       | remove | none |
| 47                  | Quercus macrocarpa            | Bar Oak                | Subject site | 10                        | 2               | 5               | fair            | good  | suppressed  | conflict with proposed site plan and grading       | remove | none |
| 48                  | Quercus macrocarpa            | Bar Oak                | Subject site | 10                        | 2               | 5               | fair            | good  | suppressed  | conflict with proposed site plan and grading       | remove | none |
| 49                  | Quercus macrocarpa            | Bar Oak                | Subject site | 18, 10, 10, 17, 17, 10, 8 | 6               | 5               | fair            | fair  | Multistem 7, primary union at and just above grade  | conflict with proposed site plan and grading       | remove | none |
| 50/51               | Quercus macrocarpa            | Bar Oak                | Subject site | 24, 21, 17                | 5               | 4               | fair            | fair  | Multistem 3, 100% stem is dead with grading chain around it at 1.5m from grade, primary union below grade | conflict with proposed site plan and grading       | remove | none |
| 52                  | Quercus macrocarpa            | Bar Oak                | Subject site | 17                        | 3               | 4               | poor            | hazard  | significant trunk cavity (same through trunk) and trunk bulge   | conflict with proposed site plan and grading       | remove | none |
| 53                  | Quercus macrocarpa            | Bar Oak                | Subject site | 15                        | 3               | 4               | fair            | good  | Trunk fused to tree #52   | conflict with proposed site plan and grading       | remove | none |
| 54/55               | Quercus macrocarpa            | Bar Oak                | Subject site | 16, 6                     | 3               | 5               | fair            | fair  | Multistem 2, primary union at grade   | conflict with proposed site plan and grading       | remove | none |
| 56/57               | Quercus macrocarpa            | Bar Oak                | Subject site | 12, 12                    | 3               | 5               | fair            | fair  | Multistem 2, primary union at grade   | conflict with proposed site plan and grading       | remove | none |
| 60                  | Quercus macrocarpa            | Bar Oak                | Subject site | 19                        | 2               | 4               | fair            | good  | codominant leaders  | conflict with proposed site plan and grading       | remove | none |
| 61/62               | Quercus macrocarpa            | Bar Oak                | Subject site | 18, 15                    | 3               | 5               | fair            | good  | Multistem 2, primary union just above grade   | conflict with proposed site plan and grading       | remove | none |
| 63                  | Quercus macrocarpa            | Bar Oak                | Subject site | 18                        | 2               | 5               | fair            | good  | conflict with proposed site plan and grading  | remove   | none   |      |
| 64                  | Fraxinus spp                  | Ash                    | Subject site | 11                        | 3               | 4               | poor            | poor  | Visible EAB galleries, bark splitting   | conflict with proposed site plan and grading       | remove | none |
| 65                  | Quercus macrocarpa            | Bar Oak                | Subject site | 15                        | 1.5             | 5               | fair            | good  | Adjacent to large compost pile  | conflict with proposed site plan and grading       | remove | none |
| 66                  | Quercus macrocarpa            | Bar Oak                | Subject site | 18                        | 1.5             | 5               | fair            | good  | Adjacent to large compost pile  | conflict with proposed site plan and grading       | remove | none |
| 67                  | Quercus macrocarpa            | Bar Oak                | Subject site | 17                        | 4               | 5               | fair            | good  | Adjacent to large compost pile, progressive crown   | conflict with proposed site plan and grading       | remove | none |
| 68                  | Quercus macrocarpa            | Bar Oak                | Subject site | 12                        | 3               | 5               | fair            | good  | Multistem 2, primary union below grade  | conflict with proposed site plan and grading       | remove | none |
| 70                  | Quercus macrocarpa            | Bar Oak                | Subject site | 18                        | 2               | 5               | fair            | good  | Adjacent to large compost pile  | conflict with proposed site plan and grading       | remove | none |
| 71                  | Ulmus spp                     | Elm                    | Subject site | 15                        | 3               | 5               | fair            | good  | Suppressed, unbranched crown  | conflict with proposed site plan and grading       | remove | none |
| 72                  | Ulmus spp                     | Elm                    | Subject site | 18                        | 2               | 5               | fair            | good  | Suppressed, unbranched crown  | conflict with proposed site plan and grading       | remove | none |
| 74                  |                               |                        |              |                           |                 |                 |                 |   |   |  |        |      |