


REMOVE POTS COMPLETELY REMOVE DAMAGED OR FROM POTTED STOCK OR CUT OBJECTIONABLE BRANCHES. AND REMOVE BURLAP AND FOLLOW PROPER WIRE FROM TOP 1/3 OF HORTICULTURAL PRACTICE. ROOTBALL. PLANTING BED AROUND SHRUBS. COVER ENTIRE BED WITH 75mm DEPTH WOODCHIP MULCH. PULL BACK MULCH FROM BASE OF SHRUBS. ENSURE THAT MULCH COVERS ALL EXPOSED SOIL. TAPER TO BLEND NATURALLY WITH FINISHED GRADE. TOPSOIL MIXTURE AS PER SPECIFICATIONS.

SHRUB / PERENNIAL PLANTING



6 DECIDUOUS TREE PLANTING

- 88.9mm DIA. END OR CORNER POST WITH POST TOP 42.2mm DIA. TOPRAIL KNUCKLED SELVAGE WIRE TIES - -AT 450mm O.C. (TOP RAIL) - AT 300mm O.C. (LINE POSTS) 50mm GALVANIZED WIRE MESH, 9 GAUGE 60.32mm DIA. LINE POSTS WITH POST TOPS, AT 3000mm MAX SPACING KNUCKLED SELVAGE PROVIDE TENSION WIRE WITH FASTENERS AT 450mm O.C. FINISHED GRADE COMPACTED SURFACE MATERIAL AS BACKFILL INDICATED ON SITE PLAN - 20 MPa CONCRETE FOOTINGS NOTE: ALL HARDWARE BOLTS TO BE CUT FLUSH WITH END OF NUTS (NO PROTRUSIONS)

GALVANIZED CHAIN LINK FENCE

914mm 2134mm 760mm 8 SIX (6) RING BIKE RACK FOR NINE (9) BIKES

ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED
2. APPROVED NON-WOVEN CLASS 1 GEOTEXTILE AS PER MS-22.15
3. APPROVED 100 DIA PERFORATED PVC OR HDPE DRAINAGE PIPE WITH FILTER SOCK
4. 19mm CLEAR STONE SHALL MEET THE REQUIREMENTS OF OPSS 1004
5. ENGINEERED WOOD FIBRE TO COMPLY WITH ASTMF 1292, ASTMF 2075, ASTMF 1951

10 SINGLE-DEE BIKE RACK L.1 / N.T.S.

OTTAWA CATHOLIC SCHOOL BOARD

CONSULTANTS

ARCHITECTS: P R PYE & RICHARDS -**TEMPRANO & YOUNG** T Y ARCHITECTS INC.

> 824 Meath St. Suite 200 613, 724, 7700 Ottawa, ON K1Z 6E8 info@prty.ca

CIVIL ENGINEERS:

Jp2g Consultants Inc.

1150 Morrison Dr., Suite 410 Ottawa, ON K2H 8SN

Tel: (613) 828.7800

PROPOSED CONIFEROUS TREE

PROPOSED DECIDUOUS TREE

PROPOSED SHRUBS / PERERNNIALS

PROPOSED TREES 'BY OTHERS'

PROPOSED ENGINEERED WOOD

PROPOSED SOD PROPOSED 1.8m Ht. GALVANIZED

CHAIN LINK FENCE PROPOSED 1.2m Ht. GALVANIZED -x--x--x--x--x--x--CHAIN LINK FENCE

EXISTING TREE TO REMAIN

→ PROPOSED FENCE 'BY OTHERS'

PROPOSED ASPHALT ACCESS RAMP

12/14/2022 ML

10/21/2022 ML

K2H 5A8

03/06/2023 ML REVISED PER CITY COMMENTS 03/02/2023 ML REVISED PER CITY COMMENTS 03/01/2023 | ML 01/11/2023 ML REVISED PER CITY COMMENTS

10/07/2022 ML ISSUED FOR SITE PLAN CONTROL Date DR C JAMES B. LENNOX & ASSOCIATES INC. LANDSCAPE

ISSUED FOR BUILDING PERMIT ISSUED FOR 85% REVIEW

Fax. 1(866) 343-3942 Tel. (613) 722-5168 PROJECT

3332 CARLING AVE. OTTAWA, ONTARIO

OCSB RIVERSIDE SOUTH ELEMENTARY SCHOOL

BRIAN GOOD & SOLARIUM AVE, OTTAWA ON

TREE CONSERVATION REPORT &


LANDSCAPE PLAN

SCALE AS SHOWN START DATE AUGUST 2022

PROJECT NO.

22PRTY2270

DRAWING NO.



0