









TIE INTO EXISTING BARRIER CURB



KEY PLAN



Legend

-  Concrete Sidewalk
-  Tactile Walking Surface Indicator (TWSI) as per SC 7.3
-  Depressed Curb
-  Catch Basin
-  Storm Maintenance Hole
-  Sanitary Maintenance Hole

NOTE 01: 5m RADIUS ON ALL DOUBLE INTERSECTION NARROWING PER "R7" UNLESS OTHERWISE SPECIFIED

NOTE 02: 5m RADIUS ON ALL SINGLE INTERSECTIONS NARROWING PER "R8" UNLESS OTHERWISE SPECIFIED

NOTE 03: THE FUTURE SIDEWALK AND CYCLE TRACKS ON THE WEST SIDE OF RIOCAN AVENUE ARE SHOWN TO DEMONSTRATE THE ULTIMATE BUILD-OUT OF THE CROSS-SECTION. THIS INFRASTRUCTURE IS NOT PLANNED AS PART OF CONSTRUCTION.

02	Issued for Review	AN	2023-06-29
01	Issued for Review	BB	2023-04-24
REV:	DESCRIPTION:	BY:	DATE:
STATUS:			



CGH Transportation  
6 Plaza Court  
Ottawa, ON  
K2H 7W1  
(343) 999-9117


CLIENT: Minto Communities

ARCHITECT:

SITE: Minto Town Centre

TITLE: Geometric Road Design Drawings

SCALE AT A3:	DATE:	DRAWN:	CHECKED:
NTS	2023-06-29	AN	AL
PROJECT NO:	DRAWING NO:	REVISION:	
2020-85	001	02	



Wa-31 (OTM)  
NO EXIT  
450mmx450mm

Ra-1 (OTM)  
STOP  
600mmx600mm

Rb-19 (OTM)  
DO NOT ENTER  
600mm x 600mm

Rb-21 (OTM)  
ONE-WAY SIGN  
300mm x 900mm

Rb-21 (OTM)  
ONE-WAY SIGN  
300mm x 900mm

Wa-33R (OTM)  
OBJECT MARKER  
300mmx900mm

Wa-33R (OTM)  
OBJECT MARKER  
300mmx900mm

RETAINING WALL  
MAX HEIGHT=1.11m

RIOCAN AVENUE

GLENROY GILBERT DRIVE

GLENROY GILBERT DRIVE

BLOCK 22

BLOCK 23

BLOCK 20

BLOCK 11

BLOCK 12

BLOCK

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

2.00m CONCRETE SIDEWALK (TYPICAL)

2.00m CONCRETE SIDEWALK

CONCRETE BARRIER CURB

2.00m CONCRETE SIDEWALK

3.75m BOULEVARD

6.50m BOULEVARD

2.75m INNER BOULEVARD

0.3m OUTER BOULEVARD

7.00m

99.62

99.60

7.00m

DC

R-5

R-5

R-5

R-5

R-5

R-5

R-5

R-5

R-5

R-5

R-5

20.00m  
ROW

8.50m

7.00m

R-5

R-5

8.50m

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

7.00m

R-5

R-5

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB

CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)

CONCRETE BARRIER CURB


CONCRETE BARRIER CURB

1.50m ASPHALT CYCLE TRACK (TYPICAL)


CONCRETE BARRIER CUR



# GLENROY GILBERT DRIVE



## KEY PLAN



### Legend

- Concrete Sidewalk
- Tactile Walking Surface Indicator (TWSI) as per SC 7.3
- Depressed Curb
- Catch Basin
- Storm Maintenance Hole
- Sanitary Maintenance Hole

NOTE 01: 5m RADIUS ON ALL DOUBLE INTERSECTION NARROWING PER "R7" UNLESS OTHERWISE SPECIFIED

NOTE 02: 5m RADIUS ON ALL SINGLE INTERSECTIONS NARROWING PER "R8" UNLESS OTHERWISE SPECIFIED

NOTE 03: THE FUTURE SIDEWALK AND CYCLE TRACKS ON THE WEST SIDE OF RIOCAN AVENUE ARE SHOWN TO DEMONSTRATE THE ULTIMATE BUILD-OUT OF THE CROSS-SECTION. THIS INFRASTRUCTURE IS NOT PLANNED AS PART OF CONSTRUCTION.

02	Issued for Review	AN	2023-06-29
01	Issued for Review	BB	2023-04-24
REV:	DESCRIPTION:	BY:	DATE:
STATUS:			

**CGH Transportation**  
6 Plaza Court  
Ottawa, ON  
K2H 7W1  
(343) 999-9117

CLIENT: Minto Communities

ARCHITECT:

SITE: Minto Town Centre


TITLE: Geometric Road Design Drawings

SCALE AT A3: NTS	DATE: 2023-06-29	DRAWN: AN	CHECKED: AL
PROJECT NO: 2020-85	DRAWING NO: 003	REVISION: 02	

# LONGFIELDS DRIVE


RIOCAN AVENUE

FUTURE INFRASTRUCTURE SEE NOTE 03




FUTURE CHAPMAN MILLS DRIVE

RETAINING WALL  
 MAX HEIGHT=1.11m



KEY PLAN



Legend

- Concrete Sidewalk
- Tactile Walking Surface Indicator (TWSI) as per SC 7.3
- Depressed Curb
- Catch Basin
- Storm Maintenance Hole
- Sanitary Maintenance Hole

NOTE 01: 5m RADIUS ON ALL DOUBLE INTERSECTION NARROWING PER "R7" UNLESS OTHERWISE SPECIFIED

NOTE 02: 5m RADIUS ON ALL SINGLE INTERSECTIONS NARROWING PER "R8" UNLESS OTHERWISE SPECIFIED

NOTE 03: THE FUTURE SIDEWALK AND CYCLE TRACKS ON THE WEST SIDE OF RIOCAN AVENUE ARE SHOWN TO DEMONSTRATE THE ULTIMATE BUILD-OUT OF THE CROSS-SECTION. THIS INFRASTRUCTURE IS NOT PLANNED AS PART OF CONSTRUCTION.

02	Issued for Review	AN	2023-06-29
01	Issued for Review	BB	2023-04-24
REV:	DESCRIPTION:	BY:	DATE:
STATUS:			

CGH Transportation  
 6 Plaza Court  
 Ottawa, ON  
 K2H 7W1  
 (343) 999-9117

CLIENT: Minto Communities

ARCHITECT:

SITE: Minto Town Centre

TITLE: Geometric Road Design Drawings

SCALE AT A3: NTS	DATE: 2023-06-29	DRAWN: AN	CHECKED: AL
PROJECT NO: 2020-85	DRAWING NO: 004	REVISION: 02	