


**PART OF LOT 1  
CONCESSION 8  
GEOGRAPHIC TOWNSHIP OF CUMBERLAND  
CITY OF OTTAWA**  
Surveyed by Annis, O'Sullivan, Vollebek Ltd.

Scale 1 : 250



Metric  
DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND  
CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

Date \_\_\_\_\_ E.H. Herweyer O.L.S.

SITE AREA = 12992 m<sup>2</sup>

Bearings are grid, derived from Can-Net 2016 Real Time Network GPS and are referenced to Specified Control Points 01919680164 and 019198434761, MTM Zone 9 (76°30' West Longitude) NAD-83 (original).

For bearing comparisons, a rotation of 0°43'10" counter-clockwise was applied to bearings on plan P1.

**ELEVATION NOTES**

- Elevations shown are geoidic and are referred to benchmark 001196530190 having an elevation of 88.11 m.
- It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

**Notes & Legend**

- Denotes
- Survey Monument Planted
  - Survey Monument Found
  - SSIB Short Standard Iron Bar
  - IB Iron Bar
  - (WT) Witness
  - Meas. Measured
  - (ADD) Annis, O'Sullivan, Vollebek Ltd.
  - (P1) Plan 4R-12824
  - (P2) Plan 4R-26228
  - PH Fire Hydrant
  - OH-ST Maintenance Hole (Storm Sewer)
  - OH-S Maintenance Hole (Sanitary)
  - OH-T Maintenance Hole (Traffic)
  - CV Gas Valve
  - CH Handhole
  - TB-C Cable Terminal Box
  - PWF Post and Wire Fence
  - PTW White Paint Lines
  - UP Utility Pole
  - AN Anchor
  - LS Light Standard
  - CB Catch Basin
  - CS Catch Basin Inlet
  - OW Overhead Wires
  - BOS Bottom of Slope
  - TOS Top of Slope
  - Ø Diameter
  - +85.00 Location of Elevations
  - +88.00 Top of Concrete Curb Elevation
  - C/L Centreline
  - Deciduous Tree
  - GM Gas Meter
  - TSP Traffic Signal Post
  - CLF Chain Link Fence
  - TLL Traffic Light

