

JOHN BERNIER
 PLANNER
 PLANNING, REAL ESTATE & ECONOMIC DEVELOPMENT
 DEPARTMENT, CITY OF OTTAWA

APPROVED
 By John Bernier at 8:01 am, Aug 16, 2023

LEGEND

- MH STORM MANHOLE
- MH SANITARY MANHOLE
- CS CURB STOP & STANDPOST
- FH FIRE HYDRANT
- SAN SANITARY SEWER
- ST STORM SEWER
- WS/WM WATER SERVICE/WATERMAIN
- SPL SPRINGLINE OF PIPE
- INV INVERT OF PIPE
- (M) WATER METER
- (R) REMOTE WATER METER
- BFL BASEMENT FLOOR ELEVATION
- USF UNDERSIDE OF FOOTING
- - - - - PROPERTY LINE
- x 99.99 EXISTING GRADE ELEVATION




No.	DATE	REVISION
6	JUN 19-23	RE-ISSUED FOR APPROVAL
5	JUN 15-23	ISSUED FOR COORDINATION
4	FEB 2-23	RE-ISSUED FOR APPROVAL
3	NOV 22-22	RE-ISSUED FOR APPROVAL
2	FEB 16-22	ISSUED FOR APPROVAL
1	JAN 5-22	ISSUED FOR COORDINATION

D. B. GRAY ENGINEERING INC.
Stormwater Management - Grading & Drainage - Storm & Sanitary Sewers - Watermain
 700 Long Point Circle 613-425-8044
 Ottawa, Ontario d.gray@dbgrayengineering.com

Project
PROPOSED 3-STORY APARTMENT BUILDING
216 McARTHUR AVENUE
 OTTAWA, ONTARIO

Drawing Title
SITE SERVICING PLAN

Engineer's Seal

 NOT VALID UNLESS SIGNED & DATED

Drawn D.B.G.
 H. Scale 1:100
 V. Scale
 Date JAN 5-22
 Job No. 20123
 Drawing No.
C-1
 of 3

WATER SERVICE PROFILE TABLE

38mm COPPER ASTM B88 TYPE "K" SOFT

STATION	DESCRIPTION	GRADE ELEVATION	TOP OF PIPE	DEPTH OF COVER	NOTES
0+00.0	TVS CONNECTION TO 400mm MUNICIPAL WATERMAIN AS PER CITY OF OTTAWA DRAWING No. W33	±62.46	±60.06	±2.40	-
0+03.2	-	±62.52	60.06	2.46	CENTERLINE OF ROAD
0+04.2	-	±62.50	60.06	2.44	CROSSING 300 ST INV 60.56 WM TOP 60.06 - 500mm CLEARANCE (MIN. 500mm REQ'D)
0+07.1	-	±62.45	60.02	2.43	CROSSING 375 SAN TOP 58.88 WM U/S 59.98 - 1100mm CLEARANCE (MIN. 250mm REQ'D)
0+10.3	-	±62.39	59.99	2.40	BOTTOM OF CURB
0+12.9	-	±62.53	60.13	2.40	BACK OF SIDEWALK
0+16.0	38mm CURB STOP & SERVICE POST TO MUNICIPAL STANDARDS	62.67	60.27	2.40	PROPERTY LINE
0+17.4	-	62.74	60.34	2.40	ENTRY INTO BUILDING

REFER TO NOTES & DETAILS ON DRAWING C-3