


STM STRUCTURE TABLE						
NAME	RIM ELEV.	INVERT IN	INVERT IN AS-BUILT	INVERT OUT	INVERT OUT AS-BUILT	DESCRIPTION
CBMH01	86.27	W82.995		E82.975		1200# OPSD 701.010
CBMH02	86.12	E83.843 S83.394		N83.374		1200# OPSD 701.010
CBMH03	86.40		E83.121			1500# OPSD 701.011
CBMH04	86.27	W83.068		E83.048		1200# OPSD 701.010
CBMH05	86.40	W82.932		S82.912		1500# OPSD 701.011
CBMH09	86.13	W84.594		S83.500		1200# OPSD 701.010
CBMH14	86.40		W83.834			1200# OPSD 701.010
CBMH20	86.13		W83.956			1200# OPSD 701.010
EXCBMH11	86.55	W82.454 S82.423		E82.423		1200# OPSD 701.010
EXCBMH12	83.92		E82.621			1200# OPSD 701.010
EXMH1	86.39	W82.266 E82.145		N82.015		1200# OPSD 701.010
EXMH49	86.63	W84.590		N82.577		1200# OPSD 701.010
EXMH50	86.48	S82.315		W82.285		1200# OPSD 701.010
EXMH51	83.19	S81.821				1200# OPSD 701.010
MH10	86.66	SW83.168 SE83.213		N83.063		1200# OPSD 701.010
MH11	86.44	E83.738		N83.408		1200# OPSD 701.010
MH12	86.38		N83.774			1200# OPSD 701.010
MH16	86.67	S82.917		N82.434		1200# OPSD 701.010
MH17	86.56	S83.190 W82.335		E82.355		1200# OPSD 701.010
MH18	86.17	W83.317 S83.242		NE83.212		1200# OPSD 701.010
MH19	86.54	N84.793		E83.498		1200# OPSD 701.010
MH21	86.28	S83.670 W83.986 N83.670		E83.610		1200# OPSD 701.010
MH22	86.23	E84.666 NW84.711		S83.681		1200# OPSD 701.010
MH25	86.55	SW84.378 E83.512		NE83.461		1200# OPSD 701.010
MH26	86.23	S83.674		NW83.341		1200# OPSD 701.010
MH75	88.91	W83.483 E83.463		N83.403		1200# OPSD 701.010


SAN STRUCTURE TABLE						
NAME	RIM ELEV.	INVERT IN	INVERT IN AS-BUILT	INVERT OUT	INVERT OUT AS-BUILT	DESCRIPTION
EXMH1A	86.43	E83.993		N83.963		1200# OPSD 701.010
EXMH2A	86.44	S84.146		W84.116		1200# OPSD 701.010
EXMH03A	86.58			N84.408		1200# OPSD 701.010
EXMH9A	86.57			NW84.453		1200# OPSD 701.010
EXSANMH	84.70	S83.840				1200# OPSD 701.010
MH1A	86.28	W83.914 S83.594		N83.894		1200# OPSD 701.010
MH2A	86.66	SW84.330		N84.310		1200# OPSD 701.010
MH4A	86.50	S84.113		E84.093		1200# OPSD 701.010
MH5A	86.38	W84.033 S84.073		E84.013		1200# OPSD 701.010
MH7A	86.53	S84.123		N84.103		1200# OPSD 701.010
MH8A	86.67	S84.165		N84.145		1200# OPSD 701.010
MH11A	86.62			N84.324		1200# OPSD 701.010
MH28A	86.68	NW84.435 SE84.435		N84.415		1200# OPSD 701.010
MH29A	86.69	W84.559		SE84.499		1200# OPSD 701.010

WATERMAIN SCHEDULE					
Station	Description	Finished Grade	Top of Watermain	As Built Watermain	
A 0+000.00	VB	86.700	84.30		
0+005.00	TVS	86.696	84.30		
0+007.69	V BEND	86.696	84.30		
0+007.94	V BEND	86.680	83.94		
0+008.57	11 1/4 BEND	86.644	83.94		
0+010.19	V BEND	86.607	83.94		
0+010.44	V BEND	86.601	84.20		
0+012.84	200-100RED	86.545	84.15		
0+018.11	VB	86.468	84.07		
0+025.81	HYD	86.360	83.96		
0+030.17	V BEND	86.296	83.90		
0+035.65	45 BEND	86.393	83.99		
0+040.02	V BEND	86.511	84.15		
0+042.26	45 BEND	86.588	84.19		
0+047.69	V BEND	86.754	84.38		
0+101.32	45 BEND	86.644	84.24		
0+102.94	45 BEND	86.576	84.18		
0+105.12	V BEND	86.470	84.07		
0+105.37	V BEND	86.469	83.62		
0+107.62	V BEND	86.467	83.62		
0+107.87	V BEND	86.431	84.03		
0+109.38	3' DEFLECTION	86.407	84.01		
0+113.52	VB	86.298	83.90		
0+115.65	HYD	86.443	84.04		
0+119.95	VB	86.507	84.11		
0+129.99	22 1/2 BEND	86.304	83.90		
0+129.22	11 1/4 BEND	86.363	83.96		
0+132.92	45 BEND	86.568	84.17		
0+161.75	VB	86.754	84.35		
0+192.02	22 1/2 BEND	86.516	84.12		
0+197.24	22 1/2 BEND	86.38	83.98		
0+202.90	22 1/2 BEND	86.242	83.84		
0+207.70	VB	86.134	83.73		
0+211.74	HYD	86.222	83.62		
0+214.68	VB	86.298	83.50		
0+218.12	11 1/4 BEND	86.328	83.63		
0+218.27	200-150RED	86.39	83.99		
0+219.72	TEE	86.419	84.02		
0+222.04	V BEND	86.444	84.04		
0+222.29	V BEND	86.446	83.30		
0+224.59	V BEND	86.453	83.30		
0+224.84	V BEND	86.454	84.05		
B 0+000.00	VB	86.700	84.30		

JEANNE D'ARC BLVD



REFER TO DWG C-002 FOR REMOVALS PLAN
(REMOVALS/ABANDONMENTS HAVE BEEN TURNED OFF FROM THE SERVICING PLAN)




CLIENT
NORTH AMERICAN DEVELOPMENT GROUP

COPYRIGHT
This drawing has been prepared solely for the intended use. Any reproduction or distribution for any purpose other than that authorized by IBI Group is forbidden. When dimensions shall have precedence over scaled dimensions, the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.


IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.

ISSUES	No.	DESCRIPTION	DATE
	1	ISSUED FOR CITY REVIEW	2023-02-06
	2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS.



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.
Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Paterson Group
Traffic:
IBI Group
Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levetek Consultants Inc.



SEAL

IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
Tel 613 225 5111 Fax 613 225 5868
ibigroup.com


PROJECT
ORLEANS GARDENS
1615 ORLEANS BOULEVARD

PROJECT NO:
122764
DRAWN BY:
A.B. / E.H.
PROJECT MGR:
R.M.
CHECKED BY:
D.G.Y.
APPROVED BY:
D.G.Y.

SHEET TITLE
GENERAL PLAN OF SERVICES

SHEET NUMBER
C-001
ISSUE
2

CITY PLAN NO. 18981
FILE LOCATION: \\112764_OrleansGardens\7_0_Production\7_3_Design\04_OrleansGardens\7_001_GENERAL PLAN OF SERVICES.dwg
Last Saved: September 6, 2023, 2:15:35 PM by Eric Henne
Printed: Wednesday, September 6, 2023, 2:15:35 PM by Eric Henne



CLIENT
**NORTH AMERICAN
DEVELOPMENT GROUP**


COPYRIGHT
This drawing has been prepared solely for the intended use. Any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general concurrence before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies

ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS



CONSULTANTS

Project Coordinator:
North American Development Group

Site Plan Architect:
Q4 Architects Inc.


Surveyor:
Fairhall, Moffatt and Woodland Ltd.

Geotechnical:
Paterson Group

Traffic:
IBI Group

Electrical:
Hammerschlag & Joffe Inc.

Landscape:
Levstek Consultants Inc.



IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225 1311 fax 613 225 5866
ibigroup.com

PROJECT
ORLEANS GARDENS
1615 ORLEANS BOULEVARD

PROJECT NO:
122764

DRAWN BY:
A.B. / E.H.

CHECKED BY:
D.G.Y.

PROJECT MGR:
R.M.

APPROVED BY:
D.G.Y.


SHEET TITLE
REMOVAL PLAN

SHEET NUMBER
C-002

ISSUE
2

REMOVALS LEGEND

- REMOVAL
- ⊗ ADJUST MANHOLE, VALVES
- ⊠ ADJUST CATCH BASIN
- ⊙ ADJUSTMENT BY BELL OR HYDRO APPROVED CONTRACTOR
- ✕ REMOVE OR ABANDON SEWER, WATERMAIN, UTILITY, CURB RETURNS
- ⌋ PLUG
- DRY GRIND EXISTING ASPHALT. AVERAGE DEPTH 50mm.
- FULL DEPTH ASPHALT REMOVAL
- AREA TO BE CLEARED AND GRUBBED
- REMOVAL OF BUILDINGS, FOUNDATIONS, SEPTIC SYSTEM AND WELL.
- REMOVALS OF CONCRETE/ ASPHALT SIDEWALK




CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026
Last Saved: September 1, 2023, by Ehenrie
Plot: Wednesday, September 6, 2023 2:10:03 PM by Eric Henrie

COPYRIGHT
This drawing has been prepared solely for the intended use. Any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. When dimensions shall have precedence over scaled dimensions, Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general concurrence before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.


No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.

Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Pateron Group
Traffic:
IBI Group

Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levstek Consultants Inc.



SEAL

IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225 1311 fax 613 225 9868
ibigroup.com

PROJECT
ORLEANS GARDENS

1615 ORLEANS BOULEVARD

PROJECT NO:
122764
DRAWN BY:
A.B. / E.H.
CHECKED BY:
R.M./D.G.Y.
PROJECT MGR:
R.M.
APPROVED BY:
D.G.Y.

SHEET TITLE
GENERAL NOTES, LEGEND AND CB DATA TABLE

SHEET NUMBER
C-010
ISSUE
2

NOTES :

- ALL MATERIALS AND CONSTRUCTION IS TO BE IN ACCORDANCE WITH THE CURRENT CITY OF OTTAWA STANDARD DRAWINGS & SPECIFICATIONS OR OPSD/OPSS IF CITY DRAWINGS AND SPECIFICATIONS DO NOT APPLY.
- THE POSITION OF UNDERGROUND AND ABOVEGROUND SERVICE, UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH SERVICE, UTILITIES AND STRUCTURES IS NOT GUARANTEED. THE CONTRACTOR IS RESPONSIBLE FOR DETERMINING THE EXACT LOCATION, SIZE, MATERIAL AND ELEVATION OF ALL EXISTING SERVICES AND UTILITIES PRIOR TO CONSTRUCTION.
- THE CONTRACTOR SHALL REPORT ALL CONFLICTS, DISCOVERIES OF ERROR AND DISCREPANCIES TO THE ENGINEER.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PROTECT AND ASSUME RESPONSIBILITY FOR ALL UTILITIES WHETHER OR NOT SHOWN ON THESE DRAWINGS.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PROTECT ALL LANDS BEYOND THE SITE LIMITS. ANY AREAS BEYOND THE SITE LIMITS, WHICH ARE DISTURBED DURING CONSTRUCTION, SHALL BE REPAIRED AND RESTORED TO ORIGINAL CONDITION OR BETTER, TO THE SATISFACTION OF THE ADJACENT LAND OWNER, THE OWNER, THE OWNERS REPRESENTATIVES AND/OR THE AUTHORITY HAVING JURISDICTION AT THE EXPENSE OF THE CONTRACTOR.
- WHERE NECESSARY, THE CONTRACTOR SHALL IMPLEMENT A TRAFFIC MANAGEMENT PLAN TO THE SATISFACTION OF THE CITY OF OTTAWA. ALL CONSTRUCTION SIGNAGE MUST CONFORM TO THE LATEST VERSION OF THE M.T.O. MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES. ALL TEMPORARY TRAFFIC CONTROL MEASURES MUST BE REMOVED UPON THE COMPLETION OF THE WORKS.
- SHOULD ANY BURIED ARCHAEOLOGICAL REMAINS BE FOUND ON THE PROPERTY DURING CONSTRUCTION ACTIVITIES, THE CONTRACTOR SHALL NOTIFY THE OWNER TO CONTACT THE HERITAGE OPERATIONS UNIT OF THE ONTARIO MINISTRY OF CULTURE. MUST BE NOTIFIED IMMEDIATE, AND WORK WITHIN THE AREA SHALL BE CEASED UNTIL FURTHER NOTICE.
- FOR GEOTECHNICAL INFORMATION REFER TO GEOTECHNICAL REPORT PG3088-1 PREPARED BY PATERSON GROUP INC.
- FOR SITE PLAN INFORMATION, REFER TO SITE PLAN NETWORK BY Q4 ARCHITECTS INC.
- FOR NOISE ATTENUATION PLAN REFER TO N1 PREPARED BY IBI GROUP.
- THESE DRAWINGS ARE NOT TO BE SCALED OR USED FOR LAYOUT PURPOSES.
- ROADWAY SECTIONS REQUIRING GRADE RAISE TO PROPOSED SUB GRADE LEVEL TO BE FILLED WITH ACCEPTABLE NATIVE EARTH BORROW OR IMPORTED OPSS SELECTED SUBGRADE MATERIAL. IF NATIVE MATERIAL IS DEFICIENT AS PER RECOMMENDATION OF GEOTECHNICAL ENGINEER.
- IN AREAS WHERE EXISTING GROUND IS BELOW THE PROPOSED ELEVATION OF SEWER AND WATERMANS, GRADE RAISING AND FILLING IS TO BE IN ACCORDANCE WITH THE RECOMMENDATIONS OF THE GEOTECHNICAL REPORT. AS PER CITY GUIDELINES ALL WATERMANS IN FILL AREAS ARE TO BE TIED WITH RESTRAINING JOINTS AND THRUST BLOCKS.
- REFER TO DRAWING C-011 FOR ROADWAY CROSS SECTIONS (IF APPLICABLE).
- THE CONTRACTOR SHALL IMPLEMENT THE EROSION AND SEDIMENT CONTROL PLAN PRIOR TO THE COMMENCEMENT OF ANY SITE CONSTRUCTION. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED TO THE SATISFACTION OF THE ENGINEER, OR ANY REGULATORY AGENCY. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE MAINTAINED UNTIL VEGETATION IS ESTABLISH OR UNTIL THE START OF A SUBSEQUENT PHASE.
- CONTRACTORS SHALL BE RESPONSIBLE FOR KEEPING CLEAN ALL ROADS WHICH BECOME COVERED IN DUST, DEBRIS AND/OR MUD AS A RESULT OF ITS CONSTRUCTION OPERATIONS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY ADDITIONAL BEDDING OR ADDITIONAL STRENGTH PIPE SHOULD THE MAXIMUM OPSD TRENCH WIDTH BE EXCEEDED.
- ALL PIPE, CULVERTS, STRUCTURES REFER TO NOMINAL INSIDE DIMENSIONS.
- SHOULD CLAY SEALS BE REQUIRED, THEY SHALL BE INSTALLED AS PER THE RECOMMENDATIONS WITHIN THE GEOTECHNICAL REPORT.
- UNLESS SPECIFICALLY NOTED OTHERWISE, PIPE MATERIALS SHALL BE AS FOLLOWS:
-WATERMANS TO BE PVC DR19
-SANITARY SEWER TO BE PVC DR35
-PERFORATED STORM SEWERS IN REAR YARDS AND LANDSCAPE AREAS TO BE HDPE
-STORM SEWERS 375MM DIAMETER AND LESS TO BE PVC DR35
-STORM SEWERS 450MM DIAMETER AND GREATER TO BE CONCRETE, CLASS AS PER OPSD 807.010 OR 807.030, OR HIGHER
- ALL CONNECTIONS TO EXISTING WATERMANS ARE TO BE COMPLETED BY CITY FORCES. CONTRACTOR IS TO EXCAVATE, BACKFILL, COMPACT AND REINSTATE.
- ANY WATERMAIN WITH LESS THAN 2.4M, AND ANY SEWER WITH LESS THAN 2.0M DEPTH OF COVER REQUIRES THERMAL INSULATION AS PER CITY OF OTTAWA STANDARD W22, OR AS APPROVED BY THE ENGINEER.
- ALL FIRE HYDRANTS AS PER CITY STANDARD W19, c/w 150mmØ LEAD UNLESS OTHERWISE SPECIFIED.
- ALL STUBBED SEWERS SHALL HAVE PRE-MANUFACTURED CAPS INSTALLED.
- ALL CATCHBASINS SHALL HAVE A 600MM SUMP. ALL CATCHBASIN MANHOLES, AND ALL STORM MANHOLES WITH OUTLETTING PIPE SIZES LESS THAN 900MM, SHALL HAVE A 300MM SUMP.
- ALL SANITARY MANHOLES SHALL BE EQUIPPED WITH A WATERTIGHT COVER.
- ALL LEADS FOR STREET CATCHBASINS AND CURB INLET CATCHBASINS CONNECTED TO MAIN SHALL BE 200MMØ PVC DR35 @ MIN 2% SLOPE UNLESS NOTED OTHERWISE. ALL LEADS FOR RYCB'S CONNECTED TO MAIN SHALL BE 200MMØ PVC DR35 @ MIN 1% SLOPE UNLESS NOTED OTHERWISE.
- UNLESS SPECIFICALLY NOTED OTHERWISE, ALL STREET CATCHBASINS SHALL BE INSTALLED WITH TWO - 3.0M MINIMUM SUBDRAINS INSTALLED LONGITUDINALLY, PARALLEL WITH THE CURB. ALL CATCHBASINS IN ASPHALT AREAS, NOT ADJACENT TO A CURB, SHALL BE INSTALLED WITH FOUR - 3.0M MINIMUM SUBDRAINS INSTALLED ORTHOGONALLY.
- INLET CONTROL DEVICES SHALL BE INSTALLED PRIOR TO COMPLETING THE ROAD BASE (GRANULAR A).
- ALL SEWER SERVICE LATERALS WITH MAINLINE CONNECTIONS DEEPER THAN 5.0M REQUIRE A CONTROLLED SETTLEMENT JOINT.
- EACH BUILDING SHALL BE EQUIPPED WITH A SANITARY AND STORM SEWER BACKWATER VALVE AND CLEAN-OUT ON ITS PRIMARY SERVICE, AS PER ONTARIO BUILDING CODE REQUIREMENTS (BY OTHERS).
- THE SUBGRADE OF ALL STRUCTURES, PIPE, ROADS, SIDEWALKS, WALKWAYS, AND BUILDINGS SHALL BE INSPECTED BY THE GEOTECHNICAL ENGINEER PRIOR TO PROCEEDING WITH CONSTRUCTION.
- TOP COURSE ASPHALT SHALL NOT BE PLACED UNTIL THE FINAL CCTV INSPECTION AND NECESSARY REPAIRS HAVE BEEN COMPLETED TO THE SATISFACTION OF THE ENGINEER AND THE CITY OF OTTAWA.
- ALL RETAINING WALLS GREATER THAN 1.0M IN HEIGHT SHALL BE DESIGNED BY A QUALIFIED STRUCTURAL ENGINEER.
- ALL RETAINING WALLS GREATER THAN 0.6M IN HEIGHT REQUIRE A GUARD. ANY GUARD ON A RETAINING WALL GREATER THAN 1.0M IN HEIGHT SHALL BE DESIGNED BY THE QUALIFIED STRUCTURAL ENGINEER RESPONSIBLE FOR THE WALL DESIGN.
- UPON COMPLETION OF THE RETAINING WALL, THE CONTRACTOR SHALL REQUEST A PERFORMANCE CERTIFICATE FROM THE QUALIFIED ENGINEER RESPONSIBLE FOR THE WALL DESIGN.

STRUCTURE ID	STORM AREA ID	STRUCTURE	FRAME & COVER	ELEVATION		OUTLET PIPE		
				TOP OF GRATE	INVERT		DIAMETER (mm)	TYPE
					INLET	OUTLET		
CB03	CB03	OPSD 705.010	S19	86.30	84.73	375	PVC DR35	
CB06	EXMH11	OPSD 705.010	S19	86.16	84.76	200	PVC DR35	
CB07		OPSD 705.010	S19	86.18	84.78	200	PVC DR35	
CB08		OPSD 705.010	S19	86.13	84.56	375	PVC DR35	
CB12	MH12	OPSD 705.010	S19	86.17	84.77	200	PVC DR35	
CB13		OPSD 705.010	S19	86.17	84.77	200	PVC DR35	
CB15	CB14-3	OPSD 705.010	S19	86.21	84.81	200	PVC DR35	
CB16		OPSD 705.010	S19	86.21	84.81	200	PVC DR35	
CB17		OPSD 705.010	S19	86.10	84.70	200	PVC DR35	
CB18	MH10	OPSD 705.010	S19	86.11	84.71	200	PVC DR35	
CB19		OPSD 705.010	S19	86.45	85.05	200	PVC DR35	
EXCB10	EXMH49-2	OPSD 705.010	S19	86.40	84.40	200	PVC DR35	
EXCB103	EX02	OPSD 705.010	S19	85.75	83.75	300	PVC DR35	
EXCB11	EXMH49-1	OPSD 705.010	S19	86.37	84.17	200	PVC DR35	
EXCB14	EXMH49	OPSD 705.010	S19	86.26	84.86	200	PVC DR35	

Pipe Interference Table			
Crossing No.	PIPE 1	PIPE 2	Clearance
1	STM Bottom 84.825	WM Top 84.111	0.714
2	WM Bottom 84.026	STM Top 83.161	0.864
3	SAN Bottom 84.121	Top 83.621	0.500
4	WM Bottom 83.945	Top 83.401	0.543
5	STM Bottom 83.801	Top 83.300	0.501
6	SAN Bottom 84.442	Top 83.898	0.500
7	WM Bottom 84.319	Top 83.898	0.421
8	SAN Bottom 84.080	Top 83.583	0.497
9	STM Bottom 83.601	Top 82.970	0.631
10	SAN Bottom 84.322	Top 83.905	0.417
11	SAN Bottom 84.328	Top 84.010	0.318
12	STM Bottom 84.750	Top 84.194	0.556
13	STM Bottom 84.709	Top 82.744	1.965
14	STM Bottom 84.720	Top 84.168	0.552
15	STM Bottom 83.876	Top 83.623	0.253
17	SAN Bottom 83.947	Top 82.762	1.185
18	SAN Bottom 84.378	Top 83.737	0.641
19	SAN Bottom 84.113	Top 83.768	0.345
20	SAN Bottom 83.909	Top 82.726	1.183
21	SAN Bottom 84.122	Top 83.431	0.691
22	SAN Bottom 84.130	Top 83.154	0.976

GENERAL LEGEND

- LIMIT OF CONSTRUCTION
- - - PHASING LINE
- BARRIER CURB
- MOUNTABLE CURB
- DEPRESSED BARRIER CURB
- CONCRETE SIDEWALK
- TACTILE WALKING SURFACE INDICATOR
- ASPHALT SIDEWALK / PATHWAY
- Bus Stop Concrete / Asphalt

SERVICING LEGEND


- MH118A SANITARY MANHOLE
- 200mmØ SAN SANITARY SEWER
- MH109 STORM MANHOLE
- 825mmØ STM STORM SEWER - LESS THAN 900Ø
- 900mmØ STM STORM SEWER - 900Ø AND GREATER
- 200Ø WATERMAIN WATERMAIN
- CB100 STREET CATCHBASIN C/W TOP OF GRATE
- CICB101 CURB INLET CATCHBASIN C/W GUTTER GRADE
- GG 104.25 DOUBLE CATCHBASIN C/W TOP OF GRATE
- DCB100 DOUBLE CURB INLET CATCHBASIN C/W GUTTER GRADE
- GG 104.25 DITCH INLET MANHOLE C/W TOP OF GRATE
- D101 CATCHBASIN MANHOLE C/W TOP OF GRATE
- TIG 103.59 REAR YARD CATCHBASIN IN ROAD CONNECTING STRUCTURE C/W SOLID GRATE
- RYCB TIG 104.35 REAR YARD "TEE" CATCHBASIN (300Ø) C/W TOP OF GRATE AND INVERT OUT
- TIG 104.35 REAR YARD "END" CATCHBASIN (300Ø) C/W TOP OF GRATE AND INVERT OUT
- TIG 104.50 REAR YARD "CUSTOM ANGLED" CATCHBASIN (450Ø) C/W TOP OF GRATE AND INVERT OUT
- TIG 104.35 REAR YARD "THREE WAY" CATCHBASIN (450Ø) C/W TOP OF GRATE AND INVERT OUT
- PERFORATED REAR YARD SUBDRAIN
- 300mmØ CSP CSP CULVERT C/W DIAMETER
- V&VB VALVE AND VALVE BOX
- V&VC VALVE AND VALVE CHAMBER
- PARK VALVE CHAMBER C/W SERVICE POST
- HYD 104.35 FIRE HYDRANT C/W BOTTOM OF FLANGE ELEVATION
- WATERMAIN REDUCER
- VERTICAL BEND LOCATION
- SIAMESE CONNECTION (IF REQUIRED)
- METER (IF REQUIRED)
- REMOTE METER (IF REQUIRED)
- WATERMAIN IDENTIFICATION (IF REQUIRED)
- PIPE CROSSING IDENTIFICATION (IF REQUIRED)
- SINGLE SERVICE LOCATION
- DOUBLE SERVICE LOCATION
- INFERRED REFUSAL (SEE GEOTECHNICAL REPORT)
- HGL 101.79 100 YEAR STORM HYDRAULIC GRADE LINE AT MANHOLE
- UNDERSIDE OF FOOTING ELEVATION
- CLAY SEAL IN SEWER / WATERMAIN TRENCH

LEGEND - FAIRHALL, MOFFATT & WOODLAND LTD.

- Ø DIA. - DIAMETER
- CB - CATCH BASIN
- MH - MANHOLE
- WMH - WATER MANHOLE
- TMH - TRAFFIC MANHOLE
- STMH - STORM MANHOLE
- SMH - SANITARY MANHOLE
- CB/MH - CATCH BASIN/MANHOLE
- WV - WATER VALVE
- SIGN - SIGN
- GAS METER
- TRAFFIC LIGHT
- FIRE HYDRANT
- HAND HOLE
- BORE HOLE
- BOLLARD
- LAMP STANDARD
- CONIFEROUS TREE
- DECIDUOUS TREE
- HANDICAPPED PARKING
- WATER
- UNDERGROUND HYDRO
- UNDERGROUND BELL
- GAS
- STORM SEWER
- SANITARY
- CURB
- INTERLOCKING BRICK

REMOVALS LEGEND

- REMOVAL
- ADJUST MANHOLE, VALVES
- ADJUST CATCH BASIN
- ADJUSTMENT BY BELL OR HYDRO APPROVED CONTRACTOR
- ✕ REMOVE OR ABANDON SEWER, WATERMAIN, UTILITY, CURB RETURNS
- ⌋ PLUG
- DRY GRIND EXISTING ASPHALT. AVERAGE DEPTH 50mm.
- FULL DEPTH ASPHALT REMOVAL
- AREA TO BE CLEARED AND GRUBBED
- REMOVAL OF BUILDINGS, FOUNDATIONS, SEPTIC SYSTEM AND WELL
- REMOVALS OF CONCRETE/ ASPHALT SIDEWALK




CLIENT
**NORTH AMERICAN
DEVELOPMENT GROUP**

COPYRIGHT
This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general concurrence before proceeding with fabrication.


IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.

ISSUES		
No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS.



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.
Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Paterson Group
Traffic:
IBI Group
Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levstek Consultants Inc.



IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225 1311 fax 613 225 9868
ibigroup.com

PROJECT
ORLEANS GARDENS



1615 ORLEANS BOULEVARD

PROJECT NO:
122764
DRAWN BY:
A.B. / E.H.
PROJECT MGR:
R.M.
CHECKED BY:
R.M./D.G.Y.
APPROVED BY:
D.G.Y.

SHEET TITLE
STREET SECTIONS

SHEET NUMBER
C-011
ISSUE
2

GRADING LEGEND




CLIENT
NORTH AMERICAN DEVELOPMENT GROUP

COPYRIGHT
 This drawing has been prepared solely for the intended use. No reproduction or distribution for any purpose other than authorized by IBI Group is permitted. When dimensions shall have precedence over scaled dimensions, Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general concurrence before proceeding with fabrication.
IBI Group Professional Services (Canada) Inc.
 is a member of the IBI Group of companies.



ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS.



CONSULTANTS
 Project Coordinator:
 North American Development Group
 Site Plan Architect:
 Q4 Architects Inc.
 Surveyor:
 Fairhall, Moffatt and Woodland Ltd.
 Geotechnical:
 Paterson Group
 Traffic:
 IBI Group
 Electrical:
 Hammerschlag & Joffe Inc.
 Landscape:
 Levstek Consultants Inc.



IBI GROUP
 400 - 333 Preston Street
 Ottawa ON K1S 5M4 Canada
 tel 613 225 1311 fax 613 225 5868
 ibigroup.com


PROJECT
ORLEANS GARDENS
 1615 ORLEANS BOULEVARD

PROJECT NO:
 122764
DRAWN BY: A.B. / E.H.
CHECKED BY: R.M./D.G.Y.
PROJECT MGR: R.M.
APPROVED BY: D.G.Y.


SHEET TITLE
GRADING PLAN

SHEET NUMBER
C-200
ISSUE
2

JEANNE D'ARC BLVD



File Location: \\1122764_OrleansGardens\7_3_Design\04_Civil\Sheet\C-200 GRADING PLAN.dwg
 Last Saved: September 5, 2023, by E.H.
 Printed: Wednesday, September 6, 2023 2:17:37 PM by Eric Henne
CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026




CLIENT
NORTH AMERICAN DEVELOPMENT GROUP

COPYRIGHT
This drawing has been prepared solely for the intended use. No reproduction or distribution for any purpose other than authorized by IBI Group is permitted. When dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general concurrence before proceeding with fabrication.
IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.


ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.
Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Paterson Group
Traffic:
IBI Group
Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levstek Consultants Inc.



IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225 1311 fax 613 225 5866
ibigroup.com

PROJECT
ORLEANS GARDENS
1615 ORLEANS BOULEVARD

PROJECT NO:
122764
DRAWN BY:
A.B. / E.H.
PROJECT MGR:
R.M.


CHECKED BY:
D.G.Y.
APPROVED BY:
D.G.Y.

SHEET TITLE
SANITARY DRAINAGE AREA PLAN


SHEET NUMBER
C-400
ISSUE
2

LEGEND

- SANITARY TRIBUTARY OUTLINE
- AREA NUMBER
- POPULATION
- AREA (ha)



CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026
File Location: J:\122764_OrleansGardens\7_0_Production\7_3_Design\04_Civil\Sheet\C-400_SANITARY DRAINAGE AREA PLAN.dwg
Last Saved: July 19, 2023, by: Elenie
Plotted: Wednesday, September 6, 2023 2:18:08 PM by: Eric Henrie



CLIENT
NORTH AMERICAN DEVELOPMENT GROUP

COPYRIGHT
This drawing has been prepared solely for the intended use. No reproduction or distribution for any purpose other than authorized by IBI Group is permitted. IBI Group shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.
IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.

ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS.

CONSULTANTS

Project Coordinator:
North American Development Group

Site Plan Architect:
Q4 Architects Inc.

Surveyor:
Fairhall, Moffatt and Woodland Ltd.

Geotechnical:
Paterson Group

Traffic:
IBI Group

Electrical:
Hammerschlag & Joffe Inc.

Landscape:
Levstek Consultants Inc.

1:500

SEAL

IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225 1311 fax 613 225 5866
ibigroup.com

PROJECT
ORLEANS GARDENS
1615 ORLEANS BOULEVARD


PROJECT NO:
122764

DRAWN BY: A.B. / E.H.	CHECKED BY: D.G.Y.
PROJECT MGR: R.M.	APPROVED BY: D.G.Y.

SHEET TITLE
EXTERNAL SANITARY DRAINAGE AREA PLAN

SHEET NUMBER C-401	ISSUE 2
------------------------------	-------------------

CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026
Last Saved: July 19, 2023, by Eherne
Printed: Wednesday, September 6, 2023 2:18:40 PM by Eric Herne




CLIENT
NORTH AMERICAN DEVELOPMENT GROUP

COPYRIGHT
This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. When dimensions shall have precedence over scaled dimensions, Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general concurrence before proceeding with fabrication.
IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.


ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS.



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.
Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Paterson Group
Traffic:
IBI Group
Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levstek Consultants Inc.



IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225 1311 fax 613 225 5966
ibigroup.com

PROJECT
ORLEANS GARDENS
1615 ORLEANS BOULEVARD


PROJECT NO:
122764
DRAWN BY:
A.B. / E.H.
CHECKED BY:
D.G.Y.
PROJECT MGR:
R.M.
APPROVED BY:
D.G.Y.

SHEET TITLE
STORM DRAINAGE AREA PLAN

SHEET NUMBER
C-500
ISSUE
2

LEGEND

	STORM TRIBUTARY OUTLINE
	AREA NUMBER
	COEFFICIENT
	AREA (ha)




CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026
File Location: J:\122764_OrleansGardens\7_0_Production\7_3_Design\04_Civil\Sheet\C-500 STORM DRAINAGE AREA PLAN.dwg Last Saved: July 21, 2023, by Elvirene Printed: Wednesday, September 6, 2023 2:19:10 PM by Eric Henne



LEGEND

- STORM TRIBUTARY OUTLINE
- AREA NUMBER
- CB08
0.03 | 0.28 — COEFFICIENT
- AREA (ha)




CLIENT
NORTH AMERICAN DEVELOPMENT GROUP


COPYRIGHT
This drawing has been prepared solely for the intended use. Any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. When dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.
IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.

ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.
Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Paterson Group
Traffic:
IBI Group
Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levstek Consultants Inc.



IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225-1311 fax 613 225-5966
ibigroup.com

PROJECT
ORLEANS GARDENS


1615 ORLEANS BOULEVARD

PROJECT NO:
122764
DRAWN BY: A.B. / E.H. **CHECKED BY:** D.G.Y.
PROJECT MGR: R.M. **APPROVED BY:** D.G.Y.

SHEET TITLE
EXTERNAL STORM DRAINAGE AREA PLAN

SHEET NUMBER C-501 **ISSUE** 2

CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026
Last Saved: July 19, 2023, by Ehenie
Plotted: Wednesday, September 6, 2023 2:19:42 PM by Eric Henne




CLIENT
NORTH AMERICAN DEVELOPMENT GROUP

COPYRIGHT
This drawing has been prepared solely for the intended use, and any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. When dimensions shall have precedence over scaled dimensions, Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.
IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies.



ISSUES

No.	DESCRIPTION	DATE
1	ISSUED FOR CITY REVIEW	2023-02-06
2	REVISED AS PER NEW SITE PLAN	2023-09-06

SEE 010, 011, 012 FOR NOTES, LEGEND, CB TABLE, STREET SECTIONS AND DETAILS.



CONSULTANTS
Project Coordinator:
North American Development Group
Site Plan Architect:
Q4 Architects Inc.
Surveyor:
Fairhall, Moffatt and Woodland Ltd.
Geotechnical:
Paterson Group
Traffic:
IBI Group
Electrical:
Hammerschlag & Joffe Inc.
Landscape:
Levstek Consultants Inc.




IBI GROUP
400 - 333 Preston Street
Ottawa ON K1S 5M4 Canada
tel 613 225-1311 fax 613 225-5966
ibigroup.com

PROJECT
ORLEANS GARDENS
1615 ORLEANS BOULEVARD
PROJECT NO:
122764
DRAWN BY:
A.B. / E.H.
CHECKED BY:
R.M./D.G.Y.
PROJECT MGR:
R.M.
APPROVED BY:
D.G.Y.

SHEET TITLE
PONDING PLAN

SHEET NUMBER
C-600
ISSUE
2

JEANNE D'ARC BLVD



POND ID	CB03
TOP OF GRATE (m)	86.40
STATIC ELEV (m)	86.60
STATIC DEPTH (m)	0.20
STATIC VOLUME (m³)	9.81
100yr ELEV (m)	86.60
100yr + 20% ELEV (m)	86.62

POND ID	CBM05
TOP OF GRATE (m)	86.26
STATIC ELEV (m)	86.60
STATIC DEPTH (m)	0.34
STATIC VOLUME (m³)	79.34
100yr ELEV (m)	86.60
100yr + 20% ELEV (m)	86.62

POND ID	CB06
TOP OF GRATE (m)	86.16
STATIC ELEV (m)	86.27
STATIC DEPTH (m)	0.11
STATIC VOLUME (m³)	2.56
100yr ELEV (m)	86.27
100yr + 20% ELEV (m)	86.29

POND ID	CB07
TOP OF GRATE (m)	86.18
STATIC ELEV (m)	86.27
STATIC DEPTH (m)	0.09
STATIC VOLUME (m³)	1.67
100yr ELEV (m)	86.27
100yr + 20% ELEV (m)	86.29

POND ID	CB08
TOP OF GRATE (m)	86.13
STATIC ELEV (m)	86.43
STATIC DEPTH (m)	0.30
STATIC VOLUME (m³)	19.54
2yr ELEV (m)	86.26
100yr ELEV (m)	86.37
100yr + 20% ELEV (m)	86.41

POND ID	CB09
TOP OF GRATE (m)	86.13
STATIC ELEV (m)	86.43
STATIC DEPTH (m)	0.30
STATIC VOLUME (m³)	23.06
2yr ELEV (m)	86.26
100yr ELEV (m)	86.37
100yr + 20% ELEV (m)	86.41

POND ID	CB19
TOP OF GRATE (m)	86.45
STATIC ELEV (m)	86.52
STATIC DEPTH (m)	0.07
STATIC VOLUME (m³)	1.9
100yr ELEV (m)	86.45
100yr + 20% ELEV (m)	86.42

POND ID	CBM02
TOP OF GRATE (m)	86.10
STATIC ELEV (m)	86.40
STATIC DEPTH (m)	0.30
STATIC VOLUME (m³)	97.5
100yr ELEV (m)	86.40
100yr + 20% ELEV (m)	86.42

POND ID	CB15-16
TOP OF GRATE (m)	86.10
STATIC ELEV (m)	86.45
STATIC DEPTH (m)	0.35
STATIC VOLUME (m³)	29.26
2yr ELEV (m)	86.23
100yr ELEV (m)	86.45
100yr + 20% ELEV (m)	86.47

POND ID	CB14
TOP OF GRATE (m)	86.39
STATIC ELEV (m)	86.44
STATIC DEPTH (m)	0.06
STATIC VOLUME (m³)	1.15
100yr ELEV (m)	86.45
100yr + 20% ELEV (m)	86.47

POND ID	EXCB11
TOP OF GRATE (m)	86.37
STATIC ELEV (m)	86.51
STATIC DEPTH (m)	0.14
STATIC VOLUME (m³)	2.9
100yr ELEV (m)	86.51
100yr + 20% ELEV (m)	86.53

CITY PLAN NO. 18981
CITY FILE NO. D07-12-23-0026
Last Saved: August 30, 2023, by: Eshere - Plobst, Wednesday, September 6, 2023, 2:20:11 PM by: Eric Henne

