



GEMTEC

www.gemtec.ca

**Phase One Environmental Site Assessment
151 and 159 Wescar Lane
Carp, Ontario**

experience • knowledge • integrity



expérience • connaissance • intégrité



GEMTEC

www.gemtec.ca

Submitted to:

Sunbelt Rentals Inc. c/o Argue Construction Limited
2489 Sheffield Rd
Ottawa, ON
K1B 3V6

**Phase One Environmental Site Assessment
151 and 159 Wescar Lane
Carp, Ontario**

October 25, 2024
Project: 101676.001

GEMTEC Consulting Engineers and Scientists Limited
32 Steacie Drive
Ottawa, ON, Canada
K2K 2A9

October 25, 2024

File: 101676.001

Sunbelt Rentals Inc. c/o Argue Construction Limited
2489 Sheffield Rd
Ottawa, ON
K1B 3V6

Attention: Mr. Mark Watson

**Re: Phase One Environmental Site Assessment Update
151 and 159 Wescar Lane,
Carp, Ontario, K0A 1L0**

Enclosed is our Phase One Environmental Site Assessment Update for the above above-noted properties. The report presented herein is based on the email request to update the previously completed Phase I ESA. This report was prepared by Ester Wilson, B.Sc., GIT, with senior review completed by Mike Kosiw, B.Sc., EP, CESA_{II}, A.Ag and QP_{ESA} completed by Shaun Pelkey.

If you have any questions concerning this report or require further details, please do not hesitate to contact us.

Regards,



Mike Kosiw, B.Sc., EP, CESA_{II}
Senior Environmental Scientist



p.p
Shaun Pelkey, M.Sc.E., P.Eng. QP_{ESA}
Principal, Environmental Engineer

MK/SP/DP/DE

EXECUTIVE SUMMARY

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Sunbelt Rentals to carry out a Phase One Environmental Site Assessment (ESA) Update for the properties located at 151 and 159 Wescar Lane in Carp, Ontario (hereafter referred to as the “Site”). GEMTEC completed a previous Phase I ESA for the Site in April 2022 to Canadian Standards Association (CSA) standards for due diligence property financing purposes. It is understood that the Phase I ESA requires an update to meet the requirements of Ontario Regulation (O.Reg.) 153/04 made under the Environmental Protection Act, to support the current requirement for a Site Plan Control Application with the City of Ottawa.

The primary objective of this Phase One ESA was to identify any former or current potentially contaminating activities at the Site and within the vicinity to develop a preliminary determination of the likelihood of contamination in soil or groundwater, and to determine the need for a Phase Two ESA. The general objectives were met through the evaluation of the information gathered from the review of records and a site reconnaissance.

Based on the review of records, and Site reconnaissance, no APECs were identified at the Site at the time of this Phase One ESA. Seven PCAs were identified within the study area, but none resulted in APECs on the Site. No further environmental work is recommended at this time.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	III
1.0 INTRODUCTION.....	1
1.1 Phase One ESA Property Information.....	1
1.1.1 Phase One Study Area Determination	1
2.0 SCOPE OF THE INVESTIGATION.....	2
2.1 General Objectives	2
2.2 Records Review	2
2.3 Interview	3
2.4 Site Reconnaissance.....	3
3.0 RECORDS REVIEW	3
3.1 General.....	3
3.1.1 First Developed Use Determination	3
3.1.2 Fire Insurance Plans	3
3.1.3 Historical Reports	3
3.1.4 Environmental Source Records and Databases	4
3.2 Regulatory Information	8
3.2.1 Technical Standards and Safety Authority	8
3.2.2 Mapping of Federally Contaminated Sites	8
3.2.3 Ontario Inventory of PCB Storage Sites.....	9
3.2.4 Landfills	9
3.3 Physical Setting Sources.....	9
3.3.1 Aerial Photographs.....	9
3.3.2 Topography, Hydrology and Geology.....	10
3.3.3 Fill Materials	10
3.3.4 Water Bodies and Areas of Natural Significance	10
3.3.5 Well Records	10
4.0 INTERVIEWS.....	11
5.0 SITE RECONNAISSANCE	11
5.1 General Requirements	11
5.1.1 Site Photographs.....	11
5.1.2 On-Site Observations	12
5.2 Specific Observations within the Study Area.....	12
5.2.1 Services.....	12
5.2.2 Water Bodies and Areas of Natural Significance	12
5.2.3 Surrounding Properties	12
5.3 Unidentified Substances.....	13

5.4	Odours.....	13
5.5	Stained Materials and Stressed Vegetation	13
5.6	Watercourses, Ditches or Standing Water	13
6.0	REVIEW AND EVALUATION OF INFORMATION	13
6.1	Potentially Contaminating Activities.....	13
6.2	Areas of Potential Environmental Concern.....	14
6.2.1	Discussion of Uncertainty	15
7.0	CONCLUSIONS AND RECOMMENDATIONS.....	15
8.0	REFERENCES.....	16
9.0	LIMITATIONS OF LIABILITY	17
10.0	CLOSURE.....	18

LIST OF TABLES

Table 3.1:	ERIS Report Summary	5
Table 3.2:	Summary of Aerial Photograph Review	9
Table 5.1:	Summary of Site Photographs	11
Table 6.1:	Summary of Potentially Contaminating Activities.....	14

LIST OF APPENDICES

Appendix A	Figures
Appendix B	Qualification of Assessors
Appendix C	Chain of Title Abstract
Appendix D	ERIS Report
Appendix E	TSSA Search
Appendix F	City Directory
Appendix G	Site Photographs

1.0 INTRODUCTION

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Sunbelt Rentals Inc. to carry out a Phase One Environmental Site Assessment (ESA) Update for the properties located at 151 and 159 Wescar Lane in Carp, Ontario (hereafter referred to as the “Site”). GEMTEC completed a previous Phase I ESA for the Site in April 2022 to Canadian Standards Association (CSA) standards for due diligence property financing purposes. It is understood that the Phase I ESA requires an update to meet requirements for accordance to Ontario Regulation (O.Reg.) 153/04 made under the Environmental Protection Act, to support the current need for a Site Plan Control Application. The location of the Site and the extent of the Phase One ESA study area, including the 250 m radius buffer zone, are provided on Figure A.1, Appendix A. The Phase One ESA was conducted by GEMTEC staff members whose qualifications are provided in Appendix B.

The Site has municipal addresses of 151 and 159 Wescar Lane, Ottawa (Carp), Ontario. It is bound to the northeast by Wescar Lane, to the northwest by Cavanmore Road, to the southeast by undeveloped lands and commercial properties, and to the southwest by undeveloped land followed by agricultural fields.

1.1 Phase One ESA Property Information

The legal description for 151 and 159 Wescar Lane in Ottawa (Carp), Ontario are, respectively:

- PCL 31-6, SEC 4M-356; PT BLK 31, PL 4M-356, PTS 16 & 17, 4R10176; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0077; and
- PCL 31-1, SEC 4M-356; PT BLK 31, PL 4M-356, EXCEPT 4R7471 & 4R10176; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0078

The two properties comprising the Site are both presently owned by Auscan Development Inc. as of 2019. The contact person for the Site at the time of this reporting is Mr. Mark Watson.

1.1.1 Phase One Study Area Determination

The Site has an area of approximately 4.6 hectares (11.5 acres) and is located at 151 and 159 Wescar Lane in Ottawa (Carp), Ontario. The Site has been historically undeveloped since sometime prior to 1976. A parking lot is present on the Site at 159 Wescar Lane in 2017.

Historical land use in the study area, within 250 meters (m) from the exterior property boundaries, was predominantly agricultural, with rural residential development followed by rural general industrial development beginning sometime between 1976 and 1999. Based on this information, a study area of 250 m surrounding the Site is deemed sufficient for the purpose of this Phase One ESA.

2.0 SCOPE OF THE INVESTIGATION

2.1 General Objectives

The Phase One ESA was conducted in general accordance with O.Reg. 153/04, and current industry standards. The general objectives of the Phase One ESA were:

- To develop a preliminary determination of the likelihood of contamination in soil or groundwater at the Site; and,
- To determine the need for a Phase Two ESA.

The general objectives were met through the evaluation of the information gathered from the review of records and available documents, an interview and a site reconnaissance. Specific objectives for these components and the tasks completed to achieve these objectives are described below.

2.2 Records Review

In order to identify actual or potential sources of contamination within the study area, a review of information from the following sources was conducted:

- Bedrock and Overburden Geology Maps – Overburden and bedrock geology maps provided by Natural Resources Canada were reviewed in order to identify the underlying soil deposits and bedrock types.
- Title Abstract – A chain of title abstract for the Site was obtained through Environmental Risk Information Services Ltd. (ERIS), the land title search from the historical report was also reviewed and summarized as part of this report. A copy of the Title search is provided in Appendix C.
- ERIS Databases – The ERIS report searches 73 public and private information databases to identify potential environmental concerns. An ERIS report was obtained for the Site and a 250-metre-buffer surrounding the Site. A copy of the ERIS Report is provided in Appendix D.
- A records search was requested from the Technical Standards and Safety Authority (TSSA) in February 2022 for the Site and the adjacent. The TSSA search results are provided in Appendix E.
- GeoOttawa and Google Earth Aerial Photographs – Aerial photographs of the Site from the years 1976, 1999, 2002, 2011, and 2017 were obtained from GeoOttawa and 2021 from Google Earth. The aerial photographs were reviewed for the Site and study area. The photographs were reviewed to identify areas of potential environmental concern resulting from historical land uses on the Site and surrounding areas. Google Earth and GeoOttawa aerials are not included as part of this report due to copyright limitations.
- Fire Insurance Maps and Reports – No fire insurance plans were available for the Site.
- City Directories – A City Directory Report was requested from LGI for the Site and surrounding properties within the study area for 1992-2011. Only some of the requested

addresses were in LGI's internal city directory library; therefore, not all properties within 250 metres of the Site's property boundaries could be included as part of the City Directory results due to restrictions related to the COVID pandemic and obtaining records. A copy of the City Directory Reports is provided in Appendix F.

- “*Mapping of Federally owned Contaminated Sites*” website prepared by Treasury Board of Canada Secretariat was reviewed.
- “*Ontario Inventory of PCB Storage Sites*” dated January 1992 and prepared by Ontario Ministry of the Environment (Waste Management Branch) was reviewed.
- “*Small Landfill Sites List*” and “*Large landfill sites map*” websites prepared by the Ontario Ministry of the Environment, Conservation, and Parks were reviewed.

2.3 Interview

No interview was completed for this Phase One ESA as the Site is currently vacant and undeveloped.

2.4 Site Reconnaissance

The Site was visually assessed to document current conditions and to evaluate the potential for environmental impacts to on-site soil and groundwater. The Site was also inspected to identify if any possible preferential pathways such as underground utilities exist on the Site that may affect the fate, transport and distribution of contaminants. Adjacent and neighbouring properties within the study area were assessed from publicly accessible boundaries to evaluate the potential for environmental impacts to the Site.

Photographs taken to support observations are provided in Appendix G.

3.0 RECORDS REVIEW

3.1 General

3.1.1 First Developed Use Determination

Based on the review of selected historical aerial photographs, the Site was undeveloped from at least 1976 to at least 2017. However, the neighbouring properties at 181 and 173 Wescar Lane exhibit the development of a large parking lot in the 2021 aerial photo.

3.1.2 Fire Insurance Plans

No fire insurance plans were available for the Site.

3.1.3 Historical Reports

As part of the request for proposal, Sunbelt Rentals Inc. and the property owner were asked to provide any additional reports previously completed for the Site; however, no reports were provided for GEMTEC's review.

3.1.4 Environmental Source Records and Databases

3.1.4.1 Chain of Title

A chain of title abstract was obtained through ERIS, and is included in Appendix C. The legal description for 151 and 159 Wescar Lane in Ottawa (Carp), Ontario are respectively:

- PCL 31-6, SEC 4M-356; PT BLK 31, PL 4M-356, PTS 16 & 17, 4R10176 ; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0077; and
- PCL 31-1, SEC 4M-356; PT BLK 31, PL 4M-356, EXCEPT 4R7471 & 4R10176; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0078

The highlights of the chain of title search are described below:

- The Site (both properties) was held by the Corporation of the Township of West Carleton from at least 1982 until 2019;
- 151 Wescar Lane: Auscan Development Inc. purchased the Site from AllereX Laboratory Ltd. in July 2019; and
- 159 Wescar Lane: 1055733 Ontario Limited purchased this property from Pro-Tec Ltd in November 1999. AllereX Laboratory Ltd. sold the property to Auscan Development Inc. in July 2019, after which AllereX Laboratory Ltd. subsequently repurchased the property and is the current owner.

No potentially contaminating activities (PCAs) were identified from the review of the title search.

3.1.4.2 ERIS Database Report

GEMTEC contracted ERIS to conduct a search of 73 public and private information databases for the Site and the study area. The search results included records of waste generators, permits to take water, historic fuel storage tanks, The complete ERIS report, including a list of databases searched, is provided in Appendix D. All listings were reviewed, and the highlights are provided in Table 3.1.

Table 3.1: ERIIS Report Summary

Address/Location	Distance from Site	PCA ID	Company/Name	Database	Description
162 Wescar Lane	51 m northeast	N/A	NU-TEK SIGNS INC	GEN	Registered hazardous waste generator of aromatic solvents from 1996 to 2001.
1- 144 Wescar Lane	58 m north-northeast	N/A	6920055 Canada Inc.	GEN	Registered hazardous waste generator of pathological wastes in 2007 to 2015, 2018, and 2019.
168 Wescar Lane	Approximately 90 m northeast	43. Plastics (including Fibreglass) Manufacturing and Processing	Kerr Design Ltd.	SCT	Two records list as manufacturer of all other plastic product manufacturing and engineering services, established in 2002.
			& Competition Composites Inc.	GEN	Registered as generator of aromatic solvents and petroleum distillates in 2014, 2015.
135 Cardevco Rd.	120 m east	N/A	Capital Dedicated Logistics Premier Bus Lines Inc. Carp	GEN	Registered generator of waste oils and lubricants in 2009, 2010 and 2011. Registered as a generator of waste crankcase oils and lubricants as of July 2020 and January 2021 and November 2021.
153 Cardevco Rd Unit 2	125 m east northeast	N/A	Thunderbolt Contracting	GEN	Registered generator of in 2014 and 2015 for waste oils and lubricants, petroleum distillates and aliphatic solvents.
135 Cardevco Rd	124 m east	58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Capital Dedicated Logistics Inc.	EASR	Registered waste management system storage yard in 2017 for commercial waste, non-hazardous solid industrial waste, contaminated soil and non-hazardous spill cleanup material.

Address/Location	Distance from Site	PCA ID	Company/Name	Database	Description
145 Cardevco Road	127.5 m northeast	40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Thunderbolt Contracting Inc.	PES	Registered as a pesticide operator.
180 Wescar Lane	129.3 m northeast	N/A	Allerex Laboratory Ltd.	GEN	Registered as a generator of pathological wastes in 1999 to 2001.
180 Wescar Lane	135.4 m northeast	N/A	ServiceMaster Ottawa DR	GEN	Registered generator of pathological wastes as of November 2021.
117 Wescar Lane	135.4 m northeast	N/A	ServiceMaster Ottawa DR 1278439 Ontario Ltd.	GEN	Waste class 252–waste oils and lubricants approved in 2009, 2013, 2014,2015,2016 and 2018. Registered generator of waste oils and lubricants in 2009.
123 Cardevco Road	148.9 m east	10. Commercial Autobody Shops 58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Akman Construction Inc.	GEN EASR	Registered generator of waste oils and lubricants in 2013 to 2016, crankcase oils and lubricants as of December 2018, July 2020 and November 2021 from general automotive repair. Registered in August 2018 as a waste management storage yard for waste of domestic sources, leaf/yard waste, commercial waste, wood waste, non-hazardous solid industrial waste, contaminated soil and non-hazardous spill clean-up waste
139 Cardevco Road	167.6 m East	N/A	ONTRAC Equipment Services	GEN	Registered in 1998 to 1999 as a generator of aliphatic solvents, petroleum distillates, light fuels and waste oils and lubricants.
107 Wescar Lane	187.5 m southeast	N/A	Line X of Ottawa	GEN	Registered in 2014 to 2016 as a generator of polymeric resins and oil skimmings and sludges; and as of December 2018, July 2020 and November 2021 for generation of polymeric resins, petroleum-based waste oils and sludges and petroleum distillates.

Address/ Location	Distance from Site	PCA ID	Company/ Name	Database	Description
142 Cardevco Road	211.0 m northeast	43. Plastics (including Fibreglass) Manufacturing and Processing	Bytown Mouldings Inc.	SCT	Registered as a manufacturer of plastic products, metal window and door manufacturing and other millwork.
		28. Gasoline and Associated Products Storage in Fixed Tanks	WO Stinson & Son Ltd. 2299663 Ontario Ltd	FSTH GEN	Two double wall ASTs for gasoline, each with a capacity of 2270 L, were installed in 2002 at a private self-serve fuel outlet and were active in 2007 and 2008. Registered in 2012,2013 2014,2015,2016,2018 and 2020 as a manufacturer of miscellaneous fabricated metal and a generator of waste including acid waste, aliphatic solvents, waste oils & lubricants and alkaline wastes-other metals.
171 Cardevco Rd	220.7 m northeast	34. Metal Fabrication	Harris Rebar - Div. of Harris	SCT	Registered in 1954 for ornamental and architectural metal product manufacturing, concrete reinforcing bar manufacturing and all other miscellaneous fabricated metal product manufacturing.
	220.7 m northeast			GEN	Registered in 2010, 2012, 2013,2014, 2015, 2016, 2018, 2019 and 2020 as a generator of waste class 252 –waste oils and lubricants, waste class 263- organic laboratory chemicals, waste crankcase oils and chemicals, mics. Waste organic chemicals, waste oils/sludges (petroleum bases), and petroleum distillates. Registered in November 2021 as a generator of waste compressed gases including cylinders, misc. waste organic chemicals, and waste crankcase oils and lubricants (252 L and 252 T).
132 Cardevco Rd	220 m east	10. Commercial Autobody Shops	G P Service Station Maintenance	GEN	Registered in 1988 to 1990, 1992 to 1998 as a generator of petroleum distillates and waste oils and lubricants, from 1999 to 2001 for generating petroleum distillates, light fuels, oil skimmings and sludges, and waste oils and lubricants; from 2004 to 2012 for generating light fuels; 2013 to 2016 for waste oils and lubricants and light fuels, 2018, for light fuels and waste crankcase oils and lubricants, and in 2021 for generating waste crankcase oils and lubricants.

Address/ Location	Distance from Site	PCA ID	Company/ Name	Database	Description
154 Cardevco Rd	227 m east northeast	58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Kris Jason Hodgins	GEN	Approved in July 2008 for a Waste Management provisional certificate of approval for domestic, commercial and non-hazardous solid industrial waste.
158 Cardevco Rd	248.4 m east northeast	Other: Spill	West Carleton Township ON	SPL	MOE reported spill in 1998 to the receiving medium of land and water. Contaminant cause, source and quantity were not reported.

Notes:

GEN – Ontario Regulation 347 Waste Generators Summary

FSTH – Fuel Storage Tank – Historic

SCT - Scott's Manufacturing Directory

PES - Pesticide Register

EASR - Environmental Activity and Sector Registry

3.2 Regulatory Information

3.2.1 Technical Standards and Safety Authority

The TSSA was contacted on April 17, 2023, to request available records for the Site (151 and 159 Wescar Lane, Carp, Ontario and adjacent properties including 117, 126, 131, 138, 141 and 200 Wescar Lane and 123 Cardevco Rd, Carp, ON.

The response from the TSSA indicated that no records were identified in their database of any fuel storage tanks at the subject addresses for any of the above-noted properties.

A copy of the search requests and the responses from the TSSA are provided in Appendix D.

3.2.2 Mapping of Federally Contaminated Sites

A Government of Canada, Treasury Board of Canada Secretariat, interactive map of contaminated sites was reviewed in April 2023. The database provides an inventory of over 4000 federally owned contaminated sites across the country. The database did not identify any federally owned contaminated sites within the study area.

3.2.3 Ontario Inventory of PCB Storage Sites

The Waste Management Branch of the Ontario Ministry of the Environment, Conservation and Parks (MECP) published an Ontario Inventory of PCB Storage Sites in October 1991. The publication includes information of PCB storage sites collected under O.Reg. 11/82 through MECP district and regional offices. The database did not identify any PCB storage sites within the study area.

3.2.4 Landfills

The Ontario Ministry of Environment, Conservation and Parks published maps entitled “*Small Landfill Sites List*” and “*Large landfill sites map*” published March 2014 – Updated October 2021. The publication includes information to identify old landfill sites for potential environmental considerations within the boundary of the province of Ontario. No landfills were identified within the study area.

3.2.4.1 City Directories

A review of the city directories from 1992 to 2011 was completed for the Site and several adjacent properties. All listings were reviewed, and no relevant environmental concerns were identified. In general, the city directories indicated that the surrounding area has been historically occupied by commercial, light industrial and residential land uses since at least 2002. No historical operations of potential environmental concern were identified. A copy of the city directory records is provided in Appendix F.

3.3 Physical Setting Sources

3.3.1 Aerial Photographs

Aerial photographs were obtained at regular intervals from the GeoOttawa and GoogleEarth databases as publicly available and were selected considering suitable scale for analysis and coverage area. The earliest photograph obtained was from 1976. Observations made with respect to the selected aerial photographs are summarized in Table 3.2. The aerial photographs reviewed include the following years: 1976, 1999, 2002, 2011, 2017 GeoOttawa and 2021.

Table 3.2: Summary of Aerial Photograph Review

Date	Photograph Number	Observations
1976	GeoOttawa	<ul style="list-style-type: none">The Site appears undeveloped with agricultural and undeveloped forested area along the north, east, south and west boundary of the Site.
1999 and 2002	GeoOttawa	<ul style="list-style-type: none">The Site remains undeveloped, and more trees are present on 159 Wescar Lane.The land on the opposing side of Wescar Lane to the northeast of the Site becomes commercially developed and the land southwest of the Site becomes residentially developed in the 1999 aerial photo.

Date	Photograph Number	Observations
2011	GeoOttawa	<ul style="list-style-type: none"> Residential development is present southeast of the Site. No significant changes from the 2002 aerial photograph.
2017	GeoOttawa	<ul style="list-style-type: none"> A parking lot appears on the northeast portion 159 Wescar Lane with access from Wescar Lane.
2021	GoogleEarth	<ul style="list-style-type: none"> Neighboring properties 173 and 181 Wescar Lane become developed with a parking lot in the 2021 photograph. 151 Wescar Lane remains undeveloped and 159 Wescar Lane still has the parking lot from the 2017 aerial photo.

Based on the aerial photograph review, no PCAs were identified on the Site.

3.3.2 Topography, Hydrology and Geology

The Site is at an elevation of approximately 120 metres above sea level. The surrounding topography is generally flat, sloping slightly downwards towards the northeast.

Surficial and bedrock geology maps of the area indicate that the overburden in the vicinity of the Site generally consists of coarse-textured glaciomarine deposits described as sand, gravel, minor silt and clay marine fine-grained deposits. The thickness of the overburden is approximately 5 m. The bedrock is mapped as limestone, dolostone, shale, arkose, sandstone of the Ottawa Group and Simcoe Group and the Shadow Lake Formation.

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. The topography of the Site is generally flat but slopes gradually towards the northeast. It is expected that local groundwater flow direction is to the northeast.

3.3.3 Fill Materials

No fill material was identified on the Site.

3.3.4 Water Bodies and Areas of Natural Significance

An unevaluated wetland was identified on the Site (the majority of 151 Wescar Lane and the southeast side of the southern corner of 159 Wescar Lane) according to the Heritage Information Centre (NHIC). However, no areas of natural and scientific interest (ANSIs) were identified on the Site or within the study area. The NHIC has indicated butternut to have been present within 1 kilometre of the Site (MNR, 2014).

3.3.5 Well Records

Well records available through the Ministry of the Environment Conservation and Parks (MECP) for a 350-metre radius from the centre of the Site to try and capture the study area were reviewed as part of the Phase One ESA. A total of 14 wells were identified within the study area

250 metre radius in the ERIS report. The depth to water in the well records ranged from 2.4 meters below ground surface (mbgs) to 21.0 mbgs with an average of 9.0 mbgs.

The recorded stratigraphy in the well records indicated the overburden in the area generally consists of sand, sandy-clay and gravel. Limestone bedrock was encountered at depths ranging from 6.7 mbgs to 50.6 mbgs with an average of 36.0 mbgs.

4.0 INTERVIEWS

No interview was conducted for this Phase One ESA as the Site is currently vacant and undeveloped.

5.0 SITE RECONNAISSANCE

5.1 General Requirements

A Site reconnaissance was carried out on April 11, 2023, from approximately 10:15 am to 11:00 am. The weather at the time of the Site reconnaissance was sunny with melting snow cover and approximately 10 degrees Celsius.

The Site reconnaissance was completed by Ms. Ester Wilson, B.Sc., GIT, of GEMTEC. The Site reconnaissance was carried out to determine if environmental concerns with the Site and/or surrounding property uses could be visually identified.

5.1.1 Site Photographs

Photographs of the Site were taken during the site reconnaissance to document the general condition of the Site and any areas of potential environmental concern. The relevant photographs are presented in Appendix G. A discussion of the photographs is provided in Table 5.1 below.

Table 5.1: Summary of Site Photographs

Photo Number	Photograph Orientation	Description
1	southeast	Northeastern extent of the Site (151 Wescar Lane) and Wescar Lane
2	northwest	Northeastern extent of the Site Wescar Lane and neighbouring properties to the northwest (173 and 181 Wescar Lane)
3	southwest	Overview of western portion of 151 Wescar Lane
4	southeast	Overview of southern portion of 151 Wescar Lane
5	northwest	Overview of 159 Wescar Lane
6	N/A	Season spring melt standing water on 159 Wescar Lane
7	southeast	West portion of Site look southeast at 159 and 151 Wescar Lane with a berm on the West boundary of the Site
8	northeast	Northwest extent of 159 Wescar Lane looking northeast down Cavanmore Road

5.1.2 On-Site Observations

The following observations were made during the site reconnaissance:

- The Site was vacant and undeveloped; no buildings were present;
- The ground cover across the Site was entirely clear-cut ground with soil cover and no vegetation;
- A berm was present on the southwest extent of the Site; and
- A pond of standing water (likely from seasonal snow melt) was present on 159 Wescar Lane.

No PCAs were observed on the Site during the Site reconnaissance.

5.2 Specific Observations within the Study Area

5.2.1 Services

Adjacent properties and structures in the study area are serviced with natural gas and overhead hydro. Properties use water wells and septic systems for water and sanitary purposes. It should be noted that at the time of Site reconnaissance no water supply well was observed at the Site.

5.2.2 Water Bodies and Areas of Natural Significance

A local wetland was identified directly on the Site according to the NHIC. However, no areas of natural and scientific interest (ANSIs) were identified on the Site or within the study area. The NHIC has indicated butternut to have been present within 1 kilometre of the Site (MNR, 2014). No wetlands or standing water was observed at the time of the site reconnaissance.

5.2.3 Surrounding Properties

The following general observations were made for the properties surrounding the Site:

- A parking lot and the intersection of Wescar Lane and Cavanmore Road followed by what appears to be residential and agricultural lands present north of the Site;
- Industrial and commercial properties were present east of the Site; and,
- Commercial/light industrial and agricultural and vacant undeveloped land were present south of the Site,
- Residential properties were present to the west of the Site on the other side of Cavanmore Road as well as vacant undeveloped forested and agricultural land.

PCAs relating to these off-site industrial/commercial uses within the study area include:

- PCA # 55: Transformer Manufacturing, Processing and Use;
- PCA # 28. Gasoline and Associated Products Storage in Fixed Tanks;

- PCA # 58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners;
- PCA # 10. Commercial Autobody Shops;
- PCA # 43. Plastics (including Fibreglass) Manufacturing and Processing; and
- PCA #40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications

5.3 Unidentified Substances

No unidentified substances were observed at the time of the Site reconnaissance.

5.4 Odours

No odours were identified at the time of the Site reconnaissance.

5.5 Stained Materials and Stressed Vegetation

No stained or stressed vegetation was observed during the Site reconnaissance; however, most of the vegetation on the Site had undergone clearcutting and no foliage was on the existing trees due to the winter season at the time of the Site reconnaissance.

5.6 Watercourses, Ditches or Standing Water

Drainage ditches were identified along both sides of Wescar Lane and Cavanmore Road. A culvert was observed to be under Wescar Lane near the intersection of Wescar Lane and Cavanmore Road. Standing water in the form of a pond was observed on Site on 159 Wescar Lane.

6.0 REVIEW AND EVALUATION OF INFORMATION

6.1 Potentially Contaminating Activities

Six PCAs were identified within the Phase One ESA Study Area and are summarized in Table 6.1. The PCA locations are shown on Figure A.1, Appendix A.

Table 6.1: Summary of Potentially Contaminating Activities

Type of PCA	Address/ Location	Description	APEC Rationale
55. Transformer Manufacturing, Processing and Use at the Site	Along Cavanmore Road approximately 40 metres from the northwest of the Site	Pole mounted transformers were present on the opposing side of the street of the Site on the east side of Wescar Lane and north side of Cavanmore Road.	No Based on no observed evidence of staining and being off Site.
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Off-Site along multiple addresses in the Study Area	ERIS Report record of PCA present at near-by address(es) to the Site within the Stud Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
28. Gasoline and Associated Products Storage in Fixed Tanks	Off-Site along multiple addresses in the study-area	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
10. Commercial Autobody Shops	Off-Site at 132 and 123 Cardevco Rd and 123 Wescar Ln	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
43. Plastics (including Fibreglass) Manufacturing and Processing	Off-Site at 142 Cardevco Rd and 168 Wescar Ln	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large- Scale Applications	Off-Site at 145 Cardevco Rd	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.

6.2 Areas of Potential Environmental Concern

The available information was reviewed in a comprehensive manner starting with available historical information, followed by the results of the site reconnaissance. These two components were evaluated using professional experience, judgment, and available documentation to determine PCAs. Available historical records were cross-referenced with other records to verify

their accuracy. The observations from the site reconnaissance and information provided through the interview validated the available historical records for the Site, and vice versa. The PCAs were reviewed in order to identify APECs for the Site.

No APECs were identified on the Site at the time of this Phase One ESA.

6.2.1 Discussion of Uncertainty

There is uncertainty with the Phase One ESA associated with using well record data, and topographic and geology maps from external sources. Information based on these sources may have changed since publishing due to construction, seasonal variations, or other factors.

7.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the review of records, and Site reconnaissance, no APECs were identified at the Site at the time of this Phase One ESA. Six PCAs were identified within the study area, but none resulted in APECs on the Site. No further environmental work is recommended at this time.

8.0 REFERENCES

Ontario Ministry of the Environment. January 1, 2014. Ontario Regulation 153/04, Made under the Environmental Protection Act, Part XV.1 – Records of Site Condition.

Environmental Systems Research Institute (ESRI). 2011. ArcGIS Desktop: Release 10. Redlands, CA: Environmental Systems Research Institute.

ERIS Database Report, March 8, 2022. 151 & 159 Wescar Lane, Carp Phase I ESA Ottawa ON, Quote- Custom-Build Your Own Report.

Ministry of Ontario. National Heritage Information Centre. March 2022.

Ontario Geological Survey, 2010. Surficial geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release – Data 128 – Revised.

Ontario Ministry of the Environment (Waste Management Branch). January 1992. Ontario Inventory of PCB Storage Sites October 1991.

Ontario Ministry of the Environment (Waste Management Branch). January 1992. Ontario Inventory of PCB Storage Sites October 1991.

Ontario Ministry of the Environment Conservation and Parks. Small Landfill Sites List. Published: March 18, 2014. Updated: October 18, 2021.

Ontario Ministry of the Environment Conservation and Parks. Large Landfill Sites List. Published: March 12, 2014. Updated: October 18, 2021.

Radon Environmental Management Corporation (REMC). 2013. Radon Potential Map – Ontario.

Service Ontario, Land Registry Office. December 23, 2021. Parcel register (Abbreviated) for Property Identifier.

Treasury Board of Canada Secretariat (TBCS). Mapping of Federally Contaminated Sites.

9.0 LIMITATIONS OF LIABILITY

This Phase One ESA Update was carried out in general accordance with Ontario Regulation 153/04. The results of this Phase One ESA should in no way be construed as a warranty that the Site is free from any and all contaminants other than those noted in this report, nor that all compliance issues have been addressed.

This report was prepared for the exclusive use of Sunbelt Rentals Inc. and is based on data and information collected during the Phase One ESA of the Site conducted by GEMTEC Consulting Engineers and Scientists Ltd. This report may not be relied upon by any other person or entity without the express written consent of GEMTEC Consulting Engineers and Scientists Limited and Sunbelt Rentals Inc. In evaluating this site, GEMTEC Consulting Engineers and Scientists Limited has relied in good faith on information provided by others. We accept no responsibility for any deficiencies or inaccuracies in this report as a result of omissions, misinterpretations, or fraudulent acts of others.

The assessment of environmental conditions and possible site hazards presented has been made using the available historical and technical data collected and provided by others. The conclusions provided herein represent the best judgment of GEMTEC Consulting Engineers and Scientists Ltd. based on current environmental standards. Due to the nature of the investigation and the limited data available, we cannot warrant against undiscovered environmental liabilities.

The scope of the Phase One ESA is sufficient to identify existing and/or potential environmental liabilities that are obvious from visual examination of surface features and from available sources of information. This level of work is a method of risk reduction, not risk elimination. No building materials, water, liquid, gas, products or chemical sampling and/or testing on or in the vicinity of the Site was carried out as part of this assessment. The Phase One ESA does not include a program of intrusive observation/testing. These activities would be carried out as part of a Phase Two ESA. This environmental assessment included only a cursory overview of the neighbouring land uses from the public right of way and from the Site and does not constitute a complete assessment of the adjacent sites.

10.0 CLOSURE

We trust this report provides sufficient information for your present purposes. If you have any questions concerning this report, please do not hesitate to contact our office.

Sincerely,

Regards,



Mike Kosiw, B.Sc., EP, CESA_{II}
Senior Environmental Scientist



p.p
Shaun Pelkey, M.Sc.E., P.Eng. QP_{ESA}
Principal, Environmental Engineer



Oct 25, 2024



MK/SP/DP/DE



APPENDIX A


Figures

N:\PROJECTS\101600\101676\001\DRAWINGS\101676_001_ESA-PHL_RO_2022-03.DWG



LEGEND

- APPROXIMATE PROPERTY BOUNDARY
- STUDY AREA
(250m RADIUS FROM THE PROPERTY BOUNDARY)



N:\InternalResources & References\Ontario\Drafting\Gentec.jpg

32 Steacie Drive
Ottawa, ON K2K 2A9
Tel: (613) 836-1422
www.gentec.ca
ottawa@gentec.ca

POTENTIALLY CONTAMINATING ACTIVITIES	
10	COMMERCIAL AUTOBODY SHOPS
28	GASOLINE AND ASSOCIATED PRODUCTS STORAGE IN FIXED TANKS
34	MINING, SMELTING AND REFINING; ORE PROCESSING; TAILINGS STORAGE
40	PESTICIDES (INCLUDING HERBICIDES, FUNGICIDES AND ANTI-FOULING AGENTS) MANUFACTURING, PROCESSING, BULK STORAGE AND LARGE-SCALE APPLICATIONS
43	PLASTICS (INCLUDING FIBREGLASS) MANUFACTURING AND PROCESSING
55	TRANSFORMER MANUFACTURING, PROCESSING AND USE AT THE SITE

Drawing

**STUDY AREA AND
POTENTIALLY CONTAMINATING ACTIVITIES**

Client

SUNBELT RENTALS INC.

Project	101676.001	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 151 AND 159 WESCAR LANE CARP, ONTARIO
Drwn by	S.L.	
Chkd by	M.K.	

Date	APRIL, 2023	Rev.	0	FIGURE A.1
------	-------------	------	---	-------------------



APPENDIX B

Qualification of Assessors

QUALIFICATION OF ASSESSORS

Ester Wilson, B.Sc., G.I.T., RESA. – Junior Environmental Scientist

The primary assessor for this Phase One Environmental Site Assessment (ESA) was Ms. Ester Wilson, B.Sc. in Environmental Geoscience, registered geoscientist in training (G.I.T) and registered site assessor (RESA). Ms. Wilson has experience providing environmental services including Phase One and II Environmental Site Assessments, and Excess Soil Management Plans. Her formal education and experience working in environmental consulting have provided her with the knowledge and expertise to identify sources of environmental concern and evaluate their potential to cause adverse environmental impacts.

Mike Kosiw, B.Sc (Hons), EP, CESAII, A.Ag – Senior Environmental Scientist

The Phase One ESA was carried out under the supervision of Mr. Mike Kosiw, B.Sc (Hons), EP, CESAII, A.Ag, Mr. Kosiw has over 12 years of experience in the completion of Phase One and Phase II Environmental Site Assessments (ESAs) in accordance with the CSA Group Standards and Phase One and Two ESAs completed in accordance with O.Reg. 153/04.

Shaun Pelkey, M.Sc., P. Eng. - Senior Engineer / Principal

The QP_{ESA} for this project was Mr. Shaun Pelkey. who has 31 years of applied consulting experience with both private and government clients. Mr. Pelkey is currently the Vice President at GEMTEC and the principal environmental engineer.



APPENDIX C

Chain of Title Abstract

PROPERTY DESCRIPTION: PCL 31-6, SEC 4M-356; PT BLK 31, PL 4M-356, PTS 16 & 17, 4R10176 ; S/T LT306284 WEST CARLETON/HUNTLEY

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE
ABSOLUTE

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

1997/03/17

OWNERS' NAMES


AUSCAN DEVELOPMENT INC.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES (DELETED INSTRUMENTS NOT INCLUDED) **</p>						
LT305285	1982/12/10	NOTICE AGREEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
LT306283	1982/12/17	NOTICE AGREEMENT			THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON	C
LT306284	1982/12/17	TRANSFER EASEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
LT524049Z	1987/08/31	APL ANNEX REST COV				C
4R10176	1994/05/17	PLAN REFERENCE				C
OC2115722	2019/07/03	TRANSFER	\$1,750,000	ALLEREX LABORATORY LTD.	AUSCAN DEVELOPMENT INC.	C
OC2115723	2019/07/03	CHARGE	\$1,450,000	AUSCAN DEVELOPMENT INC.	ALLEREX LABORATORY LTD.	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

SCALE



PROPERTY INDEX MAP

OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES


REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



LAND
REGISTRY
OFFICE #4

04536-0078 (LT)

PREPARED FOR EEGOOLAB
ON 2022/03/06 AT 17:01:16

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION: PCL 31-1, SEC 4M-356; PT BLK 31, PL 4M-356, EXCEPT 4R7471 & 4R10176 ; S/T LT306284 WEST CARLETON/HUNTLEY

PROPERTY REMARKS:

ESTATE/QUALIFIER:
FEE SIMPLE
ABSOLUTE

RECENTLY:
FIRST CONVERSION FROM BOOK



PIN CREATION DATE:
1997/03/17

OWNERS' NAMES
AUSCAN DEVELOPMENT INC.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES (DELETED INSTRUMENTS NOT INCLUDED) **</p>						
LT305285	1982/12/10	NOTICE AGREEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
4R3951	1982/12/14	PLAN REFERENCE				C
LT306283	1982/12/17	NOTICE AGREEMENT			THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON	C
LT306284	1982/12/17	TRANSFER EASEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
LT524049Z	1987/08/31	APL ANNEX REST COV				C
LT1247025	1999/11/25	TRANSFER	\$127,810	PRI-TEC LTD.	1055733 ONTARIO LIMITED	C
		REMARKS: PLANNING ACT STATEMENTS.				
OC2115722	2019/07/03	TRANSFER	\$1,750,000	ALLEREX LABORATORY LTD.	AUSCAN DEVELOPMENT INC.	C
OC2115723	2019/07/03	CHARGE	\$1,450,000	AUSCAN DEVELOPMENT INC.	ALLEREX LABORATORY LTD.	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



PROPERTY INDEX MAP
OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED





APPENDIX D

ERIS Report



DATABASE REPORT

Project Property: *151&159 Wescar Lane Carp Phase I ESA
151&159 Wescar Lane
Ottawa ON*

Project No: *TBD*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *22022200416*

Requested by: *GEMTEC Consulting Engineers and
Scientists Limited (Ontario)*

Date Completed: *March 8, 2022*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	22
Map.....	41
Aerial.....	42
Topographic Map.....	43
Detail Report.....	44
Unplottable Summary.....	251
Unplottable Report.....	252
Appendix: Database Descriptions.....	253
Definitions.....	262

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 151&159 Wescar Lane Carp Phase I ESA
151&159 Wescar Lane Ottawa ON

Project No: TBD

Order Information:

Order No: 22022200416
Date Requested: February 22, 2022
Requested by: GEMTEC Consulting Engineers and Scientists Limited (Ontario)
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	2	2
CA	<i>Certificates of Approval</i>	Y	0	8	8
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	2	2
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	2	10	12
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	27	27
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	2	2
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	80	80
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	1	0	1
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	1	1
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	8	8
SPL	Ontario Spills	Y	0	1	1
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	40	40
Total:			3	182	185

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	MNR	HUNTLEY	ON	ESE/0.0	0.00	44
2	ECA	2198523 Ontario Inc.	Part 1 and 2, RP 4R-10176 Ottawa ON K0A 1L0	SE/0.0	-1.00	44
2	ECA	Carp & Cardevco Self-Storage Ltd.	Ottawa ON K2L 3R8	SE/0.0	-1.00	45

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
3	WWIS		lot 6 con 3 ON Well ID: 1532398	SE/0.7	-1.00	45
4	WWIS		lot 6 con 3 ON Well ID: 1531132	SE/2.6	-1.00	48
5	WWIS		lot 6 con 3 ON Well ID: 1530340	SE/3.0	-1.00	53
5	WWIS		lot 6 con 3 ON Well ID: 1530341	SE/3.0	-1.00	55
5	WWIS		lot 6 con 3 ON Well ID: 1530342	SE/3.0	-1.00	57
5	WWIS		lot 6 con 3 ON Well ID: 1530343	SE/3.0	-1.00	59
5	WWIS		lot 6 con 3 ON Well ID: 1520138	SE/3.0	-1.00	61
5	WWIS		lot 6 con 3 ON Well ID: 1520279	SE/3.0	-1.00	64
5	WWIS		lot 6 con 3 ON Well ID: 1521169	SE/3.0	-1.00	67
5	WWIS		lot 6 con 3 ON Well ID: 1522376	SE/3.0	-1.00	71
5	WWIS		lot 6 con 3 ON Well ID: 1522596	SE/3.0	-1.00	74
5	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	78

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1523221			
<u>5</u>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<u>82</u>
			Well ID: 1523820			
<u>5</u>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<u>85</u>
			Well ID: 1527799			
<u>5</u>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<u>88</u>
			Well ID: 1529797			
<u>6</u>	CA	2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	ESE/18.4	0.00	<u>92</u>
<u>6</u>	ECA	2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	ESE/18.4	0.00	<u>93</u>
<u>7</u>	GEN	NU-TEK SIGNS INC.	162 WESCAR LANE CARP ON K0A 1L0	NE/50.9	0.00	<u>93</u>
<u>7</u>	EHS		162 Wescar Lane Carp ON K0A 1L0	NE/50.9	0.00	<u>93</u>
<u>7</u>	EHS		162 Wescar Lane Carp ON K0A 1L0	NE/50.9	0.00	<u>94</u>
<u>8</u>	WWIS		lot 7 con 3 ON	NNW/51.9	0.00	<u>94</u>
			Well ID: 1515158			
<u>9</u>	WWIS		WESCAR LANE lot 6 con 3 CARP ON	ESE/54.2	0.00	<u>97</u>
			Well ID: 1536478			
<u>10</u>	EHS		154 Wescar Lane Ottawa ON K0A1L0	ENE/55.0	0.00	<u>104</u>
<u>11</u>	EHS		173 and 181 Wescar Lane Carp ON K0A 1L0	N/55.7	0.00	<u>104</u>
<u>11</u>	EHS		173 and 181 Wescar Lane Carp ON K0A 1L0	N/55.7	0.00	<u>104</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	104
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	105
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	105
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	105
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	105
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON	ENE/58.0	0.00	106
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	106
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	106
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	107
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	107
12	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	107
13	CA	1649174 Ontario Inc.	132 Wescar Lane Ottawa ON	E/60.0	0.00	107
13	ECA	1649174 Ontario Inc.	132 Wescar Lane Ottawa ON K0A 1L0	E/60.0	0.00	108

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
14	CA	Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	E/65.5	0.00	108
14	ECA	Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	E/65.5	0.00	108
15	WWIS		132 WESCAR LANE lot 6 con 3 CARP ON Well ID: 1536824	E/67.9	0.00	109
16	ECA	Marnick Holdings Ltd.	131 Wescar Lane Carp Ottawa ON	ESE/78.1	0.00	115
17	SCT	Kerr Design Ltd.	168 Wescar Lane RR 2 Carp ON K0A 1L0	NE/88.9	0.00	116
17	SCT	Competition Composites Inc.	168 Wescar Lane Unit 3 Carp ON K0A 1L0	NE/88.9	0.00	116
17	CA	Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON	NE/88.9	0.00	116
17	SCT	Competition Composites Inc.	3-168 Wescar Lane Carp ON K0A 1L0	NE/88.9	0.00	117
17	ECA	Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON K0A 1L0	NE/88.9	0.00	117
17	GEN	Competition Composites	168 Wescar Lane Carp ON K0A 1L0	NE/88.9	0.00	117
17	GEN	Competition Composites	168 Wescar Lane Carp ON K0A 1L0	NE/88.9	0.00	117
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	118
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	118

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	118
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	118
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	119
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	119
18	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	119
19	WWIS		131 WESCAR lot 6 con 3 CARP ON Well ID: 7161391	ESE/96.6	0.00	119
20	WWIS		5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON Well ID: 7126803	NE/105.4	0.00	126
20	WWIS		153 CARDEVCO ROAD lot 6 con 3 CARP ON Well ID: 7127022	NE/105.4	0.00	133
21	EHS		172 & 180 Wescar Lane Ottawa ON	N/108.0	0.00	140
22	WWIS		135 CARDEVCO RD CARP ON Well ID: 7186867	E/108.7	0.00	140
23	BORE		ON	NNW/110.4	-0.31	147
24	WWIS		123 WESCAR lot 6 con 3 CARP ON Well ID: 7164958	ESE/117.3	-1.39	148
25	GEN	Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	E/120.9	0.00	155

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
25	GEN	Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	E/120.9	0.00	155
25	GEN	Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	E/120.9	0.00	155
25	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	E/120.9	0.00	155
25	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	E/120.9	0.00	156
25	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	E/120.9	0.00	156
26	CA	Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	ENE/123.7	0.00	156
26	ECA	Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	ENE/123.7	0.00	156
26	GEN	Thunderbolt Contracting	153 Cardevco Road, Unit 2 Carp ON K0A 1L0	ENE/123.7	0.00	157
26	GEN	Thunderbolt Contracting	153 Cardevco Road RR#2 Carp ON K0A 1L0	ENE/123.7	0.00	157
27	EHS		135 Cardevco Road Carp ON K0A 1L0	E/124.4	0.00	157
27	EHS		135 Cardevco Road Ottawa ON	E/124.4	0.00	158
27	EHS		135 Cardevco Rd Ottawa ON K0A1L0	E/124.4	0.00	158
27	EHS		135 Cardevco Rd Ottawa ON K0A1L0	E/124.4	0.00	158

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
28	EASR	CAPITAL DEDICATED LOGISTICS INC.	135 CARDEVCO RD CARP ON K0A 1L0	E/124.4	0.00	158
29	EHS		145 Cardevco Road Carp ON K0A 1L0	ENE/126.4	0.00	159
30	EHS		149 Cardevco Rd. Ottawa ON	ENE/127.5	0.00	159
30	PES	THUNDERBOLT CONTRACTING INC.	149 CARDEVLO RD CARP ON KOA1LO	ENE/127.5	0.00	159
30	SCT	City Plastering	2-149 Cardevco Rd Carp ON K0A 1L0	ENE/127.5	0.00	159
31	GEN	ALLEREX LABORATORY LTD.	180 WESCAR DRIVE CARP ON K0A 2N0	NNE/129.3	0.00	160
32	EHS		123 Wescar Lane Ottawa ON	ESE/134.1	-1.39	160
32	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	160
32	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	161
32	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	161
32	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	161
32	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	162
33	ECA	2350416 Ontario Inc.	123 Wescar Lane West Carleton Ottawa ON K2E 6T9	ESE/134.2	-1.39	162

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
34	SCT	Prestige Fence	163 Cardevco Rd Carp ON K0A 1L0	NE/134.9	-0.31	162
34	EHS		163 Cardevco Road Carp ON K0A 1L0	NE/134.9	-0.31	163
35	GEN	ServiceMaster Ottawa DR	180 Wescar Lane Ottawa ON KOA1LO	NNE/135.4	0.00	163
36	WWIS		123 CARDEVCO ROAD lot 6 con 3 CARP ON Well ID: 7210658	E/136.7	0.00	163
37	WWIS		lot 6 con 3 ON Well ID: 1532757	ENE/139.4	-0.31	171
38	WWIS		117 WESCAR LN CARP ON Well ID: 7144203	ESE/148.4	0.00	174
38	CA	1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON	ESE/148.4	0.00	176
38	INC		117 WESCAR LANE, OTTAWA ON	ESE/148.4	0.00	177
38	GEN	1278439 Ontario Ltd.	117 Wescar Lane Stittsville ON	ESE/148.4	0.00	177
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON	E/148.9	0.00	178
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	178
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	178
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	178

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	179
39	EASR	AKMAN CONSTRUCTION INC	123 CARDEVCO RD CARP ON K0A 1L0	E/148.9	0.00	179
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	179
39	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	179
40	WWIS		117 WESCAR LN CARP ON Well ID: 7144200	ESE/154.8	-1.05	180
41	EHS		145 Cardevco Road Ottawa (Carp) ON K0A 1L0	ENE/155.0	-0.55	182
42	WWIS		117 WESCAR LN CARP ON Well ID: 7144202	ESE/161.3	-1.05	182
43	WWIS		104 HUNTLEY MANOR lot 7 con 3 CARP ON Well ID: 7287872	WNW/163.9	-1.00	184
44	WWIS		117 WESCAR LN CARP ON Well ID: 7144201	ESE/165.6	-1.05	191
45	GEN	ONTRAC EQUIPMENT SERVICES	139 CARDEVCO ROAD CARP ON K0A 1L0	E/167.6	-1.03	193
46	WWIS		117 WESCAR LANE CARP ON Well ID: 7140538	ESE/170.0	-1.05	193
47	WWIS		104 HUNTLEY MANOR lot 7 con 3 CARP ON Well ID: 7287897	WNW/176.4	-1.00	197
48	WWIS		117 WESCAR LANE CARP ON	ESE/177.4	-0.23	199

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7140541			
49	WWIS		117 WESCAR LANE lot 6 con 3 CARP ON Well ID: 7140539	ESE/177.6	-0.23	202
50	WWIS		117 WESCAR LANE CARP ON Well ID: 7140540	ESE/180.9	-0.23	205
51	ECA	1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON K2C 1W2	ESE/181.2	-0.23	208
52	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	208
52	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	209
52	GEN	Line X of Ottawa	107 Wescar Lane Ottawa ON K0A 1L0	ESE/187.5	0.69	209
52	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	209
52	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	210
52	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	210
52	EHS		107 Wescar Lane Carp ON K0A 1L0	ESE/187.5	0.69	210
52	EHS		107 Wescar Lane Carp ON K0A 1L0	ESE/187.5	0.69	211
52	EHS		107 Wescar Lane Carp ON K0A 1L0	ESE/187.5	0.69	211
53	WWIS		126 WESCAR LANE lot 10 con 24 OTTAWA ON	E/188.9	-0.97	211

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1536876			
54	SCT	Bytown Mouldings Inc.	142 Cardevco Rd Carp ON K0A 1L0	ENE/211.0	-1.00	217
54	FSTH	W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	ENE/211.0	-1.00	218
54	FSTH	W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	ENE/211.0	-1.00	218
54	CA	1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON	ENE/211.0	-1.00	218
54	EHS		142 Cardevco Rd Ottawa ON	ENE/211.0	-1.00	219
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	ENE/211.0	-1.00	219
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	ENE/211.0	-1.00	219
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON	ENE/211.0	-1.00	219
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	220
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	220
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	221
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	221
54	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	221

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
55	WWIS		lot 6 con 3 ON <i>Well ID:</i> 1532402	ENE/215.4	-1.00	222
56	WWIS		171 CARDENCO lot 6 con 3 CARP ON <i>Well ID:</i> 7191739	NNE/216.0	0.00	225
57	WWIS		100 CARDEVCO RD CARP ON <i>Well ID:</i> 7335299	E/216.2	-2.03	232
58	SCT	Harris Rebar - Div. of Harris Steel Limited	171 Cardevco Rd Ottawa ON K1G 1L0	NE/220.7	-1.46	235
58	SCT	Harris Rebar - Div. of Harris	171 Cardevco Rd Carp ON K0A 1L0	NE/220.7	-1.46	236
58	ECA	Harris Steel ULC	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	NE/220.7	-1.46	236
58	GEN	harrisrebar	171 Cardevco road carp ON K0A 1L0	NE/220.7	-1.46	236
58	GEN	harrisrebar	171 Cardevco road carp ON K0A 1L0	NE/220.7	-1.46	237
58	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON	NE/220.7	-1.46	237
58	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON	NE/220.7	-1.46	237
58	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	237
58	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	238
58	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	238

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
58	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	238
58	GEN	CQS Electric	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	239
58	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	239
59	GEN	G P SERVICE STATION MAINTENANCE	132 CARDEVCO OFF CARP ROAD C/O P. O. BOX 657 STITTSVILLE ON K0A 3G0	E/220.8	-2.00	239
59	GEN	G.P. SERVICE STATION MAINTENANCE	132 CARDEVCO ROAD CARP ON K0A 1L0	E/220.8	-2.00	240
59	GEN	G P SERVICE STATION MAINTENANCE 16-270	132 CARDEVCO OFF CARP ROAD C/O P. O. BOX 657 STITTSVILLE ON K2S 1A7	E/220.8	-2.00	240
59	GEN	G. P. SERVICE STATION MAINTENANCE	QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	E/220.8	-2.00	240
59	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	241
59	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	241
59	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	241
59	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	241
59	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	242

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
59	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON	E/220.8	-2.00	242
59	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	242
59	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	243
59	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	243
59	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	243
59	GEN	Tarstone Canada Limited	132 Cardevco Road Carp ON K0A1L0	E/220.8	-2.00	244
60	BORE		ON	SE/222.1	0.51	244
61	WWIS		lot 6 con 3 ON Well ID: 1503338	SE/222.2	0.51	245
62	CA	Kris Jason Hodgins	154 Cardevco Dr Ottawa ON	ENE/225.7	-1.00	247
63	ECA	Kris Jason Hodgins	154 Cardevco Dr Ottawa ON K0A 1L0	ENE/227.4	-1.00	248
64	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/236.3	-2.00	248
65	EHS		158 Cardevco Rd Ottawa ON K0A1L0	ENE/237.0	-1.93	249
66	SPL		158 CARDEVCO RD \ WEST CARLETON TOWNSHIP ON	ENE/248.4	-1.93	249

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
66	GEN	S L HODGINS	158 CARDEVCO CARP ON K0A 1L0	ENE/248.4	-1.93	249
66	GEN	S. L. HODGINS	158 CARDEVCO CARP ON	ENE/248.4	-1.93	249

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	110.4	<u>23</u>
	ON	222.1	<u>60</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 8 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	18.4	<u>6</u>
1649174 Ontario Inc.	132 Wescar Lane Ottawa ON	60.0	<u>13</u>
Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	65.5	<u>14</u>
Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON	88.9	<u>17</u>
Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	123.7	<u>26</u>
1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON	148.4	<u>38</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON	211.0	54
Kris Jason Hodgins	154 Cardevco Dr Ottawa ON	225.7	62

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Jan 31, 2021 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CAPITAL DEDICATED LOGISTICS INC.	135 CARDEVCO RD CARP ON K0A 1L0	124.4	28
AKMAN CONSTRUCTION INC	123 CARDEVCO RD CARP ON K0A 1L0	148.9	39

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Jan 31, 2021 has found that there are 12 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
2198523 Ontario Inc.	Part 1 and 2, RP 4R-10176 Ottawa ON K0A 1L0	0.0	2
Carp & Cardevco Self-Storage Ltd.	Ottawa ON K2L 3R8	0.0	2
2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	18.4	6
1649174 Ontario Inc.	132 Wescar Lane Ottawa ON K0A 1L0	60.0	13

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	65.5	<u>14</u>
Marnick Holdings Ltd.	131 Wescar Lane Carp Ottawa ON	78.1	<u>16</u>
Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON K0A 1L0	88.9	<u>17</u>
Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	123.7	<u>26</u>
2350416 Ontario Inc.	123 Wescar Lane West Carleton Ottawa ON K2E 6T9	134.2	<u>33</u>
1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON K2C 1W2	181.2	<u>51</u>
Harris Steel ULC	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	220.7	<u>58</u>
Kris Jason Hodgins	154 Cardevco Dr Ottawa ON K0A 1L0	227.4	<u>63</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 27 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	162 Wescar Lane Carp ON K0A 1L0	50.9	<u>7</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	162 Wescar Lane Carp ON K0A 1L0	50.9	<u>7</u>
	154 Wescar Lane Ottawa ON K0A1L0	55.0	<u>10</u>
	173 and 181 Wescar Lane Carp ON K0A 1L0	55.7	<u>11</u>
	173 and 181 Wescar Lane Carp ON K0A 1L0	55.7	<u>11</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<u>18</u>
	172 & 180 Wescar Lane Ottawa ON	108.0	<u>21</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	135 Cardevco Road Carp ON K0A 1L0	124.4	<u>27</u>
	135 Cardevco Road Ottawa ON	124.4	<u>27</u>
	135 Cardevco Rd Ottawa ON K0A1L0	124.4	<u>27</u>
	135 Cardevco Rd Ottawa ON K0A1L0	124.4	<u>27</u>
	145 Cardevco Road Carp ON K0A 1L0	126.4	<u>29</u>
	149 Cardevco Rd. Ottawa ON	127.5	<u>30</u>
	123 Wescar Lane Ottawa ON	134.1	<u>32</u>
	163 Cardevco Road Carp ON K0A 1L0	134.9	<u>34</u>
	145 Cardevco Road Ottawa (Carp) ON K0A 1L0	155.0	<u>41</u>
	107 Wescar Lane Carp ON K0A 1L0	187.5	<u>52</u>
	107 Wescar Lane Carp ON K0A 1L0	187.5	<u>52</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	107 Wescar Lane Carp ON K0A 1L0	187.5	52
	142 Cardevco Rd Ottawa ON	211.0	54
	158 Cardevco Rd Ottawa ON K0A1L0	237.0	65

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	211.0	54
W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	211.0	54

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 80 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
NU-TEK SIGNS INC.	162 WESCAR LANE CARP ON K0A 1L0	50.9	7
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12

Site	Address	Distance (m)	Map Key
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	12
Competition Composites	168 Wescar Lane Carp ON K0A 1L0	88.9	17
Competition Composites	168 Wescar Lane Carp ON K0A 1L0	88.9	17
Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	120.9	25

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	120.9	<u>25</u>
Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	120.9	<u>25</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	120.9	<u>25</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	120.9	<u>25</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	120.9	<u>25</u>
Thunderbolt Contracting	153 Cardevco Road, Unit 2 Carp ON K0A 1L0	123.7	<u>26</u>
Thunderbolt Contracting	153 Cardevco Road RR#2 Carp ON K0A 1L0	123.7	<u>26</u>
ALLEREX LABORATORY LTD.	180 WESCAR DRIVE CARP ON K0A 2N0	129.3	<u>31</u>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<u>32</u>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<u>32</u>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<u>32</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<u>32</u>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<u>32</u>
ServiceMaster Ottawa DR	180 Wescar Lane Ottawa ON KOA1L0	135.4	<u>35</u>
1278439 Ontario Ltd.	117 Wescar Lane Stittsville ON	148.4	<u>38</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON	148.9	<u>39</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<u>39</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<u>39</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<u>39</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<u>39</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<u>39</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<u>39</u>
ONTRAC EQUIPMENT SERVICES	139 CARDEVCO ROAD CARP ON K0A 1L0	167.6	<u>45</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<u>52</u>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<u>52</u>
Line X of Ottawa	107 Wescar Lane Ottawa ON K0A 1L0	187.5	<u>52</u>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<u>52</u>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<u>52</u>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<u>52</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	211.0	<u>54</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	211.0	<u>54</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON	211.0	<u>54</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<u>54</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<u>54</u>

Site	Address	Distance (m)	Map Key
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	54
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	54
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	54
harrisrebar	171 Cardevco road carp ON K0A 1L0	220.7	58
harrisrebar	171 Cardevco road carp ON K0A 1L0	220.7	58
Harris Rebar Company	171 Cardevco Road Ottawa ON	220.7	58
Harris Rebar Company	171 Cardevco Road Ottawa ON	220.7	58
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	58
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	58
Harris Rebar Company	171 Cardevco Road Ottawa ON K0A 1L0	220.7	58
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	58
CQS Electric	171 Cardevco Road Ottawa ON K0A 1L0	220.7	58

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<u>58</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON	220.8	<u>59</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>
Tarstone Canada Limited	132 Cardevco Road Carp ON K0A1L0	220.8	<u>59</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<u>59</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	59
G P SERVICE STATION MAINTENANCE	132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K0A 3G0	220.8	59
G.P. SERVICE STATION MAINTENANCE	132 CARDEVCO ROAD CARP ON K0A 1L0	220.8	59
G P SERVICE STATION MAINTENANCE 16-270	132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K2S 1A7	220.8	59
G. P. SERVICE STATION MAINTENANCE	QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	220.8	59
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	236.3	64
S L HODGINS	158 CARDEVCO CARP ON K0A 1L0	248.4	66
S. L. HODGINS	158 CARDEVCO CARP ON	248.4	66

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated May 31, 2021 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	117 WESCAR LANE, OTTAWA ON	148.4	38

MNR - Mineral Occurrences

A search of the MNR database, dated 1846-Dec 2020 has found that there are 1 MNR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HUNTLEY	ON	0.0	1

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Jan 31, 2021 has found that there are 1 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THUNDERBOLT CONTRACTING INC.	149 CARDEVLO RD CARP ON KOA1LO	127.5	30

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 8 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Competition Composites Inc.	168 Wescar Lane Unit 3 Carp ON K0A 1L0	88.9	17
Kerr Design Ltd.	168 Wescar Lane RR 2 Carp ON K0A 1L0	88.9	17
Competition Composites Inc.	3-168 Wescar Lane Carp ON K0A 1L0	88.9	17
City Plastering	2-149 Cardevco Rd Carp ON K0A 1L0	127.5	30
Prestige Fence	163 Cardevco Rd Carp ON K0A 1L0	134.9	34
Bytown Mouldings Inc.	142 Cardevco Rd Carp ON K0A 1L0	211.0	54

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Harris Rebar - Div. of Harris	171 Cardevco Rd Carp ON K0A 1L0	220.7	58
Harris Rebar - Div. of Harris Steel Limited	171 Cardevco Rd Ottawa ON K1G 1L0	220.7	58

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 1 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	158 CARDEVCO RD \ WEST CARLETON TOWNSHIP ON	248.4	66

WWIS - Water Well Information System

A search of the WWIS database, dated Sep 30, 2021 has found that there are 40 WWIS site(s) within approximately 0.25 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 6 con 3 ON <i>Well ID:</i> 1532398	0.7	3
	lot 6 con 3 ON <i>Well ID:</i> 1531132	2.6	4
	lot 6 con 3 ON <i>Well ID:</i> 1527799	3.0	5
	lot 6 con 3 ON <i>Well ID:</i> 1529797	3.0	5
	lot 6 con 3 ON	3.0	5

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1523820		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1523221		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1522596		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1522376		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1521169		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1520279		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1520138		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530343		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530342		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530341		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530340		
	lot 7 con 3 ON	51.9	<u>8</u>
	<i>Well ID:</i> 1515158		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	WESCAR LANE lot 6 con 3 CARP ON <i>Well ID:</i> 1536478	54.2	<u>9</u>
	132 WESCAR LANE lot 6 con 3 CARP ON <i>Well ID:</i> 1536824	67.9	<u>15</u>
	131 WESCAR lot 6 con 3 CARP ON <i>Well ID:</i> 7161391	96.6	<u>19</u>
	5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON <i>Well ID:</i> 7126803	105.4	<u>20</u>
	153 CARDEVCO ROAD lot 6 con 3 CARP ON <i>Well ID:</i> 7127022	105.4	<u>20</u>
	135 CARDEVCO RD CARP ON <i>Well ID:</i> 7186867	108.7	<u>22</u>
	123 WESCAR lot 6 con 3 CARP ON <i>Well ID:</i> 7164958	117.3	<u>24</u>
	123 CARDEVCO ROAD lot 6 con 3 CARP ON <i>Well ID:</i> 7210658	136.7	<u>36</u>
	lot 6 con 3 ON <i>Well ID:</i> 1532757	139.4	<u>37</u>
	117 WESCAR LN CARP ON <i>Well ID:</i> 7144203	148.4	<u>38</u>
	117 WESCAR LN CARP ON <i>Well ID:</i> 7144200	154.8	<u>40</u>
	117 WESCAR LN CARP ON	161.3	<u>42</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7144202</i>		
	104 HUNTLEY MANOR lot 7 con 3 CARP ON	163.9	<u>43</u>
	<i>Well ID: 7287872</i>		
	117 WESCAR LN CARP ON	165.6	<u>44</u>
	<i>Well ID: 7144201</i>		
	117 WESCAR LANE CARP ON	170.0	<u>46</u>
	<i>Well ID: 7140538</i>		
	104 HUNTLEY MANOR lot 7 con 3 CARP ON	176.4	<u>47</u>
	<i>Well ID: 7287897</i>		
	117 WESCAR LANE CARP ON	177.4	<u>48</u>
	<i>Well ID: 7140541</i>		
	117 WESCAR LANE lot 6 con 3 CARP ON	177.6	<u>49</u>
	<i>Well ID: 7140539</i>		
	117 WESCAR LANE CARP ON	180.9	<u>50</u>
	<i>Well ID: 7140540</i>		
	126 WESCAR LANE lot 10 con 24 OTTAWA ON	188.9	<u>53</u>
	<i>Well ID: 1536876</i>		
	lot 6 con 3 ON	215.4	<u>55</u>
	<i>Well ID: 1532402</i>		
	171 CARDENCO lot 6 con 3 CARP ON	216.0	<u>56</u>
	<i>Well ID: 7191739</i>		
	100 CARDEVCO RD CARP ON	216.2	<u>57</u>
	<i>Well ID: 7335299</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 6 con 3 ON <i>Well ID:</i> 1503338	222.2	61



1:6773


Map: 0.25 Kilometer Radius

Order Number: 22022200416

Address: 151&159 Wescar Lane, Ottawa, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



250 125 0 250 m

1:10000

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Aerial Year: 2020

Order Number: 22022200416

Address: 151&159 Wescar Lane, Ottawa, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

76°0'W


75°58'30"W

45°18'N

45°18'N

45°16'30"N

45°16'30"N



610 305 0 610 m

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Order Number: 22022200416

Address: 151&159 Wescar Lane, ON



Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB																																																																
<u>1</u>	1 of 1	ESE/0.0	119.9 / 0.00	HUNTLEY ON	MNR																																																																
<table style="width: 100%; border: none;"> <tr> <td style="width: 20%;">MDI No:</td> <td style="width: 30%;">MDI31G05SW00011</td> <td style="width: 20%;">Twp Area:</td> <td style="width: 30%;">HUNTLEY</td> </tr> <tr> <td>OGF ID:</td> <td>205258559</td> <td>Dep Class:</td> <td></td> </tr> <tr> <td>Deposit Status:</td> <td>DISCRETIONARY OCCURRENCE</td> <td>Zone:</td> <td>18</td> </tr> <tr> <td>Claim Map:</td> <td>N/A</td> <td>Easting:</td> <td>423034.166</td> </tr> <tr> <td>Geological District:</td> <td>SOUTHEASTERN ONTARIO</td> <td>Northing:</td> <td>5015859.907</td> </tr> <tr> <td>Mining Division:</td> <td>SOUTHERN ONTARIO</td> <td>Effective Dt/time:</td> <td>24-May-2007</td> </tr> <tr> <td>Name:</td> <td>HUNTLEY</td> <td>Date Last Modified:</td> <td></td> </tr> <tr> <td>P Commod:</td> <td>FELDSPAR (NONMETALS)</td> <td>Geo Update Dt/time:</td> <td></td> </tr> <tr> <td>S Commod:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Class Sub Type No:</td> <td>2496</td> <td></td> <td></td> </tr> <tr> <td>Class Sub Type:</td> <td>Discretionary Mineral Occurrence</td> <td></td> <td></td> </tr> <tr> <td>Source Map:</td> <td>DEMR 1987, NTS 31G05 OTTAWA</td> <td></td> <td></td> </tr> <tr> <td>Detail:</td> <td colspan="3">http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html</td> </tr> <tr> <td>All Names:</td> <td>HUNTLEY</td> <td></td> <td></td> </tr> <tr> <td>Access Description:</td> <td>N/A</td> <td></td> <td></td> </tr> <tr> <td>Status:</td> <td>DISCRETIONARY OCCURRENCE</td> <td></td> <td></td> </tr> </table>						MDI No:	MDI31G05SW00011	Twp Area:	HUNTLEY	OGF ID:	205258559	Dep Class:		Deposit Status:	DISCRETIONARY OCCURRENCE	Zone:	18	Claim Map:	N/A	Easting:	423034.166	Geological District:	SOUTHEASTERN ONTARIO	Northing:	5015859.907	Mining Division:	SOUTHERN ONTARIO	Effective Dt/time:	24-May-2007	Name:	HUNTLEY	Date Last Modified:		P Commod:	FELDSPAR (NONMETALS)	Geo Update Dt/time:		S Commod:				Class Sub Type No:	2496			Class Sub Type:	Discretionary Mineral Occurrence			Source Map:	DEMR 1987, NTS 31G05 OTTAWA			Detail:	http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html			All Names:	HUNTLEY			Access Description:	N/A			Status:	DISCRETIONARY OCCURRENCE		
MDI No:	MDI31G05SW00011	Twp Area:	HUNTLEY																																																																		
OGF ID:	205258559	Dep Class:																																																																			
Deposit Status:	DISCRETIONARY OCCURRENCE	Zone:	18																																																																		
Claim Map:	N/A	Easting:	423034.166																																																																		
Geological District:	SOUTHEASTERN ONTARIO	Northing:	5015859.907																																																																		
Mining Division:	SOUTHERN ONTARIO	Effective Dt/time:	24-May-2007																																																																		
Name:	HUNTLEY	Date Last Modified:																																																																			
P Commod:	FELDSPAR (NONMETALS)	Geo Update Dt/time:																																																																			
S Commod:																																																																					
Class Sub Type No:	2496																																																																				
Class Sub Type:	Discretionary Mineral Occurrence																																																																				
Source Map:	DEMR 1987, NTS 31G05 OTTAWA																																																																				
Detail:	http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html																																																																				
All Names:	HUNTLEY																																																																				
Access Description:	N/A																																																																				
Status:	DISCRETIONARY OCCURRENCE																																																																				
<u>Deposit Details</u>																																																																					
Deposit Year: 1991																																																																					
Deposit Character:																																																																					
Commodity Desc: FELDSPAR (NONMETALS)																																																																					
Ranking: 1																																																																					
Twp/Area: HUNTLEY																																																																					
Con/Lot/Sec: LOT: 6 Con: 3																																																																					
Legal Desc:																																																																					
Township Area Ranking: 1																																																																					
Mndm Township Area No: 1173																																																																					
Effective Date/Time: 12/7/2005 12:32:36 PM																																																																					
<u>2</u>	1 of 2	SE/0.0	118.9 / -1.00	2198523 Ontario Inc. Part 1 and 2, RP 4R-10176 Ottawa ON K0A 1L0	ECA																																																																
<table style="width: 100%; border: none;"> <tr> <td style="width: 20%;">Approval No:</td> <td style="width: 30%;">4665-8AMNNQ</td> <td style="width: 20%;">MOE District:</td> <td style="width: 30%;">Ottawa</td> </tr> <tr> <td>Approval Date:</td> <td>2010-10-29</td> <td>City:</td> <td></td> </tr> <tr> <td>Status:</td> <td>Approved</td> <td>Longitude:</td> <td>-75.9811</td> </tr> <tr> <td>Record Type:</td> <td>ECA</td> <td>Latitude:</td> <td>45.2912</td> </tr> <tr> <td>Link Source:</td> <td>IDS</td> <td>Geometry X:</td> <td></td> </tr> <tr> <td>SWP Area Name:</td> <td>Mississippi Valley</td> <td>Geometry Y:</td> <td></td> </tr> <tr> <td>Approval Type:</td> <td>ECA-INDUSTRIAL SEWAGE WORKS</td> <td></td> <td></td> </tr> <tr> <td>Project Type:</td> <td>INDUSTRIAL SEWAGE WORKS</td> <td></td> <td></td> </tr> <tr> <td>Business Name:</td> <td>2198523 Ontario Inc.</td> <td></td> <td></td> </tr> <tr> <td>Address:</td> <td>Part 1 and 2, RP 4R-10176</td> <td></td> <td></td> </tr> <tr> <td>Full Address:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Full PDF Link:</td> <td colspan="3">https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf</td> </tr> <tr> <td>PDF Site Location:</td> <td></td> <td></td> <td></td> </tr> </table>						Approval No:	4665-8AMNNQ	MOE District:	Ottawa	Approval Date:	2010-10-29	City:		Status:	Approved	Longitude:	-75.9811	Record Type:	ECA	Latitude:	45.2912	Link Source:	IDS	Geometry X:		SWP Area Name:	Mississippi Valley	Geometry Y:		Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS			Project Type:	INDUSTRIAL SEWAGE WORKS			Business Name:	2198523 Ontario Inc.			Address:	Part 1 and 2, RP 4R-10176			Full Address:				Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf			PDF Site Location:															
Approval No:	4665-8AMNNQ	MOE District:	Ottawa																																																																		
Approval Date:	2010-10-29	City:																																																																			
Status:	Approved	Longitude:	-75.9811																																																																		
Record Type:	ECA	Latitude:	45.2912																																																																		
Link Source:	IDS	Geometry X:																																																																			
SWP Area Name:	Mississippi Valley	Geometry Y:																																																																			
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS																																																																				
Project Type:	INDUSTRIAL SEWAGE WORKS																																																																				
Business Name:	2198523 Ontario Inc.																																																																				
Address:	Part 1 and 2, RP 4R-10176																																																																				
Full Address:																																																																					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf																																																																				
PDF Site Location:																																																																					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
2	2 of 2	SE/0.0	118.9 / -1.00	Carp & Cardevco Self-Storage Ltd. Ottawa ON K2L 3R8	ECA
Approval No: 2640-6LFQ8U Approval Date: 2006-03-03 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Mississippi Valley Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: Carp & Cardevco Self-Storage Ltd. Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3654-6J9P5G-14.pdf PDF Site Location:					

3	1 of 1	SE/0.7	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID: 1532398 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 230271 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status: Data Src: 1 Date Received: 11/27/2001 Selected Flag: TRUE Abandonment Rec: Contractor: 1558 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: HUNTLEY TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532398.pdf					

Additional Detail(s) (Map)

Well Completed Date: 2001/10/01
Year Completed: 2001
Depth (m): 38.1
Latitude: 45.2911728251918
Longitude: -75.9811228528023
Path: 153\1532398.pdf

Bore Hole Information

Bore Hole ID: 10516848
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Elevation:
Elevrc:
Zone: 18
East83: 423065.20
North83: 5015765.00
Org CS:
UTMRC: 9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	01-Oct-2001 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932832721				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	8.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932832723				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	16.0				
Formation End Depth:	125.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932832722				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	81				
Mat2 Desc:	SANDY				
Mat3:	12				
Mat3 Desc:	STONES				
Formation Top Depth:	8.0				
Formation End Depth:	16.0				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		933219840			
Layer:		1			
Plug From:		0.0			
Plug To:		22.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961532398			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11065418			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930094740			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:					
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930094739			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991532398			
Pump Set At:					
Static Level:		28.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:		100.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN: Flowing:		0 No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934400959			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		75.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934660926			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934918367			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		115.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934116790			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934008584			
Layer:		2			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		117.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		934008583			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
<u>4</u>	1 of 1	SE/2.6	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:		1531132		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	6/20/2000
Sec. Water Use:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	208554			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1531132.pdf

Additional Detail(s) (Map)

Well Completed Date: 2000/06/05
Year Completed: 2000
Depth (m): 22.86
Latitude: 45.2911731428525
Longitude: -75.981085875553
Path: 153\1531132.pdf

Bore Hole Information

Bore Hole ID:	10052666	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423068.10
Code OB Desc:		North83:	5015765.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	05-Jun-2000 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931077628
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 79
Mat2 Desc: PACKED
Mat3:
Mat3 Desc:
Formation Top Depth: 3.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931077632			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931077631			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		71			
Mat2 Desc:		FRACTURED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		33.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931077630			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		33.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931077627			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		81			
Mat2 Desc:		SANDY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931077629			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		15.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933116308			
Layer:		1			
Plug From:		0.0			
Plug To:		30.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961531132			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10601236			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930092070			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		75.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930092069			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		31.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991531132			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		30.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934913378			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		50.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934121113			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		70.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934396524			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		70.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934665250			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		50.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933491498			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

5	1 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	---------	--------	---------------	-------------------	------

Well ID:	1530340	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	12/8/1998
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	1558
Casing Material:		Form Version:	1
Audit No:	194767	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530340.pdf

Additional Detail(s) (Map)

Well Completed Date:	1998/10/21
Year Completed:	1998
Depth (m):	3.6576
Latitude:	45.2911640879399
Longitude:	-75.9810920957567
Path:	153\1530340.pdf

Bore Hole Information

Bore Hole ID:	10051875	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	21-Oct-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931075198			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933115474			
Layer:		1			
Plug From:		0.0			
Plug To:		12.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933115475			
Layer:		2			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961530340			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10600445			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930090431			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	933326791				
Layer:	1				
Slot:					
Screen Top Depth:	5.0				
Screen End Depth:	12.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.0				

<u>5</u>	2 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1530341			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	12/8/1998
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	194770			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530341.pdf

Additional Detail(s) (Map)

Well Completed Date: 1998/10/21
Year Completed: 1998
Depth (m): 3.6576
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 153\1530341.pdf

Bore Hole Information

Bore Hole ID:	10051876	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	21-Oct-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931075199			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933115476			
Layer:		1			
Plug From:		3.0			
Plug To:		12.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933115477			
Layer:		2			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961530341			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10600446			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930090432			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933326792			
Layer:		1			
Slot:					
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			

5	3 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1530342			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	12/8/1998
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	194768			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530342.pdf				

Additional Detail(s) (Map)

Well Completed Date:	1998/10/21
Year Completed:	1998
Depth (m):	3.6576
Latitude:	45.2911640879399
Longitude:	-75.9810920957567
Path:	153\1530342.pdf

Bore Hole Information

Bore Hole ID:	10051877	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	21-Oct-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931075200			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933115479			
Layer:		2			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933115478			
Layer:		1			
Plug From:		3.0			
Plug To:		12.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961530342			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10600447			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930090433			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933326793			
Layer:		1			
Slot:					
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			

5	4 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1530343			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	12/8/1998
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	194769			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530343.pdf

Additional Detail(s) (Map)

Well Completed Date: 1998/10/21
Year Completed: 1998
Depth (m): 3.6576
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 153\1530343.pdf

Bore Hole Information

Bore Hole ID: 10051878
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:

Elevation:
Elevrc:
Zone: 18
East83: 423067.60
North83: 5015764.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	21-Oct-1998 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931075201			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933115481			
Layer:		2			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933115480			
Layer:		1			
Plug From:		3.0			
Plug To:		12.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961530343			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10600448			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930090434			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933326794			
Layer:		1			
Slot:					
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			

<u>5</u>	5 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1520138			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/1/1985
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3142
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1520138.pdf

Additional Detail(s) (Map)

Well Completed Date: 1985/09/05
Year Completed: 1985
Depth (m): 7.3152
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1520138.pdf

Bore Hole Information

Bore Hole ID: 10041986 Elevation:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423067.60
Code OB Desc:				North83:	5015764.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	05-Sep-1985 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931043843			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931043844			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961520138			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10590556			
Casing No:		1			
Comment:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930073300			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					
<i>Depth To:</i>		24.0			
<i>Casing Diameter:</i>		6.0			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		991520138			
<i>Pump Set At:</i>					
<i>Static Level:</i>		7.0			
<i>Final Level After Pumping:</i>		15.0			
<i>Recommended Pump Depth:</i>		15.0			
<i>Pumping Rate:</i>		6.0			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>		5.0			
<i>Levels UOM:</i>		ft			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		1			
<i>Water State After Test:</i>		CLEAR			
<i>Pumping Test Method:</i>		1			
<i>Pumping Duration HR:</i>		1			
<i>Pumping Duration MIN:</i>		0			
<i>Flowing:</i>		No			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		934376784			
<i>Test Type:</i>					
<i>Test Duration:</i>		30			
<i>Test Level:</i>		15.0			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		934111383			
<i>Test Type:</i>					
<i>Test Duration:</i>		15			
<i>Test Level:</i>		15.0			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		934655535			
<i>Test Type:</i>					
<i>Test Duration:</i>		45			
<i>Test Level:</i>		15.0			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		934904924			
<i>Test Type:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		60			
Test Level:		15.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933477315			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		22.0			
Water Found Depth UOM:		ft			

<u>5</u>	6 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:		1520279		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 1/21/1986	
Sec. Water Use:				Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1558	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: HUNTLEY TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 006	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1520279.pdf

Additional Detail(s) (Map)

Well Completed Date: 1985/10/16
Year Completed: 1985
Depth (m): 70.104
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1520279.pdf

Bore Hole Information

Bore Hole ID:	10042122	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	16-Oct-1985 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

**Overburden and Bedrock
Materials Interval**

Formation ID: 931044265
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 13
Mat2 Desc: BOULDERS
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931044267
Layer: 3
Color: 2
General Color: GREY
Mat1: 00
Most Common Material: UNKNOWN TYPE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 200.0
Formation End Depth: 230.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931044266
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 78
Mat2 Desc: MEDIUM-GRAINED
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 10.0
Formation End Depth: 200.0
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961520279
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Pipe Information

Pipe ID: 10590692
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930073504
Layer: 3
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 230.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930073503
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 200.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930073502
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 22.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991520279
Pump Set At:
Static Level: 8.0
Final Level After Pumping: 150.0
Recommended Pump Depth: 175.0
Pumping Rate: 7.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934656075
Test Type: Draw Down
Test Duration: 45
Test Level: 150.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934110800
Test Type: Draw Down
Test Duration: 15
Test Level: 150.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934377321
Test Type: Draw Down
Test Duration: 30
Test Level: 150.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934905464
Test Type: Draw Down
Test Duration: 60
Test Level: 150.0
Test Level UOM: ft

Water Details

Water ID: 933477472
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 30.0
Water Found Depth UOM: ft

Water Details

Water ID: 933477473
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 220.0
Water Found Depth UOM: ft

5

7 of 13

SE/3.0

118.9 / -1.00

lot 6 con 3
ON

WWIS

Well ID: 1521169	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 2/5/1987
Sec. Water Use:	Selected Flag: TRUE
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 1558

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing Material:				Form Version:	1
Audit No:	04681			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1521169.pdf

Additional Detail(s) (Map)

Well Completed Date: 1986/12/11
Year Completed: 1986
Depth (m): 115.824
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1521169.pdf

Bore Hole Information

Bore Hole ID:	10043005	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11-Dec-1986 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931047076
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 74
Mat2 Desc: LAYERED
Mat3:
Mat3 Desc:
Formation Top Depth: 8.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931047077			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		78			
Mat2 Desc:		MEDIUM-GRAINED			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		15.0			
Formation End Depth:		380.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931047075			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		0.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961521169			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10591575			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930075067			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		275.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930075068			
Layer:		3			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		380.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930075066			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991521169			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		175.0			
Recommended Pump Depth:		300.0			
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934388990			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		175.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934651118			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		175.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934908347			
Test Type:		Draw Down			
Test Duration:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		175.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934105871			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		150.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933478651			
Layer:		1			
Kind Code:		3			
Kind:		SULPHUR			
Water Found Depth:		265.0			
Water Found Depth UOM:		ft			

<u>5</u>	8 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1522376				
Construction Date:				Data Entry Status:	
Primary Water Use:	Domestic			Data Src:	1
Sec. Water Use:				Date Received:	6/13/1988
Final Well Status:	Water Supply			Selected Flag:	TRUE
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	3142
Audit No:	19436			Form Version:	1
Tag:				Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	OTTAWA
Elevation Reliability:				Municipality:	HUNTLEY TOWNSHIP
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	006
Overburden/Bedrock:				Concession:	03
Pump Rate:				Concession Name:	CON
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
Clear/Cloudy:				UTM Reliability:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1522376.pdf

Additional Detail(s) (Map)

Well Completed Date: 1988/06/06
Year Completed: 1988
Depth (m): 45.72
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1522376.pdf

Bore Hole Information

Bore Hole ID: 10044188
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:

Elevation:
Elevrc:
Zone: 18
East83: 423067.60
North83: 5015764.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: 06-Jun-1988 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: lot	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931051181			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931051182			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931051183			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		90.0			
Formation End Depth:		150.0			
Formation End Depth UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961522376			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10592758			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930077276			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930077277			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		130.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991522376			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:		100.0			
Pumping Rate:		12.0			
Flowing Rate:					
Recommended Pump Rate:		9.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934385183			
Test Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		30			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934903954			
Test Type:					
Test Duration:		60			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934655127			
Test Type:					
Test Duration:		45			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934109897			
Test Type:					
Test Duration:		15			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933480233			
Layer:		1			
Kind Code:		3			
Kind:		SULPHUR			
Water Found Depth:		128.0			
Water Found Depth UOM:		ft			

5	9 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1522596			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/1/1988
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	38189			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1522596.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Additional Detail(s) (Map)

Well Completed Date: 1988/07/04
Year Completed: 1988
Depth (m): 38.1
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1522596.pdf

Bore Hole Information

Bore Hole ID:	10044408	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	04-Jul-1988 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931051999
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 28
Mat2 Desc: SAND
Mat3: 11
Mat3 Desc: GRAVEL
Formation Top Depth: 9.0
Formation End Depth: 16.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931052000
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 74
Mat2 Desc: LAYERED
Mat3: 78
Mat3 Desc: MEDIUM-GRAINED
Formation Top Depth: 16.0
Formation End Depth: 125.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931051998			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		6.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931051997			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961522596			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10592978			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930077663			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930077664			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		125.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991522596			
Pump Set At:					
Static Level:		3.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934110931			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934386356			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934904547			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934656150			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		20.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933480555
Layer: 1
Kind Code: 3
Kind: SULPHUR
Water Found Depth: 92.0
Water Found Depth UOM: ft

Water Details

Water ID: 933480556
Layer: 2
Kind Code: 3
Kind: SULPHUR
Water Found Depth: 118.0
Water Found Depth UOM: ft

5	10 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	----------	--------	---------------	-------------------	------

Well ID: 1523221 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 39003 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 1/9/1989 Selected Flag: TRUE Abandonment Rec: Contractor: 5222 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: HUNTLEY TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1523221.pdf

Additional Detail(s) (Map)

Well Completed Date: 1988/09/09
Year Completed: 1988
Depth (m): 13.716
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1523221.pdf

Bore Hole Information

Bore Hole ID: 10045024 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	Elevation: Elevrc: Zone: 18 East83: 423067.60 North83: 5015764.00 Org CS: UTMRC: 9
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	09-Sep-1988 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931053937				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:	79				
Mat2 Desc:	PACKED				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	1.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931053940				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:	46				
Mat2 Desc:	QUARTZ				
Mat3:	73				
Mat3 Desc:	HARD				
Formation Top Depth:	16.0				
Formation End Depth:	45.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931053939				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	13				
Mat2 Desc:	BOULDERS				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	10.0				
Formation End Depth:	16.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931053938			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933110179			
Layer:		1			
Plug From:		0.0			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961523221			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10593594			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930078753			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		45.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930078752			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		19.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991523221			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934906798			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934388614			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934104382			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934649597			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933481407			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		41.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Water Details

Water ID: 933481406
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 26.0
Water Found Depth UOM: ft

[5](#) 11 of 13 **SE/3.0** **118.9 / -1.00** **lot 6 con 3 ON** **WWIS**

Well ID:	1523820	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/12/1989
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1558
Casing Material:		Form Version:	1
Audit No:	50876	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1523820.pdf

Additional Detail(s) (Map)

Well Completed Date: 1989/08/11
Year Completed: 1989
Depth (m): 79.248
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1523820.pdf

Bore Hole Information

Bore Hole ID:	10045593	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11-Aug-1989 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931055849			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		74			
Mat2 Desc:		LAYERED			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		20.0			
Formation End Depth:		260.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931055848			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		6.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931055847			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961523820			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10594163			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930079808				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	22.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930079809				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	260.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991523820				
Pump Set At:					
Static Level:	8.0				
Final Level After Pumping:	125.0				
Recommended Pump Depth:	250.0				
Pumping Rate:	2.0				
Flowing Rate:					
Recommended Pump Rate:	2.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	2				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934390822				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	125.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934909002				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	125.0				
Test Level UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934651377
Test Type: Draw Down
Test Duration: 45
Test Level: 125.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934106592
Test Type: Draw Down
Test Duration: 15
Test Level: 120.0
Test Level UOM: ft

Water Details

Water ID: 933482231
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 22.0
Water Found Depth UOM: ft

Water Details

Water ID: 933482232
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 110.0
Water Found Depth UOM: ft

5	12 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	----------	--------	---------------	-------------------	------

Well ID: 1527799	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 4/5/1994
Sec. Water Use: Commerical	Selected Flag: TRUE
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 5222
Casing Material:	Form Version: 1
Audit No: 110552	Owner:
Tag:	Street Name:
Construction Method:	County: OTTAWA
Elevation (m):	Municipality: HUNTLEY TOWNSHIP
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot: 006
Well Depth:	Concession: 03
Overburden/Bedrock:	Concession Name: CON
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1527799.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 1992/10/29
Year Completed: 1992
Depth (m): 15.24
Latitude: 45.2911640879399
Longitude: -75.9810920957567
Path: 152\1527799.pdf

Bore Hole Information

Bore Hole ID:	10049390	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	29-Oct-1992 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931067693
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 78
Mat2 Desc: MEDIUM-GRAINED
Mat3:
Mat3 Desc:
Formation Top Depth: 13.0
Formation End Depth: 50.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931067690
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 79
Mat2 Desc: PACKED
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931067691			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		3.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931067692			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		8.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933112717			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961527799			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10597960			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930086276			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Open Hole or Material: STEEL
Depth From:
Depth To: 22.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930086277
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 50.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991527799
Pump Set At:
Static Level: 0.0
Final Level After Pumping: 20.0
Recommended Pump Depth: 20.0
Pumping Rate: 15.0
Flowing Rate:
Recommended Pump Rate: 10.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933487330
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 35.0
Water Found Depth UOM: ft

Water Details

Water ID: 933487331
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 42.0
Water Found Depth UOM: ft

5	13 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	----------	--------	---------------	-------------------	------

Well ID:	1529797	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/8/1998

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	182787			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1529797.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1997/12/15				
Year Completed:	1997				
Depth (m):	22.86				
Latitude:	45.2911640879399				
Longitude:	-75.9810920957567				
Path:	152\1529797.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10051332			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423067.60
Code OB Desc:				North83:	5015764.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	15-Dec-1997 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931073872				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	91				
Mat3 Desc:	WATER-BEARING				
Formation Top Depth:	9.0				
Formation End Depth:	12.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Overburden and Bedrock
Materials Interval**

Formation ID: 931073870
Layer: 1
Color: 6
General Color: BROWN
Mat1: 02
Most Common Material: TOPSOIL
Mat2: 12
Mat2 Desc: STONES
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931073873
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 78
Mat2 Desc: MEDIUM-GRAINED
Mat3:
Mat3 Desc:
Formation Top Depth: 12.0
Formation End Depth: 75.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931073871
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 81
Mat2 Desc: SANDY
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 4.0
Formation End Depth: 9.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933114864
Layer: 2
Plug From: 5.0
Plug To: 0.0
Plug Depth UOM: ft

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		933114863			
Layer:		1			
Plug From:		20.0			
Plug To:		5.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961529797			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10599902			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930089620			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		75.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930089619			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991529797			
Pump Set At:					
Static Level:		4.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		25.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934660870			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		4.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934909826			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		4.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934116734			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		5.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934391708			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		4.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933489859			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		24.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933489860			
Layer:		2			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			
6	1 of 2	ESE/18.4	119.9 / 0.00	2042303 Ontario Inc. 141 Wescar Lane Ottawa ON	CA
Certificate #:		7967-6VCM8K			
Application Year:		2006			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Issue Date: 11/28/2006 Approval Type: Industrial Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
6	2 of 2	ESE/18.4	119.9 / 0.00	2042303 Ontario Inc. 141 Wescar Lane Ottawa ON	ECA
Approval No: 7967-6VCM8K Approval Date: 2006-11-28 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: 2042303 Ontario Inc. Address: 141 Wescar Lane Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8119-6PFM87-14.pdf PDF Site Location:		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:			
7	1 of 3	NE/50.9	119.9 / 0.00	NU-TEK SIGNS INC. 162 WESCAR LANE CARP ON K0A 1L0	GEN
Generator No: ON2137000 SIC Code: 3971 SIC Description: SIGN & DISPLAY IND. Approval Years: 96,97,98,99,00,01 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			
Detail(s)					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
7	2 of 3	NE/50.9	119.9 / 0.00	162 Wescar Lane Carp ON K0A 1L0	EHS
Order No: 21041600030 Status: C Report Type: Standard Report Report Date: 21-APR-21 Date Received: 16-APR-21 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9807573 Y: 45.2934901			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>7</u>	3 of 3	NE/50.9	119.9 / 0.00	162 Wescar Lane Carp ON K0A 1L0	EHS
Order No:	21041600030			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	21-APR-21			Search Radius (km):	.25
Date Received:	16-APR-21			X:	-75.9807573
Previous Site Name:				Y:	45.2934901
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

<u>8</u>	1 of 1	NNW/51.9	119.9 / 0.00	lot 7 con 3 ON	WWIS
Well ID:	1515158			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/15/1976
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3644
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	007
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1515158.pdf

Additional Detail(s) (Map)

Well Completed Date: 1975/10/20
Year Completed: 1975
Depth (m): 10.668
Latitude: 45.2940485388135
Longitude: -75.9827232446998
Path: 151\1515158.pdf

Bore Hole Information

Bore Hole ID:	10037119	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	422943.60
Code OB Desc:		North83:	5016086.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	20-Oct-1975 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931028382			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931028383			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961515158			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10585689			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930065587			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		26.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991515158			
Pump Set At:					
Static Level:		6.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		25.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934375899			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934099978			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934894906			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934645782			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933471170			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		34.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
9	1 of 1	ESE/54.2	119.9 / 0.00	WESCAR LANE lot 6 con 3 CARP ON	WWIS
Well ID: 1536478 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: Z46974 Tag: A035386 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 7/11/2006 Selected Flag: TRUE Abandonment Rec: Contractor: 1558 Form Version: 3 Owner: Street Name: WESCAR LANE County: OTTAWA Municipality: HUNTLEY TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536478.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2006/05/30 Year Completed: 2006 Depth (m): 19.81 Latitude: 45.2916191480085 Longitude: -75.9794624872377 Path: 153\1536478.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 11550544 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 30-May-2006 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: Elevrc: Zone: 18 East83: 423196.00 North83: 5015813.00 Org CS: UTM83 UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 933058872 Layer: 1 Color: 6 General Color: BROWN Mat1: 28					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		SAND			
Mat2 Desc:		68			
Mat3:		DRY			
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.2100000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933058873			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		91			
Mat3 Desc:		WATER-BEARING			
Formation Top Depth:		1.2100000381469727			
Formation End Depth:		1.8200000524520874			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933058875			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9.140000343322754			
Formation End Depth:		10.65999984741211			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933058874			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.8200000524520874			
Formation End Depth:		9.140000343322754			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		933058876			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.65999984741211			
Formation End Depth:		19.809999465942383			
Formation End Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961536478			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11560151			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930880671			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-0.4499998807907104			
Depth To:		11.270000457763672			
Casing Diameter:		15.859999656677246			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		930880672			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		11.270000457763672			
Depth To:		19.809999465942383			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11569528			
Pump Set At:		12.1899995803833			
Static Level:		0.9100000262260437			
Final Level After Pumping:		1.8700000047683716			
Recommended Pump Depth:		12.1899995803833			
Pumping Rate:		54.599998474121094			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:		45.5			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:					
Flowing:					
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631825			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		1.100000023841858			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632212			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		1.0299999713897705			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632216			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		0.9599999785423279			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631822			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		1.600000023841858			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632223			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		1.8799999952316284			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631817			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		1.3200000524520874			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		11631821			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		1.2300000190734863			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632214			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		0.9700000286102295			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631815			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		1.350000023841858			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631820			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		1.559999942779541			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632215			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		1.840000033378601			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632217			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		1.8600000143051147			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632213			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		1.8200000524520874			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632220			
Test Type:		Recovery			
Test Duration:		40			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		0.9300000071525574			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632221			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		1.8799999952316284			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631814			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		1.3899999856948853			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631816			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		1.4600000381469727			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631818			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		1.5199999809265137			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632211			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		1.7899999618530273			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632219			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		1.8600000143051147			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632224			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		0.9200000166893005			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631819			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		1.2200000286102295			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632222			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		0.9200000166893005			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631823			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		1.2000000476837158			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11631824			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		1.7000000476837158			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11632218			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		0.9399999976158142			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		934077274			
Layer:		2			
Kind Code:					
Kind:					
Water Found Depth:		18.280000686645508			
Water Found Depth UOM:		m			
<u>Water Details</u>					
Water ID:		934077273			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		13.710000038146973			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		11681269 22.75 0.0 11.270000457763672 m cm			
<u>Hole Diameter</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		11681270 15.390000343322754 11.270000457763672 19.809999465942383 m cm			
10	1 of 1	ENE/55.0	119.9 / 0.00	154 Wescar Lane Ottawa ON K0A1L0	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20180503108 C Standard Report 10-MAY-18 03-MAY-18 1.02 acres City Directory; Aerial Photos		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				Ottawa ON .25 -75.980212 45.293186	
11	1 of 2	N/55.7	119.9 / 0.00	173 and 181 Wescar Lane Carp ON K0A 1L0	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		21041200041 C Standard Report 15-APR-21 12-APR-21 		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				Ottawa ON .25 -75.9818846 45.2935187	
11	2 of 2	N/55.7	119.9 / 0.00	173 and 181 Wescar Lane Carp ON K0A 1L0	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		21041200041 C Standard Report 15-APR-21 12-APR-21 		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				Ottawa ON .25 -75.9818846 45.2935187	
12	1 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description:		ON4708737 562910 Remediation Services		Status: Co Admin: Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: 07,08 PO Box No: Country:				Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
12	2 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No: ON4708737 SIC Code: 562910 SIC Description: Remediation Services Approval Years: 2009 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
12	3 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No: ON4708737 SIC Code: 562910 SIC Description: Remediation Services Approval Years: 2010 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
12	4 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No: ON4708737 SIC Code: 562910 SIC Description: Remediation Services Approval Years: 2011 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
12	5 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Carp ON KOA 1L0					
Generator No:	ON4708737			Status:	
SIC Code:	562910			Co Admin:	
SIC Description:	Remediation Services			Choice of Contact:	
Approval Years:	2012			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
12	6 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON	GEN
Generator No:	ON4708737			Status:	
SIC Code:	562910			Co Admin:	
SIC Description:	REMEDICATION SERVICES			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
12	7 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON KOA 1L0	GEN
Generator No:	ON4708737			Status:	
SIC Code:	562910			Co Admin:	Donna L Salim
SIC Description:	REMEDICATION SERVICES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	613-836-7669 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
12	8 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON KOA 1L0	GEN
Generator No:	ON4708737			Status:	
SIC Code:	562910			Co Admin:	Donna L Salim
SIC Description:	REMEDICATION SERVICES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	613-836-7669 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
12	9 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No:	ON4708737			Status:	
SIC Code:	562910			Co Admin:	Donna L Salim
SIC Description:	REMEDATION SERVICES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	613-836-7669 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
12	10 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No:	ON4708737			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
12	11 of 11	ENE/58.0	119.9 / 0.00	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0	GEN
Generator No:	ON4708737			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Oct 2019			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
13	1 of 2	E/60.0	119.9 / 0.00	1649174 Ontario Inc. 132 Wescar Lane Ottawa ON	CA
Certificate #:	1511-6S2KLS				
Application Year:	2006				
Issue Date:	7/28/2006				
Approval Type:	Municipal and Private Sewage Works				
Status:	Approved				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
13	2 of 2	E/60.0	119.9 / 0.00	1649174 Ontario Inc. 132 Wescar Lane Ottawa ON K0A 1L0	ECA
Approval No: 1511-6S2KLS Approval Date: 2006-07-28 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: 1649174 Ontario Inc. Address: 132 Wescar Lane Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8224-6PAQXM-14.pdf PDF Site Location:					
14	1 of 2	E/65.5	119.9 / 0.00	Ralco Masonry & Construction 126 Wescar Lane Ottawa ON	CA
Certificate #: 9769-6JMRQA Application Year: 2006 Issue Date: 1/25/2006 Approval Type: Industrial Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
14	2 of 2	E/65.5	119.9 / 0.00	Ralco Masonry & Construction 126 Wescar Lane Ottawa ON	ECA
Approval No: 9769-6JMRQA Approval Date: 2006-01-25 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Mississippi Valley Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: Ralco Masonry & Construction Address: 126 Wescar Lane Full Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/7598-6HGRKZ-14.pdf			
PDF Site Location:					

15	1 of 1	E/67.9	119.9 / 0.00	132 WESCAR LANE lot 6 con 3 CARP ON	WWIS
Well ID:		1536824		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Domestic		Date Received: 11/17/2006	
Sec. Water Use:				Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1558	
Casing Material:				Form Version: 3	
Audit No:		Z47066		Owner:	
Tag:		A041980		Street Name: 132 WESCAR LANE	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: HUNTLEY TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 006	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536824.pdf

Additional Detail(s) (Map)

Well Completed Date: 2006/08/30
Year Completed: 2006
Depth (m): 52.72
Latitude: 45.2925925854696
Longitude: -75.9793134556728
Path: 153\1536824.pdf

Bore Hole Information

Bore Hole ID:	11691918	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423209.00
Code OB Desc:		North83:	5015921.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	30-Aug-2006 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 933071031
Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		0.0			
Formation End Depth:		3.6500000953674316			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933071033			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.309999942779541			
Formation End Depth:		52.720001220703125			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933071032			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.6500000953674316			
Formation End Depth:		7.309999942779541			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933286615			
Layer:		1			
Plug From:		8.220000267028809			
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961536824			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe Information

Pipe ID: 11696784
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930873873
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From: 8.220000267028809
Depth To: 52.720001220703125
Casing Diameter:
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Casing

Casing ID: 930873872
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From: -0.44999998807907104
Depth To: 8.220000267028809
Casing Diameter: 15.859999656677246
Casing Diameter UOM: cm
Casing Depth UOM: m

Results of Well Yield Testing

Pump Test ID: 11701494
Pump Set At: 45.709999084472656
Static Level: 4.489999771118164
Final Level After Pumping: 19.010000228881836
Recommended Pump Depth: 30.469999313354492
Pumping Rate: 40.95000076293945
Flowing Rate:
Recommended Pump Rate: 40.95000076293945
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method:
Pumping Duration HR: 3
Pumping Duration MIN: 0
Flowing:

Draw Down & Recovery

Pump Test Detail ID: 11738008
Test Type: Recovery
Test Duration: 5
Test Level: 9.5600004196167
Test Level UOM: m

Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		11738009			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		14.5			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738011			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		15.720000267028809			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738013			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		16.329999923706055			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738018			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		5.25			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738023			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		17.6299991607666			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738004			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		11.40999984741211			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738007			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		11.210000038146973			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738014			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		5.46999979019165			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738020				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	40				
<i>Test Level:</i>	5.190000057220459				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738022				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	50				
<i>Test Level:</i>	5.170000076293945				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738015				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	25				
<i>Test Level:</i>	16.56999969482422				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738000				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	1				
<i>Test Level:</i>	15.1899995803833				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738002				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	2				
<i>Test Level:</i>	13.0600004196167				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738010				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	10				
<i>Test Level:</i>	6.880000114440918				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	11738012				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	15				
<i>Test Level:</i>	5.829999923706055				
<i>Test Level UOM:</i>	m				
<u><i>Draw Down & Recovery</i></u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		11738024			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		5.170000076293945			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738001			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		8.109999656677246			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738003			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		9.270000457763672			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738017			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		16.719999313354492			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11737999			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		6.690000057220459			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738005			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		10.300000190734863			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738006			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		10.369999885559082			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738016			
Test Type:		Recovery			
Test Duration:		25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		5.340000	152587891		
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738019			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		16.879999	1607666		
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11738021			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		17.5			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		934070908			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		50.590000	15258789		
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11755509			
Diameter:		22.75			
Depth From:		0.0			
Depth To:		8.220000	267028809		
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		11755508			
Diameter:		15.229999	542236328		
Depth From:		8.220000	267028809		
Depth To:		52.720000	1220703125		
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

16	1 of 1	ESE/78.1	119.9 / 0.00	Marnick Holdings Ltd. 131 Wescar Lane Carp Ottawa ON	ECA
Approval No:	5541-8TYHSK			MOE District:	
Approval Date:	2012-05-10			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	Marnick Holdings Ltd.				
Address:	131 Wescar Lane Carp				
Full Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/0068-8N7JUP-14.pdf			
PDF Site Location:					
17	1 of 7	NE/88.9	119.9 / 0.00	Kerr Design Ltd. 168 Wescar Lane RR 2 Carp ON K0A 1L0	SCT
Established:		01-JUN-90			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
SIC/NAICS Code:		337213			
Description:		Other Millwork			
SIC/NAICS Code:		321919			
Description:		Other Wood Household Furniture Manufacturing			
SIC/NAICS Code:		337123			
Description:		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
SIC/NAICS Code:		337213			
17	2 of 7	NE/88.9	119.9 / 0.00	Competition Composites Inc. 168 Wescar Lane Unit 3 Carp ON K0A 1L0	SCT
Established:		1/1/2002			
Plant Size (ft²):		1800			
Employment:					
--Details--					
Description:		All Other Plastic Product Manufacturing			
SIC/NAICS Code:		326198			
Description:		Engineering Services			
SIC/NAICS Code:		541330			
17	3 of 7	NE/88.9	119.9 / 0.00	Competition Composites Inc. 168 Wescar Lane Carp Ottawa ON	CA
Certificate #:		5353-8BBMUW			
Application Year:		2010			
Issue Date:		11/19/2010			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
17	4 of 7	NE/88.9	119.9 / 0.00	Competition Composites Inc. 3-168 Wescar Lane Carp ON K0A 1L0	SCT
Established:		01-JAN-02			
Plant Size (ft²):		1800			
Employment:					
--Details--					
Description:		All Other Plastic Product Manufacturing			
SIC/NAICS Code:		326198			
Description:		Engineering Services			
SIC/NAICS Code:		541330			
17	5 of 7	NE/88.9	119.9 / 0.00	Competition Composites Inc. 168 Wescar Lane Carp Ottawa ON K0A 1L0	ECA
Approval No:		5353-8BBMUW		MOE District: Ottawa	
Approval Date:		2010-11-19		City:	
Status:		Revoked and/or Replaced		Longitude: -75.9808	
Record Type:		ECA		Latitude: 45.293774	
Link Source:		IDS		Geometry X:	
SWP Area Name:		Mississippi Valley		Geometry Y:	
Approval Type:		ECA-AIR			
Project Type:		AIR			
Business Name:		Competition Composites Inc.			
Address:		168 Wescar Lane Carp			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/1325-82CS5P-14.pdf			
PDF Site Location:					
17	6 of 7	NE/88.9	119.9 / 0.00	Competition Composites 168 Wescar Lane Carp ON K0A 1L0	GEN
Generator No:		ON3677511		Status:	
SIC Code:		333310		Co Admin: Phillip Locker	
SIC Description:		COMMERCIAL AND SERVICE INDUSTRY MACHINERY MANUFACTURING		Choice of Contact: CO_OFFICIAL	
Approval Years:		2015		Phone No Admin: 613-599-6951 Ext.	
PO Box No:				Contam. Facility: No	
Country:		Canada		MHSW Facility: No	
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
17	7 of 7	NE/88.9	119.9 / 0.00	Competition Composites 168 Wescar Lane Carp ON K0A 1L0	GEN
Generator No:		ON3677511		Status:	
SIC Code:		333310		Co Admin: Phillip Locker	
SIC Description:		COMMERCIAL AND SERVICE INDUSTRY		Choice of Contact: CO_OFFICIAL	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: 2014 PO Box No: Country: Canada		MACHINERY MANUFACTURING		Phone No Admin: 613-599-6951 Ext. Contam. Facility: No MHSW Facility: No	
Detail(s)					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
18	1 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No: 20200113331 Status: C Report Type: Standard Report Report Date: 16-JAN-20 Date Received: 13-JAN-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9786751 Y: 45.2918693			
18	2 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No: 20200113331 Status: C Report Type: Standard Report Report Date: 16-JAN-20 Date Received: 13-JAN-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9786751 Y: 45.2918693			
18	3 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No: 20200113331 Status: C Report Type: Standard Report Report Date: 16-JAN-20 Date Received: 13-JAN-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9786751 Y: 45.2918693			
18	4 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No: 20200113331 Status: C Report Type: Standard Report Report Date: 16-JAN-20 Date Received: 13-JAN-20 Previous Site Name: Lot/Building Size:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9786751 Y: 45.2918693			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
18	5 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No:	20200113331			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	16-JAN-20			Search Radius (km):	.25
Date Received:	13-JAN-20			X:	-75.9786751
Previous Site Name:				Y:	45.2918693
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
18	6 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No:	20200113331			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	16-JAN-20			Search Radius (km):	.25
Date Received:	13-JAN-20			X:	-75.9786751
Previous Site Name:				Y:	45.2918693
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
18	7 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
Order No:	20200113331			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	16-JAN-20			Search Radius (km):	.25
Date Received:	13-JAN-20			X:	-75.9786751
Previous Site Name:				Y:	45.2918693
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
19	1 of 1	ESE/96.6	119.9 / 0.00	131 WESCAR lot 6 con 3 CARP ON	WWIS
Well ID:	7161391			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Commerical			Date Received:	4/5/2011
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4875
Casing Material:				Form Version:	7
Audit No:	Z102951			Owner:	
Tag:	A104867			Street Name:	131 WESCAR
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	X
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7161391.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2011/02/23				
Year Completed:	2011				
Depth (m):	35.08				
Latitude:	45.2912338911129				
Longitude:	-75.9792518126352				
Path:	716\7161391.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003493676			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423212.00
Code OB Desc:				North83:	5015770.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	23-Feb-2011 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003831148				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	34				
Most Common Material:	TILL				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	11				
Mat3 Desc:	GRAVEL				
Formation Top Depth:	4.610000133514404				
Formation End Depth:	7.320000171661377				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003831147				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.0			
Formation End Depth:		4.610000133514404			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003831149			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.320000171661377			
Formation End Depth:		35.08000183105469			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003831185			
Layer:		1			
Plug From:		0.0			
Plug To:		8.229999542236328			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003831183			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003831145			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003831154			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-0.6000000238418579			
Depth To:		8.229999542236328			
Casing Diameter:		15.880000114440918			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003831155			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
Results of Well Yield Testing					
Pump Test ID:					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
Draw Down & Recovery					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
Draw Down & Recovery					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
Draw Down & Recovery					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
Draw Down & Recovery					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
Draw Down & Recovery					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1003831161			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		2.5299999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831170			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		2.5899999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831174			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		2.630000114440918			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831156			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		2.450000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831159			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		2.569999933242798			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831176			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		2.640000104904175			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831181			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		2.4600000381469727			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831160			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		2.450000047683716			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831167			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.4800000190734863			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831173			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		2.4800000190734863			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831175			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		2.4800000190734863			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831163			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.5			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831165			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		5			
<i>Test Level:</i>		2.490000009536743			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831157			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		2.609999895095825			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>		1003831162			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.450000047683716			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down & Recovery</i></u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1003831164			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		2.450000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831168			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		2.5299999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831178			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		2.640000104904175			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831179			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		2.4700000286102295			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831169			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		2.4800000190734863			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831171			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		2.4800000190734863			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003831177			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		2.4700000286102295			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1003831153			
Layer:		3			
Kind Code:		8			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		Untested			
Water Found Depth:		31.0			
Water Found Depth UOM:		m			
<u>Water Details</u>					
Water ID:		1003831152			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		28.899999618530273			
Water Found Depth UOM:		m			
<u>Water Details</u>					
Water ID:		1003831151			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		21.899999618530273			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003831150			
Diameter:		15.239999771118164			
Depth From:		8.229999542236328			
Depth To:		35.08000183105469			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>20</u>	1 of 2	NE/105.4	119.9 / 0.00	5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON	WWIS
Well ID:	7126803			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	8/6/2009
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z94712			Owner:	
Tag:	A082584			Street Name:	5630 OSGOODE MAIN STREET
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7126803.pdf

Additional Detail(s) (Map)

Well Completed Date: 2009/07/06
Year Completed: 2009
Depth (m): 89.916

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.293720806574			
Longitude:		-75.9800087966641			
Path:		712\7126803.pdf			

Bore Hole Information

Bore Hole ID:	1002603458	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423156.00
Code OB Desc:		North83:	5016047.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	06-Jul-2009 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1002799108
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	32.0
Formation End Depth:	228.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1002799109
Layer:	3
Color:	2
General Color:	GREY
Mat1:	18
Most Common Material:	SANDSTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	228.0
Formation End Depth:	295.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1002799107
Layer:	1
Color:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		0.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002799112			
Layer:		2			
Plug From:		32.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002799111			
Layer:		1			
Plug From:		42.0			
Plug To:		32.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002799146			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002799105			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002799116			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		42.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1002799117			
Layer:		2			
Material:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		OPEN HOLE			
Depth From:		42.0			
Depth To:		295.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002799118			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002799106			
Pump Set At:		280.0			
Static Level:		18.579999923706055			
Final Level After Pumping:		169.5			
Recommended Pump Depth:		200.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799119			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		31.579999923706055			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799125			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		55.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799127			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		62.41999816894531			
Test Level UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799128		
Test Type:			Recovery		
Test Duration:			5		
Test Level:			125.16999816894531		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799133		
Test Type:			Draw Down		
Test Duration:			20		
Test Level:			132.1699981689453		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799144		
Test Type:			Recovery		
Test Duration:			60		
Test Level:			18.579999923706055		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799126		
Test Type:			Recovery		
Test Duration:			4		
Test Level:			131.5		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799130		
Test Type:			Recovery		
Test Duration:			10		
Test Level:			84.08000183105469		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799132		
Test Type:			Recovery		
Test Duration:			15		
Test Level:			64.16999816894531		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799137		
Test Type:			Draw Down		
Test Duration:			30		
Test Level:			151.4199981689453		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799142		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Recovery			
Test Duration:		50			
Test Level:		18.579999923706055			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799143			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		169.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799122			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		145.75			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799135			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		142.1699981689453			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799121			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		40.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799123			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		47.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799124			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		138.1699981689453			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002799136			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		30.329999923706055			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799138		
Test Type:			Recovery		
Test Duration:			30		
Test Level:			24.75		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799129		
Test Type:			Draw Down		
Test Duration:			10		
Test Level:			94.66999816894531		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799140		
Test Type:			Recovery		
Test Duration:			40		
Test Level:			21.170000076293945		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799120		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			154.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799141		
Test Type:			Draw Down		
Test Duration:			50		
Test Level:			166.3300018310547		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799131		
Test Type:			Draw Down		
Test Duration:			15		
Test Level:			121.5		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1002799134		
Test Type:			Recovery		
Test Duration:			20		
Test Level:			42.33000183105469		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 1002799139					
Test Type: Draw Down					
Test Duration: 40					
Test Level: 160.0800018310547					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 1002799114					
Layer: 2					
Kind Code: 8					
Kind: Untested					
Water Found Depth: 231.0					
Water Found Depth UOM: ft					
<u>Water Details</u>					
Water ID: 1002799113					
Layer: 1					
Kind Code: 8					
Kind: Untested					
Water Found Depth: 155.0					
Water Found Depth UOM: ft					
<u>Water Details</u>					
Water ID: 1002799115					
Layer: 3					
Kind Code: 8					
Kind: Untested					
Water Found Depth: 263.0					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1002799110					
Diameter: 6.0					
Depth From: 0.0					
Depth To: 295.0					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					

20	2 of 2	NE/105.4	119.9 / 0.00	153 CARDEVCO ROAD lot 6 con 3 CARP ON	WWIS
Well ID: 7127022		Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use: Domestic		Date Received: 8/6/2009			
Sec. Water Use:		Selected Flag: TRUE			
Final Well Status: Water Supply		Abandonment Rec:			
Water Type:		Contractor: 1119			
Casing Material:		Form Version: 7			
Audit No: Z94721		Owner:			
Tag: A082584		Street Name: 153 CARDEVCO ROAD			
Construction Method:		County: OTTAWA			
Elevation (m):		Municipality: HUNTLEY TOWNSHIP			
Elevation Reliability:		Site Info: BLOCK 9 & 12			
Depth to Bedrock:		Lot: 006			
Well Depth:		Concession: 03			
Overburden/Bedrock:		Concession Name: CON			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7127022.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2009/07/06			
Year Completed:		2009			
Depth (m):		18.288			
Latitude:		45.293720806574			
Longitude:		-75.9800087966641			
Path:		712\7127022.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002626750		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		06-Jul-2009 00:00:00		UTMRC Desc:	
Remarks:				Location Method:	
Elevrc Desc:				18	
Location Source Date:				423156.00	
Improvement Location Source:				5016047.00	
Improvement Location Method:				UTM83	
Source Revision Comment:				3	
Supplier Comment:				margin of error : 10 - 30 m	
				wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002876432			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002876433			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002876435			
Layer:		1			
Plug From:		19.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002876469			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002876430			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002876439			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		19.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1002876440			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		19.0			
Depth To:		60.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002876441			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002876431			
Pump Set At:		50.0			
Static Level:		5.5			
Final Level After Pumping:		8.079999923706055			
Recommended Pump Depth:		50.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876447			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		6.329999923706055			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876448			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		6.75			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876453			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		5.670000076293945			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876456			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		7.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876465			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		5.5			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		ft			
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876445				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	2				
<i>Test Level:</i>	6.420000076293945				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876451				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	5				
<i>Test Level:</i>	6.170000076293945				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876454				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	15				
<i>Test Level:</i>	7.420000076293945				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876459				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	25				
<i>Test Level:</i>	5.5				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876466				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	60				
<i>Test Level:</i>	8.079999923706055				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876450				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	5				
<i>Test Level:</i>	7.0				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876444				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	2				
<i>Test Level:</i>	6.5				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down & Recovery</i></u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1002876442			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		6.329999923706055			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876443			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		6.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876446			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		6.670000076293945			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876452			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		7.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876457			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		5.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876460			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		7.579999923706055			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876461			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		5.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876463			
Test Type:		Recovery			
Test Duration:		40			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		5.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876455			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		5.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876467			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		5.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876449			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		6.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876464			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		8.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876458			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		7.579999923706055			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1002876462			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		7.75			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1002876436			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		30.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 1002876437
 Layer: 2
 Kind Code: 8
 Kind: Untested
 Water Found Depth: 48.0
 Water Found Depth UOM: ft

Water Details

Water ID: 1002876438
 Layer: 3
 Kind Code: 8
 Kind: Untested
 Water Found Depth: 51.0
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1002876434
 Diameter: 6.0
 Depth From: 0.0
 Depth To: 60.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

21	1 of 1	N/108.0	119.9 / 0.00	172 & 180 Wescar Lane Ottawa ON	EHS
--------------------	--------	---------	--------------	------------------------------------	-----

Order No:	20070316030	Nearest Intersection:	Cavanmore Road & Wescar Lane
Status:	C	Municipality:	Ottawa
Report Type:	CAN - Site Report	Client Prov/State:	
Report Date:	3/20/2007	Search Radius (km):	0.25
Date Received:	3/16/2007	X:	-75.981684
Previous Site Name:		Y:	45.294059
Lot/Building Size:	3.1 acre		
Additional Info Ordered:			

22	1 of 1	E/108.7	119.9 / 0.00	135 CARDEVCO RD CARP ON	WWIS
--------------------	--------	---------	--------------	----------------------------	------

Well ID:	7186867	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Domestic	Date Received:	9/11/2012
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	2558
Casing Material:		Form Version:	7
Audit No:	Z154051	Owner:	
Tag:	A134668	Street Name:	135 CARDEVCO RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	PART 7&10
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186867.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/08/09
 Year Completed: 2012
 Depth (m): 30.48
 Latitude: 45.2926785057057
 Longitude: -75.9787410494549
 Path: 718\7186867.pdf

Bore Hole Information

Bore Hole ID:	1004152215	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423254.00
Code OB Desc:		North83:	5015930.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	09-Aug-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1004453816
 Layer: 2
 Color: 8
 General Color: BLACK
 Mat1: 15
 Most Common Material: LIMESTONE
 Mat2:
 Mat2 Desc:
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 16.0
 Formation End Depth: 100.0
 Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 1004453815
 Layer: 1
 Color:
 General Color:
 Mat1: 05
 Most Common Material: CLAY
 Mat2: 28
 Mat2 Desc: SAND
 Mat3: 12
 Mat3 Desc: STONES
 Formation Top Depth: 0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004453850			
Layer:		1			
Plug From:		0.0			
Plug To:		22.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004453849			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004453813			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004453820			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.0			
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004453821			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004453814			
Pump Set At:		75.0			
Static Level:					
Final Level After Pumping:		11.0			
Recommended Pump Depth:		80.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			2		
Water State After Test:			CLOUDY		
Pumping Test Method:			0		
Pumping Duration HR:			1		
Pumping Duration MIN:					
Flowing:			No		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453823		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			45.099998474121094		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453825		
Test Type:			Recovery		
Test Duration:			2		
Test Level:			35.20000076293945		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453844		
Test Type:			Draw Down		
Test Duration:			50		
Test Level:			67.4000015258789		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453846		
Test Type:			Draw Down		
Test Duration:			60		
Test Level:			67.4000015258789		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453822		
Test Type:			Draw Down		
Test Duration:			1		
Test Level:			20.799999237060547		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453831		
Test Type:			Recovery		
Test Duration:			5		
Test Level:			19.700000762939453		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453830		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		35.400001525878906			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453839			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		11.649999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453842			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		67.4000015258789			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453836			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		56.099998474121094			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453824			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		25.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453826			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		29.799999237060547			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453828			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		32.900001525878906			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453847			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		11.050000190734863			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453832		
Test Type:			Draw Down		
Test Duration:			10		
Test Level:			47.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453837		
Test Type:			Recovery		
Test Duration:			20		
Test Level:			11.75		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453843		
Test Type:			Recovery		
Test Duration:			40		
Test Level:			11.199999809265137		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453838		
Test Type:			Draw Down		
Test Duration:			25		
Test Level:			56.79999923706055		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453840		
Test Type:			Draw Down		
Test Duration:			30		
Test Level:			63.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453841		
Test Type:			Recovery		
Test Duration:			30		
Test Level:			11.399999618530273		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004453827		
Test Type:			Recovery		
Test Duration:			3		
Test Level:			27.799999237060547		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1004453829			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453833			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		13.699999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453834			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		53.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453835			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004453845			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		11.100000381469727			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1004453819			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		82.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		1004453818			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		79.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004453817			
Diameter:		25.399999618530273			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0.0			
Depth To:		22.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[23](#) 1 of 1 NNW/110.4 119.6 / -0.31 ON BORE

Borehole ID:	609649	Inclin FLG:	No
OGF ID:	215511265	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:		Municipality:	
Static Water Level:		Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.294556
Total Depth m:	-999	Longitude DD:	-75.982516
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	422961
Drill Method:		Northing:	5016142
Orig Ground Elev m:	121	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	119		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218383724	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	5.2	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Gravel	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	GRAVEL.		
Geology Stratum ID:	218383725	Mat Consistency:	
Top Depth:	5.2	Material Moisture:	
Bottom Depth:		Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Bedrock	Geologic Formation:	
Material 2:	Limestone	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	BEDROCK,LIMESTONE. .0 FEET.GRAVEL. BEDROCK,LIMESTONE. . BEDROCK. SEISMIC VELOCITY = 1 **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	M	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA1.txt RecordID: 021570 NTS_Sheet: 31G05D		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Confiden 1:		Reliable information but incomplete.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

24	1 of 1	ESE/117.3	118.5 / -1.39	123 WESCAR lot 6 con 3 CARP ON	WWIS
Well ID:	7164958			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Commerical			Date Received:	7/8/2011
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4875
Casing Material:				Form Version:	7
Audit No:	Z132976			Owner:	
Tag:	A117442			Street Name:	123 WESCAR
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7164958.pdf

Additional Detail(s) (Map)

Well Completed Date: 2011/06/02
Year Completed: 2011
Depth (m): 35.08
Latitude: 45.2910822004417
Longitude: -75.9790961703082
Path: 716\7164958.pdf

Bore Hole Information

Bore Hole ID:	1003529880	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423224.00
Code OB Desc:		North83:	5015753.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	02-Jun-2011 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003841461			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.890000104904175			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003841463			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.019999980926514			
Formation End Depth:		35.08000183105469			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003841462			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		34			
Most Common Material:		TILL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		2.890000104904175			
Formation End Depth:		7.019999980926514			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003841499			
Layer:		1			
Plug From:		0.0			
Plug To:		8.6899995803833			
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003841497			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003841459			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003841468			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.46000000834465027			
Depth To:		8.6899995803833			
Casing Diameter:		15.880000114440918			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003841469			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003841460			
Pump Set At:		12.199999809265137			
Static Level:		1.7899999618530273			
Final Level After Pumping:		2.109999895095825			
Recommended Pump Depth:		12.199999809265137			
Pumping Rate:		451.0			
Flowing Rate:					
Recommended Pump Rate:		451.0			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841474			
Test Type:		Draw Down			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>		3			
<i>Test Level:</i>		1.9500000476837158			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841475			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		3			
<i>Test Level:</i>		1.9500000476837158			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841488			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		2.0899999141693115			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841493			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		1.809999942779541			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841471			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		2.0199999809265137			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841476			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		1.9900000095367432			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841480			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.0399999618530273			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1003841484			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		20			
<i>Test Level:</i>		2.0799999237060547			
<i>Test Level UOM:</i>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841485		
Test Type:			Recovery		
Test Duration:			20		
Test Level:			1.8300000429153442		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841492		
Test Type:			Draw Down		
Test Duration:			50		
Test Level:			2.0999999046325684		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841473		
Test Type:			Recovery		
Test Duration:			2		
Test Level:			1.9800000190734863		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841482		
Test Type:			Draw Down		
Test Duration:			15		
Test Level:			2.059999942779541		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841478		
Test Type:			Draw Down		
Test Duration:			5		
Test Level:			2.0		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841489		
Test Type:			Recovery		
Test Duration:			30		
Test Level:			1.809999942779541		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841490		
Test Type:			Draw Down		
Test Duration:			40		
Test Level:			2.0950000286102295		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1003841494		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		2.109999895095825			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841470			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		1.8799999952316284			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841472			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		1.9199999570846558			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841477			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		1.9249999523162842			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841479			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		1.909999966621399			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841481			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		1.8600000143051147			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841483			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		1.840000033378601			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841487			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		1.809999942779541			
Test Level UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841491			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		1.809999942779541			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841486			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		2.0899999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1003841495			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		1.809999942779541			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1003841466			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		29.0			
Water Found Depth UOM:		m			
<u>Water Details</u>					
Water ID:		1003841465			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		22.0			
Water Found Depth UOM:		m			
<u>Water Details</u>					
Water ID:		1003841467			
Layer:		3			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		31.0			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003841464			
Diameter:		15.239999771118164			
Depth From:		8.6899995803833			
Depth To:		35.08000183105469			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
25	1 of 6	E/120.9	119.9 / 0.00	Capital Dedicated Logistics 135 Cardevco Carp ON K0A 1L0	GEN
Generator No:	ON7253275			Status:	
SIC Code:	484110			Co Admin:	
SIC Description:	General Freight Trucking Local			Choice of Contact:	
Approval Years:	2009			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
25	2 of 6	E/120.9	119.9 / 0.00	Capital Dedicated Logistics 135 Cardevco Carp ON K0A 1L0	GEN
Generator No:	ON7253275			Status:	
SIC Code:	484110			Co Admin:	
SIC Description:	General Freight Trucking Local			Choice of Contact:	
Approval Years:	2010			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
25	3 of 6	E/120.9	119.9 / 0.00	Capital Dedicated Logistics 135 Cardevco Carp ON K0A 1L0	GEN
Generator No:	ON7253275			Status:	
SIC Code:	484110			Co Admin:	
SIC Description:	General Freight Trucking Local			Choice of Contact:	
Approval Years:	2011			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
25	4 of 6	E/120.9	119.9 / 0.00	Premier Bus Lines Inc. Carp 135 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON7347589			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
25	5 of 6	E/120.9	119.9 / 0.00	Premier Bus Lines Inc. Carp 135 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:		ON7347589		Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:		As of Jan 2021		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:		Canada		MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
25	6 of 6	E/120.9	119.9 / 0.00	Premier Bus Lines Inc. Carp 135 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:		ON7347589		Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:		As of Nov 2021		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:		Canada		MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
26	1 of 4	ENE/123.7	119.9 / 0.00	Andrew Ross McNeely 153 Cardevco Rd Ottawa ON	CA
Certificate #:		5389-78RKYC			
Application Year:		2007			
Issue Date:		11/14/2007			
Approval Type:		Industrial Sewage Works			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
26	2 of 4	ENE/123.7	119.9 / 0.00	Andrew Ross McNeely 153 Cardevco Rd Ottawa ON	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No:	5389-78RKYC			MOE District: Ottawa	
Approval Date:	2007-11-14			City:	
Status:	Approved			Longitude: -75.97935	
Record Type:	ECA			Latitude: 45.29343	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Mississippi Valley			Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	Andrew Ross McNeely				
Address:	153 Cardevco Rd				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3313-75EUGY-14.pdf				
PDF Site Location:					

26	3 of 4	ENE/123.7	119.9 / 0.00	Thunderbolt Contracting 153 Cardevco Road, Unit 2 Carp ON K0A 1L0	GEN
Generator No:	ON9364148			Status:	
SIC Code:	561730			Co Admin:	
SIC Description:	LANDSCAPING SERVICES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
Detail(s)					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				

26	4 of 4	ENE/123.7	119.9 / 0.00	Thunderbolt Contracting 153 Cardevco Road RR#2 Carp ON K0A 1L0	GEN
Generator No:	ON9364148			Status:	
SIC Code:	561730			Co Admin:	
SIC Description:	LANDSCAPING SERVICES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
Detail(s)					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

27	1 of 4	E/124.4	119.9 / 0.00	135 Cardevco Road Carp ON K0A 1L0	EHS
--------------------	--------	----------------	---------------------	--	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20081118034 Status: C Report Type: Standard Report Report Date: 11/27/2008 Date Received: 11/18/2008 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
27	2 of 4	E/124.4	119.9 / 0.00	135 Cardevco Road Ottawa ON	EHS
Order No: 20110812035 Status: C Report Type: Standard Report Report Date: 8/23/2011 Date Received: 8/12/2011 4:25:47 PM Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory					
27	3 of 4	E/124.4	119.9 / 0.00	135 Cardevco Rd Ottawa ON K0A1L0	EHS
Order No: 20160316075 Status: C Report Type: Standard Report Report Date: 23-MAR-16 Date Received: 16-MAR-16 Previous Site Name: Lot/Building Size: 2024 sq.m. Additional Info Ordered: City Directory					
27	4 of 4	E/124.4	119.9 / 0.00	135 Cardevco Rd Ottawa ON K0A1L0	EHS
Order No: 20180202014 Status: C Report Type: Standard Report Report Date: 07-FEB-18 Date Received: 02-FEB-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
28	1 of 1	E/124.4	119.9 / 0.00	CAPITAL DEDICATED LOGISTICS INC. 135 CARDEVCO RD CARP ON K0A 1L0	EASR
Approval No: R-004-1110114179 Status: REGISTERED Date: 2017-04-06 Record Type: EASR Link Source: MOFA Project Type: Waste Management System Full Address: Approval Type: EASR-Waste Management System Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2033314 PDF URL:					
SWP Area Name: Mississippi Valley MOE District: Ottawa Municipality: CARP Latitude: 45.29277778 Longitude: -75.97861111 Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>PDF Site Location:</i>					
29	1 of 1	ENE/126.4	119.9 / 0.00	145 Cardevco Road Carp ON KOA 1L0	EHS
Order No:	20190916176			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	19-SEP-19			Search Radius (km):	.25
Date Received:	16-SEP-19			X:	-75.978807
Previous Site Name:				Y:	45.292988
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
30	1 of 3	ENE/127.5	119.9 / 0.00	149 Cardevco Rd. Ottawa ON	EHS
Order No:	20040310001			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	3/18/04			Search Radius (km):	0.25
Date Received:	3/10/04			X:	-75.978993
Previous Site Name:				Y:	45.293726
Lot/Building Size:					
Additional Info Ordered:					
30	2 of 3	ENE/127.5	119.9 / 0.00	THUNDERBOLT CONTRACTING INC. 149 CARDEVLO RD CARP ON KOA1LO	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	Operator
Report Source:				Oper Area Code:	
Licence Type:				Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
30	3 of 3	ENE/127.5	119.9 / 0.00	City Plastering 2-149 Cardevco Rd Carp ON KOA 1L0	SCT
Established:	01-APR-82				
Plant Size (ft²):					
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		Gypsum Product Manufacturing			
SIC/NAICS Code:		327420			
Description:		All Other Non-Metallic Mineral Product Manufacturing			
SIC/NAICS Code:		327990			
Description:		Gypsum Product Manufacturing			
SIC/NAICS Code:		327420			
Description:		Other Millwork			
SIC/NAICS Code:		321919			
31	1 of 1	NNE/129.3	119.9 / 0.00	ALLEREX LABORATORY LTD. 180 WESCAR DRIVE CARP ON K0A 2N0	GEN
Generator No:		ON2499700		Status:	
SIC Code:		8681		Co Admin:	
SIC Description:		MEDICAL LABORATORIES		Choice of Contact:	
Approval Years:		99,00,01		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
32	1 of 6	ESE/134.1	118.5 / -1.39	123 Wescar Lane Ottawa ON	EHS
Order No:		20121017002		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		23-OCT-12		Search Radius (km): .25	
Date Received:		17-OCT-12		X: -75.978934	
Previous Site Name:				Y: 45.290982	
Lot/Building Size:					
Additional Info Ordered:					
32	2 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
Generator No:		ON7377119		Status:	
SIC Code:		811310		Co Admin:	
SIC Description:		COMMERCIAL AND INDUSTRIAL MACHINERY AND EQUIPMENT (EXCEPT AUTOMOTIVE AND ELECTRONIC) REPAIR AND MAINTENANCE		Choice of Contact: CO_OFFICIAL	
Approval Years:		2016		Phone No Admin:	
PO Box No:				Contam. Facility: No	
Country:		Canada		MHSW Facility: No	
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
32	3 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
Generator No:	ON7377119			Status:	
SIC Code:	488519			Co Admin:	
SIC Description:	OTHER FREIGHT TRANSPORTATION ARRANGEMENT			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
32	4 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
Generator No:	ON7377119			Status:	
SIC Code:	488519			Co Admin:	
SIC Description:	OTHER FREIGHT TRANSPORTATION ARRANGEMENT			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
32	5 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
Generator No:	ON7377119			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			

32	6 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
Generator No:	ON7377119			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Oct 2019			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

<u>Detail(s)</u>					
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			

33	1 of 1	ESE/134.2	118.5 / -1.39	2350416 Ontario Inc. 123 Wescar Lane West Carleton Ottawa ON K2E 6T9	ECA
Approval No:	6112-99PK3T			MOE District:	
Approval Date:	2013-07-30			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	2350416 Ontario Inc.				
Address:	123 Wescar Lane West Carleton				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/9403-984LQD-14.pdf				
PDF Site Location:					

34	1 of 2	NE/134.9	119.6 / -0.31	Prestige Fence 163 Cardevco Rd Carp ON K0A 1L0	SC
Established:	01-AUG-86				
Plant Size (ft²):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Employment:					
--Details--					
Description:		Other Millwork			
SIC/NAICS Code:		321919			
Description:		Other Millwork			
SIC/NAICS Code:		321919			
Description:		All Other Miscellaneous Wood Product Manufacturing			
SIC/NAICS Code:		321999			
34	2 of 2	NE/134.9	119.6 / -0.31	163 Cardevco Road Carp ON KOA 1L0	EHS
Order No:	20061107020			Nearest Intersection: Richardson Side Road	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State: ON	
Report Date:	11/13/2006			Search Radius (km): 0.25	
Date Received:	11/7/2006			X: -75.979292	
Previous Site Name:				Y: 45.294151	
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				
35	1 of 1	NNE/135.4	119.9 / 0.00	ServiceMaster Ottawa DR 180 Wescar Lane Ottawa ON KOA1L0	GEN
Generator No:	ON6914720			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Nov 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
Detail(s)					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
36	1 of 1	E/136.7	119.9 / 0.00	123 CARDEVCO ROAD lot 6 con 3 CARP ON	WWIS
Well ID:	7210658			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received: 11/6/2013	
Sec. Water Use:				Selected Flag: TRUE	
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor: 1119	
Casing Material:				Form Version: 7	
Audit No:	Z155253			Owner:	
Tag:	A135308			Street Name: 123 CARDEVCO ROAD	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: HUNTLEY TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 006	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210658.pdf

Additional Detail(s) (Map)

Well Completed Date: 2013/10/08
Year Completed: 2013
Depth (m): 30.48
Latitude: 45.2927090022949
Longitude: -75.9783334777821
Path: 721\7210658.pdf

Bore Hole Information

Bore Hole ID:	1004623534	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423286.00
Code OB Desc:		North83:	5015933.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	08-Oct-2013 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1004869371
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 11.0
Formation End Depth: 78.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1004869373
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:			93.0		
Formation End Depth:			100.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1004869372		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			15		
Most Common Material:			LIMESTONE		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			78.0		
Formation End Depth:			93.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1004869370		
Layer:			1		
Color:					
General Color:					
Mat1:			28		
Most Common Material:			SAND		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:			13		
Mat3 Desc:			BOULDERS		
Formation Top Depth:			0.0		
Formation End Depth:			11.0		
Formation End Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1004869409		
Layer:			1		
Plug From:			20.0		
Plug To:			0.0		
Plug Depth UOM:			ft		
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:			1004869408		
Method Construction Code:			5		
Method Construction:			Air Percussion		
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			1004869368		
Casing No:			0		
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:			1004869378		
Layer:			1		
Material:			1		
Open Hole or Material:			STEEL		
Depth From:			-2.0		
Depth To:			20.0		
Casing Diameter:			6.25		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Construction Record - Casing</u>					
Casing ID:			1004869379		
Layer:			2		
Material:			4		
Open Hole or Material:			OPEN HOLE		
Depth From:			20.0		
Depth To:			100.0		
Casing Diameter:			5.9375		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Construction Record - Screen</u>					
Screen ID:			1004869380		
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:			1004869369		
Pump Set At:			90.0		
Static Level:			7.599999904632568		
Final Level After Pumping:			19.700000762939453		
Recommended Pump Depth:			90.0		
Pumping Rate:			20.0		
Flowing Rate:					
Recommended Pump Rate:			20.0		
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			0		
Water State After Test:					
Pumping Test Method:			0		
Pumping Duration HR:			1		
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004869389		
Test Type:			Draw Down		
Test Duration:			5		
Test Level:			15.399999618530273		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869391			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		17.299999237060547			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869399			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		19.600000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869400			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869406			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869397			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		19.600000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869398			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869405			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		19.700000762939453			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1004869385			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		14.800000190734863			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869388			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869402			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869392			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869393			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		18.399999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869395			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		19.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869401			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		19.700000762939453			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869382			
Test Type:		Recovery			
Test Duration:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869383			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		14.199999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869384			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869403			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		19.700000762939453			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869381			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		13.699999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869387			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		15.100000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869386			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869390			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		7.599999904632568			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869394			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869404			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004869396			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		7.599999904632568			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1004869376			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		78.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		1004869377			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		93.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004869374			
Diameter:		9.75			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1004869375			
Diameter:		5.9375			
Depth From:		20.0			
Depth To:		100.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	1 of 1	ENE/139.4	119.6 / -0.31	lot 6 con 3 ON	WWIS

Well ID:	1532757	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	5/6/2002
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1558
Casing Material:		Form Version:	1
Audit No:	238136	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532757.pdf

Additional Detail(s) (Map)

Well Completed Date: 2002/04/29
Year Completed: 2002
Depth (m): 18.288
Latitude: 45.2930660584471
Longitude: -75.9786839507555
Path: 153\1532757.pdf

Bore Hole Information

Bore Hole ID:	10523885	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423259.00
Code OB Desc:		North83:	5015973.00
Open Hole:		Org CS:	N83
Cluster Kind:		UTMRC:	3
Date Completed:	29-Apr-2002 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 932857631
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932857629			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932857630			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		13.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933225398			
Layer:		1			
Plug From:		0.0			
Plug To:		22.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961532757			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11072455			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930095516			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:					
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930095515			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991532757			
Pump Set At:					
Static Level:		4.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		40.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934117924			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934918943			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		55.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934662059
Test Type: Draw Down
Test Duration: 45
Test Level: 40.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934401536
Test Type: Draw Down
Test Duration: 30
Test Level: 40.0
Test Level UOM: ft

Water Details

Water ID: 934016451
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 27.0
Water Found Depth UOM: ft

Water Details

Water ID: 934016452
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 51.0
Water Found Depth UOM: ft

<u>38</u>	1 of 4	ESE/148.4	119.9 / 0.00	117 WESCAR LN CARP ON	WWIS
---------------------------	--------	-----------	--------------	--------------------------	------

Well ID: 7144203
Construction Date:
Primary Water Use: Monitoring and Test Hole
Sec. Water Use: 0
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: Z111783
Tag: A093964
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 5/3/2010
Selected Flag: TRUE
Abandonment Rec: Yes
Contractor: 7241
Form Version: 7
Owner:
Street Name: 117 WESCAR LN
County: OTTAWA
Municipality: HUNTLEY TOWNSHIP
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144203.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		2010/03/19			
Year Completed:		2010			
Depth (m):					
Latitude:		45.291141883747			
Longitude:		-75.9784340591171			
Path:		714\7144203.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002970219			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423276.00
Code OB Desc:				North83:	5015759.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	19-Mar-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003153801				
Layer:	2				
Plug From:	0.3100000023841858				
Plug To:	1.8300000429153442				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003153800				
Layer:	1				
Plug From:	0.0				
Plug To:	0.3100000023841858				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003153802				
Layer:	3				
Plug From:	1.8300000429153442				
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1003153808				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1003153797			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003153804			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003153805			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1003153803			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003153799			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[38](#)

2 of 4

ESE/148.4

119.9 / 0.00

1278439 Ontario Ltd.
117 Wescar Lane-West Carleton
Ottawa ON

CA

Certificate #: 8652-6TVL7K
Application Year: 2006
Issue Date: 9/27/2006
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Postal Code: Project Description: Contaminants: Emission Control:					
38	3 of 4	ESE/148.4	119.9 / 0.00	117 WESCAR LANE, OTTAWA ON	INC
Incident No: 248706 Incident ID: 2400066 Instance No: Status Code: Causal Analysis Complete Attribute Category: FS-Incident Context: Date of Occurrence: Time of Occurrence: Incident Created On: Instance Creation Dt: Instance Install Dt: Occur Insp Start Date: Approx Quant Rel: Tank Capacity: Fuels Occur Type: Fuel Type Involved: Enforcement Policy: Prc Escalation Req: Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap: Task No: Notes: Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated: Contact Natural Env: Incident Location: 117 WESCAR LANE, OTTAWA - FIRE Occurrence Narrative: Operation Type Involved: Item: Item Description: Device Installed Location:		Any Health Impact: Any Enviro Impact: Service Interrupted: Was Prop Damaged: Reside App. Type: Commer App. Type: Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water:			
38	4 of 4	ESE/148.4	119.9 / 0.00	1278439 Ontario Ltd. 117 Wescar Lane Stittsville ON	GEN
Generator No: ON2647426 SIC Code: 237110, 236110 SIC Description: Water and Sewer Line and Related Structures Construction, Residential Building Construction Approval Years: 2009 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	1 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON	GEN
Generator No:	ON5186787			Status:	
SIC Code:	811111			Co Admin:	
SIC Description:	GENERAL AUTOMOTIVE REPAIR			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
39	2 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON5186787			Status:	
SIC Code:	811111			Co Admin:	Tony Saikaly
SIC Description:	GENERAL AUTOMOTIVE REPAIR			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Phone No Admin:	613-836-6424 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
39	3 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON5186787			Status:	
SIC Code:	811111			Co Admin:	Tony Saikaly
SIC Description:	GENERAL AUTOMOTIVE REPAIR			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	613-836-6424 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
39	4 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON5186787			Status:	
SIC Code:	811111			Co Admin:	
SIC Description:	GENERAL AUTOMOTIVE REPAIR			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
39	5 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON5186787			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
39	6 of 8	E/148.9	119.9 / 0.00	AKMAN CONSTRUCTION INC 123 CARDEVCO RD CARP ON K0A 1L0	EASR
Approval No:	R-004-1110549484			SWP Area Name: Mississippi Valley	
Status:	REGISTERED			MOE District: Ottawa	
Date:	2018-08-16			Municipality: CARP	
Record Type:	EASR			Latitude: 45.29222222	
Link Source:	MOFA			Longitude: -75.97805556	
Project Type:	Waste Management System			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:	EASR-Waste Management System				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2087507				
PDF URL:					
PDF Site Location:					
39	7 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON5186787			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
39	8 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
Generator No:	ON5186787			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Nov 2021			Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country:	Canada			Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: Waste Class Desc:	252 L Waste crankcase oils and lubricants				

40	1 of 1	ESE/154.8	118.8 / -1.05	117 WESCAR LN CARP ON	WWIS
--------------------	--------	-----------	---------------	--------------------------	------

Well ID:	7144200	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	5/3/2010
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z111784	Owner:	
Tag:	A093972	Street Name:	117 WESCAR LN
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7147144200.pdf

Additional Detail(s) (Map)

Well Completed Date:	2010/01/19
Year Completed:	2010
Depth (m):	
Latitude:	45.2910973199368
Longitude:	-75.978382282246
Path:	714\7144200.pdf

Bore Hole Information

Bore Hole ID:	1002970213	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423280.00
Code OB Desc:		North83:	5015754.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	19-Jan-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1003153711			
Layer:		3			
Plug From:		1.8300000429153442			
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003153709			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003153710			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		1.8300000429153442			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003153717			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003153706			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003153713			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003153714			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1003153712			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003153708			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

41	1 of 1	ENE/155.0	119.3 / -0.55	145 Cardevco Road Ottawa (Carp) ON K0A 1L0	EHS
Order No:	20061103004			Nearest Intersection:	Wescar Lane
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	11/6/2006			Search Radius (km):	0.25
Date Received:	11/3/2006			X:	-75.978674
Previous Site Name:				Y:	45.293226
Lot/Building Size:	1800 square m lot				
Additional Info Ordered:					

42	1 of 1	ESE/161.3	118.8 / -1.05	117 WESCAR LN CARP ON	WWIS
Well ID:	7144202			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/3/2010
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z111786			Owner:	
Tag:	A093965			Street Name:	117 WESCAR LN
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144202.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		2010/03/19			
Year Completed:		2010			
Depth (m):					
Latitude:		45.2909980997954			
Longitude:		-75.9784060814162			
Path:		714\7144202.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002970217			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423278.00
Code OB Desc:				North83:	5015743.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	19-Mar-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003153789				
Layer:	1				
Plug From:	0.0				
Plug To:	0.3100000023841858				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003153790				
Layer:	2				
Plug From:	0.3100000023841858				
Plug To:	1.8300000429153442				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003153791				
Layer:	3				
Plug From:	1.8300000429153442				
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1003153795				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1003153786			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003153793			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003153794			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1003153792			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003153788			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[43](#)

1 of 1

WNW/163.9

118.9 / -1.00

104 HUNTLEY MANOR lot 7 con 3
CARP ON

WWIS

Well ID: 7287872
 Construction Date:
 Primary Water Use: Domestic
 Sec. Water Use:
 Final Well Status: Water Supply
 Water Type:
 Casing Material:
 Audit No: Z237411
 Tag: A207633
 Construction Method:

Data Entry Status:
 Data Src:
 Date Received: 6/7/2017
 Selected Flag: TRUE
 Abandonment Rec:
 Contractor: 1119
 Form Version: 7
 Owner:
 Street Name: 104 HUNTLEY MANOR
 County: OTTAWA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	S/L9
Depth to Bedrock:				Lot:	007
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287872.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/05/18
Year Completed: 2017
Depth (m): 91.44
Latitude: 45.2938063150151
Longitude: -75.9857619874331
Path: 728\7287872.pdf

Bore Hole Information

Bore Hole ID:	1006515364	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	422705.00
Code OB Desc:		North83:	5016062.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-May-2017 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006745953
Layer: 1
Color:
General Color:
Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 22.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006745955
Layer: 3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		212.0			
Formation End Depth:		268.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006745954			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		212.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006745956			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		268.0			
Formation End Depth:		300.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006745986			
Layer:		2			
Plug From:		18.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006745985			
Layer:		1			
Plug From:		28.0			
Plug To:		18.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006745984			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006745951			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006745962			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		28.0			
Depth To:		300.0			
Casing Diameter:		6.125			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006745961			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		28.0			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006745963			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1006745952			
Pump Set At:		250.0			
Static Level:					
Final Level After Pumping:		21.25			
Recommended Pump Depth:		100.0			
Pumping Rate:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:			1.0		
Recommended Pump Rate:			5.0		
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			3		
Water State After Test:			OTHER		
Pumping Test Method:			0		
Pumping Duration HR:			1		
Pumping Duration MIN:			0		
Flowing:			Yes		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1006745973		
Test Type:			Recovery		
Test Duration:			5		
Test Level:			5.300000190734863		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1006745978		
Test Type:			Draw Down		
Test Duration:			25		
Test Level:			19.399999618530273		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1006745965		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			15.199999809265137		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1006745968		
Test Type:			Draw Down		
Test Duration:			3		
Test Level:			8.0		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1006745970		
Test Type:			Draw Down		
Test Duration:			4		
Test Level:			9.399999618530273		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1006745977		
Test Type:			Draw Down		
Test Duration:			20		
Test Level:			18.399999618530273		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1006745982			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		21.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745966			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		6.699999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745969			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		11.199999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745980			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		20.799999237060547			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745981			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		21.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745964			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		4.800000190734863			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745971			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		9.600000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745976			
Test Type:		Draw Down			
Test Duration:		15			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		17.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745979			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745972			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		10.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745974			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		14.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745967			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		13.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1006745975			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		1.5			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1006745960			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		268.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		1006745959			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		212.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1006745958			
Diameter:		6.125			
Depth From:		28.0			
Depth To:		300.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1006745957			
Diameter:		9.75			
Depth From:		0.0			
Depth To:		28.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

44	1 of 1	ESE/165.6	118.8 / -1.05	117 WESCAR LN CARP ON	WWIS
Well ID:	7144201			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/3/2010
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z111785			Owner:	
Tag:	A093963			Street Name:	117 WESCAR LN
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144201.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/03/19
Year Completed: 2010
Depth (m):
Latitude: 45.2909623176578
Longitude: -75.9783799609059
Path: 714\7144201.pdf

Bore Hole Information

Bore Hole ID: 1002970215
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:

Elevation:
Elevrc:
Zone: 18
East83: 423280.00
North83: 5015739.00
Org CS: UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	4
Date Completed:	19-Mar-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003153761			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		1.8300000429153442			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003153762			
Layer:		3			
Plug From:		1.8300000429153442			
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003153760			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003153766			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003153757			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003153764			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		3.450000047683716			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003153765			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.210000038146973			
<u>Water Details</u>					
Water ID:		1003153763			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003153759			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
45	1 of 1	E/167.6	118.8 / -1.03	ONTRAC EQUIPMENT SERVICES 139 CARDEVCO ROAD CARP ON K0A 1L0	GEN
Generator No:		ON2158207		Status:	
SIC Code:		3192		Co Admin:	
SIC Description:		CONSTRUCTION EQUIP.		Choice of Contact:	
Approval Years:		98,99		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
46	1 of 1	ESE/170.0	118.8 / -1.05	117 WESCAR LANE CARP ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7140538			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	3/1/2010
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z100175			Owner:	
Tag:	A093965			Street Name:	117 WESCAR LANE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140538.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/01/15
Year Completed: 2010
Depth (m): 5.79
Latitude: 45.2909083167453
Longitude: -75.978379032383
Path: 714\7140538.pdf

Bore Hole Information

Bore Hole ID:	1002942131	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423280.00
Code OB Desc:		North83:	5015733.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	15-Jan-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1003129792
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Mat2 Desc: SILT
Mat3: 91
Mat3 Desc: WATER-BEARING

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		2.440000057220459			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003129791			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.2200000286102295			
Formation End Depth:		2.440000057220459			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003129790			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129796			
Layer:		3			
Plug From:		0.9100000262260437			
Plug To:		3.7899999618530273			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129794			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129795			
Layer:		2			
Plug From:		0.30000001192092896			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		0.9100000262260437			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003129802			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003129789			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003129798			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.2200000286102295			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003129799			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.2200000286102295			
Screen End Depth:		5.789999961853027			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1003129797			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003129793			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
47	1 of 1	WNW/176.4	118.9 / -1.00	104 HUNTLEY MANOR lot 7 con 3 CARP ON	WWIS

Well ID: 7287897
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: 0
Water Type:
Casing Material:
Audit No: Z237401
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 6/7/2017
Selected Flag: TRUE
Abandonment Rec: Yes
Contractor: 1119
Form Version: 7
Owner:
Street Name: 104 HUNTLEY MANOR
County: OTTAWA
Municipality: HUNTLEY TOWNSHIP
Site Info: S/L 9
Lot: 007
Concession: 03
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287897.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/05/23
Year Completed: 2017
Depth (m):
Latitude: 45.2937953335214
Longitude: -75.9859913557098
Path: 728\7287897.pdf

Bore Hole Information

Bore Hole ID: 1006522920	Elevation:
DP2BR:	Elevrc:
Spatial Status:	Zone: 18
Code OB:	East83: 422687.00
Code OB Desc:	North83: 5016061.00
Open Hole:	Org CS: UTM83
Cluster Kind:	UTMRC: 4
Date Completed: 23-May-2017 00:00:00	UTMRC Desc: margin of error : 30 m - 100 m
Remarks:	Location Method: wwr
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Overburden and Bedrock
Materials Interval

Formation ID: 1006747401
Layer:
Color:
General Color:
Mat1:
Most Common Material:
Mat2:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1006747409		
Layer:			2		
Plug From:			6.0		
Plug To:			0.0		
Plug Depth UOM:			ft		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1006747408		
Layer:			1		
Plug From:			22.0		
Plug To:			6.0		
Plug Depth UOM:			ft		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1006747407		
Layer:			1		
Plug From:			0.0		
Plug To:			22.0		
Plug Depth UOM:			ft		
<u>Method of Construction & Well Use</u>					
Method Construction ID:			1006747406		
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			1006747400		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1006747404		
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Screen

Screen ID: 1006747405
 Layer:
 Slot:
 Screen Top Depth:
 Screen End Depth:
 Screen Material:
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter:

Water Details

Water ID: 1006747403
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006747402
 Diameter:
 Depth From:
 Depth To:
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

48	1 of 1	ESE/177.4	119.6 / -0.23	117 WESCAR LANE CARP ON	WWIS
--------------------	--------	-----------	---------------	----------------------------	------

Well ID: 7140541
 Construction Date:
 Primary Water Use: Monitoring and Test Hole
 Sec. Water Use: 0
 Final Well Status: Monitoring and Test Hole
 Water Type:
 Casing Material:
 Audit No: Z100178
 Tag: A093972
 Construction Method:
 Elevation (m):
 Elevation Reliability:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:
 Flowing (Y/N):
 Flow Rate:
 Clear/Cloudy:

Data Entry Status:
 Data Src:
 Date Received: 3/1/2010
 Selected Flag: TRUE
 Abandonment Rec:
 Contractor: 7241
 Form Version: 7
 Owner:
 Street Name: 117 WESCAR LANE
 County: OTTAWA
 Municipality: HUNTLEY TOWNSHIP
 Site Info:
 Lot:
 Concession:
 Concession Name:
 Easting NAD83:
 Northing NAD83:
 Zone:
 UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140541.pdf

Additional Detail(s) (Map)

Well Completed Date: 2010/01/15
 Year Completed: 2010
 Depth (m): 5.79
 Latitude: 45.2909641744243

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:			-75.9781631983358		
Path:			714\7140541.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID:	1002942140			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423297.00
Code OB Desc:				North83:	5015739.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	15-Jan-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003129881				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	1.2200000286102295				
Formation End Depth:	2.440000057220459				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003129882				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	2.440000057220459				
Formation End Depth:	5.789999961853027				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003129880				
Layer:	1				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129885			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		0.9100000262260437			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129886			
Layer:		3			
Plug From:		0.9100000262260437			
Plug To:		5.789999961853027			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129884			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003129892			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003129879			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003129888			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.2200000286102295			
Casing Diameter:		4.03000020980835			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003129889			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.2200000286102295			
Screen End Depth:		5.789999961853027			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1003129887			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003129883			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

49	1 of 1	ESE/177.6	119.6 / -0.23	117 WESCAR LANE lot 6 con 3 CARP ON	WWIS
Well ID:	7140539			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	3/1/2010
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z100177			Owner:	
Tag:	A093964			Street Name:	117 WESCAR LANE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140539.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2010/01/15				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		2010			
Depth (m):		5.4			
Latitude:		45.2908821901101			
Longitude:		-75.9782765623549			
Path:		714\7140539.pdf			

Bore Hole Information

Bore Hole ID:	1002942134	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423288.00
Code OB Desc:		North83:	5015730.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	15-Jan-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1003129838
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	2.440000057220459
Formation End Depth:	5.400000095367432
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1003129836
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0.0
Formation End Depth:	1.2200000286102295
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1003129837
----------------------	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.2200000286102295			
Formation End Depth:		2.440000057220459			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129841			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		0.6100000143051147			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129840			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129842			
Layer:		3			
Plug From:		0.6100000143051147			
Plug To:		5.489999771118164			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003129848			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003129835			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003129844			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0.0			
Depth To:		0.9100000262260437			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003129845			
Layer:		1			
Slot:		10			
Screen Top Depth:		0.9100000262260437			
Screen End Depth:		5.489999771118164			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1003129843			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003129839			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.489999771118164			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

50	1 of 1	ESE/180.9	119.6 / -0.23	117 WESCAR LANE CARP ON	WWIS
Well ID:		7140540		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	
Sec. Water Use:		0		3/1/2010	
Final Well Status:		Monitoring and Test Hole		Selected Flag:	
Water Type:				TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		Z100176		Contractor:	
Tag:		A093962		7241	
Construction Method:				Form Version:	
Elevation (m):				7	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				117 WESCAR LANE	
Overburden/Bedrock:				County:	
Pump Rate:				OTTAWA	
Static Water Level:				Municipality:	
Flowing (Y/N):				HUNTLEY TOWNSHIP	
Flow Rate:				Site Info:	
Clear/Cloudy:				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140540.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 2010/01/18
 Year Completed: 2010
 Depth (m): 2.13
 Latitude: 45.2909373923823
 Longitude: -75.9781372327087
 Path: 714\7140540.pdf

Bore Hole Information

Bore Hole ID:	1002942137	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423299.00
Code OB Desc:		North83:	5015736.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-Jan-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003129852
 Layer: 2
 Color: 6
 General Color: BROWN
 Mat1: 05
 Most Common Material: CLAY
 Mat2: 06
 Mat2 Desc: SILT
 Mat3: 66
 Mat3 Desc: DENSE
 Formation Top Depth: 1.2200000286102295
 Formation End Depth: 1.5
 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003129851
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 01
 Most Common Material: FILL
 Mat2: 11
 Mat2 Desc: GRAVEL
 Mat3: 79
 Mat3 Desc: PACKED
 Formation Top Depth: 0.0
 Formation End Depth: 1.2200000286102295
 Formation End Depth UOM: m

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1003129853			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.5			
Formation End Depth:		2.130000114440918			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129856			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		0.9100000262260437			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129857			
Layer:		3			
Plug From:		0.9100000262260437			
Plug To:		2.130000114440918			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003129855			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003129863			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003129850			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003129859			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: 1 Material: 5 Open Hole or Material: PLASTIC Depth From: 0.0 Depth To: 1.2200000286102295 Casing Diameter: 3.450000047683716 Casing Diameter UOM: cm Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1003129860 Layer: 1 Slot: 10 Screen Top Depth: 1.2200000286102295 Screen End Depth: 2.130000114440918 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.210000038146973					
<u>Water Details</u>					
Water ID: 1003129858 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1003129854 Diameter: 5.710000038146973 Depth From: 0.0 Depth To: 2.130000114440918 Hole Depth UOM: m Hole Diameter UOM: cm					
51	1 of 1	ESE/181.2	119.6 / -0.23	1278439 Ontario Ltd. 117 Wescar Lane-West Carleton Ottawa ON K2C 1W2	ECA
Approval No: 8652-6TVL7K Approval Date: 2006-09-27 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Mississippi Valley Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: 1278439 Ontario Ltd. Address: 117 Wescar Lane-West Carleton Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5088-6QBKR7-14.pdf PDF Site Location:					
52	1 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No:	ON5925026			Status:	
SIC Code:	811199			Co Admin:	
SIC Description:	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	232				
Waste Class Desc:	POLYMERIC RESINS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
52	2 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN
Generator No:	ON5925026			Status:	
SIC Code:	811199			Co Admin:	
SIC Description:	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	232				
Waste Class Desc:	POLYMERIC RESINS				
52	3 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 Wescar Lane Ottawa ON K0A 1L0	GEN
Generator No:	ON5925026			Status:	
SIC Code:	811199			Co Admin:	
SIC Description:	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	232				
Waste Class Desc:	POLYMERIC RESINS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
52	4 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN
Generator No:	ON5925026			Status:	Registered

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: SIC Description: Approval Years: As of Dec 2018 PO Box No: Country: Canada				Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 232 L Waste Class Desc: Polymeric resins					
Waste Class: 251 L Waste Class Desc: Waste oils/sludges (petroleum based)					
52	5 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN
Generator No: ON5925026 SIC Code: SIC Description: Approval Years: As of Jul 2020 PO Box No: Country: Canada				Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 232 L Waste Class Desc: Polymeric resins					
Waste Class: 251 L Waste Class Desc: Waste oils/sludges (petroleum based)					
52	6 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN
Generator No: ON5925026 SIC Code: SIC Description: Approval Years: As of Nov 2021 PO Box No: Country: Canada				Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 213 I Waste Class Desc: Petroleum distillates					
Waste Class: 251 L Waste Class Desc: Waste oils/sludges (petroleum based)					
Waste Class: 232 R Waste Class Desc: Polymeric resins					
Waste Class: 232 L Waste Class Desc: Polymeric resins					
52	7 of 9	ESE/187.5	120.6 / 0.69	107 Wescar Lane Carp ON K0A 1L0	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	21012500401			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-JAN-21			Search Radius (km):	.25
Date Received:	25-JAN-21			X:	-75.9776677
Previous Site Name:				Y:	45.291311
Lot/Building Size:	0.38 hectares				
Additional Info Ordered:					
52	8 of 9	ESE/187.5	120.6 / 0.69	107 Wescar Lane Carp ON KOA 1L0	EHS
Order No:	21012500401			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-JAN-21			Search Radius (km):	.25
Date Received:	25-JAN-21			X:	-75.9776677
Previous Site Name:				Y:	45.291311
Lot/Building Size:	0.38 hectares				
Additional Info Ordered:					
52	9 of 9	ESE/187.5	120.6 / 0.69	107 Wescar Lane Carp ON KOA 1L0	EHS
Order No:	21012500401			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-JAN-21			Search Radius (km):	.25
Date Received:	25-JAN-21			X:	-75.9776677
Previous Site Name:				Y:	45.291311
Lot/Building Size:	0.38 hectares				
Additional Info Ordered:					
53	1 of 1	E/188.9	118.9 / -0.97	126 WESCAR LANE lot 10 con 24 OTTAWA ON	WWIS
Well ID:	1536876			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Commerical			Date Received:	12/18/2006
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	6006
Casing Material:				Form Version:	3
Audit No:	Z71634			Owner:	
Tag:	A053904			Street Name:	126 WESCAR LANE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	4M-356-4R-7616
Depth to Bedrock:				Lot:	010
Well Depth:				Concession:	24
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536876.pdf				

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Well Completed Date: 2006/11/20
Year Completed: 2006
Depth (m): 22.72
Latitude: 45.2923296384885
Longitude: -75.9774342501015
Path: 153\1536876.pdf

Bore Hole Information

Bore Hole ID:	11691970	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423356.00
Code OB Desc:		North83:	5015890.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	20-Nov-2006 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 933071179
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 73
Mat2 Desc: HARD
Mat3:
Mat3 Desc:
Formation Top Depth: 11.510000228881836
Formation End Depth: 22.719999313354492
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933071178
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 11.510000228881836
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		933286686			
Layer:		1			
Plug From:		0.0			
Plug To:		6.059999942779541			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961536876			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11696836			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930887026			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.0			
Depth To:		11.510000228881836			
Casing Diameter:		15.550000190734863			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		930887027			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		11.510000228881836			
Depth To:		22.719999313354492			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11701532			
Pump Set At:		19.690000534057617			
Static Level:		3.4000000953674316			
Final Level After Pumping:		12.800000190734863			
Recommended Pump Depth:		19.690000534057617			
Pumping Rate:		58.5			
Flowing Rate:					
Recommended Pump Rate:		45.5			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754592			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		7.28000020980835			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754594			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		8.270000457763672			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754599			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		3.4000000953674316			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754600			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		14.40999984741211			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754601			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		3.4000000953674316			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754591			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		9.260000228881836			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754596			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		10.15999984741211			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754561			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		14.100000381469727			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754595			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		6.239999771118164			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754598			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		12.3100004196167			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754603			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		3.4000000953674316			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754607			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		3.4000000953674316			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754608			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		17.799999237060547			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754562			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		6.539999961853027			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11754563			
Test Type:		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>		2			
<i>Test Level:</i>		11.789999961853027			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754605			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		3.4000000953674316			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754611			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		60			
<i>Test Level:</i>		3.4000000953674316			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754560			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		5.239999771118164			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754564			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		3			
<i>Test Level:</i>		7.150000095367432			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754602			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		16.200000762939453			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754609			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		3.4000000953674316			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		11754593			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		7.559999942779541			
<i>Test Level UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 11754597
 Test Type: Recovery
 Test Duration: 10
 Test Level: 4.070000171661377
 Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754604
 Test Type: Draw Down
 Test Duration: 30
 Test Level: 17.770000457763672
 Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754606
 Test Type: Draw Down
 Test Duration: 40
 Test Level: 17.790000915527344
 Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754610
 Test Type: Draw Down
 Test Duration: 60
 Test Level: 17.799999237060547
 Test Level UOM: m

Water Details

Water ID: 934070963
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 10.600000381469727
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 11755566
 Diameter: 20.31999969482422
 Depth From: 0.0
 Depth To: 6.059999942779541
 Hole Depth UOM: m
 Hole Diameter UOM: cm

54	1 of 13	ENE/211.0	118.9 / -1.00	Bytown Mouldings Inc. 142 Cardevco Rd Carp ON K0A 1L0	SCT
--------------------	---------	-----------	---------------	---	-----

Established: 1994
 Plant Size (ft²): 6400
 Employment: 7

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Other Millwork			
SIC/NAICS Code:		321919			
Description:		All Other Plastic Product Manufacturing			
SIC/NAICS Code:		326198			
Description:		Metal Window and Door Manufacturing			
SIC/NAICS Code:		332321			
54	2 of 13	ENE/211.0	118.9 / -1.00	W O STINSON & SON LTD 142 CARDEVCO CARP ON K0A 1L0	FSTH
License Issue Date:		7/10/2002			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		2002			
Corrosion Protection:					
Capacity:		2270			
Tank Fuel Type:		Liquid Fuel Double Wall AST - Gasoline			
Status:		Active			
Year of Installation:		2002			
Corrosion Protection:					
Capacity:		2270			
Tank Fuel Type:		Liquid Fuel Double Wall AST - Gasoline			
54	3 of 13	ENE/211.0	118.9 / -1.00	W O STINSON & SON LTD 142 CARDEVCO CARP ON K0A 1L0	FSTH
License Issue Date:		7/10/2002			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		2002			
Corrosion Protection:					
Capacity:		2270			
Tank Fuel Type:		Liquid Fuel Double Wall AST - Gasoline			
Status:		Active			
Year of Installation:		2002			
Corrosion Protection:					
Capacity:		2270			
Tank Fuel Type:		Liquid Fuel Double Wall AST - Gasoline			
54	4 of 13	ENE/211.0	118.9 / -1.00	1043084 Ontario Inc. 142 Cardevco Road Carp Carleton Ottawa ON	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		6674-8AGRUQ 2010 11/9/2010 Waste Management Systems Approved			
54	5 of 13	ENE/211.0	118.9 / -1.00	142 Cardevco Rd Ottawa ON	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20110617020 C Standard Report 6/28/2011 6/17/2011 2:53:25 PM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Carp Rd ON 0.25 -75.977749 45.293335
54	6 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON3825812 332999 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
54	7 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON3825812 332999 All Other Miscellaneous Fabricated Metal Product Manufacturing 2012		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
54	8 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON3825812 332999 ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING 2013		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			

54	9 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN
Generator No:	ON3825812			Status:	
SIC Code:	332999			Co Admin:	Ellen Gyenis
SIC Description:	ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Phone No Admin:	6138361954 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			

54	10 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN
Generator No:	ON3825812			Status:	
SIC Code:	332999			Co Admin:	Ellen Gyenis
SIC Description:	ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	6138361954 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
54	11 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN
Generator No:	ON3825812			Status:	
SIC Code:	332999			Co Admin:	Ellen Gyenis
SIC Description:	ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Phone No Admin:	6138361954 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
54	12 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN
Generator No:	ON3825812			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		113 C			
Waste Class Desc:		Acid solutions - containing other metals and non-metals			
Waste Class:		122 L			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
54	13 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON3825812 SIC Code: SIC Description: Approval Years: As of Jul 2020 PO Box No: Country: Canada				Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: 252 L					
Waste Class Desc: Waste crankcase oils and lubricants					
Waste Class: 212 L					
Waste Class Desc: Aliphatic solvents and residues					
Waste Class: 122 L					
Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)					
Waste Class: 113 C					
Waste Class Desc: Acid solutions - containing other metals and non-metals					
55	1 of 1	ENE/215.4	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID: 1532402 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 238005 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: 1 Date Received: 11/28/2001 Selected Flag: TRUE Abandonment Rec: Contractor: 1558 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: HUNTLEY TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532402.pdf			
Additional Detail(s) (Map)					
Well Completed Date: 2001/10/23 Year Completed: 2001 Depth (m): 22.86 Latitude: 45.2938164574934 Longitude: -75.9783015078213 Path: 153\1532402.pdf					
Bore Hole Information					
Bore Hole ID: 10516852 DP2BR: Spatial Status: Code OB:		Elevation: Elevrc: Zone: 18 East83: 423290.00			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	5016056.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	3
Date Completed:	23-Oct-2001 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932832736			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932832735			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933219844			
Layer:		1			
Plug From:		0.0			
Plug To:		21.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961532402			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Pipe Information

Pipe ID: 11065422
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930094748
Layer: 1
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930094749
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991532402
Pump Set At:
Static Level: 4.0
Final Level After Pumping: 20.0
Recommended Pump Depth: 50.0
Pumping Rate: 25.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934116794
Test Type: Draw Down
Test Duration: 15
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 934400963					
Test Type: Draw Down					
Test Duration: 30					
Test Level: 50.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934660930					
Test Type: Draw Down					
Test Duration: 45					
Test Level: 50.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934918371					
Test Type: Draw Down					
Test Duration: 60					
Test Level: 70.0					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 934008590					
Layer: 1					
Kind Code: 5					
Kind: Not stated					
Water Found Depth: 62.0					
Water Found Depth UOM: ft					

56	1 of 1	NNE/216.0	119.9 / 0.00	171 CARDENCO lot 6 con 3 CARP ON	WWIS
Well ID: 7191739		Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use: Commerical		Date Received: 11/20/2012			
Sec. Water Use:		Selected Flag: TRUE			
Final Well Status: Water Supply		Abandonment Rec:			
Water Type:		Contractor: 4875			
Casing Material:		Form Version: 7			
Audit No: Z149101		Owner:			
Tag: A129749		Street Name: 171 CARDENCO			
Construction Method:		County: OTTAWA			
Elevation (m):		Municipality: HUNTLEY TOWNSHIP			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot: 006			
Well Depth:		Concession: 03			
Overburden/Bedrock:		Concession Name: CON			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 2012/10/24					
Year Completed: 2012					
Depth (m): 27.45					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.2950004922099			
Longitude:		-75.9808853258624			
Path:					

Bore Hole Information

Bore Hole ID:	1004207214	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423089.00
Code OB Desc:		North83:	5016190.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	24-Oct-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004533199
Layer:	4
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	17
Mat2 Desc:	SHALE
Mat3:	
Mat3 Desc:	
Formation Top Depth:	5.179999828338623
Formation End Depth:	27.450000762939453
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004533197
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	13
Mat2 Desc:	BOULDERS
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.9200000166893005
Formation End Depth:	2.440000057220459
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004533196
Layer:	1
Color:	6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		0.0			
Formation End Depth:		0.9200000166893005			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004533198			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.440000057220459			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004533235			
Layer:		1			
Plug From:		0.0			
Plug To:		6.400000095367432			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004533234			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004533194			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004533205			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-0.9200000166893005			
Depth To:		6.400000095367432			
Casing Diameter:		15.880000114440918			
Casing Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004533206			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004533195			
Pump Set At:		12.199999809265137			
Static Level:		2.490000009536743			
Final Level After Pumping:		2.559999942779541			
Recommended Pump Depth:		12.199999809265137			
Pumping Rate:		45.0			
Flowing Rate:					
Recommended Pump Rate:		45.0			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		3			
Water State After Test:		OTHER			
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533208			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		2.5199999809265137			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533209			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		2.5399999618530273			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533216			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		2.5199999809265137			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533218			
Test Type:		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.509999990463257			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533227			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		40			
<i>Test Level:</i>		2.559999942779541			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533207			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		2.5299999713897705			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533212			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		3			
<i>Test Level:</i>		2.5199999809265137			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533213			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.559999942779541			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533217			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.5299999713897705			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533222			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		20			
<i>Test Level:</i>		2.5			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004533223			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		2.5299999713897705			
<i>Test Level UOM:</i>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533232		
Test Type:			Recovery		
Test Duration:			60		
Test Level:			2.490000009536743		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533211		
Test Type:			Draw Down		
Test Duration:			3		
Test Level:			2.549999952316284		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533228		
Test Type:			Recovery		
Test Duration:			40		
Test Level:			2.490000009536743		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533230		
Test Type:			Recovery		
Test Duration:			50		
Test Level:			2.490000009536743		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533215		
Test Type:			Draw Down		
Test Duration:			5		
Test Level:			2.5299999713897705		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533219		
Test Type:			Draw Down		
Test Duration:			15		
Test Level:			2.5299999713897705		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533220		
Test Type:			Recovery		
Test Duration:			15		
Test Level:			2.509999990463257		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004533224		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Recovery			
Test Duration:		25			
Test Level:		2.5			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533226			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		2.490000009536743			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533231			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		2.559999942779541			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533210			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		2.5199999809265137			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533214			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		2.5199999809265137			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533221			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		2.5299999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533225			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		2.5299999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004533229			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		2.559999942779541			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 1004533203
Layer: 2
Kind Code: 8
Kind: Untested
Water Found Depth: 18.899999618530273
Water Found Depth UOM: m

Water Details

Water ID: 1004533204
Layer: 3
Kind Code: 8
Kind: Untested
Water Found Depth: 24.100000381469727
Water Found Depth UOM: m

Water Details

Water ID: 1004533202
Layer: 1
Kind Code: 3
Kind: SULPHUR
Water Found Depth: 12.5
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004533200
Diameter: 22.860000610351562
Depth From: 0.0
Depth To: 5.400000095367432
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004533201
Diameter: 15.239999771118164
Depth From: 6.400000095367432
Depth To: 27.450000762939453
Hole Depth UOM: m
Hole Diameter UOM: cm

57	1 of 1	E/216.2	117.8 / -2.03	100 CARDEVCO RD CARP ON	WWIS
Well ID:	7335299			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	3/8/2019
Sec. Water Use:	Monitoring			Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z302863			Owner:	
Tag:	A261082			Street Name:	100 CARDEVCO RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2019/01/17
Year Completed: 2019
Depth (m): 3.35
Latitude: 45.2926468261661
Longitude: -75.9771846391588
Path:

Bore Hole Information

Bore Hole ID:	1007485252	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423376.00
Code OB Desc:		North83:	5015925.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	17-Jan-2019 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock
Materials Interval

Formation ID: 1007733591
Layer: 1
Color: 6
General Color: BROWN
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Mat2 Desc:
Mat3: 66
Mat3 Desc: DENSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1007733593
Layer: 3
Color: 2
General Color: GREY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		18			
Most Common Material:		SANDSTONE			
Mat2:					
Mat2 Desc:					
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		1.2200000286102295			
Formation End Depth:		3.3499999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007733592			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007733602			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007733603			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		1.6799999475479126			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007733604			
Layer:		3			
Plug From:		1.6200000047683716			
Plug To:		3.3499999046325684			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007733601			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe Information

Pipe ID: 1007733590
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1007733597
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0.0
 Depth To: 1.8300000429153442
 Casing Diameter: 5.199999809265137
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007733598
 Layer: 1
 Slot: 10
 Screen Top Depth: 1.8300000429153442
 Screen End Depth: 3.3499999046325684
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.03000020980835

Water Details

Water ID: 1007733596
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007733595
 Diameter: 7.619999885559082
 Depth From: 2.130000114440918
 Depth To: 3.3499999046325684
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1007733594
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 2.130000114440918
 Hole Depth UOM: m
 Hole Diameter UOM: cm

58	1 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Div. of Harris Steel Limited 171 Cardevco Rd	SCT
--------------------	---------	----------	---------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Ottawa ON K1G 1L0</i>					
Established:					
Plant Size (ft²):					
Employment: 15					
--Details--					
Description: Concrete Reinforcing Bar Manufacturing					
SIC/NAICS Code: 332314					
Description: Other Ornamental and Architectural Metal Products Manufacturing					
SIC/NAICS Code: 332329					
Description: All Other Miscellaneous Fabricated Metal Product Manufacturing					
SIC/NAICS Code: 332999					
58	2 of 13	<i>NE/220.7</i>	<i>118.4 / -1.46</i>	Harris Rebar - Div. of Harris 171 Cardevco Rd Carp ON K0A 1L0	SCT
Established:					
Plant Size (ft²):					
Employment: 01-JUN-54					
--Details--					
Description: Other Ornamental and Architectural Metal Product Manufacturing					
SIC/NAICS Code: 332329					
Description: Concrete Reinforcing Bar Manufacturing					
SIC/NAICS Code: 332314					
Description: All Other Miscellaneous Fabricated Metal Product Manufacturing					
SIC/NAICS Code: 332999					
58	3 of 13	<i>NE/220.7</i>	<i>118.4 / -1.46</i>	Harris Steel ULC 171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	ECA
Approval No: 4207-8XUSZD					
Approval Date: 2012-09-07					
Status: Approved					
Record Type: ECA					
Link Source: IDS					
SWP Area Name: Mississippi Valley					
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS					
Project Type: INDUSTRIAL SEWAGE WORKS					
Business Name: Harris Steel ULC					
Address: 171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838					
Full Address:					
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3162-8TAPLS-14.pdf					
PDF Site Location:					
58	4 of 13	<i>NE/220.7</i>	<i>118.4 / -1.46</i>	harrisrebar 171 Cardevco road carp ON K0A 1L0	GEN
Generator No: ON7589486					
Status:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: 332314 SIC Description: Concrete Reinforcing Bar Manufacturing Approval Years: 2010 PO Box No: Country:				Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
58	5 of 13	NE/220.7	118.4 / -1.46	harrisrebar 171 Cardevco road carp ON K0A 1L0	GEN
Generator No: ON7589486 SIC Code: 332314 SIC Description: Concrete Reinforcing Bar Manufacturing Approval Years: 2011 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
58	6 of 13	NE/220.7	118.4 / -1.46	Harris Rebar Company 171 Cardevco Road Ottawa ON	GEN
Generator No: ON7186651 SIC Code: 332314 SIC Description: Concrete Reinforcing Bar Manufacturing Approval Years: 2012 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
58	7 of 13	NE/220.7	118.4 / -1.46	Harris Rebar Company 171 Cardevco Road Ottawa ON	GEN
Generator No: ON7186651 SIC Code: 332314 SIC Description: CONCRETE REINFORCING BAR MANUFACTURING Approval Years: 2013 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
58	8 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No: ON7186651				Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: SIC Description:	332314 CONCRETE REINFORCING BAR MANUFACTURING			Co Admin: Choice of Contact:	CO_OFFICIAL
Approval Years: PO Box No: Country:	2016 Canada			Phone No Admin: Contam. Facility: MHSW Facility:	No No
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	263 ORGANIC LABORATORY CHEMICALS				
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
<u>58</u>	9 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description:	ON7186651 332314 CONCRETE REINFORCING BAR MANUFACTURING			Status: Co Admin: Choice of Contact:	CO_OFFICIAL
Approval Years: PO Box No: Country:	2015 Canada			Phone No Admin: Contam. Facility: MHSW Facility:	No No
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
<u>58</u>	10 of 13	NE/220.7	118.4 / -1.46	Harris Rebar Company 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description:	ON7186651 332314 CONCRETE REINFORCING BAR MANUFACTURING			Status: Co Admin: Choice of Contact:	CO_OFFICIAL
Approval Years: PO Box No: Country:	2014 Canada			Phone No Admin: Contam. Facility: MHSW Facility:	No No
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS				
<u>58</u>	11 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description:	ON7186651 			Status: Co Admin: Choice of Contact:	Registered
Approval Years: PO Box No: Country:	As of Dec 2018 Canada			Phone No Admin: Contam. Facility: MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
58	12 of 13	NE/220.7	118.4 / -1.46	CQS Electric 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No:	ON9165915			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Oct 2019			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
58	13 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No:	ON7186651			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
59	1 of 15	E/220.8	117.9 / -2.00	G P SERVICE STATION MAINTENANCE 132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K0A 3G0	GEN
Generator No:	ON1022601			Status:	
SIC Code:	0000			Co Admin:	
SIC Description:	*** NOT DEFINED ***			Choice of Contact:	
Approval Years:	88,89,90			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		WASTE OILS & LUBRICANTS			
59	2 of 15	E/220.8	117.9 / -2.00	G.P. SERVICE STATION MAINTENANCE 132 CARDEVCO ROAD CARP ON K0A 1L0	GEN
Generator No:	ON1022601			Status:	
SIC Code:	6351			Co Admin:	
SIC Description:	GARAGES(GEN. REPAIR)			Choice of Contact:	
Approval Years:	92,93,97,98			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
59	3 of 15	E/220.8	117.9 / -2.00	G P SERVICE STATION MAINTENANCE 16-270 132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K2S 1A7	GEN
Generator No:	ON1022601			Status:	
SIC Code:	6351			Co Admin:	
SIC Description:	GARAGES(GEN. REPAIR)			Choice of Contact:	
Approval Years:	94,95,96			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
59	4 of 15	E/220.8	117.9 / -2.00	G. P. SERVICE STATION MAINTENANCE QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	GEN
Generator No:	ON1022601			Status:	
SIC Code:	6351			Co Admin:	
SIC Description:	GARAGES(GEN. REPAIR)			Choice of Contact:	
Approval Years:	99,00,01			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
59	5 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	04,05,06,07,08			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
59	6 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	
SIC Code:	232990			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2009			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
59	7 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	
SIC Code:	232990			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2010			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
59	8 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	
SIC Code:	232990			Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description: Approval Years: 2011 PO Box No: Country:				Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		221 LIGHT FUELS			
59	9 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No: ON8749071 SIC Code: 232990 SIC Description: Approval Years: 2012 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		221 LIGHT FUELS			
59	10 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON	GEN
Generator No: ON8749071 SIC Code: 232990 SIC Description: ALL OTHER SPECIAL TRADE CONTRACTING Approval Years: 2013 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:		221 LIGHT FUELS			
59	11 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No: ON8749071 SIC Code: 232990 SIC Description: ALL OTHER SPECIAL TRADE CONTRACTING Approval Years: 2016 PO Box No: Country: Canada				Status: Co Admin: Debbie Dodge Choice of Contact: CO_ADMIN Phone No Admin: 613-831-1088 Ext.400 Contam. Facility: No MHSW Facility: No	
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
59	12 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	
SIC Code:	232990			Co Admin:	Debbie Dodge
SIC Description:	ALL OTHER SPECIAL TRADE CONTRACTING			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	613-831-1088 Ext.400
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
59	13 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	
SIC Code:	232990			Co Admin:	Susan Grant
SIC Description:	ALL OTHER SPECIAL TRADE CONTRACTING			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Phone No Admin:	613-831-1088 Ext.400
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
59	14 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator No:	ON8749071			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221 I			
Waste Class Desc:		Light fuels			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
59	15 of 15	E/220.8	117.9 / -2.00	Tarstone Canada Limited 132 Cardevco Road Carp ON K0A1L0	GEN
Generator No:	ON4183552			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Nov 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
60	1 of 1	SE/222.1	120.4 / 0.51	ON	BORE
Borehole ID:	609635			Inclin FLG: No	
OGF ID:	215511251			SP Status: Initial Entry	
Status:				Surv Elev: No	
Type:	Borehole			Piezometer: No	
Use:				Primary Name:	
Completion Date:	JUN-1957			Municipality:	
Static Water Level:	-4.6			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD: 45.289769	
Total Depth m:	11.3			Longitude DD: -75.979117	
Depth Ref:	Ground Surface			UTM Zone: 18	
Depth Elev:				Easting: 423221	
Drill Method:				Northing: 5015607	
Orig Ground Elev m:	121			Location Accuracy:	
Elev Reliabil Note:				Accuracy: Not Applicable	
DEM Ground Elev m:	120				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218383686			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	5.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL.				
Geology Stratum ID:	218383687			Mat Consistency:	
Top Depth:	5.2			Material Moisture:	
Bottom Depth:	11.3			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. GREY. 000370BLE AT 415.0 FEET.. LIMESTONE. GREY. 00111SEISMIC VELOCITY = 1 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA1.txt RecordID: 02143 NTS_Sheet:		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

61	1 of 1	SE/222.2	120.4 / 0.51	lot 6 con 3 ON	WWIS
Well ID:	1503338			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Livestock			Date Received:	9/16/1957
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4824
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503338.pdf

Additional Detail(s) (Map)

Well Completed Date:	1957/06/26
Year Completed:	1957
Depth (m):	11.2776
Latitude:	45.2897678067372
Longitude:	-75.9791169119578

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		150\1503338.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10025381			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423220.60
Code OB Desc:				North83:	5015607.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	26-Jun-1957 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930996610				
Layer:	1				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	17.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930996611				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	17.0				
Formation End Depth:	37.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961503338				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		10573951			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930043515			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		37.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930043514			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		17.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991503338			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933456232			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		37.0			
Water Found Depth UOM:		ft			

62

1 of 1

ENE/225.7

118.9 / -1.00

Kris Jason Hodgins
154 Cardevco Dr

CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON					
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		4377-7DRRP3 2008 7/11/2008 Waste Management Systems Approved			
63	1 of 1	ENE/227.4	118.9 / -1.00	Kris Jason Hodgins 154 Cardevco Dr Ottawa ON K0A 1L0	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:		4377-7DRRP3 2008-07-11 Approved ECA IDS ECA-WASTE MANAGEMENT SYSTEMS WASTE MANAGEMENT SYSTEMS Kris Jason Hodgins 154 Cardevco Dr https://www.accessenvironment.ene.gov.on.ca/instruments/7290-7DGHV7-14.pdf		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	
64	1 of 1	NE/236.3	117.9 / -2.00	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON7186651 As of Nov 2021 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		252 T			
Waste Class Desc:		Waste crankcase oils and lubricants			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
65	1 of 1	ENE/237.0	117.9 / -1.93	158 Cardevco Rd Ottawa ON K0A1L0	EHS
Order No:	20160725056			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-JUL-16			Search Radius (km):	.25
Date Received:	25-JUL-16			X:	-75.978541
Previous Site Name:				Y:	45.294331
Lot/Building Size:					
Additional Info Ordered:					
66	1 of 3	ENE/248.4	117.9 / -1.93	158 CARDEVCO RD \\ WEST CARLETON TOWNSHIP ON	SPL
Ref No:	157790			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	7/3/1998			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	20613
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND / WATER			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	7/9/1998			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:				Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:					
Contaminant Qty:					
66	2 of 3	ENE/248.4	117.9 / -1.93	S L HODGINS 158 CARDEVCO CARP ON K0A 1L0	GEN
Generator No:	ON2019300			Status:	
SIC Code:	9919			Co Admin:	
SIC Description:	OTHER MACH. RENTAL			Choice of Contact:	
Approval Years:	95,96,97,98			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
66	3 of 3	ENE/248.4	117.9 / -1.93	S. L. HODGINS 158 CARDEVCO CARP ON	GEN

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Generator No:	ON2019300			Status:	
SIC Code:	9919			Co Admin:	
SIC Description:	OTHER MACH. RENTAL			Choice of Contact:	
Approval Years:	99,00,01			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Unplottable Summary

Total: 2 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	W. O. Stinson & Son Limited		Ottawa ON	
CA	Carp & Cardevco Self-Storage Ltd.		Ottawa ON	

Unplottable Report

Site: *W. O. Stinson & Son Limited*
Ottawa ON

Database:
CA

Certificate #: 7712-79VSZY
Application Year: 2007
Issue Date: 12/28/2007
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Carp & Cardevco Self-Storage Ltd.*
Ottawa ON

Database:
CA

Certificate #: 2640-6LFQ8U
Application Year: 2006
Issue Date: 3/3/2006
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jul 2021

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Jan 31, 2022

Drill Hole Database:

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: May 31, 2021

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Jan 31, 2021

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Jan 31, 2022

Environmental Compliance Approval:

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Jan 31, 2021

Environmental Effects Monitoring:

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021

Environmental Issues Inventory System:

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Dec 2020

National Analysis of Trends in Emergencies System (NATES):

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Nov 30, 2021

Ontario Oil and Gas Wells:

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Jan 31, 2022

Canadian Pulp and Paper:

Private

[PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

[PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Jan 31, 2021

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Jan 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Jan 31, 2021

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



APPENDIX E

TSSA Search

RE: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

Public Information Services <publicinformationservices@tssa.org>

Tue 2/22/2022 7:52 PM

To: Ester Wilson <ester.wilson@gemtec.ca>

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

NO RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses. For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid_=392 and email the completed form to publicinformationservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.orgwww.tssa.org

From: Ester Wilson <ester.wilson@gemtec.ca>**Sent:** February 22, 2022 2:19 PM**To:** Public Information Services <publicinformationservices@tssa.org>**Cc:** Brenda Thom <brenda.thom@gemtec.ca>**Subject:** Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello TSSA,

Can you please search for tanks and elevating devices at the following locations?

- 155 Wescar Ln #151, Carp, ON K0A 1L0
- 151 Wescar Ln #151, Carp, ON K0A 1L0
- 138 Wescar Lane, Carp, ON K0A 1L0
- 123 Cardevco Rd, Carp, ON K0A 1L0
- 141 Wescar Ln, Ottawa, ON K0A 1L0
- 131 Wescar Ln Unit 1, Ottawa, ON K0A 1L0
- 117 Wescar Ln, Carp, ON K0A 1L0

- 126 Wescar Ln, Carp, ON K0A 1L0
- 138 Wescar Ln, Carp, ON K0A 1L0
- 200 Wescar Ln, Carp, ON K0A 1L0

Thank you,

Ester

Ester Wilson, BSc.

Junior Environmental Scientist

Ottawa, ON

tel: 613.836.1422 / toll-free: 1.877.243.6832

mobile: 343.552.2547 / fax: 613.836.9731

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

CAUTION: This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.

RE: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

Public Information Services <publicinformationsservices@tssa.org>

Wed 3/9/2022 12:31 PM

To: Ester Wilson <ester.wilson@gemtec.ca>

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are records in our database of fuel storage tanks at the subject addresses:

INSTANCE NUMBER	ADDRESS	CITY	PROVINCE	POSTAL CODE	STATUS	FACILITY/DEVICE
10379978	142 CARDEVCO RD	CARP	ON	K0A 1L0	ACTIVE	FS PRIVATE FUEL OUTLET - SELF SERVE
11678342	142 CARDEVCO RD	CARP	ON	K0A 1L0	ACTIVE	FS LIQUID FUEL TANK
11678362	142 CARDEVCO RD	CARP	ON	K0A 1L0	ACTIVE	FS LIQUID FUEL TANK

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationsservices@tssa.orgwww.tssa.org**From:** Ester Wilson <ester.wilson@gemtec.ca>**Sent:** March 9, 2022 11:41 AM**To:** Public Information Services <publicinformationsservices@tssa.org>**Subject:** Re: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello, Can you please also search for tanks at

- 142 Cardevco Rd, Carp, ON ?

Thank you,

Ester

Ester Wilson, BSc.

Junior Environmental Scientist

Ottawa, ON

tel: 613.836.1422 / toll-free: 1.877.243.6832

mobile: 343.552.2547 / fax: 613.836.9731

From: Public Information Services <publicinformationsservices@tssa.org>**Sent:** Tuesday, February 22, 2022 7:52 PM**To:** Ester Wilson <ester.wilson@gemtec.ca>**Subject:** RE: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

NO RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

Public Information Agent

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationsservices@tssa.org

www.tssa.org



From: Ester Wilson <ester.wilson@gemtec.ca>

Sent: February 22, 2022 2:19 PM

To: Public Information Services <publicinformationsservices@tssa.org>

Cc: Brenda Thom <brenda.thom@gemtec.ca>

Subject: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello TSSA,

Can you please search for tanks and elevating devices at the following locations?

- 155 Wescar Ln #151, Carp, ON K0A 1L0
- 151 Wescar Ln #151, Carp, ON K0A 1L0
- 138 Wescar Lane, Carp, ON K0A 1L0
- 123 Cardevco Rd, Carp, ON K0A 1L0
- 141 Wescar Ln, Ottawa, ON K0A 1L0
- 131 Wescar Ln Unit 1, Ottawa, ON K0A 1L0
- 117 Wescar Ln, Carp, ON K0A 1L0
- 126 Wescar Ln, Carp, ON K0A 1L0
- 138 Wescar Ln, Carp, ON K0A 1L0
- 200 Wescar Ln, Carp, ON K0A 1L0

Thank you,

Ester

Ester Wilson, BSc.

Junior Environmental Scientist

Ottawa, ON

tel: 613.836.1422 / toll-free: 1.877.243.6832

mobile: 343.552.2547 / fax: 613.836.9731

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

CAUTION: This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.

3/9/22, 2:15 PM

Mail - Ester Wilson - Outlook

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

CAUTION: This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.



APPENDIX F

City Directory

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



CITY
DIRECTORY

Project Property: *151 Wescar Lane, Carp, ON*
Report Type: *City Directory*
Order No: *22030300854*
Information Source: *Vernon's Ottawa & Area, ON City Directory*
Date Completed: *03/09/2022*

****See Addendum Regarding Document Results****

Environmental Risk Information Services City Directory Information Source

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

PROJECT NUMBER: 22030300854	
Site Address:	151 Wescar Lane, Carp, ON
Year: 2011	
Site Listing:	-Information Inaccessible
Adjacent Properties:	
113 Wescar Lane	-Information Inaccessible
117 Wescar Lane	-Information Inaccessible
118 Wescar Lane	-Information Inaccessible
126 Wescar Lane	-Address Not Listed
131 Wescar Lane	-Information Inaccessible
132 Wescar Lane	-Address Not Listed
141 Wescar Lane	-Information Inaccessible
144 Wescar Lane	-Air 1 Mechanical Services Inc -Advanced Air Quality Inc

	Mortgage Edge Fatima Santos -OneCall Services
154 Wescar Lane	-Address Not Listed
159 Wescar Lane	-Information Inaccessible
162 Wescar Lane	-Address Not Listed
165 Wescar Lane	-Information Inaccessible
168 Wescar Lane	-Competition Composites Inc -Maisons Laprise Inc -MacArtney Construction Company Ltd
172 Wescar Lane	-Information Inaccessible
173 Wescar Lane	-Information Inaccessible
180 Wescar Lane	-Information Inaccessible
181 Wescar Lane	-Information Inaccessible
85 Cardevco Road	-Information Inaccessible
2625 Carp Road	-Residential (2 Tenants)

2299 Cavanmore Road	-Information Inaccessible
100 Huntley Manor Drive	-Information Inaccessible
102 Huntley Manor Drive	-Information Inaccessible
104 Huntley Manor Drive	-Information Inaccessible
106 Huntley Manor Drive	-Information Inaccessible
Richardson Side Road	-No Civic Address
2283 Richardson Side Road	-Information Inaccessible
2291 Richardson Side Road	-Information Inaccessible
2297 Richardson Side Road	-Information Inaccessible
2375 Richardson Side Road	-Information Inaccessible
2415 Richardson Side Road	-Information Inaccessible

PROJECT NUMBER: 22030300854	
Site Address:	151 Wescar Lane, Carp, ON
Year: 2005-06 / 2006-07	

Site Listing:	-Information Inaccessible
Adjacent Properties:	
113 Wescar Lane	-Information Inaccessible
117 Wescar Lane	-Information Inaccessible
118 Wescar Lane	-Information Inaccessible
126 Wescar Lane	-Address Not Listed
131 Wescar Lane	-Information Inaccessible
132 Wescar Lane	-Address Not Listed
141 Wescar Lane	-Information Inaccessible
144 Wescar Lane	-Excel Plus Financial Group
154 Wescar Lane	-Address Not Listed
159 Wescar Lane	-Information Inaccessible
162 Wescar Lane	-Address Not Listed
165 Wescar Lane	-Information Inaccessible

168 Wescar Lane	-Kayser Ergonomics -Kerr Design
172 Wescar Lane	-Information Inaccessible
173 Wescar Lane	-Information Inaccessible
180 Wescar Lane	-Information Inaccessible
181 Wescar Lane	-Information Inaccessible
85 Cardevco Road	-Information Inaccessible
2625 Carp Road	-Residential (2 Tenants)
2299 Cavanmore Road	-Information Inaccessible
100 Huntley Manor Drive	-Information Inaccessible
102 Huntley Manor Drive	-Information Inaccessible
104 Huntley Manor Drive	-Information Inaccessible
106 Huntley Manor Drive	-Information Inaccessible
Richardson Side Road	-No Civic Address

2283 Richardson Side Road	-Information Inaccessible
2291 Richardson Side Road	-Information Inaccessible
2297 Richardson Side Road	-Information Inaccessible
2375 Richardson Side Road	-Information Inaccessible
2415 Richardson Side Road	-Information Inaccessible

PROJECT NUMBER: 22030300854	
Site Address:	151 Wescar Lane, Carp, ON
Year: 1999-2000 / 2001-02	
Site Listing:	-Information Inaccessible
Adjacent Properties:	
113 Wescar Lane	-Information Inaccessible
117 Wescar Lane	-Information Inaccessible
118 Wescar Lane	-Information Inaccessible
126 Wescar Lane	-Address Not Listed

131 Wescar Lane	-Information Inaccessible
132 Wescar Lane	-Address Not Listed
141 Wescar Lane	-Information Inaccessible
144 Wescar Lane	-Goodlooking Carpet -Carpet Cleaning Professionals
154 Wescar Lane	-Address Not Listed
159 Wescar Lane	-Information Inaccessible
162 Wescar Lane	-Address Not Listed
165 Wescar Lane	-Information Inaccessible
168 Wescar Lane	-Gold Haven Construction Ltd -Early Valley Frames & Reflections -Kerr Design
172 Wescar Lane	-Information Inaccessible
173 Wescar Lane	-Information Inaccessible
180 Wescar Lane	-Information Inaccessible

181 Wescar Lane	-Information Inaccessible
85 Cardevco Road	-Information Inaccessible
2625 Carp Road	-Residential (1 Tenant)
2299 Cavanmore Road	-Information Inaccessible
100 Huntley Manor Drive	-Information Inaccessible
102 Huntley Manor Drive	-Information Inaccessible
104 Huntley Manor Drive	-Information Inaccessible
106 Huntley Manor Drive	-Information Inaccessible
Richardson Side Road	-No Civic Address
2283 Richardson Side Road	-Information Inaccessible
2291 Richardson Side Road	-Information Inaccessible
2297 Richardson Side Road	-Information Inaccessible
2375 Richardson Side Road	-Information Inaccessible

2415 Richardson Side Road	-Information Inaccessible
----------------------------------	---------------------------

PROJECT NUMBER: 22030300854	
Site Address:	151 Wescar Lane, Carp, ON
Year: 1995-96 / 1996-97	
Site Listing:	-Information Inaccessible
Adjacent Properties:	
113 Wescar Lane	-Information Inaccessible
117 Wescar Lane	-Information Inaccessible
118 Wescar Lane	-Information Inaccessible
126 Wescar Lane	-Address Not Listed
131 Wescar Lane	-Information Inaccessible
132 Wescar Lane	-Address Not Listed
141 Wescar Lane	-Information Inaccessible
144 Wescar Lane	-Goodooking Carpet -Carpet Cleaning Professionals

154 Wescar Lane	-Address Not Listed
159 Wescar Lane	-Information Inaccessible
162 Wescar Lane	-Ottawa Valley Marine
165 Wescar Lane	-Information Inaccessible
168 Wescar Lane	-Gold Haven Construction Ltd -Kerr Design
172 Wescar Lane	-Information Inaccessible
173 Wescar Lane	-Information Inaccessible
180 Wescar Lane	-Information Inaccessible
181 Wescar Lane	-Information Inaccessible
85 Cardevco Road	-Information Inaccessible
2625 Carp Road	-Residential (1 Tenant)
2299 Cavanmore Road	-Information Inaccessible
100 Huntley Manor Drive	-Information Inaccessible

102 Huntley Manor Drive	-Information Inaccessible
104 Huntley Manor Drive	-Information Inaccessible
106 Huntley Manor Drive	-Information Inaccessible
Richardson Side Road	-No Civic Address
2283 Richardson Side Road	-Information Inaccessible
2291 Richardson Side Road	-Information Inaccessible
2297 Richardson Side Road	-Information Inaccessible
2375 Richardson Side Road	-Information Inaccessible
2415 Richardson Side Road	-Information Inaccessible

PROJECT NUMBER: 22030300854	
Site Address:	151 Wescar Lane, Carp, ON
Year: 1992	
Site Listing:	-Information Inaccessible
Adjacent Properties:	

113 Wescar Lane	-Information Inaccessible
117 Wescar Lane	-Information Inaccessible
118 Wescar Lane	-Information Inaccessible
126 Wescar Lane	-Address Not Listed
131 Wescar Lane	-Information Inaccessible
132 Wescar Lane	-Address Not Listed
141 Wescar Lane	-Information Inaccessible
144 Wescar Lane	-Address Not Listed
154 Wescar Lane	-Information Inaccessible
159 Wescar Lane	-Information Inaccessible
162 Wescar Lane	-Coffee Time Express
165 Wescar Lane	-Information Inaccessible
168 Wescar Lane	-Information Inaccessible

172 Wescar Lane	-Information Inaccessible
173 Wescar Lane	-Information Inaccessible
180 Wescar Lane	-Information Inaccessible
181 Wescar Lane	-Information Inaccessible
85 Cardevco Road	-Information Inaccessible
2625 Carp Road	-Residential (1 Tenant)
2299 Cavanmore Road	-Information Inaccessible
100 Huntley Manor Drive	-Information Inaccessible
102 Huntley Manor Drive	-Information Inaccessible
104 Huntley Manor Drive	-Information Inaccessible
106 Huntley Manor Drive	-Information Inaccessible
Richardson Side Road	-No Civic Address
2283 Richardson Side Road	-Information Inaccessible
2291 Richardson Side Road	-Information Inaccessible

2297 Richardson Side Road	-Information Inaccessible
2375 Richardson Side Road	-Information Inaccessible
2415 Richardson Side Road	-Information Inaccessible

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as “residential” with the number of tenants. The name of the residential tenant is not listed in the above city directory.

*****Carp, ON is listed from 1992 to 2011 within the city directory archives. *****

*****Due to unforeseen circumstances resulting from the Covid-19 pandemic of 2020, access to information sources has been prohibited. While all additional measures were undertaken in order to provide accurate information where possible, some project searches yielded no results. *****



APPENDIX G

Site Photographs



Photograph 1: Northeastern extent of the Site (151 Wescar Lane) and Wescar Lane (looking southeast)



Photograph 2: Northeastern extent of the Site Wescar Lane (looking northwest) and neighbouring properties to the northwest (173 and 181 Wescar Lane)



Photograph 3: Overview of 151 Wescar Lane (looking southwest)



Photograph 4: Overview of 151 Wescar (looking southeast)



Photograph 5: Overview of 159 Wescar Lane (looking northwest)



Photograph 6: Season spring melt standing water on 159 Wescar Lane




Photograph 7: West portion of the Site looking southeast at 159 and 151 Wescar Lane with a berm on the West boundary of the Site



Photograph 8: Northwest extent of 159 Wescar Lane looking northeast down Cavanmore Road.

experience • knowledge • integrity



civil
geotechnical
environmental
field services
materials testing

civil
géotechnique
environnementale
surveillance de chantier
service de laboratoire des matériaux

expérience • connaissance • intégrité

