




**APPROVED**  
By Kersten Nitsche at 2:13 pm, Jun 11, 2024




**KERSTEN NITSCHKE, MCIP RPP**  
MANAGER (A), DEVELOPMENT REVIEW WEST  
PLANNING, DEVELOPMENT AND BUILDING SERVICES  
DEPARTMENT, CITY OF OTTAWA

KEY PLAN



CATCH-BASIN & MANHOLE SCHEDULE

REF	TOP	SIZE	TYPE	INVERT AT INLET	INVERT AT OUTLET	NOTES
STORM SEWER						
CB/MH-1	92.68	1200mm	PRE-CAST CONCRETE CATCH-BASIN/MANHOLE	91.08(W)	90.53(E)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010 INSTALL ICD IN OUTLET PIPE
CB/MH-2	92.06	1200mm	PRE-CAST CONCRETE CATCH-BASIN/MANHOLE	90.63(N)	90.10(S)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010 INSTALL ICD IN OUTLET PIPE
MH-3	92.48	1200mm	PRECAST CONCRETE MANHOLE	90.65(E)	90.65(S)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S24.1 OR OPSD 401.010
MH-3A	±92.76	1200mm	PRECAST CONCRETE MANHOLE	-	90.65	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S24.1 OR OPSD 401.010
CB-4	92.36	600mm x 600mm	PRE-CAST CONCRETE CATCH-BASIN	-	90.26	TO OPSD 705.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S19




No.	DATE	REVISION
4	DEC 4-23	RE-ISSUED FOR APPROVAL
3	AUG 31-23	ISSUED FOR APPROVAL
2	JUL 20-23	ISSUED FOR COORDINATION
1	JAN 28-22	ISSUED FOR COORDINATION

**D. B. GRAY ENGINEERING INC.**  
Stormwater Management - Grading & Drainage - Storm & Sanitary Sewers - Watermain  
700 Long Point Circle 613-425-8044  
Ottawa, Ontario d.gray@dbgrayengineering.com

Project  
**PROPOSED WOODVALE PENTECOSTAL CHURCH ADDITION,**  
205 GREENBANK ROAD  
OTTAWA, ONTARIO

Drawing Title  
**DETAILS & SCHEDULES**

Engineer's Seal  
  
Drawn D.B.G.  
H. Scale  
V. Scale  
Date JAN 28-22  
Job No. 20121  
Drawing No.  
**C-6**  
of 7