



LEGEND



ANCHOR BOLT PLAN  
 NOTE: All Base Plates @ 100'-0" (U.N.)  
 Finished Floor @ 100'-0"

DRAWING IS NOT TO SCALE



65x99

65'-0" x 99'-0" x 26'-0"

DATE: 7/9/24 REVISION: 0

ENG: DWN: APPD:

F.O.41736-1-1

65x99

DRAWING STATUS

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ON A LATER DATE. ORDER HAS BEEN PLACED AND DESIGNATED FOR FABRICATION.


REVISION HISTORY

REV.

DESCRIPTION

DATE

FRAME LINES: 2 3 4 5



**RIGID FRAME: BASIC COLUMN REACTIONS (k )**

Frame Line	Column Line	----Dead----	--Collateral--	----Live----	----Snow----	--Wind_Left1-	-Wind_Right1-
		Horz	Vert	Horz	Vert	Horz	Vert
2*	D	1.2	4.0	0.7	2.0	5.1	13.6
2*	A	-1.2	4.0	-0.7	2.0	-5.1	13.6
2*	D	-4.8	-2.5	0.7	1.4	-0.5	-12.3
2*	A	-0.7	1.4	4.8	-2.5	0.6	-10.7
2*	D	0.0	-8.1	9.0	27.7	8.9	19.5
2*	A	0.0	-8.1	-8.9	19.5	-9.0	27.7

Frame lines: 2 3 4 5

**RIGID FRAME: ANCHOR BOLTS & BASE PLATES**

Frm Line	Col Line	Anc_Bolt Qty	Bolt Dia	Base_Plate Width	Base_Plate Length	Thick	AFF/BFF (in)
2*	D	4	0.750	8.000	11.63	0.500	0.0
2*	A	4	0.750	8.000	11.63	0.500	0.0

2\* Frame lines: 2 3 4 5



65x89  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/ 9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

65x99

**DRAWING STATUS**

REVISION HISTORY

REV.

DATE

DESCRIPTION

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ON A SEPARATE SHEET PER 146 BEEN PLACED AND DESIGNATED FOR FABRICATION.

ENDWALL COLUMN: BASIC COLUMN REACTIONS (k)														
Frm Line	Col Line	Dead	Collat	Live	Snow	Wind_Left1	Wind_Right1	Wind_Left2	Wind_Right2	Wind Press	Wind			
Line	Line	Vert	Vert	Vert	Vert	Horz	Vert	Horz	Vert	Horz	Horz	Vert		
1	D	0.7	0.2	1.6	3.8	-2.0	-4.3	0.0	1.6	-2.0	-3.3	0.0	2.6	-1.7
1	C	1.5	0.7	5.2	12.1	0.0	-2.5	2.0	-6.0	0.0	0.5	2.0	-3.0	-3.7
1	B	1.5	0.7	5.2	12.1	0.0	-3.4	0.0	-5.1	0.0	-0.4	0.0	-2.1	-3.7
1	A	0.7	0.2	1.6	3.8	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	-0.7	-1.7

Frm Line	Col Line	Wind Suct	Wind_Long1	Wind_Long2	Seis_Left	Seis_Right	Seis_Long	E1UNB_SL_L							
Line	Line	Horz	Horz	Vert	Horz	Vert	Horz	Vert							
1	D	1.3	0.0	-1.7	-0.1	-1.1	-3.3	-4.2	0.0	1.6	-2.0	-3.3	0.1	0.0	3.9
1	C	2.6	0.1	-5.2	0.0	-3.3	0.0	4.2	3.3	-4.3	0.2	0.0	0.0	11.6	
1	B	2.6	0.0	-3.4	0.0	-5.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	6.5	
1	A	1.3	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	1.8	

Frm Line	Col Line	E1UNB_SL_R	
Line	Line	Vert	
1	D	0.0	1.8
1	C	0.0	6.5
1	B	0.0	11.6
1	A	0.0	3.9

Frm Line	Col Line	Dead	Collat	Live	Snow	Wind_Left1	Wind_Right1	Wind_Left2	Wind_Right2	Wind Press				
Line	Line	Vert	Vert	Vert	Vert	Horz	Vert	Horz	Vert	Horz				
6	A	0.7	0.2	1.6	3.8	-2.0	-4.3	0.0	1.6	-2.0	-3.3	0.0	2.6	-1.7
6	B	1.5	0.7	5.2	12.1	0.0	-2.5	2.0	-6.0	0.0	0.5	2.0	-3.0	-3.7
6	C	1.5	0.7	5.2	12.1	0.0	-3.4	0.0	-5.1	0.0	-0.4	0.0	-2.1	-3.7
6	D	0.7	0.2	1.6	3.8	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	-0.7	-1.7

Frm Line	Col Line	Wind Suct	Wind_Long1	Wind_Long2	Seis_Left	Seis_Right	Seis_Long	E2UNB_SL_L							
Line	Line	Horz	Horz	Vert	Horz	Vert	Horz	Vert							
6	A	1.3	0.0	-1.7	-0.1	-1.1	-3.3	-4.2	0.0	1.6	-2.0	-3.3	0.1	0.0	3.9
6	B	2.6	0.1	-5.2	0.0	-3.3	0.0	4.2	3.3	-4.3	0.2	0.0	0.0	11.6	
6	C	2.6	0.0	-3.4	0.0	-5.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	6.5	
6	D	1.3	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	1.8	

Frm Line	Col Line	E2UNB_SL_R	
Line	Line	Vert	
6	A	0.0	1.8
6	B	0.0	6.5
6	C	0.0	11.6
6	D	0.0	3.9

ANCHOR BOLT SUMMARY			
Qty	Locate	Dia (in)	Type
32	Endwall	3/4"	
32	Frame	3/4"	

BUILDING BRACING REACTIONS		
Reaction	Description	Reactions in plane of wall
Type		Reactions(k)
		Wind Seismic Panel Shear (lb/ft)
		Horz Vert Horz Vert Wind Seis
Dead	Dead Load	6.8
Collateral	Collateral Load	
Snow	Uniform Roof Snow Load	
Wind_Right1	Transverse Wind From Right With Internal Pressure	
Wind_Left2	Transverse Wind From Left With Internal Suction	
Wind_Right2	Transverse Wind From Right With Internal Suction	
Wind_Long1	Longitudinal Wind From Left Endwall	
Wind_Long2	Longitudinal Wind From Right Endwall	
Wind_Press	Wind Pressure Applied Towards Endwall	
Wind_Suct	Wind Suction Applied Away From Endwall	
Seismic_Left	Seismic Load Applied From Left	
Seismic_Right	Seismic Load Applied From Right	
Seismic_Long	Seismic Load Applied Longitudinally	
F# Unb_SL_L	Unbalanced Snow Load On Left	
F# Unb_SL_R	Unbalanced Snow Load On Right	
F# PAT_SL#	Pattern Snow Load	
Drift	Snow Drift Load	
Sliding	Sliding Snow Load	
HorzOP	Horizontal Out of Plane Load	

ENDWALL COLUMN: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc Bolt Qty	Anc Dia	Base Plate Width	Base Plate Length	AFF/BFF (in)
1	D	4	0.750	6.000	9.875	0.375
1	C	4	0.750	6.000	9.875	0.375
1	B	4	0.750	6.000	9.875	0.375
1	A	4	0.750	6.000	9.875	0.375
6	A	4	0.750	6.000	9.875	0.375
6	B	4	0.750	6.000	9.875	0.375
6	C	4	0.750	6.000	9.875	0.375
6	D	4	0.750	6.000	9.875	0.375

DESIGN INFORMATION			
-----			
1. All loading conditions are examined and only the maximum / minimum H or V and the corresponding H or V are reported.			
2. Positive reactions are shown in the sketch. Foundation loads are in opposite directions.			
3. Bracing reactions are in the plane of the brace with the H pointing away from the braced bay. The vertical reaction is downward.			
4. Building reactions are based on the following building data:			
DESIGN CRITERIA		SEISMIC CRITERIA	
-----			
Width (ft)	= 65	Seismic Importance	= 1.00
Length (ft)	= 99	Risk Category	= II - Normal
Eave Height (ft)	= 26	Roof Slope (rise/12)	= 0.25:12
Roof Slope (rise/12)	= 0.25:12	Building Code	= NBC 15
Local Code (State/Prov)	= NBC 15	Mapped Spectral Response Accelerations	
Dead Load (psf)	= 3.25	Sa (0.2)	= 0.4740
Collateral Load (psf)	= 3.01	Sa (0.5)	= 0.2520
Roof Live Load (psf)	= 20.89	Sa (1.0)	= 0.1240
Frame Live Load (psf)	= 20.89	Sa (2.0)	= 0.0580
		Sa (5.0)	= 0.0150
		Sa (10.0)	= 0.0056
Snow:		Site Class	= D
Ground Snow Load (psf)	= 50.16		
Snow Importance	= 1.0000		
Associated Rain Load (psf)	= 8.36		
Wind Exposure Factor	= 1.00	Expanded Formula	= S(Ta)*Mv*1e*W/(Rd*Ro)
Slippery Roof	= N	Longitudinal Base Shear (k)	= 27.10
Roof Snow Load (psf)	= 48.49	Transverse Base Shear (k)	= 27.38
Wind:			
Wind (1/50) (psf)	= 8.57		
Risk Category	= II - Normal		
Importance - Wind	= 1.00		
Wind Exposure	= O	--Seismic Response Coefficients--	
Enclosure Classification = 2		FSW	= 0.17
		BSW	= 0.17
--Internal Pressure Coefficients--			
Pressure	= 0.30	--Response Modification Factors--	
Suction	= -0.45	Frame	= 1.5
		FSW	= 1.5
----Components & Cladding----		BSW	= 1.5
Design Pressure:			
Pressure (psf)	= 22.09		
Suction (psf)	= -22.09		
Equivalent Static Force Procedure.			




65x99  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

REVISION HISTORY	
REV.	DESCRIPTION


65x99

DRAWING STATUS  
 THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ALL DIMENSIONS WILL BE ISSUED ONLY AS SHOWN ON THE DRAWINGS. NO FIELD DIMENSIONS WILL BE ISSUED FOR FABRICATION.

PAGE OF



ENDWALL FRAMING: FRAME LINE 1



ENDWALL SHEETING & TRIM: FRAME LINE 1

PANELS: 26 Ga. R - Charcoal Grey

BOLT TABLE				
FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-2	8	A325	1/2"	1 1/2"
Columns/Raf	2	A325	3/4"	1 3/4"

MEMBER TABLE				
FRAME LINE 1				
QUAN	MARK	PART	LENGTH	
1	EC-1	W10X12	24'-1 9/16"	
2	EC-2	W10X12	24'-6 1/4"	
1	EC-3	W10X12	24'-1 9/16"	
1	ER-1	W12X16	32'-6 1/16"	
1	ER-2	W12X16	32'-6 1/16"	
2	DJ-1	08X35C16	11'-11 3/4"	
1	DH-1	08X35C16	3'-4"	
12	G-1	08X25Z16	18'-5 1/2"	
2	G-2	08X25Z16	24'-7 1/2"	
1	G-3	C8X11.5	24'-7 1/2"	
3	G-4	08X25Z13	24'-7 1/2"	
2	CB-1	L303025	21'-7 9/16"	
1	CB-2	L303025	21'-10 3/8"	
1	CB-3	L303025	21'-8"	

FLANGE BRACE TABLE		
FRAME LINE 1		
ID	MARK	LENGTH
1	FB1B	1'-6"



65x89  
65'-0" x 98'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

DRAWING STATUS		REVISION HISTORY	
REV.	DATE	DESCRIPTION	DATE


THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN REVIEWED AND DESIGNATED FOR FABRICATION.

65x89


DRAWING IS NOT TO SCALE

TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	

- GENERAL NOTES:**
- Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.
  - See detail C7A for field coping of coldform endwall column flange braces.
  - All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).



ENDWALL FRAMING: FRAME LINE 6



ENDWALL SHEETING & TRIM: FRAME LINE 6

PANELS: 26 Ga. R - Charcoal Grey

BOLT TABLE				
FRAME LINE 6				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-3	8	A325	1/2"	1 1/2"
Columns/Raf	2	A325	3/4"	1 3/4"

MEMBER TABLE				
FRAME LINE 6				
QUAN	MARK	PART	LENGTH	
1	EC-1	W10X12	24'-1 9/16"	
2	EC-2	W10X12	24'-6 1/4"	
1	EC-3	W10X12	24'-1 9/16"	
1	ER-1	W12X16	32'-6 1/16"	
1	ER-3	W12X16	32'-6 1/16"	
2	DJ-1	08X35C16	11'-11 3/4"	
2	DJ-2	08X35C13	19'-11 3/4"	
1	DH-1	08X35C16	3'-4"	
1	DH-2	08X35C16	16'-0"	
7	G-1	08X25Z16	18'-5 1/2"	
2	G-2	08X25Z16	24'-7 1/2"	
1	G-3	C8X11.5	24'-7 1/2"	
3	G-4	08X25Z13	24'-7 1/2"	
4	G-5	08X25Z16	6"	
1	G-6	08X25Z13	18'-5 1/2"	
4	G-7	08X25Z16	1'-4"	
2	CB-1	L303025	21'-7 9/16"	
1	CB-2	L303025	21'-10 3/8"	
1	CB-3	L303025	21'-8"	
2	JB-1	08X35C16	3'-11 1/2"	
1	JB-2	08X35C16	2 1/2"	

FLANGE BRACE TABLE		
FRAME LINE 6		
VID	MARK	LENGTH
1	FB1B	1'-6"

DRAWING IS NOT TO SCALE

TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	



65x89  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

REVISION HISTORY	
REV.	DESCRIPTION

**DRAWING STATUS**

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER THE PROJECT HAS BEEN PLACED AND DESIGNATED FOR FABRICATION.


65x89

- GENERAL NOTES:**
1. Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.
  2. See detail C7A for field coping of coldform endwall column flange braces.
  3. All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).

SPLICE BOLT TABLE						
Mark	Qty Top	Qty Bot	Int	Type	Dia	Length
SP-1	4	4	2	A325	1.000	2.75

MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange	Inside Flange
	Start/End	Thick	Length	Length	W x Thk x Length	W x Thk x Length
RF1-1	11.0/37.0	0.188	242.2		6 x 1/4" x 301.4	6 x 3/8" x 120.7
	37.0/40.0	0.188	60.0		6 x 5/16" x 47.6	6 x 1/2" x 150.6
RF1-2	28.0/28.0	0.250	220.3		6 x 5/16" x 220.3	6 x 5/8" x 100.3
	28.0/28.0	0.188	120.0		6 x 3/8" x 120.0	6 x 3/8" x 120.0
					6 x 1/2" x 120.0	6 x 1/4" x 119.4

FLANGE BRACES: Both Sides(U.N.)  
 FBxxB(1)  
 B - L20X1/4  
 A - L15X1/8



BUILDING CROSS SECTION: FRAME LINE 2 3 4 5

GENERAL NOTES:  
 1. See Detail Sheets for Connection Information.  
 2. See Shipping List for Flange Brace Lengths.

DRAWING IS NOT TO SCALE



65x89  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD:


F.O.41736-1-1

DRAWING STATUS	
REV.	DESCRIPTION

65x89

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ANY CHANGES TO THESE DRAWINGS WILL BE ISSUED AS REVISIONS. THE DRAWINGS WILL BE ISSUED ONLY AFTER THEY HAVE BEEN PLACED AND DESIGNATED FOR FABRICATION.

PAGE OF



MEMBER TABLE			
ROOF PLAN			
QUAN	MARK	PART	LENGTH
14	P-1	10X25Z13	22'-10 1/2"
28	P-2	10X25Z14	26'-0 1/2"
14	P-3	10X25Z14	26'-3 1/2"
14	P-4	10X25Z13	22'-10 1/2"
2	E-1	10XB5E14	19'-8 1/2"
4	E-2	10XB5E10	19'-8 1/2"
19'-9"	E-3	10XB5E13	19'-11 1/2"
2	E-4	10XB5E14	19'-8 1/2"
8	CB-6	L308025	25'-8 3/4"
8	CB-7	L308025	23'-10 1/8"

SPECIAL BOLTS					
ROOF PLAN					
ID	QUAN	TYPE	DIA	LENGTH	WASH
1	4	A325	1/2"	1 1/4"	0

65x89  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

DRAWING STATUS		REVISION HISTORY	
REV.	DESCRIPTION	REV.	DESCRIPTION

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ALL DIMENSIONS WILL BE ISSUED ONLY ON THE FABRICATION DRAWINGS. ALL DIMENSIONS WILL BE ISSUED ONLY ON THE FABRICATION DRAWINGS.

65x89

DRAWING IS NOT TO SCALE


PAGE OF

**GENERAL NOTES:**

- Screw Down Roof: Use TEK5WW screws in place of SD150 panel screws at all 10 gage purlins, eave struts, or roof joists.
- Standing Seam Roof: Use FST#6 in place of FST#1 clip to purlin screws at all 10 gage purlins, eave struts, or at roof joists.


ROOF FRAMING PLAN

MEMBER TABLE			
FRAME LINE D			
QUAN	MARK	PART	LENGTH
2	DJ-1	08X35C16	11'-11 3/4"
1	DH-1	08X35C16	3'-4"
6	G-8	08X25Z16	20'-10 1/2"
11	G-9	08X25Z16	22'-0 1/2"
6	G-10	08X25Z16	22'-3 1/2"
1	G-11	08X25Z14	22'-0 1/2"
5	G-12	08X25Z16	20'-10 1/2"
1	G-13	08X25Z13	20'-10 1/2"
4	CB-4	L303025	22'-5 3/8"
4	CB-5	L303025	22'-11 11/16"



GIRT LAPS 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4"

**SIDEWALL FRAMING: FRAME LINE D**



**SIDEWALL SHEETING & TRIM: FRAME LINE D**  
PANELS: 26 Ga. R - Charcoal Grey

DRAWING IS NOT TO SCALE

TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	

**GENERAL NOTES:**  
 1. Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.  
 2. All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).



65x99  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD:


F.O.41736-1-1

REVISION HISTORY	
REV.	DESCRIPTION

**DRAWING STATUS**  
 THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN ISSUED AND DESIGNATED FOR FABRICATION.


65x99

MEMBER TABLE			
FRAME LINE A			
QUAN	MARK	PART	LENGTH
2	DJ-1	08X35C16	11'-11 3/4"
1	DH-1	08X35C16	3'-4"
6	G-8	08X25Z16	20'-10 1/2"
11	G-9	08X25Z16	22'-0 1/2"
6	G-10	08X25Z16	22'-3 1/2"
1	G-11	08X25Z14	22'-0 1/2"
5	G-12	08X25Z16	20'-10 1/2"
1	G-13	08X25Z13	20'-10 1/2"
4	CB-4	L303025	22'-5 3/8"
4	CB-5	L303025	22'-11 11/16"



GIRT LAPS 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4"

**SIDEWALL FRAMING: FRAME LINE A**



**SIDEWALL SHEETING & TRIM: FRAME LINE A**  
PANELS: 26 Ga. R - Charcoal Grey

DRAWING IS NOT TO SCALE

TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	

**GENERAL NOTES:**  
 1. Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.  
 2. All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).




65x99  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD:

F.O.41736-1-1

REVISION HISTORY	
REV.	DESCRIPTION

**DRAWING STATUS**  
 THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN ISSUED AND DESIGNATED FOR FABRICATION.

65x99



**GENERAL NOTES:**  
 Panel "Start" and "End" dimensions must be followed for the proper installation of the gable trim(s) provided.

**ROOF SHEETING PLAN**  
 PANELS: 24 Ga. L4 - Galvalume

DRAWING IS NOT TO SCALE



F.O.41736-1-1

DRAWING STATUS		REVISION HISTORY	
REV.	DATE	DESCRIPTION	DATE

65x99

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ALL DIMENSIONS WILL BE ISSUED ON A PER PANEL BASIS. THESE DRAWINGS WILL BE ISSUED ON A PER PANEL BASIS. THESE DRAWINGS WILL BE ISSUED ON A PER PANEL BASIS. THESE DRAWINGS WILL BE ISSUED ON A PER PANEL BASIS.

65x99  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD: