Environmental Impact Study (EIS) & Tree Conservation Report

151-159 Wescar Lane,

Part of Lot 6, Concession 3, City of Ottawa

August 19, 2024

Prepared By:



BCH Environmental Consulting Inc. 20373 Bethune Street, South Lancaster, On KOC 2CO



| | Contents | |
|---------|---|----|
| 1.0. | Introduction | |
| 1.1. | Site Context | |
| 2.0. | Methodology | |
| 3.0. | Field Surveys | |
| 3.1. | Existing Conditions | |
| | 1.1. Clear Area | |
| | 1.2. Cultural Thicket | |
| - | .1.6. Isolated Pond / Narrow-leaved Emergent Swamp (ne) | |
| 3. | 1.7. Tributaries to Huntley Creek | |
| 3. | 1.8. Roadside Ditches | |
| 3. | 2. Breeding Bird Survey | |
| 4.0 | Potential Species at Risk | |
| 4.1. | Turtles and Reptiles | |
| 4.2. | Birds | |
| 4.3. | Mammals | |
| 4.4. | Vegetation | |
| 4.5. | Species at Risk Summary | |
| 5.0 | Natural Heritage Features | |
| 5.1. | Significant Woodland | |
| 5.2. | Pond / Wetland / Tributaries to Huntley Creek | |
| 5.3. | Significant Wildlife Habitat | |
| 6.0. | Wildland Fire Risk Assessment | |
| 6.1. | Level 1 Site Assessment | |
| 7.0. | Tree Conservation Report | 19 |
| 8.0. | Development Constraints, Cumulative Impacts and Climate Change | |
| 9.0. | Recommendations and Conclusion | 29 |
| 9.1. | Mitigation for the Species at Risk and Migratory Birds Convention Act | 29 |
| 9.2. | Fish Habitat/Wetland (Pond) Recommendations and Mitigation Measures | 29 |
| 9.3. | Recommendation and Mitigation for Tree Protection | |
| 9.4. | Climate Change Recommendations | |
| 9.5. | Additional Mitigation Measures | |
| REFEREN | ICES | |
| APPEND | IX A: OBSERVED SPECIES LIST | |
| APPEND | IX B: QUALIFICATIONS | |
| APPEND | IX C: On-site Reference Handout | 43 |
| APPEND | IX D: Commonly Encountered Species Protected under the Endangered Species Act, 2007 | |
| APPEND | IX E: Agency Contact | 45 |
| APPEND | IX F: PLANS | |
| APPEND | IX G: LANDSCAPPING PLAN | 47 |
| | | |



1.0. Introduction

As requested by Sunbelt Rentals Inc., an Environmental Impact Study (EIS) was completed to assess the environmental impacts of a proposed development at 151-159 Wescar Lane, Carp, City of Ottawa (Figure 1; Appendix F). The proponent is proposing to construct two industrial buildings over two phases for Sunbelt Rentals Inc, for the purposes of fleet maintenance, office space and loading bays/storage areas associated with the equipment rental company (Appendix F).

1.1. Site Context

The lands are located along the west side of Westcar Lane (Figure 1). The property parcel is approximately 4.3ha in size and the legal land description is part of Lot 6, Concession 3, City of Ottawa. As mentioned the proponent is proposing to develop the entire property (subject lands) to construct two industrial buildings over two phases, for the purposes of fleet maintenance, office space and loading bays/storage areas associated with the equipment rental company. Construction at the Site is proposed in two phases. Phase 1 will include construction of both entrances, the larger building, staff parking, a fenced compound for equipment storage, the underground water storage tanks, a stormwater management pond, and the septic field. Phase 2 will include the future construction of the detached service building, related office space, staff parking, and a fenced compound (Appendix F).

Within the city's Zoning By-law No. 2008-250 and the cities official plan (2022) the subject lands are designated as rural (zoning by-law) and rural industrial and logistics (schedule B9). Additionally, the proposed development is located in Ecoregion 6E.

The subject lands are located within the Mississippi Valley Conservation Authorities jurisdiction.

Potential environmental constraints for the subject lands have been identified as significant woodland, potential wetland and potential watercourse.

The Provincial Policy Statement (PPS) states that site development and alteration shall not be permitted in provincially significant wetlands in Ecoregion 6E. Additionally site development and alteration shall not be permitted in provincially significant woodlands and significant wildlife habitat in Ecoregion 6E unless it has been demonstrated that there will be no negative impacts on the natural features or their ecological functions. Additionally, development and site alteration shall not be permitted in fish habitat except in accordance with provincial and federal requirements.

2.0. Methodology

This report is prepared in accordance with the City of Ottawa Environmental Impact Statement Guidelines (City of Ottawa 2022) with guidance from the Natural Heritage Reference Manual (OMNR, 2010). This EIS includes an assessment of the identified environmental constraints and the potential for Species at Risk.

This EIS will provide the methodology to mitigate, as required, negative impacts on significant features and functions. Potential Species at Risk in the general area were identified from Ministry of Natural Resources and Forestry databases, the Department of Fisheries and Ocean databases, the Ontario



Breeding Bird Atlas, Ontario Reptile and Amphibian Atlas, iNaturalist and the Global Biodiversity Information Facility.

Colour aerial photography was used to assess the natural environment features in the general vicinity of the proposed building.

See Table 1 for a summary of field surveys of the site and adjacent lands. Staff qualifications are available in Appendix B.

TABLE 1: Summary of Field Surveys

| DATE | TIME | AIR TEMP. (°C) | WIND (Beaufort Scale) | CLOUD COVER / PRECIPITATION | STAFF |
|-------------------|-------------|----------------------|------------------------|--------------------------------|---------------------------|
| May 18, 2023 | 0715h-0745h | 8 | Light Breeze | Clear Skies | C.Fontaine |
| June 2, 2023 | 0810h-1000h | 22 | Light to Gentle Breeze | 40% Cloud Cover | S.St.Pierre C.Fontaine |
| June 18, 2023 | 0845h-0915h | 16 | Light Breeze | Overcast | C.Fontaine |
| February 27, 2024 | 1200h-1330h | 6.6 | Light Breeze | Overcast | C.Fontaine |

The area was extensively walked and surveyed for significant natural areas, potential species at risk and their associated habitat.

Upland vegetation communities were described utilising the Ecological Land Classification Southern Manual (Lee et al. 1998), while wetland communities if present were described utilising the Ontario Wetland Evaluation System Southern Manual (MNRF 2022).

Breeding bird surveys were completed to access the potential for bird usage within the subject lands. These survey followed the Ontario Breeding Bird Atlas protocol (OBBA 2020) and included both point counts and incidental observations.

Significant Wildlife Habitat was determined from the Natural Heritage Reference Manual for Natural Heritage Policies of the Provincial Policy Statement (OMNRF 2010).

All butternut were assessed utilising Butternut Assessment Guidelines (OMRNF 2021) by Cody Fontaine Cody has over 8 years of experience conducting butternut assessments. He is a butternut health assessor, a butternut health expert, and has aided for the Forest Gene Conservation Association of Ontario to assess the archivability of Category butternut 3 trees).

Observed plants were recorded for each individual community, the plants utilized in the descriptions are the most abundant specimens observed. A complete observed species list is provided in Appendix A. Plants that could not be identified in the field were collected for a more detailed examination. Nomenclature used in this report follows the Southern Ontario Vascular Plant List (Bradley, 2013) which aligns with the Integrated Taxonomic Information System (ITIS).




3.0. Field Surveys

A butternut survey was conducted along with a search for cavity trees by systematically moving through the subject lands and adjacent lands (discussed in section 4.3 and 4.4). A breeding bird survey (section 3.2.) was completed. Vegetation communities are described in section 3.1.











3.1. Existing Conditions

The subject lands and much of the adjacent lands consisted of a previously cleared area. 2022 geoOttawa mapping (Figure 2: shows some of the extent of clearing, since the date of that imagery (2022) additional lands have been cleared which are depicted in Figure 1. Figure 1 reflects the current conditions and the current extent of clearing activities. Residential buildings and accessory building were present within the northern adjacent lands while commercial buildings were present within the eastern portion of the adjacent lands. A tributary to Huntley Creek was present within the south and western adjacent lands. A small isolated pond was present within the western adjacent land. The subject lands are flat and appear to drain to the west and south. Soils in the northern portion to be developed are of the Oka series which is described as very gravelly to very gravelly, coarse to moderately coarse textured marine beach materials which overly either Paleozoic bedrock, glacial till, or glaciofluvial ice contact deposits. The parent material is commonly grayish to dark grayish brown in color, and has coarse sandy loam, loamy coarse sand, or coarse sand textures (MAFRA 2023). Soils in the southern western portion to be developed are of the Dwyer Hill series which is described as very deep, excessively drained soils that formed in eolian sand (MAFRA 2023). Soils in the southern portion to be developed are of the Osgood series which is described deep, well drained soils that formed in eolian sand (MAFRA 2023).

3.1.1. Clear Area

The entirety of the subject lands have been cleared which also extends into the adjacent lands (cleared prior to the site visit). Remnant patches of grasses, sedges, clovers, horsetail and bladder campion were present. Within the northern portion of the subject lands the area was cleared in a previous year and revegetation has commenced. This area had approximately 20% woody vegetation (1-2m tall) represented by trembling aspen and balsam poplar. Ground cover (90%) consisted of white sweet-clover, reed canary grass and common dandelion. Additionally, there is a small windrow running along the entirety of the subject lands western border. The windrow consisted of 30-50% woody vegetation (1-3m tall) dominated by trembling aspen followed by prickly-ash, wild red raspberry, hawthorn, American elm, and white spruce. Ground cover (60-90%) was dominated by grasses followed by grass-leaved goldenrod, sedges and wild carrot. Piles of logs were noted within the adjacent lands.





Photo 1: Cleared Area (June 2, 2023).



Photo 2: Northern Cleared Area (June 2, 2023).



3.1.2. Cultural Thicket

This community was present within the southern adjacent lands and was highly disturbed, evidence of cutting, previous farm activity and beaver dam removal. Woody vegetation provided 60-90% cover (1-3m tall) and was dominated by white ash followed by prickly-ash, tartarian honeysuckle, common buckthorn and glossy buckthorn. The occasional white spruce (5m tall) was dispersed throughout this community. Ground cover (100% cover) consisted of grasses, Canada anemone and goldenrods.



Photo 3: Cultural Thicket (June 2, 2023).

3.1.3. Fresh-Moist Poplar Deciduous Forest (FOD8)

This community is present within the northern adjacent lands between the current subject lands and the commercial development. This area consisted of a small clump of deciduous tree with an average tree diameter of 25cm. The canopy was the dominant layer. The canopy (12-14m tall; 80% cover) was dominated exclusively by trembling aspen. There was no sub-canopy. The understory (3-6m tall; 60-80% cover) consisted of common buckthorn, white spruce, trembling aspen and white ash. Ground cover (100% cover) consisted of grasses. A small portion within the western edge contained standing water (common buckthorn provided 60% cover in this area), this area was isolated and did not represent fish habitat. Frogs were noted within this area.





Photo 4: Fresh-Moist Poplar Deciduous Forest (June 2, 2023).

3.1.4. Coniferous Plantation (CUP3)

Within the northern adjacent lands north of Canamore Road there were coniferous plantations consisting of white pine and white spruce.



Photo 5: Coniferous Plantation (June 2, 2023).



3.1.5. Windrow

A small deciduous windrow was present within the south eastern subject lands/adjacent lands. The average tree diameter of 20cm. The canopy was the dominant layer. The canopy (10-12m tall; 70-80% cover) consisted of white pine, white birch, American elm, Freeman's maple and one butternut. There was no sub-canopy. The understory (2-4m tall; 50-70% cover) consisted of white ash, nannyberry, white spruce and American elm. Ground cover (70-90% cover) consisted of grasses, common dandelion, smooth bedstraw, field horsetail, and goldenrods.



Photo 6: Windrow (June 2, 2023).

3.1.6. Isolated Pond / Narrow-leaved Emergent Swamp (ne)

This community is present in the western adjacent lands. This small narrow-leaved cattail pond is isolated (not hydraulically connected to anything). This community consists entirely of robust emergent (narrowleaf cattail) and is bordered by a 1m buffer of speckled alder, tartarian honeysuckle, American elm, and green ash. Water was present. This area did not contain fish habitat and unlikely to be used by turtles due to size. Frogs were noted.





Photo 7: Isolated Pond / Narrow-leaved Emergent Swamp (June 2, 2023).

3.1.7. Tributaries to Huntley Creek

A tributary to Huntley Creek was present within the western and southern adjacent lands, this feature represented fish habitat. Bank vegetation was represented by prickly-ash, common buckthorn, speckled alder, tartarian honeysuckle and willows.



Photo 8: Tributaries to Huntley Creek (June 2, 2023).



3.1.8. Roadside Ditches

Roadside ditches were present along Westcar Lane and Cavanmore Road. During all field visits these ditches were dry. Channel width was 2m, some signs of erosion were noted. Vegetation was limited (due to clearing activities) and consisted of smooth bedstraw, grasses, water horsetail, purple loosestrife, trembling aspen and willows. These roadside ditches did not represent fish habitat.



Photo 9: Roadside Ditches (June 2, 2023).

3.2. Breeding Bird Survey

A breeding bird survey was completed to assess the potential for species of at risk and of species concern utilising the subject lands. The surveys consisted of two station along with walking through the area. Surveys were completed on May 18, 2023; June 2, 2023 and June 18, 2023. During the 3 visits. 2 listening stations were established (10 minutes at each station). No species at risk or of concern were heard or observed. Due to clearing activities within the subject lands the only species utilising these lands for nesting were killdeer (heard and observed). Additional species heard or observed within the subject lands include American robin, song sparrow, red-winged blackbird, common yellowthroat, blue jay, vespers sparrow, gray catbird, mallard, Canada geese, American crow, American goldfinch, turkey vulture, black-capped chickadee, European starling and common grackle.

4.0 Potential Species at Risk

The Make a Map: Natural Heritage online database (OMNRF) was reviewed on May 2, 2023. This database provides sightings of provincially tracked species including Threatened and Endangered species covered by the 2008 Endangered Species Act in 1 km squares across most of Ontario. A search was conducted on the site and adjacent lands (18VR2216, 18VR2316, 18VR2415 and 18VR2214) identified the following results:

- Butternut (Endangered)



The Ontario Breeding Bird Atlas provides a searchable database in the form of a 10km square grid. A query revealed the following Species at Risk and species of special concern were identified within the 10km square that encompasses the site and adjacent lands (18VR21):

- Eastern Whip-Poor-Will (Threatened)
- Eastern Wood-Pewee (Special Concern)
- Barn Swallow (Special Concern)
- Bank Swallow (Threatened)
- Wood Thrush (Special Concern)
- Bobolink (Threatened)
- Eastern Meadowlark (Threatened)

Similar to the Ontario Breeding Bird Atlas, the Ontario Reptile and Amphibian Atlas provides a searchable database in the form of a 10km square grid. A query revealed the following species of special concern was identified within the 10km square that encompasses the subject lands and adjacent lands (18VR21):

- Snapping Turtle (Special Concern)
- Blanding's Turtle (Threatened)

iNaturalist and the Global Biodiversity Information Facility provides a searchable database. A query found no results within the vicinity of the site.

The Department of Fisheries and Oceans provide species at risk sightings via their online map tool. A query found no results in the vicinity of the site.

In addition to the above potential Species at Risk, many other endangered and threatened species may potentially occur in the general area:

- Little Brown Myotis (Endangered)
- Northern Myotis (Endangered)
- Eastern Small-footed Myotis (Endangered)
- Tri-coloured Bat (Endangered)
- Black Ash (Endangered)

4.1. Turtles and Reptiles

Snapping turtles are designated as special concern under the Ontario Endangered Species Act (ESA). The habitat of species of special concern is not regulated under the Ontario ESA.

Blanding's turtles are often observed within clear water eutrophic wetlands and have a strong site fidelity but may use several connected water bodies during the active season. Blanding's turtles were identified as occurring within the 10km search area (Ontario Reptile and Amphibian Atlas). Further investigation indicate that that Blanding's Turtle has been identified as occurring within 2km of the subject lands. The wetland (pond) habitat present within the adjacent lands does not represent turtle habitat, additionally all development will be greater than 30m from the pond. The watercourses are not likely to be utilised



by turtles as they do not link up to any viable wetlands that would be utilised by Blanding Turtles, additionally all development will be greater than 50m form the watercourse. Any indirect impacts can be mitigated providing all mitigation measures in this report are properly implemented.

No direct impacts on turtles are anticipated. All development will be more than 30m from the pond and watercourses. Indirect impacts on these species as a result of the proposed development can be mitigated provided the mitigation measures in this report are properly implemented.

4.2. Birds

Eastern wood-pewee, barn swallow, and wood thrush are designated special concern under the Ontario Endangered Species Act (ESA). The habitat of species of special concern is not regulated under the Ontario ESA. The eastern wood-pewee is mostly associated with the mid-canopy layer of forest clearings and edges of deciduous and mixed forests (COSEWIC 2012a). This habitat was not present. Barn swallow nest sites are commonly found along the interior or exterior of building structures, under bridges and wharves, and in road culverts (Heagy et al. 2014.). No barn swallow, or barn swallow nests were observed. The wood thrush nests mainly in second-growth and mature deciduous and mixed forests, with saplings and well-developed understory layers (COSEWIC 2012b). This type of habitat was not present.

Eastern whip-poor-will, bank swallow, bobolink, and eastern meadowlark are designated as threatened under the Ontario Endangered Species Act (ESA). Eastern whip-poor-will avoids both wide-open spaces and closed canopy forests. Semi-open forests or patchy forests with clearings, such as barrens or forests that are regenerating following major disturbances, are preferred. Areas with little ground cover are also preferred (COSEWIC 2009b). This habitat was not present. Bank swallow are generally associated with sand-silt vertical banks (COSWIC 2013a). This habitat was not present. Bobolink and eastern meadowlark are associated with native and non-native larger grassland habitats such as hayfields (COSEWIC 2010, and COSEWIC 2011). No hayfields or other suitable habitat were identified in the area. The agricultural fields present within the adjacent lands were planted corn fields.

Breeding bird surveys were completed on May 18, 2023; June 2, 2023 and June 18, 2023. During the 3 visits 2 listening stations were established (10 minutes at each station). No species at risk or of concern were heard or observed.

Further to this, nesting migratory birds are protected under the Migratory Birds Convention Act (MBCA). No work is permitted that would result in the destruction of active nests (nests with eggs or young birds) or the wounding or killing of bird species protected under the MBCA and/or associated regulations.

4.3. Mammals

Little brown Myotis, northern Myotis, Eastern Small-footed Myotis, and tri-coloured bat are designated endangered under the Ontario Endangered Species Act (ESA). All four bats may forage in open areas onsite and may roost in trees or buildings on or adjacent to the Site. The Atlas of Mammals of Ontario (Dobbyn, 1994) suggests that the tri-colored bat is not present within this part of Ontario however, the NatureServe mapping in the COSSARO (2015) includes all of southeastern Ontario. Based on this information, this species is considered to have a very low potential of occurring. To prevent impacts to bats, no clearing of trees greater than 10cm on-site should take place between April 1 and September 30 (inclusive) without a qualified biologist first confirming the absence of bats (i.e., open work timing window



from October 1 to March 3). If tree clearing is conducted between October and April, no interactions with bats are anticipated, and therefore, significant negative impacts to SAR bats would be avoided.

Maternity colonies are established by females in the summer, often in buildings, or large-diameter trees with suitable cavities (COSEWIC 2013b). No caves, bedrock fissures, mining shafts, abandoned buildings, or other features which may function as bat hibernacula habitat were noted within the subject lands. No suitable cavity trees that may be used by bats were observed within the subject lands.

4.4. Vegetation

Butternut (designated as endangered by the ESA) tends to reach greatest abundance in rich well-drained mesic loams in floodplains, streambanks, terraces and ravine slopes, but can occur in a wide range of other situations (COSEWIC 2017). One butternut tree was observed during a survey conducted on June 2, 2023 (Figure 1). An assessment was completed on June 2, 2023. The butternut tree was determined to be a Category 1 tree. If you are planning to undertake an activity that may affect Butternut (within 50m), you may be eligible to follow the requirements set out in section 23.7 of Ontario Regulation 242/08 under the ESA or you may need to seek an authorization under the ESA (e.g., a permit). You are eligible to remove any Category 1 tree without registration or permitting but only after waiting 30 days after submitting the BHE report to MECP. The BHE report has been submitted to MECP on July 18, 2023 and the 30 day response period has elapsed with no comments received from MECP (see appendix H). Regarding MECP this tree can now be killed or harmed without any further action.

Black ash (designated as endangered by the ESA) occurs most frequently in floodplain forests, basin, seepage and lacustrine swamp forests, shoreline forest margins, and fens (COSEWIC 2017). The ministry temporarily suspended protections for Black Ash for a period of two years from the time the species was added to the Species at Risk in Ontario List (Ontario Regulation 230/08). During this time, proponents will not need to seek authorizations for activities that impact Black Ash and its habitat. No Black Ash were observed within the subject or adjacent lands.

4.5. Species at Risk Summary

In summary, based on the habitat present within the building envelope, subject lands, and the field visit, Butternut is the only Species at Risk anticipated to be present. One butternut (Category 1). A 50m setback from the Category 1 tree must be put in place until the BHE report has been submitted to MECP and the 30 day waiting period has elapsed.

Indirect impacts on this species as a result of the proposed development can be mitigated provided the mitigation measures in this report are properly implemented.

5.0 Natural Heritage Features

A Natural Heritage Features have been identified in accordance with the direction of the Provincial Policy Statement. Its intent is to reinforce the conservation, restoration, and enhancement of identified natural heritage features and areas and promote the overall diversity and interconnectivity of natural heritage features and areas.



A refined search identified the following potential Natural Heritage Features (discussion below): Significant Woodland, Wetland and Watercourse.

5.1. Significant Woodland

There are no woodlands present within the subject lands.

5.2. Pond / Wetland / Tributaries to Huntley Creek

The pond (wetland) and tributaries to Huntley Creek have been taken into account, a 30m setback has been established. Potential impact may include habitat destructions, changes to downstream hydrology, and changes to water quality.

2022 geoOttawa imagery suggest that additional wet areas are present within the subject lands (Figure 2; outlined in blue). The south eastern area present in blue on figure 2, is no longer existing, leveling and site works that have occurred since the 2022 imagery was taken appear to have filled in this area. This is similar to the north area (outlined in blue) with a small wet portion still remaining on the adjacent lands (see section 3.1.3). This was an isolated pocket of standing water (no inflow or outflow). Although frogs were noted within this area, this area was approximately 300m² which is much less than the >500m2 (about 25m diameter), for the designation of significance (MNRF 2015). Additionally, only a 3-5 individuals were ever observed within this area, far below the threshold for significance (MNRF 2015). 2 or more of the frog species with at least 20 individuals would be require for significance, which isn't very likely given the size of this area. It is highly unlikely that water is present within the late summer in this area.

5.3. Significant Wildlife Habitat

The potential for significant wildlife habitat was assessed using the guidance in OMNR (2010) and MNRF (2015). Potential components which may lead to a designation of significant wildlife habitat include seasonal concentration areas of animals, rare vegetation communities or specialized habitat for wildlife, habitat for species of conservation concern, and animal movement corridors. No rare vegetative communities, raptor overwintering sites, old growth forest, valley, or caves were located within the subject or adjacent lands. No habitat for species of conservation concern was present.

There was nothing regarding the characteristic within the subject lands to warrant significance.

6.0. Wildland Fire Risk Assessment

The wildland fire policy was introduced in the 2014 Provincial Policy Statement to ensure communities consider and plan for avoiding and mitigating losses to their communities due to wildland fire. As outlined in the Provincial Policy Statement, "Development shall generally be directed to areas outside of lands that are unsafe for development due to the presence of hazardous forest types for wildland fire. Development may however be permitted in lands with hazardous forest types for wildland fire where the risk is mitigated in accordance with wildland fire assessment and mitigation standards".

To assist planning city of Ottawa has identified potential hazardous forest types for wildland fire. The subject lands have been identified as being a Low risk for wildland fire.



6.1. Level 1 Site Assessment

Following review of the available information provided by the city the subject lands have been identified has having a low risk of wildland fires. Following the guidelines as outlined in the MNRF Wildland Fire Risk Assessment and Mitigation Guidebook no further mitigation measures are required for the proposed development. Furthermore the subject lands area cleared of any woodland.

7.0. Tree Conservation Report

Under the Tree Protection By-law, the following protected trees cannot be injured or removed without a tree permit from the City:

- All City-owned trees throughout the urban and rural area
- All trees 10 cm or more in diameter at breast height on private properties within the urban area that are subject to a Planning Act application for Site Plan, Plan of Subdivision, or Plan of Condominium
- All trees 10 cm or more in diameter at breast height on private properties within the urban area that are over 1 hectare in size
- All distinctive trees on private properties 1 hectare or less in size, where distinctive trees are defined as:
 - Trees measuring 30 cm or more in diameter at breast height within the inner urban area (urban lands inside the Greenbelt)
 - Trees measuring 50 cm or more in diameter at breast height within the suburban area (urban lands outside the Greenbelt)

The properties in question is located at:

151-159 Wescar Lane, Part of Lot 6, Concession 3, City of Ottawa.

The property is currently owned by: Sunbelt Rentals Inc. 2489 Sheffield Road, Ottawa, ON. K1B 3V6.

Sunbelt Rentals Inc. Contact Information: Mark Watson the District Manager Eastern Ontario mark.watson@sunbeltrentals.com

The subject lands are within the Rural Areas and this is private property. No city trees have been identified within the property. No trees greater than 50cm are within the subject lands or immediate adjacent lands. For a description of the onsite vegetation see section 3.1.



Tree removal will occur as needed within the subject lands, all remaining trees within the subject lands will be removed due necessary grading activities. Potential impacts during construction and associated removal of trees and other vegetation includes impacts on wildlife, increased erosion and release of sediments and other potential contaminants from truck traffic and construction activity, harm to wildlife remaining in the work area during construction, and impacts associated with an increase in noise, dust and light. Prescribed mitigation measures in section 9.0 will limit these impacts. Removal of tree cover within the subject lands is not anticipated to result in significant negative impacts to the environmental features and functions of the general area. Although there is no protection afforded to the trees present within the subject lands as demonstrated in the landscaping plan (Appendix G), multiple native trees will be planted to achieve 30% cover, this will not only compensate for the loss of trees but will add a greater amount of trees than currently present.

Although tree cover within the adjacent lands is very limited, there is still some ecological function provided such as local wildlife habitat and climate, air quality, wildlife, and nature appreciation benefits. All three within the adjacent lands will have their critical root zone protected by temporary fencing (snow fencing) to ensure it is not affected (Figure 3) with the exception of tree #58 and 59. All development will occur outside of their critical root zone, and these trees will not be impacted by this development, with the exception of tree #58 and 59. Tree #58 has a critical root zone of 186.27m² of which $5.31m^2$ is found within the development area and will be disturbed. Tree #59 has a critical root zone of 232.35m² of which $1.60m^2$ is found within the development area and will be disturbed. Although development activities (excavation and infilling) may affect the roots of tree #58 and 59, it is highly unlikely that any potential damage cause would cause the decline of the health of these trees. The development will occur at the outer limit of their critical root zone and additional mitigation measures present in section 9.3. for the specific protection of any exposed roots will mitigate any potential damage. There are no overall negative impacts to the overall health and vigour of these trees anticipated.

Prescribed mitigation measures in section 9.3 will limit the potential for direct and indirect impacts.

Trees present in table 2 (Figure 3), represent all the trees 10cm and over within the subject lands and surrounding lands.



Table 2: Tree Information

20373 Bethune Street South Lancaster, On KOC 2CO 613.571.8883 shaun@bchenviro.ca

| Tree ID | Species | DBH Average (cm) | Critical Root Zone (m) | Health | Comments | Ownership | Fate |
|---------|-----------------|------------------|------------------------|--------|-----------------------------------|-----------|----------|
| 1 | White Birch | 8 | 0.8 | Good | Multistem | Proponent | Removed |
| 2 | White Spruce | 13 | 1.3 | Good | Single stem | Proponent | Removed |
| 3 | White Spruce | 14 | 1.4 | Good | Single stem | Proponent | Removed |
| 4 | White Pine | 33 | 3.3 | Good | Single stem | Proponent | Removed |
| 5 | White Pine | 14 | 1.4 | Good | Single stem | Proponent | Removed |
| 6 | Trembling Aspen | 20 | 2 | Good | Single stem | Proponent | Removed |
| 7 | White Pine | 37 | 3.7 | Good | Single stem | Proponent | Removed |
| 8 | Trembling Aspen | 12 | 1.2 | Good | Single stem | Proponent | Removed |
| 9 | White Birch | 20 | 2 | Poor | Multistem. DBH:19 is dead | Proponent | Removed |
| 10 | White Pine | 24 | 2.4 | Good | Single stem | Proponent | Removed |
| 11 | American Elm | 21 | 2.1 | Good | Single stem | Proponent | Removed |
| 12 | Butternut | 35 | 3.5 | Poor | Single stem. Poor, branch dieback | Proponent | Removed |
| 13 | Unknown | 10 | 1 | Dead | Single stem. No bark | Proponent | Removed |
| 14 | Red Maple | 19 | 1.9 | Good | Single stem | Proponent | Removed |
| 15 | Red Maple | 24 | 2.4 | Good | Single stem | Proponent | Removed |
| 16 | American Elm | 11 | 1.1 | Good | Single stem | Neighbour | Retained |
| 17 | White Pine | 16 | 1.6 | Dead | Single stem | Neighbour | Retained |
| 18 | White Pine | 10 | 1 | Good | Single stem | Proponent | Removed |
| 19 | Red Maple | 28 | 2.8 | Dead | Single stem. Broken @ 9m | Proponent | Removed |
| 20 | Trembling Aspen | 11 | 1.1 | Good | Single stem | Neighbour | Retained |
| 21 | Trembling Aspen | 10 | 1 | Good | Single stem | Neighbour | Retained |
| 22 | Trembling Aspen | 10 | 1 | Good | Single stem | Neighbour | Retained |
| 23 | Trembling Aspen | 11 | 1.1 | Good | Single stem | Neighbour | Retained |
| 24 | Trembling Aspen | 13 | 1.3 | Good | Single stem | Neighbour | Retained |
| 25 | Trembling Aspen | 13 | 1.3 | Good | Single stem | Neighbour | Retained |
| 26 | Trembling Aspen | 10 | 1 | Good | Single stem | Neighbour | Retained |



| Tree ID | Species | DBH Average (cm) | Critical Root Zone (m) | Health | Comments | Ownership | Fate |
|---------|-----------------|------------------|------------------------|--------|-----------------------------|-----------|----------|
| 27 | Trembling Aspen | 40 | 4 | Good | Single stem | Neighbour | Retained |
| 28 | Trembling Aspen | 16 | 1.6 | Good | Single stem | Neighbour | Retained |
| 29 | White Spruce | 10 | 1 | Good | Single stem | Neighbour | Retained |
| 30 | Trembling Aspen | 30 | 3 | Good | Single stem | Neighbour | Retained |
| 31 | Trembling Aspen | 27 | 2.7 | Good | Single stem | Neighbour | Retained |
| 32 | Trembling Aspen | 35 | 3.5 | Good | Single stem | Neighbour | Retained |
| 33 | Trembling Aspen | 25 | 2.5 | Good | Single stem | Neighbour | Retained |
| 34 | Trembling Aspen | 34 | 3.4 | Dead | Single stem. Broken @ 5m | Neighbour | Retained |
| 35 | Trembling Aspen | 18 | 1.8 | Good | Single stem | Neighbour | Retained |
| 36 | Trembling Aspen | 20 | 2 | Good | Single stem | Neighbour | Retained |
| 37 | Trembling Aspen | 19 | 1.9 | Dead | Single stem. Broken @ 7m | Neighbour | Retained |
| 38 | Trembling Aspen | 29 | 2.9 | Good | Single stem | Neighbour | Retained |
| 39 | Trembling Aspen | 23.5 | 2.35 | Good | Multistem | Neighbour | Retained |
| 40 | Trembling Aspen | 26 | 2.6 | Good | Single stem | Neighbour | Retained |
| 41 | Trembling Aspen | 22 | 2.2 | Good | Single stem | Neighbour | Retained |
| 42 | Trembling Aspen | 11 | 1.1 | Good | Single stem | Neighbour | Retained |
| 43 | Trembling Aspen | 15 | 1.5 | Dead | Single stem. Broken @ 3m | Neighbour | Retained |
| 44 | Trembling Aspen | 24 | 2.4 | Good | Single stem | Neighbour | Retained |
| 45 | Trembling Aspen | 18 | 1.8 | Good | Single stem | Neighbour | Retained |
| 46 | Trembling Aspen | 24 | 2.4 | Good | Single stem | Neighbour | Retained |
| 47 | Trembling Aspen | 22 | 2.2 | Good | Single stem | Neighbour | Retained |
| 48 | Trembling Aspen | 19 | 1.9 | Good | Single stem | Neighbour | Retained |
| 49 | Trembling Aspen | 11 | 1.1 | Good | Single stem. Broken @ 7m | Neighbour | Retained |
| 50 | Trembling Aspen | 12 | 1.2 | Good | Single stem. Leaning | Neighbour | Retained |
| 51 | Trembling Aspen | 22 | 2.2 | Good | Single stem. Leaning | Neighbour | Retained |
| 52 | Willow Species | 24 | 2.4 | Dead | Multistem. Bark falling off | Neighbour | Retained |
| 53 | Trembling Aspen | 32 | 3.2 | Good | Single stem | Neighbour | Retained |
| | | | | | | | |



| 54 | White Pine | 16 | | | | | |
|-------------|----------------|----|-----|------|----------------------------------|-----------|----------|
| | | 10 | 1.6 | Good | Single stem | Proponent | Removed |
| 55 | White Pine | 85 | 8.5 | Good | Single stem | Neighbour | Retained |
| 56 | American Elm | 17 | 1.7 | Good | Single stem | Neighbour | Retained |
| 57 | Red Maple | 13 | 1.3 | Good | Multistem. Within fenced in area | Neighbour | Retained |
| | | | | | on adjacent lands | | |
| 58 | White Pine | 77 | 7.7 | Good | Single stem | Neighbour | Retained |
| 59 | White Pine | 86 | 8.6 | Good | Single stem | Neighbour | Retained |
| 60 | Red Maple | 16 | 1.6 | Good | Single stem | Neighbour | Retained |
| 61 | Red Maple | 12 | 1.2 | Poor | Single stem. Leaning | Neighbour | Retained |
| 62 | Red Maple | 26 | 2.6 | Good | Single stem | Neighbour | Retained |
| 63 | Red Maple | 18 | 1.8 | Good | Single stem | Neighbour | Retained |
| 64 | Red Maple | 19 | 1.9 | Good | Single stem | Neighbour | Retained |
| 65 | Red Maple | 18 | 1.8 | Good | Single stem | Neighbour | Retained |
| 66 | Red Maple | 11 | 1.1 | Good | Single stem | Neighbour | Retained |
| 67 | Red Maple | 39 | 3.9 | Good | Single stem | Neighbour | Retained |
| 68 | Red Maple | 15 | 1.5 | Good | Single stem | Neighbour | Retained |
| 69 | Red Maple | 12 | 1.2 | Good | Single stem | Neighbour | Retained |
| 70 | Red Maple | 15 | 1.5 | Good | Single stem | Neighbour | Retained |
| 71 | White Spruce | 23 | 2.3 | Good | Single stem | Neighbour | Retained |
| 72 | Balsam Fir | 18 | 1.8 | Good | Single stem | Neighbour | Retained |
| 73 | White Birch | 13 | 1.3 | Good | Single stem | Neighbour | Retained |
| 74 | White Pine | 32 | 3.2 | Good | Single stem | Neighbour | Retained |
| 75 T | rembling Aspen | 25 | 2.5 | Good | Single stem | Neighbour | Retained |
| 76 | Red Maple | 13 | 1.3 | Good | Single stem | Neighbour | Retained |
| 77 | Red Maple | 24 | 2.4 | Good | Single stem | Neighbour | Retained |
| 78 | White Pine | 22 | 2.2 | Good | Single stem | Neighbour | Retained |
| 79 | White Pine | 19 | 1.9 | Good | Single stem | Neighbour | Retained |



| | | | | | | | 5 |
|---------|-----------------|------------------|------------------------|--------|-------------|-----------|----------|
| Tree ID | Species | DBH Average (cm) | Critical Root Zone (m) | Health | Comments | Ownership | Fate |
| 80 | White Pine | 17.5 | 1.75 | Good | Multistem | Neighbour | Retained |
| 81 | Trembling Aspen | 28 | 2.8 | Good | Single stem | Neighbour | Retained |
| 82 | White Pine | 27 | 2.7 | Good | Single stem | Neighbour | Retained |
| 83 | White Spruce | 21 | 2.1 | Good | Single stem | Neighbour | Retained |
| 84 | Trembling Aspen | 27 | 2.7 | Good | Single stem | Neighbour | Retained |
| 85 | White Spruce | 13 | 1.3 | Good | Single stem | Neighbour | Retained |
| 86 | White Pine | 11 | 1.1 | Good | Multistem | Neighbour | Retained |
| 87 | White Pine | 12 | 1.2 | Good | Single stem | Neighbour | Retained |
| 88 | White Pine | 10 | 1 | Good | Single stem | Neighbour | Retained |
| 89 | White Pine | 17.5 | 1.75 | Good | Multistem | Neighbour | Retained |
| 90 | White Pine | 29 | 2.9 | Good | Single stem | Neighbour | Retained |
| 91 | Trembling Aspen | 27 | 2.7 | Good | Single stem | Neighbour | Retained |
| 92 | Trembling Aspen | 21 | 2.1 | Good | Single stem | Neighbour | Retained |
| 93 | White Spruce | 14 | 1.4 | Good | Single stem | Neighbour | Retained |
| 94 | Trembling Aspen | 25 | 2.5 | Good | Single stem | Neighbour | Retained |
| 95 | White Spruce | 15 | 1.5 | Good | Single stem | Neighbour | Retained |
| 96 | Trembling Aspen | 26 | 2.6 | Good | Single stem | Neighbour | Retained |
| 97 | Trembling Aspen | 29 | 2.9 | Good | Multistem | Neighbour | Retained |
| 98 | Trembling Aspen | 30 | 3 | Good | Single stem | Neighbour | Retained |
| 99 | Trembling Aspen | 28 | 2.8 | Good | Single stem | Neighbour | Retained |
| 100 | Gray Birch | 29 | 2.9 | Good | Single stem | Neighbour | Retained |
| | | | | | | | |





Page 25 of 48



8.0. Development Constraints, Cumulative Impacts and Climate Change

No significant constraints, regulatory requirements, or buffer requirements have been identified in relation to Significant Woodland. Development will be limited to the subject lands.

Watercourse/Pond/Wetland: All development will be located at a minimum 30m from these features.

The Canadian Environmental Assessment Agency (CEAA) defines cumulative effects as..."the effects on the environment caused by an action in combination with other past, present, and future human actions..." They occur when two or more project-related environmental effects, or two or more independent projects, combine to produce an augmented effect. These cumulative effects may be positive or negative.

There are no significant natural heritage features within the subject lands (site has been cleared). Given that the proposed location is bordered to the north and east by similar development the cumulative impacts will be the same, a slow chipping away at the natural landscape.

With proper implementation of the mitigation measures described in this report it is anticipated that the construction of the proposed residential building will not increase the potential for cumulative effects in the general landscape.

As per the EIS guidelines climate change should be taken into account when developing the property. The main concerns with climate change are the following: extreme heat and drought, changing seasons, rain and flooding and extreme weather events.

The subject lands currently consist of cleared lands with very little tree cover. To aid in mitigating the potential for extreme heat and drought were possible native trees should be considered for planting within remnant green spaces after development. The shade produced by these trees will aid in mitigating heat being produced by hardened surfaces. To aid in the mitigation of the increased risk of rain and flood, the design of the stormwater infrastructure should accommodate the potential increased flows. Additional measures such as designing building and infrastructure to be resilient in future climate conditions such as extreme weather, greater rainfall and higher temperatures should be considered.

For further information see the City of Ottawa Climate Resiliency webpage (https://ottawa.ca/en/living-ottawa/environment-conservation-and-climate/climate-change-and-energy/climate-resiliency#section-a8783773-3a10-4998-b516-b4d9c5e73cf0)





Page 27 of 48



FIGURE 5: ENVIRONMENTAL CONSTRAINTS WITH PLANS



Page 28 of 48



9.0. Recommendations and Conclusion

This study's recommendations are intended to mitigate potential negative impacts due to the proposed development and should be implemented through a development agreement between the owners and the municipality in order to control development of the site. Properly implemented controls within this agreement are deemed sufficient to mitigate the potential impacts of the proposed development.

9.1. Mitigation for the Species at Risk and Migratory Birds Convention Act

- 1- To protect breeding birds, no tree or shrub removal should occur between April 1th and August 30th, unless a breeding bird survey is completed by a qualified biologist within two days of the woody vegetation removal and identifies no nesting activity.
- 2- To prevent impacts to bats, no clearing of trees greater than 10cm on-site should take place between April 1 and September 30 (inclusive) without a qualified biologist first confirming the absence of bats (i.e., open work timing window from October 1 to March 3). If tree clearing is conducted between October and April, no interactions with bats are anticipated, and therefore, significant negative impacts to SAR bats would be avoided.
- 3- With regard to turtles, clearing of vegetation should be undertaken between October 15th and April 15th, which is outside of the more active season for turtles. Additionally exclusion fencing should be installed around the perimeter of the site to prevent turtles from entering work areas (properly installed sediment fencing can be utilised for exclusion fencing).
- 4- The contractor is to be aware of potential Species at Risk in the vicinity of the site. Appendix 1 of City of Ottawa Protocol for Wildlife Protection during Construction (2022) and Appendix E of this report for descriptions of these species. Any Species at Risk sightings are to be immediately reported to the project biologist and the MECP, and activities modified to avoid the potential for impacts until further direction is received by the Ministry.
- 5- You are eligible to remove any Category 1 tree without registration or permitting but only after waiting 30 days after submitting the BHA report to MECP. The BHE report has been submitted to MECP on July 18, 2023 and the 30 day response period has elapsed with no comments received from MECP.

9.2. Fish Habitat/Wetland (Pond) Recommendations and Mitigation Measures

- 1- The site's hydrology is not to be impacted.
- 2- A 30m setback from fish habitat/Wetland is recommended.
- 3- Storm water management facility will be designed in such a way as to not impact the quantity or quality of the water contributing to the pond and watercourses.
- 4- Should dust particles be created during construction they will be suppressed using the appropriate method (i.e. water spraying).



- 5- Install and maintain the erosion control measures during construction. No work will occur until the appropriate sediment and erosion control measures have been designed and implemented prior to any work. At a minimum these will include:
 - a. Provide regular maintenance to the sediment and erosion control measures during construction. Contractor shall be responsible for ensuring that the sediment and erosion control measures are maintained. No turbid water is permitted to leave the work area.
 - b. Additional materials (i.e. rip rap, filter cloth and silt fencing) will be readily available in case they are needed promptly for erosion and/or sediment control.
 - c. Any stock piles of soil or fill material will be stored as far as possible from the watercourse and wetland and protected by silt fencing.
 - d. Sediment fencing will be installed at the edge of the work area, and kept in good working condition. The sediment fencing will not be removed until the area has stabilized.

9.3. Recommendation and Mitigation for Tree Protection

- 1- Any tree in the vicinity of works but not slated for removal will have its critical roots zone protected by sturdy temporary fencing at least 1.3 metres in height installed from the tree trunk to a distance of ten times the retained tree's diameter where possible with the exception of tree #58 and 59. Tree #58 has a critical root zone of 186.27m2 of which 5.31m2 is found within the development area and will be disturbed. Tree #59 has a critical root zone of 232.35m2 of which 1.60m2 is found within the development area and will be disturbed. Mitigation measures 9.3.2, 9.3.3 and 9.3.4 will protect trees #58 and 59, ensuring no negative impacts and the trees survival. See figure 3 for protective fencing locations. Signs shall be posted on the protective fencing to clearly indicate that: a) the fencing is to protect the critical root zones of the retained trees; b) the fencing is not be moved, and; c) fencing is to be maintained until the construction is complete.
- 2- No grading, heavy machinery traffic, stockpiling of material, machinery maintenance and refueling, or other activities that may cause soil compaction are to occur within three metres of the critical root zone of the trees to be protected.
- 3- The root system, trunk, and branches of the trees to be protected are to be protected and not damaged. If any roots of trees to be retained are exposed during site alterations, the roots shall be immediately reburied with soil or covered with filter cloth, burlap or woodchips and kept moist until the roots can be buried permanently. A covering of plastic should be used to retain moisture during an extended period when watering may not be possible. Any roots that must be cut are to be cut cleanly to facilitate healing and as far from the tree as possible. Overhanging branches from protected trees that may be damaged during construction are to be pruned by a qualified arborist prior to construction.
- 4- Exhaust fumes from all equipment during construction will not be directed towards the canopy of the adjacent protected trees.

9.4. Climate Change Recommendations

1- To aid in mitigating the potential for extreme heat and drought where possible native trees should be considered for planting within remnant green spaces after development. The shade produced by these trees will aid in mitigating heat being produced by hardened surfaces.



- 2- To aid in the mitigation of the increased risk of rain and flood, the design of the stormwater infrastructure should accommodate the potential increased flows.
- 3- Additional measures such as designing building and infrastructure to be resilient in future climate conditions such as extreme weather, greater rainfall and higher temperatures should be considered.

9.5. Additional Mitigation Measures

- 4- The extent of any vegetation removal within the development area is to be minimized where possible.
- 5- All rules governing septic systems and wells must be followed and be kept in good operational order.
- 6- There will be no use of herbicides in clearing of vegetation.
- 7- Municipal by-laws and provincial regulations for noise will be followed.
- 8- To discourage wildlife from entering the work areas during construction, the site should be kept clear of food wastes and other garbage. Proper drainage should be provided to avoid accumulation of standing water, which could attract amphibians, birds, and other wildlife to the work areas.
- 6- As recommended in City of Ottawa Protocol for Wildlife Protection during Construction (2022), prior to beginning work each day, wildlife is to be checked for by conducting a thorough visual inspection of the work space and immediate surroundings. See Section 2.0 of City of Ottawa Protocol for Wildlife Protection during Construction (2022) and Appendix C for additional recommendations on construction site management with respect to wildlife. It is the responsibility of the contractor to be familiar with all components of City of Ottawa Protocol for Wildlife Protection during Construction (2022). Any sensitive wildlife in the work area are to be relocated to the South-West the subject lands. Animals should be moved only far enough to ensure their immediate safety.

To conclude this EIS, it is the professional opinion of the authors that with proper implementation and maintenance of the mitigation measures (see above), the proposed development will not negatively impact any natural heritage feature, or any habitat of Species at Risk.

Thank you for the opportunity to work with you. If you have any questions or comments please do not hesitate to contact our office.

Shaun St.Pierre, B.Sc. Biology

MAN

Cody Fontaine, Wildlife Technologist



REFERENCES

- Bradley, David J. 2013. Southern Ontario Vascular Plant Species List. Ont. Min. Natur. Resour. Science and Information Branch, Southern Sci. and Info., SIB SR-03 78p.
- Brunton, D.F. 2005. Vascular Plants of the City of Ottawa, with Identification of Significant Species. Appendix A of Ottawa's Urban Natural Areas Environmental Evaluation Study. City of Ottawa, March 2005.
- City of Ottawa. 2022. Protocol for Wildlife Protection during Construction. December 2022.
- City of Ottawa. 2022. The City of Ottawa Environmental Impact Statement Guidelines. Ottawa.
- COSEWIC. 2010. COSEWIC assessment and status report on the Bobolink Dolichonyx oryzivorus in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 42 pp. (www.sararegistry.gc.ca/status/status_e.cfm).
- COSEWIC. 2011. COSEWIC assessment and status report on the Eastern Meadowlark Sturnella magna in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. x + 40 pp. (www.sararegistry.gc.ca/status/status_e.cfm).
- COSEWIC. 2012a. COSEWIC assessment and status report on the Eastern Wood-pewee Contopus virens in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. x + 39 pp. (www.registrelepsararegistry.gc.ca/default_e.cfm).
- COSEWIC. 2012b. COSEWIC assessment and status report on the Wood Thrush Hylocichla mustelina in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. ix + 46 pp. (www.registrelepsararegistry.gc.ca/default_e.cfm).
- COSEWIC. 2013a. COSEWIC assessment and status report on the Bank Swallow Riparia in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. ix + 48 pp. (www.registrelep-sararegistry.gc.ca/default_e.cfm).
- COSEWIC. 2013b. COSEWIC assessment and status report on the Little Brown Myotis lucifugus, Northern Myotis septentrionalis and Tri-colored Bat Perimyotis subflavus in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xxiv + 93 pp. (www.registrelep-sararegistry.gc.ca/default_e.cfm).
- COSEWIC. 2017. COSEWIC assessment and status report on the Butternut Juglans cinerea in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xiii + 74 pp. (http://www.registrelep-sararegistry.gc.ca/default.asp?lang=en&n=24F7211B-1).
- Department of Fisheries and Oceans (DFO). 2023. Aquatic Species at Risk Map Available https://www.dfompo.gc.ca/species-especes/sara-lep/map-carte/index-eng.html (Accessed May 3, 2023).
- Heagy, A., D. Badzinski, D. Bradley, M. Falconer, J. McCracken, R.A. Reid and K. Richardson. 2014. Recovery Strategy for the Barn Swallow (Hirundo rustica) in Ontario. Ontario Recovery Strategy Series. Prepared for the Ontario Ministry of Natural Resources and Forestry, Peterborough, Ontario. vii + 64 pp.



- Lee, H.T., W.D. Bakowsky, J. Riley, J. Bowles, M. Puddister, P. Uhlig and S. McMurray. 1998. Ecological Land Classification for Southern Ontario: First Approximation and its Application. Ontario Ministry of Natural Resources, Southcentral Science Section, Science Development and Transfer Branch. SCSS Field Guide FG-02.
- Marsh Monitoring Program Participant's Handbook for Surveying Amphibians. 2009 Edition. 13 pages. Published by Bird Studies Canada in cooperation with Environment Canada and the U.S. Environmental Protection Agency. February 2009.
- Ministry of Agriculture, Food and Rural Affairs (MAFRA). 2023. AgrMap Available https://www.lioapplications.lrc.gov.on.ca/AgMaps/Index.html?viewer=AgMaps.AgMaps&locale=en-CA (Accessed May 3, 2023).
- Ministry of Municipal Affairs and Housing (MMAH). 2014. Ontario Provincial Policy Statement. Issued under section 3 of the Planning Act.
- Ontario Breeding Bird Atlas (OBBA). 2020. Instructions for General Atlassing Ontario Breeding Bird Atlas (birdsontario.org)
- Ontario Ministry of Natural Resources (OMNR). 2000. Significant wildlife habitat technical guide. 151p.
- Ontario Ministry of Natural Resources (OMNR). March 2010. Natural Heritage Reference Manual for Natural Heritage Policies of the Provincial Policy Statement, 2005. Second Edition. Toronto: Queen's Printer for Ontario. 248 pp
- Ontario Ministry of Natural Resources (OMNR). 2021. Butternut Assessment Guidelines
- Ontario Ministry of Natural Resources (OMNR). 2023. Land Information Ontario. Available https://www.ontario.ca/page/land-information-ontario (Accessed May 3, 2023)
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2015. Significant Wildlife Habitat Criteria Schedules For Ecoregion 6E. 38p.
- Ontario Ministry of Natural Resources and Forestry. August 2017. Wildland Fire Assessment and Mitigation Reference Manual in support of Provincial Policy Statement, 2014. Toronto: Queen's Printer for Ontario.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2022. ONTARIO WETLAND EVALUATION SYSTEM. Southern Manual, 4th Edition.
- Ontario Nature. 2023. Ontario Breeding Bird Atlas. Available http://www.birdsontario.org/atlas/index.jsp (Accessed May 3, 2023)
- Ontario Nature. 2023. Ontario Reptile and Amphibian Atlas. Available https://ontarionature.org/oraa/maps/ (Accessed May 3, 2023)
- Ontario Nature, 2023. Ontario Reptile and Amphibian Atlas: a citizen science project to map the distribution of Ontario's reptiles and amphibians. Ontario Nature, Ontario. Available: https://www.ontarioinsects.org/herp; (Accessed May 3, 2023)
- Species at Risk Ontario (SARO). 2023. Species at Risk Ontario. Retrieved May 3, 2023 at http://www.ontario.ca/environment-and-energy/species-risk-ontario-list



APPENDIX A: OBSERVED SPECIES LIST

| COMMON NAME | SCIENTIFIC NAME | SRANK | SARA STATUS | SARO STATUS | BRUNTON 2005 |
|----------------------|------------------------------|-------|----------------|----------------|---------------------------------------|
| Field Horsetail | Equisetum arvense | S5 | | | Common |
| Water Horsetail | Equisetum fluviatile | S5 | | | Common |
| New England Aster | Symphyotrichum novae-angliae | S5 | | | Common |
| Common Lady Fern | Athyrium filix-femina | S5 | | | Common |
| Sensitive Fern | Onoclea sensibilis | S5 | | | Common |
| Balsam Fir | Abies balsamea | S5 | | | Common |
| White Spruce | Picea glauca | S5 | | | Common |
| Eastern White Pine | Pinus strobus | S5 | | | Common |
| Eastern White Cedar | Thuja occidentalis | S5 | | | Common |
| Narrowleaf Cattail | Typha angustifolia | SNA | | | Common |
| Broad-leaved Cattail | Typha latifolia | S5 | | | Common |
| Lake Sedge | Carex lacustris | S5 | | | Uncommon |
| Redtop | Agrostis gigantea | SNA | | | Common |
| Smooth Brome | Bromus inermis | SNA | | | Common |
| Yellow Trout-lily | Erythronium americanum | S5 | | | Common |
| Orchard Grass | Dactylis glomerata | SNA | | | Common |
| Large Barnyard Grass | Echinochloa crus-galli | SNA | | | Common |
| Reed Canary Grass | Phalaris arundinacea | S5 | | | Common |
| Awl-fruited Sedge | Carex stipata | S5 | | | Common |
| Dudley's Rush | Juncus dudleyi | S5 | | | Uncommon |
| Path Rush | Juncus tenuis | S5 | | | Common |
| Balsam Poplar | Populus balsamifera | S5 | | | Common |
| Trembling Aspen | Populus tremuloides | S5 | | | Common |
| Butternut | Juglans cinerea | S2? | END | END | Provincial Conservation Concern |
| Speckled Alder | Alnus incana ssp. rugosa | S5 | | | Common |
| White Birch | Betula papyrifera | S5 | | | Common |
| Bur Oak | Quercus macrocarpa | S5 | | | Common |
| American Elm | Ulmus americana | S5 | | | Common |
| White Goosefoot | Chenopodium album | SNA | | | Common |
| Bladder Campion | Silene vulgaris | SNA | | | Common |
| Canada Anemone | Anemonastrum canadense | S5 | | | Common |
| Tall Buttercup | Ranunculus acris | SNA | | | Common |
| Field Mustard | Brassica rapa | SNA | | | Rare |
| Wild Black Currant | Ribes americanum | S5 | | | Common |
| Common Strawberry | Fragaria virginiana | S5 | | | Common |



| CONJULTING | | | | | shaun@bchenviro.ca | | |
|-------------------------------------|--|-------|----------------|----------------|--------------------|--|--|
| COMMON NAME | SCIENTIFIC NAME | SRANK | SARA STATUS | SARO STATUS | BRUNTON 2005 | | |
| Common Blackberry | Rubus allegheniensis | S5 | | | Common | | |
| Goldenrods | Solidogo sp. | | | | | | |
| Canada Goldenrod | Solidago canadensis | S5 | | | Common | | |
| Wild Red Raspberry | Rubus idaeus ssp. strigosus | S5 | | | Common | | |
| Bird's-foot Trefoil | Lotus corniculatus | SNA | | | Common | | |
| Black Medic | Medicago lupulina | SNA | | | Common | | |
| White Sweet Clover | Melilotus albus | SNA | | | Common | | |
| Black Locust | Robinia pseudoacacia | SNA | | | Rare | | |
| Red Clover | Trifolium pratense | SNA | | | Common | | |
| White Clover | Trifolium repens | SNA | | | Common | | |
| Cow Vetch | Vicia cracca | SNA | | | Common | | |
| Upright Yellow Wood-sorrel | Oxalis stricta | S5 | | | Common | | |
| Common Prickly-ash | Zanthoxylum americanum | S5 | | | Common | | |
| Western Poison Ivy | Toxicodendron radicans var. rydbergii | S5 | | | Common | | |
| Staghorn Sumac | Rhus hirta | S5 | | | Common | | |
| Red Maple | Acer rubrum | S5 | | | Common | | |
| (Acer rubrum X Acer saccharinum) | Acer x freemanii | SNA | | | Common | | |
| Spotted Jewelweed | Impatiens capensis | S5 | | | Common | | |
| Common Buckthorn | Rhamnus cathartica | SNA | | | Common | | |
| Glossy Buckthorn | Frangula alnus | SNA | | | Common | | |
| Virginia Creeper | Parthenocissus quinquefolia | S4? | | | Uncommon | | |
| Riverbank Grape | Vitis riparia | S5 | | | Common | | |
| Wild Sarsaparilla | Aralia nudicaulis | S5 | | | Common | | |
| Wild Carrot | Daucus carota | SNA | | | Common | | |
| Gray Dogwood | Cornus racemosa | S5 | | | Uncommon | | |
| White Ash | Fraxinus americana | S4 | | | Common | | |
| Green Ash | Fraxinus pennsylvanica | S4 | | | Common | | |
| Spreading Dogbane | Apocynum androsaemifolium | S5 | | | Common | | |
| Common Milkweed | Asclepias syriaca | S5 | | | Common | | |
| Field Bindweed | Convolvulus arvensis | SNA | | | Common | | |
| Common Mullein | Verbascum thapsus | SNA | | | Common | | |
| Common Elderberry | Sambucus canadensis | S5 | | | Uncommon | | |
| Common Plantain | Plantago major | SNA | | | Common | | |
| Smooth Bedstraw | Galium mollugo | SNA | | | Common | | |
| Tatarian Honeysuckle | Lonicera tatarica | SNA | | | Common | | |
| Nannyberry | Viburnum lentago | S5 | | | Common | | |
| Wild Mock-cucumber | Echinocystis lobata | S5 | | | Common | | |



| CONSOLITING | | | | | @bchenviro.ca |
|-------------------------|---|-------------|----------------|----------------|---------------|
| COMMON NAME | SCIENTIFIC NAME | SRANK | SARA STATUS | SARO STATUS | BRUNTON 2005 |
| Common Yarrow | Achillea millefolium | SNA | | | Common |
| Common Ragweed | Ambrosia artemisiifolia | S5 | | | Common |
| Bull Thistle | Cirsium vulgare | SNA | | | Common |
| Grass-leaved Goldenrod | Euthamia graminifolia | S5 | | | Common |
| Early Goldenrod | Solidago juncea | S5 | | | Common |
| Rough-stemmed Goldenrod | Solidago rugosa | S5 | | | Common |
| Common Sow-thistle | Sonchus oleraceus | SNA | | | Uncommon |
| Common Dandelion | Taraxacum officinale | SNA | | | Common |
| Tall Goldenrod | Solidago altissima spp. Altissima | S5 | | | Common |
| Hawthorn sp. | Crataegus sp. | | | | |
| Fescue | Festuca | | | | |
| Sedges | | | | | |
| Willows | Salix sp. | | | | |
| Wild Lily-of-the-valley | Maianthemum canadense ssp. canadense | S5 | | | Common |
| Common Mullein | Verbascum thapsus ssp. thapsus | SNA | | | Common |
| Grasses | | | | | |
| Common Juniper | Juniperus communis var. communis | SNA | | | Common |
| Turkey Vulture | Cathartes aura | S5B | | | |
| Canada Goose | Branta canadensis | S5 | | | |
| Mallard | Anas platyrhynchos | S5 | | | |
| Common Merganser | Mergus merganser | S5B, S5N | | | 7 |
| Wild Turkey | Meleagris gallopava | S5 | | | |
| Killdeer | Charadrius vociferus | S5B, S5N | | | |
| Ring-billed Gull | Larus delawarensis | S5B, S4N | | | |
| Pileated Woodpecker | Dryocopus pileatus | S5 | | | |
| Eastern Kingbird | Tyrannus tyrannus | S4B | | | |
| Blue Jay | Cyanocitta cristata | S5 | | | |
| Black-capped Chickadee | Poecile atricapilla | S5 | | | |
| American Robin | Turdus migratorius | S5B | | | |
| Gray Catbird | Dumetella carolinensis | S4B | | | |
| European Starling | Sturnus vulgaris | SNA | | | |
| Common Yellowthroat | Geothlypis trichas | S5B | | | |
| Eastern Towhee | Pipilo erythrophthalmus | S4B | | | |
| Field Sparrow | Spizella pusilla | S4B | | | |



| | | | snaun@bcnenviro.ca | | |
|--|------------------------|-------|--------------------|--------|--------------|
| COMMON NAME | SCIENTIFIC NAME | SRANK | SARA | SARO | BRUNTON 2005 |
| | | | STATUS | STATUS | |
| Vesper Sparrow | Pooecetes gramineus | S4B | | | |
| Song Sparrow | Melospiza melodia | S5B | | | |
| Red-winged Blackbird Agelaius phoeniceus | | S4 | | | |
| Common Grackle Quiscalus quiscula | | S5B | | | |
| American Goldfinch Carduelis tristis | | S5B | | | |
| White-tailed Deer | Odocoileus virginianus | S5 | | | |



APPENDIX B: QUALIFICATIONS SHAUN M. ST.PIERRE, B.Sc. Biology

EDUCATION

B.Sc. Biology, Trent University 2007 Fisheries and Wildlife Technology, Frost Campus, Sir Sandford Fleming College, 2005 Fisheries and Wildlife Technician, Frost Campus, Sir Sandford Fleming College, 2004

LANGUAGES

Fluent in French and English

POSITIONS HELD

| 2018 - : | BCH Environmental Consulting Inc., Biologist / Owner |
|------------|---|
| 2006-2017: | Bowfin Environmental Consulting Inc., Biologist / GIS Specialist / Environmental Site Inspector |
| 2005: | St. Lawrence River Institute of Environmental Sciences, Field Research Assistant |
| 2004: | MNR Kawartha Lakes, Field Research Assistant |
| 2003: | DFO- Experimental Lake Area, Field Research Assistant |
| 2001: | Resource Stewardship S, D &G, Stewardship Ranger |

CERTIFICATIONS / PROFESSIONAL AFFILIATIONS

MTO/DFO/OMNR Fisheries Protocol, Ecological Land Classification, Certified in Inventory and Identification Methods for Ontario's Reptiles and Amphibians, North American Benthological Society (NABS) Certified Family Level Taxonomist, Ontario Benthos Biomonitoring Network (OBBN), Ontario Stream Assessment Protocol (OSAP), Certified Ontario Wetland Evaluator (OWES), Butternut Health Assessor (BHA), first aid, CPR, Pleasure Craft Operator Card, Marine Radio Operator, WHMIS, WHSA, Hazard Identification, Assessment and Control, All Terrain Vehicle Riders Course (issued by the Manitoba Safety Council), Water Safety Training (Bronze Cross), Possession / Acquisition Firearms Licence, Ontario Hunter Education Course Certificate, Ontario Trapper Education Course Certificate, Wildlife Chemical Immobilization, Vaccination, and Euthanasia- Certificate of Knowledge, South Lancaster Fish and Game Club (SLFGC; president 2012 and 2013; executive member 2014-2018), Ontario class G driver's license, and Snowmobile License.

EXPERIENCE

Experience in environmental impact assessments, environmental monitoring, environmental assessments, terrestrial habitat assessment, species at risk surveys, amphibian surveys, avian surveys, freshwater habitat assessment, collection and identification of plants, collection and identification of aquatic invertebrate, collection and identification of fish, fish salvage, fish behavioral studies, winter bat hibernaculum inventories and fisheries inventories including habitat mapping, electroshocking, FWIN and RIN. Other experience include GIS mapping.

Environmental and Fisheries Inspections

- Provided environmental and fisheries inspections for the construction of the Cataraqui Crossing HWY 401-MTO (Kingston, ON).
- Provided environmental and fisheries inspections for the construction of the Three Nations Bridge including surveys for nesting species at risk (Cornwall, ON).
- Provided environmental and fisheries inspections for construction (Ottawa, ON).
- Conducted nest surveys (Kemptville, ON.; Stittsville, ON.; Cornwall, ON.)
- Conducted environmental inspections for the construction of the Clarkson WWTP outfall, Lake Ontario.
- Conducted environmental inspections for the construction of a new bridge crossing Bearbrook Creek along the 417.



- Provided environmental and fisheries inspections for the blasting and drilling operation for the Burloak Water Purification Tunnel project (Burlington, ON).
- Provided environmental and fisheries inspections for the construction of the Poole Creek Realignment/Huntmar Drive Crossing.

Species at Risk Inventories / Monitoring

- Butternut survey and assessment for proposed developments (Brockville, Carleton Place, Carp, Clarence-Rockland, Cornwall, Munster, Hawkesbury, Kemptville, Ottawa, South Lancaster, Smith Falls, Stittsville, Prospect, Vars, Moose Creek, Prescott, Westminster, Renfrew, Battersea, Jones Falls, and Millbrook).
- American Eel surveys using the boat electrofisher on the Mississippi River (Almonte, ON), South Nation River (Casselman, ON) and Ottawa River (Renfrew, ON; Ottawa, ON: Shawville, QC)
- American Eel collection on the St. Lawrence River for the St. Lawrence River Institute (Cornwall, ON)
- American Ginseng survey for proposed development (Kanata, South Lancaster and Renfrew).
- Whip-poor-will survey for proposed development (Navan, ON; Kemptville, ON; Stittsville, ON; Prescott, ON; Alexandria, ON) and quarries (Avonmore, Moosecreek, Prospect, Stittsville, Kanata, Ottawa)
- Assisted in a Least Bittern survey (Avonmore, ON)
- Conducted turtle surveys: Blanding's turtle, Eastern musk turtle (Carleton Place, ON; Ottawa, ON; Stittsville, ON; Kanata, ON, Prospect, ON)
- Conducted rapid clubtail surveys (Almonte, ON)
- Bat maternal nesting site surveys (Prescott, ON; Battersea, ON; Prescott, ON; Hawkesbury, ON; Russell, ON)

Aquatic Inventories

- Boat electrofishing along the shoreline of the Ottawa River (Chat Falls, ON) along the shoreline of the Cataraqui River (Kingston, ON), downstream of the Carillion Dam (Pointe-Fortune, QC), Lake St. Francis (South Lancaster, ON), South Nation River (Casselman, ON), Raisin River (Lancaster, ON), and the St. Lawrence River (Cornwall, ON)
- Collecting and data entry for benthic macroinvetebrate community surveys on several watercourses within Ontario including: Bonnechere River (Renfrew, ON), Montreal River (Latchford, ON), Jock River (Ottawa, ON), tributaries of the Bonnechere River (Renfrew, ON), tributaries to Feedmill Creek (Ottawa, ON), tributary to Chippewa Creek (North Bay, On) and tributary to the Beaudette River (Alexandria, ON).
- Collecting and data entry for several fish community surveys including: Black Creek (Westminster, ON), Bonnechere River (Renfrew and Douglas, ON), Butler's Creek (Brockville, ON), East Branch of Little Cataraqui Creek (Kingston, ON), Kehoe Ditch (Greely, ON), Lac Opemisca (Ouje-Bougoumou, QC), Marshall Seguin Municipal Drain (Vars, ON), Montreal River (Latchford, ON), tributaries of Lavalle Creek (Carleton Place), tributaries to Feedmill Creek (Ottawa, ON), tributaries to Lafontaine Creek (Clarence-Rockland), tributaries to Shirley's Brook (Kanata, ON), tributaries to the Beaudette River (Alexandria, ON), tributaries to the Bonnechere River (Renfrew, ON), tributaries to the Ottawa River (Carp, ON; Ottawa, ON; Wendover, ON; Clarence-Rockland, ON), tributaries to the South Nation River (Casselman, ON), tributaries to the South Nation River (Jessup Falls, ON), tributary to Hawkesbury Creek (Hawkesbury, ON), Hawkesbury Creek (Hawkesbury, ON), tributary to the St.Lawrence River (Prescott, ON) and tributary to the North Castor River (Greely, ON).
- Mapped fish habitat in many watercourses including: Black Creek (Westminster, ON), Bonnechere River (Renfrew and Douglas, ON), Butler's Creek (Brockville, ON), Kehoe Ditch (Greely, ON), Lac Opemisca/Lac Barlow Bypass channel (Ouje-Bougoumou, QC), Marshall Seguin Municipal Drain (Vars, ON), McKinnons Creek (Navan, ON), Montreal River (Latchford, ON), tributaries of Lavalle Creek (Carleton Place), tributaries of the Bonnechere River (Renfrew, ON), tributaries to Lafontaine Creek (Clarence-Rockland), tributaries to McKinnons Creek (Navan, ON), tributaries to Shirley's Brook (Kanata, ON), tributaries to the North Castor River (Greely, ON), tributaries to the Ottawa River (Ottawa, ON; Wendover, ON), tributaries to the South Nation River (Casselman, ON), tributaries to the South Nation River (Jessup Falls, ON), tributary to the St.Lawrence River (Prescott, ON) and tributary to Hawkesbury Creek (Hawkesbury, ON).
- Assisted in YOY sampling on the Raisin River (Lancaster, ON).
- Conducted riverine index netting on the Bonnechere River (Renfrew, ON).



- Assisted in gill netting on Bonnechere River (Renfrew, ON), Lac Barlow (Ouje-Bougoumou, QC), Lac Opemisca (Ouje-Bougoumou, QC), Montreal River (Latchford, ON), and Raisin River (Lancaster, ON).
- Assisted in conducting larvae surveys on Bonnechere River, Hoople Creek, Montreal River and Raisin River,
- Collected walleye eggs from the spawning grounds on the Bonnechere River, Montreal River, Raisin River and Hoople Creek.
- Assisted in the monitoring of a new wetland channel created in the Little Cataraqui River.
- Marsh monitoring program breeding amphibian survey at Stittsville, ON; Cornwall, ON; Kanata, ON; Hoople Creek and the Bonnechere River.
- Assisted in conducting fall walleye index netting for the MNR in Kawartha Lakes
- Conducted turtle surveys (Carleton Place, ON; Ottawa, ON)
- Conducted headwater waters assessment (Kanata, ON; Navan, ON, Ottawa, ON)

Terrestrial Inventories

- Multiple Environmental Impact Assessments across Ontario
- Tree Inventory for construction of the light rail (LRT; Ottawa, ON)
- Winter white-tailed deer survey (Edwardsburgh, ON)
- Plant community inventories for proposed developments, quarries, sand pits and road extensions (Brockville, Carleton Place, Carp, Casselman, Elgin, Griffith, Hamilton, Jessup Falls, Navan, Ottawa, Stittsville, Rockland, Simcoe, Cornwall, Kemptville, Hawkesbury, Smith Falls, Wendover, Moosecreek, Westminster, Prescott, Renfrew, Jones Falls, Michipicoten Island and in Ouje-Bougoumou in QC)

Aquatic Habitat Mapping for Municipal, City Roads and Provincial Highways

- Conducted MTO habitat assessments at Galetta Side Road, Torbolton Road, Kinburn Side Road (Ottawa, ON)
- Conducted MTO habitat assessments at Prince of Wales, Fernbank Road, Fallowfield Road, HWY 115, Arbuckle drain, the Carp river, tributaries to the Carp river and tributaries to Mud creek (Ottawa, ON)
- Conducted MTO habitat assessments at Innes Road, Ottawa, ON.
- Conducted MTO habitat assessments at MacLaren Side Road, Ottawa, ON.

Other

- Fish salvage: Mississippi River (Almonte, ON), Monaghan Drain (Ottawa, ON), tributary to the Rideau Canal (Kemptville, ON), and tributary to Feedmill Creek (Ottawa ON), Bonnechere River (Renfrew, ON)
- Assisted in conducting a winter bat hibernaculum inventory (Plantagenet, ON)
- Field research assistant for the Metalicuus study and EDC study (Experimental Lakes Area, ON)
- Captured, pit tagged, telemetry tagged and tracked Northern Pike (Experimental Lakes Area, ON)
- Construction and maintenance of nature trail (the Cornwall Outdoor Recreational Area, ON)
- Conducted frog deformities surveys (Glengarry, ON)
- Organized youth fishing derbies through SLFGC (2011-2013; South Lancaster)
- Organized the St.Francis Walleye Tournament through SLFGC (2012-2013; South Lancaster)



CODY J.C FONTAINE, Fisheries and Wildlife Technologist

EDUCATION

Fisheries and Wildlife Technology, Frost Campus, Sir Sandford Fleming College, 2012 Fisheries and Wildlife Technician, Frost Campus, Sir Sandford Fleming College, 2011

LANGUAGES

Fluent in English

POSITIONS HELD

| 2022: | BCH Environmental Consulting Inc., Fisheries and Wildlife Technologist |
|-------|---|
| 2014: | Bowfin Environmental Consulting Inc., Fisheries and Wildlife Technologist |
| 2009: | Raisin Region Conservation Authority, Field Research Assistant |

CERTIFICATIONS / PROFESSIONAL AFFILIATIONS

MTO/DFO/OMNR Fisheries Protocol, Environmental Monitoring For Construction Projects Practitioner (EMCPP), Ontario Stream Assessment Protocol (OSAP), Class 2 Electroshocking, first aid, CPR, Pleasure Craft Operator Card, WHMIS, WHSA, Hazard Identification, Assessment and Control, Ice Safety Training, Possession / Acquisition Firearms License, Fish Identification Certificate, Radio Telemetry Certificate, Fish Hatchery Operations Certificate, Ontario Hunter Education Course Certificate, Ontario trapper Education Course Certificate, Ontario class G driver's license.

EXPERIENCE

Experience in environmental monitoring, environmental assessments, terrestrial habitat assessment, species at risk surveys, amphibian surveys, freshwater habitat assessment, collection and identification of plants, collection and identification of fish, fish salvage, bat hibernaculum inventories and fisheries inventories including netting and electroshocking. Other experiences include GIS mapping.

Aquatic Inventories

- Assisted with boat electrofishing along the shoreline of the Ottawa River (Chat Falls and Ottawa, ON), Lake St. Francis (South Lancaster, ON), Bonnechere (Renfrew, ON), Raisin River (Lancaster, ON), Buckhorn Lake (Peterborough, ON) and the St. Lawrence River (Cornwall, ON)
- Assisted in collecting and data entry for several fish community surveys including: Bonnechere River (Renfrew, ON), tributaries to Feedmill Creek (Ottawa, ON), tributaries to Shirley's Brook (Kanata, ON), tributaries to the Ottawa River (Ottawa, ON), tributaries to the Rideau River (Manotick, ON), tributaries to the Castor River (Vars, ON), tributaries to the Otonabee River (Lakefield, ON), tributary to the Madawaska River (Arnprior, ON), tributaries to Kemptville Creek (Kemptville, ON), tributary to Blairs Creek (Clarence Creek, ON), tributaries to South Indian Creek River (Russell, ON) tributaries to the South Nation River (Casselman, ON), tributaries to Fraser Clarke Drain (Nepean, ON), tributaries to the Raisin River (Long Sault, ON), Oliver-Magee drain (South Glengarry, ON) and tributary to Hawkesbury Creek (Hawkesbury, ON).
- Assisted in collecting walleye eggs from the spawning grounds on the Raisin River.
- Marsh monitoring program breeding amphibian surveys (Stittsville, Lakefield, Cornwall, Long Sault, South Glengarry, Bourget, Manotick and Kanata, ON).
- Conducted turtle surveys (Carleton Place, Ottawa, Cornwall and Lancaster, ON)
- Conducted Headwater Assessments (Ottawa, Stittsville and Manotick, ON)
- Invasive Species Survey (Ottawa, ON)

Species at Risk Inventories / Monitoring



- Assisted in butternut surveys, inventories and assessments for proposed developments (Carleton Place, Casselman, Cornwall, South Glengarry, Long Sault, Kemptville, Smiths Falls, Ottawa, Stittsville, Peterborough, Lakefield, Brockville, Alfred, Orleans, Kanata and Prescott, ON).
- American Eel surveys using the boat electrofisher on the Ottawa River (Ottawa, ON)
- American Eel collection on the St. Lawrence River for the St. Lawrence River Institute (Cornwall, ON)
- Conducted tailrace surveys for hydro facilities regarding American eel and lake sturgeon fatalities (Almonte, Renfrew, Ottawa and Fitzroy Harbour, ON)
- Whip-poor-will survey for proposed development (Ottawa, Kemptville, Bourget, Stittsville, Alfred, South Glengarry and Alexandria, ON) and quarries (Ottawa and Cornwall, ON)
- Surveyor for Little Brown bat, Eastern Small Footed Bat and Northern Long Eared Bat surveys at Ernestown Windpark (Ernestown, ON)
- Gray Ratsnake Survey (Smiths Falls and Lakefield, ON)
- Bat Cavity Survey (Lakefield, Smiths Falls, Bourget, Clarence Creek, Casselman, Orleans, Kanata, South Glengarry and Embrun, ON)
- Conducted Least Bittern surveys (Prospect, Alexandria, and Lancaster, ON)
- Conducted Black Tern nest surveys (Alexandria, and Cornwall, ON)
- Conducted turtle surveys: Blanding's turtle, Musk turtle and Northern Map turtle, Painted turtle and Snapping turtle (Carleton Place, Ottawa, Stittsville, Kanata, Rockland, Cornwall, Lakefield, Alfred, Clarence Creek and Lancaster, ON)
- Conducted American Ginseng Survey (Alfred, ON)
- Conducted rapid clubtail surveys (Almonte, ON)
- Conducted Osprey nest surveys (Cornwall, ON)

Terrestrial Inventories

- Assisted plant community inventories for proposed developments (Ottawa, Cornwall and Prescott, ON)
- Assisted in ELC inventories (Ottawa, Lakefield, Alfred, Kanata, Long Sault, South Glengarry and Peterborough ON)
- Nesting Bird Survey (Stittsville and Brockville ON)
- Large Tree Survey (Carp, Kanata and Orleans, ON)
- Deer and Moose Overwintering Survey (Alfred, ON)

Environmental and Fisheries Inspections

- Assisted in providing environmental and fisheries inspections for construction (Ottawa, ON)
- Assisted in turtle salvage during construction at the Cavanagh Snow Dump (Kanata, ON)

Fish Salvage

- Highway 401 Fish Salvage Brockville, ON and Prescott, ON (Cruikshank, MTO Contract)
- Other fish salvages: Cardinal Creek (Ottawa, ON), Monaghan Drain (Ottawa, ON), tributary to the Rideau Canal (Kemptville, ON), tributary to Feedmill Creek (Ottawa ON), Bonnechere River (Renfrew, ON), Mississippi River (Almonte, ON), Ottawa River (Ottawa, ON), Tributary to Fraser Clarke Drain (Nepean, ON), tributary to St.Lawrence River (Newington, ON), Davidson Pond (Ottawa, ON),. Hazeldean tributary (Ottawa, ON), tributary to Jock River (Richmond, ON), culvert on Thunder Road (Gloucester, ON), culvert on Dunning Road (Cumberland, ON)

Other

- Organized fishing derby through RRCA (2008-2012; Cornwall, ON)
- Conducted environmental education presentations to many school groups (Cornwall, and Lancaster, ON)
- Tree Planting (2008-2012; Cornwall, ON)



APPENDIX C: On-site Reference Handout

General Provisions:

- Watch out for wildlife while driving, and avoid hitting them, provided that it is safe to do so.
- Ensure sediment and erosion control measures (i.e., silt fencing) and other protective measures are in place prior to beginning work. Inspect them regularly, and particularly after storm events, to ensure their continued effectiveness.
- Prior to beginning work each day, check for wildlife by conducting a thorough visual inspection of the work space and immediate surroundings.
- Restrict all activities, vehicles and materials to the designated work space. Do not disturb areas identified for retention.
- Secure stockpiled materials, vehicles and structures against wildlife entry.
- Litter and other waste materials must be appropriately contained and promptly disposed of.
- Do not feed any wildlife or leave food out where it could attract them.

For health and safety reasons, and for protection of animals, removal and relocation of mammals must only be done by qualified and properly equipped personnel. Call the wildlife service provider [BCH ENVIRONMENTAL CONSULTING INC.] at (613) 571-8883 for assistance.

Scratches and bites from animals, whether domestic or wild, can result in serious infections and/or transmit diseases. Seek medical treatment immediately for any person injured by an animal.


Wildlife Encounters:

- Do not harm any wildlife. Many species are protected under provincial and/or federal legislation. Legal
 protection of egg-laying species applies to their eggs as well. Penalties for contravening these Acts can be
 severe.
- Stand back and allow the animal to leave the site. Wildlife may be encouraged to move away from the work area by shouting, waving of arms, clapping of hands or gentle redirection using a push broom.
 Contact project biologist / wildlife service provider for assistance if needed (e.g., if young animals are found). Do not unnecessarily harass any wildlife.
- Turtles may need to be helped to safety. Our most common species, Painted and Snapping Turtles, are protected under the Fish and Wildlife Conservation Act, 1997. If one of these turtles is found in the work area, it can be gently removed to a safe location nearby. Wear gloves, or use a broom to steer the turtle into a bucket or other container. Handle with care to avoid injury to the turtle or yourself, particularly when dealing with Snapping Turtles, which may bite or scratch. Turtles may also wet themselves when handled.
- Most of Ottawa's snakes are protected under the Fish and Wildlife Conservation Act, 1997. None of them
 are venomous, but bites may cause infections. Some produce a foul-smelling musk when handled, instead
 of biting. Snakes will usually try to escape or hide when disturbed, and only defend themselves when
 trapped. If a snake is found in the work area, it should be gently herded out to a safe location.
- Stop work immediately if any species protected under the Endangered Species Act, 2007 are seen in or near the work site (see attached sheet for tips on identifying some commonly encountered species). Take a photograph if possible, to confirm the sighting, and contact the project biologist at (613) 571-8883 and the Ministry of Environment, Conservation and Parks at SAROntario@ontario.ca. Additional measures to avoid impacts may be required by the Ministry before work can restart.



APPENDIX D: Commonly Encountered Species Protected under the Endangered Species Act,

2007






| Agency | Staff Contact(s) | Telephone | Information/Authority on: |
|---|--|---|---|
| City of Ottawa | Planner | (613) 580-2424 | Development application review process |
| | Environmental Planner | (613) 580-2424 | EIS and other municipal environmental policies |
| | Forester- Planning | (613) 580-2424 | Tree Conservation Report and urban tree removal |
| Conservation Authority – usually only one will be involved in any given application | Mississippi Valley Rideau Valley South Nation | (613) 253-0006 (613) 692-3571 (613) 984-2948 | Development, Interference with Wetlands and Alterations to Shorelines and Watercourses Regulation |
| Fisheries and Oceans Canada | Fish and Fish Habitat Protection Program (Ontario) | 1-855-852-8320 FisheriesProtection@dfo- mpo.gc.ca | Fish and fish habitat issues |
| Ministry of Environment, Conservation and Parks | Management Biologist | <u>SAROntario@ontario.ca</u> | Provincially protected species at risk (occurrence data, habitat information, advice and applications for permits under the Endangered Species Act, 2007). |
| Ministry of Natural Resources and Forestry (Kemptville District office) | Management Biologist | (613) 258-8204 (main office) | Wetlands; Areas of Natural and Scientific Interest; significant wildlife habitat. |




APPENDIX F: PLANS

20373 Bethune Street South Lancaster, On KOC 2CO 613.571.8883 shaun@bchenviro.ca







Page 47 of 48



APPENDIX H: COMMUNICATION WITH MECP



Shaun St.Pierre <shaun@bchenviro.ca>

BHE Report Number: FON108 –151-159 Wescar Lane, Part of Lot 6, Concession 3, **City of Ottawa**

Species at Risk (MECP) <SAROntario@ontario.ca>

Wed, Jul 19, 2023 at 9:43 AM

To: "Shaun St.Pierre" <shaun@bchenviro.ca> Cc: Mark Watson <MARK.WATSON@sunbeltrentals.com>, Keith Riley <keith@argueconstruction.ca>, Kelly Basinger <Kelly.Basinger@sunbeltrentals.com>

Hi Shaun

Thank you for submitting your Butternut Health Assessment to the Species at Risk Branch (SARB).

Please use this email as receipt of your submission.

If you are proposing to rely on Part 5 of the Ontario Regulation 830/21 for the trees identified in the BHA, then you are eligible to do so 30-days following the date that the BHA was submitted to the Species at Risk Branch.

Thank you, SAROntario

From: Shaun St.Pierre <shaun@bchenviro.ca> Sent: July 18, 2023 2:20 PM To: Species at Risk (MECP) <SAROntario@ontario.ca> Cc: Mark Watson <MARK.WATSON@sunbeltrentals.com>; Keith Riley <keith@argueconstruction.ca>; Kelly Basinger <Kelly.Basinger@sunbeltrentals.com> Subject: BHE Report Number: FON108 -151-159 Wescar Lane, Part of Lot 6, Concession 3, City of Ottawa

CAUTION -- EXTERNAL E-MAIL - Do not click links or open attachments unless you recognize the sender.

[Quoted text hidden]