

GENERAL NOTES:

- 1. ALL DIMENSIONS IN MILLIMETERS UNLESS SPECIFIED OTHERWISE. DO NOT SCALE DRAWING. ALL DRAWINGS TO BE READ IN CONJUNCTION WITH WRITTEN SPECIFICATIONS.
- 2. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION UNTIL SIGNED BY THE LANDSCAPE ARCHITECT. IT IS THE
- RESPONSIBILITY OF THE CONTRACTOR TO: CHECK AND VERIFY ALL DIMENSIONS ON SITE
- REPORT ALL ERRORS AND/OR OMISSIONS TO THE
- CONTRACT ADMINISTRATOR COMPLY WITH ALL PERTINENT CODES AND BY-LAWS
- CHECK AND VERIFY LOCATIONS OF ALL UNDERGROUND SERVICES WITH ALL LOCAL UTILITIES PRIOR TO ANY
- 3. ANY AREAS BEYOND THE LIMIT OF THE SITE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION
 OR BETTER TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION AT THE CONTRACTOR'S EXPENSE.
- 4. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE 'OCCUPATIONAL HEALTH AND SAFETY ACT AND REGULATIONS FOR CONSTRUCTION PROJECTS.' THE GENERAL CONTRACTOR SHALL BE DEEMED TO BE THE 'CONSTRUCTOR' AS DEFINED IN
- 5. THERE WILL BE NO SUBSTITUTION OF MATERIALS UNLESS PRIOR WRITTEN APPROVAL IS RECEIVED FROM THE CONTRACT ADMINISTRATOR.
- 6. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED AND TO BEAR THE COST OF THE SAME.
- 7. BENCHMARKS: IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THAT THE SITE BENCHMARK(S) HAS NOT BEEN ALTERED OR DISTURBED AND THAT ITS RELATIVE ELEVATION AND DESCRIPTION AGREES WITH THE INFORMATION DEPICTED

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

LEGEND PROPERTY LINE

PLANTING LARGE DECIDUOUS TREE

MEDIUM TREE (<7m)

SMALL TREE (<7m) **CONIFEROUS TREE**

PLANT LIST A PLANT LIST B PLANT LIST C

PLANT LIST D

SURFACING

UNIT PAVER TYPE 1 UNIT PAVER TYPE 2

CONCRETE PATTERN 1 CONCRETE

PLANTING KEY

 TREE SPECIES - QUANTITY

- SHRUB SPCIES **∖** 00 → QUANTITY

DETAIL KEY

– DETAIL NO. - SHEET NO.

-		
-		
-		
4	Issued For Fourth Submission	24
3	Issued For Third Submission	24
2	Issued For Second Submission	24
1	Issued for Site Plan Approval	23
No.	Description	1

City Approval Stamp






1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

265 CATHERINE STREET OTTAWA ONTARIO

> LAYOUT PLAN **GROUND FLOOR**

Date 2023-02-03 Scale 1:250 Drawn JC/JE Checked SC

Job No. 23-015



Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

LEGEND

PROPERTY LINE

PLANTING

LARGE DECIDUOUS TREE

MEDIUM TREE (<7m) SMALL TREE (<7m)

CONIFEROUS TREE

PLANT LIST A

PLANT LIST B PLANT LIST C PLANT LIST D

SURFACING

UNIT PAVER TYPE 1 **UNIT PAVER TYPE 2**

CONCRETE PATTERN 1

CONCRETE

PLANTING KEY

 TREE SPECIES QUANTITY

´xx*-*--- SHRUB SPCIES **∖** 00 *-*/ - QUANTITY

- SHEET NO.

-		
-		
-		
4	Issued For Fourth Submission	24-09-10
3	Issued For Third Submission	24-05-23
2	Issued For Second Submission	24-03-14
1	Issued for Site Plan Approval	23-05-15
No.	Description	Date

City Approval Stamp






1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

265 CATHERINE STREET OTTAWA ONTARIO

> CANOPY PLANTING PLAN GROUND FLOOR

Date 2023-02-03 Scale 1:250 Drawn JC/JE Checked SC

Job No. 23-015



Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

PLANTING

LARGE DECIDUOUS TREE

MEDIUM TREE (<7m) SMALL TREE (<7m)

CONIFEROUS TREE

PLANT LIST A PLANT LIST B

PLANT LIST C PLANT LIST D

SURFACING

UNIT PAVER TYPE 1 UNIT PAVER TYPE 2 CONCRETE PATTERN 1

CONCRETE

TREE SPECIES

QUANTITY ´ xx \ ─ SHRUB SPCIES

∖ 00 → - QUANTITY


- SHEET NO.

24-09-10 4 Issued For Fourth Submission 24-05-23

24-03-14

23-05-15 Date

ONEMBER STO






1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

265 CATHERINE STREET OTTAWA ONTARIO

SHRUB & PERENNIAL PLANTING PLAN **GROUND FLOOR**

Date 2023-02-03 1:250 Drawn JC/JE Checked SC

Job No. 23-015



—UNIT PAVERS

250mm ANCHORING SPIKE AS PER

MANUFACTURER SPECIFICATION

APPROVED BY GEOTECHNICAL ENGINEER

UNDISTURBED SUBGRADE OR COMPACTED FILL AS———

REFER TO LAYOUT

—ROOT BARRIER AROUND


UTILITIES AS REQUIRED BY APPROVING AGENCY

PROPER AUTHORITY

EXISTING OR PROPOSED UTILITY CONDUIT

PLACEMENT OF SOIL MODULES OVER A

UTILITY MUST BE APPROVED BY THE



CONCRETE PLANTER CURB

PLANT PERENNIALS AND GRASSES 25mm HIGHER THAN ADJACENT GRADE VARIES — 75mm SHREDDED MULCH, PULL BACK WITH SPECIES MULCH FROM BASE OF PLANT. ENSURE THAT MULCH COVERS ALL EXPOSED SOIL - CONTRUCT 100mm SAUCER AROUND PERENNIAL / GRASS BED — TOPSOIL MIX, LIGHTLY COMPACT TO ELIMINATE AIR POCKETS AND PREVENT SETTLEMENT - REMOVE POTS COMPLETELY FROM POTTED STOCK OR CUT AND REMOVE BURLAP AND WIRE FROM


> TOP 2/3 OF ROOT BALL — COMPACTED SUBGRADE

- SCARIFY SUBGRADE SURFACE OF

PLANTING BED PRIOR TO PLANTING

1. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION. 2. PROVIDE 100mm HIGH EARTH SAUCER AROUND PERENNIAL/GRASS BED.

PERENNIAL AND ORNAMENTAL GRASS PLANTING N.T.S.



2. PROVIDE 100mm HIGH EARTH SAUCER AROUND SHRUB BED

SHRUB BED PLANTING

3 Issued for Third Submission 24-05-23 2 Issued for Second Submission 24-05-06 1 Issued for Site Plan Approval 23-05-15 No. Description Date

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the

Landscape Architect.

City Approval Stamp

Revision



design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

256 CATHERINE STREET OTTAWA ONTARIO

DETAILS

Date 2023-02-03 Scale AS SHOWN Drawn JE/NM Checked SC

Job No. 23-015

L05

STREET TREE PLANTING IN STRUCTURAL SOIL MODULES

TREE PLANTING

GEOTEXTILE-

GEOGRID-

PLANTING SOIL-INSTALLED IN LIFTS

ZIP TIES AS REQUIRED

GEOTEXTILE BETWEEN—

TO ATTACH GEOGRID

TO SOIL MODULE (TYP)

COMPACTED AGGREGATE AND

COMPACTED SUB-BASE (TYP)

REFER TO LAYOUT

DRAINAGE INLET FOR IRRIGATION-

PER MANUFACTURERS SPECIFICATIONS

100mm PERFORATED PIPE

STRUCTURAL SOIL MODULES—

N.T.S.

REMOVE DAMAGED OR OBJECTIONABLE BRANCHES, FOLLOW THE MOST RECENT CANADIAN NURSERY & TRADES ASSOCIATION PRACTICE. DO NOT PRUNE LEADER. —STAKE BEYOND EDGE OF ROOT BALL USING ONE (1) STAKES 2400mm (MIN) LONG. SECURE AROUND TRUNK AND MAIN BRANCHES IN THE DIRECTION OF PREVAILING WIND WITH ARBOR TIES. TREES SHOULD BE SECURE, AND ALLOW FOR SLACK ARBOR TIE SHALL BE FASTENED IN A MANNER WHICH PERMITS TREE MOVEMENT AND SUPPORTS THE TREE —APPLY 450mm MINIMUM FLEXIBLE PLASTIC RODENT COLLAR —ROOT COLLAR TO BE SET 100mm ABOVE FINISHED GRADE —75mm SHREDDED MULCH AS PER SPECIFICATIONS -CONSTRUCT 100mm SAUCER AROUND TREE BASE -SCARIFY SURFACE OF SUBGRADE PRIOR TO PLANTING —CUT AND REMOVE BURLAP AND WIRE BASKET FROM TOP 2/3 OF ROOT BALL WITHOUT DISTURBING ROOTS TOPSOIL MIX, LIGHTLY COMPACT AND WATER WELL TO ELIMINATE AIR POCKETS AND PREVENT SETTLEMENT

1. REMOVE STAKE AFTER ONE YEAR OR UNTIL TAKEOVER, UNLESS OTHERWISE DIRECTED BY THE LANDSCAPE ARCHITECT. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION

- REMOVE TREE WRAP AFTER PLANTING
- 4. CALIPER TO BE MEASURED AT THE BASE OF TREE AT ROOT BALL.

PREVAILING WIND WITH ARBOR TIES. TREES SHOULD BE SECURE, AND ALLOW FOR ? ARBOR THE SMALL BE FASTENED IN A MANNER WHICH PERMITS TREES MOVEMENT AND SUPPORTS THE TREE REMOVE DAMAGED OR OBJECTIONABLE BRANCHES, FOLLOW THE MOST RECENT CANADIAN NURSERY & TRADES ASSOCIATION PRACTICE. DO NOT PRUNE LEADER. PRUNE ONLY WHEN TREE IS DORMANT. ROOT COLLAR TO BE SET 100mm ABOVE FINISHED GRADE —75mm SHREDDED MULCH AS PER —CONSTRUCT 100mm SAUCER AROUND TREE BASE TOPSOIL MIX, LIGHTLYCOMPACT AND WATER WELL TO ELIMINATE AIR POCKETS AND PREVENT —CUT AND REMOVE BURLAP AND WIRE BASKET FROM TOP 1/3 OF ROOT BALL WITHOUT DISTURBING ROOTS -SCARIFY SURFACE OF SUBGRADE PRIOR TO PLANTING -MIN 150mm TAMPED MOUND OF PLANTING SOIL TO PREVENT SETTLEMENT

—STAKE BEYOND EDGE OF ROOT BALL

USING ONE (1) STAKE 2400mm (MIN)


LONG. SECURÉ AROUND TRUNK AND MAIN BRANCHES IN THE DIRECTION OF

NOTES:

1. REMOVE STAKE AFTER ONE YEAR OR UNTIL TAKEOVER UNLESS OTHERWISE DIRECTED BY THE


- LANDSCAPE ARCHITECT. 2. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION

DECIDUOUS TREE PLANTING (ONE STAKE W/ARBOR TIES)



DECIDUOUS TREE PLANTING - ON SLAB

CONIFEROUS TREE PLANTING (ONE STAKE W/ARBOR TIES)



CONIFEROUS TREE PLANTING - ON SLAB N.T.S.

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

-		
-		
-		
4	Issued for Fourth Submission	24-09-10
3	Issued for Third Submission	24-05-23
2	Issued for Second Submission	24-05-06
1	Issued for Site Plan Approval	23-05-15
No.	Description	Date

City Approval Stamp



design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

256 CATHERINE STREET OTTAWA ONTARIO

DETAILS

Date 2023-02-03 Scale AS SHOWN Drawn JE/NM Checked SC

Job No. 23-015