



LOCATION

SERVICES AND UTILITIES LEGEND:

—	SANITARY MANHOLE AND SEWER
)	STORM MANHOLE AND SEWER
>	PROPOSED VALVE AND VALVE B
]	PROPOSED ROADSIDE CATCH B
	PROPOSED CURB INLET CATCH
]	PROPOSED REARYARD CATCHB
)	PROPOSED REARYARD CATCHB
9	REAR YARD ELBOW
)	REAR YARD TEE
7	PROPOSED SERVICE LOCATION
)-	HYDRANT
.B	BELL GRADE LEVEL BOX
νP	ROGERS NETWORK ACCESS PO
\ge	PROPOSED ROGERS LOCAL CON NODE AND POWER SUPPLY (2m ;
·	ROGERS VAULT ON A 2m x 3m EA
3	BELL PEDESTAL (PERFORM 10, B
	BELL PEDESTAL (PERFORM 8, BE
×	BELL PEDESTAL TV1024
	PROPOSED HYDRO MANHOLE
IB	COMMUNITY MAILBOX WITH PAV BETWEEN PAD AND SIDEWALK
	PROPOSED BARRIER CURB
\rightarrow	PROPOSED STREETLIGHT
\rightarrow	EXISTING STREET LIGHT
ž	EXISTING STREET LIGHT
) _{HP}	EXISTING HYDRO POLE
) UP	EXISTING UTILITY POLE
- /	

TREE PROTECTION NOTES

The following protection measures must be implemented for retained trees, both on site and on adjacent sites, prior to any tree removal or site works and maintained for the duration of construction on site:

- 1. Under the guidance of a Landscape Architect or Certified Arborist, erect a fence at the critical root zone (CRZ) of trees where the CRZ is established as being 10 centimetres from the trunk of a tree for every centimetre of trunk diameter at breast height. The CRZ is calculated as DBH x 10cm. Refer to the Tree Protection Fence detail. See plan for fence location.
- When trees to be removed overlap with the CRZ of trees to be preserved: cut roots at the edge of the CRZ and grind down stumps after tree removals, do not pull out stumps. Ensure there is not root pulling or disturbance of the ground within the CRZ. 3. If roots must be cut, roots 20mm or larger should be cut at right
- angles with clean, sharp horticultural tools without tearing, crushing, or pulling. Refer to City of Ottawa Specification S.P. F-8011 Tree Protection, Excavation of Root Zone.
- Do not place any material or equipment within the CRZ of any tree.
- Do not attach any signs, notices or posters to any tree. Do not disturb, raise or lower the existing grade within the CRZ
- 8. Only tunnel or bore when digging within the CRZ of a tree. 9. Do not damage the root system, trunk, or branches or any tree. 10. Ensure that exhaust fumes from all equipment are directed away

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	COND	SPA
ROW T	rees to	be installed with Forecourt Townhomes				
ARR	9	Acer rubrum 'FrankJr'	Redpointe Red Maple	50mm Cal	WB	As S
COC	6	Celtis occidentalis 'Chicagoland'	Chicagoland Hackberry	50mm Cal	WB	As S
GBA 7 Ginkgo biloba 'Autumn Gold'		Ginkgo biloba 'Autumn Gold'	Autumn Gold Ginkgo	50mm Cal	WB	As S
MR 3 Malus 'Royalty'		Malus 'Royalty'	Royalty Crabapple	50mm Cal	WB	As S
NS	1	Nyssa sylvatica	Black Gum	50mm Cal	WB	As S
ROW T	rees to	be installed in future				
ARR	2	Acer rubrum 'FrankJr'	Redpointe Red Maple	50mm Cal	WB	As S
TMH	3	Tilia cordata x mongolica 'Harvest Gold'	Harvest Gold Linden	50mm Cal	WB	As S
ROW P	lanting	installed with Subdivision (D07-16-15-000	01)			
Decidu	ous Tre	es - Large				
QMU	3	Quercus macrocarpa 'Urban Pinnacle'	Urban Pinnacle Oak	50mm Cal	WB	As S
тсс	5	Tilia cordata 'Corzam'	Corinthian Linden	60mm Cal	WB	As S
Decidu	ous Sh	rubs				
AL	5	Amelanchier laevis	Allegheny Serviceberry	50mm Cal	WB	As S

SCALE	DESIGN	FOR REVIE	EW ONLY			CITY OF OTTAWA
1:300			OF LANDS	NO\	ЛТЕСН	GREYSTONE VILLAGE 175 MAIN STREET
1.000	RJ drawn TB/KW		Sector And Sector	Engineers, Plann Suite 200, 240	ers & Landscape Architects Michael Cowpland Drive ario, Canada K2M 1P6	DRAWING NAME
1:300 6 9 12	CHECKED		OCT.11 24 S	Telephone Facsimile	(613) 254-9643 (613) 254-5867	PHASE 2 AND 3
	approved RJ		NO SLO	Website	www.novatech-eng.com	DES OBLATS / PARISH

