

## CATCH BASIN & MANHOLE SCHEDULE

(SUBMIT SHOP DRAWINGS OF ALL CATCH BASINS & MANHOLES TO ENGINEER FOR APPROVAL)

REF	TOP	SIZE	TYPE	INVERT AT INLET	INVERT AT OUTLET	NOTES
<b>STORM SEWER</b>						
CB/MH-1	75.35	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	-	73.10	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
CB/MH-2	75.29	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	72.96(NW)	72.96(NE)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
MH-3	75.40	1200mm	PRECAST CONCRETE MANHOLE	72.87(SW)	72.87(NE)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S24.1 OR OPSD 401.010
CB-4	75.08	600mm x 600mm	PRECAST CONCRETE CATCH-BASIN	-	72.83	TO OPSD 705.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S19
CB/MH-5	75.08	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	72.80(SW) 72.72(NE)	72.72(NW)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
CB-6	75.08	600mm x 600mm	PRECAST CONCRETE CATCH-BASIN	-	72.83	TO OPSD 705.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S19
CB/MH-7	75.08	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	72.72(NE) 72.64(SE)	72.64(NW)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
CB/MH-8	75.16	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	72.59(SE)	72.59(NW)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
CB/MH-9	75.16	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	72.55(SE)	72.55(NW)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010  INSTALL ICD IN OUTLET PIPE
MH-10	75.23	CDS PMSU2015-4	PRECAST CONCRETE MANHOLE	73.79(NE) 72.47(SE)	72.47(NW)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS EXCEPT WITH A DEEP SUMP AS REQUIRED BY CDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
MH-11	75.19	1200mm	PRECAST CONCRETE MANHOLE	-	72.72	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & WATERTIGHT COVER TO OPSD 401.030
MH-12	75.19	1200mm	PRECAST CONCRETE MANHOLE	72.63(SE)	72.57(NE)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & WATERTIGHT COVER TO OPSD 401.030
CB/MH-13	74.97	1200mm	PRECAST CONCRETE CATCH-BASIN/MANHOLE	-	72.97	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010
<b>SANITARY SEWER</b>						
MH-SA.1	75.40	1200mm	PRECAST CONCRETE MANHOLE	-	72.75	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S24 OR OPSD 401.010
MH-SA.2	75.20	1200mm	PRECAST CONCRETE MANHOLE	72.71(SE)	72.45(NW)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS - FRAME & WATERTIGHT COVER TO OPSD 401.030

**KEY PLAN**



No.	DATE	REVISION
4	SEP 12-24	ISSUED FOR APPROVAL
3	MAY 6-24	ISSUED FOR APPROVAL
2	MAY 2-24	ISSUED FOR COORDINATION
1	DEC 21-23	ISSUED FOR APPROVAL

**D. B. GRAY ENGINEERING INC.**  
Stormwater Management Consulting & Professional Services  
 7000 Long Point Circle  
 Ottawa, Ontario  
 dlgray@dbgrayengineering.com

**Project**  
**STACKED TOWNS**  
**BUILDING A - 20 UNITS**  
**BUILDING B - 24 UNITS**  
 2506 INNES ROAD  
 OTTAWA, ONTARIO

**Drawing Title**  
**SCHEDULES**  
**(SEWERS)**

Engineer's Seal  
  
 NOT VALID UNLESS SIGNED & DATED