



**PATERSON  
GROUP**

**Consulting Engineers**

9 Auriga Drive  
Ottawa, Ontario  
K2E 7T9  
Tel: (613) 226-7381

Geotechnical Engineering  
Environmental Engineering  
Hydrogeology  
Materials Testing  
Building Science  
Rural Development Design  
Retaining Wall Design  
Noise and Vibration Studies

[patersongroup.ca](http://patersongroup.ca)

October 10, 2024  
File: PE4995-LET.03

**Granite Private Equity LP Inc.**  
16 Concourse Gate, Suite 200  
Ottawa, Ontario  
K2E 7S8

Attention: **Mr. William Kealey**

Subject: **Phase I - Environmental Site Assessment Update**  
**1950 Scott Street, 312 & 314 Clifton Road**  
**Ottawa, Ontario**

Dear Sir,

Further to your request, Paterson Group (Paterson) carried out a Phase I - Environmental Site Assessment (Phase I ESA) Update for the aforementioned property. This report is an update of the previous Phase I ESA completed by Paterson Group and dated September 17, 2020, and is intended to meet the requirements of a Phase I ESA Update, as per the MECP Standard O.Reg. 153/04, as amended, under the Environmental Protection Act. This report is to be read in conjunction with the previous reports.

## Site Information

The Phase I Property is located at the southwest corner of the intersection of Scott Street and Clifton Road, in the City of Ottawa, Ontario.

The Phase I Property is rectangularly shaped with an approximate total footprint of 0.23 ha. The site is situated in a municipally serviced area. The property at 1950 Scott Street is occupied by the former International Buddhist Progress Society of Ottawa, while 312 and 314 Clifton Road are occupied by single-family residential dwellings with private garages. All buildings on the Phase I Property are currently vacant.





## Records Review

### Phase I ESA Study Area Determination

A radius of approximately 250m was determined to be appropriate as a Phase I Study Area for this assessment. Properties outside the 250m radius are not considered to have the potential to impact the Phase I Property, based on their separation distance.

### First Developed Use Determination

Based on aerial photographs and the documentation reviewed, the Phase I Property is considered to have been first developed in the 1920's for residential purposes, followed by commercial development circa 1957.

### Previous Engineering Reports

The following reports were reviewed prior to conducting this assessment:

- ❑ Phase I Environmental Site Assessment, 1950 Scott Street, 312 and 314 Clifton Road, Ottawa, Ontario, prepared by Paterson Group, dated September 17, 2020.

According to the 2020 Phase I ESA, the Clifton Road addresses of the Phase I Property were first developed as residential dwellings around 1920 and have remained residential use to the present day. The property addressed 1950 Scott Street was owned by private landowners and/or the Town of Nepean until it was purchased by the Independent Coal and Lumber Company in 1948 for use as an office. It remained office space for various organizations until 1999 when the International Buddhist Progress Society of Ottawa became the owner and used the land for institutional purposes.

In the 2020 Phase I ESA, two Areas of Potential Environmental Concern (APECs) were identified on the Phase I Property, consisting of:

- ❑ Fill material of unknown composition across the entirety of the Phase I Property.
- ❑ A former automotive service garage west of the Phase I Property at 1960 Scott Street.

The 2020 Phase I ESA also identified 17 Potentially Contaminating Activities (PCAs) on nearby properties within a 250m radius of the subject property. These PCAs were not considered to result in an APEC on the Phase I Property.

Based on the presence of the two APECs, a Phase II ESA was recommended and carried out.

- ❑ Phase II Environmental Site Assessment, 1950 Scott Street, 312 and 314 Clifton Road, Ottawa Ontario, prepared by Paterson Group, dated September 28, 2020.



A total of 4 boreholes were drilled on the Phase I Property. Two of the boreholes were installed with groundwater monitoring wells. Three monitoring wells were already present on site and utilized as part of the Phase II Environmental Site Assessment.

Soil samples were submitted for analytical testing of polycyclic aromatic hydrocarbons (PAH) and metals parameters. All tested soil samples met the applicable MECP Table 7 standards.

Groundwater samples from three monitoring wells were recovered and analyzed for petroleum hydrocarbons (PHCs) and volatile organic compounds (VOCs). All PHC and VOC concentrations in the groundwater samples were in compliance with MECP Table 7 Standards except for a concentration of chloroform identified in BH4-20. The exceedance is expected to be a result of the municipal water used during bedrock coring, and as such, is not considered a contaminant of concern.

The Phase II ESA concluded that the soil and groundwater on the Phase II Property were in compliance with MECP Table 7 Standards.

- ❑ Designated Substance Survey, 1950 Scott Street, 312 and 314 Clifton Road, Ottawa Ontario, prepared by Paterson Group, dated April 13, 2023.

A designated substance survey (DSS) was conducted on each of the buildings on the Phase I Property in anticipation of their demolition in order to ensure compliance with O.Reg. 490/09.

Based on observations during the DSS site visit on March 22<sup>nd</sup>, 2023, Acrylonitrile, arsenic, Benzene, Coke Oven Emissions, Ethylene Oxide, Isocyanates, and vinyl chloride are not expected to be a concern in any of the subject buildings, provided the building materials are not exposed to high temperatures and precautionary measures are followed during demolition works.

The DSS identified ten asbestos containing materials, five lead-containing paints and one lead-based paint.

## **Historical Review and Records Update**

### **Ministry of the Environment, Conservation and Parks (MECP) Instruments**

As part of the initial 2020 Phase I ESA, a request was submitted to the MECP Freedom of Information (FOI) office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the Phase I Property. The response from the MECP indicated that no pertinent records were identified with respect to the Phase I Property.

As part of this current assessment, a new request for information was submitted to the MECP. The response from the MECP indicated that no records were located which



were responsive to this request. A copy of this response has been appended to this letter.

### **MECP Submissions**

As part of the initial 2020 Phase I ESA, a request was submitted to the MECP FOI office for information with respect to reports related to environmental conditions for the Phase I Property. The response from the MECP indicated that no pertinent records were identified with respect to the Phase I Property.

As part of this current assessment, a new request for information was submitted to the MECP. The response from the MECP indicated that no records were located which were responsive to this request. A copy of this response has been appended to this letter.

### **MECP Incident Reports**

As part of the initial 2020 Phase I ESA, a request was submitted to the MECP FOI office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP for the site or adjacent properties. The response from the MECP indicated that no pertinent records were identified with respect to the Phase I Property.

As part of this current assessment, a new request for information was submitted to the MECP. The response from the MECP indicated that no records were located which were responsive to this request. A copy of this response has been appended to this letter.

### **MECP Waste Management Records**

As part of the initial 2020 Phase I ESA, a request was submitted to the MECP Freedom of Information office for information with respect to waste management records for the initially assessed lands. The response from the MECP indicated that no pertinent records were identified with respect to the Phase I Property.

As part of this current assessment, a new request for information was submitted to the MECP. The response from the MECP indicated that no records were located which were responsive to this request. A copy of this response has been appended to this letter.

### **MECP Brownfields Environmental Site Registry**

A search of the MECP Brownfields Environmental Site Registry was conducted as part of this assessment for the Phase I Study Area. No Records of Site Condition (RSCs) were filed for the subject site.



Six (6) RSCs were filed for properties within a 250m radius of the Phase I Property: 309 Athlone Avenue, 1900, 1946, and 1960 Scott Street, 319 McRae Avenue, and multiple civic addresses represented by 320 McRae Avenue. Based on the separation distances of the properties at 309 Athlone Avenue, 1900 and 1960 Scott Street with respect to the Phase I Property, and/or the information in the Environmental Site Registry (ESR), these properties are not considered to represent an APEC on the subject land.

The RSC for 319 McRae Avenue, situated immediately southwest of the subject property, was filed by Paterson in December of 2014. Groundwater beneath this property was determined to be clean at the time of the Phase II ESA. No indications of contamination were noted along the southern portion of the subject property at the time of the remediation.

Based on a review of the available RSC documents the soil and groundwater present on the property addressed 1946 Scott Street are free from contaminants and they meet the selected Table 7 RPI standards.

Based on a review of the available RSC documents for the properties addressed 320 McRae Avenue, 1976 Scott Street, and 305, 311 and 315 Tweedsmuir Avenue, all post-remediation soil and groundwater samples tested met the applicable Table 7 Standards.

### **Technical Standards and Safety Authority (TSSA)**

The TSSA, Fuels Safety Branch in Toronto, was contacted electronically on September 20, 2024, to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. A response from the TSSA indicated that no records were listed in the TSSA registry for the Phase I Property or neighbouring properties. A copy of the TSSA response has been appended to this report.

### **City of Ottawa Historical Land Use Inventory (HLUI)**

As part of the initial 2020 Phase I ESA, a request was submitted to the City of Ottawa for information from the Historical Land Use Inventory for environmental records pertaining to the properties within the Phase I Study Area. This search identified six potentially contaminating activities, one of which, a former automotive service garage at 1960 Scott Street, resulted in an area of potential environmental concern for the Phase I Property.

As part of this assessment, a new requisition form was submitted to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI) database for any environmental records pertaining to the Phase I Property as well as any properties situated within the Phase I Study Area. A response from the City of Ottawa had not been received by our firm prior to the issuance of this report, however, a copy of the response will be forwarded to the client should it contain any new pertinent information.



A copy of the submission request has been appended to this report.

### **Environmental Risk Information Service (ERIS) Report**

An ERIS (Environmental Risk Information Service) Report was obtained for the Phase I Property and surrounding lands as part of this Phase I ESA Update. It should be noted that the ERIS report includes information that can normally be obtained through the MECP FOI, MECP well records search as well as several other records (i.e., incident reports, waste generators, etc.). The complete ERIS report has been appended to this report.

#### *On-Site Records:*

The ERIS report returned one record for the Phase I Property which pertained to a previous ERIS Historical Search.

#### *Off-Site Records:*

A total of 150 records from various databases were identified for surrounding properties within the Phase I Study Area, 16 of which are historical ERIS searches.

The ERIS report identified nine RSCs within the Phase I Study Area. As previously discussed in this letter, five of these RSCs entries are represented by different addresses but filed under the same RSC number. Based on separation distances between the respective RSC properties and the Phase I Property, in combination with the information contained in the ESR, none of the RSC properties are considered to result in an APEC on the Phase I Property.

The ERIS report identified 42 Ontario Waste Generator Records for the Phase I Study Area. Twenty of these records are located in excess of 200m from the Phase I Property and therefore do not pose a concern to the Phase I Property. Twelve of the waste generator records are associated with properties that have been evaluated in a record of site condition and based on the information in the ESR they do not pose a risk to the Phase I Property. Eight records pertain to the generation of inert inorganic waste and waste oils by OC Transpo at 1997 Scott Street and the final record of generated waste is for polychlorinated biphenyls at 305 Clifton Avenue. The generation of these wastes is not considered to pose an environmental risk for the Phase I Property.

The ERIS report identified 15 Ontario Spill Records for areas located within the Phase I Study Area. Seven of these records are in excess of 150m away from the Phase I Property and are therefore not considered to pose an environmental concern to the Phase I Property. Four of the records pertain to spills of seven litres or less that are in excess of 100m from the Phase I Property. These records are considered to be of insufficient volume and sufficient distance so as not to pose a risk to the Phase I



Property. One spill was the result of a natural gas line strike and two were for properties for which an RSC has been filed. Based on available information these do not pose a risk for the Phase I Property. The final spill is a 171L transformer oil spill approximately 44m east of the Phase I Property at 305 Clifton Road that occurred in 2004. Based on the groundwater flow direction, which was determined in the Phase II ESA to be flowing east, and the separation distance between the spill and the Phase I Property, this incident is not considered to have resulted in an environmental impact for the Phase I Property.

The ERIS report identified one record of automobile wrecking and supplies within 250m of the Phase I Property. This property, 320 McRae Avenue, has since been filed under a Record of Site Condition as discussed above and based on information in the ESR is not a concern for the Phase I Property.

Five delisted fuel tank records were identified within the Phase I Study Area. All five records are affiliated with the address 1976 Scott Street, approximately 120m southwest of the Phase I Property. Based on the separation distance, these activities are not considered to pose an environmental concern to the Phase I Property.

One Environmental Activity and Sector Registry (EASR) record was identified by the ERIS report for the Phase I Study Area. This EASR pertains to a permit for construction dewatering and does not represent an environmental concern for the Phase I Property.

The ERIS report returned two environmental registry records. Both pertain to an automotive service centre approximately 240m south of the Phase I Property. The activities associated with these records are not considered close enough to the Phase I Property to pose an environmental risk.

The ERIS report returned seven environmental compliance approval records for the Phase I Study Area. Four of these records pertain to the installation of sewage works and are not considered an environmental concern. One of the records pertains to an application for natural gas fired boilers, hot water heaters and a standby diesel generator for a condominium. Another record identifies the application for a standby diesel generator. Neither of these pose an environmental concern for the Phase I Property. The last ECA pertains to an application for a paint booth, fume hood, gun wash machine, solvent recycler and a paint mix room to be installed at 225 Richmond Road. Given the separation distance of approximately 240m this activity does not present an environmental concern for the Phase I Property.

The ERIS report identified five certificates of approval for the Phase I Study Area. Three of these records are in excess of 150m from the Phase I Property and are not considered to pose an environmental concern. The remaining two records are duplicates of Environmental Compliance Approval records discussed above.



Three expired fuel safety facilities were identified in the Phase I Study Area, located approximately 120m southwest of the Phase I Property at 1976 Scott Street. These pertain to two underground gasoline storage tanks and one underground diesel storage tank. 1976 Scott Street lies within an RSC property. Based on the separation distance between 1976 Scott Street and the Phase I Property, as well as the information contained in the ESR, these historical fuel storage tanks are not considered to pose a concern for the Phase I Property.

Three TSSA Historic Incidents were identified in the ERIS report. Based on separation distance between these incidents and the Phase I Property, these incidents are not considered to pose a risk to the Phase I Property.

The ERIS report identified one National Pollutant Release Inventory – Historic record approximately 240m west of the Phase I Property. Based on the separation distance, this activity is not considered to pose an environmental concern for the Phase I Property.

One pipeline incident was identified 184m southwest of the Phase I Property. This 2018 incident does not represent an environmental concern for the Phase I Property.

One record of a private and retail fuel storage tank was identified for the property addressed 1976 Scott Street, approximately 120m west of the Phase I Property. Based on information in the ESR, this historical activity does not pose an environmental concern for the Phase I Property.

The ERIS report identified thirteen records from the Scott's Manufacturing Directory. All of these records are either of a sufficient separation distance or are located on RSC properties that have since been shown to meet Table 7 Standards. Therefore, the activities associated with these records are not considered to pose an environmental concern for the Phase I Property.

Twenty-three Well Water Information System records and three borehole records were identified within the Phase I Study Area. These activities are not considered to pose an environmental concern for the Phase I Property.

Based on a thorough review of all records identified within the ERIS report, no new Potentially Contaminating Activities were identified which have the potential to result in an Area of Potential Environmental Concern on the Phase I Property.

### **MECP Water Well Records**

A search of the MECPs website for all drilled well records within 250 m of the Phase I Property was conducted on September 23, 2024. Twenty-four (24) well records were





identified within Phase I Study Area all of which pertain to monitoring wells and well decommissioning.

### **Aerial Photographs**

The most recent aerial photograph reviewed as part of Paterson's 2020 Phase I ESA was taken in 2014. For this update, an aerial image from 2022, accessed via geoOttawa, was reviewed. Based on a review of this photograph, the following observations have been made:

2022 (geoOttawa) No significant changes are apparent with respect to the Phase I Property. The commercial building west of the Phase I Property at 1960 Scott Street, and the vacant lot at 319 McRae Avenue have been redeveloped into three multi-storey residential apartment buildings since the 2014 aerial photo. No other significant changes are apparent with respect to the neighbouring properties.

A Copy of the 2022 aerial photograph has been appended to this letter.

### **Property Owner Representative Interview**

Mr. Troy McKnight, Director of Operations with Colonnade BridgePort was interviewed as part of this Phase I ESA Update. According to Mr. McKnight, the Phase I Property has been owned by the firm he represents for approximately four years. Mr. McKnight stated that all three of the buildings on the Phase I Property were slated for demolition. Mr. McKnight was not aware of any fuel spills, imported fill material of unknown quality, or other environmental concerns other than those previously identified in the Phase I ESA and Phase II ESA completed by Paterson Group.

### **Site Reconnaissance**

A site visit was conducted on October 3, 2024. Mr. Mark Bujaki from the Environmental Department of Paterson Group conducted the site inspection. In addition to the site, the uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit.

### **Buildings and Structures**

The subject site is currently occupied by two residential dwellings with associated private garages at 312 and 314 Clifton Road, and a Buddhist temple at 1950 Scott Street. The buildings are considered to have been constructed between the 1920's and the 1960's and none of the buildings were occupied at the time of inspection.



## **Site Features**

The ground surface on the residential properties largely consists of asphaltic concrete laneways and parking areas with some grass and trees. The ground surface at 1950 Scott Street mainly consists of asphaltic concrete parking areas, with a small, landscaped area north of the building. Site topography is generally flat, sloping slightly downwards to the north and east. Site drainage consists primarily of sheet flow to catch basins along Scott Street and Clifton Road, with some infiltration occurring in areas of permeable ground surface, such as the landscaped areas.

Five monitoring wells that were installed as part of previous investigations were observed onsite and appeared to be in good working order.

Regular domestic waste was observed stored on the south side of 1950 Scott Street. Despite this, no active generation of waste is expected on the Phase I Property since none of the subject structures are occupied.

No evidence of recent excavation was observed on the exterior of the subject property. No evidence of current or former railway or spur lines on the subject land were observed at the time of the site visit. A former rail line existed along the north side of Scott Street, north of the Phase I Property which ceased operations in the 1960s. There were no unidentified substances observed on the exterior of the Phase I Property.

No new fill material of unknown quality was observed on the Phase I Property at the time of the site inspection.

## **Updated Interior Assessment**

### **1950 Scott Street**

A severely damaged roof has allowed for the infiltration of water and moisture for several years. As a result, significant mould growth was observed throughout the subject structure on walls, ceilings and floors.

Chemical storage was limited to small quantities of commercially available cleaning products and paint. All chemicals were properly stored in their original containers, with no evidence of spills or staining observed at the time of the site visit. No concerns associated with chemical storage were identified at the subject site.

No ASTs or evidence of USTs, spills, or staining were observed on the interior of the building.

### **312 Clifton Road**

No floor drains or sumps were observed within the subject structure at the time of the site visit.



The building was outfitted for heating with a natural gas-fired furnace. No evidence of ASTs or USTs, spills or staining were observed on the interior of the residential dwelling.

No chemicals were observed at 312 Clifton Road at the time of inspection. No concerns associated with chemical storage were identified on this portion of the Phase I Property.

### **314 Clifton Road**

A sump pit was present in the basement of the dwelling. No water was present in the sump pit at the time of inspection and there were no visual or olfactory signs of contamination observed within the sump.

The building is currently heated with electric baseboard heaters and reportedly heated as such since its construction. An electric hot water heater heats domestic hot water. No ASTs or evidence of USTs, spills, or staining were observed on the interior of the residential dwelling. The private garage is not heated.

Chemical storage within the dwelling was limited to small quantities of commercially available cleaning products and paint. All chemicals were properly stored in their original containers, with no evidence of spills or staining observed at the time of the site visit. No concerns associated with chemical storage were identified on this portion of the Phase I Property.

### **Neighbouring Properties**

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site visit. Land use adjacent to the Phase I Property was as follows:

- North – Scott Street Followed by the OC Transpo Transitway and residential dwellings;
- South – Residential dwellings followed by Commercial buildings and Richmond Road;
- East – Clifton Road followed by a transformer sub-station and Residential dwellings;
- West – Residential Apartment buildings and commercial followed by McRae Avenue;

The use of the property at 305 Clifton Road as a transformer sub-station is considered to be a PCA. Based on observations from aerial photographs in combination with observations made at the time of the site visit, the transformers are situated above-grade on concrete slabs and are secured within a walled enclosure. Due to the nature of the operation, in combination with the separation distance and orientation with respect to the Phase I Property, the transformer sub-station is not considered to represent an APEC on the subject land.



## **Assessment of Uncertainty and/or Absence of Information**

The information available for review as part of the preparation of this Phase I-ESA Update is considered to be sufficient to conclude that there are no new APECs on the Phase I Property. A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

## **Conclusions**

The results of the records review, research, and site inspection indicated that there are no new potential environmental concerns regarding the subject site since the 2020 Phase I ESA and 2020 Phase II ESA. Based on the findings of this Phase I ESA Update, **in our opinion, no further Phase II Environmental Site Assessment is required for the Phase I Property.**

## **Statement of Limitations**

This Phase I - Environmental Site Assessment Update report has been prepared in general accordance with O.Reg. 153/04, as amended. The conclusions presented herein are based on information gathered from a historical review and field inspection program. The findings of the Phase I ESA Update are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies and was limited within the scope-of-work, time, and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Granite Private Equity LP Inc. Permission and notification from Granite Private Equity LP Inc. and this firm will be required to release this report to any other party.

We trust that this submission satisfies your current requirements. Should you have any questions, please contact the undersigned.



**Paterson Group Inc.**



Mark Bujaki, BSc., MBA



Mark S. D'Arcy, P.Eng., Q.P.ESA




**Report Distribution:**


- Granite Private Equity LP Inc. - Mr. William Kealey
- Paterson Group

**Attachments:**

- Figure 1 - Key Plan
- Aerial Photograph
- FOI Response
- TSSA Correspondence
- HLUI Request
- ERIS Report



**FIGURE 1**  
**KEY PLAN**



AERIAL PHOTOGRAPH  
2022

Ministry of the Environment,  
Conservation and Parks

Corporate Services Branch  
40 St. Clair Avenue West  
Toronto ON M4V 1M2

Ministère de l'Environnement, de la  
Protection de la nature et des Parcs

Direction des services ministériels  
40, avenue St. Clair Ouest  
Toronto ON M4V 1M2



October 5, 2024

Mr. Mark Bujaki  
Paterson Group  
9 Auriga  
Ottawa, Ontario K2E 7T9  
mbujaki@patersongroup.ca

Dear Mark Bujaki:

**RE: MECP FOI A-2024-06265, Your Reference PE4995 – Decision Letter**

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to:

1950 Scott Street AND 312 Clifton Road, Ottawa  
Timeframe: January 1st, 1900 to September 20th, 2024

After a thorough search through the ministry files, no records were located responsive to your request. The official responsible for making the access decision on your request is the undersigned. This file is now closed.

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at <http://www.ipc.on.ca>. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Roxanne Chambers at 807-456-3035 or [roxanne.chambers@ontario.ca](mailto:roxanne.chambers@ontario.ca).

Yours truly,

*Roxanne Chambers*

for

Josephine DeSouza  
Manager, Access and Privacy Office



## Mark Bujaki

---

**From:** Public Information Services <publicinformationsservices@tssa.org>  
**Sent:** September 20, 2024 2:11 PM  
**To:** Mark Bujaki  
**Subject:** RE: PE4995 Records Search Request

**External Email:** Do not click on links or open attachments unless you trust the sender.

Hello ,

### **NO RECORDS FOUND IN CURRENT DATABASE:**

- We confirm that there are NO **fuels records** in our database at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please go to the [TSSA Client Portal](#) to complete an Application for Release of Public Information.

Please refer to [How to Submit a Public Information Request \(tssa.org\)](#) for instructions.

The associated fee must be paid via credit card (Visa or MasterCard).

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org).

Kind regards,  
Sherees



### **Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



---

**From:** Mark Bujaki <mbujaki@Patersongroup.ca>  
**Sent:** Friday, September 20, 2024 10:04 AM  
**To:** Public Information Services <publicinformationsservices@tssa.org>  
**Subject:** PE4995 Records Search Request

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good Morning,

Could you please complete a search of your records for underground/aboveground storage tanks, historical spills, or other incidents/infractions for the following addresses located in Ottawa, Ontario:

305 Clifton Road  
311 Clifton Road  
312 Clifton Road  
313 Clifton Road  
314 Clifton Road  
315 Clifton Road

1946 Scott Street  
1950 Scott Street  
1960 Scott Street  
1997 Scott Street

Thank you very much,



**MARK BUJAKI**

Junior Environmental  
Scientist  
Environmental Division

TEL: (613) 226-7381 ext. 335  
DIRECT: (613) 696-9651

9 AURIGA DRIVE  
OTTAWA ON K2E 7T9

[patersongroup.ca](http://patersongroup.ca)

TEMPORARY SHORING DESIGN SERVICES ARE NOW AVAILABLE, PLEASE CONTACT US TO SEE HOW WE CAN HELP!

**NEW OFFICE OPEN IN THE GREATER TORONTO AREA WITH OUR EXPANSIVE LIST OF SERVICES NOW AVAILABLE!**

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Office Use Only

Application Number: _____	Ward Number: _____	Application Received: (dd/mm/yyyy): _____
Client Service Centre Staff: _____	Fee Received: \$	<input type="text"/>



# Historic Land Use Inventory

## Application Form

### Notice of Public Record

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

### Municipal Freedom of Information and Protection Act

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning, Real Estate and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

Background Information

\*Site Address or Location:

1950 Scott Street, 312 Clifton Road, and 314 Clifton Road

\*Mandatory Field

\*Applicant/Agent Information:

Company name:

Paterson Group

Contact name:

Mark Bujaki

Mailing Address:

9 Auriga Drive

Telephone:

613-299-4209

Email Address:

mark.bujaki@patersongrou.ca

\*Registered Property Owner Information:

Same as above

Name:

Colonnade Bridgeport

Mailing Address:

16 Concourse Gate Suite 200

Telephone:

613-225-8118

Email Address:

wkealey@colonnadebridgeport.ca

## Site Details

Legal Description  
and PIN:

1950 Scott Street, 312 Clifton Road, and 314 Clifton Road

What is the land  
currently used for?

Current: Three Vacant Properties.  
Formerly: Two residential properties and the International Buddhist Progress Society of Ottawa

Lot frontage:

m

Lot depth:

m

Lot area:

m<sup>2</sup>

OR

Lot area: (irregular lot)

2172.94

m<sup>2</sup>

Does the site have Full Municipal Services:

Yes

No

## Required Fees

Please don't hesitate to visit the [Historic Land Use Inventory website](#) more information. Fees must be paid in full at the time of application submission.

Planning Fee

\$181.00

## Submittal Requirements

The following are required to be submitted with this application:

- 1. Consent to Disclose Information:** Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, **the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner.** This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer:** Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Real Estate and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.**
- 4. Any significant dates or time frames that you would like researched.**

**Disclaimer**  
**For use with HLUI Database**

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Mark Bujaki ("the Requester") does so only under the following conditions and understanding:

1. The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.
2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
4. Copyright is reserved to the City.
5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed: 

Dated (dd/mm/yyyy): 04/10/2024

Per: Mark Bujaki  
(Please print name)

Title: Jr. Environmental Scientist

Company: Paterson Group



---

# DATABASE REPORT

**Project Property:** *PE4995 - 1950 Scott Street  
1950 Scott Street  
Ottawa ON K1Z 8L8*

**Project No:** *PE4995*

**Report Type:** *Quote - Custom-Build Your Own Report*

**Order No:** *24092000241*

**Requested by:** *Paterson Group Inc.*

**Date Completed:** *September 25, 2024*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	20
Map.....	36
Aerial.....	37
Topographic Map.....	38
Detail Report.....	39
Unplottable Summary.....	174
Unplottable Report.....	176
Appendix: Database Descriptions.....	201
Definitions.....	211

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## Property Information:

**Project Property:** PE4995 - 1950 Scott Street  
1950 Scott Street Ottawa ON K1Z 8L8

**Project No:** PE4995

## **Coordinates:**

**Latitude:** 45.39704  
**Longitude:** -75.749478  
**UTM Northing:** 5,027,331.23  
**UTM Easting:** 441,339.08  
**UTM Zone:** 18T

**Elevation:** 207 FT  
62.97 M

## Order Information:

**Order No:** 24092000241  
**Date Requested:** September 20, 2024  
**Requested by:** Paterson Group Inc.  
**Report Type:** Quote - Custom-Build Your Own Report

## Historical/Products:

ERIS Xplorer [ERIS Xplorer](#)



## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	1	1
BORE	<i>Borehole</i>	Y	0	3	3
CA	<i>Certificates of Approval</i>	Y	0	5	5
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	5	5
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	2	2
ECA	<i>Environmental Compliance Approval</i>	Y	0	7	7
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	16	16
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	3	3
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	42	42
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	3	3
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Within 0.25 km</b>	<b>Total</b>
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPR2	<i>National Pollutant Release Inventory 1993-2020</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory - Historic</i>	Y	0	1	1
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PFAS	<i>Ontario PFAS Spills</i>	Y	0	0	0
PFCH	<i>NPRI Reporters - PFAS Substances</i>	Y	0	0	0
PFHA	<i>Potential PFAS Handlers from NPRI</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	1	1
PPHA	<i>Potential PFAS Handlers from EASR</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	1	1
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	9	9
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	13	13
SPL	<i>Ontario Spills</i>	Y	0	15	15
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	23	23

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
		<hr/>			
		<b>Total:</b>	0	151	151

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	---------------------	--------------------------	------------------------

No records found in the selected databases for the project property.

## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	EHS		1950 Scott Street, 312 and 314 Clifton Road Ottawa ON K1Z 8L8	SE/16.8	0.00	<a href="#">39</a>
<a href="#">2</a>	GEN	HYDRO OTTAWA	305 CLIFTON OTTAWA ON K1Z 5V1	ENE/44.3	-0.91	<a href="#">39</a>
<a href="#">2</a>	SPL	Hydro Ottawa Limited	305 Clifton Rd Ottawa ON	ENE/44.3	-0.91	<a href="#">39</a>
<a href="#">3</a>	RSC	MCRAE/SCOTT (OTTAWA) DEVELOPMENT INC.	1960 SCOTT STREET ON Ottawa ON	WSW/52.2	-0.21	<a href="#">40</a>
<a href="#">4</a>	GEN	GERVAIS MOTORS LTD.	1960 SCOTT ST. OTTAWA ON K1Z 8L8	SW/57.8	-0.04	<a href="#">41</a>
<a href="#">4</a>	GEN	GERVAIS MOTORS LTD. 17-200	1960 SCOTT ST. OTTAWA ON K1Z 8L8	SW/57.8	-0.04	<a href="#">41</a>
<a href="#">4</a>	SCT	Instrument Systems Inc.	1960 Scott St Suite 302 Ottawa ON K1Z 8L8	SW/57.8	-0.04	<a href="#">41</a>
<a href="#">4</a>	SCT	NCF Directory	1960 Scott St Ottawa ON K1Z 8L8	SW/57.8	-0.04	<a href="#">42</a>
<a href="#">4</a>	GEN	Colonnade Bridgeport	1960 Scott Street Ottawa ON K1Z 8L8	SW/57.8	-0.04	<a href="#">42</a>
<a href="#">4</a>	EHS		1960 Scott Street Ottawa ON Ottawa ON K1Z 8L8	SW/57.8	-0.04	<a href="#">42</a>
<a href="#">5</a>	EHS		1946 Scott Street Ottawa ON	ENE/69.6	-0.90	<a href="#">42</a>
<a href="#">5</a>	EHS		1946 Scott St Ottawa ON K1Z1E3	ENE/69.6	-0.90	<a href="#">43</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">5</a>	ECA	Westboro Lofts Inc.	1946 Scott St Ottawa ON K1Y 2C1	ENE/69.6	-0.90	<a href="#">43</a>
<a href="#">5</a>	RSC	WESTBORO LOFTS INC.	1946 SCOTT STREET ON Ottawa ON	ENE/69.6	-0.90	<a href="#">43</a>
<a href="#">6</a>	WWIS		ON <b>Well ID:</b> 7265890	WSW/69.8	-0.33	<a href="#">44</a>
<a href="#">7</a>	EHS		1946 Scott Street Ottawa ON Ottawa ON K1Z 1E8	ENE/69.8	-0.90	<a href="#">44</a>
<a href="#">8</a>	WWIS		320 McRae Ave Ottawa ON <b>Well ID:</b> 7374861	SW/85.7	0.46	<a href="#">45</a>
<a href="#">9</a>	BORE		ON	NNE/87.0	-2.02	<a href="#">48</a>
<a href="#">10</a>	SPL		on transit way between Scott St. and Mcrae Ave. OTTAWA ON	WSW/105.3	-0.28	<a href="#">49</a>
<a href="#">11</a>	SPL	City of Ottawa	1997 Scott St. Ottawa ON	NE/106.8	-1.98	<a href="#">50</a>
<a href="#">11</a>	CA	City of Ottawa	1997 Scott Station Ottawa ON	NE/106.8	-1.98	<a href="#">51</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON	NE/106.8	-1.98	<a href="#">51</a>
<a href="#">11</a>	ECA	City of Ottawa	1997 Scott Station Ottawa ON K2G 6J8	NE/106.8	-1.98	<a href="#">52</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE/106.8	-1.98	<a href="#">52</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE/106.8	-1.98	<a href="#">52</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE/106.8	-1.98	<a href="#">53</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1Z 6T2	NE/106.8	-1.98	<a href="#">53</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE/106.8	-1.98	<a href="#">54</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1Z 1A4	NE/106.8	-1.98	<a href="#">54</a>
<a href="#">11</a>	GEN	City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1Z 1A4	NE/106.8	-1.98	<a href="#">54</a>
<a href="#">11</a>	GEN	Regional Elevator	1997 Scott Street Ottawa ON K1Z1A4	NE/106.8	-1.98	<a href="#">55</a>
<a href="#">12</a>	RSC	MCRAE AVENUE (OTTAWA) DEVELOPMENT INC.	319 MCRAE AVENUE ON Ottawa ON	S/107.3	0.91	<a href="#">55</a>
<a href="#">12</a>	SPL	Construction <UNOFFICIAL>	319 McRae St. Ottawa ON	S/107.3	0.91	<a href="#">56</a>
<a href="#">12</a>	GEN	Broccolini Construction Ottawa Inc.	319 McRae ottawa ON K1Z 5R8	S/107.3	0.91	<a href="#">56</a>
<a href="#">12</a>	GEN	Colonnade Bridgeport	315 - 319 McRae Street Ottawa ON K1Z 0C2	S/107.3	0.91	<a href="#">57</a>
<a href="#">12</a>	GEN	Colonnade Bridgeport	315 - 319 McRae Street Ottawa ON K1Z 0C2	S/107.3	0.91	<a href="#">57</a>
<a href="#">13</a>	ECA	City of Ottawa	McRae Ave and Scott St Ottawa ON K1P 1J1	W/107.6	-0.28	<a href="#">57</a>
<a href="#">13</a>	SPL	Aecon Construction Ontario East Limited	Scott Street @ Mcrea Ave Ottawa ON	W/107.6	-0.28	<a href="#">58</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">14</a>	SPL		45.396987, -75.750856 OTTAWA ON	W/108.0	-0.50	<a href="#">59</a>
<a href="#">15</a>	GEN	Colonnade Bridgeport	315 McRae Avenue Ottawa ON K1Z 0C2	SW/113.2	0.48	<a href="#">59</a>
<a href="#">16</a>	WWIS		1976 Scott St Ottawa ON <b>Well ID:</b> 7334768	WSW/114.7	0.03	<a href="#">60</a>
<a href="#">17</a>	WWIS		320 Mclae Ave Ottawa ON <b>Well ID:</b> 7364999	WSW/119.5	0.76	<a href="#">63</a>
<a href="#">18</a>	WWIS		320 McRae Ottawa ON <b>Well ID:</b> 7374860	WSW/119.8	0.03	<a href="#">67</a>
<a href="#">19</a>	WWIS		ON <b>Well ID:</b> 7406979	WSW/119.8	0.09	<a href="#">70</a>
<a href="#">20</a>	CA	Minto (Island Park) Limited	38 Metropole Private Ottawa ON	NW/121.5	-1.44	<a href="#">71</a>
<a href="#">20</a>	ECA	Minto (Island Park) Limited	38 Metropole Pvt Ottawa ON K1R 7Y2	NW/121.5	-1.44	<a href="#">71</a>
<a href="#">21</a>	PRT	JS GAS BAR	1976 SCOTT ST OTTAWA ON K1Z6T3	WSW/121.6	0.03	<a href="#">72</a>
<a href="#">21</a>	GEN	JAY'S GAS BAR	1976 SCOTT STREET OTTAWA ON K1Z 6T3	WSW/121.6	0.03	<a href="#">72</a>
<a href="#">21</a>	DTNK	JS GAS BAR	1976 SCOTT ST OTTAWA ON K1Z 6T3	WSW/121.6	0.03	<a href="#">72</a>
<a href="#">21</a>	DTNK	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">73</a>
<a href="#">21</a>	DTNK	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">73</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">21</a>	DTNK	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">74</a>
<a href="#">21</a>	DTNK	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">75</a>
<a href="#">21</a>	EXP	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">75</a>
<a href="#">21</a>	EXP	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">75</a>
<a href="#">21</a>	EXP	JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW/121.6	0.03	<a href="#">76</a>
<a href="#">21</a>	RSC	320 MCRAE GP INC.	1976 Scott ST Ottawa ON	WSW/121.6	0.03	<a href="#">76</a>
<a href="#">22</a>	WWIS		320 Mcrea Ave Ottawa ON <b>Well ID:</b> 7374862	WSW/124.1	0.09	<a href="#">76</a>
<a href="#">23</a>	WWIS		1976 Scott St Ottawa ON <b>Well ID:</b> 7334767	WSW/124.5	0.09	<a href="#">80</a>
<a href="#">24</a>	WWIS		1385 woodroffe Ave Ottawa ON <b>Well ID:</b> 7348381	SW/134.0	0.83	<a href="#">83</a>
<a href="#">25</a>	WWIS		320 McRae Ave Ottawa ON <b>Well ID:</b> 7334765	SW/135.2	0.76	<a href="#">86</a>
<a href="#">26</a>	WWIS		1976 Scott St Ottawa ON <b>Well ID:</b> 7334766	WSW/139.3	0.09	<a href="#">90</a>
<a href="#">27</a>	EHS		315 Tweedsmuir Ave Ottawa ON K1Z 5N3	SW/139.8	0.76	<a href="#">93</a>
<a href="#">28</a>	EHS		320 McRae Ave, 1976 Scott Street, 311 & 315 Tweensmuir Avenue Ottawa ON K1Z 5N3	SW/141.5	0.77	<a href="#">93</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">29</a>	EHS		Mcrae Avenue Ottawa ON	SSW/144.5	1.33	<a href="#">93</a>
<a href="#">30</a>	SPL	DRUMMOND FUELS	JAYS GAS BAR, 320 MCRAE AVE (SCOTT AND MCRAE) TANK TRUCK (CARGO) OTTAWA CITY ON K1Z 5R8	SW/146.2	0.76	<a href="#">94</a>
<a href="#">30</a>	SCT	AUTO REB-EX INTERNATIONAL	320 McRae St Ottawa ON K1Z 5R8	SW/146.2	0.76	<a href="#">95</a>
<a href="#">30</a>	AUWR	AUTO REB-EX INTERNATIONAL INC	320 MCRAE AVE OTTAWA ON K1Z 5R8	SW/146.2	0.76	<a href="#">95</a>
<a href="#">30</a>	GEN	CARSON'S BODY REPAIRS LTD.	320 MCRAE AVENUE OTTAWA ON K1Z 5R8	SW/146.2	0.76	<a href="#">95</a>
<a href="#">30</a>	GEN	CARSON'S BODY REPAIRS (OUT OF BUSINESS)	320 MCRAE AVENUE OTTAWA ON K1Z 5R8	SW/146.2	0.76	<a href="#">95</a>
<a href="#">30</a>	GEN	CARSON'S BODY REPAIRS LTD. 08-817	320 MCRAE AVENUE OTTAWA ON K1Z 5R8	SW/146.2	0.76	<a href="#">96</a>
<a href="#">30</a>	EASR	320 MCRAE GP INC.	320 MCRAE AVE OTTAWA ON K1Z 5R8	SW/146.2	0.76	<a href="#">96</a>
<a href="#">30</a>	GEN	Taggart Construction Ltd.	320 McRae Ave. Ottawa ON K1Z 5R8	SW/146.2	0.76	<a href="#">96</a>
<a href="#">30</a>	SPL		OTTAWA ON	SW/146.2	0.76	<a href="#">97</a>
<a href="#">30</a>	RSC	320 MCRAE GP INC.	320 McRae AVE Ottawa ON	SW/146.2	0.76	<a href="#">98</a>
<a href="#">31</a>	EHS		315 Tweedsmuir Ave Ottawa ON K1Z 5N3	SW/146.9	0.77	<a href="#">98</a>
<a href="#">32</a>	SCT	Hash Machinery Systems	35 Briarway Pvt Ottawa ON K1Z 1C3	WNW/154.8	-1.15	<a href="#">98</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">33</a>	SPL		359 McRae Street<UNOFFICIAL> Ottawa ON K1Z 8P4	S/168.8	1.82	<a href="#">99</a>
<a href="#">33</a>	HINC		359 McRAE STREET OTTAWA ON	S/168.8	1.82	<a href="#">100</a>
<a href="#">34</a>	WWIS		320 McRae Ave Ottawa ON <b>Well ID:</b> 7334764	SSW/168.8	1.33	<a href="#">100</a>
<a href="#">35</a>	CA		Tweedsmuir Avenue and Scott Street Ottawa ON	WSW/171.2	-0.15	<a href="#">104</a>
<a href="#">35</a>	ECA	City of Ottawa	Tweedsmuir Avenue and Scott St Ottawa ON K1N 5A1	WSW/171.2	-0.15	<a href="#">104</a>
<a href="#">36</a>	SPL	PRIVATE RESIDENCE	325 TWEEDSMUIR AVE, OTTAWA FURNACE OIL TANK OTTAWA CITY ON K1Z 5N3	SW/178.4	1.10	<a href="#">104</a>
<a href="#">37</a>	RSC	320 MCRAE GP INC.	311 Tweedsmuir AVE Ottawa ON	WSW/178.9	0.58	<a href="#">105</a>
<a href="#">38</a>	RSC	320 MCRAE GP INC.	305 Tweedsmuir AVE Ottawa ON	WSW/180.4	0.58	<a href="#">106</a>
<a href="#">39</a>	SCT	In'Flector Control Systems	157 Premier Ave Ottawa ON K1Z 8P7	NE/182.3	-3.03	<a href="#">106</a>
<a href="#">39</a>	SCT	In'Flector Air Quality	157 Premier Ave Ottawa ON K1Z 8P7	NE/182.3	-3.03	<a href="#">106</a>
<a href="#">40</a>	RSC	320 MCRAE GP INC.	315 Tweedsmuir AVE Ottawa ON	WSW/182.8	0.83	<a href="#">107</a>
<a href="#">41</a>	SPL		335 Tweedsmuir Ave Ottawa ON	SW/184.4	1.10	<a href="#">107</a>
<a href="#">41</a>	PINC	TSSA INCIDENTS	335 TWEEDSMUIR AVE,,OTTAWA,ON, K1Z 5N3,CA ON	SW/184.4	1.10	<a href="#">108</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">42</a>	WWIS		Ottawa ON <i>Well ID:</i> 7100524	ENE/188.5	-1.88	<a href="#">108</a>
<a href="#">43</a>	HINC		216 WEST VILLAGE [PRIVATE] OTTAWA ON	ENE/191.4	-2.20	<a href="#">121</a>
<a href="#">44</a>	WWIS		60 LANARK AVENUE Ottawa ON <i>Well ID:</i> 7265950	NNW/199.5	-3.20	<a href="#">122</a>
<a href="#">45</a>	SCT	ALBERT & SON ENGRAVERS	350A KIRKWOOD AVE OTTAWA ON K1Z 8P1	ESE/203.3	0.91	<a href="#">125</a>
<a href="#">45</a>	SCT	Albert & Son Engravers	350 Kirkwood Ave Unit A Ottawa ON K1Z 8P1	ESE/203.3	0.91	<a href="#">125</a>
<a href="#">45</a>	GEN	ALBERT & SON ENGRAVERS	350A KIRKWOOD AVENUE OTTAWA ON K1Z 8Y1	ESE/203.3	0.91	<a href="#">125</a>
<a href="#">45</a>	SCT	Paper Sign Man	350 Kirkwood Ave Ottawa ON K1Z 8P1	ESE/203.3	0.91	<a href="#">126</a>
<a href="#">45</a>	SCT	Signs in 23 hours.com	350 Kirkwood Ave Ottawa ON K1Z 8P1	ESE/203.3	0.91	<a href="#">126</a>
<a href="#">46</a>	WWIS		160 LANARK AVENUE Ottawa ON <i>Well ID:</i> 7265949	N/205.4	-3.17	<a href="#">126</a>
<a href="#">47</a>	EHS		361 McRae Avenue Ottawa ON K1Z 8P4	S/207.3	1.88	<a href="#">129</a>
<a href="#">48</a>	WWIS		ON <i>Well ID:</i> 7179257	E/209.2	-0.03	<a href="#">130</a>
<a href="#">49</a>	BORE		ON	E/211.8	-0.03	<a href="#">130</a>
<a href="#">50</a>	EHS		1994 Scott Street Ottawa ON K1Z 6T2	SW/212.4	1.24	<a href="#">133</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">51</a>	SPL		45.39 59 5, -75.75403 - Westboro Stn, OTTAWA OTTAWA ON	WSW/214.3	-0.06	<a href="#">133</a>
<a href="#">52</a>	WWIS		160 LANARK AVENUE Ottawa ON <b>Well ID:</b> 7290746	NNW/216.3	-3.18	<a href="#">134</a>
<a href="#">53</a>	EHS		175 Richmond Road Ottawa ON K1Z 6W4	ESE/216.8	1.75	<a href="#">136</a>
<a href="#">54</a>	WWIS		160 LANARK AVENUE Ottawa ON <b>Well ID:</b> 7290747	NNW/217.5	-3.18	<a href="#">136</a>
<a href="#">55</a>	WWIS		160 LANARK AVENUE Ottawa ON <b>Well ID:</b> 7265951	NNW/217.9	-3.18	<a href="#">138</a>
<a href="#">56</a>	SCT	Guillevin International Co.	175 Richmond Rd Ottawa ON K1Z 6W3	ESE/218.6	1.75	<a href="#">141</a>
<a href="#">56</a>	EHS		175 Richmond Road Ottawa ON	ESE/218.6	1.75	<a href="#">141</a>
<a href="#">57</a>	WWIS		160 LANARK AVENUE Ottawa ON <b>Well ID:</b> 7290748	NNW/220.9	-3.16	<a href="#">141</a>
<a href="#">58</a>	WWIS		ON <b>Well ID:</b> 7224472	ESE/221.4	0.86	<a href="#">143</a>
<a href="#">59</a>	BORE		ON	E/222.4	-0.14	<a href="#">144</a>
<a href="#">60</a>	EHS		336 Tweedsmuir Ottawa ON	SW/231.1	1.89	<a href="#">146</a>
<a href="#">61</a>	HINC		186 LANARK AVENUE OTTAWA ON K1Z 6R5	NW/233.0	-3.21	<a href="#">146</a>
<a href="#">62</a>	WWIS		160 LANARK AVENUE Ottawa ON	NNW/235.3	-3.16	<a href="#">147</a>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7265948			
<a href="#">63</a>	GEN	DOMICILE DEVELOPMENTS INC	309 ATHLONE AVENUE OTTAWA ON K1Z 5M3	WSW/235.4	0.98	<a href="#">150</a>
<a href="#">63</a>	WWIS		309 ATHLONE AVENUE lot 57 OTTAWA ON <i>Well ID:</i> 1535860	WSW/235.4	0.98	<a href="#">151</a>
<a href="#">63</a>	RSC	Ottawa Salus Corporation	309 ATHLONE AVE ON OTTAWA ON	WSW/235.4	0.98	<a href="#">154</a>
<a href="#">64</a>	GEN	CANADIAN BROADCASTING CORP.	250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	W/239.0	-1.02	<a href="#">154</a>
<a href="#">64</a>	GEN	CANADIAN BROADCASTING CORP.	250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	W/239.0	-1.02	<a href="#">154</a>
<a href="#">64</a>	GEN	CANADIAN BROADCASTING CORP. 08-276	250 LANARK AVE. OTTAWA ON K1Z 6R5	W/239.0	-1.02	<a href="#">155</a>
<a href="#">64</a>	GEN	CANADIAN BROADCASTING CORP. 08-276	250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	W/239.0	-1.02	<a href="#">155</a>
<a href="#">64</a>	GEN	CANADIAN BROADCASTING CORPORATION	250 LANARK AVENUE OTTAWA ON K1Y 1E4	W/239.0	-1.02	<a href="#">156</a>
<a href="#">64</a>	GEN	ProFac -CBC Ottawa	250 Lanark Avenue Ottawa ON K1Y 1E4	W/239.0	-1.02	<a href="#">157</a>
<a href="#">64</a>	GEN	Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">157</a>
<a href="#">64</a>	GEN	SNC Lavalin Profac	Graham Spry Bldg. 250 Lanark Ave. Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">158</a>
<a href="#">64</a>	SPL		Graham Spry Building, 250 Lanark Ave. <UNOFFICIAL> Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">159</a>
<a href="#">64</a>	GEN	Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">160</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">64</a>	GEN	Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">161</a>
<a href="#">64</a>	SPL	SNC-Lavalin Constructors (Pacific) Inc.	250 Lanark Avenue Ottawa ON	W/239.0	-1.02	<a href="#">161</a>
<a href="#">64</a>	GEN	SNC LAVALIN O & M	250 LANARK AVENUE OTTAWA ON	W/239.0	-1.02	<a href="#">162</a>
<a href="#">64</a>	GEN	Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">163</a>
<a href="#">64</a>	NPRI	CANADIAN BROADCASTING CORPORATION	250 Lanark Ave. Ottawa ON K1Z6R5	W/239.0	-1.02	<a href="#">163</a>
<a href="#">64</a>	GEN	Public Works and Government Services Canada	250 Lanark Ave Ottawa ON	W/239.0	-1.02	<a href="#">165</a>
<a href="#">64</a>	EHS		250 Lanark Ave Ottawa ON K1Z1G4	W/239.0	-1.02	<a href="#">166</a>
<a href="#">64</a>	GEN	Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W/239.0	-1.02	<a href="#">166</a>
<a href="#">64</a>	GEN	BGIS	250 Lanark Avenue Ottawa ON K1Z 1G5	W/239.0	-1.02	<a href="#">167</a>
<a href="#">64</a>	GEN	BGIS	250 Lanark Avenue Ottawa ON K1Z 1G5	W/239.0	-1.02	<a href="#">167</a>
<a href="#">64</a>	GEN	BGIS	250 Lanark Avenue Ottawa ON K1Z 1G5	W/239.0	-1.02	<a href="#">168</a>
<a href="#">64</a>	GEN	Public Services & Procurement Canada RPB/AFD	250 Lanark Avenue Ottawa ON K1Z 1G5	W/239.0	-1.02	<a href="#">168</a>
<a href="#">65</a>	EHS		2000 Scott Street Ottawa ON K1Z 6T2	WSW/241.2	0.98	<a href="#">169</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">66</a>	SPL	PRIVATE BUSINESS (N.O.S.)	225 RICHMOND RD. OTTAWA OTTAWA CITY ON K1Z 6W7	S/241.5	2.12	<a href="#">169</a>
<a href="#">66</a>	EBR	Otto's Service Centre Limited	225/245 Richmond Road Ottawa Ontario K1Z 6W7 Ottawa ON	S/241.5	2.12	<a href="#">170</a>
<a href="#">66</a>	CA	3526097 Canada Inc.	225 Richmond Road Ottawa ON K1Z 6W7	S/241.5	2.12	<a href="#">170</a>
<a href="#">66</a>	CA	Otto's Service Centre Limited	225/245 Richmond Road Ottawa ON	S/241.5	2.12	<a href="#">171</a>
<a href="#">66</a>	EBR	Otto's Service Centre Limited	225 Richmond Road Ottawa K1Z 5H1 CITY OF OTTAWA ON	S/241.5	2.12	<a href="#">171</a>
<a href="#">66</a>	ECA	Otto's Service Centre Limited	225/245 Richmond Road Ottawa ON K1Z 6W7	S/241.5	2.12	<a href="#">172</a>
<a href="#">66</a>	ECA	3526097 Canada Inc.	225 Richmond Road Ottawa ON K1Z 6W7	S/241.5	2.12	<a href="#">172</a>
<a href="#">67</a>	SCT	Brebner Manufacturing & Repairs Inc.	360 Kirkwood Ave Ottawa ON K1Z 8P1	ESE/242.4	1.94	<a href="#">172</a>
<a href="#">68</a>	SCT	Briandesign Graphics Ltd.	209 West Village Pvt Ottawa ON K1Z 1E1	ENE/244.1	-1.00	<a href="#">172</a>



# Executive Summary: Summary By Data Source

## **AUWR - Automobile Wrecking & Supplies**

A search of the AUWR database, dated 1999-Apr 30, 2024 has found that there are 1 AUWR site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
AUTO REB-EX INTERNATIONAL INC	320 MCRAE AVE OTTAWA ON K1Z 5R8	SW	146.16	<a href="#">30</a>

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2018 has found that there are 3 BORE site(s) within approximately 0.25 kilometers of the project property.

<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	NNE	86.98	<a href="#">9</a>
	ON	E	211.76	<a href="#">49</a>
	ON	E	222.40	<a href="#">59</a>

## **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 5 CA site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Otto's Service Centre Limited	225/245 Richmond Road Ottawa ON	S	241.52	<a href="#">66</a>
3526097 Canada Inc.	225 Richmond Road Ottawa ON K1Z 6W7	S	241.52	<a href="#">66</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	1997 Scott Station Ottawa ON	NE	106.76	<a href="#">11</a>
Minto (Island Park) Limited	38 Metropole Private Ottawa ON	NW	121.45	<a href="#">20</a>
	Tweedsmuir Avenue and Scott Street Ottawa ON	WSW	171.19	<a href="#">35</a>

### **DTNK - Delisted Fuel Tanks**

A search of the DTNK database, dated Oct 2023 has found that there are 5 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>
JS GAS BAR	1976 SCOTT ST OTTAWA ON K1Z 6T3	WSW	121.62	<a href="#">21</a>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011-Aug 31, 2024 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
320 MCRAE GP INC.	320 MCRAE AVE OTTAWA ON K1Z 5R8	SW	146.16	<a href="#">30</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	----------------	------------------	---------------------	----------------

### **EBR - Environmental Registry**

A search of the EBR database, dated 1994 - July 31, 2024 has found that there are 2 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Otto's Service Centre Limited	225/245 Richmond Road Ottawa Ontario K1Z 6W7 Ottawa ON	S	241.52	<a href="#">66</a>
Otto's Service Centre Limited	225 Richmond Road Ottawa K1Z 5H1 CITY OF OTTAWA ON	S	241.52	<a href="#">66</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011-Aug 31, 2024 has found that there are 7 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Otto's Service Centre Limited	225/245 Richmond Road Ottawa ON K1Z 6W7	S	241.52	<a href="#">66</a>
3526097 Canada Inc.	225 Richmond Road Ottawa ON K1Z 6W7	S	241.52	<a href="#">66</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Westboro Lofts Inc.	1946 Scott St Ottawa ON K1Y 2C1	ENE	69.55	<a href="#">5</a>
City of Ottawa	1997 Scott Station Ottawa ON K2G 6J8	NE	106.76	<a href="#">11</a>
City of Ottawa	McRae Ave and Scott St Ottawa ON K1P 1J1	W	107.60	<a href="#">13</a>

Minto (Island Park) Limited	38 Metropole Pvt Ottawa ON K1R 7Y2	NW	121.45	<a href="#">20</a>
City of Ottawa	Tweedsmuir Avenue and Scott St Ottawa ON K1N 5A1	WSW	171.19	<a href="#">35</a>

## **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Mar 31, 2024 has found that there are 16 EHS site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	1950 Scott Street, 312 and 314 Clifton Road Ottawa ON K1Z 8L8	SE	16.83	<a href="#">1</a>
	315 Tweedsmuir Ave Ottawa ON K1Z 5N3	SW	139.82	<a href="#">27</a>
	320 McRae Ave, 1976 Scott Street, 311 & 315 Tweensmuir Avenue Ottawa ON K1Z 5N3	SW	141.47	<a href="#">28</a>
	Mcrae Avenue Ottawa ON	SSW	144.53	<a href="#">29</a>
	315 Tweedsmuir Ave Ottawa ON K1Z 5N3	SW	146.87	<a href="#">31</a>
	361 McRae Avenue Ottawa ON K1Z 8P4	S	207.29	<a href="#">47</a>
	1994 Scott Street Ottawa ON K1Z 6T2	SW	212.44	<a href="#">50</a>
	175 Richmond Road Ottawa ON K1Z 6W4	ESE	216.80	<a href="#">53</a>
	175 Richmond Road Ottawa ON	ESE	218.57	<a href="#">56</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	336 Tweedsmuir Ottawa ON	SW	231.13	<a href="#">60</a>
	2000 Scott Street Ottawa ON K1Z 6T2	WSW	241.23	<a href="#">65</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1960 Scott Street Ottawa ON Ottawa ON K1Z 8L8	SW	57.77	<a href="#">4</a>
	1946 Scott Street Ottawa ON	ENE	69.55	<a href="#">5</a>
	1946 Scott St Ottawa ON K1Z1E3	ENE	69.55	<a href="#">5</a>
	1946 Scott Street Ottawa ON Ottawa ON K1Z 1E8	ENE	69.84	<a href="#">7</a>
	250 Lanark Ave Ottawa ON K1Z1G4	W	238.98	<a href="#">64</a>

### **EXP - List of Expired Fuels Safety Facilities**

A search of the EXP database, dated Oct 2023 has found that there are 3 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
JS GAS BAR	1976 SCOTT ST OTTAWA ON	WSW	121.62	<a href="#">21</a>

## **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Oct 31, 2022 has found that there are 42 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Broccolini Construction Ottawa Inc.	319 McRae ottawa ON K1Z 5R8	S	107.26	<a href="#">12</a>
Colonnade Bridgeport	315 - 319 McRae Street Ottawa ON K1Z 0C2	S	107.26	<a href="#">12</a>
Colonnade Bridgeport	315 - 319 McRae Street Ottawa ON K1Z 0C2	S	107.26	<a href="#">12</a>
Colonnade Bridgeport	315 McRae Avenue Ottawa ON K1Z 0C2	SW	113.15	<a href="#">15</a>
JAY'S GAS BAR	1976 SCOTT STREET OTTAWA ON K1Z 6T3	WSW	121.62	<a href="#">21</a>
CARSON'S BODY REPAIRS LTD.	320 MCRAE AVENUE OTTAWA ON K1Z 5R8	SW	146.16	<a href="#">30</a>
CARSON'S BODY REPAIRS (OUT OF BUSINESS)	320 MCRAE AVENUE OTTAWA ON K1Z 5R8	SW	146.16	<a href="#">30</a>
CARSON'S BODY REPAIRS LTD. 08-817	320 MCRAE AVENUE OTTAWA ON K1Z 5R8	SW	146.16	<a href="#">30</a>
Taggart Construction Ltd.	320 McRae Ave. Ottawa ON K1Z 5R8	SW	146.16	<a href="#">30</a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ALBERT & SON ENGRAVERS	350A KIRKWOOD AVENUE OTTAWA ON K1Z 8Y1	ESE	203.33	<a href="#"><u>45</u></a>
DOMICILE DEVELOPMENTS INC	309 ATHLONE AVENUE OTTAWA ON K1Z 5M3	WSW	235.43	<a href="#"><u>63</u></a>
<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
HYDRO OTTAWA	305 CLIFTON OTTAWA ON K1Z 5V1	ENE	44.26	<a href="#"><u>2</u></a>
GERVAIS MOTORS LTD.	1960 SCOTT ST. OTTAWA ON K1Z 8L8	SW	57.77	<a href="#"><u>4</u></a>
GERVAIS MOTORS LTD. 17-200	1960 SCOTT ST. OTTAWA ON K1Z 8L8	SW	57.77	<a href="#"><u>4</u></a>
Colonnade Bridgeport	1960 Scott Street Ottawa ON K1Z 8L8	SW	57.77	<a href="#"><u>4</u></a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON	NE	106.76	<a href="#"><u>11</u></a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE	106.76	<a href="#"><u>11</u></a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE	106.76	<a href="#"><u>11</u></a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE	106.76	<a href="#"><u>11</u></a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1Z 6T2	NE	106.76	<a href="#"><u>11</u></a>

City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1G 0Z8	NE	106.76	<a href="#">11</a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1Z 1A4	NE	106.76	<a href="#">11</a>
City of Ottawa, OC Transpo	1997 Scott Street Ottawa ON K1Z 1A4	NE	106.76	<a href="#">11</a>
Regional Elevator	1997 Scott Street Ottawa ON K1Z1A4	NE	106.76	<a href="#">11</a>
CANADIAN BROADCASTING CORP.	250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	W	238.98	<a href="#">64</a>
CANADIAN BROADCASTING CORP. 08-276	250 LANARK AVE. OTTAWA ON K1Z 6R5	W	238.98	<a href="#">64</a>
CANADIAN BROADCASTING CORP. 08-276	250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	W	238.98	<a href="#">64</a>
CANADIAN BROADCASTING CORPORATION	250 LANARK AVENUE OTTAWA ON K1Y 1E4	W	238.98	<a href="#">64</a>
ProFac -CBC Ottawa	250 Lanark Avenue Ottawa ON K1Y 1E4	W	238.98	<a href="#">64</a>
Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>
SNC Lavalin Profac	Graham Spry Bldg. 250 Lanark Ave. Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>
Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>
Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>



SNC LAVALIN O & M	250 LANARK AVENUE OTTAWA ON	W	238.98	<a href="#">64</a>
Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>
Public Works and Government Services Canada	250 Lanark Ave Ottawa ON	W	238.98	<a href="#">64</a>
Public Works and Government Services Canada	250 Lanark Ave Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>
BGIS	250 Lanark Avenue Ottawa ON K1Z 1G5	W	238.98	<a href="#">64</a>
BGIS	250 Lanark Avenue Ottawa ON K1Z 1G5	W	238.98	<a href="#">64</a>
BGIS	250 Lanark Avenue Ottawa ON K1Z 1G5	W	238.98	<a href="#">64</a>
Public Services & Procurement Canada RPB/AFD	250 Lanark Avenue Ottawa ON K1Z 1G5	W	238.98	<a href="#">64</a>
CANADIAN BROADCASTING CORP.	250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	W	238.98	<a href="#">64</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 3 HINC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	359 McRAE STREET OTTAWA ON	S	168.77	<a href="#">33</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	216 WEST VILLAGE [PRIVATE] OTTAWA ON	ENE	191.41	<a href="#">43</a>
	186 LANARK AVENUE OTTAWA ON K1Z 6R5	NW	232.95	<a href="#">61</a>

### **NPRI - National Pollutant Release Inventory - Historic**

A search of the NPRI database, dated 1993-May 2017 has found that there are 1 NPRI site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN BROADCASTING CORPORATION	250 Lanark Ave. Ottawa ON K1Z6R5	W	238.98	<a href="#">64</a>

### **PINC - Pipeline Incidents**

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TSSA INCIDENTS	335 TWEEDSMUIR AVE.,OTTAWA, ON,K1Z 5N3,CA ON	SW	184.36	<a href="#">41</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
JS GAS BAR	1976 SCOTT ST OTTAWA ON K1Z6T3	WSW	121.62	<a href="#">21</a>

### **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Jul 2024 has found that there are 9 RSC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
MCRAE AVENUE (OTTAWA) DEVELOPMENT INC.	319 MCRAE AVENUE ON Ottawa ON	S	107.26	<a href="#"><u>12</u></a>
320 MCRAE GP INC.	1976 Scott ST Ottawa ON	WSW	121.62	<a href="#"><u>21</u></a>
320 MCRAE GP INC.	320 McRae AVE Ottawa ON	SW	146.16	<a href="#"><u>30</u></a>
320 MCRAE GP INC.	311 Tweedsmuir AVE Ottawa ON	WSW	178.92	<a href="#"><u>37</u></a>
320 MCRAE GP INC.	305 Tweedsmuir AVE Ottawa ON	WSW	180.40	<a href="#"><u>38</u></a>
320 MCRAE GP INC.	315 Tweedsmuir AVE Ottawa ON	WSW	182.78	<a href="#"><u>40</u></a>
Ottawa Salus Corporation	309 ATHLONE AVE ON OTTAWA ON	WSW	235.43	<a href="#"><u>63</u></a>

<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
MCRAE/SCOTT (OTTAWA) DEVELOPMENT INC.	1960 SCOTT STREET ON Ottawa ON	WSW	52.17	<a href="#"><u>3</u></a>
WESTBORO LOFTS INC.	1946 SCOTT STREET ON Ottawa ON	ENE	69.55	<a href="#"><u>5</u></a>

### **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 13 SCT site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
AUTO REB-EX INTERNATIONAL	320 McRae St Ottawa ON K1Z 5R8	SW	146.16	<a href="#"><u>30</u></a>

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Signs in 23 hours.com	350 Kirkwood Ave Ottawa ON K1Z 8P1	ESE	203.33	<a href="#">45</a>
Paper Sign Man	350 Kirkwood Ave Ottawa ON K1Z 8P1	ESE	203.33	<a href="#">45</a>
Albert & Son Engravers	350 Kirkwood Ave Unit A Ottawa ON K1Z 8P1	ESE	203.33	<a href="#">45</a>
ALBERT & SON ENGRAVERS	350A KIRKWOOD AVE OTTAWA ON K1Z 8P1	ESE	203.33	<a href="#">45</a>
Guillevin International Co.	175 Richmond Rd Ottawa ON K1Z 6W3	ESE	218.57	<a href="#">56</a>
Brebner Manufacturing & Repairs Inc.	360 Kirkwood Ave Ottawa ON K1Z 8P1	ESE	242.37	<a href="#">67</a>
<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
NCF Directory	1960 Scott St Ottawa ON K1Z 8L8	SW	57.77	<a href="#">4</a>
Instrument Systems Inc.	1960 Scott St Suite 302 Ottawa ON K1Z 8L8	SW	57.77	<a href="#">4</a>
Hash Machinery Systems	35 Briarway Pvt Ottawa ON K1Z 1C3	WNW	154.83	<a href="#">32</a>
In'Flector Control Systems	157 Premier Ave Ottawa ON K1Z 8P7	NE	182.28	<a href="#">39</a>
In'Flector Air Quality	157 Premier Ave Ottawa ON K1Z 8P7	NE	182.28	<a href="#">39</a>

Briandesign Graphics Ltd.	209 West Village Pvt Ottawa ON K1Z 1E1	ENE	244.08	<a href="#">68</a>
---------------------------	---	-----	--------	--------------------

## **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Mar 2024; May 2024 has found that there are 15 SPL site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Construction <UNOFFICIAL>	319 McRae St. Ottawa ON	S	107.26	<a href="#">12</a>
	OTTAWA ON	SW	146.16	<a href="#">30</a>
DRUMMOND FUELS	JAYS GAS BAR, 320 MCRAE AVE (SCOTT AND MCRAE) TANK TRUCK (CARGO) OTTAWA CITY ON K1Z 5R8	SW	146.16	<a href="#">30</a>
	359 McRae Street<UNOFFICIAL> Ottawa ON K1Z 8P4	S	168.77	<a href="#">33</a>
PRIVATE RESIDENCE	325 TWEEDSMUIR AVE, OTTAWA FURNACE OIL TANK OTTAWA CITY ON K1Z 5N3	SW	178.44	<a href="#">36</a>
	335 Tweedsmuir Ave Ottawa ON	SW	184.36	<a href="#">41</a>
PRIVATE BUSINESS (N.O.S.)	225 RICHMOND RD. OTTAWA OTTAWA CITY ON K1Z 6W7	S	241.52	<a href="#">66</a>

<b><u>Lower Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Hydro Ottawa Limited	305 Clifton Rd Ottawa ON	ENE	44.26	<a href="#">2</a>

	on transit way between Scott St. and Mcrae Ave. OTTAWA ON	WSW	105.31	<a href="#">10</a>
City of Ottawa	1997 Scott St. Ottawa ON	NE	106.76	<a href="#">11</a>
Aecon Construction Ontario East Limited	Scott Street @ Mcrae Ave Ottawa ON	W	107.60	<a href="#">13</a>
	45.396987, -75.750856 OTTAWA ON	W	108.02	<a href="#">14</a>
	45.39 59 5, -75.75403 - Westboro Stn, OTTAWA OTTAWA ON	WSW	214.34	<a href="#">51</a>
	Graham Spry Building, 250 Lanark Ave.<UNOFFICIAL> Ottawa ON K1Z 1G4	W	238.98	<a href="#">64</a>
SNC-Lavalin Constructors (Pacific) Inc.	250 Lanark Avenue Ottawa ON	W	238.98	<a href="#">64</a>

## **WWIS - Water Well Information System**


A search of the WWIS database, dated Dec 31 2023 has found that there are 23 WWIS site(s) within approximately 0.25 kilometers of the project property.

<b><u>Equal/Higher Elevation</u></b>	<b><u>Address</u></b>	<b><u>Direction</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	320 McRae Ave Ottawa ON  <i>Well ID: 7374861</i>	SW	85.66	<a href="#">8</a>
	1976 Scott St Ottawa ON  <i>Well ID: 7334768</i>	WSW	114.66	<a href="#">16</a>
	320 Mclae Ave Ottawa ON  <i>Well ID: 7364999</i>	WSW	119.53	<a href="#">17</a>
	320 McRae Ottawa ON	WSW	119.76	<a href="#">18</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7374860			
	ON	WSW	119.78	<a href="#">19</a>
	<i>Well ID:</i> 7406979			
	320 Mcrea Ave Ottawa ON	WSW	124.07	<a href="#">22</a>
	<i>Well ID:</i> 7374862			
	1976 Scott St Ottawa ON	WSW	124.51	<a href="#">23</a>
	<i>Well ID:</i> 7334767			
	1385 woodroffe Ave Ottawa ON	SW	133.96	<a href="#">24</a>
	<i>Well ID:</i> 7348381			
	320 McRae Ave Ottawa ON	SW	135.20	<a href="#">25</a>
	<i>Well ID:</i> 7334765			
	1976 Scott St Ottawa ON	WSW	139.30	<a href="#">26</a>
	<i>Well ID:</i> 7334766			
	320 McRae Ave Ottawa ON	SSW	168.81	<a href="#">34</a>
	<i>Well ID:</i> 7334764			
	ON	ESE	221.43	<a href="#">58</a>
	<i>Well ID:</i> 7224472			
	309 ATHLONE AVENUE lot 57 OTTAWA ON	WSW	235.43	<a href="#">63</a>
	<i>Well ID:</i> 1535860			
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	WSW	69.79	<a href="#">6</a>
	<i>Well ID:</i> 7265890			
	Ottawa ON	ENE	188.46	<a href="#">42</a>

<b>Well ID:</b> 7100524			
60 LANARK AVENUE Ottawa ON	NNW	199.48	<a href="#"><u>44</u></a>
<b>Well ID:</b> 7265950			
160 LANARK AVENUE Ottawa ON	N	205.40	<a href="#"><u>46</u></a>
<b>Well ID:</b> 7265949			
ON	E	209.22	<a href="#"><u>48</u></a>
<b>Well ID:</b> 7179257			
160 LANARK AVENUE Ottawa ON	NNW	216.33	<a href="#"><u>52</u></a>
<b>Well ID:</b> 7290746			
160 LANARK AVENUE Ottawa ON	NNW	217.50	<a href="#"><u>54</u></a>
<b>Well ID:</b> 7290747			
160 LANARK AVENUE Ottawa ON	NNW	217.87	<a href="#"><u>55</u></a>
<b>Well ID:</b> 7265951			
160 LANARK AVENUE Ottawa ON	NNW	220.91	<a href="#"><u>57</u></a>
<b>Well ID:</b> 7290748			
160 LANARK AVENUE Ottawa ON	NNW	235.26	<a href="#"><u>62</u></a>
<b>Well ID:</b> 7265948			





### Map: 0.25 Kilometer Radius

Order Number: 24092000241

Address: 1950 Scott Street, Ottawa, ON



★ Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	Hospital

75°45'W

45°24'N

45°24'N



250 125 0 250 m

1:10000

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

**Aerial** Year: 2023

Order Number: 24092000241

**Address: 1950 Scott Street, Ottawa, ON**



Source: ESRI World Imagery

© ERIS Information Limited Partnership



# Topographic Map

Address: 1950 Scott Street, ON

Source: ESRI World Topographic Map

Order Number: 24092000241



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><u>1</u></p> <p><b>Order No:</b> 20291800193  <b>Status:</b> C  <b>Report Type:</b> Standard Report  <b>Report Date:</b> 23-SEP-20  <b>Date Received:</b> 18-SEP-20  <b>Previous Site Name:</b>  <b>Lot/Building Size:</b>  <b>Additional Info Ordered:</b></p>	1 of 1	SE/16.8	63.0 / 0.00	1950 Scott Street, 312 and 314 Clifton Road Ottawa ON K1Z 8L8	EHS
<p><b>Nearest Intersection:</b>  <b>Municipality:</b>  <b>Client Prov/State:</b> ON  <b>Search Radius (km):</b> .25  <b>X:</b> -75.7493448  <b>Y:</b> 45.3969211</p>					
<p><u>2</u></p> <p><b>Generator No:</b> ON6815148  <b>SIC Code:</b> 221122  <b>SIC Description:</b> Electric Power Distribution  <b>Approval Years:</b> 04,05  <b>PO Box No:</b>  <b>Country:</b>  <b>Status:</b>  <b>Co Admin:</b>  <b>Choice of Contact:</b>  <b>Phone No Admin:</b>  <b>Contaminated Facility:</b>  <b>MHSW Facility:</b></p> <p><u>Detail(s)</u></p> <p><b>Waste Class:</b> 243  <b>Waste Class Name:</b> PCB'S</p>	1 of 2	ENE/44.3	62.1 / -0.91	HYDRO OTTAWA 305 CLIFTON OTTAWA ON K1Z 5V1	GEN
<p><u>2</u></p> <p><b>Ref No:</b> 7855-5WZQLZ  <b>Year:</b>  <b>Incident Dt:</b> 3/3/2004  <b>Dt MOE Arvl on Scn:</b>  <b>MOE Reported Dt:</b> 3/12/2004  <b>Dt Document Closed:</b>  <b>Site No:</b>  <b>MOE Response:</b>  <b>Site County/District:</b>  <b>Site Geo Ref Meth:</b>  <b>Site District Office:</b> Ottawa  <b>Nearest Watercourse:</b>  <b>Site Name:</b> CLIFTON STREET SUB-STATION&lt;UNOFFICIAL&gt;  <b>Site Address:</b>  <b>Site Region:</b> Eastern</p>	2 of 2	ENE/44.3	62.1 / -0.91	Hydro Ottawa Limited 305 Clifton Rd Ottawa ON	SPL
<p><b>Municipality No:</b>  <b>Nature of Damage:</b>  <b>Discharger Report:</b>  <b>Material Group:</b> Chemical  <b>Impact to Health:</b>  <b>Agency Involved:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>Northing:</b> <b>Easting:</b> <b>Incident Cause:</b> <b>Incident Preceding Spill:</b> <b>Environment Impact:</b> <b>Health Env Consequence:</b> <b>Nature of Impact:</b> <b>Contaminant Qty:</b> <b>Contaminant Qty 1:</b> <b>Contaminant Unit:</b> <b>Client Type:</b> <b>Source Type:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Receiving Medium:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> <b>SAC Action Class:</b> <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>		Ottawa        Valve / Fitting Leak Or Failure  Confirmed  Human Health/Safety; Soil Contamination 171 L 171 L  26 TRANSFORMER OIL (GT 50 PPM PCB)     Land Equipment Failure Hydro Ottawa: Trans Oil Spill@316 ppm      Spill to Land     Hydro Ottawa Limited			

3      1 of 1      WSW/52.2      62.8 / -0.21      **MCRAE/SCOTT (OTTAWA) DEVELOPMENT INC.  
1960 SCOTT STREET ON  
Ottawa ON**      **RSC**

<b>RSC No:</b>	224822	<b>X:</b>	-75.74998568
<b>RA No:</b>		<b>Y:</b>	45.39671058
<b>Status:</b>	FILED	<b>Latitude:</b>	45.39671058
<b>Filing Date:</b>		<b>Longitude:</b>	-75.74998568
<b>Date Ack:</b>		<b>UTM Coordinates:</b>	
<b>Date Returned:</b>		<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	August 8, 2018	<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>		<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>		<b>Mailing Address:</b>	
<b>Curr Property Use:</b>		<b>Telephone:</b>	
<b>Intended Prop Use:</b>		<b>Fax:</b>	
<b>Restoration Type:</b>		<b>Email:</b>	
<b>Soil Type:</b>		<b>Postal Code:</b>	K1Z 8L8
<b>Criteria:</b>		<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>		<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>		<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>		<b>Qual Person Name:</b>	KARYN MUNCH
<b>CPU Issu Sect 1686:</b>		<b>Consultant:</b>	
<b>Business Name:</b>	MCRAE/SCOTT (OTTAWA) DEVELOPMENT INC.		
<b>Address:</b>	1960 SCOTT STREET ON		
<b>Legal Desc:</b>			
<b>Site Pin:</b>	04021-0029 (LT)		
<b>Asmt Roll No:</b>			
<b>Project Type:</b>	POST2011		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b>		RSC based on Phase One and Two ESAs			
<b>Applicable Standards:</b>					
<b>PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=224822">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=224822</a>			
<a href="#">4</a>	1 of 6	SW/57.8	62.9 / -0.04	<b>GERVAIS MOTORS LTD. 1960 SCOTT ST. OTTAWA ON K1Z 8L8</b>	<b>GEN</b>
<b>Generator No:</b>		ON1041400			
<b>SIC Code:</b>		6399			
<b>SIC Description:</b>		OTHER VEH. SERVICES			
<b>Approval Years:</b>		88,89,90			
<b>PO Box No:</b>					
<b>Country:</b>					
<b>Status:</b>					
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contaminated Facility:</b>					
<b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		213			
<b>Waste Class Name:</b>		PETROLEUM DISTILLATES			
<a href="#">4</a>	2 of 6	SW/57.8	62.9 / -0.04	<b>GERVAIS MOTORS LTD. 17-200 1960 SCOTT ST. OTTAWA ON K1Z 8L8</b>	<b>GEN</b>
<b>Generator No:</b>		ON1041400			
<b>SIC Code:</b>		6399			
<b>SIC Description:</b>		OTHER VEH. SERVICES			
<b>Approval Years:</b>		92,93,94,95,96,97,98			
<b>PO Box No:</b>					
<b>Country:</b>					
<b>Status:</b>					
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contaminated Facility:</b>					
<b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		213			
<b>Waste Class Name:</b>		PETROLEUM DISTILLATES			
<a href="#">4</a>	3 of 6	SW/57.8	62.9 / -0.04	<b>Instrument Systems Inc. 1960 Scott St Suite 302 Ottawa ON K1Z 8L8</b>	<b>SCT</b>
<b>Established:</b>		1994			
<b>Plant Size (ft²):</b>		2500			
<b>Employment:</b>		8			
<b><u>--Details--</u></b>					
<b>Description:</b>		Professional Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417930			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">4</a>	4 of 6	SW/57.8	62.9 / -0.04	NCF Directory 1960 Scott St Ottawa ON K1Z 8L8	SCT
Established:		01-AUG-92			
Plant Size (ft²):					
Employment:					
<b>--Details--</b>					
Description:		Directory and Mailing List Publishers			
SIC/NAICS Code:		511140			
<a href="#">4</a>	5 of 6	SW/57.8	62.9 / -0.04	Colonnade Bridgeport 1960 Scott Street Ottawa ON K1Z 8L8	GEN
Generator No:		ON4063130			
SIC Code:					
SIC Description:					
Approval Years:		As of Oct 2022			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<b>Detail(s)</b>					
Waste Class:		251 L			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<a href="#">4</a>	6 of 6	SW/57.8	62.9 / -0.04	1960 Scott Street Ottawa ON Ottawa ON K1Z 8L8	EHS
Order No:		22053000104		<b>Nearest Intersection:</b>	
Status:		C		<b>Municipality:</b>	
Report Type:		Standard Report		<b>Client Prov/State:</b> ON	
Report Date:		02-JUN-22		<b>Search Radius (km):</b> .25	
Date Received:		30-MAY-22		<b>X:</b> -75.749984	
Previous Site Name:				<b>Y:</b> 45.3966614	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
<a href="#">5</a>	1 of 4	ENE/69.6	62.1 / -0.90	1946 Scott Street Ottawa ON	EHS
Order No:		20110530041		<b>Nearest Intersection:</b> West Village	
Status:		C		<b>Municipality:</b> Ottawa	
Report Type:		Standard Select Report		<b>Client Prov/State:</b> ON	
Report Date:		6/8/2011		<b>Search Radius (km):</b> 0.25	
Date Received:		5/30/2011 4:22:28 PM		<b>X:</b> -75.748871	
Previous Site Name:				<b>Y:</b> 45.397473	
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">5</a>	2 of 4	ENE/69.6	62.1 / -0.90	1946 Scott St Ottawa ON K1Z1E3	EHS
<b>Order No:</b>	20150521094			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Ottawa
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-MAY-15			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	21-MAY-15			<b>X:</b>	-75.748725
<b>Previous Site Name:</b>				<b>Y:</b>	45.397356
<b>Lot/Building Size:</b>	666 square metres				
<b>Additional Info Ordered:</b>					
<a href="#">5</a>	3 of 4	ENE/69.6	62.1 / -0.90	Westboro Lofts Inc. 1946 Scott St Ottawa ON K1Y 2C1	ECA
<b>Approval No:</b>	6695-B5MH8E			<b>MOE District:</b>	
<b>Approval Date:</b>	2018-10-18			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	Westboro Lofts Inc.				
<b>Address:</b>	1946 Scott St				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0247-B56KSQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0247-B56KSQ-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#">5</a>	4 of 4	ENE/69.6	62.1 / -0.90	WESTBORO LOFTS INC. 1946 SCOTT STREET ON Ottawa ON	RSC
<b>RSC No:</b>	225148			<b>X:</b>	-75.74872526
<b>RA No:</b>				<b>Y:</b>	45.39735641
<b>Status:</b>	FILED			<b>Latitude:</b>	45.39735641
<b>Filing Date:</b>				<b>Longitude:</b>	-75.74872526
<b>Date Ack:</b>				<b>UTM Coordinates:</b>	
<b>Date Returned:</b>				<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	November 15, 2018			<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>				<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>				<b>Mailing Address:</b>	
<b>Curr Property Use:</b>				<b>Telephone:</b>	
<b>Intended Prop Use:</b>				<b>Fax:</b>	
<b>Restoration Type:</b>				<b>Email:</b>	
<b>Soil Type:</b>				<b>Postal Code:</b>	K1Z 1E8
<b>Criteria:</b>				<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>				<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>				<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>				<b>Qual Person Name:</b>	WILLIAM KOLLAARD
<b>CPU Issu Sect 1686:</b>				<b>Consultant:</b>	
<b>Business Name:</b>	WESTBORO LOFTS INC.				
<b>Address:</b>	1946 SCOTT STREET ON				
<b>Legal Desc:</b>					
<b>Site Pin:</b>	04021-0458 (LT)				
<b>Asmt Roll No:</b>					
<b>Project Type:</b>	POST2011				
<b>Approval Type:</b>	RSC based on Phase One and Two ESAs				
<b>Applicable Standards:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=225148			

<a href="#">6</a>	1 of 1	WSW/69.8	62.6 / -0.33	ON	WWIS
<b>Well ID:</b>	7265890			<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>				<b>Data Entry Status:</b>	Yes
<b>Use 2nd:</b>				<b>Data Src:</b>	
<b>Final Well Status:</b>				<b>Date Received:</b>	07/04/2016
<b>Water Type:</b>				<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>	C26623			<b>Contractor:</b>	7328
<b>Tag:</b>	A200790			<b>Form Version:</b>	8
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>	NEPEAN TOWNSHIP				
<b>Site Info:</b>					

**Additional Detail(s) (Map)**

<b>Bore Hole ID:</b>	1006100526	<b>Tag No:</b>	A200790
<b>Depth M:</b>		<b>Contractor:</b>	7328
<b>Year Completed:</b>	2016	<b>Latitude:</b>	45.3968074892096
<b>Well Completed Dt:</b>	05/06/2016	<b>Longitude:</b>	-75.7503063715781
<b>Audit No:</b>	C26623	<b>Y:</b>	45.396807482537156
<b>Path:</b>		<b>X:</b>	-75.75030621058205

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006100526	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441274.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027306.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMCR:</b>	4
<b>Date Completed:</b>	05/06/2016	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<a href="#">7</a>	1 of 1	ENE/69.8	62.1 / -0.90	1946 Scott Street Ottawa ON Ottawa ON K1Z 1E8	EHS
<b>Order No:</b>	23110600129	<b>Nearest Intersection:</b>			
<b>Status:</b>	C	<b>Municipality:</b>			
<b>Report Type:</b>	Standard Report	<b>Client Prov/State:</b>	ON		
<b>Report Date:</b>	09-NOV-23	<b>Search Radius (km):</b>	.25		
<b>Date Received:</b>	06-NOV-23	<b>X:</b>	-75.74871		
<b>Previous Site Name:</b>		<b>Y:</b>	45.39736		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans			

**8**      1 of 1      **SW/85.7**      **63.4 / 0.46**      **320 McRae Ave  
Ottawa ON**      **WWIS**

<b>Well ID:</b>	7374861	<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>		<b>Flow Rate:</b>	
<b>Use 1st:</b>	Monitoring and Test Hole	<b>Data Entry Status:</b>	
<b>Use 2nd:</b>		<b>Data Src:</b>	
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Date Received:</b>	12/11/2020
<b>Water Type:</b>		<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>		<b>Abandonment Rec:</b>	
<b>Audit No:</b>	Z338259	<b>Contractor:</b>	7241
<b>Tag:</b>	A296161	<b>Form Version:</b>	7
<b>Constructn Method:</b>		<b>Owner:</b>	
<b>Elevation (m):</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliabilty:</b>		<b>Lot:</b>	
<b>Depth to Bedrock:</b>		<b>Concession:</b>	
<b>Well Depth:</b>		<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>		<b>Easting NAD83:</b>	
<b>Pump Rate:</b>		<b>Northing NAD83:</b>	
<b>Static Water Level:</b>		<b>Zone:</b>	
<b>Clear/Cloudy:</b>		<b>UTM Reliability:</b>	
<b>Municipality:</b>	NEPEAN TOWNSHIP		
<b>Site Info:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/737\7374861.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/737\7374861.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 08/26/2020  
**Year Completed:** 2020  
**Depth (m):**  
**Latitude:** 45.3963506438469  
**Longitude:** -75.7499681416788  
**X:** -75.74996797975716  
**Y:** 45.39635063714595  
**Path:** 737\7374861.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1008529650	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441300.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027255.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	08/26/2020	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1009708945			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		27			
<b>Material 1 Desc:</b>		OTHER			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		73			
<b>Material 3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1009708947			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>		73			
<b>Material 3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		3.0			
<b>Formation End Depth:</b>		24.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1009708946			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		09			
<b>Material 1 Desc:</b>		MEDIUM SAND			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		73			
<b>Material 3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		1.0			
<b>Formation End Depth:</b>		3.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1009710893			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		11.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1009710892			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Plug From:</i>		0.0			
<i>Plug To:</i>		1.0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1009710894			
<i>Layer:</i>		3			
<i>Plug From:</i>		11.5			
<i>Plug To:</i>		24.5			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1009713541			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		Direct Push			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1009713540			
<i>Method Construction Code:</i>		7			
<i>Method Construction:</i>		Diamond			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1009707542			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1009714221			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		14.5			
<i>Casing Diameter:</i>		1.3799999952316284			
<i>Casing Diameter UOM:</i>		Inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1009714939			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		14.5			
<i>Screen End Depth:</i>		24.5			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		Inch			
<i>Screen Diameter:</i>		1.659999966621399			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Results of Well Yield Testing**

**Pumping Test Method Desc:**  
**Pump Test ID:** 1009715623  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:** 0  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:** No

**Hole Diameter**

**Hole ID:** 1009712862  
**Diameter:** 2.875  
**Depth From:** 0.0  
**Depth To:** 6.0  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** Inch

**Hole Diameter**

**Hole ID:** 1009712863  
**Diameter:** 2.375  
**Depth From:** 6.0  
**Depth To:** 24.5  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** Inch

<u>9</u>	1 of 1	NNE/87.0	60.9 / -2.02	ON	BORE
<b>Borehole ID:</b>	613056			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514360			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	MAR-1968			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.397772
<b>Total Depth m:</b>	4.1			<b>Longitude DD:</b>	-75.749084
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	441371
<b>Drill Method:</b>				<b>Northing:</b>	5027412
<b>Orig Ground Elev m:</b>	62.8			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	56.6				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218393506			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Boulders			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	TILL.				
<b>Geology Stratum ID:</b>	218393507			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK.				
<b>Geology Stratum ID:</b>	218393508			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	2.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK. ARTIFICIAL. ARTIFICIAL. 000040140002001700035004 DENSE. SAND. DENSE. BEDROCK.				
<b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 055640 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.				
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>10</b>	<b>1 of 1</b>	<b>WSW/105.3</b>	<b>62.7 / -0.28</b>	<b>on transit way between Scott St. and Mcrae Ave. OTTAWA ON</b>	<b>SPL</b>
<b>Ref No:</b>	1-4HQJGV			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	12/14/2023 9:00:54 AM			<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	12/14/2023 3:26:54 PM			<b>Impact to Health:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Dt Document Closed:</b>	12/20/2023 7:02:57 AM			<b>Agency Involved:</b>	
<b>Site No:</b>					
<b>MOE Response:</b>		Desktop Response			
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>		Ottawa District Office			
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>					
<b>Site Address:</b>		on transit way between Scott St. and Mcrae Ave.			
<b>Site Region:</b>					
<b>Site Municipality:</b>		OTTAWA			
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Easting:</b>					
<b>Incident Cause:</b>					
<b>Incident Preceding Spill:</b>					
<b>Environment Impact:</b>					
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>					
<b>Contaminant Qty:</b>		2 litre (L)			
<b>Contaminant Qty 1:</b>					
<b>Contaminant Unit:</b>					
<b>Client Type:</b>					
<b>Source Type:</b>		Unknown / N/A			
<b>Contaminant Code:</b>					
<b>Contaminant Name:</b>		DIESEL FUEL			
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Receiving Medium:</b>		Land			
<b>Incident Reason:</b>		Unknown			
<b>Incident Summary:</b>		Ottawa: KEV/2L diesel to gravel/no impacts			
<b>Activity Preceding Spill:</b>					
<b>Property 2nd Watershed:</b>		02K   Central Ottawa River			
<b>Property Tertiary Watershed:</b>		02KF   Mississippi River - Central Ottawa River			
<b>Sector Type:</b>					
<b>SAC Action Class:</b>					
<b>Call Report Locatn Geodata:</b>		{"integration_ids":["PR00004310399"],"wkts":["POINT (-75.7507721000 45.3967806000)"],"creation_date":"2023-12-14"}			
<b>Time Reported:</b>					
<b>System Facility Address:</b>					
<b>Client Name:</b>					

<a href="#">11</a>	1 of 12	NE/106.8	61.0 / -1.98	City of Ottawa 1997 Scott St. Ottawa ON	SPL
--------------------	---------	----------	--------------	---	-----

<b>Ref No:</b>	0306-5Z4QBV	<b>Municipality No:</b>	
<b>Year:</b>		<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	5/18/2004	<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Material Group:</b>	Chemical
<b>MOE Reported Dt:</b>	5/18/2004	<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>		<b>Agency Involved:</b>	
<b>Site No:</b>			
<b>MOE Response:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Site District Office:</b>	Ottawa		
<b>Nearest Watercourse:</b>			
<b>Site Name:</b>	OC TRANSP0 - WESTBORO STATION<UNOFFICIAL>		
<b>Site Address:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>Northing:</b> <b>Easting:</b> <b>Incident Cause:</b> <b>Incident Preceding Spill:</b> <b>Environment Impact:</b> <b>Health Env Consequence:</b> <b>Nature of Impact:</b> <b>Contaminant Qty:</b> <b>Contaminant Qty 1:</b> <b>Contaminant Unit:</b> <b>Client Type:</b> <b>Source Type:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Receiving Medium:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> <b>SAC Action Class:</b> <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>		Eastern Ottawa       Pipe Or Hose Leak Not Anticipated Surface Water Pollution 6.75 L L  27 COOLANT N.O.S.   Water Unknown - Reason not determined OC Transpo - 1.5 gal. coolant to sewer.   Other Motor Vehicle     City of Ottawa			

[11](#)

2 of 12

NE/106.8

61.0 / -1.98

City of Ottawa  
1997 Scott Station  
Ottawa ON

CA

**Certificate #:** 2460-6PENF5  
**Application Year:** 2006  
**Issue Date:** 5/12/2006  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

[11](#)

3 of 12

NE/106.8

61.0 / -1.98

City of Ottawa, OC Transpo  
1997 Scott Street  
Ottawa ON

GEN

**Generator No:** ON4311860  
**SIC Code:** 485110  
**SIC Description:**  
**Approval Years:** 2013



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		150			
<b>Waste Class Name:</b>		INERT INORGANIC WASTES			
<a href="#">11</a>	4 of 12	NE/106.8	61.0 / -1.98	City of Ottawa 1997 Scott Station Ottawa ON K2G 6J8	ECA
<b>Approval No:</b>		2460-6PENF5		<b>MOE District:</b>	
<b>Approval Date:</b>		2006-05-12		<b>City:</b>	
<b>Status:</b>		Approved		<b>Longitude:</b>	
<b>Record Type:</b>		ECA		<b>Latitude:</b>	
<b>Link Source:</b>		IDS		<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Business Name:</b>		City of Ottawa			
<b>Address:</b>		1997 Scott Station			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2839-6MUPN9-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2839-6MUPN9-14.pdf</a>			
<b>PDF Site Location:</b>					
<a href="#">11</a>	5 of 12	NE/106.8	61.0 / -1.98	City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1G 0Z8	GEN
<b>Generator No:</b>		ON4311860			
<b>SIC Code:</b>		485110			
<b>SIC Description:</b>		485110			
<b>Approval Years:</b>		2016			
<b>PO Box No:</b>					
<b>Country:</b>		Canada			
<b>Status:</b>					
<b>Co Admin:</b>		Barbara Collett			
<b>Choice of Contact:</b>		CO_ADMIN			
<b>Phone No Admin:</b>		613-580-2424 Ext.52434			
<b>Contaminated Facility:</b>		No			
<b>MHSW Facility:</b>		No			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		251			
<b>Waste Class Name:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		150			
<b>Waste Class Name:</b>		INERT INORGANIC WASTES			
<a href="#">11</a>	6 of 12	NE/106.8	61.0 / -1.98	City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1G 0Z8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b> ON4311860 <b>SIC Code:</b> 485110 <b>SIC Description:</b> 485110 <b>Approval Years:</b> 2015 <b>PO Box No:</b> <b>Country:</b> Canada <b>Status:</b> <b>Co Admin:</b> Barbara Collett <b>Choice of Contact:</b> CO_ADMIN <b>Phone No Admin:</b> 613842-3636 Ext.2434 <b>Contaminated Facility:</b> No <b>MHSW Facility:</b> No					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 150 <b>Waste Class Name:</b> INERT INORGANIC WASTES					
<a href="#">11</a>	7 of 12	<b>NE/106.8</b>	<b>61.0 / -1.98</b>	<b>City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1G 0Z8</b>	<b>GEN</b>
<b>Generator No:</b> ON4311860 <b>SIC Code:</b> 485110 <b>SIC Description:</b> 485110 <b>Approval Years:</b> 2014 <b>PO Box No:</b> <b>Country:</b> Canada <b>Status:</b> <b>Co Admin:</b> Barbara Collett <b>Choice of Contact:</b> CO_ADMIN <b>Phone No Admin:</b> 613842-3636 Ext.2434 <b>Contaminated Facility:</b> No <b>MHSW Facility:</b> No					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 150 <b>Waste Class Name:</b> INERT INORGANIC WASTES					
<a href="#">11</a>	8 of 12	<b>NE/106.8</b>	<b>61.0 / -1.98</b>	<b>City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1Z 6T2</b>	<b>GEN</b>
<b>Generator No:</b> ON4289265 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Jul 2019 <b>PO Box No:</b> <b>Country:</b> Canada <b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 251 L <b>Waste Class Name:</b> Waste oils/sludges (petroleum based)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">11</a>	9 of 12	NE/106.8	61.0 / -1.98	City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1G 0Z8	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>		ON4311860  As of Oct 2019  Canada Registered			
<b>Detail(s)</b>					
<b>Waste Class:</b>		150 L			
<b>Waste Class Name:</b>		Inert organic wastes			
<b>Waste Class:</b>		251 L			
<b>Waste Class Name:</b>		Waste oils/sludges (petroleum based)			
<a href="#">11</a>	10 of 12	NE/106.8	61.0 / -1.98	City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1Z 1A4	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>		ON4289265  As of Jul 2020  Canada Registered			
<b>Detail(s)</b>					
<b>Waste Class:</b>		251 L			
<b>Waste Class Name:</b>		Waste oils/sludges (petroleum based)			
<a href="#">11</a>	11 of 12	NE/106.8	61.0 / -1.98	City of Ottawa, OC Transpo 1997 Scott Street Ottawa ON K1Z 1A4	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b>		ON4289265  As of Jan 2021  Canada Registered			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>MHSW Facility:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b>		251 L			
<b>Waste Class Name:</b>		Waste oils/sludges (petroleum based)			
<b>11</b>	<b>12 of 12</b>	<b>NE/106.8</b>	<b>61.0 / -1.98</b>	<b>Regional Elevator 1997 Scott Street Ottawa ON K1Z1A4</b>	<b>GEN</b>
<b>Generator No:</b>		ON9946486			
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Approval Years:</b>		As of Oct 2022			
<b>PO Box No:</b>					
<b>Country:</b>		Canada			
<b>Status:</b>		Registered			
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contaminated Facility:</b>					
<b>MHSW Facility:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Name:</b>		WASTE OILS & LUBRICANTS			
<b>12</b>	<b>1 of 5</b>	<b>S/107.3</b>	<b>63.9 / 0.91</b>	<b>MCRAE AVENUE (OTTAWA) DEVELOPMENT INC. 319 MCRAE AVENUE ON Ottawa ON</b>	<b>RSC</b>
<b>RSC No:</b>	216030			<b>X:</b>	-75.74964721
<b>RA No:</b>				<b>Y:</b>	45.39623573
<b>Status:</b>	FILED			<b>Latitude:</b>	45.39623573
<b>Filing Date:</b>				<b>Longitude:</b>	-75.74964721
<b>Date Ack:</b>				<b>UTM Coordinates:</b>	
<b>Date Returned:</b>				<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	December 23, 2014			<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>				<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>				<b>Mailing Address:</b>	
<b>Curr Property Use:</b>				<b>Telephone:</b>	
<b>Intended Prop Use:</b>				<b>Fax:</b>	
<b>Restoration Type:</b>				<b>Email:</b>	
<b>Soil Type:</b>				<b>Postal Code:</b>	K1Z 5T9
<b>Criteria:</b>				<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>				<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>				<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>				<b>Qual Person Name:</b>	DANIEL ARNOTT
<b>CPU Issu Sect 1686:</b>				<b>Consultant:</b>	
<b>Business Name:</b>		MCRAE AVENUE (OTTAWA) DEVELOPMENT INC.			
<b>Address:</b>		319 MCRAE AVENUE ON			
<b>Legal Desc:</b>					
<b>Site Pin:</b>		04021-0030 (LT)			
<b>Asmt Roll No:</b>					
<b>Project Type:</b>		POST2011			
<b>Approval Type:</b>		RSC based on Phase One and Two ESAs			
<b>Applicable Standards:</b>					
<b>PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=216030">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=216030</a>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">12</a>	2 of 5	S/107.3	63.9 / 0.91	Construction <UNOFFICIAL> 319 McRae St. Ottawa ON	SPL
<b>Ref No:</b>	7363-9YGP32			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	7/16/2015			<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	7/16/2015			<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>	9/16/2015			<b>Agency Involved:</b>	
<b>Site No:</b>	NA				
<b>MOE Response:</b>	No				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>					
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>	Construction site<UNOFFICIAL>				
<b>Site Address:</b>	319 McRae St.				
<b>Site Region:</b>					
<b>Site Municipality:</b>	Ottawa				
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Easting:</b>					
<b>Incident Cause:</b>					
<b>Incident Preceding Spill:</b>					
<b>Environment Impact:</b>					
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>					
<b>Contaminant Qty:</b>	375 L				
<b>Contaminant Qty 1:</b>	375				
<b>Contaminant Unit:</b>	L				
<b>Client Type:</b>					
<b>Source Type:</b>					
<b>Contaminant Code:</b>	15				
<b>Contaminant Name:</b>	HYDRAULIC OIL				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Receiving Medium:</b>					
<b>Incident Reason:</b>	Operator/Human Error				
<b>Incident Summary:</b>	Broccolini Construction Ottawa, 375 L hyd oil to gravel.				
<b>Activity Preceding Spill:</b>					
<b>Property 2nd Watershed:</b>					
<b>Property Tertiary Watershed:</b>					
<b>Sector Type:</b>	Miscellaneous Industrial				
<b>SAC Action Class:</b>	Land Spills				
<b>Call Report Locatn Geodata:</b>					
<b>Time Reported:</b>					
<b>System Facility Address:</b>					
<b>Client Name:</b>	Construction <UNOFFICIAL>				

<a href="#">12</a>	3 of 5	S/107.3	63.9 / 0.91	Broccolini Construction Ottawa Inc. 319 McRae ottawa ON K1Z 5R8	GEN
<b>Generator No:</b>	ON5516124				
<b>SIC Code:</b>	236110, 236210, 236220				
<b>SIC Description:</b>	RESIDENTIAL BUILDING CONSTRUCTION, INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION, COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION				
<b>Approval Years:</b>	2015				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>PO Box No:</b> <b>Country:</b> Canada <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> CO_OFFICIAL <b>Phone No Admin:</b> <b>Contaminated Facility:</b> No <b>MHSW Facility:</b> No					
<u>Detail(s)</u>					
<b>Waste Class:</b> 263 <b>Waste Class Name:</b> ORGANIC LABORATORY CHEMICALS					
<a href="#">12</a>	4 of 5	S/107.3	63.9 / 0.91	Colonnade Bridgeport 315 - 319 McRae Street Ottawa ON K1Z 0C2	GEN
<b>Generator No:</b> ON8060654 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Jul 2020 <b>PO Box No:</b> <b>Country:</b> Canada <b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 251 L <b>Waste Class Name:</b> Waste oils/sludges (petroleum based)					
<a href="#">12</a>	5 of 5	S/107.3	63.9 / 0.91	Colonnade Bridgeport 315 - 319 McRae Street Ottawa ON K1Z 0C2	GEN
<b>Generator No:</b> ON8060654 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Jan 2021 <b>PO Box No:</b> <b>Country:</b> Canada <b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<u>Detail(s)</u>					
<b>Waste Class:</b> 251 L <b>Waste Class Name:</b> Waste oils/sludges (petroleum based)					
<a href="#">13</a>	1 of 2	W/107.6	62.7 / -0.28	City of Ottawa McRae Ave and Scott St Ottawa ON K1P 1J1	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b>	3347-9WUTEH			<b>MOE District:</b>	
<b>Approval Date:</b>	2015-05-27			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	City of Ottawa				
<b>Address:</b>	McRae Ave and Scott St				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8629-9WJKE5-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8629-9WJKE5-14.pdf</a>				
<b>PDF Site Location:</b>					

<a href="#">13</a>	2 of 2	W/107.6	62.7 / -0.28	<b>Aecon Construction Ontario East Limited</b> Scott Street @ Mcrea Ave Ottawa ON	<b>SPL</b>
<b>Ref No:</b>	4146-BVHLQM			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	11/19/2020			<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	11/19/2020			<b>Impact to Health:</b>	2 - Minor Environment
<b>Dt Document Closed:</b>	2/9/2021			<b>Agency Involved:</b>	
<b>Site No:</b>	NA				
<b>MOE Response:</b>	No				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>	Ottawa				
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>	Roadway<UNOFFICIAL>				
<b>Site Address:</b>	Scott Street @ Mcrea Ave				
<b>Site Region:</b>	Eastern				
<b>Site Municipality:</b>	Ottawa				
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>	5027303.74				
<b>Easting:</b>	441237.7				
<b>Incident Cause:</b>					
<b>Incident Preceding Spill:</b>	Leak/Break				
<b>Environment Impact:</b>					
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>					
<b>Contaminant Qty:</b>	0.1 L				
<b>Contaminant Qty 1:</b>	0.1				
<b>Contaminant Unit:</b>	L				
<b>Client Type:</b>	Corporation				
<b>Source Type:</b>	Valve/Fitting/Piping				
<b>Contaminant Code:</b>	44				
<b>Contaminant Name:</b>	SEWAGE,RAW UNCHLORINATED				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>	n/a				
<b>Receiving Medium:</b>	Land				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	Spill: sanitary sewage to roadway				
<b>Activity Preceding Spill:</b>					
<b>Property 2nd Watershed:</b>					
<b>Property Tertiary Watershed:</b>					
<b>Sector Type:</b>	Miscellaneous Industrial				
<b>SAC Action Class:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Call Report Locatn Geodata:**

**Time Reported:**

**System Facility Address:**

**Client Name:** Aecon Construction Ontario East Limited

<a href="#">14</a>	1 of 1	W/108.0	62.5 / -0.50	45.396987, -75.750856 OTTAWA ON	SPL
--------------------	--------	---------	--------------	------------------------------------	-----

**Ref No:** 1-3HJHSR

**Year:**

**Incident Dt:** 5/29/2023 10:30:39 AM

**Dt MOE Arvl on Scn:**

**MOE Reported Dt:** 5/29/2023 3:56:39 PM

**Dt Document Closed:** 5/30/2023 7:33:36 AM

**Site No:**

**MOE Response:** Desktop Response

**Site County/District:**

**Site Geo Ref Meth:**

**Site District Office:** Ottawa District Office

**Nearest Watercourse:**

**Site Name:**

**Site Address:** 45.396987, -75.750856

**Site Region:**

**Site Municipality:** OTTAWA

**Site Lot:**

**Site Conc:**

**Site Geo Ref Accu:**

**Site Map Datum:**

**Northing:**

**Easting:**

**Incident Cause:**

**Incident Preceding Spill:**

**Environment Impact:**

**Health Env Consequence:**

**Nature of Impact:**

**Contaminant Qty:** 1 litre (L)

**Contaminant Qty 1:**

**Contaminant Unit:**

**Client Type:**

**Source Type:** Spray Vessel/Equipment

**Contaminant Code:**

**Contaminant Name:** HYDRAULIC OIL

**Contaminant Limit 1:**

**Contam Limit Freq 1:**

**Contaminant UN No 1:**

**Receiving Medium:** Land

**Incident Reason:**

**Incident Summary:** 1L Hydraulic Fluid to ground, Ottawa

**Activity Preceding Spill:**

**Property 2nd Watershed:** 02K | Central Ottawa River

**Property Tertiary Watershed:** 02KF | Mississippi River - Central Ottawa River

**Sector Type:** OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION

**SAC Action Class:**

**Call Report Locatn Geodata:** {"integration\_ids":["PR00003915096"],"wkts":["POINT (-75.7508560000 45.3969870000)"],"creation\_date":"2023-05-29"}

**Time Reported:**

**System Facility Address:**

**Client Name:**

<a href="#">15</a>	1 of 1	SW/113.2	63.4 / 0.48	Colonnade Bridgeport 315 McRae Avenue Ottawa ON K1Z 0C2	GEN
--------------------	--------	----------	-------------	---	-----



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>		ON3696445  As of Oct 2022  Canada Registered			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Name:</b>		251 L OIL SKIMMINGS & SLUDGES			

<a href="#">16</a>	1 of 1	<b>WSW/114.7</b>	<b>63.0 / 0.03</b>	<b>1976 Scott St Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b> <b>Construction Date:</b> <b>Use 1st:</b> <b>Use 2nd:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Constructn Method:</b> <b>Elevation (m):</b> <b>Elevatn Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Clear/Cloudy:</b> <b>Municipality:</b> <b>Site Info:</b>		7334768  Monitoring and Test Hole  Monitoring and Test Hole  Z298204 A257488  NEPEAN TOWNSHIP		<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>County:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334768.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334768.pdf</a>			

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	11/01/2018
<b>Year Completed:</b>	2018
<b>Depth (m):</b>	7.62
<b>Latitude:</b>	45.3965613689019
<b>Longitude:</b>	-75.7507758390253
<b>X:</b>	-75.75077567720139
<b>Y:</b>	45.39656136217382
<b>Path:</b>	733\7334768.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007476081	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441237.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027279.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	11/01/2018	on Water Well Record		Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 4 margin of error : 30 m - 100 m wwr

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1007824520  
 Layer: 1  
 Color: 2  
 General Color: GREY  
 Material 1: 11  
 Material 1 Desc: GRAVEL  
 Material 2:  
 Material 2 Desc:  
 Material 3: 77  
 Material 3 Desc: LOOSE  
 Formation Top Depth: 0.0  
 Formation End Depth: 0.3100000023841858  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1007824522  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Material 1: 15  
 Material 1 Desc: LIMESTONE  
 Material 2:  
 Material 2 Desc:  
 Material 3: 74  
 Material 3 Desc: LAYERED  
 Formation Top Depth: 1.2200000286102295  
 Formation End Depth: 7.619999885559082  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1007824521  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Material 1: 28  
 Material 1 Desc: SAND  
 Material 2: 11  
 Material 2 Desc: GRAVEL  
 Material 3: 85  
 Material 3 Desc: SOFT  
 Formation Top Depth: 0.3100000023841858  
 Formation End Depth: 1.2200000286102295  
 Formation End Depth UOM: m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826037			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826038			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		4.269999980926514			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826039			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.269999980926514			
<b>Plug To:</b>		7.619999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007827620			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007822327			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007828299			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.570000171661377			
<b>Casing Diameter:</b>		5.199999809265137			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007828999			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.570000171661377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		7.619999885559082			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<b><u>Results of Well Yield Testing</u></b>					
Pumping Test Method Desc:					
Pump Test ID:		1007829799			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1007827275			
Diameter:		7.619999885559082			
Depth From:		1.519999809265137			
Depth To:		7.619999885559082			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1007827274			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		1.519999809265137			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">17</a>	1 of 1	WSW/119.5	63.7 / 0.76	320 Mclae Ave Ottawa ON	WWIS
Well ID:		7364999		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Monitoring and Test Hole		Date Received: 08/14/2020	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		Z338159		Contractor: 7241	
Tag:		A296264		Form Version: 7	
Constructn Method:				Owner:	
Elevation (m):				County: OTTAWA-CARLETON	
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Rate:</b> <b>Static Water Level:</b> <b>Clear/Cloudy:</b> <b>Municipality:</b> <b>Site Info:</b>				<b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
NEPEAN TOWNSHIP					

**Additional Detail(s) (Map)**

<b>Bore Hole ID:</b>	1008432353	<b>Tag No:</b>	A296264
<b>Depth M:</b>	7.62	<b>Contractor:</b>	7241
<b>Year Completed:</b>	2020	<b>Latitude:</b>	45.3963461959624
<b>Well Completed Dt:</b>	05/13/2020	<b>Longitude:</b>	-75.7506452265575
<b>Audit No:</b>	Z338159	<b>Y:</b>	45.39634618943633
<b>Path:</b>		<b>X:</b>	-75.75064506491562

**Bore Hole Information**

<b>Bore Hole ID:</b>	1008432353	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441247.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027255.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	05/13/2020	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1008737204
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Material 1:</b>	11
<b>Material 1 Desc:</b>	GRAVEL
<b>Material 2:</b>	66
<b>Material 2 Desc:</b>	DENSE
<b>Material 3:</b>	
<b>Material 3 Desc:</b>	
<b>Formation Top Depth:</b>	0.0
<b>Formation End Depth:</b>	0.3100000023841858
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1008737207
<b>Layer:</b>	4
<b>Color:</b>	
<b>General Color:</b>	
<b>Material 1:</b>	
<b>Material 1 Desc:</b>	
<b>Material 2:</b>	
<b>Material 2 Desc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>			7.619999885559082		
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1008737205			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		28			
<b>Material 1 Desc:</b>		SAND			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		77			
<b>Material 3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>			0.3100000023841858		
<b>Formation End Depth:</b>			1.2200000286102295		
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1008737206			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>		74			
<b>Material 2 Desc:</b>		LAYERED			
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>			1.2200000286102295		
<b>Formation End Depth:</b>			7.619999885559082		
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1008737294			
<b>Layer:</b>		3			
<b>Plug From:</b>			3.9600000381469727		
<b>Plug To:</b>			7.619999885559082		
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1008737292			
<b>Layer:</b>		1			
<b>Plug From:</b>			0.0		
<b>Plug To:</b>			0.3100000023841858		
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1008737293			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	2				
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		3.9600000381469727			
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1008737548				
<b>Method Construction Code:</b>	5				
<b>Method Construction:</b>	Air Percussion				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1008737052				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1008737573				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0.0				
<b>Depth To:</b>	4.570000171661377				
<b>Casing Diameter:</b>	5.199999809265137				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1008737615				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	4.570000171661377				
<b>Screen End Depth:</b>	7.619999885559082				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	6.03000020980835				
<b><u>Results of Well Yield Testing</u></b>					
<b>Pumping Test Method Desc:</b>					
<b>Pump Test ID:</b>	1008737646				
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>	m				
<b>Rate UOM:</b>	LPM				
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>	0				
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
Hole ID:		1008737513			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		1.2200000286102295			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1008737514			
Diameter:		8.890000343322754			
Depth From:		1.2200000286102295			
Depth To:		7.619999885559082			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<b>18</b>	<b>1 of 1</b>	<b>WSW/119.8</b>	<b>63.0 / 0.03</b>	<b>320 McRae Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7374860			<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>	Monitoring and Test Hole			<b>Data Entry Status:</b>	
<b>Use 2nd:</b>				<b>Data Src:</b>	
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/11/2020
<b>Water Type:</b>				<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>	Z338243			<b>Contractor:</b>	7241
<b>Tag:</b>	A296216			<b>Form Version:</b>	7
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliabilty:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>	NEPEAN TOWNSHIP				
<b>Site Info:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/737\7374860.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/737\7374860.pdf</a>				

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	08/27/2020
<b>Year Completed:</b>	2020
<b>Depth (m):</b>	
<b>Latitude:</b>	45.3964534465705
<b>Longitude:</b>	-75.7507616335017
<b>X:</b>	-75.75076147215572
<b>Y:</b>	45.39645344032714
<b>Path:</b>	737\7374860.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1008529638	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB:</b>				<b>East83:</b>	441238.00
<b>Code OB Desc:</b>				<b>North83:</b>	5027267.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	08/27/2020			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>		on Water Well Record			
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1009708942  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Material 1:** 27  
**Material 1 Desc:** OTHER  
**Material 2:** 11  
**Material 2 Desc:** GRAVEL  
**Material 3:** 66  
**Material 3 Desc:** DENSE  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 0.3100000023841858  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1009708943  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Material 1:** 28  
**Material 1 Desc:** SAND  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:** 77  
**Material 3 Desc:** LOOSE  
**Formation Top Depth:** 0.3100000023841858  
**Formation End Depth:** 2.130000114440918  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1009708944  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 15  
**Material 1 Desc:** LIMESTONE  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 2.130000114440918  
**Formation End Depth:** 9.140000343322754

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1009710889				
<b>Layer:</b>	1				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	0.3100000023841858				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1009710891				
<b>Layer:</b>	3				
<b>Plug From:</b>	5.789999961853027				
<b>Plug To:</b>	9.140000343322754				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1009710890				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.3100000023841858				
<b>Plug To:</b>	5.789999961853027				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1009713539				
<b>Method Construction Code:</b>	5				
<b>Method Construction:</b>	Air Percussion				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1009707541				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1009714220				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0.0				
<b>Depth To:</b>	6.099999904632568				
<b>Casing Diameter:</b>	5.199999809265137				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1009714938				
<b>Layer:</b>	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		6.099999904632568			
Screen End Depth:		9.140000343322754			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			

**Results of Well Yield Testing**

Pumping Test Method Desc:	
Pump Test ID:	1009715622
Pump Set At:	
Static Level:	
Final Level After Pumping:	
Recommended Pump Depth:	
Pumping Rate:	
Flowing Rate:	
Recommended Pump Rate:	
Levels UOM:	m
Rate UOM:	LPM
Water State After Test Code:	
Water State After Test:	
Pumping Test Method:	0
Pumping Duration HR:	
Pumping Duration MIN:	
Flowing:	No

**Hole Diameter**

Hole ID:	1009712860
Diameter:	11.430000305175781
Depth From:	0.0
Depth To:	3.0999999046325684
Hole Depth UOM:	m
Hole Diameter UOM:	cm

**Hole Diameter**

Hole ID:	1009712861
Diameter:	8.890000343322754
Depth From:	3.0999999046325684
Depth To:	9.140000343322754
Hole Depth UOM:	m
Hole Diameter UOM:	cm

[19](#)

1 of 1

WSW/119.8

63.1 / 0.09

ON

WWIS

Well ID:	7406979	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	Yes
Use 2nd:		Data Src:	
Final Well Status:		Date Received:	12/29/2021
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z368492	Contractor:	7241
Tag:	A287648	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Clear/Cloudy:</b> <b>Municipality:</b> <b>Site Info:</b>		OTTAWA CITY		<b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Bore Hole ID:</b> <b>Depth M:</b> <b>Year Completed:</b> <b>Well Completed Dt:</b> <b>Audit No:</b> <b>Path:</b>	1008904899 2021 11/11/2021 Z368492			<b>Tag No:</b> <b>Contractor:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Y:</b> <b>X:</b>	A287648 7241 45.3966056996808 -75.7508786369355 45.396605693031034 -75.75087847497481
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Location Method Desc:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1008904899     11/11/2021 on Water Well Record			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	  18 441229.00 5027284.00 UTM83 4 margin of error : 30 m - 100 m wwr
<a href="#">20</a>	1 of 2	NW/121.5	61.5 / -1.44	Minto (Island Park) Limited 38 Metropole Private Ottawa ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>	5139-5RNJ7J 2003 9/30/2003 Air Approved				
<a href="#">20</a>	2 of 2	NW/121.5	61.5 / -1.44	Minto (Island Park) Limited 38 Metropole Pvt Ottawa ON K1R 7Y2	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b>	5139-5RNJ7J 2003-09-30 Approved ECA			<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> Minto (Island Park) Limited <b>Address:</b> 38 Metropole Pvt <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9984-5QBKCV-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9984-5QBKCV-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">21</a>	1 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON K1Z6T3	PRT
<b>Location ID:</b> 11085 <b>Type:</b> retail <b>Expiry Date:</b> 1996-01-31 <b>Capacity (L):</b> 68100 <b>Licence #:</b> 0052376001					
<a href="#">21</a>	2 of 11	WSW/121.6	63.0 / 0.03	JAY'S GAS BAR 1976 SCOTT STREET OTTAWA ON K1Z 6T3	GEN
<b>Generator No:</b> ON8892252 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> 03,04 <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<a href="#">21</a>	3 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON K1Z 6T3	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b> 9734771 <b>Status:</b> EXPIRED <b>Instance ID:</b> <b>Instance Type:</b> FS Facility <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Item Description:</b> <b>Manufacturer:</b> <b>Model:</b> <b>Serial No:</b> <b>ULC Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Overfill Prot Type:</b> <b>Creation Date:</b> <b>Next Periodic Str DT:</b>					
<b>Expired Date:</b> 12/29/2001 <b>Max Hazard Rank:</b> <b>Facility Location:</b> <b>Facility Type:</b> <b>Fuel Type 2:</b> <b>Fuel Type 3:</b> <b>Panam Related:</b> <b>Panam Venue Nm:</b> <b>External Identifier:</b> <b>Item:</b> <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tank Single Wall St:</b> <b>Piping Underground:</b> <b>Tank Underground:</b> <b>Source:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TSSA Base Sched Cycle 2:</b> <b>TSSAMax Hazard Rank 1:</b> <b>TSSA Risk Based Periodic Yn:</b> <b>TSSA Volume of Directives:</b> <b>TSSA Periodic Exempt:</b> <b>TSSA Statutory Interval:</b> <b>TSSA Recd Insp Interva:</b> <b>TSSA Recd Tolerance:</b> <b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b> <b>Description:</b> <b>Original Source:</b> EXP <b>Record Date:</b> Up to May 2013					

<a href="#">21</a>	4 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON	DTNK
--------------------	---------	-----------	-------------	--	------

**Delisted Expired Fuel Safety Facilities**

<b>Instance No:</b> 10108736 <b>Status:</b> EXPIRED <b>Instance ID:</b> 12145 <b>Instance Type:</b> FS Facility <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Item Description:</b> <b>Manufacturer:</b> <b>Model:</b> <b>Serial No:</b> <b>ULC Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Overfill Prot Type:</b> <b>Creation Date:</b> <b>Next Periodic Str DT:</b> <b>TSSA Base Sched Cycle 2:</b> <b>TSSAMax Hazard Rank 1:</b> <b>TSSA Risk Based Periodic Yn:</b> <b>TSSA Volume of Directives:</b> <b>TSSA Periodic Exempt:</b> <b>TSSA Statutory Interval:</b> <b>TSSA Recd Insp Interva:</b> <b>TSSA Recd Tolerance:</b> <b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b> <b>Description:</b> FS Propane Refill Cntr - Cylr Fill <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012	<b>Expired Date:</b> <b>Max Hazard Rank:</b> <b>Facility Location:</b> <b>Facility Type:</b> <b>Fuel Type 2:</b> <b>Fuel Type 3:</b> <b>Panam Related:</b> <b>Panam Venue Nm:</b> <b>External Identifier:</b> <b>Item:</b> <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tank Single Wall St:</b> <b>Piping Underground:</b> <b>Tank Underground:</b> <b>Source:</b>
--	---

<a href="#">21</a>	5 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON	DTNK
--------------------	---------	-----------	-------------	--	------

**Delisted Expired Fuel Safety Facilities**

<b>Instance No:</b> 10906692 <b>Status:</b> EXPIRED <b>Instance ID:</b> 50912	<b>Expired Date:</b> <b>Max Hazard Rank:</b> <b>Facility Location:</b>
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Instance Type:</b> FS Piping</p> <p><b>Instance Creation Dt:</b></p> <p><b>Instance Install Dt:</b></p> <p><b>Item Description:</b></p> <p><b>Manufacturer:</b></p> <p><b>Model:</b></p> <p><b>Serial No:</b></p> <p><b>ULC Standard:</b></p> <p><b>Quantity:</b></p> <p><b>Unit of Measure:</b></p> <p><b>Overfill Prot Type:</b></p> <p><b>Creation Date:</b></p> <p><b>Next Periodic Str DT:</b></p> <p><b>TSSA Base Sched Cycle 2:</b></p> <p><b>TSSAMax Hazard Rank 1:</b></p> <p><b>TSSA Risk Based Periodic Yn:</b></p> <p><b>TSSA Volume of Directives:</b></p> <p><b>TSSA Periodic Exempt:</b></p> <p><b>TSSA Statutory Interval:</b></p> <p><b>TSSA Recd Insp Interva:</b></p> <p><b>TSSA Recd Tolerance:</b></p> <p><b>TSSA Program Area:</b></p> <p><b>TSSA Program Area 2:</b></p> <p><b>Description:</b> FS Piping</p> <p><b>Original Source:</b> EXP</p> <p><b>Record Date:</b> Up to Mar 2012</p>					
<p><b>Facility Type:</b></p> <p><b>Fuel Type 2:</b></p> <p><b>Fuel Type 3:</b></p> <p><b>Panam Related:</b></p> <p><b>Panam Venue Nm:</b></p> <p><b>External Identifier:</b></p> <p><b>Item:</b></p> <p><b>Piping Steel:</b></p> <p><b>Piping Galvanized:</b></p> <p><b>Tank Single Wall St:</b></p> <p><b>Piping Underground:</b></p> <p><b>Tank Underground:</b></p> <p><b>Source:</b></p>					

<a href="#">21</a>	6 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON	DTNK
--------------------	---------	-----------	-------------	--	------

**Delisted Expired Fuel Safety Facilities**

<p><b>Instance No:</b> 10906707</p> <p><b>Status:</b> EXPIRED</p> <p><b>Instance ID:</b> 51397</p> <p><b>Instance Type:</b> FS Piping</p> <p><b>Instance Creation Dt:</b></p> <p><b>Instance Install Dt:</b></p> <p><b>Item Description:</b></p> <p><b>Manufacturer:</b></p> <p><b>Model:</b></p> <p><b>Serial No:</b></p> <p><b>ULC Standard:</b></p> <p><b>Quantity:</b></p> <p><b>Unit of Measure:</b></p> <p><b>Overfill Prot Type:</b></p> <p><b>Creation Date:</b></p> <p><b>Next Periodic Str DT:</b></p> <p><b>TSSA Base Sched Cycle 2:</b></p> <p><b>TSSAMax Hazard Rank 1:</b></p> <p><b>TSSA Risk Based Periodic Yn:</b></p> <p><b>TSSA Volume of Directives:</b></p> <p><b>TSSA Periodic Exempt:</b></p> <p><b>TSSA Statutory Interval:</b></p> <p><b>TSSA Recd Insp Interva:</b></p> <p><b>TSSA Recd Tolerance:</b></p> <p><b>TSSA Program Area:</b></p> <p><b>TSSA Program Area 2:</b></p> <p><b>Description:</b> FS Piping</p> <p><b>Original Source:</b> EXP</p> <p><b>Record Date:</b> Up to Mar 2012</p>					
<p><b>Expired Date:</b></p> <p><b>Max Hazard Rank:</b></p> <p><b>Facility Location:</b></p> <p><b>Facility Type:</b></p> <p><b>Fuel Type 2:</b></p> <p><b>Fuel Type 3:</b></p> <p><b>Panam Related:</b></p> <p><b>Panam Venue Nm:</b></p> <p><b>External Identifier:</b></p> <p><b>Item:</b></p> <p><b>Piping Steel:</b></p> <p><b>Piping Galvanized:</b></p> <p><b>Tank Single Wall St:</b></p> <p><b>Piping Underground:</b></p> <p><b>Tank Underground:</b></p> <p><b>Source:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">21</a>	7 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON	DTNK

**Delisted Expired Fuel Safety Facilities**

**Instance No:** 11298190  
**Status:** EXPIRED  
**Instance ID:** 77642  
**Instance Type:** FS Propane Tank  
**Instance Creation Dt:**  
**Instance Install Dt:**  
**Item Description:**  
**Manufacturer:**  
**Model:**  
**Serial No:**  
**ULC Standard:**  
**Quantity:**  
**Unit of Measure:**  
**Overfill Prot Type:**  
**Creation Date:**  
**Next Periodic Str DT:**  
**TSSA Base Sched Cycle 2:**  
**TSSA Max Hazard Rank 1:**  
**TSSA Risk Based Periodic Yn:**  
**TSSA Volume of Directives:**  
**TSSA Periodic Exempt:**  
**TSSA Statutory Interval:**  
**TSSA Recd Insp Interva:**  
**TSSA Recd Tolerance:**  
**TSSA Program Area:**  
**TSSA Program Area 2:**  
**Description:** FS Propane Tank  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

**Expired Date:**  
**Max Hazard Rank:**  
**Facility Location:**  
**Facility Type:**  
**Fuel Type 2:**  
**Fuel Type 3:**  
**Panam Related:**  
**Panam Venue Nm:**  
**External Identifier:**  
**Item:**  
**Piping Steel:**  
**Piping Galvanized:**  
**Tank Single Wall St:**  
**Piping Underground:**  
**Tank Underground:**  
**Source:**

<a href="#">21</a>	8 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON	EXP
--------------------	---------	-----------	-------------	--	-----

**Inventory No:** 10906683  
**Inventory Status:** EXPIRED  
**Installation Year:** 1992  
**Capacity:** 22700  
**Capacity Unit:**  
**Tank Type:**  
**Manufacturer:**  
**Model:**  
**Description:** UNDERGROUND TANK  
**Previous Fuel Type:** Gasoline

**Tank Material:** Fiberglass (FRP)  
**Corrosion Protect:** Fiberglass  
**Overfill Protection:**  
**Inventory Context:** FS Liquid Fuel Tank  
**Inventory Item:** FS LIQUID FUEL TANK

<a href="#">21</a>	9 of 11	WSW/121.6	63.0 / 0.03	JS GAS BAR 1976 SCOTT ST OTTAWA ON	EXP
--------------------	---------	-----------	-------------	--	-----

**Inventory No:** 10906674  
**Inventory Status:** EXPIRED  
**Installation Year:** 1992  
**Capacity:** 22700  
**Tank Material:** Fiberglass (FRP)  
**Corrosion Protect:** Fiberglass  
**Overfill Protection:**  
**Inventory Context:** FS Liquid Fuel Tank



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Capacity Unit:</b> <b>Tank Type:</b> <b>Manufacturer:</b> <b>Model:</b> <b>Description:</b> <b>Previous Fuel Type:</b>				<b>Inventory Item:</b> FS LIQUID FUEL TANK  UNDERGROUND TANK Gasoline	
<a href="#">21</a>	10 of 11	WSW/121.6	63.0 / 0.03	<b>JS GAS BAR</b> <b>1976 SCOTT ST</b> <b>OTTAWA ON</b>	<b>EXP</b>
<b>Inventory No:</b> 10906701 <b>Inventory Status:</b> EXPIRED <b>Installation Year:</b> 1992 <b>Capacity:</b> 22700 <b>Capacity Unit:</b> <b>Tank Type:</b> <b>Manufacturer:</b> <b>Model:</b> <b>Description:</b> <b>Previous Fuel Type:</b>				<b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protect:</b> Fiberglass <b>Overfill Protection:</b> <b>Inventory Context:</b> FS Liquid Fuel Tank <b>Inventory Item:</b> FS LIQUID FUEL TANK  UNDERGROUND TANK Diesel	
<a href="#">21</a>	11 of 11	WSW/121.6	63.0 / 0.03	<b>320 MCRAE GP INC.</b> <b>1976 Scott ST</b> <b>Ottawa ON</b>	<b>RSC</b>
<b>RSC No:</b> B-403-1321064205 <b>RA No:</b> <b>Status:</b> Active <b>Filing Date:</b> <b>Date Ack:</b> <b>Date Returned:</b> <b>Approval Date:</b> March 23, 2023 <b>Cert Date:</b> <b>Cert Prop Use No:</b> <b>Curr Property Use:</b> <b>Intended Prop Use:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> <b>CPU Issu Sect 1686:</b> <b>Business Name:</b> 320 MCRAE GP INC. <b>Address:</b> 1976 Scott ST <b>Legal Desc:</b> <b>Site Pin:</b> <b>Asmt Roll No:</b> <b>Project Type:</b> RSC based on Phase One and Two ESAs <b>Approval Type:</b> RSC-RSC based on Phase One and Two ESAs <b>Applicable Standards:</b> <b>PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327</a>				<b>X:</b> -75.75111111 <b>Y:</b> 45.39666667 <b>Latitude:</b> 45.39666667 <b>Longitude:</b> -75.75111111 <b>UTM Coordinates:</b> <b>Latitude Longitude:</b> <b>Accuracy Estimate:</b> <b>Measurement Method:</b> <b>Mailing Address:</b> <b>Telephone:</b> <b>Fax:</b> <b>Email:</b> <b>Postal Code:</b> K1Z 6T3 <b>Ministry District:</b> <b>MOE District:</b> Ottawa <b>SWP Area Name:</b> Rideau Valley <b>Qual Person Name:</b> Scott Mather  <b>Consultant:</b>	
<a href="#">22</a>	1 of 1	WSW/124.1	63.1 / 0.09	<b>320 Mcrea Ave</b> <b>Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b> 7374862 <b>Construction Date:</b> <b>Use 1st:</b> Monitoring and Test Hole				<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use 2nd:</b>				<b>Data Src:</b>	
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/11/2020
<b>Water Type:</b>				<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>	Z338327			<b>Contractor:</b>	7241
<b>Tag:</b>	A296159			<b>Form Version:</b>	7
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>	NEPEAN TOWNSHIP				
<b>Site Info:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/737\7374862.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/737\7374862.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	08/26/2020				
<b>Year Completed:</b>	2020				
<b>Depth (m):</b>					
<b>Latitude:</b>	45.3965515285541				
<b>Longitude:</b>	-75.7509034721389				
<b>X:</b>	-75.75090330979552				
<b>Y:</b>	45.396551522438386				
<b>Path:</b>	737\7374862.pdf				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1008529662			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	441227.00
<b>Code OB Desc:</b>				<b>North83:</b>	5027278.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	08/26/2020			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record				
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1009708948				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Material 1:</b>	01				
<b>Material 1 Desc:</b>	FILL				
<b>Material 2:</b>	11				
<b>Material 2 Desc:</b>	GRAVEL				
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		4.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1009708949			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		4.0			
<b>Formation End Depth:</b>		33.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1009708950			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>		92			
<b>Material 2 Desc:</b>		WEATHERED			
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		33.0			
<b>Formation End Depth:</b>		50.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1009710895			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1009710897			
<b>Layer:</b>		3			
<b>Plug From:</b>		39.0			
<b>Plug To:</b>		50.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1009710896			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		39.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1009713542			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1009707543			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1009714222			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		40.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		Inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1009714940			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		40.0			
<b>Screen End Depth:</b>		50.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		Inch			
<b>Screen Diameter:</b>		2.5			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pumping Test Method Desc:</b>					
<b>Pump Test ID:</b>		1009715624			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Hole Diameter**

Hole ID: 1009712865  
 Diameter: 3.5  
 Depth From: 4.0  
 Depth To: 50.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: Inch

**Hole Diameter**

Hole ID: 1009712864  
 Diameter: 5.0  
 Depth From: 0.0  
 Depth To: 4.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: Inch

[23](#) 1 of 1 WSW/124.5 63.1 / 0.09 1976 Scott St Ottawa ON [WWIS](#)

Well ID:	7334767	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring and Test Hole	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Monitoring and Test Hole	Date Received:	03/08/2019
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z298202	Contractor:	7241
Tag:	A257486	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP		
Site Info:			

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/733\7334767.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334767.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 11/01/2018  
 Year Completed: 2018  
 Depth (m): 7.62  
 Latitude: 45.396542528029  
 Longitude: -75.7509033529255  
 X: -75.7509031912187  
 Y: 45.396542521020045  
 Path: 733\7334767.pdf

**Bore Hole Information**

Bore Hole ID:	1007476078	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441227.00
Code OB Desc:		North83:	5027277.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	11/01/2018	on Water Well Record		Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 4 margin of error : 30 m - 100 m wwr

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1007824519  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Material 1: 15  
 Material 1 Desc: LIMESTONE  
 Material 2:  
 Material 2 Desc:  
 Material 3: 74  
 Material 3 Desc: LAYERED  
 Formation Top Depth: 1.2200000286102295  
 Formation End Depth: 7.619999885559082  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1007824517  
 Layer: 1  
 Color: 2  
 General Color: GREY  
 Material 1: 11  
 Material 1 Desc: GRAVEL  
 Material 2:  
 Material 2 Desc:  
 Material 3: 77  
 Material 3 Desc: LOOSE  
 Formation Top Depth: 0.0  
 Formation End Depth: 0.3100000023841858  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1007824518  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Material 1: 28  
 Material 1 Desc: SAND  
 Material 2: 11  
 Material 2 Desc: GRAVEL  
 Material 3: 85  
 Material 3 Desc: SOFT  
 Formation Top Depth: 0.3100000023841858  
 Formation End Depth: 1.2200000286102295  
 Formation End Depth UOM: m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826034			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826036			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.269999980926514			
<b>Plug To:</b>		7.619999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826035			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		4.269999980926514			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007827619			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007822326			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007828298			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.570000171661377			
<b>Casing Diameter:</b>		5.199999809265137			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007828998			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.570000171661377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen End Depth:</b>		7.619999885559082			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03000020980835			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pumping Test Method Desc:</b>					
<b>Pump Test ID:</b>		1007829794			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007827273			
<b>Diameter:</b>		7.619999885559082			
<b>Depth From:</b>		1.5199999809265137			
<b>Depth To:</b>		7.619999885559082			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007827272			
<b>Diameter:</b>		11.430000305175781			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.5199999809265137			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">24</a>	1 of 1	SW/134.0	63.8 / 0.83	1385 woodroffe Ave Ottawa ON	WWIS
<b>Well ID:</b>		7348381		<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>		Monitoring and Test Hole		<b>Data Entry Status:</b>	
<b>Use 2nd:</b>				<b>Data Src:</b>	
<b>Final Well Status:</b>		Observation Wells		<b>Date Received:</b> 11/27/2019	
<b>Water Type:</b>				<b>Selected Flag:</b> TRUE	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z324405		<b>Contractor:</b> 7241	
<b>Tag:</b>		A282337		<b>Form Version:</b> 7	
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Rate:</b> <b>Static Water Level:</b> <b>Clear/Cloudy:</b> <b>Municipality:</b> <b>Site Info:</b>		OTTAWA CITY		<b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/734\7348381.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> <b>Year Completed:</b> <b>Depth (m):</b> <b>Latitude:</b> <b>Longitude:</b> <b>X:</b> <b>Y:</b> <b>Path:</b>		10/26/2019 2019 7.62 45.3959617753769 -75.7502440741741 -75.75024391250966 45.39596176814911 734\7348381.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Location Method Desc:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1007730993			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	18 441278.00 5027212.00 UTM83 4 margin of error : 30 m - 100 m wwr
<b>on Water Well Record</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Material 1:</b> <b>Material 1 Desc:</b> <b>Material 2:</b> <b>Material 2 Desc:</b> <b>Material 3:</b> <b>Material 3 Desc:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	1007906640 1 6 BROWN 02 TOPSOIL  85 SOFT 0.0 1.059999942779541 m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b>	1007906641 2 2 GREY				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Material 1:</b>		18			
<b>Material 1 Desc:</b>		SANDSTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>		68			
<b>Material 3 Desc:</b>		DRY			
<b>Formation Top Depth:</b>		1.059999942779541			
<b>Formation End Depth:</b>		7.619999885559082			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007907861			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		4.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007907862			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.5			
<b>Plug To:</b>		7.599999904632568			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007907860			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007908875			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007904854			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007909398			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.570000171661377			
<b>Casing Diameter:</b>		5.199999809265137			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007909796			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.570000171661377			
<b>Screen End Depth:</b>		7.619999885559082			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03000020980835			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pumping Test Method Desc:</b>					
<b>Pump Test ID:</b>		1007910473			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007908408			
<b>Diameter:</b>		8.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		7.619999885559082			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[25](#)

1 of 1

SW/135.2

63.7 / 0.76

320 McRae Ave  
Ottawa ON

WWIS

<b>Well ID:</b>	7334765	<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>		<b>Flow Rate:</b>	
<b>Use 1st:</b>	Monitoring and Test Hole	<b>Data Entry Status:</b>	
<b>Use 2nd:</b>		<b>Data Src:</b>	
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Date Received:</b>	03/08/2019
<b>Water Type:</b>		<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>		<b>Abandonment Rec:</b>	
<b>Audit No:</b>	Z298205	<b>Contractor:</b>	7241
<b>Tag:</b>	A257422	<b>Form Version:</b>	7
<b>Constructn Method:</b>		<b>Owner:</b>	
<b>Elevation (m):</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliability:</b>		<b>Lot:</b>	
<b>Depth to Bedrock:</b>		<b>Concession:</b>	
<b>Well Depth:</b>		<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>		<b>Easting NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		NEPEAN TOWNSHIP		Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334765.pdf			

**Additional Detail(s) (Map)**

Well Completed Date: 11/02/2018  
Year Completed: 2018  
Depth (m): 7.62  
Latitude: 45.3959881055944  
Longitude: -75.7503466323358  
X: -75.75034647043448  
Y: 45.395988098988006  
Path: 733\7334765.pdf

**Bore Hole Information**

Bore Hole ID:	1007475908	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441270.00
Code OB Desc:		North83:	5027215.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	11/02/2018	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1007824511  
Layer: 1  
Color: 8  
General Color: BLACK  
Material 1: 27  
Material 1 Desc: OTHER  
Material 2: 11  
Material 2 Desc: GRAVEL  
Material 3: 66  
Material 3 Desc: DENSE  
Formation Top Depth: 0.0  
Formation End Depth: 0.3100000023841858  
Formation End Depth UOM: m

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1007824512  
Layer: 2  
Color: 6  
General Color: BROWN

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Material 1:</b>		28			
<b>Material 1 Desc:</b>		SAND			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		27			
<b>Material 3 Desc:</b>		OTHER			
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007824513			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>		74			
<b>Material 3 Desc:</b>		LAYERED			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		7.619999885559082			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826028			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826029			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		4.269999980926514			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826030			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.269999980926514			
<b>Plug To:</b>		7.619999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1007827615			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1007822324  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1007828294  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0.0  
 Depth To: 4.570000171661377  
 Casing Diameter: 5.199999809265137  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1007828994  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 4.570000171661377  
 Screen End Depth: 7.619999885559082  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter: 6.03000020980835

**Results of Well Yield Testing**

Pumping Test Method Desc:  
 Pump Test ID: 1007829789  
 Pump Set At:  
 Static Level:  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM: m  
 Rate UOM: LPM  
 Water State After Test Code:  
 Water State After Test:  
 Pumping Test Method: 0  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1007827269  
 Diameter: 7.619999885559082  
 Depth From: 1.5199999809265137  
 Depth To: 7.619999885559082  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1007827268			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		1.5199999809265137			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[26](#) 1 of 1 WSW/139.3 63.1 / 0.09 1976 Scott St Ottawa ON [WWIS](#)

Well ID:	7334766	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring and Test Hole	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Monitoring and Test Hole	Date Received:	03/08/2019
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z298203	Contractor:	7241
Tag:	A257489	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP		
Site Info:			

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/733\7334766.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334766.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 11/01/2018  
Year Completed: 2018  
Depth (m): 7.62  
Latitude: 45.3964963494138  
Longitude: -75.751081609909  
X: -75.75108144835694  
Y: 45.3964963425304  
Path: 733\7334766.pdf

**Bore Hole Information**

Bore Hole ID:	1007475911	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441213.00
Code OB Desc:		North83:	5027272.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	11/01/2018	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Overburden and Bedrock  
Materials Interval

Formation ID: 1007824516  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Material 1: 15  
 Material 1 Desc: LIMESTONE  
 Material 2:  
 Material 2 Desc:  
 Material 3: 74  
 Material 3 Desc: LAYERED  
 Formation Top Depth: 0.9100000262260437  
 Formation End Depth: 7.619999885559082  
 Formation End Depth UOM: m

Overburden and Bedrock  
Materials Interval

Formation ID: 1007824514  
 Layer: 1  
 Color: 2  
 General Color: GREY  
 Material 1: 11  
 Material 1 Desc: GRAVEL  
 Material 2:  
 Material 2 Desc:  
 Material 3: 77  
 Material 3 Desc: LOOSE  
 Formation Top Depth: 0.0  
 Formation End Depth: 0.3100000023841858  
 Formation End Depth UOM: m

Overburden and Bedrock  
Materials Interval

Formation ID: 1007824515  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Material 1: 28  
 Material 1 Desc: SAND  
 Material 2: 11  
 Material 2 Desc: GRAVEL  
 Material 3: 85  
 Material 3 Desc: SOFT  
 Formation Top Depth: 0.3100000023841858  
 Formation End Depth: 0.9100000262260437  
 Formation End Depth UOM: m

Annular Space/Abandonment  
Sealing Record

Plug ID: 1007826033  
 Layer: 3  
 Plug From:  
 Plug To: 7.619999885559082  
 Plug Depth UOM: m

Annular Space/Abandonment



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826031			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007826032			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007827617			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007822325			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007828296			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.570000171661377			
<b>Casing Diameter:</b>		5.199999809265137			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007828996			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.570000171661377			
<b>Screen End Depth:</b>		7.619999885559082			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03000020980835			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pumping Test Method Desc:</b>					
<b>Pump Test ID:</b>		1007829791			
<b>Pump Set At:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Static Level:</b> <b>Final Level After Pumping:</b> <b>Recommended Pump Depth:</b> <b>Pumping Rate:</b> <b>Flowing Rate:</b> <b>Recommended Pump Rate:</b> <b>Levels UOM:</b> m <b>Rate UOM:</b> LPM <b>Water State After Test Code:</b> <b>Water State After Test:</b> <b>Pumping Test Method:</b> 0 <b>Pumping Duration HR:</b> <b>Pumping Duration MIN:</b> <b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1007827271 <b>Diameter:</b> 7.619999885559082 <b>Depth From:</b> 1.5199999809265137 <b>Depth To:</b> 7.619999885559082 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1007827270 <b>Diameter:</b> 11.430000305175781 <b>Depth From:</b> 0.0 <b>Depth To:</b> 1.5199999809265137 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">27</a>	1 of 1	SW/139.8	63.7 / 0.76	315 Tweedsmuir Ave Ottawa ON K1Z 5N3	EHS
<b>Order No:</b> 20200115060 <b>Status:</b> C <b>Report Type:</b> RSC Report (Urban) <b>Report Date:</b> 20-JAN-20 <b>Date Received:</b> 15-JAN-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .3 <b>X:</b> -75.75069378 <b>Y:</b> 45.39611799					
<a href="#">28</a>	1 of 1	SW/141.5	63.7 / 0.77	320 McRae Ave, 1976 Scott Street, 311 & 315 Tweensmuir Avenue Ottawa ON K1Z 5N3	EHS
<b>Order No:</b> 20181002086 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 09-OCT-18 <b>Date Received:</b> 02-OCT-18 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.750654 <b>Y:</b> 45.396073					
<a href="#">29</a>	1 of 1	SSW/144.5	64.3 / 1.33	Mcrae Avenue Ottawa ON	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b> 20140226049 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 04-MAR-14 <b>Date Received:</b> 26-FEB-14 <b>Previous Site Name:</b> NA <b>Lot/Building Size:</b> 220 m <b>Additional Info Ordered:</b> City Directory				<b>Nearest Intersection:</b> <b>Municipality:</b> Ottawa <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .05 <b>X:</b> -75.750119 <b>Y:</b> 45.39582	
<a href="#">30</a>	1 of 10	SW/146.2	63.7 / 0.76	<b>DRUMMOND FUELS</b> <b>JAYS GAS BAR, 320 MCRAE AVE (SCOTT AND MCRAE) TANK TRUCK (CARGO)</b> <b>OTTAWA CITY ON K1Z 5R8</b>	SPL
<b>Ref No:</b> 161738 <b>Year:</b> <b>Incident Dt:</b> 11/5/1998 <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 11/5/1998 <b>Dt Document Closed:</b> <b>Site No:</b> <b>MOE Response:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Site District Office:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site Region:</b> <b>Site Municipality:</b> OTTAWA CITY <b>Site Lot:</b> <b>Site Conc:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>Northing:</b> <b>Easting:</b> <b>Incident Cause:</b> VALVE/FITTING LEAK OR FAILURE <b>Incident Preceding Spill:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Health Env Consequence:</b> <b>Nature of Impact:</b> <b>Contaminant Qty:</b> <b>Contaminant Qty 1:</b> <b>Contaminant Unit:</b> <b>Client Type:</b> <b>Source Type:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Receiving Medium:</b> LAND <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Incident Summary:</b> DRUMMOND FUELS: 20L DIESEL SPILLED TO ASPHALT <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> <b>SAC Action Class:</b> <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>				<b>Municipality No:</b> 20101 <b>Nature of Damage:</b> <b>Discharger Report:</b> <b>Material Group:</b> <b>Impact to Health:</b> <b>Agency Involved:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">30</a>	2 of 10	SW/146.2	63.7 / 0.76	AUTO REB-EX INTERNATIONAL 320 McRae St Ottawa ON K1Z 5R8	SCT
<b>Established:</b>		0000			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		0			
<b>--Details--</b>					
<b>Description:</b>		Motor Vehicle Brake System Manufacturing			
<b>SIC/NAICS Code:</b>		336340			
<b>Description:</b>		Motor Vehicle Transmission and Power Train Parts Manufacturing			
<b>SIC/NAICS Code:</b>		336350			
<b>Description:</b>		Other Motor Vehicle Parts Manufacturing			
<b>SIC/NAICS Code:</b>		336390			
<a href="#">30</a>	3 of 10	SW/146.2	63.7 / 0.76	AUTO REB-EX INTERNATIONAL INC 320 MCRAE AVE OTTAWA ON K1Z 5R8	AUWR
<b>Headcode:</b>		96400			
<b>Headcode Desc:</b>		Automobile Parts & Supplies-Used & Rebuilt			
<b>Phone:</b>		6137229499			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">30</a>	4 of 10	SW/146.2	63.7 / 0.76	CARSON'S BODY REPAIRS LTD. 320 MCRAE AVENUE OTTAWA ON K1Z 5R8	GEN
<b>Generator No:</b>		ON1380500			
<b>SIC Code:</b>		6352			
<b>SIC Description:</b>		PAINT/BODY REPAIR			
<b>Approval Years:</b>		90			
<b>PO Box No:</b>					
<b>Country:</b>					
<b>Status:</b>					
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contaminated Facility:</b>					
<b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>		122			
<b>Waste Class Name:</b>		ALKALINE WASTES - OTHER METALS			
<a href="#">30</a>	5 of 10	SW/146.2	63.7 / 0.76	CARSON'S BODY REPAIRS (OUT OF BUSINESS) 320 MCRAE AVENUE OTTAWA ON K1Z 5R8	GEN
<b>Generator No:</b>		ON1380500			
<b>SIC Code:</b>		6352			
<b>SIC Description:</b>		PAINT/BODY REPAIR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:		92,93,95,96,97,98			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<a href="#">30</a>	6 of 10	SW/146.2	63.7 / 0.76	CARSON'S BODY REPAIRS LTD. 08-817 320 MCRAE AVENUE OTTAWA ON K1Z 5R8	GEN
Generator No:		ON1380500			
SIC Code:		6352			
SIC Description:		PAINT/BODY REPAIR			
Approval Years:		94			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<a href="#">30</a>	7 of 10	SW/146.2	63.7 / 0.76	320 MCRAE GP INC. 320 MCRAE AVE OTTAWA ON K1Z 5R8	EASR
Approval No:		R-009-2112708370		MOE District:	Ottawa
Status:		REGISTERED		Municipality:	OTTAWA
Date:		2020-12-02		Latitude:	45.39555556
Record Type:		EASR		Longitude:	-75.75027778
Link Source:		MOFA		Geometry X:	
Project Type:		Water Taking - Construction Dewatering		Geometry Y:	
Full Address:					
Approval Type:		EASR-Water Taking - Construction Dewatering			
SWP Area Name:		Rideau Valley			
PDF NAICS Code:					
PDF URL:					
PDF Site Location:					
<a href="#">30</a>	8 of 10	SW/146.2	63.7 / 0.76	Taggart Construction Ltd. 320 McRae Ave. Ottawa ON K1Z 5R8	GEN
Generator No:		ON9583356			
SIC Code:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>		As of Nov 2021 Canada Registered			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221 L			
<b>Waste Class Name:</b>		Light fuels			
<a href="#"><u>30</u></a>	9 of 10	SW/146.2	63.7 / 0.76	OTTAWA ON	SPL
<b>Ref No:</b>		1-3UV9HN		<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>				<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>		9/20/2023 3:53:11 PM		<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>				<b>Agency Involved:</b>	
<b>Site No:</b>					
<b>MOE Response:</b>		Desktop Response			
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>		Ottawa District Office			
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>					
<b>Site Address:</b>					
<b>Site Region:</b>					
<b>Site Municipality:</b>		OTTAWA			
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Easting:</b>					
<b>Incident Cause:</b>					
<b>Incident Preceding Spill:</b>					
<b>Environment Impact:</b>					
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>					
<b>Contaminant Qty:</b>					
<b>Contaminant Qty 1:</b>					
<b>Contaminant Unit:</b>					
<b>Client Type:</b>					
<b>Source Type:</b>					
<b>Contaminant Code:</b>					
<b>Contaminant Name:</b>					
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Receiving Medium:</b>		Air			
<b>Incident Reason:</b>					
<b>Incident Summary:</b>		tssa/enbridge: 2" gas line hit			
<b>Activity Preceding Spill:</b>					
<b>Property 2nd Watershed:</b>		Lower Ottawa			
<b>Property Tertiary Watershed:</b>		02KE - Lower Madawaska			
<b>Sector Type:</b>		NATURAL GAS DISTRIBUTION			
<b>SAC Action Class:</b>					
<b>Call Report Locatn Geodata:</b>		{"integration_ids":["PR00004300854"],"wkts":["POINT (-75.7503774000 45.3958871000)","creation_date":"2023-			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
09-20"} Time Reported: System Facility Address: Client Name:					
<a href="#">30</a>	10 of 10	SW/146.2	63.7 / 0.76	320 MCRAE GP INC. 320 McRae AVE Ottawa ON	RSC
<b>RSC No:</b>	B-403-1321064205			<b>X:</b>	-75.75027778
<b>RA No:</b>				<b>Y:</b>	45.39555555
<b>Status:</b>	Active			<b>Latitude:</b>	45.39555556
<b>Filing Date:</b>				<b>Longitude:</b>	-75.75027778
<b>Date Ack:</b>				<b>UTM Coordinates:</b>	
<b>Date Returned:</b>				<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	March 23, 2023			<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>				<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>				<b>Mailing Address:</b>	
<b>Curr Property Use:</b>				<b>Telephone:</b>	
<b>Intended Prop Use:</b>				<b>Fax:</b>	
<b>Restoration Type:</b>				<b>Email:</b>	
<b>Soil Type:</b>				<b>Postal Code:</b>	K1Z 5N3
<b>Criteria:</b>				<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>				<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>				<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>				<b>Qual Person Name:</b>	Scott Mather
<b>CPU Issu Sect 1686:</b>				<b>Consultant:</b>	
<b>Business Name:</b>	320 MCRAE GP INC.				
<b>Address:</b>	320 McRae AVE				
<b>Legal Desc:</b>					
<b>Site Pin:</b>					
<b>Asmt Roll No:</b>					
<b>Project Type:</b>	RSC based on Phase One and Two ESAs				
<b>Approval Type:</b>	RSC-RSC based on Phase One and Two ESAs				
<b>Applicable Standards:</b>					
<b>PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327</a>				
<a href="#">31</a>	1 of 1	SW/146.9	63.7 / 0.77	315 Tweedsmuir Ave Ottawa ON K1Z 5N3	EHS
<b>Order No:</b>	22042900399			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	04-MAY-22			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	29-APR-22			<b>X:</b>	-75.7506786
<b>Previous Site Name:</b>				<b>Y:</b>	45.3960241
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">32</a>	1 of 1	WNW/154.8	61.8 / -1.15	Hash Machinery Systems 35 Briarway Pvt Ottawa ON K1Z 1C3	SC7
<b>Established:</b>	8/1/2003				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Industrial Mould Manufacturing				
<b>SIC/NAICS Code:</b>	333511				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Stamping			
<b>SIC/NAICS Code:</b>		332118			
<b>Description:</b>		Metal Window and Door Manufacturing			
<b>SIC/NAICS Code:</b>		332321			
<b>Description:</b>		Non-Ferrous Foundries (except Die-Casting)			
<b>SIC/NAICS Code:</b>		331529			
<a href="#">33</a>	1 of 2	S/168.8	64.8 / 1.82	359 McRae Street<UNOFFICIAL> Ottawa ON K1Z 8P4	SPL
<b>Ref No:</b>	6347-785KJ6			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>				<b>Discharger Report:</b>	Oil
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	10/19/2007			<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>	10/26/2007			<b>Agency Involved:</b>	
<b>Site No:</b>					
<b>MOE Response:</b>	No Field Response				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>					
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>	359 McRae Street<UNOFFICIAL>				
<b>Site Address:</b>					
<b>Site Region:</b>					
<b>Site Municipality:</b>	Ottawa				
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Eastings:</b>					
<b>Incident Cause:</b>	Tank (Underground) Leak				
<b>Incident Preceding Spill:</b>					
<b>Environment Impact:</b>	Not Anticipated				
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>	Soil Contamination				
<b>Contaminant Qty:</b>	50 L				
<b>Contaminant Qty 1:</b>	50				
<b>Contaminant Unit:</b>	L				
<b>Client Type:</b>					
<b>Source Type:</b>					
<b>Contaminant Code:</b>	13				
<b>Contaminant Name:</b>	FURNACE OIL				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Receiving Medium:</b>	Land				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	Dependable Demolition, 50 L furnace oil				
<b>Activity Preceding Spill:</b>					
<b>Property 2nd Watershed:</b>					
<b>Property Tertiary Watershed:</b>					
<b>Sector Type:</b>	Other				
<b>SAC Action Class:</b>					
<b>Call Report Locatn Geodata:</b>					
<b>Time Reported:</b>					
<b>System Facility Address:</b>					
<b>Client Name:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">33</a>	2 of 2	S/168.8	64.8 / 1.82	359 McRAE STREET OTTAWA ON	HINC
<b>External File Num:</b>		FS INC 0710-06122			
<b>Fuel Occurrence Type:</b>		Liquid Petroleum Spill			
<b>Date of Occurrence:</b>		10/19/2007			
<b>Fuel Type Involved:</b>		Fuel Oil			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Commercial (e.g. restaurant, business unit, etc)			
<b>Service Interruptions:</b>		No			
<b>Property Damage:</b>		Yes			
<b>Fuel Life Cycle Stage:</b>		Utilization			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:Yes Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Liquid Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>		50			
<b>Nearby body of water:</b>		No			
<b>Enter Drainage Syst.:</b>		Unknown			
<b>Approx. Quant. Unit:</b>		Liters			
<b>Environmental Impact:</b>		UST situated in clay soil - oil seems to be contained within the clay soil around tank from original discovery of it's existence.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">34</a>	1 of 1	SSW/168.8	64.3 / 1.33	320 McRae Ave Ottawa ON	WWIS
<b>Well ID:</b>		7334764		<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>		Monitoring and Test Hole		<b>Data Entry Status:</b>	
<b>Use 2nd:</b>				<b>Data Src:</b>	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Date Received:</b> 03/08/2019	
<b>Water Type:</b>				<b>Selected Flag:</b> TRUE	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z298201		<b>Contractor:</b> 7241	
<b>Tag:</b>		A257423		<b>Form Version:</b> 7	
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>		NEPEAN TOWNSHIP			
<b>Site Info:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/733\7334764.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334764.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 11/02/2018  
**Year Completed:** 2018  
**Depth (m):** 7.62  
**Latitude:** 45.3956021738196  
**Longitude:** -75.7501754348732  
**X:** -75.75017527319044  
**Y:** 45.39560216702278

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		733\7334764.pdf			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007475864	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441283.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027172.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/02/2018	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1007824508
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Material 1:</b>	28
<b>Material 1 Desc:</b>	SAND
<b>Material 2:</b>	11
<b>Material 2 Desc:</b>	GRAVEL
<b>Material 3:</b>	85
<b>Material 3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	0.3100000023841858
<b>Formation End Depth:</b>	1.5199999809265137
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1007824509
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Material 1:</b>	15
<b>Material 1 Desc:</b>	LIMESTONE
<b>Material 2:</b>	06
<b>Material 2 Desc:</b>	SILT
<b>Material 3:</b>	92
<b>Material 3 Desc:</b>	WEATHERED
<b>Formation Top Depth:</b>	1.5199999809265137
<b>Formation End Depth:</b>	1.8200000524520874
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1007824510
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>		74			
<b>Material 3 Desc:</b>		LAYERED			
<b>Formation Top Depth:</b>		1.8200000524520874			
<b>Formation End Depth:</b>		7.619999885559082			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007824507			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Material 1:</b>		27			
<b>Material 1 Desc:</b>		OTHER			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		66			
<b>Material 3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826027			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.269999980926514			
<b>Plug To:</b>		7.619999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826025			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007826026			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		4.269999980926514			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1007827613			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Pipe Information**

**Pipe ID:** 1007822323  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1007828292  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0.0  
**Depth To:** 4.570000171661377  
**Casing Diameter:** 5.199999809265137  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1007828992  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:**  
**Screen End Depth:** 7.619999885559082  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03000020980835

**Results of Well Yield Testing**

**Pumping Test Method Desc:**  
**Pump Test ID:** 1007829787  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** m  
**Rate UOM:** LPM  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:** 0  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1007827266  
**Diameter:** 11.430000305175781  
**Depth From:** 0.0  
**Depth To:** 1.5199999809265137  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		1007827267 7.619999885559082 1.5199999809265137 7.619999885559082 m cm			
<a href="#"><u>35</u></a>	1 of 2	<b>WSW/171.2</b>	<b>62.8 / -0.15</b>	<b>Tweedsmuir Avenue and Scott Street Ottawa ON</b>	<b>CA</b>
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b>  <b>Contaminants:</b> <b>Emission Control:</b>		3783-4XTGTN 01 6/20/01 Municipal & Private sewage Approved New Certificate of Approval Corporation of the City of Ottawa 111 Sussex Drive, 7th Floor Ottawa K1N 5A1 This application is for the construction of storm and sanitary sewers on Tweedsmuir Avenue and Scott Street, in the City of Ottawa.			
<a href="#"><u>35</u></a>	2 of 2	<b>WSW/171.2</b>	<b>62.8 / -0.15</b>	<b>City of Ottawa Tweedsmuir Avenue and Scott St Ottawa ON K1N 5A1</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <b>PDF Site Location:</b>		3783-4XTGTN 2001-06-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS City of Ottawa Tweedsmuir Avenue and Scott St		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	Ottawa Ottawa -75.7553 45.3997
<a href="#"><u>36</u></a>	1 of 1	<b>SW/178.4</b>	<b>64.1 / 1.10</b>	<b>PRIVATE RESIDENCE 325 TWEEDSMUIR AVE, OTTAWA FURNACE OIL TANK OTTAWA CITY ON K1Z 5N3</b>	<b>SPL</b>
<b>Ref No:</b> <b>Year:</b> <b>Incident Dt:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Site No:</b> <b>MOE Response:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Site District Office:</b> <b>Nearest Watercourse:</b>		197780 4/6/2001 4/6/2001		<b>Municipality No:</b> <b>Nature of Damage:</b> <b>Discharger Report:</b> <b>Material Group:</b> <b>Impact to Health:</b> <b>Agency Involved:</b>	20107

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Name:</b> <b>Site Address:</b> <b>Site Region:</b> <b>Site Municipality:</b> OTTAWA CITY <b>Site Lot:</b> <b>Site Conc:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>Northing:</b> <b>Easting:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Preceding Spill:</b> <b>Environment Impact:</b> Possible <b>Health Env Consequence:</b> <b>Nature of Impact:</b> Soil contamination <b>Contaminant Qty:</b> <b>Contaminant Qty 1:</b> <b>Contaminant Unit:</b> <b>Client Type:</b> <b>Source Type:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Receiving Medium:</b> Land <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> PRIVATE RESIDENCE FURNACE OIL TANK SMALL LEAK <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> <b>SAC Action Class:</b> <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>					

<u>37</u>	1 of 1	WSW/178.9	63.5 / 0.58	320 MCRAE GP INC. 311 Tweedsmuir AVE Ottawa ON	RSC
-----------	--------	-----------	-------------	--	-----

<b>RSC No:</b>	B-403-1321064205	<b>X:</b>	-75.75138889
<b>RA No:</b>		<b>Y:</b>	45.39611111
<b>Status:</b>	Active	<b>Latitude:</b>	45.39611111
<b>Filing Date:</b>		<b>Longitude:</b>	-75.75138889
<b>Date Ack:</b>		<b>UTM Coordinates:</b>	
<b>Date Returned:</b>		<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	March 23, 2023	<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>		<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>		<b>Mailing Address:</b>	
<b>Curr Property Use:</b>		<b>Telephone:</b>	
<b>Intended Prop Use:</b>		<b>Fax:</b>	
<b>Restoration Type:</b>		<b>Email:</b>	
<b>Soil Type:</b>		<b>Postal Code:</b>	K1Z 5N3
<b>Criteria:</b>		<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>		<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>		<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>		<b>Qual Person Name:</b>	Scott Mather
<b>CPU Issu Sect 1686:</b>		<b>Consultant:</b>	
<b>Business Name:</b>	320 MCRAE GP INC.		
<b>Address:</b>	311 Tweedsmuir AVE		
<b>Legal Desc:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Pin:</b> <b>Asmt Roll No:</b> <b>Project Type:</b> RSC based on Phase One and Two ESAs <b>Approval Type:</b> RSC-RSC based on Phase One and Two ESAs <b>Applicable Standards:</b> <b>PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327</a>					
<a href="#">38</a>	1 of 1	WSW/180.4	63.5 / 0.58	320 MCRAE GP INC. 305 Tweedsmuir AVE Ottawa ON	RSC
<b>RSC No:</b> B-403-1321064205 <b>RA No:</b> <b>Status:</b> Active <b>Filing Date:</b> <b>Date Ack:</b> <b>Date Returned:</b> <b>Approval Date:</b> March 23, 2023 <b>Cert Date:</b> <b>Cert Prop Use No:</b> <b>Curr Property Use:</b> <b>Intended Prop Use:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> <b>CPU Issu Sect 1686:</b> <b>Business Name:</b> 320 MCRAE GP INC. <b>Address:</b> 305 Tweedsmuir AVE <b>Legal Desc:</b> <b>Site Pin:</b> <b>Asmt Roll No:</b> <b>Project Type:</b> RSC based on Phase One and Two ESAs <b>Approval Type:</b> RSC-RSC based on Phase One and Two ESAs <b>Applicable Standards:</b> <b>PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327</a>					
<b>X:</b> -75.75138889 <b>Y:</b> 45.39638889 <b>Latitude:</b> 45.39638889 <b>Longitude:</b> -75.75138889 <b>UTM Coordinates:</b> <b>Latitude Longitude:</b> <b>Accuracy Estimate:</b> <b>Measurement Method:</b> <b>Mailing Address:</b> <b>Telephone:</b> <b>Fax:</b> <b>Email:</b> <b>Postal Code:</b> K1Z 5N3 <b>Ministry District:</b> <b>MOE District:</b> Ottawa <b>SWP Area Name:</b> Rideau Valley <b>Qual Person Name:</b> Scott Mather <b>Consultant:</b>					
<a href="#">39</a>	1 of 2	NE/182.3	59.9 / -3.03	In'Flector Control Systems 157 Premier Ave Ottawa ON K1Z 8P7	SCT
<b>Established:</b> 1994 <b>Plant Size (ft²):</b> <b>Employment:</b> 8 <b>--Details--</b> <b>Description:</b> Metal Window and Door Manufacturing <b>SIC/NAICS Code:</b> 332321					
<a href="#">39</a>	2 of 2	NE/182.3	59.9 / -3.03	In'Flector Air Quality 157 Premier Ave Ottawa ON K1Z 8P7	SCT
<b>Established:</b> 1994 <b>Plant Size (ft²):</b> <b>Employment:</b> 8 <b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Metal Window and Door Manufacturing			
<b>SIC/NAICS Code:</b>		332321			
<a href="#">40</a>	1 of 1	WSW/182.8	63.8 / 0.83	320 MCRAE GP INC. 315 Tweedsmuir AVE Ottawa ON	RSC
<b>RSC No:</b>	B-403-1321064205			<b>X:</b>	-75.75083333
<b>RA No:</b>				<b>Y:</b>	45.39611111
<b>Status:</b>	Active			<b>Latitude:</b>	45.39611111
<b>Filing Date:</b>				<b>Longitude:</b>	-75.75083333
<b>Date Ack:</b>				<b>UTM Coordinates:</b>	
<b>Date Returned:</b>				<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	March 23, 2023			<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>				<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>				<b>Mailing Address:</b>	
<b>Curr Property Use:</b>				<b>Telephone:</b>	
<b>Intended Prop Use:</b>				<b>Fax:</b>	
<b>Restoration Type:</b>				<b>Email:</b>	
<b>Soil Type:</b>				<b>Postal Code:</b>	K1Z 5N3
<b>Criteria:</b>				<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>				<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>				<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>				<b>Qual Person Name:</b>	Scott Mather
<b>CPU Issu Sect 1686:</b>				<b>Consultant:</b>	
<b>Business Name:</b>	320 MCRAE GP INC.				
<b>Address:</b>	315 Tweedsmuir AVE				
<b>Legal Desc:</b>					
<b>Site Pin:</b>					
<b>Asmt Roll No:</b>					
<b>Project Type:</b>	RSC based on Phase One and Two ESAs				
<b>Approval Type:</b>	RSC-RSC based on Phase One and Two ESAs				
<b>Applicable Standards:</b>					
<b>PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2907327</a>				

<a href="#">41</a>	1 of 2	SW/184.4	64.1 / 1.10	335 Tweedsmuir Ave Ottawa ON	SPL
<b>Ref No:</b>	2481-B7NJFP			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	2018/12/21			<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	2018/12/21			<b>Impact to Health:</b>	2 - Minor Environment
<b>Dt Document Closed:</b>				<b>Agency Involved:</b>	
<b>Site No:</b>	NA				
<b>MOE Response:</b>	No				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>	Ottawa				
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>	Enbridge: 1/2" gasoline<UNOFFICIAL>				
<b>Site Address:</b>	335 Tweedsmuir Ave				
<b>Site Region:</b>	Eastern				
<b>Site Municipality:</b>	Ottawa				
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Easting:</b>					
<b>Incident Cause:</b>					
<b>Incident Preceding Spill:</b>	Leak/Break				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Environment Impact:</b> <b>Health Env Consequence:</b> <b>Nature of Impact:</b> <b>Contaminant Qty:</b> 0 other - see incident description <b>Contaminant Qty 1:</b> 0 <b>Contaminant Unit:</b> other - see incident description <b>Client Type:</b> <b>Source Type:</b> Pipeline/Components <b>Contaminant Code:</b> 35 <b>Contaminant Name:</b> NATURAL GAS (METHANE) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> 1075 <b>Receiving Medium:</b> Air <b>Incident Reason:</b> Operator/Human Error <b>Incident Summary:</b> TSSA/Enbridge: 1/2" gasline damage <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> Unknown / N/A <b>SAC Action Class:</b> Air Spills - Gases and Vapours <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>					
<a href="#">41</a>	2 of 2	SW/184.4	64.1 / 1.10	TSSA INCIDENTS 335 TWEEDSMUIR AVE,,OTTAWA,ON,K1Z 5N3, CA ON	PINC
<b>Incident Id:</b> <b>Incident No:</b> 2468398 <b>Incident Reported Dt:</b> 12/21/2018 <b>Type:</b> FS-Pipeline Incident <b>Status Code:</b> <b>Tank Status:</b> Non Mandated <b>Task No:</b> <b>Spills Action Centre:</b> <b>Fuel Type:</b> <b>Fuel Occurrence Tp:</b> <b>Date of Occurrence:</b> <b>Occurrence Start Dt:</b> <b>Depth:</b> <b>Customer Acct Name:</b> TSSA INCIDENTS <b>Incident Address:</b> 335 TWEEDSMUIR AVE,,OTTAWA,ON,K1Z 5N3,CA <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> <b>Reported By:</b> <b>Affiliation:</b> <b>Occurrence Desc:</b> <b>Damage Reason:</b> <b>Notes:</b>					
<a href="#">42</a>	1 of 1	ENE/188.5	61.1 / -1.88	Ottawa ON	WWIS
<b>Well ID:</b> 7100524 <b>Construction Date:</b> <b>Use 1st:</b> Test Hole <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Data Entry Status:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use 2nd:</b>				<b>Data Src:</b>	
<b>Final Well Status:</b>	Test Hole			<b>Date Received:</b>	11/22/2007
<b>Water Type:</b>				<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>	M00136			<b>Contractor:</b>	6838
<b>Tag:</b>	A056104			<b>Form Version:</b>	5
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>	OTTAWA CITY				
<b>Site Info:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	10/15/2007				
<b>Year Completed:</b>	2007				
<b>Depth (m):</b>	5.3				
<b>Latitude:</b>	45.4026827504946				
<b>Longitude:</b>	-75.7368780862138				
<b>X:</b>	-75.73687792457835				
<b>Y:</b>	45.402682743562195				
<b>Path:</b>	710\7100524.pdf				
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>					
<b>Year Completed:</b>					
<b>Depth (m):</b>					
<b>Latitude:</b>	45.398103407722				
<b>Longitude:</b>	-75.7476020878053				
<b>X:</b>	-75.7476019266301				
<b>Y:</b>	45.39810340152923				
<b>Path:</b>	710\7100524.pdf				
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>					
<b>Year Completed:</b>					
<b>Depth (m):</b>					
<b>Latitude:</b>	45.3985242843899				
<b>Longitude:</b>	-75.7465599416736				
<b>X:</b>	-75.74655978059879				
<b>Y:</b>	45.3985242774897				
<b>Path:</b>	710\7100524.pdf				
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year Completed:</b>					
<b>Depth (m):</b>					
<b>Latitude:</b> 45.4019979732663					
<b>Longitude:</b> -75.7383769371755					
<b>X:</b> -75.7383767748694					
<b>Y:</b> 45.401997966126125					
<b>Path:</b> 710\7100524.pdf					
<b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf</a>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>					
<b>Year Completed:</b>					
<b>Depth (m):</b>					
<b>Latitude:</b> 45.3992742549883					
<b>Longitude:</b> -75.7447427138087					
<b>X:</b> -75.74474255219963					
<b>Y:</b> 45.39927424853237					
<b>Path:</b> 710\7100524.pdf					
<b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100524.pdf</a>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>					
<b>Year Completed:</b>					
<b>Depth (m):</b>					
<b>Latitude:</b> 45.4032327467872					
<b>Longitude:</b> -75.7353391169027					
<b>X:</b> -75.7353389555144					
<b>Y:</b> 45.40323274029316					
<b>Path:</b> 710\7100524.pdf					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1000055125			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	442331.00
<b>Code OB Desc:</b>				<b>North83:</b>	5027949.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	10/15/2007			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record				
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001505933				
<b>Layer:</b>	4				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Material 1:</b>	15				
<b>Material 1 Desc:</b>	LIMESTONE				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		3.0999999046325684			
<b>Formation End Depth:</b>		5.300000190734863			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001505930			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>					
<b>Material 1 Desc:</b>					
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.20000000298023224			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001505931			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>					
<b>Material 1 Desc:</b>					
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		0.20000000298023224			
<b>Formation End Depth:</b>		0.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001505932			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		28			
<b>Material 1 Desc:</b>		SAND			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		0.5			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1001507221			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.20000000298023224			
<b>Plug To:</b>		1.7999999523162842			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001505936			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		BORING			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001507220			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001507223			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		2.299999952316284			
<b>Casing Diameter:</b>		3.200000047683716			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001507224			
<b>Layer:</b>		1			
<b>Slot:</b>		010			
<b>Screen Top Depth:</b>		2.299999952316284			
<b>Screen End Depth:</b>		5.300000190734863			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		3.5999999046325684			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001507222			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		3.5			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001505934			
<b>Diameter:</b>		2.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.300000190734863			
<b>Hole Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001507210			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	441569.00
<b>Code OB Desc:</b>				<b>North83:</b>	5027494.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>				<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record				
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1001507214				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1001507215				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1001507213				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	BORING				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1001507216				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1001507218				
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth To:</i>		1.7000000476837158			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1001507217			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.7000000476837158			
<i>Screen End Depth:</i>		3.0999999046325684			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pumping Test Method Desc:</i>					
<i>Pump Test ID:</i>		1001507219			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1001507212			
<i>Diameter:</i>		20.0			
<i>Depth From:</i>					
<i>Depth To:</i>		3.0999999046325684			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1001507190			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	442213.00
<i>Code OB Desc:</i>				<i>North83:</i>	5027874.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>				<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Location Method Desc:</i>	on Water Well Record				
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001507195			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001507194			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1001507193			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1001507196			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1001507198			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		2.0999999046325684			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1001507197			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		2.0999999046325684			
<i>Screen End Depth:</i>		5.099999904632568			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Results of Well Yield Testing</u></b>					
<b>Pumping Test Method Desc:</b>					
<b>Pump Test ID:</b>		1001507199			
<b>Pump Set At:</b>					
<b>Static Level:</b>		4.099999904632568			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001507192			
<b>Diameter:</b>		20.0			
<b>Depth From:</b>					
<b>Depth To:</b>		5.099999904632568			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001507170			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	441487.00
<b>Code OB Desc:</b>				<b>North83:</b>	5027448.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>				<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record				
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001507174			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001507175			
<b>Layer:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1001507173					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> BORING					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1001507176					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1001507178					
<b>Layer:</b>					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b>					
<b>Depth To:</b> 2.200000047683716					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1001507177					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b> 2.200000047683716					
<b>Screen End Depth:</b> 5.199999809265137					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b><u>Pumping Test Method Desc:</u></b>					
<b>Pump Test ID:</b> 1001507179					
<b>Pump Set At:</b>					
<b>Static Level:</b> 4.0					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b> m					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1001507172			
<i>Diameter:</i>		20.0			
<i>Depth From:</i>					
<i>Depth To:</i>		5.19999809265137			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1001507200			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	442452.00
<i>Code OB Desc:</i>				<i>North83:</i>	5028009.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>				<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Location Method Desc:</i>	on Water Well Record				
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001507204			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001507205			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1001507203			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1001507206			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1001507208			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		2.200000047683716			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1001507207			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		2.200000047683716			
<i>Screen End Depth:</i>		5.199999809265137			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pumping Test Method Desc:</i>					
<i>Pump Test ID:</i>		1001507209			
<i>Pump Set At:</i>					
<i>Static Level:</i>		4.300000190734863			
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1001507202			
<i>Diameter:</i>		20.0			
<i>Depth From:</i>					
<i>Depth To:</i>		5.199999809265137			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1001507180			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	441712.00
<i>Code OB Desc:</i>				<i>North83:</i>	5027576.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>				<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record				
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1001507185				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1001507184				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1001507183				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	BORING				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1001507186				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1001507188				
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					
<b>Depth To:</b>	2.0				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1001507187				
<b>Layer:</b>					
<b>Slot:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:			2.0		
Screen End Depth:			5.0		
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<b><u>Results of Well Yield Testing</u></b>					
Pumping Test Method Desc:					
Pump Test ID:		1001507189			
Pump Set At:					
Static Level:		4.19999809265137			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1001507182			
Diameter:		20.0			
Depth From:					
Depth To:		5.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>43</u></b>	1 of 1	<b>ENE/191.4</b>	<b>60.8 / -2.20</b>	<b>216 WEST VILLAGE [PRIVATE] OTTAWA ON</b>	<b>HINC</b>
External File Num:		FS INC 0707-03417			
Fuel Occurrence Type:		Pipeline Strike			
Date of Occurrence:		6/21/2007			
Fuel Type Involved:		Natural Gas			
Status Desc:		Completed - Causal Analysis(End)			
Job Type Desc:		Incident/Near-Miss Occurrence (FS)			
Oper. Type Involved:		Multi-unit Residential			
Service Interruptions:		Yes			
Property Damage:		No			
Fuel Life Cycle Stage:		Utilization			
Root Cause:		Root Cause: Equipment/Material/Component:No	Procedures:Yes	Maintenance:No	Design:No Training:No
		Management:No	Human Factors:No		
Reported Details:					
Fuel Category:		Gaseous Fuel			
Occurrence Type:		Incident			
Affiliation:		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
County Name:		Ottawa			
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">44</a>	1 of 1	NNW/199.5	59.8 / -3.20	60 LANARK AVENUE Ottawa ON	WWIS
<b>Well ID:</b>		7265950		<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>		Monitoring and Test Hole		<b>Data Entry Status:</b>	
<b>Use 2nd:</b>		0		<b>Data Src:</b>	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Date Received:</b> 07/04/2016	
<b>Water Type:</b>				<b>Selected Flag:</b> TRUE	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z229801		<b>Contractor:</b> 7241	
<b>Tag:</b>		A190913		<b>Form Version:</b> 7	
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevatn Reliabilty:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>		NEPEAN TOWNSHIP			
<b>Site Info:</b>					
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265950.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265950.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		06/09/2016			
<b>Year Completed:</b>		2016			
<b>Depth (m):</b>		4.88			
<b>Latitude:</b>		45.3987894506543			
<b>Longitude:</b>		-75.7500515130776			
<b>X:</b>		-75.75005135126538			
<b>Y:</b>		45.39878944434802			
<b>Path:</b>		726\7265950.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1006097541		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 441296.00	
<b>Code OB Desc:</b>				<b>North83:</b> 5027526.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		06/09/2016		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Location Method Desc:</b>		on Water Well Record			
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006128635			
<b>Layer:</b>		2			
<b>Color:</b>		6			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		28			
<b>Material 1 Desc:</b>		SAND			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		77			
<b>Material 3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006128634			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		02			
<b>Material 1 Desc:</b>		TOPSOIL			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>		85			
<b>Material 3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006128636			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>		92			
<b>Material 3 Desc:</b>		WEATHERED			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		4.880000114440918			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006128646			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.6200000047683716			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006128647			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.6799999475479126			
<b>Plug To:</b>		4.880000114440918			
<b>Plug Depth UOM:</b>		m			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006128645			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006128644			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006128633			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006128640			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.8300000429153442			
<b>Casing Diameter:</b>		5.199999809265137			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006128641			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.8300000429153442			
<b>Screen End Depth:</b>		4.880000114440918			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03000020980835			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006128639			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> 1006128637 <b>Diameter:</b> 11.430000305175781 <b>Depth From:</b> 0.0 <b>Depth To:</b> 1.5199999809265137 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1006128638 <b>Diameter:</b> 7.619999885559082 <b>Depth From:</b> 1.5199999809265137 <b>Depth To:</b> 4.880000114440918 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">45</a>	1 of 5	<b>ESE/203.3</b>	<b>63.9 / 0.91</b>	<b>ALBERT &amp; SON ENGRAVERS 350A KIRKWOOD AVE OTTAWA ON K1Z 8P1</b>	<b>SCT</b>
<b>Established:</b> 1995 <b>Plant Size (ft²):</b> 1200 <b>Employment:</b> 2					
<b>--Details--</b>					
<b>Description:</b> Coating, Engraving, Heat Treating and Allied Activities <b>SIC/NAICS Code:</b> 332810					
<a href="#">45</a>	2 of 5	<b>ESE/203.3</b>	<b>63.9 / 0.91</b>	<b>Albert &amp; Son Engravers 350 Kirkwood Ave Unit A Ottawa ON K1Z 8P1</b>	<b>SCT</b>
<b>Established:</b> 1995 <b>Plant Size (ft²):</b> 1200 <b>Employment:</b> 2					
<a href="#">45</a>	3 of 5	<b>ESE/203.3</b>	<b>63.9 / 0.91</b>	<b>ALBERT &amp; SON ENGRAVERS 350A KIRKWOOD AVENUE OTTAWA ON K1Z 8Y1</b>	<b>GEN</b>
<b>Generator No:</b> ON2135901 <b>SIC Code:</b> 2821 <b>SIC Description:</b> PLATEMAKING, ETC. <b>Approval Years:</b> 97,98,99,00,01,02,03,04 <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 112 <b>Waste Class Name:</b> ACID WASTE - HEAVY METALS					
<b>Waste Class:</b> 211					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Name:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Name:</b>		ALIPHATIC SOLVENTS			
<a href="#">45</a>	4 of 5	<b>ESE/203.3</b>	<b>63.9 / 0.91</b>	<b>Paper Sign Man 350 Kirkwood Ave Ottawa ON K1Z 8P1</b>	<b>SCT</b>
<b>Established:</b>		8/1/1996			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<a href="#">45</a>	5 of 5	<b>ESE/203.3</b>	<b>63.9 / 0.91</b>	<b>Signs in 23 hours.com 350 Kirkwood Ave Ottawa ON K1Z 8P1</b>	<b>SCT</b>
<b>Established:</b>		9/1/1987			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<b>Description:</b>		Coating, Engraving, Heat Treating and Allied Activities			
<b>SIC/NAICS Code:</b>		332810			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<a href="#">46</a>	1 of 1	<b>N/205.4</b>	<b>59.8 / -3.17</b>	<b>160 LANARK AVENUE Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7265949		<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>		Monitoring and Test Hole		<b>Data Entry Status:</b>	
<b>Use 2nd:</b>		0		<b>Data Src:</b>	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Date Received:</b> 07/04/2016	
<b>Water Type:</b>				<b>Selected Flag:</b> TRUE	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z229802		<b>Contractor:</b> 7241	
<b>Tag:</b>		A190915		<b>Form Version:</b> 7	
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>		NEPEAN TOWNSHIP			
<b>Site Info:</b>					
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265949.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265949.pdf</a>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Additional Detail(s) (Map)**

**Well Completed Date:** 06/09/2016  
**Year Completed:** 2016  
**Depth (m):** 5.79  
**Latitude:** 45.3988817206003  
**Longitude:** -75.749707758483  
**X:** -75.74970759575663  
**Y:** 45.398881714280975  
**Path:** 726\7265949.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006097538	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441323.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027536.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	06/09/2016	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1006128621  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 15  
**Material 1 Desc:** LIMESTONE  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:** 92  
**Material 3 Desc:** WEATHERED  
**Formation Top Depth:** 2.130000114440918  
**Formation End Depth:** 5.789999961853027  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1006128619  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Material 1:** 02  
**Material 1 Desc:** TOPSOIL  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:** 85  
**Material 3 Desc:** SOFT  
**Formation Top Depth:** 0.0

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006128620			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		28			
<b>Material 1 Desc:</b>		SAND			
<b>Material 2:</b>		11			
<b>Material 2 Desc:</b>		GRAVEL			
<b>Material 3:</b>		77			
<b>Material 3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		2.130000114440918			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006128632			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.5899999141693115			
<b>Plug To:</b>		5.789999961853027			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006128630			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006128631			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		2.5899999141693115			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006128629			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006128618			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1006128625  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0.0  
**Depth To:** 2.740000009536743  
**Casing Diameter:** 5.199999809265137  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1006128626  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 2.740000009536743  
**Screen End Depth:** 5.789999961853027  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03000020980835

**Water Details**

**Water ID:** 1006128624  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1006128622  
**Diameter:** 11.430000305175781  
**Depth From:** 0.0  
**Depth To:** 3.0999999046325684  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1006128623  
**Diameter:** 7.619999885559082  
**Depth From:** 3.0999999046325684  
**Depth To:** 5.789999961853027  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

[47](#)      1 of 1      **S/207.3**      **64.8 / 1.88**      **361 McRae Avenue**  
**Ottawa ON K1Z 8P4**      **EHS**

<b>Order No:</b>	20100601019	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	6/2/2010	<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	6/1/2010	<b>X:</b>	-75.749326
<b>Previous Site Name:</b>		<b>Y:</b>	45.395231

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Lot/Building Size:  
Additional Info Ordered:

<a href="#">48</a>	1 of 1	E/209.2	62.9 / -0.03	ON	WWIS
--------------------	--------	---------	--------------	----	------

<b>Well ID:</b>	7179257	<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>		<b>Flow Rate:</b>	
<b>Use 1st:</b>		<b>Data Entry Status:</b>	Yes
<b>Use 2nd:</b>		<b>Data Src:</b>	
<b>Final Well Status:</b>		<b>Date Received:</b>	01/31/2012
<b>Water Type:</b>		<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>		<b>Abandonment Rec:</b>	
<b>Audit No:</b>	C16367	<b>Contractor:</b>	7085
<b>Tag:</b>		<b>Form Version:</b>	8
<b>Constructn Method:</b>		<b>Owner:</b>	
<b>Elevation (m):</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliabilty:</b>		<b>Lot:</b>	
<b>Depth to Bedrock:</b>		<b>Concession:</b>	
<b>Well Depth:</b>		<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>		<b>Easting NAD83:</b>	
<b>Pump Rate:</b>		<b>Northing NAD83:</b>	
<b>Static Water Level:</b>		<b>Zone:</b>	
<b>Clear/Cloudy:</b>		<b>UTM Reliability:</b>	
<b>Municipality:</b>	NEPEAN TOWNSHIP		
<b>Site Info:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717\7179257.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7179257.pdf)

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	11/02/2011
<b>Year Completed:</b>	2011
<b>Depth (m):</b>	
<b>Latitude:</b>	45.3969564379341
<b>Longitude:</b>	-75.7468075999584
<b>X:</b>	-75.74680743808901
<b>Y:</b>	45.39695643132559
<b>Path:</b>	717\7179257.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003752646	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441548.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027320.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/02/2011	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<a href="#">49</a>	1 of 1	E/211.8	62.9 / -0.03	ON	BORE
--------------------	--------	---------	--------------	----	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Borehole ID:</b>	613051			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514355			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	JUL-1965			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.396977
<b>Total Depth m:</b>	6.5			<b>Longitude DD:</b>	-75.746774
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	441551
<b>Drill Method:</b>				<b>Northing:</b>	5027322
<b>Orig Ground Elev m:</b>	65.7			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	64.5				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	218393487			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>	Asphalt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	ARTIFICIAL.				
<b>Geology Stratum ID:</b>	218393488			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Stones			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	STONES.				
<b>Geology Stratum ID:</b>	218393491			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.8			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Unknown			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Till			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	UNSPECIFIED. DENSE.				
<b>Geology Stratum ID:</b>	218393490			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Cobbles			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravel			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum Description:</b>		COBBLE. GRADED.			
<b>Geology Stratum ID:</b>	218393489			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Sand			<b>Geologic Period:</b>	
<b>Material 4:</b>	Wood Fragments			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		ARTIFICIAL.			
<b>Geology Stratum ID:</b>	218393493			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	4.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND. DENSE.			
<b>Geology Stratum ID:</b>	218393494			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK. 00008 009 00030 010 00065 009 00125 011 00030030000650160012501600150068 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	218393492			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	3.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Till			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND. DENSE.			
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 055590 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.				
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source Name:</b>		Urban Geology Automated Information System (UGAIS)			
<b>Source Originators:</b>		Geological Survey of Canada			
<a href="#">50</a>	1 of 1	SW/212.4	64.2 / 1.24	1994 Scott Street Ottawa ON K1Z 6T2	EHS
<b>Order No:</b>	24012200084			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	29-JAN-24			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	22-JAN-24			<b>X:</b>	-75.75142431
<b>Previous Site Name:</b>				<b>Y:</b>	45.39570736
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">51</a>	1 of 1	WSW/214.3	62.9 / -0.06	45.39 59 5, -75.75403 - Westboro Stn, OTTAWA OTTAWA ON	SPL
<b>Ref No:</b>	1-33X0JH			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	3/29/2023 8:37:20 AM			<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	3/29/2023 8:37:20 AM			<b>Impact to Health:</b>	0 No Impact
<b>Dt Document Closed:</b>	4/25/2023 10:17:35 AM			<b>Agency Involved:</b>	
<b>Site No:</b>					
<b>MOE Response:</b>	Desktop Response				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>	Ottawa District Office				
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>					
<b>Site Address:</b>	45.39 59 5, -75.75403 - Westboro Stn, OTTAWA				
<b>Site Region:</b>					
<b>Site Municipality:</b>	OTTAWA				
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Easting:</b>					
<b>Incident Cause:</b>					
<b>Incident Preceding Spill:</b>	Fire				
<b>Environment Impact:</b>	1 Minor Impact				
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>					
<b>Contaminant Qty:</b>	10 litre (L)				
<b>Contaminant Qty 1:</b>					
<b>Contaminant Unit:</b>					
<b>Client Type:</b>	Private Business				
<b>Source Type:</b>	Container/Drum/Tote				
<b>Contaminant Code:</b>					
<b>Contaminant Name:</b>	GASOLINE				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Receiving Medium:</b>	Air; Land				
<b>Incident Reason:</b>	Equipment failure/malfunction				
<b>Incident Summary:</b>	KEV: Generator Fire, Smoke to Air & 10L Gasoline to Ground				
<b>Activity Preceding Spill:</b>	Fueling				
<b>Property 2nd Watershed:</b>	02K   Central Ottawa River				
<b>Property Tertiary Watershed:</b>	02KF   Mississippi River - Central Ottawa River				
<b>Sector Type:</b>	CONSTRUCTION, TRANSPORTATION, MINING, AND FORESTRY MACHINERY AND EQUIPMENT RENTAL AND LEASING				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SAC Action Class:</b>					
<b>Call Report Locatn Geodata:</b>	{ "integration_ids": ["PR00003915096"], "wks": ["POINT (-75.7520659000 45.3964093000)], "creation_date": "2023-03-29" }				
<b>Time Reported:</b>					
<b>System Facility Address:</b>					
<b>Client Name:</b>	KIEWIT EUROVIA VINCI				

<a href="#">52</a>	1 of 1	<b>NNW/216.3</b>	<b>59.8 / -3.18</b>	<b>160 LANARK AVENUE Ottawa ON</b>	<b>WWIS</b>
--------------------	--------	------------------	---------------------	--	-------------

<b>Well ID:</b>	7290746	<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>		<b>Flow Rate:</b>	
<b>Use 1st:</b>		<b>Data Entry Status:</b>	
<b>Use 2nd:</b>		<b>Data Src:</b>	
<b>Final Well Status:</b>	Abandoned-Other	<b>Date Received:</b>	07/24/2017
<b>Water Type:</b>		<b>Selected Flag:</b>	TRUE
<b>Casing Material:</b>		<b>Abandonment Rec:</b>	Yes
<b>Audit No:</b>	Z256707	<b>Contractor:</b>	1558
<b>Tag:</b>	A190915	<b>Form Version:</b>	7
<b>Constructn Method:</b>		<b>Owner:</b>	
<b>Elevation (m):</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliabilty:</b>		<b>Lot:</b>	
<b>Depth to Bedrock:</b>		<b>Concession:</b>	
<b>Well Depth:</b>		<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>		<b>Easting NAD83:</b>	
<b>Pump Rate:</b>		<b>Northing NAD83:</b>	
<b>Static Water Level:</b>		<b>Zone:</b>	
<b>Clear/Cloudy:</b>		<b>UTM Reliability:</b>	
<b>Municipality:</b>	OTTAWA CITY		
<b>Site Info:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/729\7290746.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7290746.pdf)

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	05/04/2017
<b>Year Completed:</b>	2017
<b>Depth (m):</b>	
<b>Latitude:</b>	45.3989517956517
<b>Longitude:</b>	-75.7500025535665
<b>X:</b>	-75.75000239218652
<b>Y:</b>	45.3989517893203
<b>Path:</b>	729\7290746.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006640071	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441300.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027544.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	05/04/2017	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006730616			
<b>Layer:</b>		1			
<b>Plug From:</b>		5.789999961853027			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006730615			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006730609			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006730613			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006730614			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006730612			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006730611			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">53</a>	1 of 1	<b>ESE/216.8</b>	<b>64.7 / 1.75</b>	<b>175 Richmond Road Ottawa ON K1Z 6W4</b>	<b>EHS</b>
Order No:		20191022094		<b>Nearest Intersection:</b>	
Status:		C		<b>Municipality:</b>	
Report Type:		Standard Report		<b>Client Prov/State:</b> ON	
Report Date:		25-OCT-19		<b>Search Radius (km):</b> .25	
Date Received:		22-OCT-19		<b>X:</b> -75.747351	
Previous Site Name:				<b>Y:</b> 45.39579	
Lot/Building Size:					
Additional Info Ordered:					
<a href="#">54</a>	1 of 1	<b>NNW/217.5</b>	<b>59.8 / -3.18</b>	<b>160 LANARK AVENUE Ottawa ON</b>	<b>WWIS</b>
Well ID:		7290747		<b>Flowing (Y/N):</b>	
Construction Date:				<b>Flow Rate:</b>	
Use 1st:				<b>Data Entry Status:</b>	
Use 2nd:				<b>Data Src:</b>	
Final Well Status:		Abandoned-Other		<b>Date Received:</b> 07/24/2017	
Water Type:				<b>Selected Flag:</b> TRUE	
Casing Material:				<b>Abandonment Rec:</b> Yes	
Audit No:		Z256708		<b>Contractor:</b> 1558	
Tag:		A190916		<b>Form Version:</b> 7	
Constructn Method:				<b>Owner:</b>	
Elevation (m):				<b>County:</b> OTTAWA-CARLETON	
Elevatn Reliability:				<b>Lot:</b>	
Depth to Bedrock:				<b>Concession:</b>	
Well Depth:				<b>Concession Name:</b>	
Overburden/Bedrock:				<b>Easting NAD83:</b>	
Pump Rate:				<b>Northing NAD83:</b>	
Static Water Level:				<b>Zone:</b>	
Clear/Cloudy:				<b>UTM Reliability:</b>	
Municipality:		OTTAWA CITY			
Site Info:					
PDF URL (Map):		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7290747.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7290747.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
Well Completed Date:		05/04/2017			
Year Completed:		2017			
Depth (m):					
Latitude:		45.3989512922736			
Longitude:		-75.7500792082091			
X:		-75.75007904630267			
Y:		45.398951285341234			
Path:		729\7290747.pdf			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:		1006640104		<b>Elevation:</b>	
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b> 18	
Code OB:				<b>East83:</b> 441294.00	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Code OB Desc:</b>				<b>North83:</b>	5027544.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	05/04/2017			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>		on Water Well Record			
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006730627			
<b>Layer:</b>		1			
<b>Plug From:</b>		5.789999961853027			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006730623			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006730617			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006730621			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006730622			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:		1006730620			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006730619			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<b><u>55</u></b>	1 of 1	<b>NNW/217.9</b>	<b>59.8 / -3.18</b>	<b>160 LANARK AVENUE Ottawa ON</b>	<b>WWIS</b>
Well ID:	7265951			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	07/04/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z229798			Contractor:	7241
Tag:	A155785			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265951.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265951.pdf</a>				

**Additional Detail(s) (Map)**

Well Completed Date:	06/10/2016
Year Completed:	2016
Depth (m):	7.62
Latitude:	45.3989605444922
Longitude:	-75.7500409999745
X:	-75.75004083827055
Y:	45.398960537419235
Path:	726\7265951.pdf

**Bore Hole Information**

Bore Hole ID:	1006097544	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441297.00
Code OB Desc:		North83:	5027545.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	06/10/2016			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	gis
<b>Location Method Desc:</b>		from gis			
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006128695			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		0.9100000262260437			
<b>Formation End Depth:</b>		7.619999885559082			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006128694			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		02			
<b>Material 1 Desc:</b>		TOPSOIL			
<b>Material 2:</b>		28			
<b>Material 2 Desc:</b>		SAND			
<b>Material 3:</b>		73			
<b>Material 3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.9100000262260437			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006128704			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006128705			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		4.269999980926514			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006128706			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.269999980926514			
<b>Plug To:</b>		7.619999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006128703			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006128693			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006128699			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.570000171661377			
<b>Casing Diameter:</b>		5.199999809265137			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006128700			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.570000171661377			
<b>Screen End Depth:</b>		7.619999885559082			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03000020980835			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006128698			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> 1006128696 <b>Diameter:</b> 11.430000305175781 <b>Depth From:</b> 0.0 <b>Depth To:</b> 1.5 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1006128697 <b>Diameter:</b> 7.619999885559082 <b>Depth From:</b> 1.5 <b>Depth To:</b> 7.619999885559082 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">56</a>	1 of 2	<b>ESE/218.6</b>	<b>64.7 / 1.75</b>	<b>Guillevin International Co. 175 Richmond Rd Ottawa ON K1Z 6W3</b>	<b>SCT</b>
<b>Established:</b> 01-AUG-09 <b>Plant Size (ft²):</b> <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Industrial Machinery, Equipment and Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 417230					
<b>Description:</b> Electrical Wiring and Construction Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 416110					
<b>Description:</b> Professional Machinery, Equipment and Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 417930					
<b>Description:</b> Electrical Wiring and Construction Supplies Wholesaler-Distributors <b>SIC/NAICS Code:</b> 416110					
<a href="#">56</a>	2 of 2	<b>ESE/218.6</b>	<b>64.7 / 1.75</b>	<b>175 Richmond Road Ottawa ON</b>	<b>EHS</b>
<b>Order No:</b> 20131114032 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 25-NOV-13 <b>Date Received:</b> 14-NOV-13 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.746811 <b>Y:</b> 45.395201					
<a href="#">57</a>	1 of 1	<b>NNW/220.9</b>	<b>59.8 / -3.16</b>	<b>160 LANARK AVENUE Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b> 7290748 <b>Construction Date:</b> <b>Use 1st:</b> <b>Use 2nd:</b> <b>Final Well Status:</b> Abandoned-Other <b>Water Type:</b> <b>Casing Material:</b>					
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 07/24/2017 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> Yes					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Audit No:</b>	Z256705			<b>Contractor:</b>	1558
<b>Tag:</b>	A190913			<b>Form Version:</b>	7
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevatn Reliability:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>		OTTAWA CITY			
<b>Site Info:</b>					
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7290748.pdf			

**Additional Detail(s) (Map)**

**Well Completed Date:** 05/04/2017  
**Year Completed:** 2017  
**Depth (m):**  
**Latitude:** 45.3989969660489  
**Longitude:** -75.749977597401  
**X:** -75.74997743519572  
**Y:** 45.3989969591076  
**Path:** 729\7290748.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006640119	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441302.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027549.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	05/04/2017	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1006730635  
**Layer:** 1  
**Plug From:** 5.789999961853027  
**Plug To:** 0.0  
**Plug Depth UOM:** m

**Method of Construction & Well Use**

**Method Construction ID:** 1006730634  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1006730628  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1006730632  
 Layer:  
 Material:  
 Open Hole or Material:  
 Depth From:  
 Depth To:  
 Casing Diameter:  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1006730633  
 Layer:  
 Slot:  
 Screen Top Depth:  
 Screen End Depth:  
 Screen Material:  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter:

**Water Details**

Water ID: 1006730631  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1006730630  
 Diameter:  
 Depth From:  
 Depth To:  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

<a href="#">58</a>	1 of 1	ESE/221.4	63.8 / 0.86	ON	WWIS
--------------------	--------	-----------	-------------	----	------

Well ID:	7224472	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	Yes
Use 2nd:		Data Src:	
Final Well Status:		Date Received:	07/24/2014
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	C22336	Contractor:	6964

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A147202			Form Version:	8
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					

**Additional Detail(s) (Map)**

Bore Hole ID:	1004963021	Tag No:	A147202
Depth M:		Contractor:	6964
Year Completed:	2014	Latitude:	45.3959191207539
Well Completed Dt:	01/24/2014	Longitude:	-75.7471388930544
Audit No:	C22336	Y:	45.39591911458855
Path:		X:	-75.74713873135428

**Bore Hole Information**

Bore Hole ID:	1004963021	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441521.00
Code OB Desc:		North83:	5027205.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	01/24/2014	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**59**      1 of 1      E/222.4      62.8 / -0.14      ON      **BORE**

Borehole ID:	613050	Inclin FLG:	No
OGF ID:	215514354	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:	JUN-1959	Municipality:	
Static Water Level:		Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.396887
Total Depth m:	8.4	Longitude DD:	-75.746645
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	441561
Drill Method:		Northing:	5027312
Orig Ground Elev m:	63.7	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	64.7		
Concession:			
Location D:			
Survey D:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218393484			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK.			
<b>Geology Stratum ID:</b>	218393485			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	6.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK. FRACTURED.			
<b>Geology Stratum ID:</b>	218393482			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.4			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Boulders			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Sand			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BOULDERS.			
<b>Geology Stratum ID:</b>	218393486			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	6.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK. WEATHERED. 0019700500 00050 011 00000120002500900050019 010 00075 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	218393480			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>				<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		ARTIFICIAL.			
<b>Geology Stratum ID:</b>	218393483			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Material 2:** Limestone  
**Material 3:**  
**Material 4:**  
**Gsc Material Description:**  
**Stratum Description:** BEDROCK. WEATHERED.

**Geologic Group:**  
**Geologic Period:**  
**Depositional Gen:**

**Geology Stratum ID:** 218393481  
**Top Depth:** .9  
**Bottom Depth:** 2.7  
**Material Color:**  
**Material 1:** Boulders  
**Material 2:** Gravel  
**Material 3:** Sand  
**Material 4:**  
**Gsc Material Description:**  
**Stratum Description:** BOULDERS.

**Mat Consistency:**  
**Material Moisture:**  
**Material Texture:**  
**Non Geo Mat Type:**  
**Geologic Formation:**  
**Geologic Group:**  
**Geologic Period:**  
**Depositional Gen:**

**Source**

**Source Type:** Data Survey  
**Source Orig:** Geological Survey of Canada  
**Source Date:** 1956-1972  
**Confidence:** H  
**Observatio:**  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Details:** File: OTTAWA2.txt RecordID: 055580 NTS\_Sheet: 31G05G  
**Confiden 1:** Logged by professional. Exact and complete description of material and properties.

**Source Appl:** Spatial/Tabular  
**Source Iden:** 1  
**Scale or Res:** Varies  
**Horizontal:** NAD27  
**Verticalda:** Mean Average Sea Level

**Source List**

**Source Identifier:** 1  
**Source Type:** Data Survey  
**Source Date:** 1956-1972  
**Scale or Resolution:** Varies  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Originators:** Geological Survey of Canada

**Horizontal Datum:** NAD27  
**Vertical Datum:** Mean Average Sea Level  
**Projection Name:** Universal Transverse Mercator

[60](#)      1 of 1      **SW/231.1**      **64.9 / 1.89**      **336 Tweedsmuir  
Ottawa ON**      **EHS**

**Order No:** 20170821022  
**Status:** C  
**Report Type:** Standard Report  
**Report Date:** 25-AUG-17  
**Date Received:** 21-AUG-17  
**Previous Site Name:**  
**Lot/Building Size:**  
**Additional Info Ordered:** Fire Insur. Maps and/or Site Plans; City Directory

**Nearest Intersection:**  
**Municipality:**  
**Client Prov/State:** ON  
**Search Radius (km):** .25  
**X:** -75.75109  
**Y:** 45.395297

[61](#)      1 of 1      **NW/233.0**      **59.8 / -3.21**      **186 LANARK AVENUE  
OTTAWA ON K1Z 6R5**      **HINC**

**External File Num:** FS INC 0807-03882  
**Fuel Occurrence Type:** Pipeline Strike  
**Date of Occurrence:** 7/16/2008  
**Fuel Type Involved:** Natural Gas  
**Status Desc:** Completed - Causal Analysis(End)  
**Job Type Desc:** Incident/Near-Miss Occurrence (FS)  
**Oper. Type Involved:** Construction Site (pipeline strike)  
**Service Interruptions:** No  
**Property Damage:** Yes  
**Fuel Life Cycle Stage:** Transmission, Distribution and Transportation

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training:Yes Management:Yes Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

<a href="#">62</a>	1 of 1	<b>NNW/235.3</b>	<b>59.8 / -3.16</b>	<b>160 LANARK AVENUE Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7265948		<b>Flowing (Y/N):</b>	
<b>Construction Date:</b>				<b>Flow Rate:</b>	
<b>Use 1st:</b>		Monitoring and Test Hole		<b>Data Entry Status:</b>	
<b>Use 2nd:</b>		0		<b>Data Src:</b>	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Date Received:</b> 07/04/2016	
<b>Water Type:</b>				<b>Selected Flag:</b> TRUE	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z229830		<b>Contractor:</b> 7241	
<b>Tag:</b>		A190916		<b>Form Version:</b> 7	
<b>Constructn Method:</b>				<b>Owner:</b>	
<b>Elevation (m):</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevatn Reliabilty:</b>				<b>Lot:</b>	
<b>Depth to Bedrock:</b>				<b>Concession:</b>	
<b>Well Depth:</b>				<b>Concession Name:</b>	
<b>Overburden/Bedrock:</b>				<b>Easting NAD83:</b>	
<b>Pump Rate:</b>				<b>Northing NAD83:</b>	
<b>Static Water Level:</b>				<b>Zone:</b>	
<b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>Municipality:</b>		NEPEAN TOWNSHIP			
<b>Site Info:</b>					
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265948.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7265948.pdf</a>			

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	06/09/2016
<b>Year Completed:</b>	2016
<b>Depth (m):</b>	5.79
<b>Latitude:</b>	45.3991322255574
<b>Longitude:</b>	-75.7499410561127
<b>X:</b>	-75.7499408944255
<b>Y:</b>	45.3991322191025
<b>Path:</b>	726\7265948.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006097535	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	441305.00
<b>Code OB Desc:</b>		<b>North83:</b>	5027564.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	06/09/2016	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Location Method Desc:</b>	on Water Well Record		



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1006128603		
<i>Layer:</i>			1		
<i>Color:</i>			6		
<i>General Color:</i>			BROWN		
<i>Material 1:</i>			28		
<i>Material 1 Desc:</i>			SAND		
<i>Material 2:</i>			01		
<i>Material 2 Desc:</i>			FILL		
<i>Material 3:</i>			85		
<i>Material 3 Desc:</i>			SOFT		
<i>Formation Top Depth:</i>			0.0		
<i>Formation End Depth:</i>			1.2200000286102295		
<i>Formation End Depth UOM:</i>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1006128604		
<i>Layer:</i>			2		
<i>Color:</i>			6		
<i>General Color:</i>			BROWN		
<i>Material 1:</i>			28		
<i>Material 1 Desc:</i>			SAND		
<i>Material 2:</i>					
<i>Material 2 Desc:</i>					
<i>Material 3:</i>			85		
<i>Material 3 Desc:</i>			SOFT		
<i>Formation Top Depth:</i>			1.2200000286102295		
<i>Formation End Depth:</i>			2.130000114440918		
<i>Formation End Depth UOM:</i>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1006128605		
<i>Layer:</i>			3		
<i>Color:</i>			6		
<i>General Color:</i>			BROWN		
<i>Material 1:</i>			06		
<i>Material 1 Desc:</i>			SILT		
<i>Material 2:</i>					
<i>Material 2 Desc:</i>					
<i>Material 3:</i>			79		
<i>Material 3 Desc:</i>			PACKED		
<i>Formation Top Depth:</i>			2.130000114440918		
<i>Formation End Depth:</i>			2.440000057220459		
<i>Formation End Depth UOM:</i>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1006128606		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	4				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Material 1:</b>	15				
<b>Material 1 Desc:</b>	LIMESTONE				
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>	79				
<b>Material 3 Desc:</b>	PACKED				
<b>Formation Top Depth:</b>	2.440000057220459				
<b>Formation End Depth:</b>	5.789999961853027				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1006128615				
<b>Layer:</b>	1				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	0.3100000023841858				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1006128617				
<b>Layer:</b>	3				
<b>Plug From:</b>	2.440000057220459				
<b>Plug To:</b>	5.789999961853027				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1006128616				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.3100000023841858				
<b>Plug To:</b>	2.440000057220459				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1006128614				
<b>Method Construction Code:</b>	5				
<b>Method Construction:</b>	Air Percussion				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1006128602				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1006128610				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		2.740000009536743			
<i>Casing Diameter:</i>		5.199999809265137			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006128611			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		2.740000009536743			
<i>Screen End Depth:</i>		5.289999961853027			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03000020980835			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006128609			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1006128608			
<i>Diameter:</i>		7.619999885559082			
<i>Depth From:</i>		2.440000057220459			
<i>Depth To:</i>		5.789999961853027			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1006128607			
<i>Diameter:</i>		11.430000305175781			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		2.440000057220459			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

**63**

1 of 3

**WSW/235.4****63.9 / 0.98****DOMICILE DEVELOPMENTS INC  
309 ATHLONE AVENUE  
OTTAWA ON K1Z 5M3****GEN**

**Generator No:** ON6993834  
**SIC Code:** 562910  
**SIC Description:** Remediation Services  
**Approval Years:** 05  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Detail(s)

Waste Class: 221  
Waste Class Name: LIGHT FUELS

[63](#)      2 of 3      WSW/235.4      63.9 / 0.98      309 ATHLONE AVENUE lot 57  
OTTAWA ON      [WWIS](#)

Well ID:	1535860	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	10/12/2005
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z31645	Contractor:	1844
Tag:	A029527	Form Version:	3
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	057
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	OTTAWA CITY		
Site Info:			

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1535860.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1535860.pdf)

Additional Detail(s) (Map)

Well Completed Date: 08/25/2005  
Year Completed: 2005  
Depth (m): 4.7  
Latitude: 45.3960483460982  
Longitude: -75.7521361017503  
X: -75.75213593993344  
Y: 45.39604833911217  
Path: 153\1535860.pdf

Bore Hole Information

Bore Hole ID:	11316399	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	441130.00
Code OB Desc:		North83:	5027223.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	08/25/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932997352			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Material 1:</b>					
<b>Material 1 Desc:</b>					
<b>Material 2:</b>					
<b>Material 2 Desc:</b>					
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.10000000149011612			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932997355			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Material 1:</b>		15			
<b>Material 1 Desc:</b>		LIMESTONE			
<b>Material 2:</b>		17			
<b>Material 2 Desc:</b>		SHALE			
<b>Material 3:</b>		74			
<b>Material 3 Desc:</b>		LAYERED			
<b>Formation Top Depth:</b>		1.5199999809265137			
<b>Formation End Depth:</b>		4.699999809265137			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932997353			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		06			
<b>Material 1 Desc:</b>		SILT			
<b>Material 2:</b>		28			
<b>Material 2 Desc:</b>		SAND			
<b>Material 3:</b>		11			
<b>Material 3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.10000000149011612			
<b>Formation End Depth:</b>		1.2699999809265137			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932997354			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Material 1:</b>		28			
<b>Material 1 Desc:</b>		SAND			
<b>Material 2:</b>		06			
<b>Material 2 Desc:</b>		SILT			
<b>Material 3:</b>					
<b>Material 3 Desc:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		1.2699999809265137			
<i>Formation End Depth:</i>		1.5199999809265137			
<i>Formation End Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		933278557			
<i>Layer:</i>		1			
<i>Plug From:</i>		0.8999999761581421			
<i>Plug To:</i>		1.25			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		961535860			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		11331254			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		930855843			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0.8999999761581421			
<i>Depth To:</i>		1.25			
<i>Casing Diameter:</i>		5.0			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		933414955			
<i>Layer:</i>		1			
<i>Slot:</i>		010			
<i>Screen Top Depth:</i>		1.25			
<i>Screen End Depth:</i>		4.699999809265137			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		5.800000190734863			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		11533979			
<i>Diameter:</i>		20.0			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		4.699999809265137			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">63</a>	3 of 3	WSW/235.4	63.9 / 0.98	Ottawa Salus Corporation 309 ATHLONE AVE ON OTTAWA ON	RSC
<b>RSC No:</b> 2768 <b>RA No:</b> <b>Status:</b> FILED <b>Filing Date:</b> <b>Date Ack:</b> <b>Date Returned:</b> <b>Approval Date:</b> January 6, 2006 <b>Cert Date:</b> <b>Cert Prop Use No:</b> <b>Curr Property Use:</b> <b>Intended Prop Use:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> <b>CPU Issu Sect 1686:</b> <b>Business Name:</b> Ottawa Salus Corporation <b>Address:</b> 309 ATHLONE AVE ON <b>Legal Desc:</b> <b>Site Pin:</b> 04020 0218 (LT) <b>Asmt Roll No:</b> <b>Project Type:</b> PRE2011 <b>Approval Type:</b> RSC based on Phase One and Two ESAs <b>Applicable Standards:</b> <b>PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2768">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2768</a>		<b>X:</b> -75.75200835 <b>Y:</b> 45.39604919 <b>Latitude:</b> 45.39604919 <b>Longitude:</b> -75.75200835 <b>UTM Coordinates:</b> <b>Latitude Longitude:</b> <b>Accuracy Estimate:</b> <b>Measurement Method:</b> <b>Mailing Address:</b> <b>Telephone:</b> <b>Fax:</b> <b>Email:</b> <b>Postal Code:</b> K1Z 5M3 <b>Ministry District:</b> <b>MOE District:</b> Ottawa <b>SWP Area Name:</b> Rideau Valley <b>Qual Person Name:</b> Mark S D'Arcy <b>Consultant:</b>			
<a href="#">64</a>	1 of 22	W/239.0	61.9 / -1.02	CANADIAN BROADCASTING CORP. 250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	GEN
<b>Generator No:</b> ON0045402 <b>SIC Code:</b> 4811 <b>SIC Description:</b> RADIO BROADCASTING <b>Approval Years:</b> 86,87 <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 252 <b>Waste Class Name:</b> WASTE OILS & LUBRICANTS					
<a href="#">64</a>	2 of 22	W/239.0	61.9 / -1.02	CANADIAN BROADCASTING CORP. 250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	GEN
<b>Generator No:</b> ON0045402 <b>SIC Code:</b> 4811 <b>SIC Description:</b> RADIO BROADCASTING					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:		88,89,90			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<b><u>Detail(s)</u></b>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

<a href="#">64</a>	3 of 22	W/239.0	61.9 / -1.02	CANADIAN BROADCASTING CORP. 08-276 250 LANARK AVE. OTTAWA ON K1Z 6R5	GEN
Generator No:		ON0045402			
SIC Code:		4811			
SIC Description:		RADIO BROADCASTING			
Approval Years:		92,93,95,96,97			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<b><u>Detail(s)</u></b>					
Waste Class:		113			
Waste Class Name:		ACID WASTE - OTHER METALS			
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

<a href="#">64</a>	4 of 22	W/239.0	61.9 / -1.02	CANADIAN BROADCASTING CORP. 08-276 250 LANARK AVE, BOX #3220, STN "C" OTTAWA ON K1Z 6R5	GEN
Generator No:		ON0045402			
SIC Code:		4811			
SIC Description:		RADIO BROADCASTING			
Approval Years:		94			
PO Box No:					
Country:					
Status:					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Name:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		113			
<b>Waste Class Name:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		213			
<b>Waste Class Name:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		221			
<b>Waste Class Name:</b>		LIGHT FUELS			

<a href="#">64</a>	5 of 22	W/239.0	61.9 / -1.02	<b>CANADIAN BROADCASTING CORPORATION</b> 250 LANARK AVENUE OTTAWA ON K1Y 1E4	GEN
--------------------	---------	---------	--------------	--	-----

**Generator No:** ON0045402  
**SIC Code:** 4811  
**SIC Description:** RADIO BROADCASTING  
**Approval Years:** 98,99,00,01  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 112  
**Waste Class Name:** ACID WASTE - HEAVY METALS

**Waste Class:** 113  
**Waste Class Name:** ACID WASTE - OTHER METALS

**Waste Class:** 121  
**Waste Class Name:** ALKALINE WASTES - HEAVY METALS

**Waste Class:** 145  
**Waste Class Name:** PAINT/PIGMENT/COATING RESIDUES

**Waste Class:** 213  
**Waste Class Name:** PETROLEUM DISTILLATES

**Waste Class:** 221  
**Waste Class Name:** LIGHT FUELS

**Waste Class:** 241  
**Waste Class Name:** HALOGENATED SOLVENTS

**Waste Class:** 252  
**Waste Class Name:** WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		264			
<b>Waste Class Name:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Name:</b>		WASTE COMPRESSED GASES			

<a href="#">64</a>	6 of 22	W/239.0	61.9 / -1.02	ProFac -CBC Ottawa 250 Lanark Avenue Ottawa ON K1Y 1E4	GEN
--------------------	---------	---------	--------------	--	-----

**Generator No:** ON0045402  
**SIC Code:**  
**SIC Description:**  
**Approval Years:** 02,03,04  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

Detail(s)

**Waste Class:** 112  
**Waste Class Name:** ACID WASTE - HEAVY METALS  
  
**Waste Class:** 113  
**Waste Class Name:** ACID WASTE - OTHER METALS  
  
**Waste Class:** 121  
**Waste Class Name:** ALKALINE WASTES - HEAVY METALS  
  
**Waste Class:** 145  
**Waste Class Name:** PAINT/PIGMENT/COATING RESIDUES  
  
**Waste Class:** 213  
**Waste Class Name:** PETROLEUM DISTILLATES  
  
**Waste Class:** 221  
**Waste Class Name:** LIGHT FUELS  
  
**Waste Class:** 241  
**Waste Class Name:** HALOGENATED SOLVENTS  
  
**Waste Class:** 243  
**Waste Class Name:** PCB'S  
  
**Waste Class:** 252  
**Waste Class Name:** WASTE OILS & LUBRICANTS  
  
**Waste Class:** 264  
**Waste Class Name:** PHOTOPROCESSING WASTES  
  
**Waste Class:** 331  
**Waste Class Name:** WASTE COMPRESSED GASES

<a href="#">64</a>	7 of 22	W/239.0	61.9 / -1.02	Public Works and Government Services Canada 250 Lanark Ave Ottawa ON K1Z 1G4	GEN
--------------------	---------	---------	--------------	--	-----

**Generator No:** ON8507466

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>		911910 Other Federal Government Public Administration 05,06,07,08			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		242			
<b>Waste Class Name:</b>		HALOGENATED PESTICIDES			
<b>Waste Class:</b>		121			
<b>Waste Class Name:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		252			
<b>Waste Class Name:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		331			
<b>Waste Class Name:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		148			
<b>Waste Class Name:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		112			
<b>Waste Class Name:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Name:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Name:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Name:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		211			
<b>Waste Class Name:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Name:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		263			
<b>Waste Class Name:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Name:</b>		PHOTOPROCESSING WASTES			

[64](#)

8 of 22

W/239.0

61.9 / -1.02

**SNC Lavalin Profac  
Graham Spry Bldg. 250 Lanark Ave.  
Ottawa ON K1Z 1G4**

**GEN**

**Generator No:** ON6794727  
**SIC Code:** 531310  
**SIC Description:** Real Estate Property Managers  
**Approval Years:** 07,08  
**PO Box No:**  
**Country:**  
**Status:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		145			
<b>Waste Class Name:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		252			
<b>Waste Class Name:</b>		WASTE OILS & LUBRICANTS			

<a href="#">64</a>	9 of 22	W/239.0	61.9 / -1.02	Graham Spry Building, 250 Lanark Ave. <UNOFFICIAL> Ottawa ON K1Z 1G4	SPL
<b>Ref No:</b>	4442-84VW5X			<b>Municipality No:</b>	
<b>Year:</b>				<b>Nature of Damage:</b>	
<b>Incident Dt:</b>				<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	4/26/2010			<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>	4/30/2010			<b>Agency Involved:</b>	
<b>Site No:</b>					
<b>MOE Response:</b>	No Field Response				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Site District Office:</b>					
<b>Nearest Watercourse:</b>					
<b>Site Name:</b>	Graham Spry Building, 250 Lanark Ave.<UNOFFICIAL>				
<b>Site Address:</b>					
<b>Site Region:</b>					
<b>Site Municipality:</b>					
<b>Site Lot:</b>					
<b>Site Conc:</b>					
<b>Site Geo Ref Accu:</b>					
<b>Site Map Datum:</b>					
<b>Northing:</b>					
<b>Easting:</b>					
<b>Incident Cause:</b>	Cooling System Leak				
<b>Incident Preceding Spill:</b>					
<b>Environment Impact:</b>	Possible				
<b>Health Env Consequence:</b>					
<b>Nature of Impact:</b>	Air Pollution				
<b>Contaminant Qty:</b>					
<b>Contaminant Qty 1:</b>					
<b>Contaminant Unit:</b>	other - see incident description				
<b>Client Type:</b>					
<b>Source Type:</b>					
<b>Contaminant Code:</b>	38				
<b>Contaminant Name:</b>	REFRIGERANT GAS, N.O.S.				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Receiving Medium:</b>					
<b>Incident Reason:</b>	Equipment Failure - Malfunction of system components				
<b>Incident Summary:</b>	Graham Spry Building-90 Kg Refrigerant leak from Chiller.				
<b>Activity Preceding Spill:</b>					
<b>Property 2nd Watershed:</b>					
<b>Property Tertiary Watershed:</b>					
<b>Sector Type:</b>	Other				
<b>SAC Action Class:</b>	Air Spills - Fires				
<b>Call Report Locatn Geodata:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Time Reported:					
System Facility Address:					
Client Name:					

<a href="#">64</a>	10 of 22	W/239.0	61.9 / -1.02	Public Works and Government Services Canada 250 Lanark Ave Ottawa ON K1Z 1G4	GEN
--------------------	----------	---------	--------------	--	-----

**Generator No:** ON8507466  
**SIC Code:** 911910  
**SIC Description:** Other Federal Government Public Administration  
**Approval Years:** 2009  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 112  
**Waste Class Name:** ACID WASTE - HEAVY METALS  
  
**Waste Class:** 121  
**Waste Class Name:** ALKALINE WASTES - HEAVY METALS  
  
**Waste Class:** 122  
**Waste Class Name:** ALKALINE WASTES - OTHER METALS  
  
**Waste Class:** 145  
**Waste Class Name:** PAINT/PIGMENT/COATING RESIDUES  
  
**Waste Class:** 146  
**Waste Class Name:** OTHER SPECIFIED INORGANICS  
  
**Waste Class:** 148  
**Waste Class Name:** INORGANIC LABORATORY CHEMICALS  
  
**Waste Class:** 211  
**Waste Class Name:** AROMATIC SOLVENTS  
  
**Waste Class:** 212  
**Waste Class Name:** ALIPHATIC SOLVENTS  
  
**Waste Class:** 242  
**Waste Class Name:** HALOGENATED PESTICIDES  
  
**Waste Class:** 252  
**Waste Class Name:** WASTE OILS & LUBRICANTS  
  
**Waste Class:** 263  
**Waste Class Name:** ORGANIC LABORATORY CHEMICALS  
  
**Waste Class:** 264  
**Waste Class Name:** PHOTOPROCESSING WASTES  
  
**Waste Class:** 331  
**Waste Class Name:** WASTE COMPRESSED GASES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">64</a>	11 of 22	W/239.0	61.9 / -1.02	Public Works and Government Services Canada 250 Lanark Ave Ottawa ON K1Z 1G4	GEN

**Generator No:** ON8507466  
**SIC Code:** 911910  
**SIC Description:** Other Federal Government Public Administration  
**Approval Years:** 2010  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 252  
**Waste Class Name:** WASTE OILS & LUBRICANTS  
  
**Waste Class:** 242  
**Waste Class Name:** HALOGENATED PESTICIDES  
  
**Waste Class:** 212  
**Waste Class Name:** ALIPHATIC SOLVENTS  
  
**Waste Class:** 211  
**Waste Class Name:** AROMATIC SOLVENTS  
  
**Waste Class:** 112  
**Waste Class Name:** ACID WASTE - HEAVY METALS  
  
**Waste Class:** 148  
**Waste Class Name:** INORGANIC LABORATORY CHEMICALS  
  
**Waste Class:** 121  
**Waste Class Name:** ALKALINE WASTES - HEAVY METALS  
  
**Waste Class:** 331  
**Waste Class Name:** WASTE COMPRESSED GASES  
  
**Waste Class:** 263  
**Waste Class Name:** ORGANIC LABORATORY CHEMICALS  
  
**Waste Class:** 264  
**Waste Class Name:** PHOTOPROCESSING WASTES  
  
**Waste Class:** 146  
**Waste Class Name:** OTHER SPECIFIED INORGANICS  
  
**Waste Class:** 122  
**Waste Class Name:** ALKALINE WASTES - OTHER METALS  
  
**Waste Class:** 145  
**Waste Class Name:** PAINT/PIGMENT/COATING RESIDUES

<a href="#">64</a>	12 of 22	W/239.0	61.9 / -1.02	SNC-Lavalin Constructors (Pacific) Inc. 250 Lanark Avenue Ottawa ON	SPL
--------------------	----------	---------	--------------	---	-----

**Ref No:** 3623-97CPVK  
**Year:**  
**Municipality No:**  
**Nature of Damage:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Dt:</b> <b>Dt MOE Arvl on Scrn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Site No:</b> <b>MOE Response:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Site District Office:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>Northing:</b> <b>Easting:</b> <b>Incident Cause:</b> <b>Incident Preceding Spill:</b> <b>Environment Impact:</b> <b>Health Env Consequence:</b> <b>Nature of Impact:</b> <b>Contaminant Qty:</b> <b>Contaminant Qty 1:</b> <b>Contaminant Unit:</b> <b>Client Type:</b> <b>Source Type:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Receiving Medium:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> <b>SAC Action Class:</b> <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>	03-MAY-13  03-MAY-13  No Field Response     Roof-top Cooling Unit<UNOFFICIAL> 250 Lanark Avenue  Ottawa     Leak/Break  Not Anticipated  Air Pollution 110 kg 110 kg  38 REFRIGERANT GAS, N.O.S.      Material Failure ȳ Poor Design/Substandard Material SNC Lavalin: unknown qty 134A refrigerant to atm     Other Air Spills - Gases and Vapours    SNC-Lavalin Constructors (Pacific) Inc.	<b>Discharger Report:</b> <b>Material Group:</b> <b>Impact to Health:</b> <b>Agency Involved:</b>			

64

13 of 22

W/239.0

61.9 / -1.02

**SNC LAVALIN O & M**  
**250 LANARK AVENUE**  
**OTTAWA ON**

GEN

**Generator No:** ON6726585  
**SIC Code:** 911910  
**SIC Description:** Other Federal Government Public Administration  
**Approval Years:** 2012  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">64</a>	14 of 22	W/239.0	61.9 / -1.02	Public Works and Government Services Canada 250 Lanark Ave Ottawa ON K1Z 1G4	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b> <b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>		ON8507466 911910 Other Federal Government Public Administration 2012			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		263			
<b>Waste Class Name:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		331			
<b>Waste Class Name:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		145			
<b>Waste Class Name:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		212			
<b>Waste Class Name:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		211			
<b>Waste Class Name:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		121			
<b>Waste Class Name:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		146			
<b>Waste Class Name:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		264			
<b>Waste Class Name:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		122			
<b>Waste Class Name:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		148			
<b>Waste Class Name:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		252			
<b>Waste Class Name:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		112			
<b>Waste Class Name:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		242			
<b>Waste Class Name:</b>		HALOGENATED PESTICIDES			
<a href="#">64</a>	15 of 22	W/239.0	61.9 / -1.02	CANADIAN BROADCASTING CORPORATION 250 Lanark Ave. Ottawa ON K1Z6R5	NPRI



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NPRI ID:	8800000505			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Contact Type:	MED
Report Type:				Contact Title:	
Rpt Type ID:				Cont First Name:	J. Dennis
Report Year:	2004			Cont Last Name:	Graham
Not-Current Rpt?:				Contact Position:	Manager, Safety & Environment
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	CBC LANARK			Cont Area Code:	416
Fac Address1:				Contact Tel.:	2053288
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	416
Facility Lat:				Contact Fax:	2057676
Facility Long:				Contact Email:	dennis_graham@cbc.ca
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	50			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	53				
NAICS 2 Description:	Real Estate and Rental and Leasing				
NAICS Code (4 digit):	5311				
NAICS 4 Description:	Lessors of Real Estate				
NAICS Code (6 digit):	531120				
NAICS 6 Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)				

#### Substance Release Report

CAS No:	811-97-2
Report ID:	
Rpt Period:	2004
Subst Released:	HFC-134a Hydrofluorocarbon
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes
CAS No:	10102-43-9
Report ID:	
Rpt Period:	2004
Subst Released:	Oxides of nitrogen (expressed as NO)
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes
CAS No:	7446-09-5
Report ID:	
Rpt Period:	2004
Subst Released:	Sulphur dioxide

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Air:		.099			
Water:					
Land:					
Total Releases:		.099			
Units:		tonnes			

<a href="#">64</a>	16 of 22	W/239.0	61.9 / -1.02	Public Works and Government Services Canada 250 Lanark Ave Ottawa ON	GEN
--------------------	----------	---------	--------------	--	-----

**Generator No:** ON8507466  
**SIC Code:** 911910  
**SIC Description:**  
**Approval Years:** 2013  
**PO Box No:**  
**Country:**  
**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 252  
**Waste Class Name:** WASTE OILS & LUBRICANTS

**Waste Class:** 331  
**Waste Class Name:** WASTE COMPRESSED GASES

**Waste Class:** 146  
**Waste Class Name:** OTHER SPECIFIED INORGANICS

**Waste Class:** 264  
**Waste Class Name:** PHOTOPROCESSING WASTES

**Waste Class:** 122  
**Waste Class Name:** ALKALINE WASTES - OTHER METALS

**Waste Class:** 211  
**Waste Class Name:** AROMATIC SOLVENTS

**Waste Class:** 263  
**Waste Class Name:** ORGANIC LABORATORY CHEMICALS

**Waste Class:** 112  
**Waste Class Name:** ACID WASTE - HEAVY METALS

**Waste Class:** 145  
**Waste Class Name:** PAINT/PIGMENT/COATING RESIDUES

**Waste Class:** 212  
**Waste Class Name:** ALIPHATIC SOLVENTS

**Waste Class:** 121  
**Waste Class Name:** ALKALINE WASTES - HEAVY METALS

**Waste Class:** 242  
**Waste Class Name:** HALOGENATED PESTICIDES

**Waste Class:** 148  
**Waste Class Name:** INORGANIC LABORATORY CHEMICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">64</a>	17 of 22	W/239.0	61.9 / -1.02	250 Lanark Ave Ottawa ON K1Z1G4	EHS
<b>Order No:</b>	20150303038			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	06-MAR-15			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	03-MAR-15			<b>X:</b>	-75.752721
<b>Previous Site Name:</b>				<b>Y:</b>	45.397494
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Topographic Maps				

<a href="#">64</a>	18 of 22	W/239.0	61.9 / -1.02	Public Works and Government Services Canada 250 Lanark Ave Ottawa ON K1Z 1G4	GEN
<b>Generator No:</b>	ON8507466				
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	911910				
<b>Approval Years:</b>	2014				
<b>PO Box No:</b>					
<b>Country:</b>	Canada				
<b>Status:</b>					
<b>Co Admin:</b>	Adam Cockburn				
<b>Choice of Contact:</b>	CO_OFFICIAL				
<b>Phone No Admin:</b>	(613) 784-5198 Ext.				
<b>Contaminated Facility:</b>	No				
<b>MHSW Facility:</b>	No				

**Detail(s)**

<b>Waste Class:</b>	211
<b>Waste Class Name:</b>	AROMATIC SOLVENTS
<b>Waste Class:</b>	242
<b>Waste Class Name:</b>	HALOGENATED PESTICIDES
<b>Waste Class:</b>	146
<b>Waste Class Name:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	112
<b>Waste Class Name:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	252
<b>Waste Class Name:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	148
<b>Waste Class Name:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	122
<b>Waste Class Name:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	264
<b>Waste Class Name:</b>	PHOTOPROCESSING WASTES
<b>Waste Class:</b>	263
<b>Waste Class Name:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	121
<b>Waste Class Name:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	145

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Name:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		212			
<b>Waste Class Name:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		331			
<b>Waste Class Name:</b>		WASTE COMPRESSED GASES			
<a href="#">64</a>	19 of 22	W/239.0	61.9 / -1.02	BGIS 250 Lanark Avenue Ottawa ON K1Z 1G5	GEN
<b>Generator No:</b>		ON6926112			
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Approval Years:</b>		As of Dec 2018			
<b>PO Box No:</b>					
<b>Country:</b>		Canada			
<b>Status:</b>		Registered			
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contaminated Facility:</b>					
<b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		122 C			
<b>Waste Class Name:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b>		148 L			
<b>Waste Class Name:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		221 I			
<b>Waste Class Name:</b>		Light fuels			
<b>Waste Class:</b>		331 I			
<b>Waste Class Name:</b>		Waste compressed gases including cylinders			
<a href="#">64</a>	20 of 22	W/239.0	61.9 / -1.02	BGIS 250 Lanark Avenue Ottawa ON K1Z 1G5	GEN
<b>Generator No:</b>		ON6926112			
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Approval Years:</b>		As of Jul 2020			
<b>PO Box No:</b>					
<b>Country:</b>		Canada			
<b>Status:</b>		Registered			
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contaminated Facility:</b>					
<b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		331 I			
<b>Waste Class Name:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		145 I			
<b>Waste Class Name:</b>		Wastes from the use of pigments, coatings and paints			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

**Waste Class:** 122 C  
**Waste Class Name:** Alkaline slutions - containing other metals and non-metals (not cyanide)

**Waste Class:** 221 I  
**Waste Class Name:** Light fuels

**Waste Class:** 112 C  
**Waste Class Name:** Acid solutions - containing heavy metals

**Waste Class:** 148 L  
**Waste Class Name:** Misc. wastes and inorganic chemicals

[64](#)    21 of 22    **W/239.0**    **61.9 / -1.02**    **BGIS**  
**250 Lanark Avenue**  
**Ottawa ON K1Z 1G5**    **GEN**

**Generator No:** ON6926112  
**SIC Code:**  
**SIC Description:**  
**Approval Years:** As of Nov 2021  
**PO Box No:**  
**Country:** Canada  
**Status:** Registered  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contaminated Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 148 L  
**Waste Class Name:** Misc. wastes and inorganic chemicals

**Waste Class:** 331 I  
**Waste Class Name:** Waste compressed gases including cylinders

**Waste Class:** 221 I  
**Waste Class Name:** Light fuels

**Waste Class:** 122 C  
**Waste Class Name:** Alkaline slutions - containing other metals and non-metals (not cyanide)

**Waste Class:** 145 I  
**Waste Class Name:** Wastes from the use of pigments, coatings and paints

**Waste Class:** 112 C  
**Waste Class Name:** Acid solutions - containing heavy metals

[64](#)    22 of 22    **W/239.0**    **61.9 / -1.02**    **Public Services & Procurement Canada**  
**RPB/AFD**  
**250 Lanark Avenue**  
**Ottawa ON K1Z 1G5**    **GEN**

**Generator No:** ON6926112  
**SIC Code:**  
**SIC Description:**  
**Approval Years:** As of Oct 2022  
**PO Box No:**  
**Country:** Canada  
**Status:** Registered  
**Co Admin:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contaminated Facility:</b> <b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		122 C			
<b>Waste Class Name:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		112 C			
<b>Waste Class Name:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		146 L			
<b>Waste Class Name:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		221 I			
<b>Waste Class Name:</b>		LIGHT FUELS			
<b>Waste Class:</b>		331 I			
<b>Waste Class Name:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		148 L			
<b>Waste Class Name:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		145 I			
<b>Waste Class Name:</b>		PAINT/PIGMENT/COATING RESIDUES			

[65](#)    1 of 1    **WSW/241.2**    **63.9 / 0.98**    **2000 Scott Street  
Ottawa ON K1Z 6T2**    **EHS**

<b>Order No:</b>	20031022004	<b>Nearest Intersection:</b>	Island Park
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report	<b>Client Prov/State:</b>	CO
<b>Report Date:</b>	10/30/03	<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	10/22/03	<b>X:</b>	-75.752136
<b>Previous Site Name:</b>		<b>Y:</b>	45.39607
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

[66](#)    1 of 7    **S/241.5**    **65.1 / 2.12**    **PRIVATE BUSINESS (N.O.S.)  
225 RICHMOND RD. OTTAWA  
OTTAWA CITY ON K1Z 6W7**    **SPL**

<b>Ref No:</b>	200477	<b>Municipality No:</b>	20107
<b>Year:</b>		<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	5/11/2001	<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	5/11/2001	<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>		<b>Agency Involved:</b>	
<b>Site No:</b>			
<b>MOE Response:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Site District Office:</b>			
<b>Nearest Watercourse:</b>			
<b>Site Name:</b>			
<b>Site Address:</b>			
<b>Site Region:</b>			
<b>Site Municipality:</b>	OTTAWA CITY		
<b>Site Lot:</b>			
<b>Site Conc:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>Northing:</b> <b>Easting:</b> <b>Incident Cause:</b> OTHER CAUSE (N.O.S.) <b>Incident Preceding Spill:</b> <b>Environment Impact:</b> Possible <b>Health Env Consequence:</b> <b>Nature of Impact:</b> Human health <b>Contaminant Qty:</b> <b>Contaminant Qty 1:</b> <b>Contaminant Unit:</b> <b>Client Type:</b> <b>Source Type:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Receiving Medium:</b> Land <b>Incident Reason:</b> OTHER <b>Incident Summary:</b> PRIVATE BUSINESS: 2L OIL SPILLED TO PARKING LOT. ABSORBED & CLEANED UP. <b>Activity Preceding Spill:</b> <b>Property 2nd Watershed:</b> <b>Property Tertiary Watershed:</b> <b>Sector Type:</b> <b>SAC Action Class:</b> <b>Call Report Locatn Geodata:</b> <b>Time Reported:</b> <b>System Facility Address:</b> <b>Client Name:</b>					

<a href="#">66</a>	2 of 7	S/241.5	65.1 / 2.12	<b>Otto's Service Centre Limited</b> 225/245 Richmond Road Ottawa Ontario K1Z 6W7 Ottawa ON	<b>EBR</b>
--------------------	--------	---------	-------------	--	------------

<b>EBR Registry No:</b>	IA05E0818	<b>Decision Posted:</b>
<b>Ministry Ref No:</b>	4991-6CFLKE	<b>Exception Posted:</b>
<b>Notice Type:</b>	Instrument Decision	<b>Section:</b>
<b>Notice Stage:</b>		<b>Act 1:</b>
<b>Notice Date:</b>	July 18, 2005	<b>Act 2:</b>
<b>Proposal Date:</b>	May 18, 2005	<b>Site Location Map:</b>
<b>Year:</b>	2005	
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)	
<b>Off Instrument Name:</b>		
<b>Posted By:</b>		
<b>Company Name:</b>	Otto's Service Centre Limited	
<b>Site Address:</b>		
<b>Location Other:</b>		
<b>Proponent Name:</b>		
<b>Proponent Address:</b>	225/245 Richmond Road, Ottawa Ontario, K1Z 6W7	
<b>Comment Period:</b>		
<b>URL:</b>		

**Site Location Details:**

225/245 Richmond Road Ottawa Ontario K1Z 6W7 Ottawa

<a href="#">66</a>	3 of 7	S/241.5	65.1 / 2.12	<b>3526097 Canada Inc.</b> 225 Richmond Road	<b>CA</b>
--------------------	--------	---------	-------------	---	-----------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON K1Z 6W7					
<b>Certificate #:</b>		1590-6AZS46			
<b>Application Year:</b>		2005			
<b>Issue Date:</b>		4/8/2005			
<b>Approval Type:</b>		Industrial Sewage Works			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					

<a href="#">66</a>	4 of 7	S/241.5	65.1 / 2.12	Otto's Service Centre Limited 225/245 Richmond Road Ottawa ON	CA
<b>Certificate #:</b>		4317-6EAR9Z			
<b>Application Year:</b>		2005			
<b>Issue Date:</b>		7/15/2005			
<b>Approval Type:</b>		Air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					

<a href="#">66</a>	5 of 7	S/241.5	65.1 / 2.12	Otto's Service Centre Limited 225 Richmond Road Ottawa K1Z 5H1 CITY OF OTTAWA ON	EBR
<b>EBR Registry No:</b>		011-3451		<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>		6476-8GCJEX		<b>Exception Posted:</b>	
<b>Notice Type:</b>		Instrument Decision		<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>		October 27, 2011		<b>Act 2:</b>	
<b>Proposal Date:</b>		May 03, 2011		<b>Site Location Map:</b>	
<b>Year:</b>		2011			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		Otto's Service Centre Limited			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		225 Richmond Road, Ottawa Ontario, Canada K1Z 6W7			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
225 Richmond Road Ottawa K1Z 5H1 CITY OF OTTAWA					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">66</a>	6 of 7	S/241.5	65.1 / 2.12	<b>Otto's Service Centre Limited</b> 225/245 Richmond Road Ottawa ON K1Z 6W7	ECA
<b>Approval No:</b>	4317-6EAR9Z			<b>MOE District:</b> Ottawa	
<b>Approval Date:</b>	2005-07-15			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b> -75.7495	
<b>Record Type:</b>	ECA			<b>Latitude:</b> 45.394176	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	Otto's Service Centre Limited				
<b>Address:</b>	225/245 Richmond Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4991-6CFLKE-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4991-6CFLKE-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#">66</a>	7 of 7	S/241.5	65.1 / 2.12	<b>3526097 Canada Inc.</b> 225 Richmond Road Ottawa ON K1Z 6W7	ECA
<b>Approval No:</b>	1590-6AZS46			<b>MOE District:</b> Ottawa	
<b>Approval Date:</b>	2005-04-08			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b> -75.7495	
<b>Record Type:</b>	ECA			<b>Latitude:</b> 45.394176	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Business Name:</b>	3526097 Canada Inc.				
<b>Address:</b>	225 Richmond Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8292-699SSV-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8292-699SSV-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#">67</a>	1 of 1	ESE/242.4	64.9 / 1.94	<b>Brebner Manufacturing &amp; Repairs Inc.</b> 360 Kirkwood Ave Ottawa ON K1Z 8P1	SCT
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>	2				
<b>--Details--</b>					
<b>Description:</b>	Textile Bag and Canvas Mills				
<b>SIC/NAICS Code:</b>	314910				
<a href="#">68</a>	1 of 1	ENE/244.1	62.0 / -1.00	<b>Briandesign Graphics Ltd.</b> 209 West Village Pvt Ottawa ON K1Z 1E1	SCT
<b>Established:</b>	2005				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>	2				
<b>--Details--</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Description:</i>				Other Printing	
<i>SIC/NAICS Code:</i>			323119		
<i>Description:</i>				Graphic Design Services	
<i>SIC/NAICS Code:</i>			541430		

# Unplottable Summary

Total: 35 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	R.M. OF OTTAWA-CARLETON TRANSP. DEPART.	EAST TRANSITWAY	OTTAWA CITY ON	
CA	Taggart Construction Limited	Manotick River Crossing and Connection	Ottawa ON	
CA	Larco Land Corporation	Part of Lot 32, Concession 1, Ottawa Front	Ottawa ON	
CA		Scott Street	Ottawa ON	
CA		Tweedsmuir Avenue	Ottawa ON	
CA	Taggart Construction Limited	Hillside Gdns Long Island, Hartwell, Driscoll, Hillcrest, McLean, Claire, Jean P	Ottawa ON	
CA	Taggart Construction Limited	Mobile Facility	Ottawa ON	
CA	OTTAWA CITY	SCOTT ST.	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	D.N.D. AREA S.E.TRANSITWAY	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON SMYTH RD.	SOUTHEAST TRANSITWAY ST. I	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON SMYTH ROAD	SOUTHEAST TRANSITWAY RELOCATIO	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON HURDMAN STATION	SOUTHEAST TRANSITWAY	OTTAWA CITY ON	
CA	OTTAWA CITY	LANARK AVE.	OTTAWA CITY ON	
CONV	Taggart Construction Limited		Ottawa ON	
EASR	2091781 ONTARIO LIMITED	00 Scott ST E	Ottawa ON	K1Y 1G1
EBR	3223701 Canada Inc.	Petrie's Landing II Lot 33, Concession 1	OTTAWA ON	
EBR	Taggart Construction Limited	Mobile Facility Ottawa Ontario Ottawa	ON	
ECA	Minto Developments Inc.	Future Transitway	Ottawa ON	K1R 7Y2

ECA	The Regional Municipality of Ottawa-Carleton	Scott Street	Ottawa ON	K2P 2L7
ECA	City of Ottawa	Scott St	Ottawa ON	K2G 6J8
ECA	Taggart Construction Limited	Mobile Facility	Ottawa ON	K1V 8Y3
FCON	Drummond Fuels		Nepean ON	
PTTW	3223701 Canada Inc.	Petrie's Landing II Lot 33, Concession 1 Geographic Township of Cumberland, Ottawa CITY OF OTTAWA	ON	
RSC	Larco (West Village) Corporation and Tamarack (West Village) Corporation	1900 Scott Street, Ottawa, Ontario 146, 148, 150, 152, 154, 156, 158, 160, 162 and 164 West Village Private, Ottawa, Ontario	OTTAWA ON	
SPL	Taggart Construction Limited		Ottawa ON	
SPL	Potvin Construction<UNOFFICIAL>	Lanark Road	Ottawa ON	
SPL	Hydro One	Lanark Ave - 400 yards from the NW corner of Scotts St and Lanark Ave	Ottawa ON	
SPL	City of Ottawa	Transitway	Ottawa ON	
SPL	Taggart Construction Limited	Field adjacent to Findlay Creek<UNOFFICIAL>	Ottawa ON	
SPL	Taggart Construction Limited	Findlay Creek Subdivision	Ottawa ON	
SPL	City of Ottawa	East of Rideau River Transitway structure on NCC lands	Ottawa ON	NA
WWIS		lot 32	ON	
WWIS		lot 32	ON	
WWIS		lot 32	ON	
WWIS		lot 32	ON	

# Unplottable Report

---

**Site:** R.M. OF OTTAWA-CARLETON TRANSP. DEPART.  
EAST TRANSITWAY OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 7-0199-86-  
**Application Year:** 86  
**Issue Date:** 4/2/1986  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Taggart Construction Limited  
Manotick River Crossing and Connection Ottawa ON

**Database:**  
CA

**Certificate #:** 1811-7Q2HVN  
**Application Year:** 2009  
**Issue Date:** 3/20/2009  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Larco Land Corporation  
Part of Lot 32, Concession 1, Ottawa Front Ottawa ON

**Database:**  
CA

**Certificate #:** 6996-5F5HDF  
**Application Year:** 2002  
**Issue Date:** 10/22/2002  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Scott Street Ottawa ON

**Database:**  
CA

**Certificate #:** 2262-4JHL7S  
**Application Year:** 00

**Issue Date:** 4/26/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Regional Municipality of Ottawa-Carleton  
**Client Address:** 111 Lisgar Street  
**Client City:** Ottawa  
**Client Postal Code:** K2P 2L7  
**Project Description:** Watermains and appurtenances to be constructed  
**Contaminants:**  
**Emission Control:**

---

**Site:** Tweedsmuir Avenue Ottawa ON

**Database:**  
CA

**Certificate #:** 2750-4XTGXB  
**Application Year:** 01  
**Issue Date:** 6/20/01  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the City of Ottawa  
**Client Address:** 111 Sussex Drive, 7th Floor  
**Client City:** Ottawa  
**Client Postal Code:** K1N 5A1  
**Project Description:** This application is for the construction of watermain and appurtenances on Tweedsmuir Avenue.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Taggart Construction Limited  
Hillside Gdns Long Island, Hartwell, Driscoll, Hillcrest, McLean, Claire, Jean P Ottawa ON

**Database:**  
CA

**Certificate #:** 7701-7PURU5  
**Application Year:** 2009  
**Issue Date:** 3/20/2009  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Taggart Construction Limited  
Mobile Facility Ottawa ON

**Database:**  
CA

**Certificate #:** 0636-7KEL2F  
**Application Year:** 2008  
**Issue Date:** 11/19/2008  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OTTAWA CITY  
SCOTT ST. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0662-90-  
**Application Year:** 90  
**Issue Date:** 4/30/1990  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF OTTAWA-CARLETON  
D.N.D. AREA S.E.TRANSITWAY OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-1044-89-  
**Application Year:** 89  
**Issue Date:** 6/12/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF OTTAWA-CARLETON SMYTH RD.  
SOUTHEAST TRANSITWAY ST. I OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0886-89-  
**Application Year:** 89  
**Issue Date:** 5/18/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF OTTAWA-CARLETON SMYTH ROAD  
SOUTHEAST TRANSITWAY RELOCATIO OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0331-89-  
**Application Year:** 89  
**Issue Date:** 3/15/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**

**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF OTTAWA-CARLETON HURDMAN STATION  
SOUTHEAST TRANSITWAY OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0196-89-  
**Application Year:** 89  
**Issue Date:** 2/23/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OTTAWA CITY  
LANARK AVE. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-1579-87-  
**Application Year:** 87  
**Issue Date:** 9/15/1987  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Taggart Construction Limited  
Ottawa ON

**Database:**  
CONV

**File No:** 012802  
**Crown Brief No:**  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:**

**Location:**  
**Region:**  
**Ministry District:**

Taggart Construction Limited, Paterson Group Inc. and Robert Passmore have been fined \$5,000 each, totalling \$15,000 plus a victim fine surcharge, after pleading guilty on January 15, 2009 to violations under the Ontario Water Resources Act. Taggart Construction Limited and Paterson Group Inc. were convicted of failing to comply with a Provincial Officer Order by taking more than 50,000 litres of water per day, and Mr. Passmore was convicted of giving false or misleading information to the ministry. The parties were given six months to pay the fine. The Court heard that Taggart Construction Limited was contracted by a developer to install municipal services at a subdivision in Ottawa which required dewatering activities. After being issued a Provincial Officer Order to restrict water taking activities to below 50,000 litres per day until a permit had been obtained, Taggart hired Paterson Group Inc. to submit an application for the permit. Taggart then pumped over 50,000 litres of water based on information provided by Paterson Group employee, Mr. Passmore, that the go ahead to pump had been given when a permit had yet to be issued. In an interview with ministry investigators, Mr. Passmore denied giving Taggart verbal approval to pump in excess of 50,000 litres per day. Taggart Construction Limited, Paterson Group Inc. and Mr. Passmore were charged following an investigation by the Ministry of the Environment's Investigations and



Enforcement Branch.

**Background:**  
**URL:**

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** OWRA  
**Regulation:**  
**Section:**  
**Act/Regulation/Section:** OWRA  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** January 15, 2009  
**Charge Disposition:** fine, victim fine surcharge  
**Fine:** \$5,000  
**Synopsis:**

---

**Site:** 2091781 ONTARIO LIMITED  
00 Scott ST E Ottawa ON K1Y 1G1

**Database:**  
[EASR](#)

**Approval No:** R-008-5238915704  
**Status:** REGISTERED  
**Date:** August 4, 2023  
**Record Type:** EASR  
**Link Source:** MOFA  
**Project Type:** Water Taking - Highway Projects and Transit Projects

**MOE District:** Ottawa  
**Municipality:** Ottawa  
**Latitude:** 45.39472222  
**Longitude:** -75.75583333  
**Geometry X:** -8433100.7913000006  
**Geometry Y:** 5683877.9562000027

**Full Address:**  
**Approval Type:** EASR-Water Taking - Highway Projects and Transit Projects  
**SWP Area Name:** Rideau Valley  
**PDF NAICS Code:**  
**PDF URL:** <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=3048197>  
**PDF Site Location:** 00 Scott Street East  
Ottawa ON K1Y 1G1

---

**Site:** 3223701 Canada Inc.  
Petrie's Landing II Lot 33, Concession 1 OTTAWA ON

**Database:**  
[EBR](#)

**EBR Registry No:** 012-0496  
**Ministry Ref No:** 2600-9DMNQJ  
**Notice Type:** Instrument Proposal  
**Notice Stage:**  
**Notice Date:**  
**Proposal Date:** November 22, 2013  
**Year:** 2013  
**Instrument Type:** (OWRA s. 34) - Permit to take water  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:**  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 98 Lois Street, Gatineau Quebec, Canada J8Y 3R7  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

Petrie's Landing II Lot 33, Concession 1 Geographic Township of Cumberland, Ottawa CITY OF OTTAWA

---

**Site:** Taggart Construction Limited  
Mobile Facility Ottawa Ontario Ottawa ON

**Database:**  
[EBR](#)

**EBR Registry No:** IA07E0165  
**Ministry Ref No:** 8556-6XWUA3  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** December 09, 2008  
**Proposal Date:** January 30, 2007  
**Year:** 2007

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Instrument Type:** (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)

**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Taggart Construction Limited  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 3187 Albion Rd S, Ottawa Ontario, K1V 8Y3  
**Comment Period:**  
**URL:**

**Site Location Details:**

Mobile Facility Ottawa Ontario Ottawa

---

**Site:** **Minto Developments Inc.**  
**Future Transitway Ottawa ON K1R 7Y2**

**Database:**  
**ECA**

**Approval No:** 7092-5H4K4P  
**Approval Date:** 2003-01-06  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-Municipal and Private Water Works  
**Project Type:** Municipal and Private Water Works  
**Business Name:** Minto Developments Inc.  
**Address:** Future Transitway  
**Full Address:**  
**Full PDF Link:**  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **The Regional Municipality of Ottawa-Carleton**  
**Scott Street Ottawa ON K2P 2L7**

**Database:**  
**ECA**

**Approval No:** 2262-4JHL7S  
**Approval Date:** 2000-04-26  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-Municipal and Private Water Works  
**Project Type:** Municipal and Private Water Works  
**Business Name:** The Regional Municipality of Ottawa-Carleton  
**Address:** Scott Street  
**Full Address:**  
**Full PDF Link:**  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **City of Ottawa**  
**Scott St Ottawa ON K2G 6J8**

**Database:**  
**ECA**

**Approval No:** 5496-BPATN2  
**Approval Date:** 2020-05-07  
**Status:** Approved  
**Record Type:** ECA

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**

**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** City of Ottawa  
**Address:** Scott St  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/9806-BNXJXN-13.pdf>  
**PDF Site Location:**

---

**Site:** **Taggart Construction Limited**  
**Mobile Facility Ottawa ON K1V 8Y3**

**Database:**  
**ECA**

**Approval No:** 0636-7KEL2F  
**Approval Date:** 2008-11-19  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Business Name:** Taggart Construction Limited  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/8556-6XWUA3-14.pdf>  
**PDF Site Location:**

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Drummond Fuels**  
**Nepean ON**

**Database:**  
**FCON**

**Mailing Address:** Nepean, ON  
**Offence Date:** Spring and Summer, 1992  
**Offence:** CEPA Gasoline Regulations 4 counts: Charges laid for illegal sale of two types of leaded fuel  
**Status:** Concluded  
**Offence Location:**  
**Date Charged:** 92/11/17  
**Court Date:** 93/01/15  
**Penalty:**  
**Result:** Charges stayed  
**Notes:** Charges stayed by DOJ were not reintroduced into court during the one year limitation period and therefore the case is closed.

---

**Site:** **3223701 Canada Inc.**  
**Petrie's Landing II Lot 33, Concession 1 Geographic Township of Cumberland, Ottawa CITY OF OTTAWA ON**

**Database:**  
**PTTW**

**EBR Registry No:** 012-0496  
**Ministry Ref No:** 2600-9DMNQJ  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** June 10, 2014  
**Proposal Date:** November 22, 2013  
**Year:** 2013  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** 3223701 Canada Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 98 Lois Street, Gatineau Quebec, Canada J8Y 3R7  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

**Site:** *Larco (West Village) Corporation and Tamarack (West Village) Corporation* **Database:**  
*RSC*  
 1900 Scott Street, Ottawa, Ontario 146, 148, 150, 152, 154, 156, 158, 160, 162 and 164 West Village Private, Ottawa,  
 Ontario OTTAWA ON

<b>RSC No:</b>	2575	<b>X:</b>	-75.74737569
<b>RA No:</b>		<b>Y:</b>	45.39546751
<b>Status:</b>	FILED	<b>Latitude:</b>	45.39546751
<b>Filing Date:</b>		<b>Longitude:</b>	-75.74737569
<b>Date Ack:</b>		<b>UTM Coordinates:</b>	
<b>Date Returned:</b>		<b>Latitude Longitude:</b>	
<b>Approval Date:</b>	December 13, 2005	<b>Accuracy Estimate:</b>	
<b>Cert Date:</b>		<b>Measurement Method:</b>	
<b>Cert Prop Use No:</b>		<b>Mailing Address:</b>	
<b>Curr Property Use:</b>		<b>Telephone:</b>	
<b>Intended Prop Use:</b>		<b>Fax:</b>	
<b>Restoration Type:</b>		<b>Email:</b>	
<b>Soil Type:</b>		<b>Postal Code:</b>	
<b>Criteria:</b>		<b>Ministry District:</b>	
<b>Stratified (Y/N):</b>		<b>MOE District:</b>	Ottawa
<b>Audit (Y/N):</b>		<b>SWP Area Name:</b>	Rideau Valley
<b>Entire Leg Prop. (Y/N):</b>		<b>Qual Person Name:</b>	Mark Gordon McCalla
<b>CPU Issu Sect 1686:</b>		<b>Consultant:</b>	
<b>Business Name:</b>	Larco (West Village) Corporation and Tamarack (West Village) Corporation		
<b>Address:</b>	1900 Scott Street, Ottawa, Ontario 146, 148, 150, 152, 154, 156, 158, 160, 162 and 164 West Village Private, Ottawa, Ontario		
<b>Legal Desc:</b>			
<b>Site Pin:</b>	04021-0243LT		
<b>Asmt Roll No:</b>			
<b>Project Type:</b>	PRE2011		
<b>Approval Type:</b>	RSC based on Phase One and Two ESAs with RA		
<b>Applicable Standards:</b>			
<b>PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2575">https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2575</a>		

**Site:** *Taggart Construction Limited* **Database:**  
*SPL*  
 Ottawa ON

<b>Ref No:</b>	7584-BB3KRQ	<b>Municipality No:</b>	
<b>Year:</b>		<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	4/4/2019	<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	4/9/2019	<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>		<b>Agency Involved:</b>	
<b>Site No:</b>	NA		
<b>MOE Response:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Site District Office:</b>	Ottawa		
<b>Nearest Watercourse:</b>			
<b>Site Name:</b>	1896 John Quinn rd, Metcalfe<UNOFFICIAL>		
<b>Site Address:</b>			
<b>Site Region:</b>	Eastern		
<b>Site Municipality:</b>	Ottawa		
<b>Site Lot:</b>			
<b>Site Conc:</b>			
<b>Site Geo Ref Accu:</b>			
<b>Site Map Datum:</b>			
<b>Northing:</b>			
<b>Easting:</b>			
<b>Incident Cause:</b>			
<b>Incident Preceding Spill:</b>			
<b>Environment Impact:</b>			
<b>Health Env Consequence:</b>			
<b>Nature of Impact:</b>			
<b>Contaminant Qty:</b>			

**Contaminant Qty 1:**  
**Contaminant Unit:**  
**Client Type:** Corporation  
**Source Type:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Receiving Medium:**  
**Incident Reason:**  
**Incident Summary:** Mobile Crusher Relocation - 2019  
**Activity Preceding Spill:**  
**Property 2nd Watershed:**  
**Property Tertiary Watershed:**  
**Sector Type:**  
**SAC Action Class:**  
**Call Report Locatn Geodata:**  
**Time Reported:**  
**System Facility Address:**  
**Client Name:** Taggart Construction Limited

**Site:** Potvin Construction<UNOFFICIAL>  
 Lanark Road Ottawa ON

**Database:**  
 SPL

<b>Ref No:</b>	0152-63LLGU	<b>Municipality No:</b>	
<b>Year:</b>		<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	8/6/2004	<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Material Group:</b>	Oil
<b>MOE Reported Dt:</b>	8/6/2004	<b>Impact to Health:</b>	
<b>Dt Document Closed:</b>		<b>Agency Involved:</b>	
<b>Site No:</b>			
<b>MOE Response:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Site District Office:</b>	Ottawa		
<b>Nearest Watercourse:</b>			
<b>Site Name:</b>	INTERSECTION OF LANARK RD. & ELLENDALE RD.<UNOFFICIAL>		
<b>Site Address:</b>			
<b>Site Region:</b>	Eastern		
<b>Site Municipality:</b>	Ottawa		
<b>Site Lot:</b>			
<b>Site Conc:</b>			
<b>Site Geo Ref Accu:</b>			
<b>Site Map Datum:</b>			
<b>Northing:</b>			
<b>Eastings:</b>			
<b>Incident Cause:</b>	Pipe Or Hose Leak		
<b>Incident Preceding Spill:</b>			
<b>Environment Impact:</b>	Not Anticipated		
<b>Health Env Consequence:</b>			
<b>Nature of Impact:</b>			
<b>Contaminant Qty:</b>	60 L		
<b>Contaminant Qty 1:</b>			
<b>Contaminant Unit:</b>	L		
<b>Client Type:</b>			
<b>Source Type:</b>			
<b>Contaminant Code:</b>	15		
<b>Contaminant Name:</b>	HYDRAULIC OIL		
<b>Contaminant Limit 1:</b>			
<b>Contam Limit Freq 1:</b>			
<b>Contaminant UN No 1:</b>			
<b>Receiving Medium:</b>	Land & Water		
<b>Incident Reason:</b>	Equipment Failure		
<b>Incident Summary:</b>	Potvin Construction: 60 L Hyd. Oil to Grd & Sewer		
<b>Activity Preceding Spill:</b>			
<b>Property 2nd Watershed:</b>			
<b>Property Tertiary Watershed:</b>			

**Sector Type:** Other  
**SAC Action Class:** Spills  
**Call Report Locatn Geodata:**  
**Time Reported:**  
**System Facility Address:**  
**Client Name:** Potvin Construction<UNOFFICIAL>

---

**Site:** **Hydro One**  
**Lanark Ave - 400 yards from the NW corner of Scotts St and Lanark Ave Ottawa ON**

**Database:**  
**SPL**

**Ref No:** 3525-67Z4JH  
**Year:**  
**Incident Dt:** 12/23/2004  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 12/24/2004  
**Dt Document Closed:**  
**Site No:**  
**MOE Response:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Site District Office:** Ottawa  
**Nearest Watercourse:**  
**Site Name:** VAL TETTREAU JUNCTION<UNOFFICIAL>  
**Site Address:**  
**Site Region:** Eastern  
**Site Municipality:** Ottawa  
**Site Lot:**  
**Site Conc:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**Northing:**  
**Eastng:**  
**Incident Cause:** Other Discharges  
**Incident Preceding Spill:**  
**Environment Impact:** Possible  
**Health Env Consequence:**  
**Nature of Impact:** Other Impact(s); Soil Contamination  
**Contaminant Qty:** 136.5 L  
**Contaminant Qty 1:** 136.5  
**Contaminant Unit:** L  
**Client Type:**  
**Source Type:**  
**Contaminant Code:** 15  
**Contaminant Name:** OIL (PETROLEUM BASED, NOT SPECIFIED)  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Receiving Medium:** Land  
**Incident Reason:** Weather  
**Incident Summary:** Hydro 1: 114 L high volt. cable oil to grnd  
**Activity Preceding Spill:**  
**Property 2nd Watershed:**  
**Property Tertiary Watershed:**  
**Sector Type:** Other Plant  
**SAC Action Class:** M.C.B.S. - Fuel Safety; Spill to Land  
**Call Report Locatn Geodata:**  
**Time Reported:**  
**System Facility Address:**  
**Client Name:** Hydro One

---

**Site:** **City of Ottawa**  
**Transitway Ottawa ON**

**Database:**  
**SPL**

**Ref No:** 7101-5LY5CZ  
**Year:**  
**Incident Dt:** 4/25/2003  
**Dt MOE Arvl on Scn:**  
**Municipality No:**  
**Nature of Damage:**  
**Discharger Report:**  
**Material Group:** Chemical

**MOE Reported Dt:** 4/25/2003 **Impact to Health:**  
**Dt Document Closed:** **Agency Involved:**  
**Site No:**  
**MOE Response:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Site District Office:** Ottawa  
**Nearest Watercourse:**  
**Site Name:** TUNNEY'S PASTURE STATION<UNOFFICIAL>  
**Site Address:**  
**Site Region:** Eastern  
**Site Municipality:** Ottawa  
**Site Lot:**  
**Site Conc:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**Northing:**  
**Easting:**  
**Incident Cause:**  
**Incident Preceding Spill:**  
**Environment Impact:**  
**Health Env Consequence:**  
**Nature of Impact:**  
**Contaminant Qty:** 5 L  
**Contaminant Qty 1:**  
**Contaminant Unit:** L  
**Client Type:**  
**Source Type:**  
**Contaminant Code:** 24  
**Contaminant Name:** ETHYLENE GLYCOL (ANTIFREEZE)  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Receiving Medium:** Water  
**Incident Reason:**  
**Incident Summary:** Transit Bus - 5 L antifreeze to san.sewer. cleaned  
**Activity Preceding Spill:**  
**Property 2nd Watershed:**  
**Property Tertiary Watershed:**  
**Sector Type:** Other  
**SAC Action Class:** Spills  
**Call Report Locatn Geodata:**  
**Time Reported:**  
**System Facility Address:**  
**Client Name:** City of Ottawa

**Site:** **Taggart Construction Limited**  
**Field adjacent to Findlay Creek<UNOFFICIAL> Ottawa ON**

**Database:**  
**SPL**

**Ref No:** 5017-82RTMZ **Municipality No:**  
**Year:** **Nature of Damage:**  
**Incident Dt:** **Discharger Report:**  
**Dt MOE Arvl on Scn:** 2/18/2010 **Material Group:**  
**MOE Reported Dt:** 2/17/2010 **Impact to Health:**  
**Dt Document Closed:** **Agency Involved:**  
**Site No:**  
**MOE Response:** Planned Field Response  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Site District Office:**  
**Nearest Watercourse:**  
**Site Name:** Field adjacent to Findlay Creek<UNOFFICIAL>  
**Site Address:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Site Geo Ref Accu:**

**Site Map Datum:**  
**Northing:**  
**Easting:**  
**Incident Cause:**  
**Incident Preceding Spill:**  
**Environment Impact:** Not Anticipated  
**Health Env Consequence:**  
**Nature of Impact:** Surface Water Pollution  
**Contaminant Qty:** 0 other - see incident description  
**Contaminant Qty 1:** 0  
**Contaminant Unit:** other - see incident description  
**Client Type:**  
**Source Type:**  
**Contaminant Code:** 99  
**Contaminant Name:** SILT  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Receiving Medium:**  
**Incident Reason:**  
**Incident Summary:** Taggart Construction: silt to Findlay Creek  
**Activity Preceding Spill:**  
**Property 2nd Watershed:**  
**Property Tertiary Watershed:**  
**Sector Type:** Other  
**SAC Action Class:** Watercourse Spills  
**Call Report Locatn Geodata:**  
**Time Reported:**  
**System Facility Address:**  
**Client Name:** Taggart Construction Limited

**Site:** **Taggart Construction Limited**  
**Findlay Creek Subdivision Ottawa ON**

**Database:**  
**SPL**

<b>Ref No:</b>	4066-82SU3T	<b>Municipality No:</b>
<b>Year:</b>		<b>Nature of Damage:</b>
<b>Incident Dt:</b>		<b>Discharger Report:</b>
<b>Dt MOE Arvl on Scn:</b>	2/19/2010	<b>Material Group:</b>
<b>MOE Reported Dt:</b>	2/18/2010	<b>Impact to Health:</b>
<b>Dt Document Closed:</b>		<b>Agency Involved:</b>
<b>Site No:</b>		
<b>MOE Response:</b>	Planned Field Response	
<b>Site County/District:</b>		
<b>Site Geo Ref Meth:</b>		
<b>Site District Office:</b>		
<b>Nearest Watercourse:</b>		
<b>Site Name:</b>	Findlay Creek<UNOFFICIAL>	
<b>Site Address:</b>		
<b>Site Region:</b>		
<b>Site Municipality:</b>		
<b>Site Lot:</b>		
<b>Site Conc:</b>		
<b>Site Geo Ref Accu:</b>		
<b>Site Map Datum:</b>		
<b>Northing:</b>		
<b>Easting:</b>		
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse	
<b>Incident Preceding Spill:</b>		
<b>Environment Impact:</b>	Confirmed	
<b>Health Env Consequence:</b>		
<b>Nature of Impact:</b>	Surface Water Pollution	
<b>Contaminant Qty:</b>	90 min (duration)	
<b>Contaminant Qty 1:</b>	90	
<b>Contaminant Unit:</b>	min (duration)	
<b>Client Type:</b>		
<b>Source Type:</b>		
<b>Contaminant Code:</b>	43	
<b>Contaminant Name:</b>	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)	



**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Receiving Medium:**  
**Incident Reason:** Overstress/Pressure - Any form of overloading wherein the design strength of the container was exceeded  
**Incident Summary:** Taggart Construction: sediment to Findlay Creek  
**Activity Preceding Spill:**  
**Property 2nd Watershed:**  
**Property Tertiary Watershed:**  
**Sector Type:**  
**SAC Action Class:** Environment Canada - Spills at Federal Facilities & Spills of National Interest  
**Call Report Locatn Geodata:**  
**Time Reported:**  
**System Facility Address:**  
**Client Name:** Taggart Construction Limited

**Site:** City of Ottawa  
 East of Rideau River Transitway structure on NCC lands Ottawa ON NA

**Database:**  
 SPL

<b>Ref No:</b>	4261-BM4JEH	<b>Municipality No:</b>	
<b>Year:</b>		<b>Nature of Damage:</b>	
<b>Incident Dt:</b>	2020/02/24	<b>Discharger Report:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Material Group:</b>	
<b>MOE Reported Dt:</b>	2020/02/24	<b>Impact to Health:</b>	0 - No Impact
<b>Dt Document Closed:</b>		<b>Agency Involved:</b>	
<b>Site No:</b>	3096-A67MPV		
<b>MOE Response:</b>	No		
<b>Site County/District:</b>	NA		
<b>Site Geo Ref Meth:</b>	NA		
<b>Site District Office:</b>	Ottawa		
<b>Nearest Watercourse:</b>			
<b>Site Name:</b>	Hurdman Station		
<b>Site Address:</b>	East of Rideau River Transitway structure on NCC lands		
<b>Site Region:</b>	Eastern		
<b>Site Municipality:</b>	Ottawa		
<b>Site Lot:</b>			
<b>Site Conc:</b>	NA		
<b>Site Geo Ref Accu:</b>	NA		
<b>Site Map Datum:</b>	NA		
<b>Northing:</b>	NA		
<b>Easting:</b>	NA		
<b>Incident Cause:</b>			
<b>Incident Preceding Spill:</b>	Unknown / N/A		
<b>Environment Impact:</b>			
<b>Health Env Consequence:</b>			
<b>Nature of Impact:</b>			
<b>Contaminant Qty:</b>	1 L		
<b>Contaminant Qty 1:</b>	1		
<b>Contaminant Unit:</b>	L		
<b>Client Type:</b>	Municipal Government		
<b>Source Type:</b>	Unknown / N/A		
<b>Contaminant Code:</b>	15		
<b>Contaminant Name:</b>	OIL (PETROLEUM BASED, NOT SPECIFIED)		
<b>Contaminant Limit 1:</b>			
<b>Contam Limit Freq 1:</b>			
<b>Contaminant UN No 1:</b>	n/a		
<b>Receiving Medium:</b>	Land		
<b>Incident Reason:</b>	Unknown / N/A		
<b>Incident Summary:</b>	CofOttawa: 1 L oil spill in interceptor		
<b>Activity Preceding Spill:</b>			
<b>Property 2nd Watershed:</b>			
<b>Property Tertiary Watershed:</b>			
<b>Sector Type:</b>	Unknown / N/A		
<b>SAC Action Class:</b>			
<b>Call Report Locatn Geodata:</b>			
<b>Time Reported:</b>			
<b>System Facility Address:</b>			
<b>Client Name:</b>	City of Ottawa		

**Site:**  
lot 32 ON

**Database:**  
WWIS

**Well ID:** 1525294  
**Construction Date:**  
**Use 1st:** Cooling And A/C  
**Use 2nd:**  
**Final Well Status:** Recharge Well  
**Water Type:**  
**Casing Material:**  
**Audit No:** 68536  
**Tag:**  
**Constructn Method:**  
**Elevation (m):**  
**Elevatn Reliabilty:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Clear/Cloudy:**  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**

**Flowing (Y/N):**  
**Flow Rate:**  
**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 01/16/1991  
**Selected Flag:** TRUE  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**County:** OTTAWA-CARLETON  
**Lot:** 032  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10047034  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 11/13/1990  
**Remarks:**  
**Location Method Desc:** Not Applicable i.e. no UTM  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Elevation:**  
**Elevrc:**  
**Zone:** 18  
**East83:**  
**North83:**  
**Org CS:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060709  
**Layer:** 4  
**Color:** 1  
**General Color:** WHITE  
**Material 1:** 18  
**Material 1 Desc:** SANDSTONE  
**Material 2:** 15  
**Material 2 Desc:** LIMESTONE  
**Material 3:** 74  
**Material 3 Desc:** LAYERED  
**Formation Top Depth:** 154.0  
**Formation End Depth:** 203.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060708  
**Layer:** 3

**Color:** 2  
**General Color:** GREY  
**Material 1:** 15  
**Material 1 Desc:** LIMESTONE  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 63.0  
**Formation End Depth:** 154.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060707  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 14  
**Material 1 Desc:** HARDPAN  
**Material 2:** 12  
**Material 2 Desc:** STONES  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 50.0  
**Formation End Depth:** 63.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060706  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 05  
**Material 1 Desc:** CLAY  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 50.0  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961525294  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595604  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930082343  
**Layer:** 2  
**Material:** 4

**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 203.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930082342  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 66.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pumping Test Method Desc:** PUMP  
**Pump Test ID:** 991525294  
**Pump Set At:**  
**Static Level:** 25.0  
**Final Level After Pumping:** 80.0  
**Recommended Pump Depth:** 80.0  
**Pumping Rate:** 15.0  
**Flowing Rate:**  
**Recommended Pump Rate:** 12.0  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** No

**Draw Down & Recovery**

**Pump Test Detail ID:** 934648076  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 80.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934905255  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 80.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934111708  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 80.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934387112  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 80.0  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933484247  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 198.0  
**Water Found Depth UOM:** ft

**Site:**  
lot 32 ON

**Database:**  
WWIS

**Well ID:** 1525295  
**Construction Date:**  
**Use 1st:** Cooling And A/C  
**Use 2nd:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 68535  
**Tag:**  
**Constructn Method:**  
**Elevation (m):**  
**Elevatn Reliabilty:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Clear/Cloudy:**  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**

**Flowing (Y/N):**  
**Flow Rate:**  
**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 01/16/1991  
**Selected Flag:** TRUE  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**County:** OTTAWA-CARLETON  
**Lot:** 032  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10047035  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 11/12/1990  
**Remarks:**  
**Location Method Desc:** Not Applicable i.e. no UTM  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Elevation:**  
**Elevrc:**  
**Zone:** 18  
**East83:**  
**North83:**  
**Org CS:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931060711  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 14  
**Material 1 Desc:** HARDPAN

**Material 2:** 12  
**Material 2 Desc:** STONES  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 47.0  
**Formation End Depth:** 62.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060712  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 15  
**Material 1 Desc:** LIMESTONE  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 62.0  
**Formation End Depth:** 145.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060713  
**Layer:** 4  
**Color:** 1  
**General Color:** WHITE  
**Material 1:** 18  
**Material 1 Desc:** SANDSTONE  
**Material 2:** 15  
**Material 2 Desc:** LIMESTONE  
**Material 3:** 74  
**Material 3 Desc:** LAYERED  
**Formation Top Depth:** 145.0  
**Formation End Depth:** 183.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931060710  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Material 1:** 05  
**Material 1 Desc:** CLAY  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 47.0  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961525295  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595605  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930082344  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 65.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930082345  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 183.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pumping Test Method Desc:** PUMP  
**Pump Test ID:** 991525295  
**Pump Set At:**  
**Static Level:** 25.0  
**Final Level After Pumping:** 80.0  
**Recommended Pump Depth:** 80.0  
**Pumping Rate:** 15.0  
**Flowing Rate:**  
**Recommended Pump Rate:** 12.0  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** No

**Draw Down & Recovery**

**Pump Test Detail ID:** 934648077  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 80.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934387113  
**Test Type:**  
**Test Duration:** 30

Test Level: 80.0  
Test Level UOM: ft

**Draw Down & Recovery**

Pump Test Detail ID: 934905256  
Test Type:  
Test Duration: 60  
Test Level: 80.0  
Test Level UOM: ft

**Draw Down & Recovery**

Pump Test Detail ID: 934111709  
Test Type:  
Test Duration: 15  
Test Level: 80.0  
Test Level UOM: ft

**Water Details**

Water ID: 933484248  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 177.0  
Water Found Depth UOM: ft

**Site:**  
lot 32 ON

**Database:**  
WWIS

Well ID: 1531568  
Construction Date:  
Use 1st:  
Use 2nd:  
Final Well Status: Dewatering  
Water Type:  
Casing Material:  
Audit No: 224542  
Tag:  
Constructn Method:  
Elevation (m):  
Elevatn Reliabilty:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Clear/Cloudy:  
Municipality: OTTAWA CITY  
Site Info:

Flowing (Y/N):  
Flow Rate:  
Data Entry Status:  
Data Src: 1  
Date Received: 11/17/2000  
Selected Flag: TRUE  
Abandonment Rec:  
Contractor: 1414  
Form Version: 1  
Owner:  
County: OTTAWA-CARLETON  
Lot: 032  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10053102  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:  
Open Hole:  
Cluster Kind:  
Date Completed: 11/06/2000  
Remarks:  
Location Method Desc: Not Applicable i.e. no UTM  
Elevrc Desc:  
Location Source Date:

Elevation:  
Elevrc:  
Zone: 18  
East83:  
North83:  
Org CS:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na



Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931078873  
Layer: 1  
Color: 6  
General Color: BROWN  
Material 1: 11  
Material 1 Desc: GRAVEL  
Material 2: 28  
Material 2 Desc: SAND  
Material 3: 01  
Material 3 Desc: FILL  
Formation Top Depth: 0.0  
Formation End Depth: 3.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931078875  
Layer: 3  
Color: 6  
General Color: BROWN  
Material 1: 28  
Material 1 Desc: SAND  
Material 2: 11  
Material 2 Desc: GRAVEL  
Material 3: 34  
Material 3 Desc: TILL  
Formation Top Depth: 12.0  
Formation End Depth: 16.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931078876  
Layer: 4  
Color: 2  
General Color: GREY  
Material 1: 15  
Material 1 Desc: LIMESTONE  
Material 2: 71  
Material 2 Desc: FRACTURED  
Material 3:  
Material 3 Desc:  
Formation Top Depth: 16.0  
Formation End Depth: 23.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931078874  
Layer: 2  
Color: 6  
General Color: BROWN  
Material 1: 13  
Material 1 Desc: BOULDERS  
Material 2: 11

**Material 2 Desc:** GRAVEL  
**Material 3:** 28  
**Material 3 Desc:** SAND  
**Formation Top Depth:** 3.0  
**Formation End Depth:** 12.0  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933116739  
**Layer:** 1  
**Plug From:** 0.0  
**Plug To:** 15.0  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961531568  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10601672  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930093001  
**Layer:** 3  
**Material:**  
**Open Hole or Material:**  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 8.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930093000  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 10.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930092999  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch

Casing Depth UOM: ft

**Results of Well Yield Testing**

Pumping Test Method Desc: PUMP  
Pump Test ID: 991531568  
Pump Set At:  
Static Level: 10.0  
Final Level After Pumping: 10.0  
Recommended Pump Depth: 20.0  
Pumping Rate: 10.0  
Flowing Rate:  
Recommended Pump Rate: 10.0  
Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 2  
Water State After Test: CLOUDY  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: No

**Draw Down & Recovery**

Pump Test Detail ID: 934113985  
Test Type: Recovery  
Test Duration: 15  
Test Level: 10.0  
Test Level UOM: ft

**Draw Down & Recovery**

Pump Test Detail ID: 934915010  
Test Type: Recovery  
Test Duration: 60  
Test Level: 10.0  
Test Level UOM: ft

**Draw Down & Recovery**

Pump Test Detail ID: 934658119  
Test Type: Recovery  
Test Duration: 45  
Test Level: 10.0  
Test Level UOM: ft

**Draw Down & Recovery**

Pump Test Detail ID: 934397184  
Test Type: Recovery  
Test Duration: 30  
Test Level: 10.0  
Test Level UOM: ft

**Water Details**

Water ID: 933492077  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 17.0  
Water Found Depth UOM: ft

**Water Details**

Water ID: 933492078  
Layer: 2  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 22.0  
Water Found Depth UOM: ft

**Site:**  
lot 32 ON

**Database:**  
WWIS

Well ID: 1536399  
Construction Date:  
Use 1st:  
Use 2nd:  
Final Well Status: Abandoned-Other  
Water Type:  
Casing Material:  
Audit No: Z34812  
Tag:  
Constructn Method:  
Elevation (m):  
Elevatn Reliabilty:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Clear/Cloudy:  
Municipality: 15000  
Site Info:

Flowing (Y/N):  
Flow Rate:  
Data Entry Status:  
Data Src:  
Date Received: 06/19/2006  
Selected Flag: TRUE  
Abandonment Rec: Yes  
Contractor: 6964  
Form Version: 3  
Owner:  
County: OTTAWA-CARLETON  
Lot: 032  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 11550465  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:  
Open Hole:  
Cluster Kind:  
Date Completed: 05/06/2006  
Remarks:  
Location Method Desc: Not Applicable i.e. no UTM  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Elevation:  
Elevrc:  
Zone:  
East83:  
North83:  
Org CS:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 933057970  
Layer: 1  
Color: 2  
General Color: GREY  
Material 1: 05  
Material 1 Desc: CLAY  
Material 2: 84  
Material 2 Desc: SILTY  
Material 3:  
Material 3 Desc:  
Formation Top Depth: 0.0  
Formation End Depth: 0.7699999809265137  
Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 933057971  
**Layer:** 2  
**Color:**  
**General Color:**  
**Material 1:**  
**Material 1 Desc:**  
**Material 2:**  
**Material 2 Desc:**  
**Material 3:**  
**Material 3 Desc:**  
**Formation Top Depth:** 0.7699999809265137  
**Formation End Depth:** 4.869999885559082  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933293797  
**Layer:** 2  
**Plug From:** 0.5  
**Plug To:** 4.869999885559082  
**Plug Depth UOM:** m

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933293796  
**Layer:** 1  
**Plug From:** 0.0  
**Plug To:** 0.5  
**Plug Depth UOM:** m

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961536399  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11560072  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

## Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

### **Abandoned Aggregate Inventory:**

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

### **Aggregate Inventory:**

Provincial

[AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNR), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

**Government Publication Date: Up to Nov 2023**

### **Abandoned Mine Information System:**

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Apr 2024**

### **Anderson's Waste Disposal Sites:**

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

### **Aboveground Storage Tanks:**

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

### **Automobile Wrecking & Supplies:**

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Apr 30, 2024**

### **Borehole:**

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**

**Certificates of Approval:**

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2022**

**Commercial Fuel Oil Tanks:**

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Oct 2023**

**Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Apr 30, 2024**

**Compressed Natural Gas Stations:**

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -May 2024**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Jun 2024**

**Certificates of Property Use:**

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994 - July 31, 2024**

**Drill Hole Database:**

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Aug 2023****Delisted Fuel Tanks:**

Provincial

DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: Oct 2023****Environmental Activity and Sector Registry:**

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Aug 31, 2024****Environmental Registry:**

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994 - July 31, 2024****Environmental Compliance Approval:**

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011-Aug 31, 2024****Environmental Effects Monitoring:**

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\*****ERIS Historical Searches:**

Private

EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Mar 31, 2024****Environmental Issues Inventory System:**

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***



**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Apr 30, 2022**

**Environmental Penalty Annual Report:**

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2023**

**List of Expired Fuels Safety Facilities:**

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Oct 2023**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date: Jun 2000-Jun 2024**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2019**

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date: Oct 31, 2021**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Oct 2023**

**Fuel Storage Tank - Historic:**

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Oct 31, 2022**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date: 2013-Dec 2022**

**TSSA Historic Incidents:**

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**Fuel Oil Spills and Leaks:**

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date: 31 Oct, 2023**

**Landfill Inventory Management Ontario:**

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Mar 31, 2022**

**Canadian Mine Locations:**

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Mineral Occurrences:**

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Feb 2024**

**National Analysis of Trends in Emergencies System (NATES):**

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2022**

**National Defense & Canadian Forces Fuel Tanks:**

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Nov 2023**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Jun 30, 2021**

**National Energy Board Wells:**

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory 1993-2020:**

Federal

[NPR2](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

**Government Publication Date: Sep 2020**

**National Pollutant Release Inventory - Historic:**

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-May 31, 2024**

**Ontario Oil and Gas Wells:**

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Aug 2023**

**Inventory of PCB Storage Sites:**

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994 - July 31, 2024**

**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: Oct 2011-Aug 31, 2024**

**Ontario PFAS Spills:**

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Mar 2024; May 2024**

**NPRI Reporters - PFAS Substances:**

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

**Government Publication Date: Sep 2020**

**Potential PFAS Handlers from NPRI:**

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

**Government Publication Date: Sep 2020**

**Pipeline Incidents:**

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date: Feb 28, 2021**

**Potential PFAS Handlers from EASR:**

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

**Government Publication Date: Jun 30, 2024**

**Private and Retail Fuel Storage Tanks:**

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994 - July 31, 2024**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-1990, 1992-2021**

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

**Government Publication Date: 1997-Sept 2001, Oct 2004-Jul 2024**

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Apr 30, 2024**

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Mar 2024; May 2024**

**Wastewater Discharger Registration Database:**

Provincial SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

**Government Publication Date: 1990-Dec 31, 2021**

**Anderson's Storage Tanks:**

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970 - Apr 2023**

**Variances for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: Feb 28, 2022**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011 Aug 31, 2024**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Dec 31 2023**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.