

# TABLE OF CONTENTS

1.0	P	ROJECT INTRODUCTION	2
1	.1 F	PROJECT STATISTICS	2
1	.2 S	SITE CONTEXT	3
2.0	S	ITE CONTEXT AND ANALYSIS	5
2	.1	SITE CONTEXT	5
2	2	SITE PHOTOS	7
2	3	SITE ANALYSIS	8
3.0	D	esign Overview	12
3	.1	Design Overview	12
3	.2	SUSTAINABILITY FEATURES	12
3	.3	SITE PLAN	13
3	.4	Massing Renderings	14
3	.5	LANDSCAPE PLAN	16
3	.6	Renderings	17
4.0	D	ESIGN DIRECTION	19
4	.1	CITY OF OTTAWA OFFICIAL PLAN	19
4	.2	LOWRISE INFILL DEVELOPMENT GUIDELINES	21
1	2	PIDD SAFE DESIGN CHIDELINES	21

### LIST OF FIGURES

FIGURE 1: AERIAL PHOTO

FIGURE 2: SITE STATISTICS

FIGURE 3: CITY OF OTTAWA TRANSIT NETWORK MAP

FIGURE 4: CITY OF OTTAWA ACTIVE TRANSPORTATION MAP

FIGURE 5: CITY OF OTTAWA URBAN ROAD NETWORK MAP

FIGURE 6: CITY OF OTTAWA OFFICIAL PLAN (2022)



## 1.0 Introduction

Korsiak Urban Planning has been retained by Mattamy Development Company to prepare this Urban Design Brief in support of the Site Plan application required to permit development of the lands located east of Stittsville Main Street, on the south side of Parade Drive (*Figure 1*), referred to as Block 349, 4M-1589 Stittsville Main Street, of City of Ottawa (hereinafter the "subject site"). Mattamy Development Company has retained the assistance of additional specialized consultants for the subject application.

Stittsville is part of the broader suburban expansion of Ottawa and is located near major transportation corridors like Hazeldean Road and the Trans-Canada Highway. While historically a rural village, it has transformed into a vibrant suburban area with schools, parks, and shopping centers serving its residents. The community is also known for its proximity to natural areas and trails, making it appealing for those who enjoy outdoor activities.

In terms of infrastructure, Stittsville is seeing improvements in public transportation, road expansions, and the introduction of more sustainable urban planning elements as the city grows.

### 1.1 PURPOSE OF THE BRIEF

The purpose of this Urban Design Brief is to support the associated low-rise residential Site Plan application. The report evaluates its merits in the context of the related design policies of the City of Ottawa's Official Plan and guideline documents



FIGURE 1 - Aerial Photo

SITE AREA		10,476m² (1.05 h	n)		
PAVED AREA		2.924.58m² (28%)	,		
LANDSCAPED AREA		3,550.80m² (34%)	'		
TOTAL BUILDING COVERAGE		4,000.84m² (38%)			
TOTAL APPROXIMATE GROSS FLOOR AREA		9,751.49m² (0.97	ha)		
TOTAL UNIT	s		84		
DENSITY (UPH)		80 UPH			
ZONE CATEGORY		R4(Z) (RESIDENTIA	ISITY)		
DWELLING BI	OCK DWELL	NC TYPE		GROSS FLOOR	
BLOCK 1		NG TYPE ED TOWNHOUSE		(m2) 1.393.07	<u>UNITS</u> 12
BLOCK 1		ED TOWNHOUSE		1,393.07	12
BLOCK 2		ED TOWNHOUSE		1,393.07	12
BLOCK 4		ED TOWNHOUSE		1,373.07	12
BLOCK 5 STACKED TOWNHOUSE			1.393.07	12	
BLOCK 6 STACKED TOWNHOUSE			1,393.07	12	
BLOCK 7				1.393.07	12
BLOCK 7			TOT	1,393.07 AL 9,751.49t	
BLOCK 7  SECTION		ED TOWNHOUSE			m² 84  PROPOSED
SECTION 162A(Table)(Z)	STACK!  ZONE PROVISION - P  MIN. LOT AREA (m²)	ED TOWNHOUSE		REQUIRED 450m <sup>2</sup>	PROPOSED 10,476m <sup>2</sup>
SECTION 162A(Table)(Z) 162A(Table)(Z)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT WIDTH (m)	ED TOWNHOUSE		REQUIRED 450m <sup>2</sup>	PROPOSED 10,476m <sup>2</sup> 44.86m
<u>SECTION</u> 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT WIDTH (m) MIN. FRONT YARD SETB	LANNED UNIT DEV		REQUIRED 450m <sup>2</sup> 18m 3.0m	PROPOSED 10,476m <sup>2</sup> 44.86m 3.05m
<u>SECTION</u> 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z)	ZONE PROVISION - PMIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. LOT WIDTH (m) MIN. FRONT YARD SETB MIN. CORNER SIDE YAR	LANNED UNIT DEV  ACK (m) RD SETBACK:		REQUIRED 450m <sup>2</sup> 18m 3.0m 3.0m	PROPOSED 10.476m <sup>2</sup> 44.86m 3.05m 3.05m
<u>SECTION</u> 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z)	ZONE PROVISION - PMIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. LOT WIDTH (m) MIN. FRONT YARD SETB MIN. CORNER SIDE YAR	LANNED UNIT DEV  ACK (m) RD SETBACK:		REQUIRED 450m <sup>2</sup> 18m 3.0m	PROPOSED 10,476m <sup>2</sup> 44.86m 3.05m
\$ECTION 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z)	ZONE PROVISION - PMIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. LOT WIDTH (m) MIN. FRONT YARD SETB MIN. CORNER SIDE YAR	LANNED UNIT DEV  ACK (m) RD SETBACK:	ELOPMENT	REQUIRED 450m² 18m 3.0m 3.0m 15m 84	PROPOSED 10.476m <sup>2</sup> 44.86m 3.05m 3.05m
SECTION 162A(Table) (Z) 162A(Table) (Z) 162A(Table) (Z) 162A(Table) (Z) 162A(Table) (Z) 101 (Table) 102 (Table)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. FRONT YARD SETB MIN. CORNES DIE YAR MAX. BUILDING HEIGHT RESIDENT PARKING VISITOR PARKING	LANNED UNIT DEV  ACK (m) RD SETBACK: [f (m)  -84 Units @ 1.0 sp  -84 Units @ 0.2 sp	ELOPMENT  DOCES/Unit	REQUIRED 450m² 18m 3.0m 3.0m 15m 84 17	PROPOSED 10.476m² 44.86m 3.05m 12.0m (3 storeys) 92 17
\$ECTION 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 101(Table) 102(Table) 111A(Table)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. FRONT YARD SEIS MIN. CORNER SIDE YAR MAX. BUILDING HEIGHT RESIDENT PARKING MIN. BICYCLE PARKING MIN. BICYCLE PARKING	LANNED UNIT DEV  ACK (m) RO SETBACK: F (m) -84 Units @ 1.0 sp -84 Units @ 0.2 sp G -84 Units @ 0.5 sp	ELOPMENT  aces/unit aces/unit aces/unit	REQUIRED 450m² 18m 3.0m 3.0m 15m	PROPOSED 10.476m² 44.86m 3.05m 12.0m (3 storeys 92 17 42
\$ECTION 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 101(Table) 101(Table) 111A(Table) 131(Table)(1)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT WIDTH (m) MIN. FRONT YARD SETB MIN. CORNER SIDE YAR MAX. BUILDING HEIGHT VISITOR PARKING VISITOR PARKING MIN. BICYCLE PARKING MIN. BICYCLE PARKING MIN. BICYCLE PARKING	ACK (m) ACS (m) -84 Units @ 1.0 sp -84 Units @ 0.2 sp -84 Units @ 0.5 sp -84 Units @ 0.5 sp	ELOPMENT  aces/unit aces/unit ste (m)	REQUIRED 450m² 18m 3.0m 3.0m 15m 84 17 42 6.0m	PROPOSED 10.476m <sup>2</sup> 44.86m 3.05m 3.05m 12.0m (3 storeys 92 17 42 6.0m
\$ECTION 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z) 101(Table) 101(Table) 111A(Table) 131(Table)(1)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. FRONT YARD SEIS MIN. CORNER SIDE YAR MAX. BUILDING HEIGHT RESIDENT PARKING MIN. BICYCLE PARKING MIN. BICYCLE PARKING	LANNED UNIT DEV  ACK (m) RD SETBACK: I (m)  -84 Units @ 1.0 sp -84 Units @ 0.2 sp -84 Units @ 0.5 sp -84 Units @ 0.7 sp	ELOPMENT  aces/unit aces/unit ste (m)	REQUIRED 450m² 18m 3.0m 3.0m 15m	PROPOSED 10.476m² 44.86m 3.05m 12.0m (3 storeys 92 17 42
\$ECTION 162A[Table](2) 162A[Table](2) 162A[Table](2) 162A[Table](2) 162A[Table](2) 162A[Table](2) 101[Table] 102[Table] 131[Table](1) 131[Table](2)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. FRONT YARD SEB MIN. CORNER SIDE YAR MAX. BUILDING HEIGHT RESIDENT PARKING VISITOR PARKING MIN. BICYCLE PARKING MIN. WÜDTH OF PRIVATI MIN. SETBACK FOR AN'	ACK (m) ACK (m) AS Units @ 1.0 sp -84 Units @ 0.2 sp -84 Units @ 0.2 sp -84 Units @ 0.5 sp WALL OF A RESIDE ANCE BETWEEN BUIL	ELOPMENT  acces/unit acces/unit acces/unit st.E (m) NTIAL USE BUILDING	REQUIRED 450m <sup>2</sup> 18m 3.0m 3.0m 15m 84 17 42 6.0m	PROPOSED 10.476m <sup>2</sup> 44.86m 3.05m 3.05m 12.0m (3 storeys 92 17 42 6.0m
<u>SECTION</u> 162A(Table)(Z) 162A(Table)(Z) 162A(Table)(Z)	ZONE PROVISION - P MIN. LOT AREA (m²) MIN. LOT AREA (m²) MIN. FRONT YARD SETB MIN. CORNER SIDE YAR MAX. BUILDING HEIGHT RESIDENT PARKING VISITOR PARKING MIN. BICYCLE PARKING MIN. WIDTH OF PRIVATI MIN. SETBACK FOR AN¹ TO A PRIVATE WAY (m) MIN. SEPARATION DIST. PLANNED UNIT DEVELCE AMENITY AREA:	ACK (m) ACK (m) AS Units @ 1.0 sp -84 Units @ 0.2 sp -84 Units @ 0.2 sp -84 Units @ 0.5 sp WALL OF A RESIDE ANCE BETWEEN BUIL	ELOPMENT  DICES/Unit DICES/Unit DICES/Unit SLE (m) NITIAL USE BUILDING DINGS WITHIN A	REQUIRED 450m² 18m 3.0m 3.0m 15m 84 17 42 6.0m 1.8m	PROPOSED 10.476m² 44.86m 3.05m 3.05m 12.0m (3 storeys) 92 17 42 6.0m 3.4m

ADDITIONAL PROVISIONS	REQUIRED	PROPOSED
PERMITTED PROJECTIONS INTO REQUIRED YARDS:		
FIRE ESCAPES, OPEN STAIRWAYS, STOOP (m)	>0.6m to lot line	TBD
COVERED OR UNCOVERED BALCONY, PORCH, DECK	>1m to lot line	1.7m
MIN. PERPENDICULAR PARKING SPACE SIZE (m)	2.6m x 5.2m	2.6m x 5.2m
MIN. BARRIER FREE PARKING**		
TYPE A PARKING SPACE SIZE (m)	3.4m wide	3.4m wide
TYPE B PARKING SPACE SIZE (m)	2.4m wide	2.4m wide
ACCESS AISLE (m)	1.5m	1.5m
MIN. BICYCLE PARKING SPACE DIMENSION, HORIZONTAL (m)	Width: 0.6m	Width: 0.6m
	Length: 1.8m	Length: 1.8m
MIN. BICYCLE PARKING SPACE ACCESS AISLE WIDTH (m)	1.5m	1.5m
MAX. WALKWAY WIDTH PERMITTED IN YARD (m)	1.8m	1.8m
MIN. % OF PARKING LOT LANDSCAPED	15%	25%
LANDSCAPED AREA SURROUNDING PARKING LOT		
ABUTTING A STREET (m)	3.0m	3.05m
REFUSE COLLECTION AREAS:		
MIN. WASTE COLLECTION SETBACK TO A PRIVATE WAY (m)	9.0m	9.09m
OPAQUE SCREEN MIN. HEIGHT (m)	2.0m***	See Note***

FIGURE 2 - SIte Statistic

## 1.2 SITE CONTEXT

The subject site is located along the east side of Stittsville Main Street and on the south side of Parade Road as shown on Figure 1 – Aerial Photo. The subject site is currently occupied by a residential dwelling. The site has an area of approximately 1.05 hectares with approximately 45m of frontage on Parade Drive, 107m on Falabella, 113m on Campolina and 68m on Stittsville Main.



### 2.1 SITE CONTEXT

In 4.0 hectares the existing residential housing in the neighbourhood is single detached and street-oriented townhouses, all with front yard driveways. The existing residential dwelling is accessed by a driveway from Stittsville Main Street, however access is restricted for new development. Campolina ends in a cul-de-sac south of the site. Of the four road frontages, only Parade Drive presently has a sidewalk.

North: Townhouses front Parade Drive northeast of the site while the other surrounding homes consist of semidetached and detached homes making it a low-rise residential community.

East: Directly east of the subject site are a few small businesses located at homes. Directly east approximately 300 metres from the site at Parade Drive and Campolina Way is Howard A. Maguire Park, a 1.33 hectare park, which features multiple tennis/pickleball courts, a playground, gazebo and benches. The neighbourhood towards the east side of the site is a low-rise residential community featuring semi-detached and detached homes.

South: Directly south of the subject site on Campolina Way is a full street of detached homes. Outside of Stittsville, 900 metres south on Stittsville Main St and Flewellyn Rd is Everybody Growing Church as well as an Ambassadors Christian Private School. Further south on Huntley Rd and Flewellyn Rd is Goulbourn Museum, along with an expansive Natural Heritage System in the area.

West: Immediately west of the subject site is a low rise residential neighbourhood which include detached homes. Approximately 300 metres from the subject site at West Ridge Drive is Traditions Park. A small 0.35-hectare park, which features a playground and a bench. 250 metres away from Traditions Park is Elwer Trail, an open trail for residents to use during their leisure time which is surrounded by detached homes. Along Stittsville Main Street and West Ridge Drive, there are multiple bus stops making transportation services more accessible for individuals commuting around the city.



**North View** 



**South View** 



**East View** 




**West View** 

## 2.2 SITE PHOTOS

Back View from Campolina



Front View from Parade



Side View from Falabella



Sideview from Stittsville Main St



View from Falabella & Campolina



View of Site from Falabella & Parade



### 2.3 SITE ANALYSIS

#### **Transit Network:**

The subject property is in proximity to local routes 162 and 301 which leads towards the city center and has a stop along the O-Train connector routes. Route 162 is designated as a local service whereas, route 301 runs only on Mondays and leads south to Perth. The property is also located within close proximity to 2 connections to the O-Train, line numbers 262, and 263. Light Rail lines 61 is within close proximity to the subject property.




FIGURE 3 -Transit Network Map

### **Active Transportation:**

A multi-use pathway beings on Stittsille Main Street north of the subject site and connects to Fernbank Road, where there is a paved shoulder in addition to the multi-use pathway. An off street multi-use pathway starts at Monterossa Street and runs east through Upcountry Park and to Westwind Public School, Guardian Angels School, and Trustee M. Curry Park, allowing for students to choose active transportation. Howard A. Maguire Park and Traditions Park are within a 5-minute walk of the site.

A paved shoulder is located south of the property on Sittsville Main Street.




FIGURE 4 - Active Transportation Map

#### **Urban Road Network:**

The site is connected to the surrounding road network via local roads to:

- Stittsville Main is designated as an Existing Arterial road, along with Fernbank Road, which are the closest Arterial roads to the subject property.
- Hartsmere/Upcountry Road is designated as an Existing Collector Road along with West Ridge which intersect
  with Stittsville Main and Fernbank.




FIGURE 5 - Urban Road Network Map



### 3.1 Design Overview

84 stacked back-to-back townhouse dwelling units are proposed, in blocks of 12. The buildings are 3 storeys high, to bring gentle density to the site with a height appropriate for the surrounding neighbourhood. They are oriented toward all four public road frontages to animate the streetscapes. Individual walkways connect units to the internal pedestrian network and to surrounding public sidewalks, including new sidewalks proposed within the Falabella Street and Campolina Way rights-of-way. Driveway access is limited to Falabella Street, where the landscape plan states some existing trees will be maintained. Landscaping buffers the surface parking, and waste is to be collected in in-ground Molok bins screened from view. Benches, boulders, and bike racks are proposed along with a variety of hard and soft landscaping in the amenity areas. More detail is provided in the site plan submission landscape plan.

The innovative stacked housing form allows for windows on all four sides of each building, and balconies, terraces, and doors on the front and rear elevation. The proposed materials are asphalt shingles, vinyl siding with fibre-cement lap accents, and aluminium railings. More detail is provided in the site plan submission elevations.

### 3.2 Sustainability Features


The following features may be considered as the design progresses:

- ENHANCED ENVELOPE
   Additional insulation in walls, attic and basement.
- INSULATED WINDOWS Keep heat in or out seasonally.
- 3. AIRTIGHTNESS REQUIREMENTS

- Designed, constructed and third-party-tested for improven energy efficiency.
- 4. ENERGY RECOVERY VENTILATION SYSTEM Better ventilation, for fresh air in your home.
- HEAT PUMP
   Year-round energy-efficient climate control with zero direct emissions.
- HOT WATER
   High-efficiency hot-water system and/or load-shifting hot-water tanks.
- 7. ENERGY-EFFICIENT LIGHTS Energy-efficient LED lighting.
- ENERGY-EFFICIENT APPLIANCES
   Higher-efficiency dishwashers, refrigerators, washers and dryers, where included.
- LOW-CARBON MATERIALS
   Reduced carbon through low carbon concrete, steel, insulation and other materials.
- ENERGY MONITORING
   Track your electricity usage to better understand electricity consumption.
- 11. RADIANT BARRIER ROOF

  Reflective surface that helps remove heat from the attic caused by the sun.
- 12. SMART THERMOSTAT Help program your HVAC to sense occupancy, control humidity and manage other conditions with features to improve energy efficiency and comfort.
- 13. SOLAR PANELS OR SOLAR READY
  Install solar panels or build the home for future solar panels.

## 3.3 SITE PLAN



# 3.4 Massing Renderings






# 3.4 Massing Renderings






## 3.5 LANDSCAPE PLAN



# 3.6 RENDERINGS





## 4.1 CITY OF OTTAWA OFFICIAL PLAN (2022)

The Official Plan for the City of Ottawa was approved on November 4, 2022. The Plan provides a framework for development in the City until 2046, when it is expected that the City's population will surpass 1.4 million people. The Official Plan directs how the City will accommodate this growth over time and sets out the policies to guide the development and growth of the City.

The subject site is located within the West Suburban Transect and is designated Neighbourhood alongside an Evolving Neighbourhood Overlay. Neighbourhoods within the Suburban Transect generally reflect a conventional suburban model of built form and site design and are typically categorized by the separation of land uses, standalong buildings, generous building setbacks and low-rise buildings.

The Official Plan aims to recognize the suburban pattern of built form within these neighbourhoods while supporting an evolution towards 15-minute neighbourhoods. Areas identified by the Evolving Neighbourhood overlay are closer to public transit and are areas intended for intensification towards a more urban built form that supports the shift towards 15-minute neighbourhoods.



FIGURE 6 - Official Plan Designation Map

Policy 2 of Section 6.3.1 states that permitted building heights in the Neighbourhoods shall be Low-rise, except:

a) where existing zoning or secondary plans allow for greater building heights.

### **URBAN DESIGN**

Section 4.6 of the Official Plan sets out a framework for built form and the public realm. Urban design plays an important role in supporting the City's objectives including building 15-minute neighbourhoods, growing the urban tree canopy, and developing resilience to climate change. New developments should be designed to make healthier and more environmentally sustainable living accessible for people of all ages, genders and social statuses. The proposed development meets the following Urban Design policies, among others.

Policy 3 of Section 4.6.5 states that "development shall minimize conflict between vehicles and pedestrians and improve the attractiveness of the public realm by internalizing all servicing, loading areas, mechanical equipment and utilities into the design of the building, and by accommodating space on the site for trees, where possible. Shared service areas, and accesses should be used to limit interruptions along sidewalks. Where underground parking is not viable, surface parking must be visually screened from the public realm."

Policy 4 of Section 4.6.5 states that "development shall demonstrate universal accessibility, in accordance with the City's Accessibility Design Standards. Designing universally accessible places ensures that the built environment addresses the needs of diverse users and provides a healthy, equitable and inclusive environment."

Policy 4 of Section 4.6.6 states that amenity areas shall be provided in residential development in accordance with the Zoning By-law and applicable design guidelines. These areas should serve the needs of all age groups, and consider all four seasons, taking into account future climate conditions.

Policy 6 states that "low-rise buildings shall be designed to respond to context, and transect area policies, and shall include areas for soft landscaping, main entrances at-grade, front porches or balconies, where appropriate. Buildings shall integrate architecturally to complement the surrounding context."

The overall design conforms to the Urban Design policies outlined in section 4.6 of the Official Plan.

### 4.2 LOW-RISE INFILL DEVELOPMENT GUIDELINES

This development of stacked townhouses align with Ottawa's low-rise infill guidelines by promoting compact, ground-oriented housing that respects neighborhood scale. They provide clear street-facing entrances, encourage active frontages, and integrate landscaping for privacy and aesthetics.

The guidelines support minimizing shadow impacts, ensuring compatibility with surrounding buildings, and using materials that reflect the local character. Additionally, stacked townhouses enhance pedestrian environments and contribute to sustainable density.

4.3 BIRD-SAFE DESIGN GUIDELINES

In November 2020, the City of Ottawa approved design guidelines to ensure bird health is considered in building design. Ottawa's Bird-Safe Design Guidelines are intended to be used during the planning stage of private or public development projects to minimize the potential risks to birds.

The guidelines address the design of buildings, lighting and landscaping. During planning and design, applicants need to:

- Consider the environmental context and surroundings. Minimize the transparency and reflectivity of glass.
- Avoid or mitigate design traps, such as glass passageways or corners that are invisible to birds.
- Consider non-glass structural features that might pose a hazard.
- Create bird-friendly landscaping.
- Design exterior lighting to minimize light spill at night.
- Minimize nighttime light spill from inside the building

In order to minimize the threat of bird collisions, the guidelines will be considered as the site plan progresses.